

Completed as shut-in gas well - 12/22/78

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief
Approval Letter
Disapproval Letter

COMPLETION DATA:

Date Well Completed 12/22/78

Location Inspected

OW..... WW..... TA.....

Bond released

51 GW..... OS..... PA.....

State or Fee Land

LOGS FILED


Driller's Log..... ✓

Electric Logs (No.) ✓

E..... I..... Dual I Lat..... GR-M..... Micro.....

BBC Sonic GR..... Lat..... MI-L..... Sonic.....

CBLog..... CCLog..... Others.....



mapco
INC.

PRODUCTION DIVISION - NORTHERN DISTRICT

April 20, 1978



State of Utah
Department of Natural Resources
Division of Oil & Gas Conservation
1588 West North Temple
Salt Lake City, Utah 84116

Attention: Cleon Feight

Re: Application for Permit to Drill
River Bend #14-08-0001-16305

Gentlemen:

Enclosed for your information is a copy of the Application for Permit to Drill and attachments for each of the following wells:

RBU No. 11-21E
RBU No. 5-12D
RBU No. 11-16F
RBU No. 11-23E
RBU No. 11-14E

RBU No. 5-11D
RBU No. 11-10E
RBU No. 15-17E
RBU No. 7-25B
~~RBU No. 11-19F~~

Very truly yours,

MAPCO Inc.

James J. Benner
Reservoir and Production Engineer

JJB/jv

Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK
 b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE
 2. NAME OF OPERATOR
 MAPCO Inc.
 3. ADDRESS OF OPERATOR
 Suite 320 Plaza West
 1537 Avenue D, Billings, Montana 59102
 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface (1) 3332' FWL, 1902' FSL
 NE SW Section 19 (Irregular Section)
 At proposed prod. zone
 Same
 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 14 Miles South of Ouray, Utah

5. LEASE DESIGNATION AND SERIAL NO.
 U-013769-A
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 7. UNIT AGREEMENT NAME
 River Bend
 #14-08-0001-16305
 8. FARM OR LEASE NAME
 9. WELL NO.
 RBU 11-19F
 10. FIELD AND POOL, OR WILDCAT
 River Bend
 11. SEC, T, R., M., OR BLK. AND SURVEY OR AREA
 Section 19
 T. 10 S., R. 20 E.
 12. COUNTY OR PARISH
 Uintah
 13. STATE
 Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1902'
 16. NO. OF ACRES IN LEASE 791.86
 17. NO. OF ACRES ASSIGNED TO THIS WELL 640
 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. None
 19. PROPOSED DEPTH (5) 8180'
 20. ROTARY OR CABLE TOOLS (4) Rotary
 21. ELEVATIONS (Show whether DF, RT, GR, etc.) (2) 5146' Ungraded GL.
 22. APPROX. DATE WORK WILL START* (14) 5-15-78 30 days

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" - New	24	500'	Cement to surface
7-7/8"	5-1/2" - New	17	8180'	As required

Data required to be included on Form 9-331C by NTL-6, dated 6-1-76, as Items No. (1), (2), (4), (5), (8), (9) and (14) are so noted above. The rest as follows:

(3) and (6): Uintah Surface Chapita Wells 5280
 Green River 1050 Uteland Bts. 6480
 Wasatch 4550 Mesaverde 7680

(7): No water anticipated; possible thin, non-commercial oil bearing zones encountered in the Green River from approximately 1050'-4550'[±], no commercially productive oil bearing sands encountered in this area previously; gas bearing formations will be the Wasatch, expected intermediate overall interval from 4550'-7700'[±], and the Mesaverde from 7675'[±] to a total depth of 8180'.

NOTICE OF APPROVAL

(10): Figure #1 (attached) -- Continued on back of page --

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. J. D. Holliman SIGNED Manager of Operations TITLE Northern District DATE April 13, 1978
 (This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
 APPROVED BY (Orig. Sgd.) E. W. Guynn TITLE DISTRICT ENGINEER DATE MAY 12 1978
 CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY *See Instructions On Reverse Side

NECESSARY FLARING OF GAS DURING DRILLING AND COMPLETION APPROVED SUBJECT TO ROYALTY (NTL-4)

State O & G

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

(11): The well is to be drilled with a salt water mud system maintaining a weight of approximately 9#/gal with weighting material on location sufficient to weight-up for pressure control as necessary.

(12): A mud logger will be used from 4000' to TD. No drill stem tests will be run. No coring will be done. The logging program will include Dual Induction and CNL-Density Logs.

(13): As noted in #(1), no abnormal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H₂S gas.

(15): Auxiliary equipment: (a) Kelly cock

(b) Full opening valve on floor with DP Connection for use when Kelly is not in string


(c) Pit volume totalizer equipment will be used.

T 10 S, R 20 E, S.L.B. & M.

PROJECT

MAPCO INC.

S 89° 08' E (98.14)



Well location, *RIVER BEND UNIT #11 - 19 F*, located as shown in the NE 1/4 SW 1/4 Section 19, T 10 S, R 20 E, S.L.B. & M. Uintah County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Diane Stewart



REGISTERED LAND SURVEYOR
REGISTRATION NO 3154
STATE OF UTAH

X = Section Corners Located

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 4/6/78
PARTY MS KH	REFERENCES DJ GLO Plat
WEATHER Fair	FILE MAPCO INC.

MAPCO INC.
PROPOSED LOCATION
RIVER BEND UNIT #11-19 F



Proposed Action:

On April 19, 1978, Mapco Inc. filed an Application for Permit to Drill the No. RBU 11-19F development well, an 8180 foot gas test of the Mesaverde formation located at an elevation of 5146 feet in the NESW Sec. 19 10S 20E on Federal mineral lands and BLM surface; lease No. U-013769-A. There was no objection raised to the wellsite nor to the access road.

A rotary rig would be used for the drilling. An adequate casing and cementing program is proposed. Fresh-water sands and other mineral-bearing formations would be protected. A Blowout Preventer would be used during the drilling of the well. The proposed pressure rating should be adequate. Details of the operator's NTL-6 10-Point Subsurface and 13-Point Surface Protection Plans are on file in the U.S.G.S. District Office in Salt Lake City, Utah and the U.S.G.S. Northern Rocky Mountain Area Office in Casper, Wyoming. The drilling operation would begin within 10 days upon approval of the A.P.D. and would be expected to last 30 days to reach total depth and complete the well for production if hydrocarbons are discovered.

A working agreement has been reached with BLM, the controlling surface agency. Rehabilitation plans would be decided upon as the well neared completion; the Surface Management Agency would be consulted for technical expertise on those arrangements. Written concurrence of the surface managing agency is attached.

Location and Natural Setting:

The proposed drillsite is approximately 14 miles south of Ouray, Utah, the nearest town. There are no dwellings in the area. A fair road runs to within 1.2 miles of the location. An access road will be built from this point to the location. This well is in the River Bend field.

The overall topography consists of steep ridges and deep canyons. The location is situated in a small drainage area. The surface geology is the Uintah formation. The soil consists of brown to gray clays and sand. No geologic hazards are known near the drillsite. Seismic risk

for the area is minor. Anticipated geologic tops are filed with the 10-Point Subsurface Protection Plan. No mining of any sort is anticipated in the area. The land is used primarily for grazing. The climate is arid with abundant sunshine, hot summers and cold winters with temperature variations on a daily and seasonal basis. Annual precipitation is approximately 9 inches. Winds are strong and steady, occurring predominately from west to east. Air mass inversions are rare.

The area eventually drains into the Green River. The depths of freshwater formations are listed in the 10-Point Subsurface Protection Plan.

Vegetation consists of sagebrush, rabbitbrush, native grasses, and cacti. Mammalian wildlife in the area include antelope, deer, coyote, rabbit, prairie dog, chipmunks, small gophers, and mice. There are numerous prairie and mountain birds in the general area, including the following: Sage hen, birds of prey such as owls, and various types of hawks and falcons. Snakes and small lizards are also present on a seasonal basis. There are no known endangered or threatened plant species in the area.

The inspecting archaeologist, Steve Hayes of AERC, SLC, found no sites that would conflict with the proposed operation. There are no known historical, cultural or archaeological sites in the area. There are no national, state, or local parks, forests, wildlife refuges or ranges, grasslands, monuments, trails or other formally designated recreational facilities near the proposed location.

The proposed location is within the Hill Creek Planning Unit. This Environmental Assessment Record was compiled by the Bureau of Land Management, the surface managing agency of the Federal surface in the area. The study includes additional information on the environmental impact of oil and gas operations in this area and gives land use recommendations. The E.A.R. is on file in the agency's State offices and is incorporated herein by reference.

Effects on the Environment by the Proposed Action:

The wellpad would disturb approximately 2½ acres. The access road would run approximately 1.2 miles. An estimated 17 foot cut and 5 foot fill would be necessary to level the pad area. The vegetation would be removed and minor relocation of wildlife in the immediate area, particularly small rodents, would be anticipated. If the test well results in a discovery of a pool, additional facilities would be needed requiring no additional surface acres. Construction of flow-lines would disturb long, narrow strips of the surface for a short period of time.

The mud and reserve pits would contain all fluids used during the drilling operations. The potential for gas leaks and related accidents would be present. Should a gas leak occur, the effect on the atmosphere would be extremely short-lived. If the well should be productive, precautions would be taken against such accidents. Toxic or noxious gases would not be anticipated.

Some additional erosion would be expected in the area since surface vegetation would be removed. If erosion became serious, drainage systems such as water bars and dikes would be installed to minimize the problem. There would be no tangible effect on water migration in fresh-water aquifers. The pits would be unlined. If fresh water should be available from the well, the owner or surface agency may request completion as a water well if given approval under NTL-2B.

Waterways would not be affected directly due to their distance from the site.

Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels would be infrequent and significantly less. If the area is abandoned, noise levels should return to pre-drilling levels.

Relatively heavy traffic would be anticipated during the drilling-operations phase, increasing dust levels and exhaust pollutants in the area. If the well was to be completed for production, traffic would be reduced substantially to a maintenance schedule with a corresponding decrease of dust levels and exhaust pollutants to minor levels. If the project results in a dry hole, all operations and impact from vehicular traffic would cease after abandonment. Due to the limited number of service vehicles and limited time span of their operation, the air quality would not be substantially reduced.

A trash pit would be utilized for any solid wastes generated at the site and would be buried after the completion of the operations. Sewage would be handled according to State sanitary codes. For further information, see the 13-Point Surface Plan.

The animals and vegetation of the area would be disturbed for the life of the project. If the project was to produce hydrocarbons, adjustments in habitat occupancy would be expected. At abandonment, normal rehabilitation of the area such as countouring, reseeding, etcl, would be undertaken with an eventual return to the present status as outlined in the 13-Point Surface Plan.

The site is not visible from any major roads. Should the wellsite be abandoned, surface rehabilitation would be done according to the surface agency's requirements and to USGS's satisfaction. This would involve leveling, contouring, reseeding, etc., of the location and possibly the access road. If the well should produce hydrocarbons, measures would be undertaken to protect wildlife and domestic stock from the production equipment. The anticipated traffic would have a minimal impact on traffic and vehicular safety problems. Normal precautions would be employed to prevent damage or injury to ranch property and personnel. Aside from recreational activities such as hunting, the only other human conflicts that would arise in normal usage of the area would be the oil and gas operations. These would be minor, with planned precautions to limit such conflict.

The economic and environmental impact of a single well is normally somewhat negligible. But should this well discover a significant new hydrocarbon source, local, state and possibly national economies might be improved. In this instance, other development wells would be anticipated, with substantially greater environmental and economic impacts.

Alternatives to the Proposed Action:

1. Under leasing provisions, the Geological Survey has an obligation to allow mineral development if the environmental consequences are not too severe or irreversible. Upon rehabilitation of the site, the environmental effects of this action would be substantially mitigated, if not totally annulled. Permanent damage to the surface and subsurface would be prevented as much as possible under U.S.G.S. and BLM supervision with rehabilitation planning reversing almost all effects. Additionally, the growing scarcity of oil and gas should be taken into consideration. Therefore, the alternative of not proceeding with the proposed action at this time is rejected.

2. Minor relocation of the wellsite and access road or any special, restrictive stipulations or modifications to the proposed program would not significantly reduce the environmental impact. There are no severe vegetative, animal or archaeological-historical-cultural conflicts at the site. Since only a minor impact on the environment would be expected, the alternative of moving the location is rejected.

Adverse Environmental Effects which cannot be Avoided:


Surface scars resulting from construction work, wellpad and the access road would be visible for the life of the project and for a period of time after abandonment while rehabilitation is completed. The disturbed areas would not be available for grazing purposes during the project's life time. Minor relocation of wildlife, notably small rodents, in the immediate area would be anticipated. Any improvement of existing roads would be a semi-permanent effect as traffic would

continue to utilize the access road. Some erosion would be anticipated with the removal of vegetative cover. Dust levels and exhaust pollutants would increase somewhat during the construction and drilling phases of the operation. Traffic hazards, though low, would be present. Noise levels would increase during construction and drilling. The potential for gas leaks and related accidents would be present. If hydrocarbons are discovered and produced, further oil and gas development of the area would be expected to occur which would result in the extraction of an irreplaceable resource, and further negative environmental impacts.


Determination:

This requested action does not constitute a major Federal Action significantly affecting the environment in the sense of NEPA, Section 102(2)(c).

District Engineer: _____



Salt Lake City, Utah



11-19-F
NE SW 500.19 105 20E
U-013769-A Mapco

U. S. GEOLOGICAL SURVEY - CONSERVATION DIVISION

FROM : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-013769-A

OPERATOR: MAPCO, Inc.

WELL NO. RBU 11-19F

LOCATION: 1/4 NW 1/4 SE 1/4 sec. 19, T. 10S., R. 20E., SLM

Uintach County, Utah

1. Operator predicted stratigraphy and predicted hydrocarbon zones are adequate? Yes.
If not, USGS predictions are:

2. Fresh water aquifers probable below surface casing? Yes. Possibly present in Uinta (0-1,050')

3. Other probable leasable minerals? Yes. Oil shale in Green River; coal of academic interest may be found in Mesaverde.

4. Are hazardous fluids or gases likely? No.

5. Are abnormal conditions of pressure or temperature likely? No.

6. Will any strata penetrated need special mud, casing, or cementing beyond that proposed in the APD? No.

7. Is additional logging or sampling needed? No. But logging program should be run through 1,050-4,450' interval to define oil shale intervals in Green River.

8. References - remarks: USGS Files, Salt Lake City, Utah

Is location within 2 miles of a KGS? Yes. Island Field KGS

Signature: Donald C. Alwood

Date: 04/26/78

MAPCO INCORPORATED

13 Point Surface Use Plan

for

Well Location

River Bend Unit #11-19 F

Located In

Section 19, T10S, R20E, S.L.B. & M.

Uintah County, Utah

Mapco Incorporated
River Bend Unit #11-19 F
Section 19, T10S, R20E, S.L.B. & M.

1. EXISTING ROAD

To reach Mapco Incorporated, well location River Bend Unit #11-19 F, located in the NE 1/4 SW 1/4 Section 19, T10S, R20E, S.L.B. & M., Uintah County, Utah; proceed Westerly out of Vernal, Utah along U.S. Highway 40, 14 miles to the junction of this road and Utah State Highway 209; proceed South along Utah State Highway 209, 7 miles more or less to the junction of this Highway and Utah State Highway 88; proceed South along Utah State Highway 88-10 miles to Ouray, Utah; proceed on South along a county road known as the Seep Ridge Road 9.2 miles along the Seep Ridge to its junction with an existing dirt service road to the South known as Turkey Trail road; proceed Southerly along this road 1.7 miles to the point that it intersects an existing dirt service road to the South, known as Willow Creek road; proceed in a Southerly direction along this road 1.3 miles to the point that it intersects an existing dirt service road to the West, known as the Hill Creek road; proceed Westerly, across Black Bridge, along this road 0.5 miles to the point that it intersects an existing dirt service road to the North; proceed Northerly along this service road 3 miles to the point that the planned access road (to be discussed in Item #2) leaves the existing road in a Westerly direction.

The Highways mentioned in the foregoing paragraph are bituminous surfaced road to Ouray, Utah at which point the County road is surface with native asphalt for \pm 4 miles and then is a gravel surface to the aforementioned service roads.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing areas they are located in and range from clays to a sandy-clay shale material.

There is no anticipated construction on any portion of the above described road. They will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase; completion phase and the production phase of this well at such time that production is established.

The roads that are required for access during the drilling phase, completion phase, and production phase of this well, will be maintained at the standards required by the B.L.M. or other controlling agencies.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The proposed access road leaves the existing service road in the SW 1/4 Section 20, T10S, R20E, S.L.B. & M. and proceeds in a Westerly direction 1.2 miles to the proposed location site.

In order to facilitate the anticipated traffic flow necessary to drill and produce the well, the following standards will be met:

This proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area.

Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced.

The road will be centerline flagged prior to the commencement of construction.

PLANNED ACCESS ROAD - continued

The grade of this road will vary from flat to 8%, but will not exceed this amount. This road will be constructed from native borrow accumulated during construction.

If deemed necessary by the local governmental agencies or their representatives, turnouts will be installed for safety purposes every 0.25 miles or on the top of ridges or at intervals and locations that will provide the greatest sight distance. These turnouts will be 200' in length and 10' in width and will be tapered from the shoulder of the road for a distance of 50' in length at both the access and outlet ends.

Any fences that are encountered along this access road will be cut and replaced with a cattleguard with a minimum width of 18' and a loading factor large enough to facilitate the heavy trucks required in the drilling and production of this well.

If cattleguards are to be located at existing gates, they will be installed with the above requirements and with a new gate installed at one end of the cattleguard.

The access from the road to the gate will be of such a nature there will be no impedance of traffic flow along the main access road and no difficulties encountered by traffic utilizing the gate, either leaving or entering the proposed access road.

The vegetation along this route consists of sparse amounts of sagebrush, rabbit-brush, some grasses and cacti with large areas that are devoid of vegetation.

3. LOCATION OF EXISTING WELLS

There are other wells within a one mile radius of this location (See Topographic Map "B"). For the exact location of this well in Section 19, T10S, R20E, S.L.B. & M. see the location plat.

4. LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES, AND PRODUCTION GATHERING AND SERVICE LINES

At the present time there are no other Mapco Incorporated batteries, production facilities, oil gathering lines, gas gathering lines, injection and disposal lines within a one-mile radius.

In the event that production of this well is established, then the existing area of the location will be utilized for the establishment of the necessary production facilities.

This area will be built, if possible, with native materials and if these materials are not available then the necessary arrangements will be made to get them from private sources.

The total area that is needed for the production of this well will be fenced and cattleguards will be utilized for access to these facilities.

If there is any deviation from the above, then all appropriate agencies will be notified prior to construction and all necessary requests and applications will be made.

5. LOCATION AND TYPE OF WATER SUPPLY

Water to be used for the drilling and production of this well will be hauled by truck from the Green River, at a point located in the SE 1/4 of Section 18, T10S, R19E, S.L.B. & M. approximately 10 road miles to the West from the proposed location.

In the event that the above source is not used, other arrangements will be made with the proper authorities for an alternate source.

All regulations and guidelines will be followed and no deviations will be made unless all concerned agencies are notified.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction materials for this location site and access road shall be borrow materials accumulated during construction of the location site and access road. No additional road gravels or pit lining materials from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of sandy-clay soils and sandstone and shale materials gathered in actual construction of the road and location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A reserve and burn pit shall be constructed, and at least half of the depth of the reserve pit shall be below the existing ground surface. All trash and flammable materials will be burned in the burn pit. Non-flammable materials such as cuttings, salts, chemicals, etc. will be buried in the reserve pit and covered with a minimum of four feet of earth material. Prior to the onset of drilling, the burn pit will be fenced on all four sides with a net wire, and the reserve pit will be fenced on three sides. Upon completion of drilling, the fourth side of the reserve pit will be fenced and allowed to dry completely before backfilling and reclamation are attempted. A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached Location Layout Sheet.

The B.L.M. District Manager shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See location layout sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash pit shall be buried with a minimum of 4' of cover. The reserve pit will be completely fenced and allowed to dry before covering. When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. District Manager when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said cleanup and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area - (See Topographic Map "A").

The area is a basin formed between the Book Cliff Mountains to the South and the Uinta Mountains to the North. The area is interlaced with numerous canyons and ridges which are extremely steep with numerous ledges formed in sandstone, conglomerates, and shall deposits.

The majority of the washes and streams in the area are non-perennial in nature with the only ones in the area having a year round flow being Willow Creek to the East, Hill Creek to the Southeast, and the Green River to the West, of which the numerous washes, draws and non-perennial streams flow to the North and are tributaries to Willow Creek.

The soils of this semi-arid area are of the Uinta Formation and Duchesne River formation (the Fluvial Sandstone and Mudstone) from the Eocene Epoch and Quaternary Epoch (gravel surfaces) and the visible geologic structures consist of light brownish-gray clays (OL) to sandy soils (SM-ML) with poorly graded gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates, and shales).

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area is common of the semi-arid region we are located in and in the lower elevations of the Uinta Basin. It consists of, as primary flora, areas of sagebrush, rabbitbrush, some grasses and cacti, and large areas of bare soils devoid of any growth. In the areas away from and in the vicinity of non-perennial streams, cottonwoods, willows, tamarack, sagebrush, rabbitbrush, grasses and cacti can be found.

The fauna of the area is sparse and consists predominately of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to the area.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

Mapco Incorporated
River Bend Unit #11-19 F
Section 19, T10S, R20E, S.L.B. & M.

The Topography of the Immediate Area (See Topographic Map "B").

River Bend Unit #11-19 F location site sits on a relatively flat area, known as the Wild Horse Bench.

The geologic structure is of the Uinta formation and consists of light brownish-gray sandy clay (SP-CL) with some sandstone outcrops.

The ground slopes from the Southwest through the location to the Northeast at approximately a 7% grade. There is an existing drainage that drains to the North through the location and will be re-routed around the location site. (See the Location Layout Sheet).

The location is covered with some sagebrush and grasses.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OPERATOR'S REPRESENTATIVE

Darwin Kulland
Mapco Incorporated
P.O. Box 1360
Roosevelt, Utah 84066

TELE: 1-801-722-4521

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge true and correct; and that the work associated with the operations proposed herein will be performed by Mapco Incorporated and its contractors and sub-contractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

April 17, 1978


Date

/s/ Darwin Kulland


Darwin Kulland

Drilling and Production Superintendent


MAPCO INC.
RIVER BEND UNIT #11-19 F
CUT SHEET




C
R
O
S
S
S
E
C
T
I
O
N
S



SOILS LITHOLOGY
- NO SCALE -



APPROX. YARDAGES
CUT - 18,104 CU. YDS.
FILL - 332 CU. YDS.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 MAPCO Inc.

3. ADDRESS OF OPERATOR
 Suite 320 Plaza West
 1537 Avenue D, Billings, Montana 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
 At surface (1) 3332' FWL, 1902' FSL
 NE SW Section 19 (Irregular Section)
 At proposed prod. zone
 Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 14 Miles South of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)
 1902'

16. NO. OF ACRES IN LEASE
 791.86

17. NO. OF ACRES ASSIGNED TO THIS WELL
 640

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 None

19. PROPOSED DEPTH
 (5) 8180'

20. ROTARY OR CABLE TOOLS
 (4) Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 (2) 5146' Ungraded GL.

22. APPROX. DATE WORK WILL START*
 (14) 5-15-78 30 days

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" - New	24	500'	Cement to surface <i>ok</i>
7-7/8"	5-1/2" - New	17	8180'	As required <i>ok</i>

Data required to be included on Form 9-331C by NTL-6, dated 6-1-76, as Items No. (1), (2), (4), (5), (8), (9) and (14) are so noted above. The rest as follows:

(3) and (6): Uintah Surface Chapita Wells 5280
 Green River 1050 Uteland Bts. 6480 *ok*
 Wasatch 4550 Mesaverde 7680

(7): No water anticipated; possible thin, non-commercial oil bearing zones encountered in the Green River from approximately 1050'-4550'[±], no commercially productive oil bearing sands encountered in this area previously; gas bearing formations will be the Wasatch, expected intermediate overall interval from 4550'-7700'[±], and the Mesaverde from 7675'[±] to a total depth of 8180'.

(10): Figure #1 (attached) -- Continued on back of page --

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED J. D. Holliman TITLE Manager of Operations Northern District DATE April 13, 1978
 (This space for Federal or State office use)

PERMIT NO. 43-047-30405 APPROVAL DATE APPROVED BY THE DIVISION OF OIL, GAS, AND MINING

APPROVED BY _____ DATE: 4-25-78
 CONDITIONS OF APPROVAL, IF ANY: _____ BY: C. B. Light

*See Instructions On Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

(11): The well is to be drilled with a salt water mud system maintaining a weight of approximately 9#/gal with weighting material on location sufficient to weight-up for pressure control as necessary.

(12): A mud logger will be used from 4000' to TD. No drill stem tests will be run. No coring will be done. The logging program will include Dual Induction and CNL-Density Logs.

(13): As noted in #(1), no abnormal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H₂S gas.

(15): Auxiliary equipment: (a) Kelly cock

(b) Full opening valve on floor with DP Connection for use when Kelly is not in string

(c) Pit volume totalizer equipment will be used.

MAPCO INC.

PROPOSED LOCATION
RIVER BEND UNIT #11-19 F


TOPO.


MAP "B"




SCALE 1" = 2000'


ROAD CLASSIFICATION

Light-duty road, all weather, improved surface  Unimproved road, fair or dry weather 



UTAH
QUADRANGLE LOCATION





STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

** FILE NOTATIONS **

NE
SW
Mesaverde

Date: April 25-

Operator: Mapeo Inc.

Well No: Rule Bend Unit 11-19F

Location: Sec. 19 T. 10S R. 20E County: Uintah

File Prepared:
Card Indexed:

Entered on N.I.D.:
Completion Sheet:

API NUMBER: 43-047-30405

CHECKED BY:

Administrative Assistant SW

Remarks: OK - Unit well

Petroleum Engineer OK P

Remarks:

Director 7

Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required: Survey Plat Required:
Order No. Surface Casing Change
to

Rule C-3(c), Topographic exception/company owns or controls acreage within a 660' radius of proposed site

O.K. Rule C-3 O.K. In Rule Bend Unit

Other:

[Signature] Letter Written/Approved

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-013769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

River Bend
#14-08-0001-16305

8. FARM OR LEASE NAME

9. WELL NO.

RBU 11-19F

10. FIELD AND POOL, OR WILDCAT

River Bend

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 19
T. 10 S., R. 20 E.

12. COUNTY OR PARISH | 13. STATE

Uintah | Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

MAPCO INC.

3. ADDRESS OF OPERATOR Suite 320 Plaza West

1537 Ave. D., Billings, MT. 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

3332' FWL, 1902' FSL
NE SW Section 19 (Irregular Section)

14. PERMIT NO.
43-047-30405

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5146' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Change of casing program:

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
(1) 17 1/2"	13 3/8" New	48	120'	Cement to surface.
(2) 12 1/4"	8 5/8" New	24	3250'	Cement to surface.
(3) 7 7/8"	5 1/2" New	17	8500'	As required.

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING
DATE: Sept. 26, 1978
BY: Ph Russell

18. I hereby certify that the foregoing is true and correct

SIGNED

James J. Berra

TITLE

Reservoir and Production Engineer

DATE 9-22-78

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other Instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME River Bend Unit #14-08-0001-16305
2. NAME OF OPERATOR MAPCO Inc.		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR Suite 320 Plaza West 1537 Avenue D., Billings, Montana 59102		9. WELL NO. RBU 11-19F
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 3332' FWL, 1902' FSL NE SW (Irregular Section)		10. FIELD AND POOL, OR WILDCAT River Bend
14. PERMIT NO. 43-047-30405		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 19 T. 10 S., R. 20 E.
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5146' Ungraded GL		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Proposal - lay approximately 1 mile of 3-1/2" gas sales line from the RBU 11-19F north to a point in the SE/4 of Section 18, T. 10 S., R. 20 E., Uintah County, Utah. Then approximately .3 mile of 4-1/2" line will be laid Northwest to the RBU 11-18F well. Approximately .9 mile of 4-1/2" line will be laid to replace the 3-1/2" line from RBU 11-18F to the Island Unit No. 1 well. Then approximately .2 mile of 4-1/2" line will be laid from Island Unit Well No. 1 to a point in the SW/4 of Section 10, T. 10 S., R. 20 E., and tie into the 20" 500 psig Mountain Fuel sales line. The existing 3-1/2" line from RBU 11-18F to Island Unit No. 1 will be moved and used for the proposed line from RBU 11-19F to a point in the SE/4 of Section 18, T. 10 S., R. 20 E. This is a 3-1/2" OD, .216" wall thickness, PE, BFW, BRL, Gr.B line pipe. The 4-1/2" line will be 4-1/2" OD, .156" wall thickness, API5L Gr. B, Plain end, seamless if available, otherwise ERW. The mill test pressure is 1460 psig. The proposed flowline is colored in red on Attachment No. 1. Also shown is the approximate location of drip pots. The pipeline will be layed on the surface.

The relationship of the production equipment on the well location is shown on Attachment No. 2.

The 3-1/2" line will be used to carry 1 MMCFD of gas initially. The 4-1/2" line, which will also tie into lines from the RBU 7-21F & RBU 11-15F, will carry 3 MMCFD to the RBU 11-18F, then it will carry 4 MMCFD.

18. I hereby certify that the foregoing is true and correct

SIGNED J. D. Holliman TITLE Manager of Operations Northern District DATE 10-16-78

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY:


APPROVED BY THE DIVISION OF OIL, GAS, AND MINING

DATE: 10/23/78

*See Instructions on Reverse Side

BY: C. B. Light

MAPCO INC.
RIVER BEND UNIT
ATTACHMENT NO.1



6" TAP

3" WELDED LINE
ABOVE GROUND

MOUNTAIN FUEL
20" Sales Line

NO. 1
Gas Well

NO. 3
Well

Gas Well
OSC NO. 1

PARTICIPATING
AREA B

DRIP POT

RBU 11-19F

RBU 11-18F

DRIP POT

DRIP POT

RBU 7-21F

DRIP POT

RBU 11-15F

R 20 E

T 10
S

Subject

RIVER BEND UNIT No. 11-19F

Date 10-16-78

NE SW Section 19, T. 10 S., R. 20 E.


Sheet of

Uintah County, Utah

By GLE

ATTACHMENT NO. 2

NOTE: ALL LINES ARE ON THE SURFACE AND SECURELY STAKED.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease No. U-013762 A

Communization Agreement No. NA
Field Name NA
Unit Name River Bend Unit
Participating Area NA
County Wintah State UTAH
Operator _____

Amended Report

Form 9-329

OMB 42-80356

MONTHLY REPORT
OF
OPERATIONS

RECEIVED
NOV 13 1978

GAS, & MINING

The following is a correct report of operations and production (including status of all unplugged wells) for the month of October, 1978

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec & N of N	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
11-19F	19	NESW	10S	20E	PGW	0	0	0	Drilling Well.
<p>Rig Spud Date - October 1, 1978. Ran 13-3/8" 48# 8 R casing. Landed at 104 KB: Cemented with 81 sacks class G cement. Pumped cement down with wood plug. Left 1-1/4 Bbls in pipe. Ran 82 lbs. 8-5/8" casing. Landed at 3250'. KB: cemented with 1086 sacks BJ 1 lb 1/1/4#/sack celloflake, 300 sacks "G" w/1/4#/sack celloflake, 2% CaCl. Lost circ. on last 80 Bbls. Cement down annulus w/100 sacks regular w/1/4#/sack celloflake, 2% CaCl. Rig Released November 1, 1978, waiting on completion and test.</p>									

*If none, so state.

Disposition of production (Lease, Participating Area, or Communized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Produced	0	0	0
*Sold	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Spilled or Lost	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXXXX	_____	XXXXXXXXXXXXXXXXXXXX
*Used on Lease	_____	_____	XXXXXXXXXXXXXXXXXXXX
*Injected	_____	_____	_____
*Surface Pits	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	_____
*Other (Identify)	_____	_____	_____
*On hand, End of Month	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	_____	_____	XXXXXXXXXXXXXXXXXXXX

Authorized Signature: _____

Title: SECRETARY

Address: 1537 Ave. D, Suite 320
Billings, Montana 59102

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-013769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals)

7. UNIT AGREEMENT NAME

River Bend Unit
#14-08-0001-16305

8. FARM OR LEASE NAME

9. WELL NO.

RBU 11-19F

10. FIELD AND POOL, OR WILDCAT

River Bend

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 19
T. 10 S., R. 20 E.

12. COUNTY OR PARISH 13. STATE

Uintah Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

MAPCO Inc.

3. ADDRESS OF OPERATOR

Suite 320 Plaza West
1537 Avenue D., Billings, Montana 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

3332' FWL, 1902' FSL
NE SW (Irregular Section)

14. PERMIT NO.

43-047-30405

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

5146' Ungraded GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Casing Detail: 9-23-78: Drilled 17-1/2" hole to 120'.
Ran 107' of 13-3/8" 48# casing cemented with 81 sacks "G".
10-9-78: Drilled 12-1/4" hole to 3250'.
Ran 3250' of 8-5/8" 24# casing cemented with 1386 sacks of "G" & 50-50 Poz.
11-2-78: Drilled 7-7/8" hole to 8330'.
Ran 8293' of 5-1/2" 17# casing cemented with 1500 sacks of RFC & 50-50 Poz.

I hereby certify that the foregoing is true and correct

SIGNED

(This space for Federal or State office use)

Reservoir and Production

TITLE Engineer

DATE January 19, 1979

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5

10

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other

2. NAME OF OPERATOR: MAPCO Inc.

3. ADDRESS OF OPERATOR: Suite 320 Plaza West
1537 Avenue D., Billings, Montana 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface 3332' FWL & 1902' FSL NE SW
At top prod. interval reported below
At total depth Same

5. LEASE DESIGNATION AND SERIAL NO.: U-013769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME: River Bend
#14-08-0001-16305

8. FARM OR LEASE NAME

9. WELL NO.: RBU 11-19F

10. FIELD AND POOL, OR WILDCAT: River Bend

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Section 19
T. 10 S., R. 20 E.

12. COUNTY OR PARISH: Uintah

13. STATE: Utah

14. PERMIT NO.: 43-047-30405

DATE ISSUED: 4-25-78

15. DATE SPUDDED: 9-23-78

16. DATE T.D. REACHED: 10-29-78

17. DATE COMPL. (Ready to prod.): 12-22-78

18. ELEVATIONS (DF, REB, RT, GR, ETC.): 5160' KB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD: 8330'

21. PLUG, BACK T.D., MD & TVD: 8330'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY: →

ROTARY TOOLS: X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*: 7925'-8132' Mesaverde

25. WAS DIRECTIONAL SURVEY MADE: YES

26. TYPE ELECTRIC AND OTHER LOGS RUN: DLL, FDC-CNL

27. WAS WELL CORED: NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	107	17"	81 Sacks "G"	None
8-5/8"	24#	3250	12.25"	1386 Sack "G" & 50-50	None
5-1/2"	17#	8293	7.875"	1500 Sacks RFL & 50-50 POZ	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8	7716	7716

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number): 7925'-8132' (13 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
7925'-8132'	500 gals 15% HCl
	72000 gals gelled water
	110000 # 20/40 Sand

33.* PRODUCTION

DATE FIRST PRODUCTION: 12-4-78

PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump): Flowing

WELL STATUS (Producing or shut-in): Shut-In

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12-22-78	24	9764	→	0	713	0	NA
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
2000	-	→	0	713	0	NA	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): Vented

TEST WITNESSED BY: Darwin Kulland

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED: James J. Denver TITLE: Reservoir and Production Engineer DATE: January 19, 1979

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Wasatch	4552'	4552'
				Chapita Wells	5218'	5218'
				Uteland Buttes	6248'	6248'
				Mesaverde	7520'	7520'

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
MAPCO Inc.

3. ADDRESS OF OPERATOR
Suite 320 Plaza West
1537 Avenue D., Billings, Montana 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
3332' FWL, 1902' FSL
NE SW (Irregular Section)

14. PERMIT NO.
43-047-30405

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5146' Ungraded GL

5. LEASE DESIGNATION AND SERIAL NO.
U-013769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
River Bend Unit
#14-08-0001-16305

8. FARM OR LEASE NAME

9. WELL NO.
RBU 11-19F

10. FIELD AND FOOT, OR WILDCAT
River Bend

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 19
T. 19 S., R. 20 E.

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Flowline</u>	<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Laid flowline as shown on attachment #1. For a description of the flowline please see attached cover letter to E. W. Gynn dated 2-27-79. Attachment 2C shows the location of wellhead with respect to the surface installations.

18. I hereby certify that the foregoing is true and correct

SIGNED: [Signature] TITLE: Production and Reservoir Engineer DATE: February 27, 1979


(This space for Federal or State office use)

APPROVED BY: _____ TITLE: _____ DATE: _____


CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

ATTACHMENT 2C



Tie-down Diagram



**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER</p> <p>2. NAME OF OPERATOR MAPCO Inc.</p> <p>3. ADDRESS OF OPERATOR Suite 320 Plaza West 1537 Avenue D., Billings, Montana 59102</p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 3332' FWL, 1902' FSL NE SW (Irregular Section)</p> <p>14. PERMIT NO. 43-047-30405</p>	<p>5. LEASE DESIGNATION AND SERIAL NO. U-013769-A</p> <p>6. IF INDIAN, ALLOTTEE OR TRIBE NAME</p> <p>7. UNIT AGREEMENT NAME River Bend Unit #14-08-0001-16305</p> <p>8. FARM OR LEASE NAME</p> <p>9. WELL NO. RBU 11-19F</p> <p>10. FIELD AND POOL, OR WILDCAT River Bend</p> <p>11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 19 T. 10 S., R. 20 E.</p> <p>12. COUNTY OR PARISH 13. STATE Uintah Utah</p>
<p>15. ELEVATIONS (Show whether DF, RT, CR, etc.) 5146' Ungraded GL</p>	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>	Flowline <input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. It is proposed that instead of burying the flowline 500' downstream from the production unit as requested that two (2) tie-downs as shown on attachment 2c be installed. This procedure would secure the flowline as well as prevent any unnecessary environmental disturbance.
2. It is also proposed that MAPCO be permitted to wait until the weather is more favorable for digging before burying the flowline from the wellhead to the production unit.

18. I hereby certify that the foregoing is true and correct

SIGNED James J. Benner TITLE Production and Reservoir Engineer DATE February 27, 1972

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE*
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-013769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

River Bend Unit

#14-08-0001-16035

8. FARM OR LEASE NAME

9. WELL NO.

RBU 11-19F

10. FIELD AND POOL, OR WILDCAT

River Bend

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 19

T. 10 S., R. 20 E.

12. COUNTY OR PARISH | 13. STATE

Uintah

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

MAPCO PRODUCTION COMPANY

3. ADDRESS OF OPERATOR

Suite 320 Plaza West
1537 Avenue D., Billings, Montana 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface.

3332' FWL, 1902' FSL
NE SW (Irregular Section)

14. PERMIT NO.

43-047-30405

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

5146' Ungraded GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

ESTIMATED STARTING DATE: July 26, 1979

1. RU workover unit. Kill well with 2% Kcl. Install 1500 series BOP's (6" - 5000 psig working pressure, 10,000 psig test). BOP's to be operated daily.
2. Release packer, RIH and latch onto BP. PU and set BP at 7850'±. POOH with tubing and packer.
3. RIH and perforate Uteland Buttes from 7461-6332' with 24 holes, the Chapita Wells from 5963-5951' with 5 holes, and the Upper Wasatch from 4698-4591' with 14 holes.
4. RIH with 2-3/8" tubing to 3000'±. RU treating company. Pressure test surface lines to 7000 psig.
5. Frac Wasatch perfs from 7461-4591' with 185,000 gals of gelled water and 270,000#'s of 10/20 and 20/40 sand.
6. RIH, release BP, POOH with tubing and BP. RIH with 2-3/8" tubing to 4000'±.
7. Flow well to pit to clean up frac fluid.
8. Return well to production.

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: _____

BY: P. J. D. [Signature] / KA

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE Regional Engineer

DATE May 7, 1979

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

Federal Energy Regulatory Commission
825 North Capitol Street, N.E.
Washington, D.C. 20426

K-120

Docket No. IIC 760-9

FINAL DETERMINATION BY THE OIL AND GAS SUPERVISOR UNDER THE NATURAL GAS POLICY ACT OF 1978 (NGPA)

A final category determination is set forth below pursuant to the provisions of the NGPA for certain Federal lease gas as requested in application received on 3-15-79 and filed by MAPCO Production Company

For the onshore:

For the OCS:

1800 South Baltimore Avenue
Tulsa, OK 74119

Well Name and No.: RBU 11-19F
Sec., T. and R.: Sec. 19, T10S, R20E
API No.: 43-047-30405
Reservoir: Mesaverde
Lease No.: U-013769- A
County and State: Uintah, Utah

Lease and Well No.: _____
Block: _____
API No: _____
Reservoir: _____
Nearby State: DEC 24 1979

RECEIVED

Category determination requested: Section 102(c)(1)(C)

DIVISION OF
OIL, GAS & MINING

Final category determination: Approved as requested Negative determination

Remarks: _____

In accordance with the requirements of 18 CFR 274.104, the following information and reference materials will be submitted to the FERC with this final determination:*

- List of participants including the applicant and all parties submitting comments on the application.
MAPCO Production Company
- A statement on any matter opposed. _____
- A copy of the application. Also, a copy of any other materials in the record used in the determination together with any information inconsistent (or possibly inconsistent) with the determination, which includes: _____
- All materials required under 18 CFR 274, Subpart B, and all other record materials (and portions of record materials) used in the determination process are enclosed.
- An explanatory statement summarizing the basis for the determination is enclosed.
- For a New Onshore Production Well determination involving 18 CFR 271.305(b) or (c), a finding as to the necessity of the well is enclosed.

A final jurisdictional agency determination is hereby made that the Federal lease natural gas referred to above does ~~not~~ qualify as natural gas produced from a New Onshore Reservoir in accordance with the applicable provisions of the NGPA.

Any person may object to this final determination by filing a protest with the FERC within 15 days after this determination is published by the FERC in the Federal Register in accordance with 18 CFR Part 275.

Name: C.J. Curtis Title: Area Oil & Gas Supervisor
NRMA

Signature: C. J. Curtis (RMC)

Date: 12-21-79 Phone number: (307) 265-5550 Ext 5405 Address: P.O. Box 2859
Casper, Wyoming 82602

*In the case of a negative determination, only a copy of the negative determination and a copy of Form FERC 121 will be forwarded to FERC. If the applicant or any aggrieved party so requests within 15 days of making such a determination, all information referenced in 1 through 6 will be forwarded within 20 days following the determination to the FERC in accordance with 18 CFR 274.104(b).

cc: Applicant Public Info. File ~~Co-lessees~~
Purchaser(s) Lease File New Reservoir
NGPA File Commentors State File

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE
(See instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5

5. LEASE DESIGNATION AND SERIAL NO.

U-0131769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
River Bend

#14-08-0001-16035

8. FARM OR LEASE NAME

9. WELL NO.

RBU 11-19F

10. FIELD AND POOL, OR WILDCAT

River Bend

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 19
T. 10 S., R. 20 E.

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR: MAPCO PRODUCTION COMPANY
Alpine Executive Center

3. ADDRESS OF OPERATOR: 1643 Lewis Ave., Suite 202
Billings, Montana 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 3322' FWL & 1902' FSL, NE SW
At top prod. interval reported below SAME
At total depth SAME

14. PERMIT NO. 43-047-30405 | DATE ISSUED 4-25-78

15. DATE SPUDDED 9-23-78 | 16. DATE T.D. REACHED 10-29-78 | 17. DATE COMPL. (Ready to prod.) 12-22-78 | 18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 5160' K.B. | 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 8330' | 21. PLUG, BACK T.D., MD & TVD 8330' | 22. IF MULTIPLE COMPL., HOW MANY* | 23. INTERVALS DRILLED BY | ROTARY TOOLS X | CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5950.5-5956.5 Chapita Wells | 25. WAS DIRECTIONAL SURVEY MADE YES

26. TYPE ELECTRIC AND OTHER LOGS RUN | 27. WAS WELL CORED NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	107'	17"	81 sacks 'G'	None
8-5/8"	24#	3250'	12.15"	1386 sacks 'G' and 50-50	None
5-1/2"	17#	8293'	7.875"	1500 sacks RFC & 50-50	None

29. LINER RECORD | 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	7716'	7716'
					2-3/8"	5771'	None

31. PERFORATION RECORD (Interval, size and number) | 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

INTERVAL (MD)	SIZE	AMOUNT AND KIND OF MATERIAL USED
5950 1/2 - 5956 1/2	.48" - 6"	1000 gals 15% HCl, 13,176 gals gelled water, 24,000# 10-20 sand.


33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
12-22-78	Flowing	Producing					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10-9-79	24	15/64"	→	0	329	0	NA
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
600 psi	600 psi	→	0	329	0	NA	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
SOLD

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED Richard Baumann TITLE Engineering Technician



DATE OF DE-80
OIL, GAS & MINING

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.
Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES		38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	
39. GEOLOGIC MARKERS				
		NAME	MEAS. DEPTH	TOP TRUE VEET. DEPTH
		Wasatch	4552'	
		Chapita Wells	5218'	
		Uteland Buttes	6248'	
		Mesaverde	7520'	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR MAPCO PRODUCTION COMPANY
Alpine Executive Center

3. ADDRESS OF OPERATOR 1643 Lewis Ave., Suite 202
Billings, MT 59102

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: NE/4 SW/4 3332' FWL & 1902' FSL
AT TOP PROD. INTERVAL: (irregular Section)
AT TOTAL DEPTH: SAME

5. LEASE
U-013769-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
River Bend Unit

8. FARM OR LEASE NAME

9. WELL NO.
11-19F

10. FIELD OR WILDCAT NAME
River Bend

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 19
T. 10 S., R. 20 E.

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.
43-047-30405

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5146' Ungraded GL


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED REPORT



Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Richard Baumann TITLE Engineering Tech. DATE 2-12-80

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



CNG PRODUCING COMPANY
TULSA DIVISION

RECEIVED

FEB 22 1985

February 15, 1985

**DIVISION OF OIL
& GAS & MINING**

State of Utah
Division of Oil, Gas and Mining
335 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Transfer of Ownership and
Operations
Oil and Gas Wells
State of Utah

Gentlemen:

This letter is to inform you that:

CNG Producing Company
705 S. Elgin Ave., P. O. Box 2115
Tulsa, Oklahoma 74101-2115

has acquired the ownership and operations of oil and gas wells formerly
owned and operated by:

MAPCO Oil & Gas Company
Tulsa, Oklahoma

Attached is a listing of wells involved in the transfer. Should
there be any question regarding this matter, I may be contacted at
(918)599-4005.

Sincerely,

Greg Bechtol
Sr. Engineering Technician

GB/sr
Attachment



CNG PRODUCING COMPANY
TULSA DIVISION

RECEIVED

FEB 27 1985

February 25, 1985

**DIVISION OF OIL
GAS & MINING**

State of Utah
Division of Oil & Gas Mining
355 W. North Temple
3 Triad Center - Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

Effective January 1, 1985, CNG Producing Company, New Orleans, LA., purchased the oil and gas properties of MAPCO Oil & Gas Company located in the state of Utah. Attached is a list of the properties sold for which CNG will now be responsible.

Please direct any future correspondence concerning these wells to the address shown below:

CNG Producing Company - Tulsa Division
P. O. Box 2115
Tulsa, OK 74101-2115
Attention: Joe C. Lineback

Yours truly,

Joe C. Lineback.
Manager of Accounting

JCL/cf

Attachment

RIVER BEND UNIT NO. 14-08-0001-16035
 UINTAH COUNTY, UTAH

Status of All Wells Located Within the River Bend Unit


<u>Well Name</u>	<u>Location</u>	<u>Status</u>
1. OSC No. 1	SE NW Sec. 17-T10S-R20E	Water supply well
2. OSC No. 2	NW SE Sec. 3-T01S-R20E	Suspended gas well
3. OSC No. 3	SW NE Sec. 10-T10S-R20E	Plugged & abandoned
4. OSC No. 4	NW NE Sec. 30-T 9S-R20E	Suspended gas well
5. OSC No. 4A	NW NE Sec. 30-T 9S-R20E	Suspended gas well
6. OSC No. 5	NE NE Sec. 2-T10S-R18E	Producing oil well
7. Natural 1-2	SE NW Sec. 2-T10S-R20E	Plugged & abandoned
8. OSC No. 7-15	SW NW Sec. 15-T10S-R19E	Producing gas well
9. RBU 11-16E	NE SW Sec. 16-T10S-R19E	Producing gas well
10. RBU 11-18F	NE SW Sec. 18-T10S-R20E	Producing gas well
11. RBU 11-13E	NE SW Sec. 13-T10S-R19E	Producing gas well
12. RBU 7-21F	SW NE Sec. 21-T10S-R20E	Producing gas well
13. RBU 11-15F	NE SW Sec. 15-T10S-R20E	Producing gas well
14. RBU 11-19F	NE SW Sec. 19-T10S-R20E	Producing gas well
15. RBU 11-10E	NE SW Sec. 10-T10S-R19E	Producing gas well
16. RBU 11-23E	NE SW Sec. 23-T10S-R19E	Producing gas well
17. RBU 11-21E	NE SW Sec. 21-T10S-R19E	Producing oil well
18. RBU 11-14E	NE SW Sec. 14-T10S-R19E	Producing gas well
19. RBU 11-16F	NE SW Sec. 16-T10S-R20E	Producing gas well
20. RBU 11-36B	NE SW Sec. 36-T 9S-R19E	Plugged & abandoned
21. FED 7-25B	SW NE Sec. 25-T 9S-R19E	Producing oil well
22. RBU 7-11F	SW NE Sec. 11-T10S-R20E	Producing gas well
23. RBU 11-17F	NE SW Sec. 17-T10S-R20E	Suspended gas well
24. RBU 5-11D	SW NW Sec. 11-T10S-R18E	Producing gas well
25. RBU 11-22E	NE SW Sec. 22-T10S-R19E	Producing gas well
26. RBU 4-11D	NW NW Sec. 11-T10S-R18E	Producing oil well
27. RBU 15-23F	SW SE Sec. 23-T10S-R20E	Plugged & abandoned
28. RBU 11-3F	NE SW Sec. 3-T10S-R20E	Producing gas well
29. RBU 11-2F	NE SW Sec. 2-T10S-R20E	Producing oil well
30. RBU 7-22F	SW NE Sec. 22-T10S-R20E	Producing gas well
31. RBU 8-14F	SE NE Sec. 14-T10S-R20E	Producing gas well
32. RBU 6-20F	SE NW Sec. 20-T10S-R20E	Producing gas well
33. RBU 11-24E	NE SW Sec. 24-T10S-R19E	Producing gas well
34. RBU 7-10F	SW NE Sec. 10-T10S-R20E	Producing gas well
35. RBU 1-10E	NE NE Sec. 10-T10S-R19E	Producing gas well
36. RBU 1-15E	NE NE Sec. 15-T10S-R19E	Producing gas well
37. RBU 1-22E	NE NE Sec. 22-T10S-R19E	Producing gas well
38. RBU 1-14E	NE NE Sec. 14-T10S-R19E	Producing gas well
39. RBU 1-23E	NE NE Sec. 23-T10S-R19E	Producing gas well
40. RBU 2-11D	NW NE Sec. 11-T10S-R18E	Producing oil well
41. RBU 4-19F	NW NW Sec. 19-T10S-R20E	Producing gas well
42. RBU 16-3F	SE SE Sec. 3-T10S-R20E	Producing gas well
43. RBU 13-11F	SW SW Sec. 11-T10S-R20E	Producing gas well
44. RBU 16-16F	SE SE Sec. 16-T10S-R20E	Producing gas well
45. RBU 6-2D	SE NW Sec. 2 T10S-R18E	Producing oil well




access road

meter run


dehydrator emergency pits



tank w/ fire wall



dehydrator



well head.

42-381 50 SHEETS 5 SQUARE
42-382 100 SHEETS 5 SQUARE
42-383 200 SHEETS 5 SQUARE
MADE IN U.S.A.



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
U 13769-A

7. Indian Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill new well, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT - for such proposals

8. Unit or Communization Agreement

River Bend Unit
#14-08-0001-16305

1. Type of Well
 Oil Well Gas Well Other (specify)

9. Well Name and Number

RBU 11-19F

2. Name of Operator
CNG Producing Company

10. API Well Number
43-047-30405

3. Address of Operator
1450 Poydras St., New Orleans, LA 70112-6000

4. Telephone Number
(504) 593-7260

11. Field and Pool, or Wildcat
River Bend

5. Location of Well
Footage : 3,332' FWL & 1,902' FSL
QQ, SEC., T., R., M.: NE SW of Sec. 19-T10S-R20E

County : Uintah
State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other | |

- | | |
|---|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Annual Status Report</u> | |

Approximate Date Work Will Start

Date of Work Completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STATUS OF WELL


Shut-in

EXPLANATION FOR STATUS OF WELL

Under evaluation

FUTURE PLANS

Possible workover or recompletion



FEB 06 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature: Scott Childress Title Supervisor, Prod. Engineering
W. Scot Childress

Date January 31, 1992

(State Use Only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 11-19F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-30405
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 3,332' FWL & 1,902' FSL of Sec. 19-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Notice Return to Production	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

The above well returned to production after a 90 day shut-in on January 31, 1992 at 3:45 PM.

RECEIVED

FEB 10 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date February 4, 1992
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Well Designation and Serial Number
W-013769-A

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

River Bend Unit
#14-08-0001-16305

9. Well Name and Number

RBU 11-19F

10. API Well Number

43-047-30405

11. Field and Pool, or Wildcat

River Bend

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill new well, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT - for such proposals

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
CNG Producing Company

3. Address of Operator
1450 Poydras St., New Orleans, LA 70112-6000

4. Telephone Number
(504) 593-7260

5. Location of Well

Footage : 3,332' FWL & 1,902' FSL
QQ, SEC., T., R., M.: NE SW of Sec. 19-T10S-R20E

County : Uintah
State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Annual Status Report</u> | |

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STATUS OF WELL

Shut-in

EXPLANATION FOR STATUS OF WELL

Under evaluation

FUTURE PLANS

Possible workover or recompletion

RECEIVED

MAR 01 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature Scot Childress Title Supervisor, Prod. Engineering Date January 29, 1993
W. Scot Childress

(State Use Only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side


1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-013769-A
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVER BEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 3332 -3,322' FWL & 1,902' FSL of Sec. 19-T10S-R20E		8. Well Name and No. RBU 11-19F
		9. API Well No. 43-047-30405
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>PLUNGER LIFT</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

Installed plunger lift equipment on above well. Well on plunger as of 12/29/97.



14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title COORDINATOR, REGULATORY REPORTS
Signature <i>Susan H. Sachitana</i>	Date 980120

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3100
U-01470-A et al
(UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. : Oil and Gas Leases
1450 Poydras Street :
New Orleans, LA 70112-6000 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JUN 05 2000

DIVISION OF
OIL, GAS AND MINING

cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Irene Anderson (UT-932)
Teresa Thompson (UT-931)
LaVerne Steah (UT-942)

Dominion Exploration & Production, Inc.
1450 Poydras Street, New Orleans, LA 70112-6000
Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson
Utah Board of Oil Gas & Mining
1594 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitana
Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED

JUN 29 2000

**DIVISION OF
OIL, GAS AND MINING**

STATE OF UTAH
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well : OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER:	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name:
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name:
4. Location of Well Footages: QQ, Sec, T., R., M.:	8. Well Name and Number: VARIOUS
	9. API Well Number
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Other _____	<input type="checkbox"/> Abandon* <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input checked="" type="checkbox"/> Other <u>OPERATOR NAME CHANGE FOR WELLS</u> Date of work completion _____
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recomplete <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off
Approximate date work will start _____	Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form. *Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)


Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.


John R. Lewis
Sr. Vice-President - CNG Producing Company

RECEIVED

JUN 29 2000

DIVISION OF
OIL, GAS AND MINING

13. Name & Signature:  Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

(This space for State use only)



State of Utah
DEPARTMENT OF COMMERCE
Division of Corporations & Commercial Code

5528914
CO 106990
File Number

Table with 2 columns: Check Appropriate Box, Fee Amount. Rows include Foreign Profit Corporation (\$35.00), Foreign Non-Profit Corporation (\$35.00), Foreign Limited Partnership (\$25.00), Foreign Limited Liability Company (\$35.00).

Application To Amend The
CERTIFICATE OF AUTHORITY OR
REGISTRATION of

CNG Producing Company
Business Entity Name

Delaware
Name of Home State

I. AMENDING THE BUSINESS NAME

The business name is changed to: Dominion Exploration & Production, Inc.
The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

(The corporation shall use its name as set forth on #1, unless this name is not available)

NOTE: If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- [X] The name of the corporation is changing its name in Utah to the new name of the corporation in the home state.
[] The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE

The businesses period of duration is changed to:

III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION

The corporation's state or country of incorporation/registration is changed to:

IV. Other:
(Limited Partnership changing General Partners, Limited Companies changing Members or Managers. Change of statement who is managing, etc.)
Use an attached sheet if needed.

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

Signature: [Handwritten Signature] Title: Vice President & Corporate Secretary Date: April 20 2000

State of Utah
Department of Commerce
Division of Corporations and Commercial Code

I hereby certify that the foregoing has been filed and approved on this 25 day of April 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner: [Signature] Date: 2/1/00



Signature: [Signature]
Name: [Name]

Date: 04/25/2000
Receipt Number: 22156
Amount Paid: \$60.00

STATE OF UTAH
DIVISION OF CORPORATIONS
AND COMMERCIAL CODE
160 East 300 South / Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Web Site: http://www.commerce.state.ut.us

FILED

APR 25 2000

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
EVANS FEDERAL #32-25	4304732406	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-25B	4304732445	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-25B	4304732453	DOMINION EXPLORATION & PR	LA	BLM
RBU #11-25B	4304732482	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-14EO	4304732507	DOMINION EXPLORATION & PR	LA	BLM
RBU #8-23EO	4304732508	DOMINION EXPLORATION & PR	LA	BLM
RBU #8-14EO	4304732514	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-13EO	4304732599	DOMINION EXPLORATION & PR	LA	BLM
RBU #9-23EO	4304732601	DOMINION EXPLORATION & PR	LA	BLM
STATE #2-36E	4304732979	DOMINION EXPLORATION & PR	PR	STATE
STATE #1-36E	4304733181	DOMINION EXPLORATION & PR	PR PGW	STATE
RBU #1-16F	4304733360	DOMINION EXPLORATION & PR	DR	STATE
RBU #5-3F	4304733361	DOMINION EXPLORATION & PR	FUT	BLM
RBU #5-16F	4304733363	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-23F	4304733367	DOMINION EXPLORATION & PR	DR	BLM
EVANS FEDERAL #15-26E	4304733508	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #9-26E	4304733509	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #10-25E	4304733510	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #14-25E	4304733511	DOMINION EXPLORATION & PR	FUT	BLM
FEDERAL #13-30B	4304733581	DOMINION EXPLORATION & PR	FUT	BLM
STATE #13-36A	4304733598	DOMINION EXPLORATION & PR	FUT	STATE
RBU #1-1D	4304733599	DOMINION EXPLORATION & PR	FUT	BLM
OSC #1-17 *	430472030800S1	DOMINION EXPLORATION & PR	SIEC	BLM
OSC #2 *	430473008700S1	DOMINION EXPLORATION & PR	PR	BLM
OSC #4 *	430473011300S1	DOMINION EXPLORATION & PR	TA	BLM
OSC #4A-30 *	430473012200S1	DOMINION EXPLORATION & PR	SIEC	BLM
OSC #7-15E *	430473021100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-16E	430473026000S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #11-18F	430473026600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-13E	430473037400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-15F	430473037500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-21F	430473037600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-19F	430473040500S1	DOMINION EXPLORATION & PR	PR	BLM
FEDERAL #7-25B	430473040600S01	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-10E	430473040800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-11D	430473040900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-14E	430473041000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-23E	430473041100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-16F	430473041200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-17F	430473058400S1	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-11F	430473058500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-16D	4304730608	DOMINION EXPLORATION & PR	PA	STATE
FEDERAL #7-25A	430473062400S01	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-3F	430473068900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-22E	430473069800S1	DOMINION EXPLORATION & PR	PA	BLM
RBU #4-11D	430473071800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-23F	4304730719	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-3E	430473072000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-24E	430473075900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-2F	430473076000S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #7-10F	430473076100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-20F	430473076200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-22F	430473076800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-14F	430473082500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #2-11D	430473082600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-3F	430473088700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-15E	430473091500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-14E	430473092600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-22E	430473092700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-23E	430473097000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #4-19F	430473097100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-11F	430473097300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-10E	430473104600S1	DOMINION EXPLORATION & PR	PR	BLM

OPERATOR CHANGE WORKSHEET

1-KAS	4-KAS ✓
2-CDW ✓	5-SJ ✓
3-JLT	6-FILE

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold) Designation of Agent
X Operator Name Change Only Merger

The operator of the well(s) listed below has changed, effective: 4-12-00

TO:(New Operator) DOMINION EXPL & PROD INC.
 Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000
 Phone: 1-(504)-593-7000
 Account No. N1095

FROM:(Old Operator) CNG PRODUCING COMPANY
 Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000
 Phone: 1-(504)-593-7000
 Account No. N0605

WELL(S):	CA Nos.	or	RIVER BEND	Unit
Name: <u>RBU 8-23EO</u>	API: <u>43-047-32508</u>	Entity: <u>99998</u>	S <u>23</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 16-14EO</u>	API: <u>43-047-32507</u>	Entity: <u>99998</u>	S <u>14</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 15-13EO</u>	API: <u>43-047-32599</u>	Entity: <u>99998</u>	S <u>13</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013765</u>
Name: <u>RBU 9-23EO</u>	API: <u>43-047-32601</u>	Entity: <u>99998</u>	S <u>23</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 5-3F</u>	API: <u>43-047-33361</u>	Entity: <u>99999</u>	S <u>03</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013767</u>
Name: <u>RBU 5-16F</u>	API: <u>43-047-33363</u>	Entity: <u>7052</u>	S <u>16</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-7206</u>
Name: <u>RBU 10-23F</u>	API: <u>43-047-33367</u>	Entity: <u>7050</u>	S <u>23</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-01470-A</u>
Name: <u>RBU 11-18F</u>	API: <u>43-047-30266</u>	Entity: <u>7050</u>	S <u>18</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013793</u>
Name: <u>RBU 11-13E</u>	API: <u>43-047-30374</u>	Entity: <u>7050</u>	S <u>13</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013765</u>
Name: <u>RBU 11-15F</u>	API: <u>43-047-30375</u>	Entity: <u>7050</u>	S <u>15</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-7206</u>
Name: <u>RBU 7-21F</u>	API: <u>43-047-30376</u>	Entity: <u>7050</u>	S <u>21</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013793-A</u>
Name: <u>RBU 11-19F</u>	API: <u>43-047-30405</u>	Entity: <u>7050</u>	S <u>19</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013769-A</u>
Name: <u>RBU 11-10E</u>	API: <u>43-047-30408</u>	Entity: <u>7050</u>	S <u>10</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 5-11D</u>	API: <u>43-047-30409</u>	Entity: <u>9005</u>	S <u>11</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013818-A</u>
Name: <u>RBU 11-14E</u>	API: <u>43-047-30410</u>	Entity: <u>7050</u>	S <u>14</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <u>RBU 11-23E</u>	API: <u>43-047-30411</u>	Entity: <u>7050</u>	S <u>23</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013766</u>
Name: <u>RBU 11-17F</u>	API: <u>43-047-30584</u>	Entity: <u>7050</u>	S <u>17</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013769-C</u>

OPERATOR CHANGE DOCUMENTATION

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00.
- YES 4. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? **Yes/No** If yes, the company file number is SEE ATTACHED. If no, Division letter was mailed to the new operator on _____.

- YES 5. **Federal and Indian Lease Wells.** The BLM or the BIA has approved the merger, name change or operator change for all wells listed above involving Federal or Indian leases on 6-2-00.
- N/A 6. **Federal and Indian Units.** The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on _____.
- N/A 7. **Federal and Indian Communitization Agreements ("CA").** The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on _____.
- N/A 8. **Underground Injection Control ("UIC") Program.** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
- YES 9. Changes have been entered in the **Oil and Gas Information System** for each well listed on 7-26-00.
- YES 10. Changes have been included on the **Monthly Operator Change letter** on 7-26-00.

STATE BOND VERIFICATION

- N/A 1. State Well(s) covered by Bond No. _____.

FEE WELLS - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION

- N/A 1. (R649-3-1) The **NEW** operator of any fee lease well(s) listed above has furnished a proper bond.
- N/A 2. A **copy of this form** has been placed in the **new and former operator's bond files** on _____.
- N/A 3. The **FORMER** operator has requested a release of liability from their bond as of todays date _____? If yes, Division response was made to this request by letter dated _____. (see bond file).
- N/A 4. (R649-2-10) The **Former** operator of any Fee lease wells listed above has been contacted and informed by letter dated _____, of their responsibility to notify all interest owners of this change.
- N/A 5. Bond information added to **RBDMS** on _____.
- N/A 6. Fee wells attached to bond in **RBDMS** on _____.

FILMING

- ____ 1. All attachments to this form have been **microfilmed** on 2.22.01.

FILING

- ____ 1. **Originals/Copies** of all attachments pertaining to each individual well have been filed in each **well file**.
- ____ 2. The **original of this form** has been filed in the operator file and a copy in the old operator file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-013769-A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
RIVER BEND UNIT

8. Well Name and No.
RBU 11-19F

9. API Well No.
43-047-30405

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
DOMINION EXPL. & PROD., INC.

3a. Address
**CNG TOWER, 1450 POYDRAS STREET
NEW ORLEANS, LA 70112**

3b. Phone No. (include area code)
281/873-3692

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
3332' FWL & 1902' FSL OF SEC. 19-T10S-R20E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input checked="" type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>RIG UP</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	PRODUCTION LINES
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

RIG UP ALL PRODUCTION LINES TO PRODUCTION TANKS. PULL WATER FROM BOTTOM OF PRODUCTION TANK AND DISPOSE AT THE RBU 16-19F.

RECEIVED

OCT 06 2000

**DIVISION OF
OIL, GAS AND MINING**

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)
DIANN FLOWERS

Signature *Diann Flowers*

Title **REGULATORY REPORTS ADMINISTRATOR**

Date **09/26/00**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposal to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 DOMINION EXPL. & PROD., INC.

3a. Address
 CNG TOWER, 1450 POYDRAS STREET
 NEW ORLEANS, LA 70112

3b. Phone No. (include area code)
 281/873-3692

4. Location of Well (Footage, Sec., T. R., M., or Survey Description)
 3332' FWL & 1902' FSL OF SEC. 19-T10S-R20E

5. Lease Serial No.
 U-013769-A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
 RIVER BEND UNIT

8. Well Name and No.
 RBU 11-19F

9. API Well No.
 43-047-30405

10. Field and Pool, or Exploratory Area
 NATURAL BUTTES

11. County or Parish, State
 Uintah County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input checked="" type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>COVER PITS</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

COMPLETELY COVER PITS.

RECEIVED

OCT 06 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)
 DIANN FLOWERS

Signature Diann Flowers

Title REGULATORY REPORTS ADMINSTRATOR

Date 09/26/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

FROM: (Old Operator): N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134 Phone: 1 (405) 749-1300	TO: (New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102 Phone: 1 (817) 870-2800
--	--

WELL NAME	CA No.	SEC	TWN	RNG	Unit:	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST										

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- a. Is the new operator registered in the State of Utah: Business Number: 5655506-0143
- b. If **NO**, the operator was contacted on: _____
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: _____
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/27/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
- Bond information entered in RBDMS on: 9/27/2007
- Fee/State wells attached to bond in RBDMS on: 9/27/2007
- Injection Projects to new operator in RBDMS on: 9/27/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000138
 - Indian well(s) covered by Bond Number: n/a
 - a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
 - b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008
- The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: XTO Energy Inc. <i>N2615</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		8. WELL NAME and NUMBER: SEE ATTACHED
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: SEE ATTACHED
PHONE NUMBER: (817) 870-2800		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
COUNTY: Uintah		
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc. *N1095*
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

James D. Abercrombie (405) 749-1300
James D. Abercrombie
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) Edwin S. Ryan, Jr. TITLE Sr. Vice President - Land Administration
SIGNATURE *Edwin S. Ryan, Jr.* DATE 7/31/2007

(This space for State use only)

APPROVED 9127107
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
AUG 06 2007
DIV. OF OIL, GAS & MINING

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304730759	RBU 11-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304730762	RBU 6-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A	
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S	
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P	
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731160	RBU 3-15E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731196	RBU 3-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792	7050	Federal	GW	P	
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731369	RBU 3-13E	NENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B	7050	Federal	GW	P	
4304731605	RBU 9-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731606	RBU 3-22E	NENW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	tpw	rng	lease num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731615	RBU 4-22F	NWNW	22	100S	200E	U-0143521-A	7050	Federal	GW	S	
4304731652	RBU 6-17E	SWNW	17	100S	190E	U-03535	7050	Federal	GW	P	
4304731715	RBU 5-13E	SWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731717	RBU 13-13E	SWSW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731739	RBU 9-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P	
4304732033	RBU 13-14E	SWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732037	RBU 11-3E	NESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732038	RBU 6-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A	
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P	
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732103	RBU 15-17F	SWSE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732105	RBU 13-19F	SWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732107	RBU 1-21E	NENE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732128	RBU 9-21E	NESE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732129	RBU 9-17E	NESE	17	100S	190E	U-03505	7050	Federal	GW	P	
4304732133	RBU 13-14F	SWSW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732134	RBU 9-11F	NESE	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732138	RBU 5-21F	SWNW	21	100S	200E	U-013793	7050	Federal	GW	P	
4304732146	RBU 1-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P	
4304732149	RBU 8-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732153	RBU 13-23E	SWSW	23	100S	190E	U-13766	7050	Federal	GW	P	
4304732154	RBU 5-24E	SWNW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732156	RBU 5-14F	SWNW	14	100S	200E	U-013793A	7050	Federal	GW	P	
4304732166	RBU 7-15E	SWNE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732167	RBU 15-13E	SWSE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732189	RBU 13-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P	
4304732190	RBU 15-10E	SWSE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732191	RBU 3-17FX	NENW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732197	RBU 13-15E	SWSW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732198	RBU 7-22E	SWNE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732199	RBU 5-23E	SWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732201	RBU 13-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	S	
4304732211	RBU 15-15E	SWSE	15	100S	190E	U-013766	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304732213	RBU 5-19F	SWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732217	RBU 9-17F	NESE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732219	RBU 15-14E	SWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732220	RBU 5-3E	SWNW	03	100S	190E	U-03505	7050	Federal	GW	P	
4304732228	RBU 9-3E	NESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304732239	RBU 7-14E	SWNE	14	100S	190E	U-103792	7050	Federal	GW	P	
4304732240	RBU 9-14F	NESE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732242	RBU 5-22E	SWNW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732263	RBU 8-13E	SENE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732266	RBU 9-21F	NESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732267	RBU 5-10F	SWNW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732268	RBU 9-10F	NESE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732269	RBU 4-15F	NWNW	15	100S	200E	INDIAN	7050	Indian	GW	PA	
4304732270	RBU 14-22F	SESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304732276	RBU 5-21E	SWNW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732289	RBU 7-10E	SWNE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732290	RBU 5-17F	SWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732293	RBU 3-3E	NENW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732295	RBU 13-22E	SWSW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732301	RBU 7-21E	SWNE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732309	RBU 15-21F	SWSE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732310	RBU 15-20F	SWSE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732312	RBU 9-24E	NESE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732313	RBU 3-20F	NENW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732315	RBU 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732317	RBU 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732328	RBU 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732331	RBU 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732347	RBU 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732391	RBU 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S	
4304732392	RBU 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732396	RBU 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732407	RBU 15-14F	SWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732408	RBU 4-23F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732415	RBU 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316	7050	Federal	GW	P	
4304732483	RBU 5-24EO	SWNW	24	100S	190E	U-013794	11719	Federal	OW	S	
4304732512	RBU 8-11F	SENE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732844	RBU 15-15F	SWSE	15	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304732899	RBU 3-14F	NENW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732900	RBU 8-23F	SENE	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732901	RBU 12-23F	NWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732902	RBU 1-15F	NENE	15	100S	200E	U-7260	7050	Federal	GW	S	
4304732903	RBU 3-15F	NENW	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732904	RBU 9-15F	NESE	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732934	RBU 3-10F	NENW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732969	RBU 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304732971	RBU 15-16F	SWSE	16	100S	200E	U-7206	7050	Federal	GW	S	
4304732972	RBU 1-21F	NENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732989	RBU 13-10E	SWSW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732990	RBU 13-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304732991	RBU 6-19F	SENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733033	RBU 7-23E	NWNE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733034	RBU 9-18F	NESE	18	100S	200E	U-013794	7050	Federal	GW	P	
4304733035	RBU 14-19F	SESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733087	RBU 6-23F	SENW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733088	RBU 1-10F	NENE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733089	RBU 8-22F	SENE	22	100S	200E	U-0143521	7050	Federal	GW	P	
4304733090	RBU 11-22F	NESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304733091	RBU 16-22F	SESE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733156	RBU 4-14E	NWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733157	RBU 7-19F	SWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733158	RBU 7-20F	SWNE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733159	RBU 7-24E	SWNE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733160	RBU 8-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304733161	RBU 16-10E	SESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733194	RBU 2-14E	NWNE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733272	RBU 13-3F	SWSW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733361	RBU 5-3F	SWNW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733362	RBU 15-10F	SWSE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733363	RBU 5-16F	SWNW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304733365	RBU 12-14E	NWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733366	RBU 5-18F	SWNW	18	100S	200E	U-013769	7050	Federal	GW	P	
4304733367	RBU 10-23F	NWSE	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733368	RBU 14-23F	SESW	23	100S	200E	U-01470-A	7050	Federal	GW	S	
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P	
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304734670	RBU 8-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734671	RBU 4-24E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734701	RBU 12-11F	SENW	11	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304734702	RBU 2-15E	NWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734703	RBU 4-17F	NWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734745	RBU 10-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734749	RBU 7-18F	SWNE	18	100S	200E	U-013769	7050	Federal	GW	P
4304734750	RBU 12-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBU 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734812	RBU 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBU 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBU 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBU 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBU 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBU 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBU 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBU 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBU 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBU 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBU 6-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBU 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBU 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBU 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBU 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBU 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBU 8-19F	SENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734946	RBU 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBU 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBU 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBU 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBU 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBU 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBU 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBU 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBU 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBU 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBU 14-10E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734976	RBU 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBU 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBU 6-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBU 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBU 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBU 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBU 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBU 2-20F	NWNE	20	100S	200E	U-03505	7050	Federal	GW	P
4304734987	RBU 9-20E	SWNW	21	100S	190E	U-03505	7050	Federal	GW	P
4304734989	RBU 7-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304734990	RBU 8-20E	SWNW	21	100S	190E	U-03505	14164	Federal	GW	P
4304735041	RBU 16-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304735042	RBU 12-22E	NWSW	22	100S	190E	U-013792	14165	Federal	GW	P
4304735058	RBU 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBU 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBU 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBU 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBU 6-24E	SENW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBU 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBU 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBU 2-3E	NWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304735088	RBU 6-3E	SENW	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBU 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBU 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBU 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBU 6-21F	SENW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBU 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBU 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBU 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBU 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBU 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBU 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBU 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBU 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBU 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBU 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBU 11-23F	SENW	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBU 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304735640	RBU 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBU 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304735645	RBU 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736200	RBU 8-17E	SWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736201	RBU 15-17EX	SWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736293	RBU 2-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	P
4304736294	RBU 6-10E	NENW	10	100S	190E	U-013792	7050	Federal	GW	P
4304736296	RBU 6-21E	SENW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736297	RBU 10-22E	NWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304736318	RBU 14-22E	SESW	22	100S	190E	U-013792	7050	Federal	GW	P
4304736427	RBU 9-15E	NESE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304736428	RBU 2-17E	NWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736429	RBU 1-17E	NENE	17	100S	190E	U-013766	7050	Federal	GW	DRL
4304736432	RBU 3-19F2	NWNW	19	100S	200E	U-013769-A	15234	Federal	GW	P
4304736433	RBU 14-17F	SESW	17	100S	200E	U-03505	7050	Federal	GW	P
4304736434	RBU 2-19F	NWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304736435	RBU 5-19FX	SWNW	19	100S	200E	U-013769-A	15855	Federal	GW	P
4304736436	RBU 4-20F	NWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304736605	RBU 16-14F	SESE	14	100S	200E	U-013793A	7050	Federal	GW	P
4304736608	RBU 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03	100S	190E	U-013765	7050	Federal	GW	P
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792	7050	Federal	GW	DRL
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SENW	02	100S	200E	ML-10716	11377	State	OW	PA
4304730260	RBU 11-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	S
4304730583	RBU 11-36B	NESW	36	090S	190E	ML-22541	99998	State	NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998	State	NA	PA
4304730760	RBU 11-2F	NESW	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716	7050	State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SESW	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NESW	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304735348	RBU 13-16F	NWNW	21	100S	200E	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

Dominion Exploration & Production, Inc.
Attn: James D. Abercrombie
14000 Quail Springs Parkway, #600
Oklahoma City, OK 73134-2600

August 10, 2007

Re: River Bend Unit
Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED
AUG 16 2007
DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: U-013769-A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: RBU 11-19F
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047304050000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410	PHONE NUMBER: 505 333-3159 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1902 FSL 3332 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 19 Township: 10.0S Range: 20.0E Meridian: S	9. FIELD and POOL or WILDCAT: NATURAL BUTTES COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input checked="" type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 1/31/2011	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. performed an acid treatment on this well per the attached summary report.

Accepted by the
 Utah Division of
 Oil, Gas and Mining
FOR RECORD ONLY

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A		DATE 2/8/2011

Riverbend Unit 11-19F

1/20/2011: MIRU SLU. Bd tbg. RU & RIH w/fishing tls. SN @ 7,973'. POH w/plngr, LD plngr. RIH to SN, latch BHBS. POH LD BHBS & fishing tls. PU & RIH w/1.625" BB, tgd fill @ 8,200' FS. PU & RIH w/1.908" tbg broach to SN, no ti spots found. POH LD 1.908" tbg broach. SWI, RDMO SLU. Sus rpts for ac job pending ac & swb.

1/25/2011: MIRU Frac Tech Services. RU & PT lines to tbg to 2,000 psig. Pmpd 6 bbls 15 % HCl w/ adds & flshd tbg w/32 bbls KCl wtr. RD fr/ tbg. RU & PT lines to csg to 2,000 psig. Pmpd 6 bbls 15% HCl w/adds & flshd w/3 bbls KCl wtr. SI 30 min. Pmpd 6 bbls 15% HCl w/adds & flshd w/35 bbls KCl wtr. RD fr/csg. SWI. RDMO Frac Tech Services.

1/26/2011: MIRU SWU. Bd tbg. RU & RIH w/swb tls. BFL @ 6,400' FS, 0 BO, 48 BW, 19 runs, 10 hrs, FFL @ 7,300' FS. SWI. SDFN.

1/27/2011: MIRU SWU. Bd tbg. RU & RIH w/swb tls. BFL @ 6,800' FS. S 0 BO, 28 BW, 14 runs, 8 hrs, FFL @ 7,300' FS. SWI. SDFN.

1/28/2011: SWU. Bd tbg. RU & RIH w/swb tls. BFL @ 6,900' FS. S 0 BO, 6 BW, 6 runs, 4 hrs, FFL @ 7,000' FS. SWI. SDFW.

1/31/2011: SWU. Bd tbg. RU & RIH w/swb tls. BFL @ 6,600' FS. S 0 BO, 18 BW, 18 runs, 10 hrs, FFL @ 7,200' FS. SWI. RDMO SWU. Susp rpts until further activity.

=====**Riverbend Unit 11-19F**=====

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: U-013769-A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: RBU 11-19F
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047304050000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410	PHONE NUMBER: 505 333-3159 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1902 FSL 3332 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 19 Township: 10.0S Range: 20.0E Meridian: S	9. FIELD and POOL or WILDCAT: NATURAL BUTTES COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 8/10/2011	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: BRADENHEAD REPAIR

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. received verbal approval from Robin Hansen, (Vernal, BLM) on 7/20/11 and Richard Powell (UDOGM) on 7/21/11 to perform an injection test through the BH to establish injection rate & pressure. Then, if pump test indicated suitable conditions, to perform a BH cement squeeze on this well. The cement squeeze would fill from 3,630' to surface or as close as possible in order to seal water entry from surface. Please see the attached XTO Verbal Approval Form and BH Repair Procedure.

Accepted by the Utah Division of Oil, Gas and Mining

Date: 08/16/2011

By: *Derek Quist*

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 8/1/2011	

**XTO
Verbal Approval Form**

Well Name	Well #	API #	County/State	XTO Employee Requesting Verbal Approval
Riverbend Unit	11-19F	43-047-30405	Uintah / UT	Ken Secrest

Detailed Description of Proposed Action Requiring Verbal Approval

RBU 11-19F has formation water coming to surface through the Braden Head valve. Permission was asked to perform an injection test through the Braden Head to establish injection rate and pressure. If pump test indicated suitable conditions, a Braden Head cement job would be conducted to cement 380' open hole below the 8 5/8 csg, set at 3,250', and the top of the 5 1/2 csg annulus cement at 3,630'. The cement squeeze would fill from 3,630' to surface or as close as possible in order to seal water entry from surface.

Name of Agency	Verbal Approval Given By	Date/Time of Verbal Approval	COA's
Bureau of Land Management	Robin Hansen - Pet Eng	7/20/2011, 10:30 AM	Injection pressure not to exceed 1,000 lbs psi. If pressure reaches 1,000 psi, discontinue injection test and contact the BLM with alternatives for protecting tubulars. Robin will be out of office on vacation Mon, Jul 25 to Aug 15. Contact Michael Lee with issues if Robin is out. Verbally notify BLM 24 hrs in advance of any work for purposes of witnessing. Provide sundry with procedure stating verbal approval given by Robin Hansen if work is performed in advance of sundry approval. Ray Martin to develop procedure and give to Barbara Nicol to supply BLM sundry
UT State Division of Oil Gas and Mining	Richard Powell	7/21/ 2011, 10:55 AM	

Is Pit Permit C144-CLEZ Required? (NM only)	Verbal Pit Approval Given By	Date/Time of Pit Verbal Approval	COA's

RFM _____
TJF _____

RBU 11-19F
Sec 19, T10S, R20E
Uintah County, Utah
API- 43-047-30405
XTO Acct# 162559

AFE #1104716 Repair Bradenhead Flow

Prod csg: 5-1/2", 17#, K-55 csg @ 8,293' w/TOC @ 3,630'.
Tbg: 2-3/8" 4.7#, J-55, 8rd, EUE tbg, SN & MS. EOT @ 7,971'
Perfs: **WA:** 5,950.5' – 5,956.5'
MV: 7,925' – 8,132'
KB to GL: 14'
PBTD: 8,272'

1. Dig out around WH. Replace or tap into csghd vlv or bullplug or tap into csg so we can pump into the 8-5/8" x 5-1/2" annulus.

MIRU with cementing equip availability.

2. MIRU PU. BD and KW w/2% KCl wtr. ND WH. NU BOP. Unseat tubing hanger. TOH w/2-3/8" prod tbg.
3. PU & TIH w/5-1/2" RBP to 4,200' (570' below TOC). Set RBP @ 4,200'.
4. Circ the csg full w/2% KCL wtr. TOH w/RBP setting tool.
5. Top off csg w/2% KCL wtr. Close blind rams & press csg to 500 psig. SI w/500 psig trapped on 5-1/2" csg.
6. EIR into BH vlv (± 2 BPM) w/wtr. **MaxP 1,000 psig (do not exceed w/o notifying the Vernal BLM).**

Call Vernal BLM to give notice of cmtg.

7. MI wtr trk loaded with min 120 bbls fresh wtr (± 80 bbls mix wtr required for cmt). MIRU cmtg equip. RU on BH vlv. EIR w/wtr. Cmt 8-5/8" x 5-1/2" annulus w/approximately 475 sx or 625 sx cmt per attached cmt proposals. Flush surf lines + just past WH (est 1 - 2 bbl) with wtr. Pmp cmt @ 1 - 3 BPM. **Do not exceed MaxP 1,000 psig w/o notifying the Vernal BLM.** SD & close BH vlv. RDMO cmt equip.
8. WOC overnight.
9. Open BH vlv to confirm no flow. TIH w/RBP setting tool & 2-3/8" tbg to $\pm 4,000'$. RU swab & swab dwn csg to reduce vol of wtr dropped on fmt.

10. TIH, latch & rel RBP. TOH & LD RBP & setting tool.

11. TIH w/2-3/8" prod tbg as pulled. Ld tbg in tbg hanger. ND BOP. NU WHD.

12. Swab well in. RWTP. RDMO PU.

Regulatory

- Submit NOI and subsequent report to BLM and Utah Division of Oil Gas & Mining for Bradenhead repair. NOTE: Received verbal permission to start work from Robin Hansen w/Vernal BLM on 7/20/11.

Services/Material

- Hot tap equip & serviceman
- ProPetro to perform cmtg

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: U-013769-A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: RBU 11-19F	
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047304050000	
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410	PHONE NUMBER: 505 333-3159 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1902 FSL 3332 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 19 Township: 10.0S Range: 20.0E Meridian: S	COUNTY: UINTAH STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input checked="" type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 9/29/2011	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input checked="" type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>	
<input type="checkbox"/> DRILLING REPORT Report Date:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy Inc. has completed the cement squeeze, cleaned out & acidized this well per the attached summary report.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 10/7/2011	

Riverbend Unit 11-19F

9/9/2011: MIRU. Unlnd hngr. TOH w/ 2-3/8", J-55, 4.7#, EUE tbg. SN, MS clr. Recovered plngr & BHBS @ SN.

9/12/2011: TIH w/ bit, 5.5" scr, SN, & 2-3/8", 4.7#, J-55 tbg, 1- 2-3/8" pup jt, 2-3/8", 4.7#, L-80 tbg, Tgd 152' fill @ 8,120'. (top of btm perf). RU pwr swvl, & AFU. Estb circ, CO to 8,272'. (PBTD). TOH w/ tbg/BHA. LD scr/bit.

9/13/2011: TIH w/ 5.5" TS RBP, SN, 2-3/8" 4.7#, J-55, EUE tbg, set RBP @ 4,225'. Fill csg w/ 98 bls TFW. PT 5.5" prod csg to 1,000 psig, ggd tst. Spot 1 sks snd on RBP. MIRU cement service. PT surf lines to 2,000 psig. EIR dwn 8.625" surf csg @ 2.5 BPM & @ 800 psig. Mix & Bullhead dwn 8.625" csg, 20 bls TFW, 625 sks Class G @ cmt 15.8 ppg & 1.15 yld w/ last 340 sks @ 2% CaCL. Displace w/ 1 bbl TFW. Csg press fr/800-0 psig @ 2.5 BPM. SWI @ 200 psig SICP.

9/14/2011: PT 8-5/8" annular w/ 10 bls TFW to 500 psig, Tstd Gd. 30 mins. TIH w/ 1 jt tbg. Circ snd of TS rbp. Rlsd TS RBP. TOH w/ tbg. Ld BHA. TIH w/ 2-3/8" MSC, SN, & 2-3/8", 4.7#, J-55, EUE tbg. w/EOT @ 8,140'. RIH w/ 1.901" drift to SN @ 8,138' no tigh spts. LD drift. Wait on Acid pmpr. SWI & SDFN.

9/15/2011: MIRU ac pmpr. PT surf lines to 2,500 psig. Pmp 500 gls 15% HCL w/ add's dwn tbg. Flsd tbg w/ 32 bls TFW. Pmp 250 gls 15% HCL w/ add's dwn TCA. Flsd w/ 30 bls TFW. Ld tbg on hngr. EOT @ 7983', SN @ 7982'. ND BOP. NU WH. RDMO. Susp rpts, wait on SWU.

9/16/2011: MIRU SWU. SN @ 7,981'. RU & RIH w/swb tls. BFL @ 6,000' FS. S 0 BO, 22 BW, 11 runs, 6 hrs, FFL @ 6,300' FS. SWI. SDFW.

9/19/2011: RIH w/swb tls. BFL @ 6,000' FS. S 0 BO, 38 BW, 19 runs, 10 hrs, FFL @ 6,400' FS. SWI.

9/20/2011: RIH w/swb tls. BFL @ 6,200' FS. S 0 BO, 28 BW, 19 runs, 10 hrs, FFL @ 6,700' FS. SWI.

9/21/2011: RIH w/swb tls. BFL @ 6,200' FS. S 0 BO, 19 BW, 19 runs, 10 hrs, FFL @ 6,700' FS. SWI.

9/22/2011: RIH w/swb tls. BFL @ 6,400' FS. S 0 BO, 9 BW. 18 runs, 10 hrs, FFL @ 7,600' FS. SWI.

9/23/2011: RIH w/swb tls. BFL @ 6,900' FS. S 0 BO, 8.5 BW. 17 runs, 10 hrs. FFL @ 7,500' FS. SWI. RDMO SWU.

9/26/2011: MIRU SLU. SN @ 7,981'. RIH w/fishing tls, latch BHBS @ SN, POH LD BHBS & fishing tls. PU & RIH w/1.625" BB, tgd fill @ 8,230' FS, POH LD 1.625" BB. Drpd BHBS w/SV AD. RIH w/1.908" tbg broach to SN, no ti spts, POH LD 1.908" tbg broach. SWI. RDMO SLU.

9/28/2011: MIRU SWU. SN @ 7,981'. RIH w/swb tls. BFL @ 6,500' FS. S 0 BO, 3 BW, 3 runs, 2 hrs, FFL @ 6,500' FS. SWI.

9/29/2011: RIH w/swb tls. BFL @ 6,500' FS. S 0 BO, 12 BW, 12 runs, 8 hrs, FFL @ 6,900' FS. KO well flwg. SITP 240 psig, SICP 290 psig. RWTP @ 2:00 p.m., 9/29/11. RDMO SWU.

=====**Riverbend Unit 11-19F**=====

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 15
 AMENDED REPORT
 Original Filing Date: 12/19/2011

DESIGNATION OF WORKOVER OR RECOMPLETION

1. Name of Operator XTO ENERGY INC		2. Utah Account Number N2615		5. Well Name and Number RBU 11-19F	
3. Address of Operator 382 Road 3100		City Aztec		State NM	
Zip 87410		4. Phone Number 505 333-3159		6. API Number 4304730405	
9. Location of Well Footage: 1902 FSL 3332 FWL County: UINTAH QQ, Sec, Twnp, Rnge: NESW 19 100S 200E State: UTAH				7. Field Name NATURAL BUTTES	
				8. Field Code Number 630	

COMPLETE ALL SECTIONS. ATTACH ADDITIONAL SHEETS IF NEEDED.

10. TYPE OF WORK (Check all that apply) <input checked="" type="checkbox"/> Production enhancement <input type="checkbox"/> Recompletion <input type="checkbox"/> Convert to injection <input type="checkbox"/> Repair well	11. WORK PERIOD Date work commenced: 9/9/2011 87 Days From Date work completed: 9/23/2011 Completion
--	---

12. THE FOLLOWING EXPENSES FOR OPERATIONS ARE SUBMITTED FOR DESIGNATION AS WORKOVER OR RECOMPLETION EXPENSES:

	Expenses	Approved By State
a. Location preparation and cleanup	652.18	652.18
b. Move-in, rig-up, and rig-down (including trucking)	5450.00	5450.00
c. Rig charges (including fuel)	11113.46	11113.46
d. Drill pipe or other working string	0.00	0.00
e. Water and chemicals for circulating fluid (including water hauling)	3774.68	3774.68
f. Equipment purchase	0.00	0.00
g. Equipment rental	3180.55	3180.55
h. Cementing	0.00	0.00
i. Perforating	0.00	0.00
j. Acidizing	4248.19	4248.19
k. Fracture stimulation	0.00	0.00
l. Logging services	0.00	0.00
m. Supervision and overhead	0.00	0.00
n. Other (itemize)		
AIR FOAM UNIT	3678.00	3678.00
SWABBING	13374.00	13374.00
0	0.00	0.00
0	0.00	0.00
o. Total submitted expenses	45471.06	
p. Total approved expenses (State use only)		45471.06

13. LIST CONTRACTORS PROVIDING SERVICES VALUED AT MORE THAN \$3,000.

Contractor	Location (City, State)	Services Provided
SEE ATTACHED PAGE 2		

14. LIST WORKING INTEREST OWNERS WHO TAKE PRODUCT IN KIND AND ARE AUTHORIZED TO SHARE IN THE TAX CREDIT.

Name	Address	Utah Account No.	Percent of Interest
NONE			

I hereby certify that this report is true and complete to the best of my knowledge.

NAME (PLEASE PRINT) Dolena Johnson	TITLE Regulatory Compliance T	PHONE 505 333-3164
SIGNATURE Dolena Johnson	DATE December 19, 2011	E-MAIL Dee_Johnson@xtoener

Form 15		Page 2	
WELL NAME & #	API #		
RIVERBEND UNIT #11-19F	43-047-30405		
Contractor			
WM TRUCKING, INC.	ROOSEVELT, UT	B	MIR/UD TRUCKING & TRAILER RENTAL
KEY ENERGY SERVICES	DALLAS, TX	C	WORKOVER RIG
RN INDUSTRIES TRUCKING	ROOSEVELT, UT	E	CHEMICAL/WATER HAULING
FRAC TECH SERVICES, LTD.	VERNAL, UT	J	ACIDIZING SERVICES
WEATHERFORD	NAPLES, UT	N	AIRFOAM UNIT
D&S SWABBING, INC.	ROOSEVELT, UT	N	SWABBING UNIT
			Cost
			\$3,600.00
			\$11,113.46
			\$3,156.68
			\$4,248.19
			\$3,678.00
			\$13,374.00

RECEIVED
OCT 21 2011
REGULATORY COMPLIANCE

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: U-013769-A
1. TYPE OF WELL Gas Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: XTO ENERGY INC		7. UNIT or CA AGREEMENT NAME: RIVER BEND
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM, 87410		8. WELL NAME and NUMBER: RBU 11-19F
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1902 FSL 3332 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 19 Township: 10.0S Range: 20.0E Meridian: S		9. API NUMBER: 43047304050000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM, 87410		9. FIELD and POOL or WILDCAT: NATURAL BUTTES
PHONE NUMBER: 505 333-3159 Ext		COUNTY: UTAH
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input checked="" type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input checked="" type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 9/29/2011	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMBINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 XTO Energy Inc. has completed the cement squeeze, cleaned out & acidized this well per the attached summary report.

*Not including any of the cement expenses on tax credit.

Accepted by the
 Utah Division of
 Oil, Gas and Mining
FOR RECORD ONLY

TAX CREDIT COPY

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A		DATE 10/7/2011

Riverbend Unit 11-19F

9/9/2011: MIRU. Unlnd hngr. TOH w/ 2-3/8", J-55, 4.7#, EUE tbg. SN, MS clr. Recovered pingr & BHBS @ SN.

9/12/2011: TIH w/ bit, 5.5" scr, SN, & 2-3/8", 4.7#, J-55 tbg, 1- 2-3/8" pup jt, 2-3/8", 4.7#, L-80 tbg, Tgd 152' fill @ 8,120'. (top of btm perf). RU pwr swvl, & AFU. Estb circ, CO to 8,272'. (PBSD). TOH w/ tbg/BHA. LD scr/bit.

NO
9/13/2011: TIH w/ 5.5" TS RBP, SN, 2-3/8" 4.7#, J-55, EUE tbg, set RBP @ 4,225'. Fill csg w/ 98 bls TFW. PT 5.5" prod csg to 1,000 psig, ggd tst. Spot 1 sks snd on RBP. MIRU cement service. PT surf lines to 2,000 psig. EIR dwn 8.625" surf csg @ 2.5 BPM & @ 800 psig. Mix & Bullhead dwn 8.625" csg, 20 bls TFW, 625 sks Class G @ cmt 15.8 ppg & 1.15 yld w/ last 340 sks @ 2% CaCL. Displace w/ 1 bbl TFW. Csg press @ 800-0 psig @ 2.5 BPM. SWI @ 200 psig SICP.

NO
9/14/2011: PT 8-5/8" annular w/ 10 bls TFW to 500 psig, Tstd Gd. 30 mins. TIH w/ 1 jt tbg. Circ snd of TS rbp. Rlsd TS RBP. TOH w/ tbg. Ld BHA. TIH w/ 2-3/8" MSC, SN, & 2-3/8", 4.7#, J-55, EUE tbg. w/EOT @ 8,140'. RIH w/ 1.901" drift to SN @ 8,138' no tigh spts. LD drift. Wait on Acid pmpr. SWI & SDFN.

9/15/2011: MIRU ac pmpr. PT surf lines to 2,500 psig. Pmp 500 gls 15% HCL w/ add's dwn tbg. Flsd tbg w/ 32 bls TFW. Pmp 250 gls 15% HCL w/ add's dwn TCA. Flsd w/ 30 bls TFW. Ld tbg on hngr. EOT @ 7983', SN @ 7982'. ND BOP. NU WH. RDMO. Susp rpts, wait on SWU.

9/16/2011: MIRU SWU. SN @ 7,981'. RU & RIH w/swb tls. BFL @ 6,000' FS. S 0 BO, 22 BW, 11 runs, 6 hrs, FFL @ 6,300' FS. SWI. SDFW.

9/19/2011: RIH w/swb tls. BFL @ 6,000' FS. S 0 BO, 38 BW, 19 runs, 10 hrs, FFL @ 6,400' FS. SWI.

9/20/2011: RIH w/swb tls. BFL @ 6,200' FS. S 0 BO, 28 BW, 19 runs, 10 hrs, FFL @ 6,700' FS. SWI.

9/21/2011: RIH w/swb tls. BFL @ 6,200' FS. S 0 BO, 19 BW, 19 runs, 10 hrs, FFL @ 6,700' FS. SWI.

9/22/2011: RIH w/swb tls. BFL @ 6,400' FS. S 0 BO, 9 BW. 18 runs, 10 hrs, FFL @ 7,600' FS. SWI.

9/23/2011: RIH w/swb tls. BFL @ 6,900' FS. S 0 BO, 8.5 BW. 17 runs, 10 hrs. FFL @ 7,500' FS. SWI. RDMO SWU.

NO
9/26/2011: MIRU SLU. SN @ 7,981'. RIH w/fishing tls, latch BHBS @ SN, POH LD BHBS & fishing tls. PU & RIH w/1.625" BB, tgd fill @ 8,230' FS, POH LD 1.625" BB. Drpd BHBS w/SV AD. RIH w/1.908" tbg broach to SN, no ti spts, POH LD 1.908" tbg broach. SWI. RDMO SLU.

NO
9/28/2011: MIRU SWU. SN @ 7,981'. RIH w/swb tls. BFL @ 6,500' FS. S 0 BO, 3 BW, 3 runs, 2 hrs, FFL @ 6,500' FS. SWI.

NO
9/29/2011: RIH w/swb tls. BFL @ 6,500' FS. S 0 BO, 12 BW, 12 runs, 8 hrs, FFL @ 6,900' FS. KO well flwg. SITP 240 psig, SICP 290 psig. RWTP @ 2:00 p.m., 9/29/11. RDMO SWU.

=====**Riverbend Unit 11-19F**=====