

FILE NOTATIONS

Entered in NID File
Electric Logs Pinned
Card Indexed

Checked by Chief
Approval Letter
Disapproval Letter

COMPLETION DATA:

Well Completed

5/7/79

Location Inspected .

..... TA.....

..... PA.....

State or Fee Land

LOGS FILED

Driller's Log..... ✓

Electric Logs (No.) ✓.....


E..... I..... Dual I Lat..... GR-N..... Micro.....

BHC Sonic GR..... Lat..... MI-L..... Sonic.....

CBLog..... CCLog..... Others.....

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

THE STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION



APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 CIG EXPLORATION, INC.

3. ADDRESS OF OPERATOR
 P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
 1365' FWL & 1162' FSL SECTION 20-T10S-R21E
 At proposed prod. zone
 SAME AS ABOVE *SE SW*

5. AREA DESIGNATION AND SERIAL NO.
 2278-ST

6. IS INDIAN ALLOTTEE OR TRIBE NAME
 N/A

7. UNIT AGREEMENT NAME
 NATURAL BUTTES UNIT

8. FARM OR LEASE NAME
 NATURAL BUTTES

9. WELL NO.
 CIGE 20-20-10-21

10. FIELD AND POOL, OR WILDCAT
 BITTER CREEK FIELD

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 SECTION 20-T10S-R21E

12. COUNTY OR PARISH
 UINTAH

13. STATE
 UTAH

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drilg. line, if any)
 1162' FSL

16. NO. OF ACRES IN LEASE
 1440

17. NO. OF ACRES ASSIGNED TO THIS WELL
 N/A

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 APPROXIMATELY 8250'

19. PROPOSED DEPTH
 6400'

20. ROTARY OR CABLE TOOLS
 ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 5156' UNGRADED GROUND

22. APPROX. DATE WORK WILL START*
 SEPTEMBER 1, 1978

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sx
7-7/8"	4-1/2"	11.6#	6400'	AS REQUIRED TO CIRCULATE CEMENT BACK TO SURFACE

FRESH WATER AQUAFERS WILL BE PROTECTED WHEN THE LONG STRING IS RUN AND CEMENT IS CIRCULATED TO SURFACE.

SEE ATTACHED SUPPLEMENTS FOR FURTHER INFORMATION

- (1) BOP PROGRAM
- (2) BOP SCHEMATIC
- (3) PLAT

GAS WELL PRODUCTION HOOKUP TO FOLLOW ON SUNDRY NOTICE

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *F. R. Midkiff* TITLE DISTRICT SUPERINTENDENT DATE AUGUST 7, 1978
 F. R. MIDKIFF

PERMIT NO. _____ APPROVAL DATE _____


APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

T10S, R21E, S.L.B. & M.

PROJECT

C.I.G. EXPLORATION INC.

Well location, C.I.G.E. # 20-20-10-21,
located as shown in the SE 1/4 SW 1/4
Section 20, T10S, R21E, S.L.B. & M.
Uintah County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Jane Stewart

REGISTERED LAND SURVEYOR
REGISTRATION NO 3154
STATE OF UTAH


UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	8 / 2 / 78
PARTY	MS HH RP	REFERENCES	GLO Plat
WEATHER	Fair	FILE	C.I.G. EXPLORATION INC.

X = Section Corners Located

3000 psi

psi Working Pressure BOP's



Test Procedure

- 1) Flush BOP's and all lines to be tested with water.
- 2) Run test plug on test joint and seat in casing head (leave valve below test plug open to check for leak).
- 3) Test the following to rated pressure:
 - a) inside blowout preventer
 - b) lower kelly cock
 - c) upper kelly cock
 - d) stand pipe valve
 - e) lines to mud pump
 - f) kill line to BOP's
- 4) Close and test pipe rams to rated pressure.
- 5) Close and test Hydril to rated pressure.
- 6) Back off and leave test plug in place. Close and test blind rams to rated pressure.
- 7) Test all choke manifold valves to rated pressure.
- 8) Test kill line valves to rated pressure.

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

** FILE NOTATIONS **

Date: Aug. 11 -
Operator: Cig Exploration
Well No: Natural Butte 20-20-10-21
Location: Sec. 20 T. 10S R. 21E County: Uintah

File Prepared: Entered on N.I.D.:
Card Indexed: Completion Sheet:

API Number: 43-047-30485

CHECKED BY:

Administrative Assistant: [Signature]

Remarks:

Petroleum Engineer: [Signature]

Remarks:

Director: [Signature]

Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required: Survey Plat Required:
Order No. _____ Surface Casing Change
to _____

Rule C-3(c), Topographic exception/company owns or controls acreage within a 660' radius of proposed site

O.K. Rule C-3 O.K. In Natural Butte Unit

Other:

Letter Written/Approved

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
GAS PRODUCING ENTERPRISES, INC.

3. ADDRESS OF OPERATOR
P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

1365' FWL & 1162' FSL SECTION 20-T10S-R21E

14. PERMIT NO. _____ 15. ELEVATIONS (Show whether DF, RT, OR, etc.)
5156' UNGR. GR.

5. LEASE DESIGNATION AND SERIAL NO.
U-02278-ST

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
NATURAL BUTTES UNIT

8. FARM OR LEASE NAME
NATURAL BUTTES

9. WELL NO.
CIGE 20-20-10-21

10. FIELD AND POOL, OR WILDCAT
BITTER CREEK

11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA
SECTION 20-T10S-R21E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____ <input type="checkbox"/>	(Other) _____ <input type="checkbox"/>
(Other) _____ <input type="checkbox"/>	PIPELINE HOOKUP <input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

(1) PROPOSED GAS WELL PRODUCTION HOOKUP

(A) TYPICAL WELL HEAD INSTALLATION

(B) TYPICAL MAIN LINES AND PIPE ANCHOR DETAIL

(2) PROPOSED ROAD FOR FLOW LINE AND PIPELINE RIGHT OF WAY


APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING
DATE: August 24, 1978
BY: [Signature]

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE DISTRICT SUPERINTENDENT DATE August 22, 1978
F. R. MIDKIFF


(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



GAS PRODUCING ENTERPRISES, INC.
DENVER, COLORADO

CIGE 20-20-10-21
SECTION 20-T10S-R21E
UINTAH COUNTY, UTAH



					Colorado Interstate Gas Co. COLORADO SPRINGS, COLORADO	
					TYPICAL WELL HEAD INSTALLATION NATURAL BUTTES FIELD C16E 20-20-10-21 UINTAH COUNTY, UTAH	
NO.	DATE	BY	CHKD.	SCALE	DRWN.	RWP
				NONE		
REVISIONS					115FP-2 1/8 7-13-77 23058	

ESTIMATE SKETCH

DATE: 1-27-'78

COLORADO INTERSTATE GAS COMPANY

W. O. NO.: _____

STARTING DATE: _____

NORTHWEST PIPELINE CORPORATION

REVISION NO.: Δ 2/10/78

EST. COMP. DATE: _____

BUDGET NO.: _____

COMPANY CONTRACT


RELATED DWG.: 115FU-1

Δ 1162 FSL, 1365 FWL Sec 20-10s-21E

LOCATION: S13 R20E S18 R21E T10S - NAT BUTES FIELD COUNTY: UINTAH STATE: UTAH

DESCRIPTION OF WORK:
R/W SKETCH - BELCO #23-19B Δ Connect CIGE 20-20-10-21
R/W SKETCH - BELCO #26-13B

REQUESTED BY: GAS SUPPLY APPROXIMATE MILEAGE: — PROJECT ENGINEER: DDS



Freehand sketch of location of proposed installation to be constructed or retired showing relative location of existing facilities in area.

August 14, 1978

Statement for permit to lay flow line, to be included with application for drilling permit -- CIGE #20-20-10-21.

Upon approval of all concerned regulatory agencies, CIG proposes to install a surface flow line from CIGE #20-20-10-21 in a northwesterly direction through the W $\frac{1}{2}$ of section 20, connecting to an existing line from Belco #23-198 (F53-2"), all in T10S, R21E. The line will be approximately 3,000 ft. long as shown on the accompanying sketches.

Pipe will be 2-3/8" O.D. x .125" W.T., Grade X-42 EW. It will be butt-welded in place using portable electric welding machines, and will be laid above ground except where burial is necessary for road crossing, ditches, or other obstructions.

CIG will connect to Producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.

J. F. Kantor



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P.O. Box 17544 - Salt Lake City, Utah 84117

Tel.: (801) 582-0313

October 10, 1978

Will Files

20

1070-10-21

Subject: Archeological Reconnaissance for Proposed Well Locations and Associated Access Roads in the Natural Buttes Locality of Uintah County, Utah

Project: Gas Producing Enterprise - 1978 Gas-Oilwell Development in Uintah County, Utah


Project No.: GPE-78-5C

Permit No.: 78-Ut-014

To: Mr. Karl Oden, Gas Producing Enterprise,
P. O. Box 1138, Vernal, Utah 84078

Ms. Maggie Dominy, CIG Exploration, 2100 Prudential Plaza, P. O. Box 749, Denver, Colorado 80201

Dr. David B. Madsen, State Archeologist,
Crane Building Suite 1001, Antiquities Section, 307 West Second South, Salt Lake City, Utah 84101



GENERAL INFORMATION:

The proposed well locations and associated access roads were intensively examined for prehistoric and historic cultural remains between September 12 and September 22, 1978, by D. G. Weder of AERC. All of the wells examined are located on land administered by the State of Utah. The legal description of each well location and access road is shown below. In addition, maps showing each location are attached.

	<u>WELL #</u>	<u>SECTION</u>	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>ACCESS ROAD</u>
	✓20	20	10 South	21 East	Same
STATE	— 24	29	9 South	22 East	Same
	36	12	10 South	22 East	Township 10 South, Range 23 East, Section 7 also
	37	13	10 South	22 East	Same
STATE	— 39	28	10 South	21 East	Same
STATE	— 42	25	9 South	21 East	Same
	43	14	10 South	22 East	Same

The well locations were examined by performing parallel transects spaced at 15 meter intervals. In addition, each transect extended approximately 15 meters beyond the marked boundaries of the location. The access roads were examined by performing two parallel transects spaced 15 meters apart and equidistant from the road centerline. In this manner, a 30 meter-wide corridor was examined for each access road.

RESULTS:

No prehistoric or historic culture resource sites were encountered during the surface examination of the well locations and access roads listed above. Three of the well locations and access roads were disturbed by construction prior to their examination by the archeologist. In the case of well locations 24-29-9-22 and 39-28-10-21, the access road and pad had been graded and the well was being drilled. In the case of well location 42-25-9-21, the access road and pad were already partially graded when the archeological examination was conducted. No cultural resources were noted in any of these disturbed areas.

CONCLUSIONS AND RECOMMENDATIONS:

A cultural resources clearance can be recommended for the proposed well locations and access roads if, during development, compliance to the following stipulations is observed:

1. All vehicular traffic, personnel movement, and construction be confined to the locations examined and to access roads leading into these locations;
2. all personnel refrain from collecting individual artifacts or from disturbing any cultural resources in the area; and
3. a qualified archeologist be consulted should cultural remains from subsurface deposits be

GPE-78-5C
Summary Report
10/10/78
p. 4

exposed during construction work or if the
need arises to relocate or otherwise alter
the construction area.


Dennis G. Weder

D. G. Weder
Archeologist

F. R. Hauck

F. R. Hauck, Ph.D.
President

Salt Lake City



T. 10S.
R. 20 & 21E.

Meridian: Salt Lake B & M


Quad:

Project: GPE-78-5C
Series: Eastern Utah
Date: 10/10/78

PROPOSED WELL LOCATION AND
ACCESS ROAD
CIGE 20-20-10-21
NATURAL BUTTES LOCALITY
UINTAH COUNTY, UTAH

Big Pack Mtn. NE,
Utah
7.5' Series

Legend:
Proposed Well Location
Proposed Access Road ----



Scale

DESIGNATION OF AGENT

Supervisor, Oil and Gas Operations:

The undersigned is, on the records of the Geological Survey, Unit Operator under the Natural Buttes unit agreement, Uintah County, Utah (state), No. 14-08-0001-8900 approved January 5, 1968, and hereby designated:

NAME: CIG EXPLORATION, INC.

ADDRESS: P. O. BOX 749, DENVER, COLORADO 80201

as its agent, with full authority to act in its behalf in complying with the terms of the Unit Agreement and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to drilling, testing, and completing unit well No. 20-20-10-21 in Section 20: C SW/4. T. 10S, R. 21E, Uintah County, Utah.

(State of Utah U-02278-ST)

It is understood that this designation of agent does not relieve the Unit Operator of responsibility for compliance with the terms of the unit agreement and the Oil and Gas Operating Regulations. It is also understood that this designation of agent does not constitute an assignment of any interest under the unit agreement or any lease committed thereto.

In case of default on the part of the designated agent, the Unit Operator will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The Unit Operator agrees promptly to notify the oil and gas supervisor of any change in the designated agent.

This designation of agent is deemed to be temporary and in no manner a permanent arrangement.

This designation is given only to enable the agent herein designated to drill the above-specified unit well. Unless sooner terminated, this designation shall terminate when there is filed in the appropriate district office of the U. S. Geological Survey a completed file of all required Federal reports pertaining to subject well. It is also understood that this designation of agent is limited to field operations and does not cover administrative actions requiring specific authorization of the Unit Operator.

APPROVED AUG 9 1978
G. F. Kuntz
ACTING AREA OIL & GAS SUPERVISOR
U. S. GEOLOGICAL SURVEY
CASPER, WYOMING

GAS PRODUCING ENTERPRISES, INC.
Unit Operator

DATE: JULY 31 1978

By: Murray D. Page
Vice-President

APPROVED
LAND DEPT.
BY ARM

12/10 TKT

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

5. LEASE DESIGNATION AND SERIAL NO.
U-02278

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
NATURAL BUTTES UNIT

8. FARM OR LEASE NAME
NATURAL BUTTES

9. WELL NO.
CIGE 20-20-10-21

10. FIELD AND POOL, OR WILDCAT
BITTER CREEK FIELD

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA.
SECTION 20-T10S-R21E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
CIG EXPLORATION, INC.

3. ADDRESS OF OPERATOR
P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
 1365' FWL & 1162' FSL SECTION 20-T10S-R21E
 At proposed prod. zone
 SAME AS ABOVE

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
APPROXIMATELY 15 MILES SE OF OURAY, UTAH

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
1162'

16. NO. OF ACRES IN LEASE
1440

17. NO. OF ACRES ASSIGNED TO THIS WELL
N/A

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
Approx. 8250'

19. PROPOSED DEPTH
6400'

20. ROTARY OR CABLE TOOLS
ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5156' UNGRADED GROUND

22. APPROX. DATE WORK WILL START*
October 1, 1978

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sx
7-7/8"	4-1/2"	11.6#	6400'	CIRCULATE CEMENT BACK TO SURFACE

FRESH WATER AQUIFERS WILL BE PROTECTED WHEN THE LONG STRING IS RUN AND CEMENT IS CIRCULATED TO SURFACE.

SEE ATTACHED SUPPLEMENTS FOR FURTHER INFORMATION:

- (1) 10-POINT PROGRAM
- (2) BOP SCHEMATIC
- (3) 13-POINT PROGRAM
- (4) PLAT

**State of Utah, Department of Natural Resources
Division of Oil, Gas, and Mining
1588 West North Temple
Salt Lake City, Utah 84116**

GAS WELL PRODUCTION HOOKUP TO FOLLOW ON SUNDRY NOTICE.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED E. R. MIDKIFF TITLE DISTRICT SUPERINTENDENT DATE September 6, 1978

PERMIT NO. _____ APPROVAL DATE _____
 APPROVED BY W. M. Mouton TITLE ACTING DISTRICT ENGINEER DATE JAN 30 1979

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY NOTICE OF APPROVAL NECESSARY FLARING OF GAS DURING DRILLING AND COMPLETION APPROVED SUBJECT TO ROYALTY (NTL-4)

*See Instructions On Reverse Side

State of G

U.S. GEOLOGICAL SURVEY, CONSERVATION DIVISION

FROM: DISTRICT GEOLOGIST, SALT LAKE CITY, UTAH

TO: DISTRICT ENGINEER, SALT LAKE CITY, UTAH

Well	Location	Lease No.
CIG EXPLORATION, INC. CIGE 20-20-10-21	1365' FWL & 1163' FSL (SW 1/4 SE 1/4) SEC 20, T. 10 S., R. 21 E., SLM MINTAH COUNTY, UTAH G & E 5156	U-00278
1. Stratigraphy and Potential Oil and Gas Horizons. This well will commence in the Ninta Formation (Tertiary). Gas is expected to be encountered in the Wasatch Formation. Estimated tops by the operator appear reasonable.		
2. Fresh Water Sands. Fresh / usable water could occur in the sands of the Ninta and Green River Formations to a depth of 3000 ± feet.		
3. Other Mineral Bearing Formations. (Coal, Oil Shale, Potash, Etc.) Within an area considered valuable for solid and semi-solid bitumens (Silsonite). Silsonite veins strike northwesterly in this region. Site falls within oil shale withdrawal E.O. 5307. The oil shale beds of the Green River Formation are found primarily in the Parachute Creek member (mahogany zone) and should be protected accordingly. From Cashion's map the mahogany zone is estimated to occur at a depth of 1700 ± ft. The major oil shale beds will probably occur between 1600 - 2100 ± feet.		
4. Possible Lost Circulation Zones. Unknown.		
5. Other Horizons Which May Need Special Mud, Casing, or Cementing Programs. Protect any fresh / usable aquifers penetrated.		
6. Possible Abnormal Pressure Zones and Temperature Gradients. None anticipated by operator. The formations to be penetrated should not contain H ₂ S gas.		
7. Competency of Beds at Proposed Casing Setting Points. Probably adequate.		
8. Additional Logs or Samples Needed. Sonic, density, gamma ray and neutron logs through oil shale interval. Delineate and protect oil shale beds of the Parachute Creek.		
9. References and Remarks. Within 2 mile radius of KGS. Cashion's oil shale maps.		
Date: 9/12/78		Signed: REG

United States Department of the Interior
Geological Survey
8440 Federal Building
Salt Lake City, Utah 84138

Usual Environmental Analysis

Lease No. U-02278

Operator CIG Expl., Inc.

Well No. CIGE-20-20-10-21

Location NWSESW @ 1,365'FWL & 1,162' Sec. 20 T. 10 S. R. 21 E.

County Uintah State Utah Field Bitter Creek

Status: Surface Ownership State Minerals Federal

Joint Field Inspection Date October 17, 1978

Participants and Organizations:

<u>Lynn Henson</u>	<u>USGS</u>
<u>Don Shull</u>	<u>CIGE</u>
<u>Floyd Murray</u>	<u>De Casada Const.</u>
<u> </u>	<u> </u>

Related Environmental Analyses and References:

- (1)
- (2)

JAN 17 1979

*Pond 300 x 400
Pit 150 x 200
0.7 min new access
Flow line incl
Shock pile topsoil
4 cc*

Analysis Prepared by: Lynn Henson
Petroleum Eng. Tech.

Reviewed by:
George Diwachak
Environmental Scientist
Salt Lake City, Utah

Date October 17, 1978

Noted - G. Diwachak

Proposed Action:

On September 8, 1978, C.I.G. Expl., Inc. filed an Application for Permit to Drill the No. CIGE-20-20-10-21 development well, a 6,400-foot oil and gas test of the Wasatch Formation; located at an elevation of 5,156 ft. in the NWSEW Sec. 20-10 S.-21 E., on Federal mineral lands and State surface; Lease No. U-02278. There was no objection raised to the wellsite nor to the access road.

A rotary rig would be used for the drilling. An adequate casing and cementing program is proposed. Fresh-water sands and other mineral-bearing formations would be protected. A Blowout Preventer would be used during the drilling of the well. The proposed pressure rating should be adequate. Details of the operator's NTL-6 10-Point Subsurface and 13-Point Surface Protection Plans are on file in the U.S.G.S. District Office in Salt Lake City, Utah, and the U.S.G.S. Northern Rocky Mountain Area Office in Casper, Wyoming.

A working agreement has been reached with the State of Utah, the controlling surface agency. Rehabilitation plans would be decided upon as the well neared completion; the Surface Management Agency would be consulted for technical expertise on those arrangements.

The operator proposes to construct a drill pad 300 ft. wide x 400 ft. long, and a reserve pit 150 ft. x 200 ft. A new access road would be constructed 18 ft. wide x 7/10 mi. long. The operator proposes to construct production facilities on a disturbed area of the proposed drill pad. The anticipated starting date is November 1, 1978, and duration of drilling activities would be about 20 days.

If production is established, plans for a gas flow line have been submitted to the appropriate agencies for approval. The surface flowline would be installed by Gas Producing Enterprises, Inc. for C.I.G. Exploration to connect CIGE #20-20-10-21 well to an existing line from Belco #23-198 in the SENE Sec. 19 T. 10 S., R. 21 E. (See Sundry Notice dated August 22, 1978).

The operator proposes to install a pipe of 2 3/8" O.D. x 0.125" W.T., Grade X-42 E.W. The pipe would be butt-welded in place using portable electric welding machines, and be layed above ground except where burial is necessary for road crossings, ditches, or other obstructions. The proposed gas flow route should not be bladed; however, a bulldozer may be used to assist trucks in steep terrain, drag pipe into position, and for construction of ford type crossings on drainages that cannot otherwise be crossed. The construction of drainage crossings would be the only surface type disturbance authorized. The pipeline shall be constructed in such a manner not to block, dam, or change the natural course of any drainage. The pipeline route should not be used for roads unless otherwise authorized by the U.S. Geological Survey or Surface Managing Agency. The maximum width of the disturbed area would be 21'. CIG will connect to Producer's separator and install dehydration and metering facilities within 100' of the location.

Location and Natural Setting:

The proposed drillsite is approximately 15 mi. Southeast of Ouray, Utah, the nearest town. A fair road runs to within 7/10 mi. of the location. This well is in the Bitter Creek field.

Topography:

Rough breaks and steep coulees.

Geology:

The surface geology is the Uinta Formation.

The soil is sandy clay.

No geologic hazards are known near the drillsite.

Seismic risk for the area is minor. Anticipated geologic tops are filed with the 10-Point Subsurface Protection Plan.

Approval of the proposed action would be conditioned that adequate and sufficient electric/radioactive/density logging surveys would be made to locate and identify any potential mineral resources. Production casing and cementing would be adjusted to assure no influence of the hydrocarbon zones through the well bore on these minerals. In the event the well is abandoned, cement plugs would be placed with drilling fluid in the hole to assure protection of any mineral resources.

The potential for loss of circulation would exist and is possible in the sandstone units of the Mesa Verde. Loss of circulation may result in the lowering of the mud levels which might permit exposed upper formations to blowout or to cause formation to slough and stick to drill pipe. A loss of circulation would result in contamination due to the introduction of drilling muds, mud chemicals, filler materials, and water deep into the permeable zone, fissures, fractures, and caverns within the formation in which fluid loss is occurring. The use of special drilling techniques, drilling muds, and lost circulation materials may be effective in controlling lost circulation.

A geologic review of the proposed action has been furnished by the Area Geologist, U.S. Geological Survey, Salt Lake City, Utah. The operator's drilling, cementing, casing, and blowout prevention programs have been reviewed by the Geological Survey engineers and determined to be adequate.

Soils:

No detailed soil survey has been made of the project area. The top soils in the area range from a sandy clay to a clay-type soil. The soil is subject to runoff from rainfall and has a high runoff potential, and sediment production would be high. The soils are mildly to moderately alkaline and support the salt-desert shrub community.

Top soil would be removed from the surface and stockpiled. The soil would be spread over the surface of disturbed areas when abandoned to aid in rehabilitation of the surface. Rehabilitation is necessary to prevent erosion and encroachment of undesired species on the disturbed areas. The operator proposes to rehabilitate the location and access roads per the recommendations of the Bureau of Land Management.

Approximately four acres of land would be stripped of vegetation. This would increase the erosional potential. Proper construction practice, construction of water bars, and reseeded of slope-cut area would minimize this impact.

Air:

No specific data on air quality is available at the proposed location. There would be a minor increase in air pollution due to emissions from rig and support traffic engines. Particulate matter would increase due to dust from travel over unpaved dirt roads. The potential for increased air pollution due to leaks, spills, and fire would be possible.

Relatively heavy traffic would be anticipated during the drilling operations phase, increasing dust levels and exhaust pollutants in the area. If the well was to be completed for production, traffic would be reduced substantially to a maintenance schedule with a corresponding decrease of dust levels and exhaust pollutants to minor levels. If the project results in a dry hole, all operations and impact from vehicular traffic would cease after abandonment. Due to the limited number of service vehicles and limited time span of their operation, the air quality would not be substantially reduced.

Toxic or noxious gases would not be anticipated.

Precipitation:

Annual rainfall should range from about 8 to 11 inches at the proposed location. The majority of the numerous drainages in the surrounding area are of a nonperennial nature flowing only during early spring runoff and during extremely heavy rain storms. This type of storm is rather uncommon as the normal annual precipitation is around 8 inches.

Winds are medium and gusty, occurring predominantly from West to East. Air mass inversions are rare.

The climate is semi-arid with abundant sunshine, hot summers and cold winters, with temperature variations on a daily and seasonal basis.

Surface-Water Hydrology:

Location drains to Cottonwood Wash then on to White River.

Some additional erosion would be expected in the area since surface vegetation would be removed. If erosion became serious, drainage systems such as water bars and dikes would be installed to minimize the problem. The proposed project should have minor impact on the surface-water systems.

The potentials for pollution would be present from leaks or spills. The operator is required to report and clean up all spills or leaks.

Ground-Water Hydrology:

Some minor pollution of ground-water systems would occur with the introduction of drilling fluids (filtrate) into the aquifer. This is normal and unavoidable during rotary drilling operations. The potential for communication, contamination, and commingling of formations via the well bore would be possible. The drilling program is designed to prevent this. There is need for more data on hydrologic systems in the area and the drilling of this well may provide some basis information as all shows of fresh water would be reported. Water production with the gas would require disposal of produced water per the requirements of NTL-2B.

The depths of fresh-water formations are listed in the 10-Point Subsurface Protection Plan. There would be no tangible effect on water migration in fresh-water aquifers. The pits would be unlined. If fresh water should be available from the well, the owner or surface agency may request completion as a water well if given approval.

Vegetation:

Sagebrush and sparse Native Grass.

Plants in the area are of the salt-desert-shrub types.

Proposed action would remove about four acres of vegetation. Removal of vegetation would increase the erosional potential and there would be a minor decrease in the amount of vegetation available for grazing.

The operator proposes to rehabilitate the surface upon completion of operations.

Wildlife:A regional

Animal and plant inventory has been made by the Bureau of Land Management. No endangered plants or animals are known to habitat on the project area. The fauna of the area consists predominantly of mule deer, coyotes, rabbits, foxes, and varieties of small ground squirrels and other types of rodents and various types of reptiles. The area is used by man for the primary purpose of grazing domestic livestock and sheep. The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

Social-Economic Effect:

An on the ground surface archaeological reconnaissance would be required prior to approval of the proposed action. Appropriate clearances would then be obtained from the surface managing agency. If an historic artifact, an archaeological feature or site is discovered during construction operations, activity would cease until the extent, the scientific importance, and the method of mitigating the adverse effects could be determined by a qualified cultural resource specialist.

There are no occupied dwellings and other facilities of this nature in the general area. Minor distractions from aesthetics would occur over the lifetime of the project and are judged to be minor. All permanent facilities placed on the location would be painted a color to blend in with the natural environment. Present use of the area is grazing, recreation, and oil and gas activities.

Noise from the drilling operation may temporarily disturb wildlife and people in the area. Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels would be infrequent and significantly less. If the area is abandoned, noise levels should return to predrilling levels.

The site is not visible from any major roads. After drilling operations, completion equipment will not be visible to passersby of the area and would not present a major intrusion.

The economic effect of one well would be difficult to determine. The overall effect of oil and gas drilling and production activity are significant in Uintah County.

But should this well discover a significant new hydrocarbon source, local, State, and possibly National economies might be improved. In this instance, other development wells would be anticipated with substantially greater environmental and economic impacts.

Should the wellsite be abandoned, surface rehabilitation would be done according to the surface agency's requirements and U.S. Geological Survey's satisfaction. This would involve leveling, contouring, reseeding, etc., of the location and possibly the access road. If the well should produce hydrocarbons, measures would be undertaken to protect wildlife and domestic stock from the production equipment.

There are no national, state, or local parks, forests, wildlife refuges or ranges, grasslands, monuments, trails or other formally designated recreational facilities near the proposed location.

Waste Disposal:


The mud and reserve pits would contain all fluids used during the drilling operations. A trash pit would be utilized for any solid wastes generated at the site and would be buried at the completion of the operations. Sewage would be handled according to State sanitary codes. For further information, see the 13-Point Surface Plan.

Alternatives to the Proposed Action:

(1) Not approving the proposed permit -- The oil and gas lease grants the Lessee exclusive right to drill for, mine, extract, remove, and dispose of all oil and gas deposits.

Under leasing provisions, the Geological Survey has an obligation to allow mineral development if the environmental consequences are not too severe or irreversible. Upon rehabilitation of the site, the environmental effects of this action would be substantially mitigated, if not totally annulled. Permanent damage to the surface and subsurface would be prevented as much as possible under the U.S. Geological Survey and other controlling agencies' supervision with rehabilitation planning reversing almost all effects. Additionally, the growing scarcity of oil and gas should be taken into consideration. Therefore, the alternative of not proceeding with the proposed action at this time is rejected.


NE 10-17-79



CIGE WELL # 20-10-10-21
NWSESW-SEC. 20-10S-21E
U-02278 EA#1331
BITTER CREEK FIELD

LH

SW 10-17-79



U.F.O.S

U-02278 - PIPELINE ROUTE
CIGE - W 1/2 SEC. 20 + E 1/2 SEC. 19-10S-21E

LH

(2) Minor relocation of the wellsite access road or any special restrictive stipulations or modifications to the proposed program would not significantly reduce the environmental impact. There are no severe vegetative, animal, or archaeological-historical-cultural conflicts at the site. Since only a minor impact on the environment would be expected, the alternative of moving the location is rejected. At abandonment, normal rehabilitation of the area such as contouring, reseeding, etc., would be undertaken with an eventual return to the present status as outlined in the 13-Point Surface Plan.

(3) The State of Utah was invited to the onsite inspection, but declined the right to attend.

Adverse Environmental Effects Which Cannot Be Avoided:

Surface disturbance and removal of vegetation from approximately four acres of land surface for the lifetime of the project which would result in increased and accelerated erosional potential. Grazing would be eliminated in the disturbed areas and there would be a minor and temporary disturbance of wildlife and livestock. Minor induced air pollution due to exhaust emissions from rig engines of support traffic engines would occur. Minor increase in dust pollution would occur due to vehicular traffic associated with the operation. If the well is a gas producer, additional surface disturbance would be required to install production pipelines. The potential for fires, leaks, spills of gas, oil, or water would exist. During the construction and drilling phases of the project, noise levels would increase. Potential for subsurface damage to fresh-water aquifers and other geologic formations exists. Minor distractions from aesthetics during the lifetime of the project would exist. If the well is a producer, an irreplaceable and irretrievable commitment of resources would be made. Erosion from the site would eventually be carried as sediment in the White River. The potential for pollution to the Cottonwood Wash would exist through leaks and spills.

Determination:

This requested action does not constitute a major Federal action significantly affecting the environment in the sense of NEPA, Section 102(2)(C).

Date

11/6/78


 District Engineer
 U.S. Geological Survey
 Conservation Division
 Oil and Gas Operations
 Salt Lake City District

DIVISION OF OIL, GAS, AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: CIG EXPLORATION

WELL NAME: 20-20-10-21

SECTION 20 TOWNSHIP 10S RANGE 21 E , COUNTY Uintah

DRILLING CONTRACTOR ATCO

RIG # 18

SPUDDED: DATE March 5, 1979

TIME _____

HOW _____

DRILLING WILL COMMENCE _____

REPORTED BY _____

TELEPHONE # _____

DATE March 5, 1979

SIGNED _____

cc: U.S. Geological Survey
State Industrial Commission

NOTICE OF SPUD

WELL NAME: C16F 20-20-10-21

LOCATION: C ~~1/4~~ SW 1/4 SECTION 20 T- 10S R- 2/E

COUNTY: Uintah STATE: Utah

LEASE NO.: U-02278 LEASE EXPIRATION DATE: 8/31/68

UNIT NAME (If Applicable): NATURAL Buttes Unit

DATE & TIME SPUDDED: 3/5/79 @ 5:30 pm

DRY HOLE SPUDDER: PARKER AIR ϕ

DETAILS OF SPUD (Hole, Casing, Cement, etc.): Spud 12 1/4" hole 3/5/79, Comp
3/7/79 @ 3:40 pm to 210' GL. RU & RAN 5 JAS (210') 9-5/8" 8rd, 36#,
R-3, K-55 Csg & set @ 206' GL. Cont w/ 150 SX class "C-11" + 2nd Co C/2
PD @ 11:30 am 3/8/79

ROTARY RIG NAME & NUMBER: ATCO RIG #18

APPROXIMATE DATE ROTARY MOVES IN: MARCH 15

FOLLOW WITH SUNDRY NOTICE

USGS CALLED: DATE: 3/6/79

PERSON CALLED: Mary

STATE CALLED: DATE: 3/6/79

PERSON CALLED: Scherree Wilcox

REPORTED BY: PAT Bohner

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

M

5. LEASE DESIGNATION AND SERIAL NO.

U-02278

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

NATURAL BUTTES UNIT

8. FARM OR LEASE NAME

NATURAL BUTTES

9. WELL NO.

CIGE 20-20-10-21

10. FIELD AND POOL, OR WILDCAT

BITTER CREEK

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SECTION 20-T10S-R21E

14. PERMIT NO.

43-047-30485

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5156' UNGR. GR.

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other) _____

SPUD

(Other) _____

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

CONFIRMATION OF VERBAL REPORT OF SPUD TO USGS (MARY) AND STATE (SCHEREE)
on 3/6/79.

18. I hereby certify that the foregoing is true and correct

SIGNED

F. R. Midkiff
F. R. Midkiff

TITLE

District Superintendent

DATE

3/12/79

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5

14

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____


2. NAME OF OPERATOR
GAS PRODUCING ENTERPRISES, INC.

3. ADDRESS OF OPERATOR
P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State laws)
At surface
1365' FWL & 1162' FSL SECTION 20-T10S-R21E
At top prod. interval reported below

SAME AS ABOVE
At total depth
SAME AS ABOVE

14. PERMIT NO. 43-047-30485
DATE ISSUED 8/14/78



5. LEASE DESIGNATION AND SERIAL NO.
U-02278-ST

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
NATURAL BUTTES UNIT

8. FARM OR LEASE NAME
NATURAL BUTTES

9. WELL NO.
CIGE 20-20-10-21

10. FIELD AND POOL, OR WILDCAT
BITTER CREEK FIELD

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
SECTION 20-T10S-R21E

12. COUNTY OR PARISH UTAH
13. STATE UTAH

15. DATE SPUNDED 3/5/79
16. DATE T.D. REACHED 3/31/79
17. DATE COMPL. (Ready to prod.) 5/7/79
18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 5156' UNGR. GR.
19. ELEV. CASINGHEAD UNKNOWN

20. TOTAL DEPTH, MD & TVD 6200'
21. PLUG, BACK T.D., MD & TVD 6172' (FC)
22. IF MULTIPLE COMPL., HOW MANY* N/A
23. INTERVALS DRILLED BY ROTARY TOOLS 220' KB-TD
CABLE TOOLS 0-220' KB

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
4651' - 6002' - WASATCH
25. WAS DIRECTIONAL SURVEY MADE YES

26. TYPE ELECTRIC AND OTHER LOGS RUN DIL, FDC-CNL
27. WAS WELL CORED NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	220' KB	12-1/4"	150 SX.	-----
4-1/2"	11.6#	6200'	7-7/8"	2336 SX.	-----

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
NOT YET RUN		

31. PERFORATION RECORD (Interval, size and number)
Perf w/2-1/8" csg gun @
6002' (4 holes)
4707' (2 holes) Total 10 holes
4681' (2 holes)
4651' (2 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4651' - 6002'	Acidized w/2000 gal 15% MSR acid & 20 RCN ball sealers Fraced w/70,000 gal 40# guar & 150,000# 20/40 sand

33.* PRODUCTION

DATE FIRST PRODUCTION 5/4/79
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FLOWING
WELL STATUS (Producing or shut-in) SI - WO PIPELINE

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
5/6/79	24	20/64"	→	0	1000	10	-----

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
-----	650	→	0	1000	10	----

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
VENTED
TEST WITNESSED BY K. E. ODEN

35. LIST OF ATTACHMENTS
NONE

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED F. R. Midkiff TITLE District Superintendent DATE 5/11/79

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES		38. GEOLOGIC MARKERS	
FORMATION	TOP	BOTTOM	NAME
NO CORES OR DST'S			GREEN RIVER WASATCH
			MEAS. DEPTH 1080' 4270'
			TOP TRUE VERT. DEPTH 1080' 4270'
DESCRIPTION, CONTENTS, ETC.			

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other _____

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P. O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1365' FWL & 1162' FSL
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

5. LEASE
U-02278-ST

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes

9. WELL NO.
CIGE 20-20-10-21

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 20-T10S-R21E

12. COUNTY OR PARISH Utah 13. STATE Utah

14. API NO.
43-047-30485

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5156' Ungr. Gr.

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other) <u>NTL-2B Unlined Pit</u>			

Approval Denied

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This application is to request approval to dispose of produced waters in an unlined pit with a bentonite seal. The subject well produces less than three BWPD. The attached water analysis gives the composition of produced waters. Water is produced from the Wasatch formation. The evaporation rate for the area compensated for annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per hour for the area. The pit itself is 30' x 30' at the surface, tapering down to 25' x 25', having a depth of 6-1/2 feet. See the attached map for location of well site. The pit is located at the well site.

The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown. The cement for the 4-1/2" casing is brought back near surface which protects all surface waters.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.


18. I hereby certify that the foregoing is true and correct

SIGNED F. R. Midkiff TITLE Production Superintendent DATE August 11, 1980

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



T10S-R21E

COLORADO INTERSTATE GAS COMPANY

STATE COPY

WELL TEST DATA FORM

FIELD CODE 560-01-11			FIELD NAME NATURAL BUTTES, UT						OPERATOR CODE 2200		OPERATOR NAME CIG EXPLORATION INC						WELL NAME CIGE 20-20-10-21					
WELL CODE 25419		SECT. 20		LOCATION TWN/BLK 10S		RGE/SUR. 21E		SEQ. NUMBER		K-FACTOR		FORMATION WASATCH SA FLOW TEST										

WELL ON (OPEN)												FLOW TEST																								
DATE (COMP)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING TBG/CSG PRESSURE		STATIC TBG/CSG PRESSURE		FLOWING STRING											
MO.	DAY	YR.	MO.	DAY	YR.																					TUBING	CASING									
11	12	13	14	15	16	17	18	19	20	21	22	23	27	28	32	33	38	39	42	43	45	46	51	52	55	56	58	59	61	62	67	68	73	74	75	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
01 31 84			02 20 84			00 375		2.067		006960		0590 100		005410		0130		046		00513		000290		X												

WELL-OFF (SHUT-IN)												SHUT-IN TEST						SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT											
DATE			PRESSURE TAKEN		DATE		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)		SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS																			
MO.	DAY	YR.	MO.	DAY	YR.																																	
11	12	13	14	15	16	17	18	19	20	21	22	23	28	29	34	35	38	39	44	45	49	50	53	54	55													
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	E	E												
02 20 84			02 23 84			00 830		00 8250		619		1.9950		4358		0.576																						

METER STAMP: **25419 00375**

REMARKS: *Rate well went down Chapel on 8*

COLORADO INTERSTATE GAS COMPANY

WELL TEST DATA FORM

STATE COPY

FIELD CODE 060-01-11	FIELD NAME NATURAL BUTTES, UT	OPERATOR CODE 2200	OPERATOR NAME CIG EXPLORATION INC	WELL NAME CIG 20-20-10-21
-------------------------	----------------------------------	-----------------------	--------------------------------------	------------------------------

WELL CODE 13	SECT. 20	LOCATION TWN/BLK 10S	RGE/SUR. 21E	PANHANDLE/REDCAVE SEQ. NUMBER 00375	K-FACTOR	FORMATION GASATCH SA	FLOW TEST	1
-----------------	-------------	----------------------------	-----------------	---	----------	-------------------------	-----------	---

WELL ON (OPEN)										FLOW TEST																									
DATE (COMP.)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING TSG/CSG PRESSURE		STATIC TSG/CSG PRESSURE		FLOWING STRONG TUBING		CASING								
MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.
11	12	13	14	15	16	17	18	19	20	21	22	23	27	28	32	33	38	39	42	43	45	46	51	52	55	56	58	59	61	62	67	68	73	74	75
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
16	15	82	06	22	82	00	375	2	067	00686	0	0591	100	006770	0000	099																			

WELL-OFF (SHUT-IN)	SHUT-IN TEST										SLOPE	EFFECTIVE DIAMETER	EFFECTIVE LENGTH	GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT. CIG: <i>J. K. Brown</i> OPERATOR: <i>Clayton L. Webb</i> COMMISSION: _____																						
DATE			PRESSURE TAVERN		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)																																
MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY	YR.	MO.	DAY		YR.	MO.	DAY	YR.																		
11	12	13	14	15	16	17	18	19	20	21	22	23	28	29	34	35		38	39	44	45	49	50	53	54	55													
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	E	E												
06	22	82	06	25	82	00	7780	007780																															

METER STAMP	25419 00375	REMARKS: <i>Est. Well</i>
-------------	-------------	---------------------------

**COLORADO INTERSTATE GAS COMPANY
WELL TEST DATA FORM**

STATE COPY

FIELD CODE 660-01-11	FIELD NAME NATURAL BUTTES	OPERATOR CODE 2200	OPERATOR NAME CIG EXPLORATION INC	WELL NAME CIG 20-2-1-1-21
-------------------------	------------------------------	-----------------------	--------------------------------------	------------------------------

WELL CODE 25419	SECT. 20	LOCATION TWP/R/S/E	RGE/SUR. 10S 21E	PANHANDLE/NEEDCASE SEG. NUMBER	K-FACTOR	FORMATION JASATCH SA	FLOW TEST FLOW TEST
--------------------	-------------	-----------------------	---------------------	-----------------------------------	----------	-------------------------	------------------------

WELL ON										FLOW TEST																											
OPEN			DATE (COMP)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP		WELL HEAD TEMP		FLOWING TBG/CSG PRESSURE		STATIC T06/CSG PRESSURE		FLOWING STRING									
MO.	DAY	YR.	MO.	DAY	YR.																							TUBING	CASING								
11	12	19	14	16	18	17	18	19	20	21	22	23	27	28	32	33	38	39	42	43	48	46	51	52	55	56	58	59	61	62	67	68	73	74	75		
XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	
20 29 30 00 00 00 00 00 00 00										75		100		61.27		0520		104		0075		00075		X													

WELL OFF			SHUT-IN TEST										SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)		EST CSG PRESS		EST TBG PRESS		TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT.	
MO.	DAY	YR.	PRESSURE TAKEN			DATE		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)																
MO.	DAY	YR.	MO.	DAY	YR.																					
11	12	19	12	14	15	17	18	19	20	21	22	23	28	29	34	35	38	39	44	45	49	50	63	64	65	
XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	XX	E	E		
19 17 80 08			32 80			0115.0		0115.0		513		4 0000		5327												CIG <i>J. K. ...</i>
																										OPERATOR:
																										COMMISSION:

WELL CODE 25419	SECT. 00500	REMARKS:
--------------------	----------------	----------

COLORADO INTERSTATE GAS COMPANY

WELL TEST DATA FORM

STATE COPY

FIELD CODE		FIELD NAME <i>Natural Gas</i>				OPERATOR CODE	OPERATOR NAME <i>Gas Producing Enterprises</i>				WELL NAME <i>C.I.G.E. #20</i>			
WELL CODE	SECT.	LOCATION TOWNSHIP/BLK		RANGE/SUR.		PANHANDLE/REOCAVE SEQ. NUMBER		K-FACTOR		FORMATION <i>WASATCH</i>				

WELL ON (OPEN)									FLOW TEST																			
DATE (COMP.)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING TBG/CSG PRESSURE		STATIC TBG/CSG PRESSURE		FLOWING STRINGS			
MO.	DAY	YR.	MO.	DAY	YR.																					TUBING	CASING	
11-12	13-14	15-16	17-18	19-20	21-22	23	27-28		32-33		38-39		42-43		48-49		51-52		58-59		61-62		67-68		73		74	75
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

WELL-OFF (SHUT-IN)			SHUT-IN TEST										SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT.									
PRESSURE TAKEN			DATE			CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)																							
MO.	DAY	YR.	MO.	DAY	YR.																										
11-12	13-14	15-16	17-18	19-20	21-22	23	28-29		34-35		38-39		44-45		49-50		53	54	55												
X	X	X	X	X	X	X	X		X		X		X		X		X	E	E												

METER STAMP	25419	01000	REMARKS: <i>SHOT IN TAKEN BEFORE INITIAL DELIVERY N. TUBING IN WELL AS OF 07-07-79.</i>

CIG: *M. D. Price*

OPERATOR: _____

COMMISSION: _____

NATURAL BUTTES UNIT
COASTAL OIL & GAS CORPORATION - OPERATED (COGC)
COLORADO INTERSTATE GAS EXPLORATION - OPERATED (CIGE)

Natural Duck

COGC 1-22-9-20
COGC 2-22-9-20

Natural Buttes

COGC NBU (Ute Trail) #1W
COGC NBU (Ute Trail) #1MV
COGC NBU (Ute Trail) #7
COGC NBU (Ute Trail) #52X
COGC NBU (Ute Trail) #83X
COGC NBU (Ute Trail) #88X

COGC NBU #1
COGC NBU #3
COGC NBU #4
COGC NBU #6
COGC NBU #7
COGC NBU #8
COGC NBU #9
COGC NBU #10
COGC NBU #11
COGC NBU #12
COGC NBU #13
COGC NBU #14
COGC NBU #15
COGC NBU #16
COGC NBU #17
COGC NBU #18
COGC NBU #19
COGC NBU #20
COGC NBU #22
COGC NBU #23N
COGC NBU #24N2
COGC NBU #26

Highland (Coastal Operated)

NBU #27
NBU #27A
NBU #28
NBU #29
NBU #31

COGC NBU #32Y
COGC NBU #33Y
COGC NBU #35Y
COGC NBU #36Y

COGC NBU #37XP
COGC NBU #38N2
COGC NBU #39N
COGC NBU #41J
COGC NBU #43N
COGC NBU #45N
COGC NBU #46N

RECEIVED
FEB 14 1961

DIVISION OF
OIL, GAS & MINING

COGC NBU #47 N2
COGC NBU #48 N3
COGC NBU #49 V
COGC NBU #50 N2
COGC NBU #51 J
COGC NBU #52 J
COGC NBU #53 N
COGC NBU #54 N
COGC NBU #56 N2
COGC NBU #57 N
COGC NBU #58 N2
COGC NBU #62 N
COGC NBU #63 N3
COGC NBU #64 N3
COGC NBU #65 N3
COGC NBU #68 N2
COGC NBU #69 N2
COGC NBU #70 N3
COGC NBU #72 N3
COGC NBU #74 N3
COGC NBU #75 N3
COGC NBU #80 V
COGC NBU #81 V
COGC NBU #83 J
COGC NBU #84 V
COGC NBU #85 J
COGC NBU #86 J
COGC NBU #87 J
COGC NBU #98 V

CIGE NBU #2-29-20-21
CIGE NBU #3-32-9-22
CIGE NBU #4-9-10-21
CIGE NBU #5-31-9-22
CIGE NBU #6-19-9-21
CIGE NBU #7-8-10-21
CIGE NBU #8-35-9-22
CIGE NBU #9-36-9-22
CIGE NBU #10-2-10-22
CIGE NBU #11-14-9-20 (W)
CIGE NBU #13-7-10-21
CIGE NBU #14-9-10-22
CIGE NBU #15-8-10-22
CIGE NBU #16-20-10-22
CIGE NBU #18-2-10-21
CIGE NBU #19-16-9-21
*CIGE NBU #20-20-10-22
CIGE NBU #21-15-10-22
CIGE NBU #22-15-9-10
CIGE NBU #23-7-10-22
CIGE NBU #24-29-9-22
CIGE NBU #25-34-9-22
CIGE NBU #27-33-9-22
CIGE NBU #28-35-9-21
CIGE NBU #30-6-10-21
CIGE NBU #31-1-10-22
CIGE NBU #32A-20-9-20

105, 01E, 00 30485

CIGE NBU #33-27-10-21
CIGE NBU #34-13-10-20
CIGE NBU #35-1-10-20
CIGE NBU #36D-32-9-22
CIGE NBU #37D-21-9-21P
CIGE NBU #38-4-10-21
CIGE NBU #40-3-10-21
CIGE NBU #41-12-10-21
CIGE NBU #42-25-9-21
CIGE NBU #43-14-10-22
CIGE NBU #44-9-9-21
CIGE NBU #45-15-9-21
CIGE NBU #46-21-9-21
CIGE NBU #47-14-10-21
CIGE NBU #48-15-10-21
CIGE NBU #49-22-10-21
CIGE NBU #51D-31-9-22P
CIGE NBU #52-5-10-22
CIGE NBU #53-6-10-22
CIGE NBU #54D-35-9-21
CIGE NBU #55-1-10-21
CIGE NBU #56-34-9-21
CIGE NBU #57-10-10-21
CIGE NBU #58-16-10-21
CIGE NBU #59-21-10-21
CIGE NBU #60-14-9-21
CIGE NBU #61-13-9-21
CIGE NBU #62D-36-9-22P
CIGE NBU #63D-29-9-22P
CIGE NBU #64D-33-9-22P
CIGE NBU #65-19-10-22
CIGE NBU #66-23-10-21
CIGE NBU #67A-2-10-22P
CIGE NBU #68D-35-9-22P
CIGE NBU #69-19-10-21
CIGE NBU #70-20-9-21
CIGE NBU #71-7-9-21
CIGE NBU #72-18-9-21
CIGE NBU #73D-5-10-22P
CIGE NBU #74D-6-10-22P
CIGE NBU #75D-8-10-21P
CIGE NBU #76D-9-10-21P
CIGE NBU #77D-10-10-21P
CIGE NBU #78C-16-9-21P
CIGE NBU #79D-1-10-21P
CIGE NBU #80D-2-10-21
CIGE NBU #81D-4-10-21
CIGE NBU #83D-7-10-22P
CIGE NBU #84D-12-10-21P
CIGE NBU #85D-29-10-21
CIGE NBU #86D-16-9-21P
CIGE NBU #87D-34-9-21P
CIGE NBU #88D-15-10-21P
CIGE NBU #89D-34-9-22J

CIGE NBU #90D-9-9-21J
CIGE NBU #91D-15-9-21J
CIGE NBU #92D-13-10-20J
CIGE NBU #93D-2-10-21J
CIGE NBU #94D-14-10-21J
CIGE NBU #95D-14-10-21J
CIGE NBU #99D-25-9-21J

COGC NBU #11-14-9-20

Bluebell (Coastal Operated)

Asay

Powell Fee #3

Powell Fee #4

Ute Tribal #1-31

Powell Fee #3 SWD

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

U-02278

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

CIGE-20-20-10-21

9. API Well No.

43-047-30485

10. Field and Pool, Or Exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

1162 FSL & 1365 FWL

Section 20-T10S-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other returned to production

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Well was returned to production on 11/2/96



14. I hereby certify that the foregoing is true and correct

Signed Sheila Bremer
Sheila Bremer

Title Environmental & Safety Analyst

Date 01/02/97

(This space for Federal or State office use)

APPROVED BY

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT or CA AGREEMENT NAME:
8. WELL NAME and NUMBER:
Exhibit "A"
9. API NUMBER:
10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR: 58 South 1200 East CITY Vernal STATE Utah ZIP 84078 PHONE NUMBER: 435-789-4433

4. LOCATION OF WELL
FOOTAGES AT SURFACE: _____ COUNTY: _____
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation
NAME (PLEASE PRINT) John T. Elzner TITLE Vice President
SIGNATURE [Signature] DATE 06-15-01
El Paso Production Oil & Gas Company
NAME (PLEASE PRINT) John T. Elzner TITLE Vice President
SIGNATURE [Signature] DATE 06-15-01

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:


"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.


IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION



David L. Siddall
Vice President

Attest:



Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM,~~ Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-LP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective: **3-09-2001**

FROM: (Old Operator):
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

CA No.

Unit: NATURAL BUTTES

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
CIGE 146-16-10-21	43-047-32021	2900	16-10S-21E	STATE	GW	P
CIGE 168-16-10-21	43-047-32123	2900	16-10S-21E	STATE	GW	P
CIGE 210-16-10-21	43-047-32888	2900	16-10S-21E	STATE	GW	P
CIGE 247	43-047-33639	2900	16-10S-21E	STATE	GW	P
CIGE 358	43-047-33708	2900	16-10S-21E	STATE	GW	P
NBU CIGE 20-20-10-21	43-047-30485	2900	20-10S-21E	STATE	GW	S
NBU 75	43-047-31103	2900	20-10S-21E	STATE	GW	S
NBU 3-2B	43-047-30267	2900	02-10S-22E	STATE	GW	P
CIGE 10-2-10-22	43-047-30425	2900	02-10S-22E	STATE	GW	P
CIGE 67A-2-10-22P	43-047-30938	2900	02-10S-22E	STATE	GW	P
NBU 217-2	43-047-31282	2900	02-10S-22E	STATE	GW	P
CIGE 144-2-10-22	43-047-32022	2900	02-10S-22E	STATE	GW	P
CIGE 161-2-10-22	43-047-32168	2900	02-10S-22E	STATE	GW	P
CIGE 195-2-10-22	43-047-32797	2900	02-10S-22E	STATE	GW	P
NBU CIGE 23-7-10-22	43-047-30333	2900	07-10S-22E	STATE	GW	P
NBU 207 (CA NW-135)	43-047-32329	2900	10-10S-22E	STATE	GW	P
NBU 222	43-047-32509	2900	11-10S-22E	STATE	GW	P
NBU 272	43-047-32889	2900	11-10S-22E	STATE	GW	DRL
NBU 31-12B	43-047-30385	2900	12-10S-22E	STATE	GW	P
NBU 24	43-047-30535	2900	12-10S-22E	STATE	GW	P

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
4. Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

5. If **NO**, the operator was contacted contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 07/20/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 07/20/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 400JU0705

FEDERAL BOND VERIFICATION:

1. Federal well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 8.20.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".

JAN. 17. 2003 3:34PM

PORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5409

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

**RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.**

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

**Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.**

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

**Sincerely,
Westport Oil and Gas Company, L.P.**

Debby J. Black

**Debby J. Black
Engineer Technician**

Encl:



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.


We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chron





IN REPLY REFER TO:
Real Estate Services

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		8. WELL NAME and NUMBER: Exhibit "A"
3. ADDRESS OF OPERATOR: 9 Greenway Plaza CITY: Houston STATE: TX ZIP: 77064-0995 PHONE NUMBER: (832) 676-5933		9. API NUMBER:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____
State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED
FEB 28 2003
DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.	
NAME (PLEASE PRINT) David R. Dix	TITLE Agent and Attorney-in-Fact
SIGNATURE 	DATE 12/17/02

(This space for State use only)

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED EXHIBIT "A"

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

9. API Well No.
SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other

SUCCESSOR OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED
MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
CHERYL CAMERON

Title
OPERATIONS

Signature



Date
March 4, 2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW /
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **12-17-02**

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. Unit: NATURAL BUTTES

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 398	18-10S-21E	43-047-34366	99999	FEDERAL	GW	APD
CIGE 69-19-10-21	19-10S-21E	43-047-30635	2900	STATE	GW	PA
NBU CIGE 20-20-10-21	20-10S-21E	43-047-30485	2900	STATE	GW	P
NBU 75N3	20-10S-21E	43-047-31103	2900	STATE	GW	P
NBU 420	20-10S-21E	43-047-34377	99999	FEDERAL	GW	APD
NBU 421	20-10S-21E	43-047-34378	99999	FEDERAL	GW	APD
CIGE 252	21-10S-21E	43-047-33721	2900	FEDERAL	GW	P
CIGE 253	21-10S-21E	43-047-33722	2900	FEDERAL	GW	P
CIGE 248-21-10-21	21-10S-21E	43-047-33226	2900	FEDERAL	GW	P
CIGE 276	21-10S-21E	43-047-34417	99999	FEDERAL	GW	APD
CIGE 277	21-10S-21E	43-047-34800	99999	FEDERAL	GW	APD
NBU 19	21-10S-21E	43-047-30227	2900	FEDERAL	GW	PA
NBU 419	21-10S-21E	43-047-34376	99999	FEDERAL	GW	APD
NBU CIGE 59-21-10-21	21-10S-21E	43-047-30548	2900	FEDERAL	GW	PA
NBU 388	22-10S-21E	43-047-34240	99999	FEDERAL	GW	APD
NBU CIGE 49-22-10-21E	22-10S-21E	43-047-30507	2900	FEDERAL	GW	PA
CIGE 66-23-10-21	23-10S-21E	43-047-30542	2900	FEDERAL	GW	S
NBU 401	23-10S-21E	43-047-34801	99999	FEDERAL	GW	APD
NBU 387	23-10S-21E	43-047-34239	99999	FEDERAL	GW	APD
UINTAH UNIT 4	23-10S-21E	43-047-15376	2900	FEDERAL	WS	PA

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 03/21/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/21/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The FORMER operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

891008900A

8. Well Name and No.

Multiple Wells - see attached

9. API Well No.

Multiple Wells - see attached

10. Field and Pool, or Exploratory Area

Natural Buttes Unit

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple Wells - see attached

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped.

The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing

and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached.


Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

J.T. Conley

Signature



COPY SENT TO OPERATOR
Date: 9-2-03
Initials: CHD

Title

Operations Manager

SEP 10 2003

9-2-2003

DIV OF OIL GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Accepted by the
Utah Division of
Oil, Gas and Mining

Date

Federal Approval Of This
Action Is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Date: 9/16/03

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CIGE 013	7-10-21 NESE	UTU02270A	891008900A	430473042000S1
CIGE 014	9-10-21 NESW	UTU01196B	891008900A	430473048400S1
CIGE 018	2-10-21 NWNW	ML22652	891008900A	430473047100S1 ✓
CIGE 019	16-9-21 SWSW	ML3141A	891008900A	430473045900S1
CIGE 020	20-10-21 SESW	UTU02278	891008900A	430473048500S1
CIGE 022	15-9-20 SENW	UTU0144868	891008900A	430473049700S1
CIGE 023	7-10-22 SESE	ML23609	891008900A	430473033300S1 ✓
CIGE 024	29-9-22 SESW	U01207	891008900A	430473049300S1
CIGE 025	34-9-22 SENW	UTU0149077	891008900A	430473073700S1
CIGE 027	33-9-22 NENW	UTU01191A	891008900A	430473073800S1
CIGE 028	35-9-21 NESE	ML22582	891008900A	430473073900S1 ✓
CIGE 030	6-10-21 NENW	UTU01791	891008900A	430473049800S1
CIGE 031	1-10-22 SWNW	U011336	891008900A	430473051100S1
CIGE 032A	20-9-20 NESW	UTU01567A	891008900A	430473049600S1
CIGE 034	13-10-20 SWNE	UTU02270A	891008900A	430473050800S1
CIGE 035	1-10-20 NESW	UTU02270A	891008900A	430473049400S1
CIGE 036D	32-9-22 NWNW	ML22649	891008900A	430473083300S1 ✓
CIGE 037D	21-9-21 NWSE	UTU0576	891008900A	430473091000S1
CIGE 038D	4-10-21 SWSE	U01416	891008900A	430473049500S1
CIGE 040	3-10-21 NESW	UTU0149078	891008900A	430473074000S1
CIGE 042	25-9-21 SWSE	U04139	891008900A	430473049200S1 ✓
CIGE 043	14-10-22 SENW	U01197A	891008900A	430473049100S1 ✓
CIGE 044	9-9-21 SESE	UTU01188	891008900A	430473052700S1
CIGE 045	15-9-21 NESE	UTU01193	891008900A	430473052800S1
CIGE 046	21-9-21 NENE	UTU0576	891008900A	430473052900S1
CIGE 047	14-10-21 NWSE	UTU01393C	891008900A	430473051000S1
CIGE 048	15-10-21 SWNE	UTU01416A	891008900A	430473050600S1
CIGE 051D	31-9-22 NENE	U01191	891008900A	430473088900S1 ✓
CIGE 052	5-10-22 SENW	UTU01195	891008900A	430473053100S1
CIGE 053	6-10-22 NESW	UTU01195	891008900A	430473053300S1
CIGE 054D	35-9-21 NENE	ML22582	891008900A	430473085100S1 ✓
CIGE 055	1-10-21 SENW	ML23612	891008900A	430473051200S1 ✓
CIGE 056	34-9-21 SWSE	U01194A	891008900A	430473053000S1 ✓
CIGE 057	10-10-21 NENE	UTU0149079	891008900A	430473054300S1
CIGE 058	16-10-21 SESE	ML10755	891008900A	430473053200S1
CIGE 060	14-9-21 SENW	UTU01193	891008900A	430473054900S1
CIGE 061	13-9-21 SENW	U01193	891008900A	430473055000S1
CIGE 062D	36-9-22 NWSW	ML22650	891008900A	430473088500S1 ✓
CIGE 063D	29-9-22 NWNW	UTU462	891008900A	430473094900S1
CIGE 064D	33-9-22 SWSW	UTU01191A	891008900A	430473095000S1
CIGE 066	23-10-21 SENW	UTU02278A	891008900A	430473054200S1
CIGE 067A	2-10-22 NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35-9-22 NWSW	UTU010954A	891008900A	430473095100S1
CIGE 069	19-10-21 SENW	ML22792	891008900A	430473063500S1
CIGE 070	20-9-21 NESE	UTU0575	891008900A	430473063600S1
CIGE 071	7-9-21 NESE	UTU0575B	891008900A	430473063700S1
CIGE 072	18-9-21 SWNE	UTU0575	891008900A	430473063400S1
CIGE 073D	5-10-22 SWSW	UTU01191A	891008900A	430473095200S1
CIGE 074D	6-10-22 NWSE	UTU01195	891008900A	430473095300S1
CIGE 075D	8-10-21 SENE	UTU01791	891008900A	430473095400S1
CIGE 076D	9-10-21 NENE	UTU01416	891008900A	430473095500S1
CIGE 077D	10-10-21 SESE	UTU0149079	891008900A	430473095600S1
CIGE 078C	16-9-21 NENW	UTU38409	891008900A	430473087000S1
CIGE 079D	1-10-21 NENE	ML23612	891008900A	430473089600S1 ✓
CIGE 080D	2-10-21 NWNW	ML22652	891008900A	430473085300S1 ✓
CIGE 081D	4-10-21 NENE	ML22940	891008900A	430473085400S1
CIGE 086D	16-9-21 SWSE	ML3282	891008900A	430473088600S1
CIGE 087D	34-9-21 NENE	U01194A	891008900A	430473086900S1 ✓
CIGE 088D	15-10-21 NWNW	UTU01791A	891008900A	430473095800S1
CIGE 089D	34-9-22 SENE	UTU0149077	891008900A	430473114600S1
CIGE 090D	9-9-21 NWNE	UTU01188A	891008900A	430473114900S1
CIGE 091D	15-9-21 NWNE	UTU01188	891008900A	430473115100S1

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions: Fill in blue boxed areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name: **Condensate Shrinkage Economics**

Is this job a well pull or production rig job ??? N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before		After		Difference	
Oil Production	0.192	BOPD	0.194	BOPD	0.002	BOPD
Gas Production	0	MCFPD	0	MCFPD	0	MCFPD
Wtr Production	0	BWPD	0	BWPD	0	BWPD
Horse Power		HP		HP	0	HP
Fuel Gas Burned		MCFPD		MCFPD	0	MCFPD

Project Life:

Life = Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR =

AT Cum Cashflow:

Operating Cashflow = (Discounted @ 10%)

Payout Calculation:

$$\text{Payout} = \frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$$

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = Years or Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.196 Bcpd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.
NBU/Ouray Field
RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F	(A)			

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: **1/6/2006**

FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024
---	--

WELL NAME	CA No.	Unit:	NATURAL BUTTES UNIT					
	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- Reports current for Production/Disposition & Sundries on: ok

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet

7. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006

8. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006. KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203
BIA BOND = RLB0005239

APPROVED 5116106

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Signature

Randy Bayne

Title

DRILLING MANAGER

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address **1368 SOUTH 1200 EAST VERNAL, UT 84078**
3b. Phone No. (include area code) **(435) 781-7024**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) BRAD LANEY	Title ENGINEERING SPECIALIST
Signature	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by <i>Brad Laney</i>	Title	Date 5-9-06
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.