



COSEKA RESOURCES (U.S.A.) LIMITED

718 17th STREET, SUITE #630, DENVER, COLORADO 80202 (303) 573-6178

May 18, 1979



State of Utah
Division of Oil, Gas and Mining
1588 West, North Temple
Salt Lake City, Utah 84116

Re: Trap Springs Unit #4-25-14-23
SW SE/4 Sec. 25-14S-23E
Uintah County, Utah

Gentlemen:

Please find enclosed, in triplicate, the Application to Drill the above referenced well along with the Survey Plat and Geological Prognosis.

Your prompt attention to this would be appreciated.

Thank you.

Very truly yours.

COSEKA RESOURCES (U.S.A.) LIMITED

Johnnie D. Odum/bg

Johnnie D. Odum
Manager of Operations

JDO/bg

Enclosures

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

5. Lease Designation and Serial No.

U-38073

6. If Indian, Allottee or Tribe Name

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL

DEEPEN

PLUG BACK

b. Type of Well

Oil Well

Gas Well

Other

Single Zone

Multiple Zone

2. Name of Operator

Coseka Resources (U.S.A.) Limited

3. Address of Operator

718 17th Street. #630, Denver, Colorado 80203

4. Location of Well (Report location clearly and in accordance with any State requirements.)*

At surface

717' FWL, 695' FSL, Section 25-T14S-R23E

At proposed prod. zone

SW SW

7. Unit Agreement Name

Trap Springs Unit

8. Farm or Lease Name

Trap Springs Unit

9. Well No.

#4-25-14-23

10. Field and Pool, or Wildcat

Wildcat

11. Sec., T., R., M., or Blk. and Survey or Area

SW SW/4

Sec. 25-T14S-R23E

12. County or Parrish 13. State

Uintah Co. Utah

14. Distance in miles and direction from nearest town or post office*

55.7 Southeast from Ouray, Utah

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg. line, if any)

695'

16. No. of acres in lease

1600

17. No. of acres assigned to this well

160

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

19. Proposed depth

9233'

20. Rotary or cable tools

Rotary

21. Elevations (Show whether DF, RT, GR, etc.)

7440' Ungr.

22. Approx. date work will start*

May 25, 1979

23. PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
17 1/2"	13 3/8"	42#	300'	250 sxs
12 1/4"	8 5/8"	24# & 32#	6200'	250 sxs
7 7/8"	5 1/2"	15.5# & 17#	9233'	150 sxs



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.


24. Signed: Johnnie D. Odum Title: Manager of Operations Date: 5/18/79
(This space for Federal or State office use)

Permit No. _____ Approval Date _____

Approved by: _____ Title: _____ Date: _____
Conditions of approval, if any:

T 14 S, R 23 E, S.L.B. & M.

PROJECT
COSEKA RESOURCES U.S.A. LTD.
 Well location, *TRAP SPRINGS UNIT*
 # 1, located as shown in the SW 1/4 SW 1/4
 Section 25, T14S, R23E, S.L.B.&M. Uintah
 County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
 FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
 SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
 BEST OF MY KNOWLEDGE AND BELIEF.

L. Wayne C. Kay

REGISTERED LAND SURVEYOR
 REGISTRATION NO 3137
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING P. O. BOX Q - 110 EAST - FIRST SOUTH VERNAL, UTAH - 84078	
SCALE 1" = 1000'	DATE 11/22/78
PARTY R.K. T.J. S.M.	REFERENCES GLO Plat
WEATHER Cold / Snow	FILE COSEKA RESOURCES

X = Section Corners Located

FROM: : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, OF, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. 38073

OPERATOR: Conoco Resources

WELL NO. 4-20-14-23

LOCATION: 1/2 912 1/2 312 1/2 sec. 45, T. 11S, R. 23E, 91N
Utah County, Utah

1. Stratigraphy: surface - Douglas Overburden, Green River Form.
Wasatch - 1200'
Mesaverde - 2660'
Manitou - 4720'
Yukon - 2550'
Frontier - 8550' ID 9233
Eutaw - 9300'

2. Fresh Water:
possible fresh water to 2600 feet

3. Leasable Minerals:
small amount of commercial oil shale horizon
coal probable in Mesaverde 2660-4720'

4. Additional Logs Needed:
Full logging program through mesaverde for cor. identification

5. Potential Geologic Hazards:
none expected

6. References and Remarks:
31548
C 111

POOR COPY

Signature: _____

Date: 5-24-74

WATER RESOURCES UNIT
COSY RESOURCES (U.S.A.) LIMITED

Well No. 4-25-14-23
Sec. 25-T14S-R23E
Uintah County, Utah

GEOLOGICAL PROGNOSIS

<u>Formation</u>	<u>Depth</u>	<u>Elevation</u>
Surface		7425 (Topo)
Mancos Fm.	4640	+2785
Castlegate SS	4735	+2690
Mancos "B" (Emery)	5502	+1923
Base Mancos "B"	6200	+1255
Dakota	8540	-1115
Morrison	8675	-1250
Entrada	9283	-1858

Planned T.D. 9233 feet to test the Dakota and Morrison Formations with drilling to stop at the first indicated commercial gas flow below the top of the Dakota.

(Location Subject to Survey Correction)



SCOTT M. MATHESON
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH

CHARLES R. HENDERSON
Chairman

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT
Director

1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE McINTYRE

May 22, 1979

COSEKA RESOURCES U S A LIMITED
718 17TH STREET
NO 630
DENVER CO 80203

Re: Well No. Trap Springs Unit #4-25-14-23, Sec. 25, T. 14S, R. 23E,
Uintah County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Geological Engineer
HOME: 876-3001
OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-30582.

Yours very truly,

DIVISION OF OIL, GAS, AND MINING

Cleon B. Feight
Cleon B. Feight, Director

/lw

cc: U. S. Geological Survey

**STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING**

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

5. Lease Designation and Serial No.

U-38073

6. If Indian, Allottee or Tribe Name

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL

DEEPEN

PLUG BACK

b. Type of Well

Oil Well

Gas Well

Other

Single Zone

Multiple Zone

2. Name of Operator

Coseka Resources (U.S.A.) Limited

3. Address of Operator

718 17th Street. #630, Denver, Colorado 80203

4. Location of Well (Report location clearly and in accordance with any State requirements.*)

At surface

717' FWL, 695' FSL, Section 25-T14S-R23E

At proposed prod. zone

7. Unit Agreement Name

Trap Springs Unit

8. Farm or Lease Name

Trap Springs Unit

9. Well No.

#4-25-14-23

10. Field and Pool, or Wildcat

Wildcat

11. Sec., T., R., M., or Blk. and Survey or Area

SW SW/4

Sec. 25-T14S-R23E

12. County or Parrish 13. State

Uintah Co. Utah

14. Distance in miles and direction from nearest town or post office*

55.7 Southeast from Ouray, Utah

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg. line, if any)

695'

16. No. of acres in lease

1600

17. No. of acres assigned to this well

160

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

9233'

19. Proposed depth

20. Rotary or cable tools

Rotary

21. Elevations (Show whether DF, RT, GR, etc.)

7440' Ungr.

22. Approx. date work will start*

May 25, 1979

23. **PROPOSED CASING AND CEMENTING PROGRAM**

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
17 1/2"	13 3/8"	42#	300'	250 sxs
12 1/4"	8 5/8"	24# & 32#	6200'	250 sxs
7 7/8"	5 1/2"	15.5# & 17#	9233'	150 sxs

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Signed Johnnie D. Odum Title Manager of Operations Date 5/18/79
(This space for Federal or State office use)


Permit No. Approval Date

Approved by Title Date

Conditions of approval, if any:

T 14 S, R 23 E, S.L.B.&M.

PROJECT
COSEKA RESOURCES U.S.A. LTD.
 Well location, *TRAP SPRINGS UNIT*
 # 1, located as shown in the SW 1/4 SW 1/4
 Section 25, T14S, R23E, S.L.B.&M. Uintah
 County, Utah.



X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
 FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
 SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
 BEST OF MY KNOWLEDGE AND BELIEF.

L. J. ...

REGISTERED LAND SURVEYOR
 REGISTRATION NO 3137
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING P. O. BOX Q - 110 EAST - FIRST SOUTH VERNAL, UTAH - 84078	
SCALE 1" = 1000'	DATE 11/22/78
PARTY R.K. T.J. S.M.	REFERENCES GLO Plat
WEATHER Cold / Snow	FILE COSEKA RESOURCES

COS A RESOURCES (U.S.A.) LIMITED

Well No. 4-25-14-23

Sec. 25-T14S-R23E

Uintah County, Utah

GEOLOGICAL PROGNOSIS

<u>Formation</u>	<u>Depth</u>	<u>Elevation</u>
Surface		7425 (Topo)
Mancos Fm.	4640	+2785
Castlegate SS	4735	+2690
Mancos "B" (Emery)	5502	+1923
Base Mancos "B"	6200	+1255
Dakota	8540	-1115
Morrison	8675	-1250
Entrada	9283	-1858

Planned T.D. 9233 feet to test the Dakota and Morrison Formations with drilling to stop at the first indicated commercial gas flow below the top of the Dakota.

(Location Subject to Survey Correction)

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

** FILE NOTATIONS **

Date: May 21, 1979

Operator: Coseka Resources Ltd.

Well No: Trap Springs Unit #4-25-14-23

Location: Sec. 25 T. 14S R. 23E County: Uintah

File Prepared:

Entered on N.I.D.:

Card Indexed:

Completion Sheet:

API Number: 43-047-30582

CHECKED BY:

Administrative Assistant: _____

Remarks:

Petroleum Engineer: _____

Remarks:

Director: OK J

Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. _____

Surface Casing Change
to _____

Rule C-3(c), Topographic exception/company owns or controls acreage
within a 660' radius of proposed site

O.K. Rule C-3

O.K. In _____ Unit

Other:

Letter Written/Approved

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

D. LEASE DESIGNATION AND SERIAL NO.

U-38073


APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

1A. TYPE OF WORK

DRILL

DEEPEN



7. UNIT AGREEMENT NAME

Trap Springs Unit

B. TYPE OF WELL

OIL WELL

GAS WELL

OTHER

SINGLE ZONE

8. FARM OR LEASE NAME

Trap Springs Unit

2. NAME OF OPERATOR

Coseka Resources (USA) Limited

9. WELL NO.

#4-25-14-23

3. ADDRESS OF OPERATOR

718 17th Street Suite 630 Denver, Colorado 80202

10. FIELD AND POOL, OR WILDCAT

Wildcat

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface

717' FWL, 695' FSL, Sec.25, T14S, R23E

At proposed prod. zone

Same

11. SEC., T., E., M., OR BLE. AND SURVEY OR AREA

SW, SW1/4, Sec. 25, T14S, R23

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

55.7 Southeast from Ouray, Utah

30582

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.

695'

16. NO. OF ACRES IN LEASE

1600

17. NO. OF ACRES ASSIGNED TO THIS WELL

160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH

9233'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

7440' Ungr.

22. APPROX. DATE WORK WILL START*

June 1, 1979

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8"	42#	300'	250 sacks
12-1/4"	8-5/8"	24# & 32#	5900'	250 sacks
7-7/8"	5-1/2"	15.5# & 17#	8000'	150 sacks

Please dispose of EA* 318-79 now on file and replace with this copy.

Thank you,
Janice
w/USGS
Oil & Gas

IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any.

and proposed new productive vertical depths. Give blowout

24. SIGNED *[Signature]*

TITLE Operations Manager

DATE 4/23/79

(This space for Federal or State office use)

PERMIT NO. *WT Martin*

APPROVAL DATE *MAY 24 1979*
TITLE ACTING DISTRICT ENGINEER

APPROVED BY *WT Martin*
CONDITIONS OF APPROVAL, IF ANY:
CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

NOTICE OF APPROVAL

*See Instructions On Reverse Side

NECESSARY FLARING OF GAS DURING DRILLING AND COMPLETION APPROVED SUBJECT TO ROYALTY (NTL-4)

State of G

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.
U-38073

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

12. TYPE OF WORK
DRILL DEEPEN PLUG BACK

7. UNIT AGREEMENT NAME
Trap Springs Unit

D. TYPE OF WELL
OIL WELL GAS WELL OTHER

8. FARM OR LEASE NAME
Trap Springs Unit

2. NAME OF OPERATOR
Coseka Resources (USA) Limited

9. WELL NO.
#4-25-14-23

3. ADDRESS OF OPERATOR
718 17th Street Suite 630 Denver, Colorado 80202

10. FIELD AND POOL, OR WILDCAT
Wildcat

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface 717' FWL, 695' FSL, Sec.25, T14S, R23E
At proposed prod. zone 817' Same

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SW, SW1/4, Sec.25, T14S, R23

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
55.7 Southeast from Ouray, Utah

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
695'

16. NO. OF ACRES IN LEASE
1600

17. NO. OF ACRES ASSIGNED TO THIS WELL
160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
9233'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
7440' Ungr.

22. APPROX. DATE WORK WILL START*
June 1, 1979

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8"	42#	300'	250 sacks
12-1/4"	8-5/8"	24# & 32#	5900'	250 sacks
7-7/8"	5-1/2"	15.5# & 17#	8900'	150 sacks

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE Operations Manager DATE 4/23/79

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY [Signature] TITLE ACTING DISTRICT ENGINEER DATE MAY 24 1979

CONDITIONS OF APPROVAL, IF ANY:
CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

NOTICE OF APPROVAL

*See Instructions On Reverse Side

NECESSARY FLARING OF GAS DURING DRILLING AND COMPLETION APPROVED SUBJECT TO ROYALTY (NTL-4)

State of G

United States Department of the Interior
Geological Survey
8440 Federal Building
Salt Lake City, Utah 84138

Usual Environmental Analysis

Lease No. U-38073

Operator Coseka Resources U.S.A., Ltd.

Well No. 4-25-14-23

Location 817' FWL & 695' FSL Sec. 25 T. 14S R. 23E

County Uintah State Utah Field Wildcat

Status: Surface Ownership Federal Minerals Federal

Joint Field Inspection Date May 18, 1979

Participants and Organizations:

Related Environmental Analyses and References:

- (1) Unit Resource Analysis, Book Cliffs Planning Unit, BLM, Vernal, Utah
- (2)

Analysis Prepared By: Craig Hansen
Environmental Scientist
Vernal, Utah

Date: May 18, 1979

Proposed Action:

On May 8, 1979, Coseka Resources U.S.A., Limited filed an Application for Permit to Drill the No. 4-25-14-23 exploratory well, a 9233-foot gas test of the Dakota and Morrison Formations; located at an elevation of 7440 ft, in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 25, T. 14S., R. 23E. on Federal mineral lands and Federal surface; lease No. U-38073. As an objection was raised to the wellsite, it was moved 817 ft. FWL & 695 FSL. This did not change the $\frac{1}{4}$ $\frac{1}{4}$ coordinates. As an objection was raised to the access road, it was shortened by moving the location 100 feet to the east.

A rotary rig would be used for the drilling. An adequate casing and cementing program is proposed. Fresh-water sands and other mineral-bearing formations would be protected. A Blowout Preventor would be used during the drilling of the well. The proposed pressure rating should be adequate. Details of the operator's NTL-6 10-Point Subsurface Plan are on file in the USGS District Office in Salt Lake City, Utah and the USGS Northern Rocky Mountain Area Office in Casper, Wyoming. The 13-Point Surface Protection Plan is on file in the District Office in Salt Lake City.

A working agreement has been reached with the Bureau of Land Management, the controlling surface agency. Rehabilitation plans would be decided upon as the well neared completion; the Surface Management Agency would be consulted for technical expertise on those arrangements.

The operator proposes to construct a drill pad 180 ft. wide by 325 ft. long and a reserve pit 100 ft. by 150 ft. Access will be from an existing and maintained road. The operator proposes to construct production facilities on disturbed area of the proposed drillpad. If production is established, plans for a gas flow line would be submitted to the appropriate agencies for approval. The anticipated starting date is upon approval and duration of drilling activities would be about 14 days.

Location and Natural Setting:

The proposed drillsite is approximately 55.7 miles south of Ouray, Utah, the nearest town. A fair road runs to within 2.2 miles of the location. This well is in the proposed Trapp Springs Unit.

Topography:

The topography of the location is mountainous and cut with numerous canyons.

Geology:

The surface geology is Green River and Wasatch. The soil is sandy to a

sandy-clay. No geologic hazards are known near the drillsite. Seismic risk for the area is minor. Anticipated geologic tops are filed with the 10-Point Subsurface Protection Plan.

Approval of the proposed action would be conditioned that adequate and sufficient electric/radioactive/density logging surveys would be made to locate and identify any potential mineral resources. Production casing and cementing would be adjusted to assure no influence of the hydro-carbon zones through the well bore on these minerals. In the event the well is abandoned, cement plugs would be placed with drilling fluid in the hole to assure protection of any mineral resources.

The potential for loss of circulation would exist. Loss of circulation may result in the lowering of the mud levels, which might permit exposed upper formations to blow out or to cause formation to slough and stick to drill pipe. A loss of circulation would result in contamination due to the introduction of drilling muds, mud chemicals, filler materials, and water deep in to the permeable zone, fissures, fractures, and caverns within the formation in which fluid loss is occurring. The use of special drilling techniques, drilling muds, and lost circulation materials may be effective in controlling lost circulation.

A geologic review of the proposed action has been furnished by the Area Geologist, U.S. Geological Survey, Salt Lake City, Utah.

Soils:

No detailed soil survey has been made of the project area. The top soils in the area range from a sandy clay to a clay type soil. The soil is subject to runoff from rainfall and has a high runoff potential and sediment production would be high. The soils are mildly to moderately alkaline and support the salt-desert shrub community.

Top soil would be removed from the surface and stockpiled. The soil would be spread over the surface of disturbed areas when abandoned to aid in rehabilitation of the surface. Rehabilitation is necessary to prevent erosion and encroachment of undesired species on the disturbed areas. The operator proposes to rehabilitate the location and access roads per the recommendations of the Bureau of Land Management.

Approximately 2.5 acres of land would be stripped of vegetation. This would increase the erosional potential. Proper construction practice, construction of water bars, reseeding of slope-cut area would minimize this impact.

Air:

No specific data on air quality is available at the proposed location. There would be a minor increase in air pollution due to emissions from

rig and support traffic engines. Particulate matter would increase due to dust from travel over unpaved dirt roads. The potential for increased air pollution due to leaks, spills, and fire would be possible.

Relatively heavy traffic would be anticipated during the drilling-operations phase, increasing dust levels and exhaust pollutants in the area. If the well was to be completed for production, traffic would be reduced substantially to a maintenance schedule with a corresponding decrease of dust levels and exhaust pollutants to minor levels. If the project results in a dry hole, all operations and impact from vehicular traffic would cease after abandonment. Due to the limited number of service vehicles and limited time span of their operation, the air quality would not be substantially reduced.

Toxic or noxious gases would not be anticipated.

Precipitation:

Annual rain fall should range from about 8 to 11" at the proposed location. The majority of the numerous drainages in the surrounding area are of a non-perennial nature flowing only during early spring runoff and during extremely heavy rain storms. This type of storm is rather uncommon as the normal annual precipitation is around 8".

Winds are medium and gusty, occurring predominately from west to east. Air mass inversions are rare. The climate is semi-arid with abundant sunshine, hot summers and cold winters with temperature variations on a daily and seasonal basis.

Surface Water Hydrology:

Drainage in the location area is of a non-perennial nature.

Some additional erosion would be expected in the area since surface vegetation would be removed. If erosion became serious, drainage systems such as water bars and dikes would be installed to minimize the problem. The proposed project should have minor impact on the surface water systems. The potentials for pollution would be present from leaks or spills. The operator is required to report and clean-up all spills or leaks.

Ground Water Hydrology:

Some minor pollution of ground water systems would occur with the introduction of drilling fluids (filtrate) into the aquifer. This is normal and unavoidable during rotary drilling operations. The potential for communication, contamination and comingling of formations via the well bore would be possible. The drilling program is designed to prevent

this. There is need for more data on hydrologic systems in the area and the drilling of this well may provide some basic information as all shows of fresh water would be reported. Water production with the gas would require disposal of produced water per the requirements of NTL-2B. The depths of fresh water formations are listed in the 10-Point Subsurface Protection Plan. The pits would be unlined. If fresh water should be available from the well, the owner or surface agency may request completion as a water well if given approval.

Vegetation:

Location vegetation consists of sagebrush, rabbitbrush, cacti and grasses.

Plants in the area are of the salt-desert-shrub types grading to the pinon-juniper association.

Proposed action would remove about 2.5 acres of vegetation. Removal of vegetation would increase the erosional potential and there would be a minor decrease in the amount of vegetation available for grazing.

The operator proposes to rehabilitate the surface upon completion of operations.

Wildlife:

The fauna of the area consists predominantly of mule deer, coyotes, rabbits, foxes, and varieties of small ground squirrels and other types of rodents and various types of reptiles. The area is used by man for the primary purpose of grazing domestic livestock and sheep. The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

An animal and plant inventory has been made by the BLM. No endangered plants or animals are known to inhabit the project area.

Social-Economic Effect:

An on the ground surface archaeological reconnaissance would be required prior to approval of the proposed action. Appropriate clearances would then be obtained from the surface managing agency. If a historic artifact, an archaeological feature or site is discovered during construction operations; activity would cease until the extent, the scientific importance, and the method of mitigating the adverse effects could be determined by a qualified cultural resource specialist.

There are no occupied dwellings or other facilities of this nature in the general area. Minor distractions from aesthetics would occur over the lifetime of the project and is judged to be minor. All permanent facilities placed on the location would be painted a color to blend in

with the natural environment. Present use of the area is grazing, recreation, and oil and gas activities.

Noise from the drilling operation may temporarily disturb wildlife and people in the area. Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels would be infrequent and significantly less. If the area is abandoned, noise levels should return to pre-drilling levels.

The site is not visible from any major roads. After drilling operations, completion equipment would be visible to passersby of the area but would not present a major intrusion.

The economic effect on one well would be difficult to determine. The overall effect of oil and gas drilling and production activity are significant in Uintah County.

But should this well discover a significant new hydrocarbon source, local, state, and possible national economics might be improved. In this instance, other development wells would be anticipated, with substantially greater environmental and economic impacts.

Should the wellsite be abandoned, surface rehabilitation would be done according to the surface agency's requirements and to USGS's satisfaction. This would involve leveling, contouring, reseeding, etc., of the location and possibly the access road. If the well should produce hydrocarbons, measures would be undertaken to protect wildlife and domestic stock from the production equipment.

There are no national, state, or local parks, forests, wildlife refuges or ranges, grasslands, monuments, trails or other formally designated recreational facilities near the proposed location.

The proposed location is within the Book Cliffs Planning Unit (08-09). This Environmental Assessment Record was compiled by the Bureau of Land Management, the surface managing agency of the Federal surface in the area. The study includes additional information on the environmental impact of oil and gas operations in this area and gives land use recommendations. The E.A.R. is on file in the agency's State offices and is incorporated herein by reference.

Waste Disposal:

The mud and reserves pits would contain all fluids used during the drilling operations. A trash cage would be utilized for any solid wastes generated at the site and would be burned at the completion of the operations. Sewage would be handled according to State sanitary codes. For further information, see the 13-Point Surface Plan.

Alternative to the Proposed Action:

(1) Not approving the proposed permit-The oil and gas lease grants the lessee exclusive right to drill for, mine, extract, remove and dispose of all oil and gas deposits. Under leasing provisions, the Geological Survey has an obligation to allow mineral development if the environmental consequences are not too severe or irreversible. Upon rehabilitation of the site, the environmental effects of this action would be substantially mitigated, if not totally annulled. Permanent damage to the surface and subsurface would be prevented as much as possible under USGS and other controlling agencies supervision with rehabilitation planning reversing almost all effects. Additionally, the growing scarcity of oil and gas should be taken into consideration. Therefore, the alternative of not proceeding with the proposed action at this time is rejected.

(2) Minor relocation of the wellsite and access road or any special, restrictive stipulations or modifications to the proposed program would not significantly reduce the environmental impact. There are no severe vegetative, animal or archaeological-historical-cultural conflicts at the site. Since only a minor impact on the environment would be expected, the alternative of moving the location is recommended. At abandonment, normal rehabilitation of the area such as contouring, reseeding, etc., would be undertaken with an eventual return to the present status as outlined in the 13-Point Surface Plan.

(3) Drilling should be allowed provided the following mitigative measures are incorporated into the proposed APD and adhered to by the operator.

- (a) The well location would be moved 100 ft. east to shorten the access road.
- (b) Trees would be stockpiled per BLM's request.
- (c) All waste materials generated at the site would be contained in a trash cage to be burned and removed from the location at completion.
- (d) BLM has requested this well be completed as a water well.

Adverse Environmental Effects Which Cannot Be Avoided:


Surface disturbance and removal of vegetation from approximately 2.5 acres of land surface for the lifetime of the project which would result in increased and accelerated erosional potential. Grazing would be eliminated in the disturbed areas and there would be a minor and temporary disturbance of wildlife and livestock. Minor induced air pollution due to exhaust emissions from rig engines of support traffic engines would occur. Minor increase in dust pollution would occur due to vehicular

traffic associated with the operation. If the well is a gas producer, additional surface disturbance would be required to install production pipelines. The potential for fires, gas leaks, and spills of oil and water would exist. During the construction and drilling phases of the project, noise levels would increase. Potential for sub-surface damage to fresh water aquifers and other geologic formations exists. Minor distractions from aesthetics during the lifetime of the project would exist. If the well is a producer, an irreplaceable and irretrievable commitment of resources would be made. Erosion from the site would eventually be carried as sediment in the White River. The potential for pollution to Bitter Creek would exist through leaks and spills.

Determination:

This requested action ~~does~~/does not constitute a major Federal action significantly affecting the environment in the sense of NEPA, Section 102(2)(C).

5/24/79
Date


District Engineer
U.S. Geological Survey
Conservation Division
Oil and Gas Operations
Salt Lake City District


STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different formation. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. U-38073
2. NAME OF OPERATOR COSEKA RESOURCES (USA) LIMITED		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR 718 - 17th Street, Suite 630, Denver, Colorado		7. UNIT AGREEMENT NAME Trap Springs Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 717' FWF 695' FSL Sec 25-14S-23E		8. FARM OR LEASE NAME Trap Springs Unit
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 7440 Ungr	9. WELL NO. #4-25-14-23
		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SW/SW Sec 25-14S-23E
		12. COUNTY OR PARISH Uintah
		18. STATE Utah



16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Supplemental Instructions <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

- Road was built 32' wide instead of the originally planned 20' in order to allow trucks to pass.
- Trees and Deadwood were stock piled and cut.

18. I hereby certify that the foregoing is true and correct

SIGNED: Donald R. Dunckley TITLE: Area Drilling Engineer DATE: July 3, 1979
(This space for Federal or State office use)

APPROVED BY: _____ TITLE: _____ DATE: _____
 CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-38073

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Wildcat

7. UNIT AGREEMENT NAME

Trap Springs Unit

2. NAME OF OPERATOR
COSEKA RESOURCES (USA) LIMITED

8. FARM OR LEASE NAME

Trap Springs Unit

3. ADDRESS OF OPERATOR
718 17th Street, Suite 630, Denver, CO 80202

9. WELL NO.

4-25-14-23

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT

Wildcat

817 FWL, 695' FSL, Sec 25-T14S-R23E

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 25-T14S-R23W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
7440'

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Coseka Resources (USA) Limited plans to haul water while drilling the above location instead of using the water well originally planned. A water well was drilled to 600' but was dry and was abandoned.

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: 7-23-79

BY: M.G. Minder

18. I hereby certify that the foregoing is true and correct

SIGNED Donald R Dunckley
Donald R Dunckley

TITLE Area Engineer

DATE July 12, 1979

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-38073

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different formation.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED
AUG 6 1979
DIVISION OF
GAS. & MINING

1.

OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Coseka Resources (USA) Limited

3. ADDRESS OF OPERATOR

718 Seventeenth Street, Suite 630, Denver, Colorado

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

817' FWL, 695' FSL, Sec 25, T14S, R23E

7. UNIT AGREEMENT NAME

Trap Springs Unit

8. FARM OR LEASE NAME

Trap Springs Unit

9. WELL NO.

#4-25-14-23

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SW, SW 1/4
Sec 25 T14S R23E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

7440' UNGR

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The 8-5/8" Intermediate casing depth will be changed from the 5900' previously approved to 5150'. This will raise the intermediate casing from below the Mancos B to above the Mancos B to allow drilling the Mancos B w/air and avoiding formation damage.

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: Aug. 10, 1979

BY: John M. Samuel

18. I hereby certify that the foregoing is true and correct

SIGNED

Donald R Dunckley
Donald R Dunckley

TITLE

Area Drilling Engineer

DATE

August 1, 1979

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE
(Other Instructions on
reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U 38073

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

7. UNIT AGREEMENT NAME

Trap Springs Unit

2. NAME OF OPERATOR
COSEKA RESOURCES (USA) LIMITED

8. FARM OR LEASE NAME

Trap Springs Unit

3. ADDRESS OF OPERATOR
718 Seventeenth Street, Suite 630, Denver, Colorado 80202

9. WELL NO.

#4-25-14-23

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SW, SW 1/4
Sec 25 T14S R23E

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
7440' UNGR

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Working over lease deadline <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please be advised that we were drilling over midnight on 7/31/79 as required for a Lease Deadline in our Trap Springs Unit

18. I hereby certify that the foregoing is true and correct

SIGNED Donald R Dunckley TITLE Area Drilling Engineer DATE August 9, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



SCOTT M. MATHESON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON
Chairman

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE McINTYRE

August 10, 1979

Coseka Resources LTD.
718 17th Street, Suite 630
Denver, CO 80202
Attn: Mr. Donald R. Dunckly

Re: 4-25-14-23 Trap Springs Unit
817' FWL, 695' FSL Sec. ~~25~~-14S-23E

Dear Sir:

Attached please find approval for the casing change on referenced well.

Yours truly,

DIVISION OF OIL, GAS AND MINING

FRANK M. HAMNER
CHIEF PETROLEUM ENGINEER

FMH/tlh



COSEKA RESOURCES (U.S.A.) LIMITED

718 17th STREET, SUITE #630, DENVER, COLORADO 80202 (303) 573-6178

October 8, 1979

State of Utah
Division of Oil, Gas & Mining
1588 West, North Temple
Salt Lake City, Utah 84116

Re: Completion Report for
Trap Springs Unit
#4-25-14-23
Section 25-T14S-R23E
Uintah Co., Utah

Gentlemen:

This is in regards to the Completion Report on the above referenced well dated 10/5/79. On the reverse side of said Report the flow gauge in the Dakota was reported as 1.69 MCF/D. This should be corrected to read 1.69 MMCF/D.*

Thank you.

Very truly yours,

COSEKA RESOURCES (U.S.A.) LIMITED

Brenda Groghan

Brenda Groghan
Production Secretary

/bg



**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE

(See instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5. **13**

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR

Coseka Resources (U.S.A.) Limited

3. ADDRESS OF OPERATOR

718 17th St., Suite 630, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface **317'** FWL. 695' FSL, Sec. 25-T14S-R23E

At top prod. interval reported below

Same

At total depth

14. PERMIT NO./API # DATE ISSUED
43-047-30582 5/22/79

12. COUNTY OR PARISH 13. STATE
Uintah Utah

15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, RSB, RT, GR, ETC.)* 19. ELEV. CASINGHEAD
5/30/79 9/11/79 9/24/79 7440' Gr. 7441'

20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS
8750' 8750' - -> 0-8750' -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Dakota (Open Hole) 8624-8750'

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DIL, FDC-CNL, SNP, FDC, TEMP, GR

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	200'	17-1/2"	310 SXS	-
8-5/8"	24 & 32#	5158'	11"	200 SXS	-
5-1/2"	15.5 & 17#	8624'	7-7/8"	100 SXS	-

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
5-1/2"	8624	8750	Perf. Tail pipe set below pkr shoe	

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	8619'	-

31. PERFORATION RECORD (Interval, size and number)

Open Hole (Tail pipe not cemented)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
	None

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)		
Shut-in		Flowing				Shut-in		
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO	
10/3/79	19	18/64	→	7.3	891	-	122,054	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)		
600	700	→	9.2	1126	-	43 ⁰		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

Vented

Boyd Snow

35. LIST OF ATTACHMENTS

Logs Under Separate Cover

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED S.L. Wilkinson TITLE Chief Engineer

DATE 10/5/79

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Castlegate	4829	4925	Maximum gas show 83 units over 6 unit background	Castlegate		4802
Dakota	8671	8747	Flow gauged at 1.69 MMCF/D. * Refer to attached sheet	Base Mancos "B"		6284
				Dakota		8618



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut
84180-1203. • (801-538-5340)

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• COSEKA RESOURCES USA LTD
 SUITE 300 1512 LARIMER ST
 DENVER CO 80202 1602
 ATTN: DAVID JOHNSON

Utah Account No. N0280

Report Period (Month/Year) 6 / 88

Amended Report

Well Name			Producing Zone	Days Oper	Production Volume		
API Number	Entity	Location			Oil (BBL)	Gas (MSCF)	Water (BBL)
FEDERAL 6-14-15-21							
4304731027	08072	15S 21E 14	DKTA				
FEDERAL 7-15-15-21							
4304731071	08073	15S 21E 15	DK-MR				
STATE 11-2-15-22							
4304730746	08074	15S 22E 2	MNCS				
STATE 8-2-15-22							
4304731135	08076	15S 22E 2	MNCS				
FEDERAL 2-18-15-22							
4304731091	08077	15S 22E 18	MNCS				
FEDERAL #11-30-16-24							
4301930925	08078	16S 24E 30	DKTA				
FEDERAL #7-30-15-23							
4304731247	08079	15S 23E 30	DKTA				
TRAPP SP 4-25-14-23							
4304730582	08081	14S 23E 25	DKTA				
TRAPP SP 6-35-14-23							
4304730791	08081	14S 23E 35	DKTA				
TRAPP SPRINGS 8-36-14-23							
4304730944	08081	14S 23E 36	MNCS				
TRAPP SPRINGS 1-25-14-23							
4304730975	08081	14S 23E 25	DKTA				
TRAPP SP 13-25-14-23							
4304730978	08081	14S 23E 25	DKTA				
TRAPP SPRINGS 3-26-14-23							
4304731003	08081	14S 23E 26	DKTA				
TOTAL							

Comments (attach separate sheet if necessary) _____

I have reviewed this report and certify the information to be accurate and complete. Date _____

Authorized signature _____ Telephone _____



COSEKA RESOURCES (U.S.A.) LIMITED

300 WRITER SQUARE, 1512 LARIMER STREET, DENVER, COLORADO 80202-1602 (303) 573-6178

RECEIVED
JUL 1 1988

DIVISION OF
OIL, GAS & MINING

June 27, 1988

On June 30, 1988, Coseka Resources (U.S.A.) Limited will be merged with and change its name to Arch Oil & Gas Company. The address for the organization will be unchanged at 300 Writer Square Building, 1512 Larimer, Suite 300, Denver, Colorado 80202-1602. The telephone number will also remain the same at (303) 573-6178.

While there should be no change in your communications with us, it is our hope that this change in name reflects the resolution of the past bankruptcy and the new and positive direction for the company. We look forward to working with you in the future as Arch Oil & Gas Company.

Thank you for your interest and if you have any questions, please contact us.

Sincerely,

Coseka Resources (U.S.A.) Limited

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number
10. API Well Number
11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT for such proposals.

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
Bonneville Fuels Corporation

3. Address of Operator
1660 Lincoln Street, Ste 1800, Denver, CO 80264

4. Telephone Number
(303) 863-1555

5. Location of Well
Footage : _____ County : _____
QQ, Sec, T., R., M. : _____ State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other Change of Operator
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment *
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other _____
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)


Bonneville Fuels Corporation has acquired all of Arch Oil & Gas Company's interest in the wells on the attached list. Bonneville Fuels Corporation assumed operations of these wells August 31, 1991.

RECEIVED

SEP 13 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature Greg Twombly  Title President Date 9/11/91

(State Use Only)

EXHIBIT "A"

Attached to and made a part of that certain Sundry Notice,
executed August 30, 1991, Change of Operator.

<u>Well Name</u>	<u>Lease Number</u>
Dry Burn No. 1 (7-29-13-25)	U-10184 - Dry Burn Unit - Not approved as of 3-24-92
Federal 9-12-14-21	U-10272
Pine Springs Unit No. 1 (6-15-14-22)	U-27413 - Pine Springs Unit
Federal 12-18-14-22	U-27413
Federal 8-20-14-22	U-6841
Federal 7-21-14-22	U-10199
Federal 13-26-14-22	U-10199
Federal 13-17-14-23	U-27413
Federal 1-25-14-23	U-6613
Federal 4-25-14-23	U-38073
Federal 16-25-14-23	U-38073 - Trapp Springs Unit
Federal 3-26-14-23	U-38073
Federal 6-35-14-23	U-38071
State 8-36-14-23	U-32572
Federal 6-13-14-24	ML-18667 - Trapp Springs Unit
Sweetwater No. 1 (12-14-14-24)	U-10132
Federal 1-L-23 (10-23-14-24)	U-10133 - Sweetwater Cyn. Unit
Rat Hole No. 1 (7-8-14-25)	U-10133
Federal 3-11-15-21	U-3716A - Rat Hole Unit
Federal 5-13-15-21	U-6618
Federal 6-14-15-21	U-30112
Federal 7-15-15-21	U-10173
State 8-2-15-22	U-6618
State 11-2-15-22	ML-22320
Federal 2-18-15-22	ML-22320
Federal 6-3-15-23	U-30112
Federal 4-4-15-23	U-8361
Federal 16-4-15-23	U-8361
Federal 8-7-15-23	U-8361
Federal 2-8-15-23	U-9211
Federal 6-8-15-23	U-9211
Federal 15-8-15-23	U-9211
Federal 11-10-15-23	U-9211
Federal 7-17-15-23	U-8361
Federal 7-30-15-23	U-8359
Federal 12-8-15-24	U-8351
Federal 14-15-15-24	U-2836 - Black Horse Canyon Unit
Blackhorse No. 2 (1-29-15-24)	U-2837
Federal 4-30-16-24	U-2838 - Black Horse Canyon Unit
Federal 11-30-16-24	U-15889 - middle Canyon Unit
	U-30123

N0405

ARCH OIL & GAS COMPANY

P.O. BOX 2499
MIDLAND, TEXAS 79702

January 14, 1992

RECEIVED
STATE TAX COMMISSION

JAN 23 1992

Oil and Gas Tax Returns
Utah State Tax Commission
160 E. 300 S
Salt Lake City, Utah 84134-0550

RECEIVED BY
Auditing Division


Dear Sirs:

Please be advised that effective with September 91, sales Arch Oil no longer owns or operators any Utah wells. We sold our interest to Bonneville Fuels Corporation, 1660 Broadway Suite 1110, Denver Co 80202.

N5685

If you have any further questions concerning this matter, please let me know.

Sincerely,



Shelly Copeland
Revenue Department
(915) 686-6467



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut
84180-1203. (801-538-5340)

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• ATTN SUSAN SEYEDAN
 ARCH OIL & GAS COMPANY
 PO BOX 2499
 MIDLAND TX 79702

RECEIVED
 MAR 12 1992
 DIVISION OF
 OIL GAS & MINING

Utah Account No. NO405
 Report Period (Month/Year) 2 / 92
 Amended Report

Well Name	Producing Zone	Days Oper	Production Volume	Gas (MSCF)	Water (BBL)
API Number Entity Location			Oil (BBL)		
TRAPP SPRINGS 3-26-14-23 4304731003 08081 14S 23E 26	DKTA				
TRAPP SPRINGS 16-25-14-23 4304731041 08081 14S 23E 25	DKTA				
MIDDLE CYN 4-30-16-24 4301930641 08083 16S 24E 30	DKTA		<i>middle canyon unit - approved 10-30-91.</i>		
PINE SPRINGS 7-21-14-22 4304731042 08086 14S 22E 21	DKTA				
PINE SPRINGS 8-20-14-22 4304731063 08086 14S 22E 20	DKTA				
MAIN CYN 6-3-15-23 4304731072 08245 15S 23E 3	MNCSB				
L-23 4304730332 09560 14S 24E 23	MNCS				
CRAT HOLE CANYON #1 4304730325 09565 14S 25E 8	MNCS				
PINE SPRINGS #9-12-14-21 4304731096 10772 14S 21E 12	WSTC				
FEDERAL #12-18-14-22 4304731348 10772 14S 22E 18	WSTC				
PINE SPRINGS #13-26-14-22 4304731074 10773 14S 22E 26	MNCS				
TRAPP SP 4-25-14-23 4304730582 10894 14S 23E 25	DKTA				
TRAPP SPRINGS 8-36-14-23 4304730944 10895 14S 23E 36	MNCS				
TOTAL					

Comments (attach separate sheet if necessary) _____

I have reviewed this report and certify the information to be accurate and complete. Date _____

Authorized signature _____ Telephone _____

Date

ROUTING AND TRANSMITTAL SLIP

TO: (Name, office symbol, room number, building, Agency/Post)		Initials	Date
1.	Lisha Romero		
2.			
3.			
4.			
5.			

Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	

REMARKS


 MAR 20 1982
 DIVISION OF
 OIL GAS & MINING

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions

FROM: (Name, org. symbol, Agency/Post)	Room No.—Bldg.
	Phone No.

Sally Vernal BLM 789-1362

5041-102

GPO : 1987 0 - 196-409

OPTIONAL FORM 41 (Rev. 7-76)
 Prescribed by GSA
 FPMR (41 CFR) 101-11.206

<u>Lease Number</u>	<u>Well Name</u>	<u>API #</u>	<u>Location</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>
U-10184 <i>Denial</i>	Dry Burn No. 1	43047 30331	NW/SE	29	13S	25E
U-10272 <i>Accepted</i>	Federal 9-12-14-21	43047 31096	SE/NE	12	14S	21E
U-27413 <i>Accepted</i>	Pine Springs Unit No. 1	43047 30284	SE/SW	15	14S	22E
U-6841 <i>Accepted</i>	Federal 12-18-14-22	43047 31348	SW/NW	18	14S	22E
U-10199 <i>Accepted</i>	Federal 8-20-14-22	43047 31063	NE/SE	20	14S	22E
U-10199 <i>Accepted</i>	Federal 7-21-14-22	43047 31042	NW/SE	21	14S	22E
U-27413 <i>Accepted</i>	Federal 13-26-14-22	43047 31074	NW/NW	26	14S	22E
U-6613 <i>Approval</i>	Federal 13-17-14-23	43047 30619	NW/NW	17	14S	23E
U-38073 <i>Approval</i>	Federal 1-25-14-23	43047 30975	SE/SE	25	14S	23E
U-38073 <i>Accepted</i>	Federal 4-25-14-23	43047 30582	SW/SW	25	14S	23E
U-38073 <i>Approval</i>	Federal 16-25-14-23	43047 31041	NE/NE	25	14S	23E
U-38071 <i>Approval</i>	Federal 3-26-14-23	43047 31003	SE/SW	26	14S	23E
U-32572 <i>Approval</i>	Federal 6-35-14-23	43047 30791	NE/SW	35	14S	23E
ML-18667 <i>Accepted</i>	State 8-36-14-23	43047 30944	NE/SE	36	14S	23E
U-10132 <i>Accepted</i>	Federal 6-13-14-24	43047 31040	NE/SW	13	14S	24E
U-10133 <i>Accepted</i>	Sweetwater No. 1	43047 30460	SW/NW	14	14S	24E
U-10133 <i>Accepted</i>	Federal 1-L-23	43047 30332	NW/NE	23	14S	24E
U-3716A <i>Accepted</i>	Rat Hole No. 1	43047 30325	NW/SE	8	14S	25E
U-6618 <i>Approval</i>	Federal 3-11-15-21	43047 30622	SE/SW	11	15S	21E
U-30112 <i>Approval</i>	Federal 5-13-15-21	43047 31137	NW/SW	13	15S	21E
U-10173 <i>Approval</i>	Federal 6-14-15-21	43047 31027	NE/SW	14	15S	21E
U-6618 <i>Approval</i>	Federal 7-15-15-21	43047 31071	NW/SE	15	15S	21E
ML-22320 <i>Noted</i>	State 8-2-15-22	43047 31135	NE/SE	2	15S	22E
ML-22320 <i>Noted</i>	State 11-2-15-22	43047 30746	SE/NW	2	15S	22E
U-30112 <i>Approval</i>	Federal 2-18-15-22	43047 31091	SW/SE	18	15S	22E
U-8361 <i>Approval</i>	Federal 6-3-15-23	43047 31072	NE/SW	3	15S	23E
U-8361 <i>Approval</i>	Federal 4-4-15-23	43047 31043	SW/SW	4	15S	23E
U-8361 <i>Approval</i>	Federal 16-4-15-23	43047 31111	NE/NE	4	15S	23E
U-9211 <i>Approval</i>	Federal 8-7-15-23	43047 30977	NE/SE	7	15S	23E
U-9211 <i>Approval</i>	Federal 2-8-15-23	43047 30735	SW/SE	8	15S	23E
U-9211 <i>Approval</i>	Federal 6-8-15-23	43047 31073	NE/SW	8	15S	23E
U-9211 <i>Approval</i>	Federal 15-8-15-23	43047 30674	NW/NE	8	15S	23E
U-8361 <i>Approval</i>	Federal 11-10-15-23	43047 30639	SE/NW	10	15S	23E
U-8359 <i>Approval</i>	Federal 7-17-15-23	43047 30736	NW/SE	17	15S	23E
U-8351 <i>Denial</i>	Federal 7-30-15-23	43047 31247	NW/SE	30	15S	23E
U-2836 <i>Accepted</i>	Federal 12-8-15-24	43047 31104	SW/NW	8	15S	24E
U-2837 <i>Approval</i>	Federal 14-15-15-24	43047 31045	NE/NW	15	15S	24E
U-2838 <i>Accepted</i>	Blackhorse No. 2	43047 30248	SE/SE	29	15S	24E
<i>Approved</i> - U-15889 <i>Denial</i>	Federal 4-30-116-24	019 < 43047 30641	SW/SW	30	16S	24E
U-30123 <i>Denial</i>	Federal 11-30-16-24	43047 30925	NE/NW	30	16S	24E

Routing: *JK*

1- LCR 7-ICR
2- DTSPTS
3- VLC ✓
4- RJF ✓
5- RWM ✓
6- ADA ✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold) Designation of Agent
Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-31-91)

TO (new operator) <u>BONNEVILLE FUELS CORPORATION</u>	FROM (former operator) <u>ARCH OIL & GAS COMPANY</u>
(address) <u>1660 LINCOLN ST., STE 1800</u>	(address) <u>1512 LARIMER ST., STE 300</u>
<u>DENVER, CO 80264</u>	<u>DENVER, CO 80202</u>
<u>GREG TWOMBLY, PRES.</u>	<u>LEE MCCOLLUM, V.P.</u>
phone <u>(303) 863-1555</u>	phone <u>(303) 573-6179</u>
account no. <u>N5685</u>	account no. <u>N0405</u>

Well(s) (attach additional page if needed):

Name: <u>*SEE ATTACHED*</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 9-13-91)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 9-13-91)*
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(3-24-92)*
6. Cardex file has been updated for each well listed above. *(3-24-92)*
7. Well file labels have been updated for each well listed above. *(3-24-92)*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(3-24-92)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date 5/19/92 1992. If yes, division response was made by letter dated 5/19/92 1992.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 5/19/92 1992, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. *memo sent 5/19/92*

RECORDING

1. All attachments to this form have been microfilmed. Date: May 26 1992.

INDEXING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

** 3 wells - Still Arch Oil & Gas - will be handled on separate change.*

REMARKS

- 910918 Bfm / Kernal "No doc. as of yet." 920320 Bfm Approved non unit wells on 3-16-92.
- 911024 Bfm / Kernal - "Not approved as of yet."
- 911101 Bfm / S.L. Unit operator from Arch Oil & Gas to Bonnaville Fuels eff. 10-30-91. Involves middle Canyon Unit, Trapp Springs Unit, Rat Hole Unit, and Black Horse Canyon Unit.
- 911125 Bfm / S.L. (Pine Springs Unit, Dry Burn Unit, and Sweetwater Canyon Unit - Not approved)
- 1/34-35 Bfm / Kernal - Wells not in units - not approved as of yet.
- 1203 Bfm / S.L. Unit operator from Arch Oil & Gas to Bonnaville Fuels "Pine Springs Unit & Sweetwater Canyon Unit"

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number:

U-38073

SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Allottee or Tribe Name:

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

7. Unit Agreement Name:

Trapp Springs

1. Type of Well: OIL GAS OTHER:

8. Well Name and Number:

Trapp Springs 4-25-14-23

2. Name of Operator:

Bonneville Fuels Corporation

9. API Well Number:

4304730582

3. Address and Telephone Number:

1660 Lincoln Street, Ste 1800 Denver, CO 80264

10. Field and Pool, or Wildcat:

Main Canyon DK

4. Location of Well

Footages: 8/17 FWL 695 FSL
QQ, Sec., T., R., M.: SW/SW Sec 25 T14S R23E

RECEIVED

JUN 01 1993

DIVISION OF
OIL, GAS & MINING

County: Uintah

State: UT

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other _____
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment *
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other _____
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion 8/24/92

Report results of **Multiple Completions** and **Recompletions** to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

8-13-92 MIRU Blu H Well Service, pulled 285 jts 2 3/8" tbg. Clean out hole to PBTD @ 8750'. Set RTTS Pkr @ 8547'.

8-17-92 Pumped 3000 gal 15% HCL plus additives, total of 72 bbls acid away. Flushed acid w/39 bbls 4% KCL water. Swabbed back spent acid. Un-seated pkr. RIH w/285 jts 2 3/8" tbg and landed at 8663'KB.

8-18 to 8-21 Swabbed and flowed well to clean up.

8-24-92 Put well on plunger lift and compressor. RDMO Blu H Well Service. Well returned to production

13.

Name & Signature:

Doris Maly DORIS MALY

Title: Engineering Tech

Date: 5/27/93

(This space for State use only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

COPY SENT TO OPERATOR
Date: 9-21-98
Initials: CHD

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation Trapp Springs
2. Name of Operator Bonneville Fuels Corporation	8. Well Name and No. 4-25-14S-23E
3. Address and Telephone No. 1660 Lincoln, Suite 2200, Denver, CO 80264 (303) 863-1555	9. API Well No. 430473058200
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 717' FWL 695' FSL Sec 25 T14S R23E	10. Field and Pool, or Exploratory Area Main Canyon
	11. County or Parish, State Uintah Co

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>See Below</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Trapp Springs 4-25-14S-23E Plan to start work ± 9/21/98

Bonneville Fuels Corp. proposes to cleanout the subject wellbore to the original PBTD; run a slotted flush joint 3-1/2" liner and return to production.



14. I hereby certify that the foregoing is true and correct

Signed T. Bowman Title Operations Manager Date 9/11/98

(This space for Federal or State office use)

Approved by Accepted by the Utah Division of Oil, Gas and Mining Title _____ Date _____

Federal Approval of this Action is Necessary

Title 18 U.S.C. Sec. 1001. Whoever knowingly and willfully makes to any department or agency of the United States any false, fictitious or fraudulent statements or representations shall be fined not more than \$100,000 or imprisoned not more than 5 years, or both.

FOR RECORD ONLY

*See Instruction on Reverse Side



Bonneville Fuels Corporation

June 11, 1999

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, UT 84114-5801

Attention: John R. Baza
Associate Director

Dear Mr. Baza:

As requested in your letter of February 19, 1999, enclosed are the individual well sundry notices. Several of the wells listed are back on production. They are as follows:

<u>Well Name & No.</u>	<u>API Number</u>	<u>Production Resumed</u>
Federal 12-18	4304731348	February 1999
Trapp Springs 4-25	4304730582	December 1998
Main Canyon 11-10	4304730639	December 1998

T14S R23E Sec 25


If you need any additional information, please contact me at the number shown below.

Sincerely,

Thomas E. Bowman
Operations Manager

/scb

Enc.





United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3106
U-04967-C et al
(UT-924)

AUG 19 2002

NOTICE

Carbon Energy Corporation (USA) : Oil and Gas Leases
1700 Broadway, Suite 1150 :
Denver, Colorado 80290 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Bonneville Fuels Corporation to Carbon Energy Corporation (USA) on Federal oil and gas leases. For our purposes, the name change is recognized effective July 11, 2002, the date of acceptance by the Secretary of State of Colorado.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

Due to the name change, the name of the principal on the statewide oil and gas bonds BLM Bond Nos. CO0743, MT1085, NM1755, and UT0604 automatically changed by operation of law from Bonneville Fuels Corporation to Carbon Energy Corporation (USA).

If you identify additional leases affected by the name change, please contact this office and we will document the files under our jurisdiction with a copy of this notice. If the leases are under the jurisdiction of another State Office, we will notify them.

RECEIVED

AUG 20 2002

DIVISION OF
OIL, GAS AND MINING

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure

Exhibit of Leases

cc: MMS-MRM, MS357B1, Box 5760, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Teresa Thompson (UT-922)
Connie Seare (UT-924)
Joe Incardine (UT-921)
Vernal Field Office
Moab Field Office
Price Field Office
San Juan Field Office
All State Offices

RECEIVED

AUG 20 2002

DIVISION OF
OIL, GAS AND MINING

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
PROPRIETOR INDEX

<u>PROPRIETOR NAME</u>	<u>ADDRESS</u>	<u>CITY</u>	<u>ST</u>	<u>ZIP</u>	<u>CAT</u>	<u>INTEREST RELATIONSHIP</u>	<u>CASE TYPE</u>	<u>SERIAL NUMBER</u>	<u>CASE DISP</u>				
BONNEVILLE FUELS CORP	1700 BROADWAY #1150	DENVER	CO	80290	C	APPLICANT	314088	UTU----060566	PENDING				
								UTU----060567	PENDING				
								UTU----060568	PENDING				
								UTU----060569	PENDING				
								UTU----060570	PENDING				
								UTU----067827	PENDING				
						LESSEE					311111	UTU----003716A	AUTHORIZED
												UTU----006613	AUTHORIZED
												UTU----006614	AUTHORIZED
												UTU----006618	AUTHORIZED
												UTU----006635	AUTHORIZED
												UTU----006636	AUTHORIZED
												UTU----006841	AUTHORIZED
												UTU----008971	AUTHORIZED
												UTU----009063	AUTHORIZED
												UTU----009099	AUTHORIZED
												UTU----010132	AUTHORIZED
												UTU----010133	AUTHORIZED
												UTU----010152	AUTHORIZED
												UTU----010173	AUTHORIZED
												UTU----010180	AUTHORIZED
												UTU----010181	AUTHORIZED
												UTU----010182	AUTHORIZED
												UTU----010198	AUTHORIZED
												UTU----010199	AUTHORIZED
												UTU----010272	AUTHORIZED
												UTU----010274	AUTHORIZED
						UTU----010827	AUTHORIZED						
						UTU----010832	AUTHORIZED						
						UTU----010834	AUTHORIZED						
						UTU----027413	AUTHORIZED						
						UTU----038070	AUTHORIZED						
						UTU----038071	AUTHORIZED						
						UTU----038072	AUTHORIZED						

RECEIVED
AUG 20 2002
DIVISION OF
OIL, GAS AND MINING

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
PROPRIETOR INDEX

<u>PROPRIETOR NAME</u>	<u>ADDRESS</u>	<u>CITY</u>	<u>ST</u>	<u>ZIP</u>	<u>CAT</u>	<u>INTEREST RELATIONSHIP</u>	<u>CASE TYPE</u>	<u>SERIAL NUMBER</u>	<u>CASE DISP</u>
								UTU----038073	AUTHORIZED
								UTU----038076	AUTHORIZED
								UTU----045931	AUTHORIZED
								UTU---0004967C	AUTHORIZED
							311211	UTU----008351	AUTHORIZED
								UTU----008358	AUTHORIZED
								UTU----008359	AUTHORIZED
								UTU----008361	AUTHORIZED
								UTU----009211	AUTHORIZED
								UTU----015878	AUTHORIZED
								UTU----018442	AUTHORIZED
								UTU----028562	AUTHORIZED
								UTU----030112	AUTHORIZED
								UTU----031743	AUTHORIZED
							312011	UTU----038362	AUTHORIZED
								UTU----045933	AUTHORIZED
								UTU----052030	AUTHORIZED
							314011	UTU----059581	AUTHORIZED
						OPERATING RIGHTS	311111	UTU----006614	AUTHORIZED
								UTU----006618	AUTHORIZED
								UTU----006635	AUTHORIZED
								UTU----006636	AUTHORIZED
								UTU----006841	AUTHORIZED
								UTU----008971	AUTHORIZED
								UTU----010152	AUTHORIZED
								UTU----010180	AUTHORIZED
								UTU----010181	AUTHORIZED
								UTU----010182	AUTHORIZED
								UTU----010199	AUTHORIZED
								UTU----010272	AUTHORIZED
								UTU----010274	AUTHORIZED
								UTU----010827	AUTHORIZED
								UTU----010834	AUTHORIZED
								UTU----027413	AUTHORIZED

RECEIVED
AUG 20 2002
DIVISION OF
OIL, GAS AND MINING

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
PROPRIETOR INDEX

<u>PROPRIETOR NAME</u>	<u>ADDRESS</u>	<u>CITY</u>	<u>SI</u>	<u>ZIP</u>	<u>CAT</u>	<u>INTEREST RELATIONSHIP</u>	<u>CASE TYPE</u>	<u>SERIAL NUMBER</u>	<u>CASE DISP</u>
								UTU----038071	AUTHORIZED
								UTU----038072	AUTHORIZED
								UTU----038073	AUTHORIZED
								UTU---0004967C	AUTHORIZED
							311211	UTU----002836	AUTHORIZED
								UTU----002837	AUTHORIZED
								UTU----002838	AUTHORIZED
								UTU----008351	AUTHORIZED
								UTU----008358	AUTHORIZED
								UTU----008359	AUTHORIZED
								UTU----010423	AUTHORIZED
								UTU----015878	AUTHORIZED
								UTU----031743	AUTHORIZED
							312011	UTU----016913	AUTHORIZED
								UTU----038362	AUTHORIZED
								UTU----045933	AUTHORIZED
								UTU----052030	AUTHORIZED
							314011	UTU----059581	AUTHORIZED
						OPERATOR	318210	UTU----063053X	AUTHORIZED
								UTU----063056X	AUTHORIZED
								UTU----063057X	AUTHORIZED
								UTU----063059X	AUTHORIZED
								UTU----063060X	AUTHORIZED
								UTU----063062X	AUTHORIZED
							318230	UTU----063053B	AUTHORIZED
								UTU----063053O	AUTHORIZED
								UTU----063056A	AUTHORIZED
								UTU----063057A	AUTHORIZED
								UTU----063057B	AUTHORIZED
								UTU----063057D	AUTHORIZED
								UTU----063057E	AUTHORIZED
								UTU----063057O	AUTHORIZED
								UTU----063059A	AUTHORIZED
								UTU----063060B	AUTHORIZED

RECEIVED
AUG 20 2002
DIVISION OF
OIL, GAS AND MINING

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
PROPRIETOR INDEX

<u>PROPRIETOR NAME</u>	<u>ADDRESS</u>	<u>CITY</u>	<u>ST</u>	<u>ZIP</u>	<u>CAT</u>	<u>INTEREST RELATIONSHIP</u>	<u>CASE TYPE</u>	<u>SERIAL NUMBER</u>	<u>CASE DISP</u>
								UTU---0630600	AUTHORIZED
								UTU---063062A	AUTHORIZED
								UTU---0630620	AUTHORIZED

RECEIVED
AUG 20 2002
DIVISION OF
OIL, GAS AND MINING

Wells to have Operator Name Changed State of Utah
Carbon Energy Corporation (USA)

API Number	Well Name	Footage	Sec	Twp	Rge	Field	County	Lease #	Entity #
4301930136	ANDERSON FED 2	1159 FSL, 1462 FWL	12	16S	24E	East Canyon	Grand	UTU04967C	00583
4301930955	FEDERAL 24-1	726 FNL 2165 FEL	24	16S	24E	East Canyon	Grand	U-38362	00588
4304730284	PINE SPRING UNIT 1	1982 FWL 1980 FSL	15	14S	22E	Pine Springs	Uintah	U-27413	00595
4304730331	DRY BURN U 1	1447' FSL, 1389' FEL	29	13S	25E	Wildcat	Uintah	U-10184	08050
4304730619	CROOKED CANYON 13-17-14-23	683' FWL, 537' FNL	17	14S	23E	Wildcat	Uintah	UTU6613	08055
4304731040	SWEETWATER 6-13-14-24	1855' FWL, 2206' FSL	13	14S	24E	Sweetwater	Uintah	U-10132	08060
4304730460	SWEETWATER CANYON 1	718' FWL, 2132' FNL	14	14S	24E	Sweetwater	Uintah	U-10133	08060
4304730622	WOLF UNIT 3-11-15-21	1909' FWL, 994' FSL	11	15S	21E	Wolfpoint	Uintah	U6618	08065
4304731104	BLACK HORSE 12-8-15-24	612' FWL, 1934' FNL	8	15S	24E	Wildcat	Uintah	U-2836	08070
4304731045	BLACK HORSE 14-15-15-24	2156' FWL, 772' FNL	15	15S	24E	Wildcat	Uintah	UTU2837	08070
4304731137	FEDERAL 5-13-15-21	1976 FSL 661 FWL	13	15S	21E	Wolfpoint	Uintah	U-30112	08071
4304731027	FEDERAL 6-14-15-21	1980' FWL, 1977' FSL	14	15S	21E	Wolfpoint	Uintah	U-10173	08072
4304731071	FEDERAL 7-15-15-21	1817' FSL, 1657' FEL	15	15S	21E	Wolfpoint	Uintah	U-6618	08073
4304731091	FEDERAL 2-18-15-22	1927' FEL, 687' FSL	18	15S	22E	Wolfpoint	Uintah	U-30112	08077
4304730975	TRAPP SPRINGS 1-25-14-23	456' FSL, 1198' FEL	25	14S	23E	Main Canyon	Uintah	U-38073	08081
4304731041	TRAPP SPRINGS 16-25-14-23	838' FNL, 800' FEL	25	14S	23E	Main Canyon	Uintah	U-38073	08081
4304731003	TRAPP SPRINGS 3-26-14-23	1058' FLS, 1627' FWL	26	14S	23E	Main Canyon	Uintah	U-38071	08081
4304730791	TRAPP SPRINGS 6-35-14-23	2610 FWL 1500 FSL	35	14S	23E	Wildcat	Uintah	U-32572	08081
4304731042	PINE SPRINGS 7-21-14-22	2410 FEL 2210 FSL	21	14S	22E	Pine Springs	Uintah	U-10199	08086
4304731063	PINE SPRINGS 8-20-14-22	2039 FSL 689 FEL	20	14S	22E	Pine Springs	Uintah	U-10199	08086
4301931072	MAIN CANYON 6-3-15-23	2107' FWL, 2153' FSL	3	15S	23E	Main Canyon	Uintah	U-8361	08245
4304731077	FEDERAL 1-34	1797 FSL 800 FEL	34	16S	24E	Bryson Canyon	Grand	U-52030	09280
4301931078	FEDERAL 2-34	905 FSL 1533 FWL	34	16S	24E	Bryson Canyon	Grand	U-52030	09285
4304730332	FEDERAL 10-23-14S-24E (1-L-23)	1322' FNL, 1815' FEL	23	14S	24E	Sweetwater	Uintah	U-10133	09560
4304730325	RAT HOLE CANYON 1	2156' FSL, 1993' FEL	8	14S	25E	Wildcat	Uintah	U-3716A	09565
4304731096	PINE SPRINGS 9-12-14-21	1848 FNL 686 FEL	12	14S	21E	Pine Springs	Uintah	U-10272	10772
4304731348	FEDERAL 12-18-14-22	566 FWL 2305 FNL	18	14S	22E	Pine Springs	Uintah	U-6841	10772
4304731074	PINE SPRINGS 13-26-14-22	676 FWL 650 FNL	26	14S	22E	Pine Springs	Uintah	U-27413	10773
4304731074	PINE SPRINGS 13-26-14-22	676 FWL 650 FNL	26	14S	22E	Pine Springs	Uintah	U-27413	10773
4304730582	TRAPP SPRINGS 4-25-14-23	717 FWL 695 FSL	25	14S	23E	Main Canyon	Uintah	U-38073	10894
4304730944	MAIN CANYON 8-36-14-23	2018' FSL, 597' FEL	36	14S	23E	Main Canyon	Uintah	ML-18667	10895
4304730248	BLACK HORSE 2	555' FEL, 528' FSL	29	15S	24E	Wildcat	Uintah	U2838	10897
4304730674	MAIN CANYON 15-8-15-23	1058 FNL 2348 FEL	8	15S	23E	Main Canyon	Uintah	U-9211	11598
4304730735	MAIN CANYON 2-8-15-23	827 FSL 1715 FEL	8	15S	23E	Main Canyon	Uintah	U-9211	11599
4304730736	MAIN CANYON 7-17-15-23	1605 FEL 1941 FSL	17	15S	23E	Main Canyon	Uintah	U-8359	11600
4304730977	MAIN CANYON 8-7-15-32	1827' FSL, 649' FEL	7	15S	23E	Main Canyon	Uintah	U-9211	11601
4304731043	MAIN CANYON 4-4-15-23	376 FWL 923 FSL	4	15S	23E	Main Canyon	Uintah	U-8361	11602



Carbon Energy Corporation
Carbon Energy Corporation (USA)
CEC Resources Ltd.

8/30/02

State of Utah
Attn: Jim Thompson
Department of Natural Resources
Division of Oil Gas & Mining.
P. O. Box 145801
Salt Lake City, UT 84114-5801

Re: Corporate Name Change

Dear Mr Thompson


Enclosed find Sundry (Form 9) with a list of wells for the corporate name change reflecting Carbon Energy Corporation (USA) replacing Bonneville Fuels Corporation, and a revised "Annual Waste Management Plan for Calendar Year 2002"

The Department of Commerce gave me the file number for the approved "Amending Authority to Conduct Affairs or Registration" file # 974912-0143.

The Utah state bonds are under # CD 1101292002 and CD 1101743005.

If you require any further information about our name change, please contact me at the number below.

Sincerely,


Doris Maly
Engineering Technician

Encl. 2

RECEIVED

SEP 03 2002

DIVISION OF
OIL, GAS AND MINING

1700 Broadway, Suite 1150, Denver, Colorado 80290 / (303) 863-1555 / Facsimile (303) 863-1558
1750, 530-8th Avenue, S.W., Calgary, Alberta T2P 3S8 / (403) 265-7605 / Facsimile (403) 262-8167

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number <i>See Attached List</i>
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number <i>See Attached List</i>
10. API Well Number <i>See Attached List</i>
11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
 Use APPLICATION FOR PERMIT -- for such proposals

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) <u> ?</u>	
2. Name of Operator <i>Carbon Energy Corporation (USA)</i>	
3. Address of Operator <i>1700 Broadway, Suite 1150 Denver, CO 80290</i>	4. Telephone Number <i>303 863-1555</i>
5. Location of Well Footage : _____ County : _____ QQ, Sec, T., R., M : <i>See Attached List</i> State : <i>Utah & Grand County</i>	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <i>Change of Operator Name</i>	

Date of Work Completion Effective 7/11/02

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

*Bonneville Fuels Corporation has changed its corporate name to Carbon Energy Corporation (USA) effective 7/11/02
 The State of Utah Department of Commerce has issued an amendment of Authority to Conduct Affairs and issued file number 974912-0143.
 Signed: Todd A. McDonald Todd A. McDonald
 VP Operations & Exploration*

Carbon Energy Corporation (USA), formerly Bonneville Fuels Corp., is now the operator of the attached list of wells, please correct your records to reflect this name change. All other information remains the same.

RECEIVED
 SEP 03 2002

14. I hereby certify that the foregoing is true and correct.

Name & Signature <u>Todd A. McDonald</u> <u>Todd A. McDonald</u>	Title <u>VP Operations & Expl</u> <u>VP Operations & Expl</u>
--	---

DIVISION OF OIL, GAS AND MINING

(State Use Only)

Wells to have Operator Name Changed State of Utah
Carbon Energy Corporation (USA)

API Number	Well Name	Footage	Sec	Twp	Rge	Field	County	Lease #	Entity #
4304730639	MAIN CANYON 11-10-15-23	1623 FWL 2288 FNL	10	15S	23E	Main Canyon	Uintah	U-8361	11605
4304731073	MAIN CANYON 6-8-15-23	1969' FWL, 1978' FSL	8	15S	23E	Main Canyon	Uintah	U-9211	11606
4304731111	MAIN CANYON 16-4-15-23	1980' FWL, 1977' FSL	4	15S	23E	Main Canyon	Uintah	U-8361	11608
4304731135	STATE 8-2-15-22	1896 FSL 625 FEL	2	15S	22E		Uintah	ML-22320	8076
4304730746	STATE 11-2-15-22	1975 FNL 1935 FWL	2	15S	22E		Uintah	ML-22320	8074

RECEIVED
SEP 03 2002
DIVISION OF
OIL, GAS AND MINING

6. (R649-9-2)Waste Management Plan has been received on: 09/03/2002

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 07/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 09/03/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/03/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 1101290002

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0604

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

State Orig + Copy

FORM 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
U-38073

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
 Well Well Other

8. Well Name and No.
Federal 4-25-14-23

9. API Well No.
4304730582

2. Name of Operator
BONNEVILLE FUELS CORPORATION

10. Field and Pool, or Exploratory Area
Main Canyon

3. Address and Telephone No.
1700 BROADWAY, SUITE 1150, DENVER, CO 80290 303-863-1555

11. County or Parish, State
Uintah, Utah

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
659' FSL & 717' FWL SW SW Sec 25-T14S-R23E

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Production Pit Closure
 Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Bonneville Fuels completed the excavation and remediation of three (3) existing production pits.
Site contamination was reduced below State of Utah requirements for TPH & BTEX & sodium contamination in 2001.
Final closure was achieved in 2001 and a final BLM field inspection approved the clean-up.
These excavations were back-filled with high Nitrogen fertilizer & remediated fill.

A 55 Bbl. drain tank was installed within the tank battery berm to prevent further soil contamination.

A Final Report of reclamation activities and remediation results is attached for your review and approval.

14. I hereby certify that the foregoing is true and correct

Signed R.A. Schwering, P.E.

Title Production Manager

Date 07/01/2002

(This space for Federal or State office use)

Approved by _____

Title _____

Date _____

Conditions of approval, if any: _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

RECEIVED

APR 10 2003

DIV. OF OIL, GAS & MINING

**Production Pit Closure Report
Carbon Energy Well Fields
South of Vernal, Utah
Trapp Springs Federal #4-25-14S-23E
(Site 4-25)**

Table of Contents

Description	Page
Report Text	1
Site Schematic	3
Photographs	4
Attachments	
Attachment A – Evaluation Score Ranking	
Attachment B – Natural Gas Pit Closure Methodology	

**Production Pit Closure Report
Carbon Energy Well Fields
South of Vernal, Utah
Trapp Springs Federal #4-25-14S-23E
(Site 4-25)**

This report describes the closure of three gas well pits for Carbon Energy Corporation in well fields south of Vernal, Utah at Trapp Springs Federal #4-25-14S-23E (Site 4-25) during fall 2001.

Applicable Regulatory Standards

Site 4-25 is a Level I or low sensitivity site. See Attachment A, Evaluation Ranking Score Worksheet for the site. The Total Petroleum Hydrocarbon (TPH) standard for a Level I or low sensitivity site is 10,000 parts per million (ppm).

In addition to the TPH standard, the following salinity standards apply:

- Electrical Conductivity <4 mmho/cm which approximates total dissolved solids (TDS) of 2560 mg/l
- Exchangable sodium percentage (ESP) <15%
- Sodium adsorption ratio (SAR) <12

OR

If natural background soil characteristics show poorer quality than that depicted by these limits or if a higher level consistent with intended land use can be demonstrated then these limits can be exceeded.

Remediation Activities

At Site 4-25, there were three pits. Pit 1 received condensate from a CaCl₂ dryer. Pit 2 received condensate from the wellhead. Pit 3 received condensate from a tank.

The pits were excavated using a backhoe. Excavated soils were mixed with site soils and placed in low piles.

Sampling and Testing Activities

At all closure sites, composite samples of the excavation bottoms and the piles were taken. Samples were tested using the Miran test kit which was validated with laboratory analysis using EPA Method 418.1. See attachment B for a description and discussion of the Miran test kit, the test results, and laboratory validation. No pit was closed until it exhibited a test result of 7,000 ppm or less on the Miran test.

At Site 4-25, after initial excavation, composite samples of all three pit bottoms and three on-site piles were collected on September 27, 2001 and analyzed for TPH using the Miran test kit. Pit 1 and Pile 1 exceeded the goal of 7,000 ppm on the Miran test kit. See Table 1 for the results.

Pit 1 was excavated further, with additional soil being mixed into Pile 1. Pit 1 and Pile 1 were retested on October 24, 2001. These sample results met the TPH standard. See Table 1 for the results.

Table 1
Test Results For Site 4-25

Description	Date	Miran Result	Laboratory Result
Pit 1 (CaCl ₂ dryer)	September 27, 2001	8,544	9,200
Pit 1 #2 (CaCl ₂ dryer)	October 24, 2001	1,176	NA
Pit 2 (well)	September 27, 2001	4,104	1,100
Pit 3 (tank)	September 27, 2001	520	NA
Pile 1 (CaCl ₂ dryer)	September 27, 2001	9,856	4,400
Pile 1 #2 (CaCl ₂ dryer)	October 24, 2001	1,176	NA
Pile 2 (well)	September 27, 2001	1,112	NA
Pile 3 (tank)	September 27, 2001	1,020	NA

NA = Not applicable

After passing the TPH standard, all pits were closed.

The attached site schematic presents the site layout. Photo locations are marked on the site schematic. The attached photos show the site, pits, and piles.

Salinity Results


A composite sample of the soil in piles was collected and sent to ACZ Laboratory, Steamboat Springs, Colorado, for salinity testing. Table 2 presents the salinity results.

Table 2
Salinity Results

Test Description	Result
Electrical Conductivity	1.080 mmhos/cm
Exchangeable Sodium Percentage (ESP)	11.6
Sodium Adsorption Ratio (SAR)	3.21

References

Utah Division Of Oil, Gas & Mining, January 1996. *Environmental Handbook, Environmental Regulations for the Oil & Gas Exploration and Production Industry*. Prepared by G.L. Hunt, Environmental Manager.



PREPARED BY



EME SOLUTIONS, INC.
 15248 W. ELLSWORTH DR.
 GOLDEN, CO 80401
 303-279-1707

PREPARED FOR

Carbon Energy
 1700 Broadway, Suite 1150
 Denver, CO 80290-1700

TITLE

SITE 4-25
 SITE SCHEMATIC

Project: Carbon
 Scale: NTS

Date: 11-9-01
 File: site 4-25

Revision



Photo 1. Overall Site 9-27-01 (from Location A on Schematic)



Photo 2. Pit 1 and Pile 1 Sampling Locations 9-27-01 (from Location B on Schematic)




Photo 3. Pit 2 and Pile 2 Sampling Locations 9-27-01 (from Location C on Schematic)



Photo 4. Pit 3 Sampling Locations 9-27-01 (from Location D on Schematic)



Photo 5. Pile 3 Sampling Locations 9-27-01 (from Location E on Schematic)




Photo 6. Pit 1 Sampling Locations 10-24-01 (from Location F on Schematic)



Photo 7. Pile 1 Sampling Locations 10-24-01 (from Location G on Schematic)

Attachment A
Evaluation Score Ranking

**Site Designation 4-25
Evaluation Ranking Criteria and Ranking Score For Oily Waste Cleanup Levels**

Site-Specific Factors	Ranking Score	Site Ranking Score
Distance to Groundwater (feet) >100 100 to 75 75 to 50 50 to 25 25 to 10 <10, or recharge area	0 4 8 12 16 20	0
Native Soil Type Low permeability Moderate permeability High permeability	0 10 20	10
Annual Precipitation (inches) <10 10 to 20 >20	0 5 10	5
Distance to Nearest Municipal Water Well (feet) >5280 1320 to 5280 500 to 1320 <500	0 6 8 10	0
Distance to Other Water Well (feet) >1320 300 to 1320 <300	0 5 10	0
Distance to Surface Water (feet) >1000 300 to 1000 <300	0 5 10	0

Affected Populations <100 100 to 300 >3000	0 5 10	0
Presence of Nearby Utility Conduits Not present Unknown Present	0 8 10	0
Final Score		15

Levels of Environmental Sensitivity and Recommended Cleanup Levels for Soils and Oily Wastes

Total Petroleum Hydrocarbon (TPH in mg/kg or ppm)

Level I

Total Points less than 50
 TPH *,** 10,000

Level II

Total Points greater than or equal to 50

TPH *

For all scores totaling greater than or equal to 50, the cleanup level will be calculated using the formula below (10,000 ppm and 30 ppm TPH are the upper and lower limits of cleanup required).

$$.005 \times 100 = .5 \div \text{fraction benzene in soil} = \text{cleanup level in ppm}$$

Where: .005 = maximum contaminant level for benzene in ppm
 100 = attenuation factor (EPA, 1980)

Example: $.005 \times 100 = .5 \div .0001 = 5,000$ ppm TPH
 for .01% benzene level in waste or soil to be abandoned
 % TPH which is benzene is an indication of aqueous solubility of the waste

Attachment B
Natural Gas Pit Closure Methodology

**Natural Gas Pit Closure Methodology
Carbon Energy Well Fields
South of Vernal, Utah**

Prepared for:

Carbon Energy Corporation
1700 Broadway Street, Suite 1150
Denver, CO 80290-1700

Prepared by:

EME Solutions, Inc.
15248 W. Ellsworth Dr.
Golden, CO 80401
303-279-1707

November 5, 2001

This report describes the methodology used for closure of multiple gas well pits for Carbon Energy Corporation in well fields south of Vernal, Utah during fall 2001.

Applicable Regulatory Standards

For the most part, the gas well pits had received condensate from separators, CaCl₂ dryers, and compressors. Many of the wells are currently inactive. At active wells, closed tanks have been installed to replace the earthen pits.

The pits were closed in accordance with the guidance within the Environmental Handbook (Utah Division Of Oil, Gas & Mining, January 1996). The guidance states that sites should be designated as Level I (low sensitivity) or Level II (high sensitivity) based on a Site Ranking Score, which can range from 0 to 100. Sites with Site Ranking Scores greater than or equal to 50 are Level II (high sensitivity) sites. The Total Petroleum Hydrocarbon (TPH) standard for Level I or low sensitivity sites is 10,000 parts per million (ppm). The TPH standard for Level II or high sensitivity sites is a sliding scale from 30 ppm to 10,000 ppm. The Level II standard for TPH is set based on the benzene content of the soils or waste to remain on site, with the goal that benzene does not exceed 50 ppm in soils or waste.

All of the Carbon Energy pit sites received a Site Ranking Score of less than 50. Therefore, all of the sites were classified as Level I or low sensitivity. However, certain sites scored 45 points, and at these sites benzene levels were checked to ensure that benzene levels were less than 50 ppm.

In addition to the TPH standard, the following salinity standards apply:

- Electrical Conductivity <4 mmho/cm which approximates total dissolved solids (TDS) of 2560 mg/l
- Exchangable sodium percentage (ESP) <15%
- Sodium adsorption ratio (SAR) <12

OR

If natural background soil characteristics show poorer quality than that depicted by these limits or if a higher level consistent with intended land use can be demonstrated then these limits can be exceeded.

Remediation Activities

The pits were excavated using a backhoe or bulldozer. Excavated soils were mixed with site soils and placed in low piles. At sites where visual and olfactory signs indicated high TPH levels, high-nitrogen fertilizer was spread on the piles and in the excavation to aid biodegradation.

Sampling and Testing Activities

Composite samples of the excavation bottoms and the piles were taken. A total of 94 samples were collected during the period from September 27 through October 31, 2001. The samples were collected using a stainless steel trowel. The trowel was decontaminated between samples. All 94 samples were analyzed using a Miran test kit, which uses Freon extraction and infrared reading of the extraction. This method is based on the EPA Method 418.1 for Total Recoverable Petroleum Hydrocarbons (TRPH). To calibrate the Miran test kit and ensure that the cleanup standard was met, 25 of the samples were sent to an analytical laboratory for result confirmation using EPA Method 418.1.

The comparison of the Miran test soil concentration results to the laboratory results are presented in Table 1 and Figure 1. These results show that the Miran test tends to overestimate the actual (laboratory) concentration at low levels (less than 5,000 ppm) but is a good estimator of the actual concentration at levels greater 5,000 ppm (the range of concern to Carbon for the pit closures).

For laboratory results greater than 5,000 ppm, the multiplier of laboratory result divided by Miran test result ranges from 0.781 to 1.45, with the average of these multipliers equaling 1.12. The Miran test tends to underestimate the actual (laboratory) concentration by 12% on average. No pit was closed until it exhibited a test result of 7,000 ppm or less on the Miran test. A Miran test result of 7,000 ppm or less indicates that the laboratory result is unlikely to exceed 10,000 ppm (7,000 times a multiplier of 1.42 equal 9,940 ppm).

Figure 1 indicates a 1:1 slope line and error bars set at plus or minus a multiplier of 1.42 times the Miran test result. If the Miran test result equals the laboratory result, the point will fall on the 1:1 slope line. If the Miran test result is within 42% of the laboratory result (plus or minus a multiplier of 1.42), the point will fall within the error bars. All points that have laboratory results equal to or greater than 10,000 ppm fall within the error bars. Figure 1 also presents a vertical line at the Miran test result equal to 7,000 ppm. This line highlights the fact that for Miran results less than 7,000 ppm, no laboratory result is greater than 10,000 ppm.

Results and discussion for individual sites are in the reports for each site.


References

Utah Division Of Oil, Gas & Mining, January 1996. *Environmental Handbook, Environmental Regulations for the Oil & Gas Exploration and Production Industry*. Prepared by G.L. Hunt, Environmental Manager.

Table 1
Comparison of Miran Test Results to Laboratory Results

Site	Sample	Miran Test Soil Concentration (mg/kg)	Lab Result (mg/kg)	Multiplier (Lab/Field)
12-18	Pile 1	548	4	0.008
9-12	Pit 1	3,848	13	0.003
8-36	Pile 1	500	82	0.164
4-25	Pit 2	4,104	1,100	0.268
2-8	Pile 2	1,864	2,700	1.448
11-10	Pit 1	2,864	2,800	0.978
6-35	Pit 2	2,924	3,200	1.094
2-8	Pit 1	1,580	3,800	2.405
4-25	Pile 1	9,856	4,400	0.446
9-12	Pile 1	9,480	7,400	0.781
7-21	Pit 3	7,760	7,800	1.005
6-35	Pile 1	9,480	8,100	0.854
8-20	Pit 3 #3	5,784	8,400	1.452
11-10	Pit 2 #3	7,120	9,100	1.278
4-25	Pit 1	8,544	9,200	1.077
8-20	Pit 2 #3	8,184	9,800	1.197
11-10	Pile 1 #3	11,960	10,000	0.836
7-21	Pile 3	7,600	10,000	1.316
11-10	Pile 1	11,376	11,000	0.967
7-17	Pit 2	7,992	11,000	1.376
8-20	Pile 2	8,544	11,000	1.287
1-15	Pit 1	15,480	17,000	1.098
7-21	Pit 3 #2	17,740	17,000	0.958
11-10	Pit 2	21,288	22,000	1.033
6-35	Pit 1	20,812	29,000	1.393

Figure 1
Miran Test v. Lab Results (mg/kg)



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

<p>SUNDRY NOTICES AND REPORTS ON WELLS</p> <p>Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT – for such proposals</p>		6. Lease Designation and Serial Number
		7. Indian Allottee or Tribe Name
		8. Unit or Communitization Agreement
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) ?		9. Well Name and Number <i>See Attached List</i>
2. Name of Operator <i>Carbon Energy Corporation (USA) N2225</i>		10. API Well Number
3. Address of Operator <i>1401 17th Street, Suite 1200, Denver, CO 80202</i>	4. Telephone Number <i>303 298-8100</i>	11. Field and Pool, or Wildcat
5. Location of Well Footage : _____ County : _____ QQ, Sec, T., R., M : <i>See Attached List</i> State : _____		
12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		

<p align="center">NOTICE OF INTENT (Submit in Duplicate)</p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input type="checkbox"/> Other _____</td> <td></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> Other _____		<p align="center">SUBSEQUENT REPORT (Submit Original Form Only)</p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <i>Change of Operator</i></td> <td></td> </tr> </table> <p>Date of Work Completion _____</p> <p><small>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</small></p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <i>Change of Operator</i>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input type="checkbox"/> Other _____																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <i>Change of Operator</i>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective January 1, 2004 Carbon Energy Corporation (USA) transferred operations to Evergreen Operating Corporation for the wells indicated on the attached list.

Change of Operator TO:
 Name & Signature for Evergreen *Scott Zimmerman* *Scott Zimmerman* Title VP Operations & Engineering Date: *N2545*

14. I hereby certify that the foregoing is true and correct.
 Change of Operator FR:
 Name & Signature for Carbon *Todd S. McDonald* *Todd S. McDonald* Title VP Explor. & Prod. Date *01/08/04*

(State Use Only)

RECEIVED
JAN 20 2004
 DIV. OF OIL, GAS & MINING

Attachment to Form 9							
Wells to have Change of Operator Made - State of Utah							
Carbon Energy Corporation (USA) to Evergreen Operating Corporation							
API Number	Well Name	Footage	Sec	Twp	Rge	Field	County
4304730746	STATE 11-2-15-22	1935' FWL, 1975' FNL	2	15S	22E	Wildcat	Uintah
4304731135	STATE 8-2-15-22	1896' FSL, 625' FEL	2	15S	22E	Wildcat	Uintah
4304731348	FEDERAL 12-18-14-22	566 FWL 2305 FNL	18	14S	22E	Pine Springs	Uintah
4304731074	PINE SPRINGS 13-26-14-22	676 FWL 650 FNL	26	14S	22E	Pine Springs	Uintah
4304731074	PINE SPRINGS 13-26-14-22	676 FWL 650 FNL	26	14S	22E	Pine Springs	Uintah
4304730582	TRAPP SPRINGS 4-25-14-23	717 FWL 695 FSL	25	14S	23E	Main Canyon	Uintah
4304730944	MAIN CANYON 8-36-14-23	2018' FSL, 597' FEL	36	14S	23E	Main Canyon	Uintah
4304730248	BLACK HORSE 2 (1-29-15-24)	555' FEL, 528' FSL	29	15S	24E	Wildcat	Uintah
4304730674	MAIN CANYON 15-8-15-23	1058 FNL 2348 FEL	8	15S	23E	Main Canyon	Uintah
4304730735	MAIN CANYON 2-8-15-23	827 FSL 1715 FEL	8	15S	23E	Main Canyon	Uintah
4304730736	MAIN CANYON 7-17-15-23	1605 FEL 1941 FSL	17	15S	23E	Main Canyon	Uintah
4304730977	MAIN CANYON 8-7-15-32	1827' FSL, 649' FEL	7	15S	23E	Main Canyon	Uintah
4304731043	MAIN CANYON 4-4-15-23	376 FWL 923 FSL	4	15S	23E	Main Canyon	Uintah
4304730639	MAIN CANYON 11-10-15-23	1623 FWL 2288 FNL	10	15S	23E	Main Canyon	Uintah
4304731073	MAIN CANYON 6-8-15-23	1969' FWL, 1978' FSL	8	15S	23E	Main Canyon	Uintah
4304731111	MAIN CANYON 16-4-15-23	1980' FWL, 1977' FSL	4	15S	23E	Main Canyon	Uintah
4301930136	ANDERSON FED 2	1159 FSL, 1462 FWL	12	16S	24E	East Canyon	Grand
4301930955	FEDERAL 24-1	726 FNL 2165 FEL	24	16S	24E	East Canyon	Grand
4304730284	PINE SPRING UNIT 1	1982 FWL 1980 FSL	15	14S	22E	Pine Springs	Uintah
4304730331	DRY BURN U 1	1447' FSL, 1389' FEL	29	13S	25E	Wildcat	Uintah
4304730619	CROOKED CANYON 13-17-14-23	683' FWL, 537' FNL	17	14S	23E	Wildcat	Uintah
4304731040	SWEETWATER 6-13-14-24	1855' FWL, 2206' FSL	13	14S	24E	Sweetwater	Uintah
4304730460	SWEETWATER CANYON 1	718' FWL, 2132' FNL	14	14S	24E	Sweetwater	Uintah
4304730622	WOLF UNIT 3-11-15-21	1909' FWL, 994' FSL	11	15S	21E	Wolfpoint	Uintah
4304731104	BLACK HORSE 12-8-15-24	612' FWL, 1934' FNL	8	15S	24E	Wildcat	Uintah
4304731045	BLACK HORSE 14-15-15-24	2156' FWL, 772' FNL	15	15S	24E	Wildcat	Uintah
4304731137	FEDERAL 5-13-15-21	1976 FSL 661 FWL	13	15S	21E	Wolfpoint	Uintah
4304731027	FEDERAL 6-14-15-21	1980' FWL, 1977' FSL	14	15S	21E	Wolfpoint	Uintah
4304731071	FEDERAL 7-15-15-21	1817' FSL, 1657' FEL	15	15S	21E	Wolfpoint	Uintah
4304731091	FEDERAL 2-18-15-22	1927' FEL, 687' FSL	18	15S	22E	Wolfpoint	Uintah
4304730975	TRAPP SPRINGS 1-25-14-23	456' FSL, 1198' FEL	25	14S	23E	Main Canyon	Uintah
4304731041	TRAPP SPRINGS 16-25-14-23	838' FNL, 800' FEL	25	14S	23E	Main Canyon	Uintah
4304731003	TRAPP SPRINGS 3-26-14-23	1058' FLS, 1627' FWL	26	14S	23E	Main Canyon	Uintah
4304730791	TRAPP SPRINGS 6-35-14-23	2610 FWL 1500 FSL	35	14S	23E	Wildcat	Uintah
4304731042	PINE SPRINGS 7-21-14-22	2410 FEL 2210 FSL	21	14S	22E	Pine Springs	Uintah
4304731063	PINE SPRINGS 8-20-14-22	2039 FSL 689 FEL	20	14S	22E	Pine Springs	Uintah
4304731072	MAIN CANYON 6-3-15-23	2107' FWL, 2153' FSL	3	15S	23E	Main Canyon	Uintah
4304731077	FEDERAL 1-34	1797 FSL 800 FEL	34	16S	24E	Bryson Canyon	Grand
4301931078	FEDERAL 2-34	905 FSL 1533 FWL	34	16S	24E	Bryson Canyon	Grand
4304730332	FEDERAL 10-23-14S-24E (1-L-23)	1322' FNL, 1815' FEL	23	14S	24E	Sweetwater	Uintah
4304730325	RAT HOLE CANYON 1	2156' FSL, 1993' FEL	8	14S	25E	Wildcat	Uintah
4304731096	PINE SPRINGS 9-12-14-21	1848 FNL 686 FEL	12	14S	21E	Pine Springs	Uintah
4304734675	PINE SPRINGS 3-23-14-22	460' FSL 2175' FWL	23	14S	22E	Pine Springs	Uintah
4304734676	PINE SPRINGS 12-23-14-22	2052' FNL 462'FWL	23	14S	22E	Pine Springs	Uintah
4304734941	BONANZA FED 15-27-10-25	475' FNL, 1790'	27	10S	25E	Wildcat	Uintah
4304734674	PINE SPRINGS 9-23-14-22	2129' FNL 375' FEL	23	14s	22E	Pine Springs	Uintah

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		1/1/2004
FROM: (Old Operator): N2225-Carbon Energy Corporation (USA) 1401 17th St, Suite 1200 Denver, CO 80202 Phone: 1-(303) 298-8100	TO: (New Operator): N2545-Evergreen Operating Corp. 1401 17th Street, Suite 1200 Denver, CO 80202 Phone: 1-(303) 298-8100	

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
TRAPP SPRINGS 8-36-14-23	36	140S	230E	4304730944	10895	State	GW	P	
STATE 11-2-15-22	02	150S	220E	4304730746	8074	State	GW	S	C
STATE 8-2-15-22	02	150S	220E	4304731135	8076	State	GW	S	
BONANZA FED 15-27-10-25	27	100S	250E	4304734941	13840	Federal	GW	P	C
DRY BURN U 1	29	130S	250E	4304730331	8050	Federal	GW	S	
PINE SPRINGS 9-12-14-21	12	140S	210E	4304731096	10772	Federal	GW	S	
PINE SPRING U 1	15	140S	220E	4304730284	595	Federal	GW	P	
FEDERAL 12-18-14-22	18	140S	220E	4304731348	10772	Federal	GW	S	
PINE SPRINGS 8-20-14-22	20	140S	220E	4304731063	8086	Federal	GW	P	
PINE SPRINGS 7-21-14-22	21	140S	220E	4304731042	8086	Federal	GW	P	
PINE SPRINGS FED 9-23-14S-22E	23	140S	220E	4304734674		Federal	GW	APD	
PINE SPRINGS FED 12-23-14S-22E	23	140S	220E	4304734676	13616	Federal	GW	TA	
PINE SPRINGS 13-26-14-22	26	140S	220E	4304731074	13615	Federal	GW	P	
CROOKED CYN 13-17-14-23	17	140S	230E	4304730619	8055	Federal	GW	P	
TRAPP SPRINGS 4-25-14-23	25	140S	230E	4304730582	10894	Federal	GW	P	
TRAPP SPRINGS 1-25-14-23	25	140S	230E	4304730975	8081	Federal	GW	S	
TRAPP SPRINGS 16-25-14-23	25	140S	230E	4304731041	8081	Federal	GW	S	
TRAPP SPRINGS 3-26-14-23	26	140S	230E	4304731003	8081	Federal	GW	P	
TRAPP SPRINGS 6-35-14-23	35	140S	230E	4304730791	8081	Federal	GW	P	
SWEETWATER 6-13-14-24	13	140S	240E	4304731040	8060	Federal	GW	S	
SWEETWATER CYN 1	14	140S	240E	4304730460	8060	Federal	GW	S	
1-L-23	23	140S	240E	4304730332	9560	Federal	GW	S	
RAT HOLE CYN 1	08	140S	250E	4304730325	9565	Federal	GW	S	

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 1/22/2004
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 1/22/2004
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 12/29/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 5531527-0143
5. If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

In Place

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on:

BLM

BIA

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on:

n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on:

n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on:

1/28/2004

2. Changes have been entered on the Monthly Operator Change Spread Sheet on:

1/28/2004

3. Bond information entered in RBDMS on:

N/A

4. Fee wells attached to bond in RBDMS on:

N/A

5. Injection Projects to new operator in RBDMS on:

n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number:

RLB0006732

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number:

RLB0006705

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number:

n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number

n/a

2. The FORMER operator has requested a release of liability from their bond on:

N/A

The Division sent response by letter on:

N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

N/A

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Pioneer Natural Resources USA, Inc. <i>N5155</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 5205 N. O'Connor Blvd CITY Irving STATE TX ZIP 75039 PHONE NUMBER: (972) 444-9001		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH		8. WELL NAME and NUMBER: See Attached List
		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

- Operator change due to the merger between Pioneer Natural Resources USA, Inc and Evergreen Resources Inc., effective September 28, 2004.
- See list attached for all wells currently operated under the name of Evergreen Operating (subsidiary of Evergreen Resources) as listed on the DOGM database on October 15, 2004.
- Operator will now be Pioneer Natural Resources USA, Inc. Local operation address info and contacts under separate cover.
- Surety Bond #104319462 (replaces RLB 0006706) attached
- Copy of Oil & Gas Geothermal Lease Bond - BLM #104091293 attached

Name: Dennis R. Carlton

Title: Executive Vice President, Evergreen Operating Corp. *N2545*

Signature: *DR Carlton*

Date: *10/18/04*

NAME (PLEASE PRINT) Jay Still
SIGNATURE *Jay Still*

TITLE Vice President, Western Division, Pioneer Natural Resources USA Inc.
DATE 10/19/04

(This space for State use only)

APPROVED *10/28/04*
Earlene Russell
Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

RECEIVED
OCT 21 2004
DIV. OF OIL, GAS & MINING

**EVERGREEN TO PIONEER NATURAL RESOURCES USA, INC. MERGER
WELL LIST 10/16/04**

API Well Number	Operator	Well Name	Well Type	Well Status	Field Name	County Name	Location (Twn-Rng)	Sect	Twpr	Twpd	RngN	RngD	Qtr/Qtr
43-007-30122-00-00	EVERGREEN OPERATING CORP	SHIMMIN TRUST 5	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	NWNE
43-007-30137-00-00	EVERGREEN OPERATING CORP	HUBER-FEDERAL 7-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	SWNE
43-007-30138-00-00	EVERGREEN OPERATING CORP	HUBER-FRANSDEN 4-15	Gas Well	Plugged and Abandoned	CASTLEGATE	CARBON	12S-10E	15	12	S	10	E	NWNW
43-007-30140-00-00	EVERGREEN OPERATING CORP	HUBER-FED 6-8	Gas Well	Plugged and Abandoned	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	SENW
43-007-30159-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 9-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NESE
43-007-30162-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 5-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	SWNW
43-007-30163-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 16-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	SESE
43-007-30164-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 11-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NESW
				Spudded (Drilling commenced: Not yet completed)									
43-007-30166-00-00	EVERGREEN OPERATING CORP	SHIMMIN TRUST 11-11	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	NESW
43-007-30169-00-00	EVERGREEN OPERATING CORP	SHIMMIN TRUST 14-12	Gas Well	Plugged and Abandoned	CASTLEGATE	CARBON	12S-10E	12	12	S	10	E	SESW
43-007-30589-00-00	EVERGREEN OPERATING CORP	HUBER-STATE 1-16	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	NWNE
43-007-30596-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NWSW
43-007-30640-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 3-14	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	SENE
43-007-30659-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 2-11	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	SESE
43-007-30662-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 4-14	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	SENW
43-007-30669-00-00	EVERGREEN OPERATING CORP	HUBER-ST/F 4-11	Gas Well	Location Abandoned	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	SE
43-007-30673-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 1-11	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	SE
43-007-30674-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 1-12	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	12	12	S	10	E	NWSE
				Spudded (Drilling commenced: Not yet completed)									
43-007-30675-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-10	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NESE
43-007-30676-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 3-10	Gas Well	Location Abandoned	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	SWNE
43-007-30717-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	NWSW
				Spudded (Drilling commenced: Not yet completed)									
43-007-30718-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-18	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	18	12	S	10	E	NESE
43-007-30733-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-4	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	4	12	S	10	E	SWSE
43-007-30734-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-8	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	NENE
43-007-30735-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	NENW
43-007-30736-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-15	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	15	12	S	10	E	SWNE
43-007-30764-00-00	EVERGREEN OPERATING CORP	HUBER-J/F 2-17	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	17	12	S	10	E	NENW
43-007-30768-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-8	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	NESE
43-007-30769-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-17	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	17	12	S	10	E	NENE
43-007-30783-00-00	EVERGREEN OPERATING CORP	HUBER-ST 2-16	Gas Well	Approved permit (APD); not yet spudded	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	NWSE
43-007-30784-00-00	EVERGREEN OPERATING CORP	HUBER-ST 3-16	Gas Well	Approved permit (APD); not yet spudded	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	SESW
43-007-30785-00-00	EVERGREEN OPERATING CORP	HUBER-ST 4-16	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	SE
43-007-30787-00-00	EVERGREEN OPERATING CORP	H-M FED 2-14	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	NESE
43-007-30810-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-5	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	5	12	S	10	E	NESW
43-007-30858-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 4-17	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	17	12	S	10	E	NESE
43-007-30859-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-18	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	18	12	S	10	E	NENE
43-007-30860-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 4-8	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	NWSW

**EVERGREEN TO PIONEER NATURAL RESOURCES USA, INC. MERGER
WELL LIST 10/15/04**

API Well Number	Operator	Well Name	Well Type	Well Status	Field Name	County Name	Location (Twn-Rng)	Sect	Twpn	Twpd	RngN	RngD	Qtr/Qtr
43-007-30947-00-00	EVERGREEN OPERATING CORP	HUBER-FRANDSEN/FED 4-15	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	15	12	S	10	E	NWNW
43-007-30961-00-00	EVERGREEN OPERATING CORP	STATE 11-16	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	NWNW
43-007-30962-00-00	EVERGREEN OPERATING CORP	SHIMMIN 11-14	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	NWNW
43-007-30786	EVERGREEN OPERATING CORP	Jensen 7-15 Deep	Gas Well	Active	WILDCAT	CARBON	12S-10E	15	12	S	10	E	SWNE
43-007-30977-00-00	EVERGREEN OPERATING CORP	JENSEN 24-4	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	4	12	S	10	E	SESW
43-007-30978-00-00	EVERGREEN OPERATING CORP	JENSEN 34-5	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	5	12	S	10	E	SWSE
43-007-30980-00-00	EVERGREEN OPERATING CORP	JENSEN 41-9	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	NENE
43-007-30981-00-00	EVERGREEN OPERATING CORP	JENSEN 34-10	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	SWSE
43-013-32308-00-00	EVERGREEN OPERATING CORP	HUBER-ST 1-35	Water Disposal Well	Active	CASTLEGATE	DUCHESNE	11S-10E	35	11	S	10	E	SW
43-013-32317-00-00	EVERGREEN OPERATING CORP	HUBER-STATE 1-27	Gas Well	New Permit (Not yet approved or drilled)	WILDCAT	DUCHESNE	11S-10E	27	11	S	10	E	SWSE
43-047-30494-00-00	EVERGREEN OIL CORP	POISON SPRINGS U 1 USA	Oil Well	Plugged and Abandoned	WILDCAT	GARFIELD	04S-12E	24	04	S	12	E	NESE
43-017-30102-00-00	EVERGREEN OIL CORP	POISON SPRINGS U 2 USA	Oil Well	Plugged and Abandoned	WILDCAT	GARFIELD	04S-12E	4	04	S	12	E	NENE
43-019-30136-00-00	EVERGREEN OPERATING CORP	ANDERSON FED 2	Gas Well	Producing	EAST CANYON	GRAND	16S-24E	12	16	S	24	E	SWSW
43-019-30955-00-00	EVERGREEN OPERATING CORP	FEDERAL 24-1	Gas Well	Shut-In	EAST CANYON	GRAND	16S-24E	24	16	S	24	E	NWNE
43-019-31077-00-00	EVERGREEN OPERATING CORP	FEDERAL 1-34	Gas Well	Producing	BRYSON CANYON	GRAND	16S-24E	34	16	S	24	E	NESE
43-019-31078-00-00	EVERGREEN OPERATING CORP	FEDERAL 2-34	Gas Well	Producing	BRYSON CANYON	GRAND	16S-24E	34	16	S	24	E	SESW
43-047-30248-00-00	EVERGREEN OPERATING CORP	BLACK HORSE 2	Gas Well	Shut-In	BLACK HORSE CYN	UINTAH	15S-24E	29	15	S	24	E	SESE
43-047-30284-00-00	EVERGREEN OPERATING CORP	PINE SPRING U 1	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	15	14	S	22	E	NESW
43-047-30325-00-00	EVERGREEN OPERATING CORP	RAT HOLE CYN 1	Gas Well	Shut-In	RAT HOLE CANYON	UINTAH	14S-25E	8	14	S	25	E	NWSE
43-047-30331-00-00	EVERGREEN OPERATING CORP	DRY BURN U 1	Gas Well	Shut-In	DRY BURN	UINTAH	13S-25E	29	13	S	25	E	NWSE
43-047-30332-00-00	EVERGREEN OPERATING CORP	1-L-23	Gas Well	Shut-In	SWEETWATER CYN	UINTAH	14S-24E	23	14	S	24	E	SWNE
43-047-30460-00-00	EVERGREEN OPERATING CORP	SWEETWATER CYN 1	Gas Well	Shut-In	SWEETWATER CYN	UINTAH	14S-24E	14	14	S	24	E	SWNW
43-047-30582-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 4-25-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	25	14	S	23	E	SWSW
43-047-30619-00-00	EVERGREEN OPERATING CORP	CROOKED CYN 13-17-14-23	Gas Well	Producing	CROOKED CANYON	UINTAH	14S-23E	17	14	S	23	E	NWNW
43-047-30622-00-00	EVERGREEN OPERATING CORP	WOLF UNIT 3-11-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	11	15	S	21	E	SESW
43-047-30639-00-00	EVERGREEN OPERATING CORP	MAIN CYN 11-10-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	10	15	S	23	E	SESW
43-047-30674-00-00	EVERGREEN OPERATING CORP	MAIN CYN 15-8-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	8	15	S	23	E	NWNE
43-047-30735-00-00	EVERGREEN OPERATING CORP	MAIN CYN 2-8-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	8	15	S	23	E	SWSE
43-047-30738-00-00	EVERGREEN OPERATING CORP	MAIN CYN 7-17-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	17	15	S	23	E	NWSE
43-047-30746-00-00	EVERGREEN OPERATING CORP	STATE 11-2-15-22	Gas Well	Plugged and Abandoned	MAIN CANYON	UINTAH	15S-22E	2	15	S	22	E	SESW
43-047-30791-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 6-35-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	35	14	S	23	E	NES
43-047-30844-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 8-36-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	36	14	S	23	E	NES
43-047-30975-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 1-25-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	25	14	S	23	E	SESE
43-047-30977-00-00	EVERGREEN OPERATING CORP	MAIN CYN 8-7-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	7	15	S	23	E	NESE
43-047-31003-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 3-26-14-23	Gas Well	Shut-In	MAIN CANYON	UINTAH	14S-23E	26	14	S	23	E	SESW
43-047-31027-00-00	EVERGREEN OPERATING CORP	FEDERAL 6-14-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	14	15	S	21	E	NESW
43-047-31040-00-00	EVERGREEN OPERATING CORP	SWEETWATER 6-13-14-24	Gas Well	Shut-In	SWEETWATER CYN	UINTAH	14S-24E	13	14	S	24	E	NESW
43-047-31041-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 16-25-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	25	14	S	23	E	NENE
43-047-31042-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 7-21-14-22	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	21	14	S	22	E	NWSE
43-047-31043-00-00	EVERGREEN OPERATING CORP	MAIN CYN 4-4-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	4	15	S	23	E	SWSW
43-047-31045-00-00	EVERGREEN OPERATING CORP	BLACK HORSE 14-15-15-24	Gas Well	Shut-In	SOUTH CANYON	UINTAH	15S-24E	15	15	S	24	E	NENW
43-047-31063-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 8-20-14-22	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	20	14	S	22	E	NESE

**EVERGREEN TO PIONEER NATURAL RESOURCES USA, INC. MERGER
WELL LIST 10/15/04**

API Well Number	Operator	Well Name	Well Type	Well Status	Field Name	County Name	Location (Twn-Rng)	Sect	Twpt	Twpd	RngN	RngD	Qtr/Qtr
43-047-31071-00-00	EVERGREEN OPERATING CORP	FEDERAL 7-15-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	15	15	S	21	E	NWSE
43-047-31072-00-00	EVERGREEN OPERATING CORP	MAIN CYN 6-3-15-23	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-23E	3	15	S	23	E	NESW
43-047-31073-00-00	EVERGREEN OPERATING CORP	MAIN CYN 6-8-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	8	15	S	23	E	NESW
43-047-31074-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 13-26-14-22	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	26	14	S	22	E	NWNW
43-047-31091-00-00	EVERGREEN OPERATING CORP	FEDERAL 2-18-15-22	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-22E	18	15	S	22	E	SWSE
43-047-31096-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 9-12-14-21	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-21E	12	14	S	21	E	SENE
43-047-31104-00-00	EVERGREEN OPERATING CORP	BLACK HORSE 12-8-15-24	Gas Well	Shut-In	SOUTH CANYON	UINTAH	15S-24E	8	15	S	24	E	SWNW
43-047-31111-00-00	EVERGREEN OPERATING CORP	MAIN CYN 16-4-15-23	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-23E	4	15	S	23	E	NENE
43-047-31134-00-00	EVERGREEN OPERATING CORP	FED ENI 7-1	Gas Well	Producing	DAVIS CANYON	UINTAH	13S-26E	7	13	S	26	E	NENE
43-047-31135-00-00	EVERGREEN OPERATING CORP	STATE 8-2-15-22	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-22E	2	15	S	22	E	NESE
43-047-31137-00-00	EVERGREEN OPERATING CORP	FEDERAL 5-13-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	13	15	S	21	E	NWSW
43-047-31348-00-00	EVERGREEN OPERATING CORP	FEDERAL 12-18-14-22	Gas Well	Shut-In	PINE SPRINGS	UINTAH	14S-22E	18	14	S	22	E	SWNW
43-047-34674-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 3-23-14S-22E	Gas Well	Location Abandoned	PINE SPRINGS	UINTAH	14S-22E	23	14	S	22	E	SENE
43-047-34675-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 3-23-14S-22E	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	23	14	S	22	E	SESW
43-047-34676-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 12-23-14S-22E	Gas Well	Temporarily-Abandoned	PINE SPRINGS	UINTAH	14S-22E	23	14	S	22	E	SWNW
43-047-34941-00-00	EVERGREEN OPERATING CORP	BONANZA FED 15-27-10-25	Gas Well	Producing	UNDESIGNATED	UINTAH	10S-25E	27	10	S	25	E	NWNE
43-047-35555-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS ST 6-36-14-22	Gas Well	Spudded (Drilling commenced; Not yet completed)	UNDESIGNATED	UINTAH	14S-22E	36	14	S	22	E	NE
43-047-35556-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 4-22-14-22	Gas Well	Approved permit (APD); not yet spudded	PINE SPRINGS	UINTAH	14S-22E	22	14	S	22	E	SWSW
43-047-35566-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 15-21-14-22	Gas Well	Approved permit (APD); not yet spudded	PINE SPRINGS	UINTAH	14S-22E	21	14	S	22	E	NWNE

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective:		9/28/2004
FROM: (Old Operator): N2545-Evergreen Operating Corp. 1401 17th St, Suite 1200 Denver, CO 80202 Phone: 1-(303) 298-8100	TO: (New Operator): N5155-Pioneer Natural Resources USA, Inc. 5205 N O'Connor Blvd Irving, TX 75039 Phone: 1-(972) 444-9001	

		CA No.				Unit:	See Below		
WELL(S)									
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
BLACK HORSE CANYON									
BLACK HORSE 2	29	150S	240E	4304730248	10897	Federal	GW	S	
BLACK HORSE 12-8-15-24	08	150S	240E	4304731104	8070	Federal	GW	S	
DRY BURN									
DRY BURN U 1	29	130S	250E	4304730331	8050	Federal	GW	S	
RAT HOLE									
RAT HOLE CYN 1	08	140S	250E	4304730325	9565	Federal	GW	S	
SWEETWATER CANYON									
1-L-23	23	140S	240E	4304730332	9560	Federal	GW	S	
SWEETWATER CYN 1	14	140S	240E	4304730460	8060	Federal	GW	S	
SWEETWATER 6-13-14-24	13	140S	240E	4304731040	8060	Federal	GW	S	
TRAPP SPRINGS									
TRAPP SPRINGS 4-25-14-23	25	140S	230E	4304730582	10894	Federal	GW	P	
TRAPP SPRINGS 8-36-14-23	36	140S	230E	4304730944	10895	State	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 10/21/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 10/21/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 10/21/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5738462-0143
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: _____
- Inspections of LA PA state/fee well sites complete on: ***

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/28/2004

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on:

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- 1. Changes entered in the Oil and Gas Database on: 10/28/2004
- 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 10/28/2004
- 3. Bond information entered in RBDMS on: 10/28/2004
- 4. Fee/State wells attached to bond in RBDMS on: 10/28/2004
- 5. Injection Projects to new operator in RBDMS on: 10/28/2004
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: ***

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 104091293

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

- 1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 104319462
- 2. The **FORMER** operator has requested a release of liability from their bond on: 10/21/2004
The Division sent response by letter on: 10/28/2004

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 11/1/2004

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Pioneer Natural Resources USA, Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1401 17th Street - Ste 1200 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER:
PHONE NUMBER: (303) 675-2663		9. API NUMBER: 43-047-30582
		10. FIELD AND POOL, OR WILDCAT: COUNTY: 25 14S 23E Grand & Uintah STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Monthly Shut In</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Status October 2007</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The attached is a list of wells that remained shut-in during the month of October 2007 due to economical market conditions.

NAME (PLEASE PRINT) <u>Joy A. Ziegler</u>	TITLE <u>Senior Engineering Tech</u>
SIGNATURE	DATE <u>11/2/2007</u>

(This space for State use only)

RECEIVED
NOV 05 2007

Pioneer Natural Resources USA, Inc.				
Subsequent Report of Shut In on Federal Wells				
Shut-In The Month Of October 2007				
Attachment to Form 9				
Date of Report: November 2, 2007				
<u>Well Name & Number</u>	<u>API No.</u>	<u>Field Name</u>	<u>Q/Q S/T/R</u>	<u>Lease No.</u>
Bryson Canyon Federal 2-34-16S-24E	43-019-31077	Bryson Canyon	SESW 34-16S-24E	UTU 52030
Bryson Canyon Federal 1-34-16S-24E	43-019-31078	Bryson Canyon	NESE 34-16S-24E	UTU 52030
Anderson Federal 2-12-16S-24E	43-019-30136	East Canyon	SWSW 12-16S-24E	U04967C
Wolf Point Federal 5-13-15S-21E	43-047-31137	Wolf Point	NWSW 13-15S-21E	U30112
Wolf Point Federal 6-14-15S-21E	43-047-31027	Wolf Point	NESW 14-15S-21E	U10173
Wolf Point Federal 7-15-15S-21E	43-047-31071	Wolf Point	NWSE 15-15S-21E	U6618
Federal 3-11-15S-21E	43-047-30622	Wolf Point	SESW 11-15S-21E	U6618
Main Canyon 11-10-15S-23E	43-047-30639	Main Canyon	SESW 10-15S-23E	U8361
Main Canyon 15-8-15S-23E	43-047-30674	Main Canyon	NWNE 8-15S-23E	U9211
Main Canyon 16-4-15S-23E	43-047-31111	Main Canyon	NENE 4-15S-23E	U8361
Main Canyon 2-8-15S-23E	43-047-30735	Main Canyon	SWSE 8-15S-23E	U9211
Main Canyon 4-4-15S-23E	43-047-31043	Main Canyon	SWSW 4-15S-23E	U8361
Main Canyon 6-8-15S-23E	43-047-31073	Main Canyon	NESW 8-15S-23E	U9211
Main Canyon 7-17-15S-23E	43-047-30736	Main Canyon	NWSE 17-15S-23E	U8359
Main Canyon Fed 23-7-15-23E	43-047-37705	Main Canyon	NESW 7-15S-23E	U9211
Federal 13-17-14S-23E	43-047-30619	Crooked Canyon	NWNW 17-14S-23E	UTU6613
Trapp Springs 16-25-14S-23E	43-047-31041	Main Canyon	NENE 25-14S-23E	U38073
Trapp Springs 8-36-14S-23E	43-047-30944	Main Canyon	NESE 36-14S-23E	ML18667
Trapp Springs 4-25-14S-23E	43-047-30582	Main Canyon	SWSW 25-14S-23E	U38073
Trapp Springs 6-35-14S-23E	43-047-30791	Main Canyon	NESW 35-14S-23E	U35272
Pine Springs 13-26-14S-22E	43-047-31074	Main Canyon	NWNW 26-14S-22E	U27413
Pine Springs 3-23-14S-22E	43-047-34675	Main Canyon	SESW 23-14S-22E	UTU006614
Pine Springs 7-21-14S-22E	43-047-31042	Main Canyon	NWSE 21-14S-22E	U10199
Pine Springs 8-20-14S-22E	43-047-31063	Pine Springs	NESE 20-14S-22E	U10199
Pine Springs 9-12-14S-21E	43-047-31096	Pine Springs	SENE 12-14S-21E	U10272

RECEIVED

NOV 05 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

- | |
|--------|
| 1. DJJ |
| 2. CDW |

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

3/1/2010

FROM: (Old Operator): N5155-Pioneer Natural Resources USA, Inc. 1401 17th St, Suite 1200 Denver, CO 80202 Phone: 1 (303) 675-2610	TO: (New Operator): N3655-Foundation Energy Management, LLC 14800 Landmark Blvd, Suite 2200 Dallas, TX 75254 Phone: 1 (918) 585-1650
--	--

CA No. Unit: TRAPP SPRINGS

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
TRAPP SPRINGS 4-25-14-23	25	140S	230E	4304730582	10894	Federal	GW	P
TRAPP SPRINGS 8-36-14-23	36	140S	230E	4304730944	10895	State	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 3/18/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 3/18/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/2010
- Is the new operator registered in the State of Utah: Business Number: 7591070-0161
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/20/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/10/2010
- Bond information entered in RBDMS on: 5/20/2010
- Fee/State wells attached to bond in RBDMS on: 5/20/2010
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000427
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number B005552 & B005635
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 6/10/2010

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING


FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME:
		8. WELL NAME and NUMBER: See Attached List
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		9. API NUMBER:
2. NAME OF OPERATOR: Foundation Energy Management, LLC		10. FIELD AND POOL, OR WILDCAT:
3. ADDRESS OF OPERATOR: 14800 Landmark Blvd. - Ste 220 CITY Dallas STATE TX ZIP 72254		PHONE NUMBER: (918) 585-1650
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY:		STATE: UTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 1/1/2010	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Foundation Energy Management, LLC. has acquired all of Pioneer Natural Resources USA, Inc.'s interest in the attached list of wells. Foundation Energy Management, LLC. assumed operations of these wells on March 1, 2010.



Betty Brownson
Attorney-In-Fact
Pioneer Natural Resources USA, Inc.

1401 17th Street - Suite 1200
Denver, CO 80202
Telephone: 303-675-2610
Fax: 303-294-1255



Joel P. Sauer
Vice President
Foundation Energy Management, LLC.

14800 Landmark Blvd., Suite 220
Dallas, Texas 75254
UDOGM Bond No. ~~B005552~~ B005552 & B005635
UT Trust Lands: B005499 BLM Bond No UTB000427
Telephone: 918-585-1650
Fax: 918-585-1660

NAME (PLEASE PRINT) Joel P. Sauer TITLE Vice President

SIGNATURE  **APPROVED 5/20/2010** 3-10-2010 **RECEIVED**

(This space for State use only)


Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

MAR 18 2010

DIV. OF OIL, GAS & MINING

Pioneer Natural Resoures (N5155) to Foundation Energy Management (N3655)
EFFECTIVE March 1, 2010

well_name	sec	twp	rng	api	entity	lease	type	stat
TRAPP SPRINGS 4-25-14-23	25	140S	230E	4304730582	10894	Federal	GW	P
TRAPP SPRINGS 8-36-14-23	36	140S	230E	4304730944	10895	State	GW	P