

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____ FILE **X** _____ WATER SANDS _____ LOCATION INSPECTED _____ SUB. REPORT/abd _____

4-18-86 computer

DATE FILED **4-3-80**

LAND: FEE & PATENTED _____ STATE LEASE NO. _____ PUBLIC LEASE NO. **U-11622** _____ INDIAN _____

DRILLING APPROVED: **4-9-80**

SPUDDED IN: _____

COMPLETED: _____ PUT TO PRODUCING: _____

INITIAL PRODUCTION: _____

GRAVITY A.P.I. _____

GOR: _____

PRODUCING ZONES: _____

TOTAL DEPTH: _____

WELL ELEVATION: _____

DATE ABANDONED: **LOCATION ABANDONED * WELL NEVER DRILLED 4-29-81 *PA'd***

FIELD: **Undesignated 3/86 Wildcat**

UNIT: _____

COUNTY: **Uintah**

WELL NO. **Chambers Federal 1-17** _____ API No. **43-047-30686**

LOCATION **609'** FT. FROM (N) ~~XX~~ LINE. **843'** FT. FROM (E) ~~XX~~ LINE. **NE NE,** **17** 1/4 - 1/4 SEC.

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				6S	21E	17	JERRY CHAMBERS EXPL.

Filed in NID File	<input checked="" type="checkbox"/>	Checked by Chief	_____
Entered On S R Sheet	_____	Copy NID to Field Office	_____
Location Map Pinned	_____	Approval Letter	_____
Card Indexed	<input checked="" type="checkbox"/>	Disapproval Letter	_____
IWR for State or Fee Land	_____		
COMPLETION DATA:			
Date Well Completed	_____	Location Inspected	_____
OW _____	WX _____	TA _____	Bond released _____
GW _____	OS _____	PA _____	State of Fee Land _____
LOGS FILED			
Driller's Log	_____		
Electric Logs (No.)	_____		
E _____	I _____	E-I _____	GR _____
GR-N _____	Micro _____		
Lat _____	Mi-L _____	Sonic _____	Others _____

4-9-93 JEF



POWERS ELEVATION

OIL WELL ELEVATIONS AND LOCATIONS
CHERRY CREEK PLAZA, SUITE 1201
600 SOUTH CHERRY STREET
DENVER, COLORADO 80222
PHONE NO. 303/321-2217

March 31, 1980

Department of Natural Resources
Division of Oil, Gas & Mining
1588 West, North Temple
Salt Lake City, Utah 84116

RECEIVED
APR 03 1980

RE: Filing State A.P.D.
Jerry Chambers Exploration Company
#1-17 Chambers-Federal
NENE Sec. 17 T6S R21E
609' FNL & 843' FEL
Uintah County, Utah

DIVISION OF
OIL, GAS & MINING

Dear Sirs:

Enclosed, in duplicate, is a copy of the A.P.D. Form 9-331C and a location and elevation plat for the above-mentioned well location.

If further information is needed, please call.

Sincerely,

POWERS ELEVATION

Connie L. Frailey
Connie L. Frailey

CLF:vg
Enclosures

cc: M.C. Johnson, Jerry Chambers Exploration Company, Denver, Colorado

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1A. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

B. TYPE OF WELL
 OIL WELL & GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Jerry Chambers Exploration

3. ADDRESS OF OPERATOR
Suite 1700 Lincoln Center Bldg., Denver, Colorado 80264

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
 At surface
NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 17-6S-21E (609'FNL & 843'FEL)
 At proposed prod. zone
Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
13.8 miles south of Vernal, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
609'

16. NO. OF ACRES IN LEASE
1600.64

17. NO. OF ACRES ASSIGNED TO THIS WELL
160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
4500

20. ROTARY OR CABLE TOOLS
RT

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5047'GR

22. APPROX. DATE WORK WILL START*
April 15, 1980

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
10 3/4"	8 5/8"	32#	275'	175 sxs
7 7/8"	5 1/2"	15.5#	4500'	400 sxs

- MIRT rig up and spud.
- Drill 10 3/4" hole and set 8 5/8" casing at 275' with 175 sxs woc.
- Test surface csg. to 1000# for 30 min., drill out. Drill to 4500' running DST's as necs.
- Test B.O.P.s daily and record in log book that test was made.
- Run electric logs at T.D.
- If well appears to be productive run 5 1/2" csg., cement, perforate and stimulate as req.
- Set surface equipment and put on production.

Exhibits Attached:

- | | |
|---------------------------------------|---|
| A. Location and Elevation plat | C. BOP diagram |
| B. Ten-Point Compliance Program | F. Radius map of field area |
| D. Multipoint requirements for A.P.D. | D. Drill pad layout, Prod. facilities, cut & fill diagram |
| E. Access road map | H. Rig layout diagram |
| & | |
| E ₁ | |

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED MC Johnson TITLE Chief Geologist DATE 3/10/80
3/10/80

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____
 CONDITIONS OF APPROVAL, IF ANY:

RECEIVED


APR 03 1980

*See Instructions On Reverse Side

DIVISION OF
OIL, GAS & MINING



R. 21E



T.
6
S.

Scale... 1" = 1000'

Powers Elevation Company, Inc. of Denver, Colorado
 has in accordance with a request from M.C. JOHNSON
 for JERRY CHAMBERS EXPLORATION CO.
 determined the location of 1-17 CHAMBERS FEDERAL
 to be 609' FNL, & 843' FEL OF Section 17 Township 6 SOUTH
 Range 21 EAST OF THE SALT LAKE BASE & Meridian
 UTAH County, UTAH

I hereby certify that this plat is an
 accurate representation of a correct
 survey showing the location of
 1-17 CHAMBERS FEDERAL

Date: 3-8-80

Donna R. B... ..
 Licensed Land Surveyor No. 4189
 State of UTAH

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL & GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Jerry Chambers Exploration

3. ADDRESS OF OPERATOR
Suite 1700 Lincoln Center Bldg., Denver, Colorado 80264

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
At surface NE 1/4 Sec. 17-6S-21E (609'FNL & 843'FEL)
At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
13.8 miles south of Vernal, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)
609'

16. NO. OF ACRES IN LEASE
1600.64

17. NO. OF ACRES ASSIGNED TO THIS WELL
160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
4500

20. ROTARY OR CABLE TOOLS
RT

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5047'GR

22. APPROX. DATE WORK WILL START*
April 15, 1980

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
10 3/4"	8 5/8"	32#	275'	175 SXS <i>circulate to surf.</i>
7 7/8"	5 1/2"	15.5#	4500'	400 SXS

- MIRT rig up and spud.
- Drill 10 3/4" hole and set 8 5/8" casing at 275' with 175 sxs woc.
- Test surface csg. to 1000# for 30 min., drill out. Drill to 4500' running DST's as necs.
- Test B.O.P.s daily and record in log book that test was made.
- Run electric logs at T.D.
- If well appears to be productive run 5 1/2" csg., cement, perforate and stimulate as req.
- Set surface equipment and put on production.

Exhibits Attached:

- A. Location and Elevation plat
- B. Ten-Point Compliance Program
- D. Multipoint requirements for A.P.D.
- E. Access road map
- &
- E₁
- C. BOP diagram
- F. Radius map of field area
- D. Drill pad layout, Prod. facilities, cut & fill diagram
- H. Rig layout diagram

18. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED MC Johnson TITLE Chief Geologist DATE 3/10/80

(This space for Federal or State office use)
PERMIT NO. 43-047-30686 APPROVAL DATE 4/9/80

APPROVED BY _____ TITLE _____ DATE APR 03 1980

APPROVED BY THE DIVISION OF OIL, GAS, AND MINING
DATE: 4-9-80
BY: M. J. Munder


*See Instructions On Reverse Side

DIVISION OF OIL, GAS & MINING





R. 21E



Scale... 1" = 1000'

Powers Elevation Company, Inc. of Denver, Colorado
 has in accordance with a request from M.L. JOHNSON
 for JERRY CHAMBERS EXPLORATION CO.
 determined the location of 1-17 CHAMBERS FEDERAL
 to be 609' FNL, & 843' FEL. OF Section 17 Township 6 SOUTH
 Range 21 EAST OF THE SALT LAKE BASE & Meridian
 UTAH County, UTAH

I hereby certify that this plat is an
 accurate representation of a correct
 survey showing the location of
 1-17 CHAMBERS FEDERAL

Date: 3-8-80

Donna M. B... [Signature]

Licensed Land Surveyor No. 4189
State of UTAH

** FILE NOTATIONS **

DATE: April 3, 1980

Operator: Jerry Chambers Exploration

Well No: Chambers Federal #1-17

Location: Sec. 17 T. 6S R. 21E County: Wintak

File Prepared:

Entered on N.I.D.:

Card Indexed:

Completion Sheet:

API Number 43-047-30686

CHECKED BY:

Geological Engineer: _____

Hold for topo. except per call 4-4-80 C. Fraily

Petroleum Engineer: M.S. Mincher 4-9-80

Director: _____

no other wells w/in 4960' - C3: 23' off spacing

APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. _____

O.K. Rule C-3

Rule C-3(c), Topographic Exception/company owns or controls acreage within a 660' radius of proposed site

Lease Designation 3rd

Plotted on Map

Approval Letter Written

utw

#2

nl
PF

April 8, 1980

Jerry Chambers Exploration
Suite 1700 Lincoln Center Building
Denver, Colorado 80264

Re: Well No. Chambers Federal #1-17
Sec. 17, T. 6S, R. 21E.,
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil/gas well on said unorthodox location is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-30686.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder
Petroleum Engineer

/b:tm

cc: USGS



POWERS ELEVATION

OIL WELL ELEVATIONS AND LOCATIONS
CHERRY CREEK PLAZA, SUITE 1201
600 SOUTH CHERRY STREET
DENVER, COLORADO 80222
PHONE NO. 303/321-2217

April 7, 1980

Department of Natural Resources
Division of Oil, Gas & Mining
1588 West, North Temple
Salt Lake City, Utah 84116

RECEIVED
APR 09 1980

DIVISION OF
OIL, GAS & MINING

RE: Exception to Rule C-3
Jerry Chambers Exploration Company
#1-17 Chambers-Federal
NE NE Sec. 17 T6S R21E
609' FNL & 843' FEL
Uintah County, Utah

Dear Sirs:

Jerry Chambers Exploration Company hereby requests an exception to Rule C-3 for the above-captioned well location. A location and elevation plat is enclosed.

The location is 477' from the West boundary line of the NE NE (as shown on map) and was placed there due to extreme topographic difficulties.

Within the 660 foot radius, Jerry Chambers Exploration Company owns the entire lease in Section 17 T6S R21E (Lease No. U-11622). In Section 8 T6S R21E, all oil and gas leases have been withdrawn from the public and there are no current active oil and gas leases in Section 8. Therefore, no other leaseholders are involved.

Approval of this exception to Rule C-3 would be greatly appreciated.

Thank you.

Sincerely,

POWERS ELEVATION



Darryl Cooper
Darryl Cooper

DC:vg
Enclosure

cc: M.C. Johnson, Jerry Chambers Exploration Company, Denver, Colorado



R. 21E



T.
6
S.

Scale... 1" = 1000'

Powers Elevation Company, Inc. of Denver, Colorado
 has in accordance with a request from M.L. JOHNSON
 for JERRY CHAMBERS EXPLORATION CO.
 determined the location of 1-17 CHAMBERS FEDERAL
 to be 600' FNL, & 843' FEL OF Section 17 Township 6 SOUTH
 Range 21 EAST OF THE SALT LAKE BASE & Meridian
 UTAH County, UTAH

I hereby certify that this plat is an
 accurate representation of a correct
 survey showing the location of
 1-17 CHAMBERS FEDERAL

Date: 3-8-80

Donna M. [Signature]
 Licensed Land Surveyor No. 4189
 State of UTAH


EXHIBIT "E"
Access Road onto Location

Jerry Chambers Exploration Company
#1-17 Chambers-Federal
NE NE Sec. 17 T6S R21E
609' FNL & 843' FEL
Uintah County, Utah

660 feet radius

LEGEND

-  - Jerry Chambers Expl. Co
-  - Public Land withdrawn



April 10, 1981

Jerry Chambers Exploration
Suite 1700 Lincoln Center Building
Denver, Colorado 80264

Re: Well No. Chambers Federal #1-17
Sec. 17. T. 6S. R. 21E.
Uintah County, Utah

Gentlemen:

In reference to above mentioned well, considerable time has gone by since approval was obtained from this office.

This office has not recieved any notification of spudding. If you do not intend to drill this well, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan on drilling this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING



SANDY BATES
CLERK-TYPIST

1700 Lincoln Center Building
1660 Lincoln Street
Denver, Colorado 80264
(303) 861-7300

JERRY CHAMBERS



EXPLORATION CO.

April 29, 1981

Division of Oil, Gas and Mining
Department of Natural Resources
1588 West North Temple
Salt Lake City, Utah 84116

Attention: Ms. Sandy Bates

Re: Well No. 1-17 Chambers Federal
Section 17, T6S-R21E
Uintah County, Utah

> L.A.

Gentlemen:

Pursuant to your letter of April 10, 1981, this letter will serve as notification that Jerry Chambers Exploration Co. has no present plans to drill a well at this location.

Very truly yours,

JERRY CHAMBERS EXPLORATION CO.

R. J. Sanders
Exploration Manager

RJS/js

RECEIVED

MAY 1 1981

DIVISION OF
OIL, GAS & MINING