

FILE NOTATIONS

Entered in NID File _____
 Entered On S R Sheet _____
 Location Map Pinned _____
 Card Indexed _____
 IWR for State or Fee Land _____

Checked by Chief _____
 Copy NID to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed _____
 OW _____ WW _____ TA _____
 GW _____ OS _____ PA _____

Location Inspected _____
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log _____

Electric Logs (No.) _____

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 MAPCO Production Company
 Alpine Executive Center

3. ADDRESS OF OPERATOR
 1643 Lewis Ave., Suite 202
 Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 2466' FEL & 1586' FNL Sec. 22, T. 10 S., R. 20 E.
 At proposed prod. zone Same **SW DE**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 12 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1586'

16. NO. OF ACRES IN LEASE 160

17. NO. OF ACRES ASSIGNED TO THIS WELL 640

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. None

19. PROPOSED DEPTH 6150

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4915 GL

22. APPROX. DATE WORK WILL START* Summer 1980

5. LEASE DESIGNATION AND SERIAL NO.
 14-20-462-2646

6. IS INDIAN ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
 River Bend

8. FARM OR LEASE NAME

9. WELL NO.
 RBU 7-222

10. FIELD AND POOL, OR WILL CAT
 Wildcat

11. SEC., T., R., M. OR BLM. AND SURVEY OR AREA
 Sec. 22, T10S R20E

12. COUNTY OR PARISH STATE
 Uintah Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	400'	Cement to Surface
7-7/8"	4-1/2"	9.5 & 10.5#	6150'	Cement to Surface

1. Drill a 12 1/4" hole with an air rig to 400', run 8-5/8", 24#, 1-40 casing and cement to surface.
2. NU and pressure test BOP stack (see Fig. 1) prior to drilling out below surface pipe.
3. Test pipe rams daily and blind rams as possible.
4. Drill a 7-7/8" hole to 6150' with a salt water mud system. No cores are planned.
5. DST's will be run as needed to evaluate unexpected shows.
6. Run logs. Set 4 1/2", 9.5# & 10.5#, K-55 casing as dictated by drilling shows, tests and logs. Casing program may be modified to provide added burst strength if needed for frac program.
7. Primary zones of interest are the Chapita Wells and Uteland Butte section on the Wasatch.
8. All zones indicating potential for economically recoverable gas are listed in a normal, prudent manner. SEE BACK FOR FORMATION LOG TOPS

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Richard Baumann TITLE Engineering Technician DATE August 15, 1980

(This space for Federal or State office use)

PERMIT NO.

APPROVED BY


CONDITIONS OF APPROVAL



APPROVED BY THE DIVISION OF OIL, GAS, AND MINING
 DATE: 8/25/80
 BY: M.S. Minder

MAPCO, INC.
WELL LOCATION PLAT
RBU 7-22 F

JUL 25 1980
 Located in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of
 Section 22, T10S, R20E, S. L. B. & M.



SCALE: 1"=1000'

EXHIBIT A

LEGEND & NOTES

*Found brass cap on pipe monuments
 used for this survey.*


*The General Land Office Plat was
 used for reference and calculations.*

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

Jerry D. Allred

 Jerry D. Allred, Registered Land Surveyor, Cert. NO. 3817 (Utah)




79-128-040

23 July 1980

JERRY D. ALLRED & ASSOCIATES
 Surveying & Engineering Consultants

121 North Center Street
 P.O. Drawer C
 DUCHESNE, UTAH 84021
 (801) 738-5352



OSC NO. 3

RBU 7-11F

RBU 7-10F

16
RBU 11-16F

15
RBU 11-15F


RBU 7-21F

RBU 15-23F

Gas Gathering
Lines


T. 108
R. 20E

Exhibit
3.



Water
Source

Exhibit
D.



Subject

MAPCO PRODUCTION COMPANY

RBU 7-22F

Date

Sheet

of

By

EXHIBIT C

2-3/8", 4.7#, J-55 Tbg. →

Flowline buried from wellhead to production unit.

160'

Completely housed 3 phase production unit. Metering system is a 3" Daniels Simplex Meter Run with Model 202A Barton Meter with 3 pen recorder. Barton Meter has 0-150° F thermometer and 100"-1000# spring. Production meter will be calibrated in place prior to any deliveries.

Pit fenced with wire mesh.

1", 1.72#/ft, J-55 Seamless Tbg.

50' PIT

← WATER

Production Unit

1", 1.72#/ft, J-55, Seamless Tbg. → 300 Bbl. Tank

CONDENSATE


Blowdown line
2-3/8", 4.7#, J-55

60'

100'

Flowline laid on surface & tied down at production unit and at edge of location as shown below.

Tie-down Diagram



TEN-POINT COMPLIANCE PROGRAM OF NTL-6
APPROVAL OF OPERATIONS

Attached to Form 9-331C

Company: MAPCO PRODUCTION COMPANY

Well: RBU 7-22F

Well Location: 2466' FEL & 1586' FNL

Section 22 T. 10 S., R. 20 E.

County: Uintah State: Utah

1. Geologic Surface Formation

UINTAH

2. Estimated Important Geologic Markers

<u>Formation</u>	<u>Depth</u>
Uintah	Surface
Green River	984'
Wasatch	4302'
Chapita Wells	4960'
Uteland Buttes	6000'

3. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
Green River X marker	1684'	oil zone
Green River Brown Zone	3784'	oil zone
Chapita Wells	4960'	gas zone

4. The Proposed Casing Program

<u>SIZE OF CASING</u>	<u>WEIGHT & GRADE</u>	<u>SETTING DEPTH</u>	<u>QUANTITY OF CEMENT</u>
8-5/8"	24# H-40	400'	Cement to surface
4-1/2"	9.5# & 10.5# K-55	6150'	Cement to surface

5. The Operator's Minimum Specifications for Pressure Control

See Figure #1, attached.

BOP stack has a 3000 psi working pressure. BOP's will be pressure tested before drilling casing cement plugs.

Pipe rams will be operated daily and blind rams as possible.

6. The Type and Characteristics of the Proposed Circulating Muds

The well is to be drilled with a saltwater mud system maintaining a weight of approximately 9#/gal with weighting material on location sufficient to weight-up for pressure control.

7. The Auxiliary Equipment to be Used

- 1.) Kelly cock.
- 2.) Full opening valve on floor with DP connection for use when Kelly is not in string.
- 3.) Pit volume totalizer equipment will be used.

8. The Testing, Logging, and Coring Programs to be Followed

A mud logger will be used from 400' to T.D. No drill stem tests will be run. No coring will be done. The logging program will include Dual Laterolog BHC Sonic-Neutron with F log, caliper, and G.R. from T.D. to 3200'. Gamma Ray will be run from TD to surface.

9. Any Anticipated Abnormal Pressures or Temperatures Expected


No abnormal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H₂S gas.

10. The Anticipated Starting Date and Duration of the Operations

Starting Date: Summer

Duration: 20 days

BOP STACK



CHOKER MANIFOLD




FIGURE 1

MULTI-POINT REQUIREMENTS TO ACCOMPANY APD

Attached to Form 9-331C

COMPANY: MAPCO PRODUCTION COMPANY

WELL: RBU 7-22F

WELL LOCATION: 2466' FEL and 1586' FNL

Section 22 T. 10 S., R. 20 E.

County: Uintah State: Utah

1. Existing Roads

- A. The proposed well site and elevation plat is shown as Exhibit A.
- B. Location is as shown in Exhibit B.
- C. An access road of about 600' will be needed to reach the location from the existing road as shown in Exhibit B.
- D. All existing roads are shown on Exhibit D.
- E. There is no anticipated construction on any existing roads.

2. Planned Access Roads

1. Width: Maximum of 30' right-of-way with road bed being approximately 16'-18', and remainder of right-of-way to be used for borrow ditches.
2. Maximum grade: 8%
3. Turnouts: None
4. Drainage design: Drain ditches along either side of the road, where necessary for drainage with material from borrow ditch used to build crown of road. As per meeting with BLM, BIA & USGS on May 3, 1979. No speed curves on hills.
5. Culverts: None
6. Surface materials: Native dirt.
7. Gates, cattleguards, fence cuts: None

3. Location of Existing Wells

All existing wells known in the area are shown directly on Exhibit B within the one-mile radius.

1. Water wells: None
2. Abandoned wells: None
3. Temporarily abandoned wells: None
4. Disposal wells: None
5. Drilling wells: None
6. Producing wells: 2 (RBU 11-15F, RBU 7-21F)
7. Shut-in wells: None
8. Injection wells: None
9. Monitoring or observation wells: None

4. Location of Existing and/or Proposed Facilities

A. The location of existing and/or proposed facilities, if any, owned or controlled by lessee/operator within the 1-mile radius will be shown on Exhibit B.

1. Tank batteries: None
2. Production facilities: Located at RBU 11-15F and RBU 7-21F
3. Oil gathering lines: None
4. Gas gathering lines: See exhibit B

5. Injection Lines: None
6. Disposal Lines: None

B. It is contemplated that, in the event of production, all new facilities will be easily accommodated on the drill pad on the solid base of cut and not placed on the fill areas.

1. No flagging then will be needed.

2. The dimensions of the production facilities and the location of facilities is drafted on Exhibit C. If production is obtained, then the unused areas will be restored as later described.
 3. Concrete as needed and any gravels needed will be purchased from private sources.
 4. All pits will be fenced to minimize any hazard to sheep, cattle, antelope and other animals that graze the area. Flagging material will be used as needed, if water or other fluid is produced.
- C. Rehabilitation, whether the well is productive or dry, will be accomplished as soon as possible in those areas already described, and in accordance with Item 10 following.

5. Water Supply

Water source is shown on Exhibit D.

- A. Water will be hauled from Ouray. Water permit No. 53617 (43-8496).
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Exhibit D.
- C. No water well is anticipated to be drilled at this time.

6. Source of Construction Materials

- A. No construction material, insofar as drilling, will be needed.
- B. No construction materials will be obtained from Federal or Indian land.
- C. The native materials that will be used in the construction of this location site and access road will consist of sandy-clay soils and sandstone and shale materials gathered in actual construction of the road and location.
- D. Access roads crossing federal lands are shown under Items 1 & 2.

7. Handling Waste Disposals

1. Drill cuttings will be buried in the reserve pit when covered.
2. Drilling fluids will be handled in the reserve pit.
3. Any produced fluids during drilling tests or while making production tests will be collected in reserve pit.

4. Any sewage will be covered or removed and chemical toilets will be provided.
5. Garbage and other waste material will be enclosed in a wire mesh container, and then disposed of in an approved waste disposal facility.
6. After the rig moves out, all materials will be cleaned up and no adverse materials will be left on location. Any dangerous open pit will be fenced or covered.

8. Ancillary Facilities

No proposed airstrip, camp, or other facility will be constructed during the drilling or completion of this well.

9. Well Site Layout

1. Exhibit E is the drill pad layout on a scale of 1" = 40'.
2. & 3. Exhibit E is a layout of the drilling rig, pits, and burn pits. Parking and trailers will be along the SW side of the area as shown. The access road will be from the West. Soil stockpiles are also shown on Exhibit E.
4. The reserve pit will not be lined. Steel mud pits may be used, at least in part, during drilling operations.

10. Plans for Restoration

1. Backfilling, leveling and gentle sloping is planned and will be accomplished as soon as possible after plugging or setting of production casing. Waste disposal and spoils materials will be buried or hauled away immediately after operations cease from drilling and/or completion.
2. The soil banked materials will be spread over the area and gentle sloping or contouring to meet the existing terrain. Revegetation will be by planting of native vegetation to the area or some other combination as recommended by The Bureau of Land Management.

The access road to the drill pad will be revegetated, if needed. Any damage to present existing roads will be repaired as needed.

3. Prior to rig release, the pits will be fenced on the fourth side and so maintained until cleanup is accomplished. The reserve pit will have fencing on three sides during drilling.

4. If any oil is on the pits, and is not immediately removed after operations cease, then the pit will be flagged overhead to keep birds and fowl out.
5. The commencement of rehabilitation operations will begin as soon as possible after drilling ceases. Planting will be planned as suggested by BLM.

11. Other Information

1. Topography: The location is found on a low shelf overlooking Willow Creek with broken terrain rising east and west.

Soil Characteristics and Geologic features: The soils of this semi-arid area are of the Uinta and Duchesne River formation (The Fluvial Sandstone & Mudstone) from the Eocene Epoch and Quaternary Epoch (gravel surfaces) and the visible geologic structures consists of light brownish-gray clays (OL) to sandy soils (SM-ML) with poorly graded gravels and shales with out crops of rock (sandstone, mudstone, conglomerates and shales).

Flora: Areas of sagebrush, rabbitbrush, some grasses and cacti, and large areas of bare soils devoid of any growth.

Fauna: Is sparse but consists predominantly of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to the area. Birds of the area are raptors, finches, ground sparrows, magpies, crows and jays.

2. Type of surface use activity: Primary purpose is grazing domestic livestock.

Surface ownership of all involved lands: BLM

3. Proximity of usable water (Shown on Exhibit D):

Occupied dwellings (if any, shown on Exhibit B): None

Archaeological or historical sites (if any, shown on Exhibit B):
An archeological study has been done by A.E.R.C. of Bountiful.
A.E.R.C. paper No. 18.

12. Lessee's or Operator's Representative

James D. Holliman
Manager of Operations
MAPCO Production Company
Alpine Executive Center
1643 Lewis Ave., Suite 202
Billings, Montana 59102

Phone: (406) 248-7406
or
(406) 656-8435

or


Darwin Kulland
District Superintendent
MAPCO Production Company
P.O. Box 1360
Roosevelt, Utah 84066

Phone : (801) 722-4521

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the condition which presently exists; that the statements made in this plan are, to the best of my knowledge true and correct; and, that the work associated with the operations proposed herein will be performed by MAPCO PRODUCTION COMPANY and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

August 15, 1980
DATE


NAME

Manager of Operations
TITLE

** FILE NOTATIONS **

DATE: 8-25-80
OPERATOR: Maysco Production Co.
WELL NO: RBV 7-22F
Location: Sec. 22 T. 10S R. 20E County: Uintah

File Prepared: Entered on N.I.D.:
Card Indexed: Completion Sheet:

API Number 43-047-30768

CHECKED BY:

Petroleum Engineer: M.J. Minder 8/25/80

Director: _____

Administrative Aide: _____

APPROVAL LETTER:

Bond Required: Survey Plat Required:
Order No. _____ O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation Incl Plotted on Map

Approval Letter Written

Hot Line P.I.

Unit

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

5. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-2646

6. IF INDIAN ALLOTTEE OR TRIBE NAME
None

7. UNIT AGREEMENT NAME
River Bend

8. FARM OR LEASE NAME
None

9. WELL NO.
RBU 7-22F

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 22, T10S, R20E

12. COUNTY OR PARISH
Utah

13. STATE
Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
12 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
1586'

16. NO. OF ACRES IN LEASE
160

17. NO. OF ACRES ASSIGNED TO THIS WELL
2640

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
None

19. PROPOSED DEPTH
6150

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4915 GL

22. APPROX. DATE WORK WILL START*
Summer 1980

DUPLICATE

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
MAPCO Production Company
Alpine Executive Center

3. ADDRESS OF OPERATOR
1643 Lewis Ave., Suite 202
Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface 2466' FEL & 1586' FNL Sec. 22, T. 10 S., R. 20 E.
At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
12 miles south of Ouray, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
1586'

16. NO. OF ACRES IN LEASE
160

17. NO. OF ACRES ASSIGNED TO THIS WELL
2640

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
None

19. PROPOSED DEPTH
6150

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4915 GL

22. APPROX. DATE WORK WILL START*
Summer 1980

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	400'	Cement to Surface
7-7/8"	4-1/2"	9.5 & 10.5 #	6150'	Cement to Surface

1. Drill a 12 1/4" hole with an air rig to 400', run 8-5/8", 24#, H-40 casing and cement to surface.
2. NU and pressure test BOP stack (see Fig. 1) prior to drilling out below surface pipe.
3. Test pipe rams daily and blind rams as possible.
4. Drill a 7-7/8" hole to 6150' with a salt water mud system. No cores are planned. DST's will be run as needed to evaluate unexpected shows.
5. Run logs. Set 4 1/2", 9.5# & 10.5#, K-55 casing as dictated by drilling shows, tests and logs. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Chapita Wells and Uteland Butte sections of the Wasatch.
7. All zones indicating potential for economically recoverable reserves will be tested in a normal, prudent manner. SEE BACK FOR FORMATION LOG TOPS

Vertical text on right side of page, likely bleed-through from reverse side.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Richard Baumann TITLE Engineering Technician DATE August 15, 1980

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY (Orig. Sgd.) A. M. BAFFOUE FOR E. W. GUYNN DISTRICT ENGINEER DATE 14 NOV 1980

CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY
*See Instructions On Reverse Side

NOTICE OF APPROVAL
State Oil & Gas

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

Identification CER/EA No. 654-80

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Mapco Production Company
Project Type Gas well drilling
Project Location 2466' FEL 1586' FNL Section 22, T. 10S, R. 20E.
Well No. RBU 7-22F Lease No. 14-20-H62-2646
Date Project Submitted August 21, 1980

FIELD INSPECTION

Date September 29, 1980

Field Inspection
Participants

Greg Darlington - USGS, Vernal

Dale Hanberg - BIA, Fort Duchesne

Joe Pinnecoose - Ute Tribe

Darwin Kulland - Mapco Production Company

Related Environmental Documents: CER 625-80

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

October 21, 1980

Date Prepared

Greg Darlington
Environmental Scientist

I concur

10/22/80
Date

Ed Longman
District Supervisor

Typing In 10-21-80

Typing Out 10-21-80

FROM: DISTRICT GEOLOGIST, SALT LAKE CITY, UTAH

TO: DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. 14-20-H62-2646OPERATOR: MAPCO PRODUCTION Co.WELL NO. RBU-7-22FLOCATION: ½ ½ ½ sec. 22, T. 10S., R. 20E., SLMUINTAH County, UTAH

1. Stratigraphy: *operator's stratigraphy seems reasonable.*

2. Fresh Water: *Usable water may be encountered in the Uinta Fm 0-500' and Green River Fm's Birds Nest aquifer (1600-1700) and Douglas Creek (2400-2450').*

3. Leasable Minerals:

Oil shale beds may occur in the Mahogany zone of the Green River Fm. at approximate depth of 3300'±.

Silicite veins are present in the area of this test.

4. Additional Logs Needed: *Resistivity, density, sonic, gamma ray and neutron logs should be run through the Oil Shale interval*

5. Potential Geologic Hazards: *NOT anticipated by the operator*

6. References and Remarks:

Signature: E. BanishDate: 9-17-80

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

Criteria 516 DM 2.3.A	Federal/State Agency			Local and private corre- spondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
	Corre- spondence (date)	Phone check (date)	Meeting (date)						
1. Public health and safety							1,2,3,6	9-29-80	
2. Unique charac- teristics							1,2,3,6	9-29-80	●
3. Environmentally controversial							1,2,3,6	9-29-80	
4. Uncertain and unknown risks							1,2,3,6	9-29-80	
5. Establishes precedents							1,2,3,6	9-29-80	
6. Cumulatively significant							1,2,6	9-29-80	
7. National Register historic places							1,2	9-29-80	●
8. Endangered/ threatened species							1,2	9-29-80	
9. Violate Federal, State, local, tribal law							1,2,3,6	9-29-80	

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey
(Conservation Division, Geological Division, Water Resource Division,
Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement


PROPOSED ACTION:

Mapco Production Company proposes to drill the RBU 7-22F well, a 6150 foot test of the Wasatch formation. Gas is the primary objective with some oil zones possible in the Green River formation. An access road of about 600 feet with road bed approximately 18 feet wide on a 30 foot right of way is proposed. Also a pad 190 feet by 400 feet and reserve pit 150 feet by 175 feet. Total disturbed area would be about 2.6 acres. The location is in a rather rocky area and the closest live water is in a tributary of Willow Creek about 250 feet northwest of the location.

RECOMMENDED APPROVAL CONDITIONS:

Drilling should be allowed, provided the following measures are incorporated into the proposed APD and adhered to by the operator:

1. Lease Stipulations.
2. Bureau of Indian Affairs surface use and drilling stipulations.
3. The Mapco Production Company agrees to furnish such suitable logs as may be requested by the Mineral Evaluation Report and Mining Report.



North View of RBU 7-22F
Mapco

9/29



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

UINTAH AND OURAY AGENCY

Fort Duchesne, Utah 84026


(801) 722-2406 Ext. 202

IN REPLY REFER TO:

Land Operations, SMC

October 14, 1980

Mr. Craig Hansen
U.S. Geological Survey
P. O. Box 1037
Vernal, Utah 84078



Dear Mr. Hansen:

Enclosed is the Environmental Analysis and Negative Declaration for Mapco Production Company Well No. RBU-7-22F, located in Sec. 22, T10S., R20E., S.L.B. & M., approximately 12 miles south of Ouray, Utah. Stipulations as specified in the letter to Mr. Ed W. Guynn dated February 13, 1980 are to be included in the surface use plan.

Sincerely yours,

R.W. Collins
Superintendent

Enclosure

UINTAH AND OURAY AGENCY
ENVIRONMENTAL IMPACT ANALYSIS

1. PROPOSED ACTION: Mapco Production Co. proposes to drill a gas well (RBU-7-22F) to, a proposed depth of 6150 feet; to construct approximately 0.1 (~~xxx~~, miles) of new access road; and upgrade approximately 0 (feet, miles) of existing access road.
2. LOCATION AND NATURAL SETTING: The proposed wellsite is located approximately 12 miles South of Ouray, Utah in the SW 1/4 Sec. 22 T. 10S., R. 20E., S.L.B. & M meridian. This area is used for Livestock grazing and wildlife habitat.
The topography is Hill Creek Canyon hillside
The vegetation consist of Aster, nuttle salt brush, galletta grass, spiny horse brush, shadscale, rabbit brush
Wildlife habitat for: X Deer X Antelope Elk Bear X Small Mammals
X Birds Endangered species Other reptiles and insects
3. EFFECTS ON ENVIRONMENT BY PROPOSED ACTION:
 - A. Vegetation will be destroyed on the well site and access road.
 - B. Dust & exhaust emissions will affect air quality.
 - C. Scenic qualities will be affected.
 - D. There is a possibility of run-off from the well site into Hill Creek.
4. ALTERNATIVES TO THE PROPOSED ACTION: None that are practical
5. ADVERSE EFFECTS THAT CANNOT BE AVOIDED:
None of the adverse affects listed in item #3 above can be avoided.
6. DETERMINATION: This request action (~~XXXX~~) (does not) constitute a major Federal action significantly affecting the quality of the human environment as to require the preparation of an environmental impact statement under Section 102 (2)(c) of the National Environmental Policy Act of 1969 (42 U.S.C. s 4332 (2)(c)).

REPRESENTATIVE:
Craig Darlington - USGS
Darwin Culland - MAPCO
Joe Pinnecoose - Ute Tribe

Ralph A. Hubers 10-15-80
BIA Representative Date

COPY TO:
USGS, P.O. BOX 1037, Vernal, Utah 84078
USGS, Dist, Engr., Cons. Div., 8426 Federal Building., Salt Lake City, Utah
84138

Lease #. 14-20-H62-2646
Well #. RBU-7-22-F

Memorandum

To: USGS District Engineer

From: Surface Managing Agency

Subject: Mapco Production Co., well RBU-7-22F

in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T10S., R20E., SLB&M.

We (concur with or, recommend) approval of the Application for Permit to Drill the subject well.

Based on available information on 10-14-80, we have cleared the proposed location in the following areas of environmental impact:

Yes No Listed threatened or endangered species

Yes No Critical wildlife habitat

Yes No Historical or cultural resources

Yes No Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)

Yes No Other (if necessary)

Remarks: _____

The necessary surface protection and rehabilitation requirements are enclosed.



Enclosure



United States Department of the Interior *Cody*

GEOLOGICAL SURVEY
Conservation Division
8440 Federal Building
Salt Lake City, Utah 84138

*Well # RBU 7-22F
Mapco Prod. Co.
22-10S-20E
Y Uintah County
EB # 654-80*

Mr. Peter Rutledge
Area Oil Shale Supervisor
Area Oil Shale Office
131 North Sixth, Suite 300
Grand Junction, Colorado 81501

SEP 17 1980
OFFICE OF
OIL AND GAS OPERATIONS

Dear Mr. Rutledge,

The Office of Oil and Gas Operations, Conservation Division, received the attached Application for Permit to Drill, Deepen, or Plug Back (Form 9-331C).

Please review this proposal for any conflict with any of the resources in the oil shale tracts and withdrawal areas. If needed, set forth the stipulations you determine necessary for adequate protection. Please use the following space for your response (if there is none, so state), together with date and initials of person responsible and return to the Office of Oil and Gas Operations.

U.S. Geological Survey
8440 Federal Building
125 South State Street
Salt Lake City, Utah 84138

Mapco 7-22F
Sec. 22, T10S, R20E

September 17, 1980

Proposed program includes cement circulated to the surface with 4½" casing set at 6150'. This casing and cementing program is acceptable for protection of the Green River oil shale section. If production casing is not run, a cementing program will also be required to insure protection of the Green River oil shale section.

Ray A. Brady
Ray A. Brady
Geologist

Mapco
22-105-20E
9/18/80

Memorandum

Cody

To: District Oil and Gas Engineer, Mr. Edward Guynn

From: Mining, Supervisor, Mr. Jackson W. Moffitt

Subject: Application for Permit to Drill (form 9-331c) Federal oil and gas lease No. 14-20-H62-2646 Well No. RBU 7-22F

1. The location appears potentially valuable for:

- strip mining*
- underground mining** *oil shale*
- has no known potential.

2. The proposed area is

- under a Federal lease for _____ under the jurisdiction of this office.
- not under a Federal lease under the jurisdiction of this office.

Please request the operator to furnish resistivity, density, Gamma-Ray, or other appropriate electric logs covering all formations containing potentially valuable minerals subject to the Mineral Leasing Act of 1920.

*If location has strip mining potential:

Surface casing should be set to at least 50 feet below the lowest strip minable zone at _____ and cemented to surface. Upon abandonment, a 300-foot cement plug should be set immediately below the base of the minable zone.

**If location has underground mining potential:


The minable zones should be isolated with cement from a point 100 feet below the formation to 100 feet above the formation. Water-bearing horizons should be cemented in like manner. Except for salines or water-bearing horizons with potential for mixing aquifers, a depth of 4,000 feet has been deemed the lowest limit for cementing.


Signed *Allen J. Vance*

MAPCO

WELL LAYOUT

RBU 7-






NOTES

The location is located on a low shelf overlooking Willow Creek with broken terrain rising East and S

The soil is composed of shale and weathered sandst




SCALE 1" = 40'

INC.
IT PLAT
22 F


LOCATED IN THE SW1/4 OF THE NE1/4 OF SECTION 22
T 10 S, R 20 E, S.L.B. & M.

Exhibit E



4+00



2+25



STA. 2+25



KEYWAY A-A

APPROXIMATE QUANTITIES

CUT: 15,600 cu yds

FILL: 3,500 cu yds

	JERRY D. ALLRED & ASSOCIATES Surveying & Engineering Consultants
	121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (801) 738-5352

NOTICE OF SPUD

MAPCO
Production

Caller: Darwin Kulland

Phone: _____

Well Number: RBU 7-22F

Location: SW NE 22-10S-20E

County: Uintah State: Utah

Lease Number: 14-20-H62-2646

Lease Expiration Date: _____

Unit Name (If Applicable): _____

Date & Time Spudded: 10:00 A.M. 1-24-80

Dry Hole Spudder/Rotary: _____

Details of Spud (Hole, Casing, Cement, etc.) 12 1/4" hole
reamed to 17 1/2"

Rotary Rig Name & Number: All Western Rig #2

Approximate Date Rotary Moves In: _____

FOLLOW WITH SUNDRY NOTICE

Call Received By: K. R.

Date: 1-26-81

RECEIVED
JAN 27 1981
DIVISION OF
OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
(FORM 9-329)
(2/76)
OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No. 14-20462-2646
Communitization Agreement No. NA
Field Name NA
Unit Name River Bend Unit
Participating Area NA
County Uintah State Utah
Operator MAPCO PRODUCTION COMPANY
 Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of January, 19 81

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & ¼ of ¼	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
RBU 7-22F	Sec. 22	10S	20E	DRLG	0	0	0	0	
	1-26-81	Drld to 92' and set 13 3/8", 48#, K-55 csg. Cement to surface with 80 sx.							
	1-29-81	Spudded well and drld to 1064'.							

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLs)	Gas (MCF)	Water (BBLs)
*On hand, Start of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Produced	0	0	0
*Sold	_____	_____	XXXXXXXXXXXXXXXXXX
*Spilled or Lost	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXX	_____	XXXXXXXXXXXXXXXXXX
*Used on Lease	_____	_____	XXXXXXXXXXXXXXXXXX
*Injected	_____	_____	_____
*Surface Pits	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX	_____
*Other (Identify)	_____	_____	_____
*On hand, End of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	_____	_____	XXXXXXXXXXXXXXXXXX

Authorized Signature: Richard Baumann Address: 1643 Lewis Ave., Billings, MT 59102
Title: Engineering Technician Page _____ of _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR **MAPCO Production Company**
1643 Lewis Ave., Suite 202

3. ADDRESS OF OPERATOR **Billings, MT 59102**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: **2466' FEL & 1586' FNL, SW NE Sec 22**
AT TOP PROD. INTERVAL: **Same**
AT TOTAL DEPTH: **Same**

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF
- FRACTURE TREAT
- SHOOT OR ACIDIZE
- REPAIR WELL
- PULL OR ALTER CASING
- MULTIPLE COMPLETE
- CHANGE ZONES
- ABANDON*
- (other)

SUBSEQUENT REPORT OF:

-
-
-
-
-
-
-
-

5. LEASE 14-20-H62-2646
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME River Bend
8. FARM OR LEASE NAME
9. WELL NO. RBU 7-22F
10. FIELD OR WILDCAT NAME Wildcat
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 22, T. 10 S., R. 20 E.
12. COUNTY OR PARISH Uintah
13. STATE Utah
14. API NO. 43-047-30768
15. ELEVATIONS (SHOW DF, KDB, AND WD) 4915' G.L.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MAPCO has set 13-3/8", K-55, 48# casing at 87', cemented with 80 sacks. Will drill 7-7/8" pilot hole to approximately 3200'. MAPCO will then drill a 12-1/4" hole and set 8-5/8", 24#, K-55 casing to the needed depth to adequately contain all water flows. The 8-5/8" will be cemented to surface. After the 8-5/8" is set, 4-1/2", K-55, 9.5# & 10.5# casing will be set to T.D. and cemented to surface.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Richard Baumann TITLE Engineering Tech. DATE 1-27-81
Richard Baumann

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
(FORM 9-329)
(2/76)
OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No. 14-2052-2646
Communitization Agreement No. NA
Field Name NA
Unit Name River Bend Unit
Participating Area NA
County Uintah State Utah
Operator MAPCO PRODUCTION COMPANY

Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of February, 1981 (1032)
(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
RBU 7-22F	Sec. 22	10S	20E	Dr1g	0	0	0	0	
	2-03-81			Drilled to 2653' in Green River. @ 2646'. Cement with 1910 sacks.					Ran 8 5/8" 24# casing and set
				Drilled to TD 6116' in Uteland Buttes. Set at 6093'. Cement with 1266 sacks.					Logged well and ran 5 1/2" 17# casing.
				Rig down rig.					

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLs)	Gas (MCF)	Water (BBLs)
*On hand, Start of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Produced	_____	_____	_____
*Sold	_____	_____	XXXXXXXXXXXXXXXXXX
*Spilled or Lost	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXX	_____	XXXXXXXXXXXXXXXXXX
*Used on Lease	_____	_____	XXXXXXXXXXXXXXXXXX
*Injected	_____	_____	_____
*Surface Pits	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX	_____
*Other (Identify)	_____	_____	_____
*On hand, End of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	_____	_____	XXXXXXXXXXXXXXXXXX

Authorized Signature: Richard Bauman Address: 1643 Lewis Ave., Billings, MT 59102
Title: Engineering Technician Page _____ of _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
(FORM 9-329)
(2/76)
OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No. 14-20-1-2-2646
Communitization Agreement No. NA
Field Name NA
Unit Name River Bend Unit
Participating Area NA
County Uintah State Utah
Operator MAPCO PRODUCTION COMPANY
 Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of March, 19 81 (1032)
(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).


Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
RBU 7-22F	Sec. 22	10S	20E	Dr1g	0	0	0	0	
	3-07-81	Perforated Chapita Wells 4984-88', 5022-26, 5265-71', 5451-57', 5596-98', 5681-93', 1 spf. Broke down perms w/100 Bbls 2% KCl water. Fraced w/foamed water using 1,910,000 SCF N ₂ and 160,000# 20/40 sand.							

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Produced	_____	_____	_____
*Sold	_____	_____	XXXXXXXXXXXXXXXXXXXX
*Spilled or Lost	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXXXX	_____	XXXXXXXXXXXXXXXXXXXX
*Used on Lease	_____	_____	XXXXXXXXXXXXXXXXXXXX
*Injected	_____	_____	_____
*Surface Pits	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	_____
*Other (Identify)	_____	_____	_____
*On hand, End of Month	_____	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	_____	_____	XXXXXXXXXXXXXXXXXXXX

Authorized Signature: Richard Baumann Address: 1643 Lewis Ave., Billings, MT 59102
Title: Engineering Technician Page _____ of _____



L. D. "Vern" HUNTER
Consulting Geologist

March 31, 1981

TELEPHONE
(408) 656-5197
2903 PARKHILL DRIVE
BILLINGS, MONTANA, 59102

MAPCO PRODUCTION COMPANY

RBU NO. 7-22F

SW $\frac{1}{4}$ NE $\frac{1}{4}$ SECTION 22, T. 10 S., R. 20 E.

UINTAH COUNTY, UTAH

RECEIVED

APR 8 1981

DIVISION OF
OIL, GAS & MINING

Prepared for: MAPCO PRODUCTION
COMPANY

BY: L. D. 'Vern' Hunter
Consulting Geologist
Billings, Montana

L. D. Hunter

OPERATOR: MAPCO Production Company
WELL: River Bend Unit No. 7-22F
LOCATION: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 22, T. 10 S., R. 20 E.

TOPOG REFERENCE: Big Pack Mtn, NW
ELEVATIONS: 4915 Grd; 4927 KB est.
SPUD DATE: January 29, 1981
SURFACE CASING: Ran 13-3/8" casing to 87'; cemented with 80 sacks to surface.
Ran 8-5/8" 24# casing to 2646'; cemented with 700 sacks low density lead and 300 sacks tail in.

HOLE SIZE: 13-3/8" to 87'
12-1/4" to 2653'
7-7/8" to 6122'

TD AND DATE: 6122' drlr. (February 10, 1981) 7:30 A.M.
6116 SLM; 6118 Logger
CORES: None
LOST CIRCULATION: None reported
FRACTURE ZONES: None reported
OIL ON PITS: Show #29: 3896-3908.
WATER FLOWS: Slight water flow above first casing point at 2653'.
3150'± est. 100 B/hr (e.logs suggest water flow from "D"
ss: 2670-90)
SAMPLES: 30-foot samples from under surface to 1600'; 10' samples
from 1600' to TD: Dry cut samples sent to Utah Geological
Survey, 606 Blackhawk Way, Research Park, Salt Lake City,
Utah 84108
DRILL STEM TESTS: None

ELECTRIC LOGS: Dresser-Atlas Engineers: Green & Obulaney
Dual Laterolog/GR from 6117' to 2662'
FDC/CNL from 6116' to 2646' (two runs)

SAMPLE AND/OR PENETRATION RATE TOPS:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Wasatch	4292	+635
Chapita Wells	4941	- 14

LOG TOPS:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
K zone	3424'	+1503
Brown zone	3780'	+1147
Wasatch Tongue	3808'	+1119
Green River Tongue	4154'	+ 773
Wasatch	4320'	+ 607
Chapita Wells	4972'	- 45
Uteland Buttes	5968'	-1041

MUD LOGGING UNIT: Reed Bros. Logging Co. Loggers: Ron Farnsworth
P. O. Box 175 Kim Farnsworth
Lapoint, UT 84039
(801-247-2436)

CONTRACTOR: All Western Rig #2 Pusher: Bob Slaugh
Vernal, UT
(801-789-4581)
Unit #9661 (722-4501)

MUD: Ute Drilling Fluids Engineer: Coray Goodrich
1776 West 1000 South (801-789-2986)
Vernal, Utah 84078 Unit #55 (Belco)
789-0790

WELL-SITE DRILLING SUPERVISOR: Dennis Ivie (MAPCO) Unit 114
Jim Eckroth (MAPCO)

MAPCO PRODUCTION COMPANY: Dennis Brabec/Jim Benner (406-248-7406)

WELL-SITE GEOLOGIST: L. D. 'Vern' Hunter
2903 Parkhill Drive
Billings, MT 59102 (406-656-5197)

From 5723' to 6116'

STATUS:

To complete as Chapita Wells (Wasatch) gas well. Ran 57 joints 17# N-80 (2235.75'), 12 jts 17# K-55 (490.61'), 80 jts 17# N-80 (3321.18'); set at 6071' and cemented with 336 sacks class G, 3% D 79, 10#/sack Kolite and 930 sacks RFC. Plug down 4:30 P.M. February 13, 1981.

RIG RELEASED: February 13, 1981 (10:00 P.M.)

CHRONOLOGICAL HISTORY

<u>DATE</u>	<u>PTD</u>	<u>ACTIVITY</u>	<u>FOOTAGE</u>
	8:00 a.m.		
January 30, 1981	440	Drilling	353
31	1064	Drilling	624
February 1, 1981	1857	Drilling	793
2	2653	RU to run casing	796
3	2653	NU after cmt. csg.	0
4	2840	Drilling	187
5	3128	Reaming to bottom	288
6	3942	Drilling	814
7	4460	Drilling	518
8	5198	Drilling	738
9	5723	Drilling	525
10	6122	Cond. mud for logs	399
11	6116 SLM	Logging	0
12	6116	Cond. Hole	0

DEVIATIONS

<u>DATE</u>	<u>DEPTH</u>	<u>AMOUNT</u>
January 30, 1981	310	1°
31	728	1°
February 1, 1981	1155	1-1/4°
1	1560	3/4°
2	1963	1°
2	2490	1°
6	3221	2-1/4°
6	3707	2-1/2°
7	4236	1-1/4°
8	4832	1°
9	5394	1-1/2°
11	6122	1-3/4°

MUD CHECKS

<u>Date</u>	<u>Depth</u>	<u>Wt.</u>	<u>Vis.</u>	<u>Type</u>	<u>WL</u>	<u>Ph.</u>	<u>Solids</u>	<u>LCM</u>
January 30, 1981	440	-	-	Fresh Wtr	-	-	-	-
31	1064	8.4	27	Floc. Wtr	-	8.5	-	-
February 1, 1981	1857	8.4	27	Floc. Wtr	-	9.5	-	-
2	2653	8.4	27	Floc. Wtr	-	10.0	tr	-
3	2653	8.4	27	Floc. Wtr	-	9.5	-	-
4	2840	8.4	27	Floc. Wtr	-	9.5	-	-
5	3128	8.4	27	Floc. KCL Wtr	-	11.5	-	-
6	3942	8.4	27	" " "	-	11.0	-	-
7	4460	8.4	27	Floc Inox Wtr	-	-	-	-
8	5198	8.4	27	" " "	-	10.5	-	-
9	5723	9.1	27	Cut Brine	-	10.0	-	-
10	6122	9.4	29	Polymer Brine	-	10.0	2%	-
11	6116 SLM	9.6	28	Cut Brine	-	-	-	-
12	6116	9.6+	34	Polymer Brine	-	10.0	2%	-

BIT RECORDS

<u>No.</u>	<u>Size</u>	<u>Co.</u>	<u>Type</u>	<u>Out</u>	<u>Footage</u>	<u>Hours</u>	<u>Ave. Ft/Hr</u>
1	12-1/4	Smith	F-4	2653	2566	76-1/4	33.7
2	7-7/8	Smith	F-45	3128	475	12-3/4	37.8
3	7-7/8	HTC	J-44	4000	872	25	34.9
4	7-7/8	Smith	F-3	6122	2122	80-1/4	26.4

REPORT FOR SHOWS & DRILLING BREAKS

<u>DATE</u>	<u>SHOW &/or BREAK #/s MW in MW out</u>	<u>DEPTH</u>	<u>DRLG. RATE BEFORE BREAK</u>	<u>DRLG. RATE FOR BREAK</u>	<u>DRLG. RATE AFTER BREAK</u>	<u>TOTAL GAS Before- During- After- Break</u>	<u>SAMPLE DESCRIPTION</u>
Jan. 31, 1981	1 8.4	948-962	2	1.5-1	2	0-0-0	Ss, lt gy, cl, vf-f, sh, brn, lt brn, lt gy, frm, blk
31	-	1064	-	-	-	BG 0 CG 36	
Feb. 1	2 8.5	1071-1079	2.5	2	3	0-0-0	Ss, wht, cl, vf, hd, ti, sh, brn, lt brn, frm, blk
1	3 8.5	1228-1278	2	.5	2.5	0-0-0	Ss/Sh aa
1	4 8.4	1633-1699	1	.5	1	0-0-0	Sh, brn, dk brn, lt brn, frm, blk, ls, tan, off wht, lt brn vf xtal, ss, wht, lt gy, vf-c, hd, ti
1	5 8.4	1766-1825	1	.5	2	5-250-5	Ss/sh/ls aa
1	-	1857	-	-	-	BG 10 CG 30	
2	6 8.4	2074-2088	1.5	.5	1.5	40-50-40	Ss, wht, lt gy, tan Vf
2	7 8.4	2108-2112	2	.5	1.5	60-40-50	Ss aa
2	8 8.4	2212-2216	1.5	.5	2	60-700-150	Ss aa
2	9 8.4	2438-2444	1.5	.25	1	500-700-600	Ss, lt gy, clr, vfg
2	10 8.4	2490-2496	2	.5	2	450-700-300	Ss, aa
3	11 8.4	2523-2528	2	.5	2	40-50-40	Ss, wht, gry, vf, s&p, hd, ti
3	12 8.4	2541-2548	1.5	.5	1.5	30-50-30	Ss aa w/ls, gry, vfx
3	13 8.4	2566-2570	1	.5	1	40-45-40	Ss aa
3	14 8.4	2574-2581	1.5	.5	1.5	40-60-40	Ss/ls aa
3	-	2653	-	-	-	BG 30 Conn 200	
4	15 8.4	2674-2688	1.5	.5	1.5	0-0-0	Aa
4	16 8.4	2740-2745	1.5	.5	2	0-0-0	Aa
4	17 8.4	2786-2802	1	.5	1.5	0-0-0	Aa
4	-	2840	-	-	-	BG 3 Conn 3	
5	18 8.4	2922-2936	2	.5	3	0-0-0	Ss/sh/ls aa
5	19 8.4	2958-2962	2	1	1.5	0-0-0	Aa
5	20 8.4	2973-2980	1.5	.5	2	0-0-0	Ss, wht, gry, brn vf, s&p, hd, ti; sh, lt brn; ls, tan vfx
5	21 8.4	3007-3050	1.5	.5	2	0-0-0	Aa
5	22 8.4	3058-3067	2	.5	1.5	0-0-0	Aa
5	23 8.4	3078-3110	1.5	.5	2	0-0-0	Aa
5	-	3128	-	-	-	BG 100 Conn 160 TG 260	

REPORT FOR SHOWS & DRILLING BREAKS

DATE	SHOW &/or BREAK #/s MW in		DEPTH	DRLG. RATE BEFORE BREAK	DRLG. RATE FOR BREAK	DRLG. RATE AFTER BREAK	TOTAL GAS	SAMPLE DESCRIPTION
	MW out	Before- During- After- Break						
Feb 6, 1981	24	8.4	3174-3222	2	1-1.5	1	15-300-170	Ss/sh aa
	25	8.4	3314-3334	1.5	1	1.5	200-500-220	Ss, gry, wht, vf hd, ti
6	26	8.4	3596-3626	2	1	1.5	200-350-200	Ss aa
6	27	8.4	3628-3642	1.5	.5	1.5	200-200-250	Ss aa
6	28	8.4	3762-3774	1.5	1	2	150-200-50	Ss aa
6	29	8.4	3896-3908	1.5	1	2	10-15-50	Ss aa w/oil on pits <u>gold SF, good cut</u>
6	-		3942	-	-	-	BG 40 Conn 70	
7	30	8.4	4104-4114	2	1	2	200-300-200	Ss/sh/l's aa
7	31	8.5	4133-4179	2	1	2	200-350-300	Ss, wht, lt gry, vf, s&p, hd, ti, <u>yell fl, good cut</u>
7	32	8.5	4245-4266	2.5	1.5	2.5	100-200-200	Ss aa, no show
7	33	8.5	4282-4286	2.5	1	3	250-1000-300	Ss/sh/l's aa
7	-		4460	-	-	-	BG 25 Conn 70	
8	34	8.4	4540-4544	1.5	.5	2	25-25-25	Ss aa
8	35	8.4	4558-4570	1.5	.5	1.5	25-50-100	Ss aa
8	36	8.4	4591-4600	1	.5	1	100-720-180	Ss aa
8	37	8.4	4622-4640	1	.5	1.5	180-400-200	Ss aa
8	38	8.4	4984-4994	2	.5	2	150-650-200	Ss aa
8	39	8.4	5017-5028	2	.5	2	200-1000-400	Ss aa
8	40	8.4	5112-5122	2	1	1.5	180-700-120	Ss aa
8	41	8.4	5126-5234	1.5	.5	2	120-300-200	Ss aa
8	-		5198	-	-	-	BG 200 Conn 400	
9	42	8.4	5239-5282	1.5	1	2	200-1100-100	Ss aa w/sh, brn; ls, tan, vfx
9	43	8.4	5421-5429	3	1	3	100-400-80	Aa
9	44	8.5	5448-5461	2	1	2.5	100-880-250	Aa
9	45	9.1	5591-5608	1.5	.5	1.5	900-1200-1200	Aa
9	46	9.1	5684-5693	1.5	1	2.5	1200-2000-1900	Aa
9	-		5732	-	-	-	BG 2000 Conn 230	
10	47	9.1	5730-5746	2.5	1	2	80-80-80	Ss, wht, tan, vf hd, ti
10	48	9.1	5750-5760	2	1-1.5	2.5	100-250-150	Ss aa
10	49	9.2	5929-5946	3	1	2.5	500-2000+-400	Ss aa
10	-		6122	-	-	-	BG 300 Conn 400	
11	-		6116 SLM	-	-	-	TG 2000+ BG 10 TG 2000+	

1/30

2/5

10

--1981

Bit #1 (F-4)

MAPCO, RBU #7-22F
SW 1/4 NE 1/4 22-10S-20E
Uintah Co., UT

1000

2000

3000

4000

5000

6000

C59

Bit #2 (F-45)

dr1 on junk


Bit #3 (J-44)

Bit #4 (F-3)

TD 6116

46 0780

10 X 10 TO THE INCH • 7 X 10 INCHES
KEUFFEL & ESSER CO. MADE IN U.S.A.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
(FORM 9-329)
(2/76)
OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No. 14-H62-2646
Communitization Agreement No. NA
Field Name NA
Unit Name River Bend Unit
Participating Area NA
County Uintah State Utah
Operator MAPCO PRODUCTION COMPANY
 Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of April, 19 81 (1032)
(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
RBU 7-22F	Sec. 22	10S	20E	Dr1g	0	0	0	0	Frac Chapita Wells sands w/ 67-75 quality foam consisting of 21240 gals H ₂ O & 1.9 MMSCF N ₂ with 160,000# 20/40 sand.

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLs)	Gas (MCF)	Water (BBLs)
*On hand, Start of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Produced	<u>0</u>	<u>0</u>	<u>0</u>
*Sold	_____	_____	XXXXXXXXXXXXXXXXXX
*Spilled or Lost	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXX	_____	XXXXXXXXXXXXXXXXXX
*Used on Lease	_____	_____	XXXXXXXXXXXXXXXXXX
*Injected	_____	_____	_____
*Surface Pits	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX	_____
*Other (Identify)	_____	_____	_____
*On hand, End of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	_____	_____	XXXXXXXXXXXXXXXXXX

Authorized Signature: Richard Bauman Address: 1643 Lewis Ave., Billings, MT 59102
Title: Engineering Technician Page _____ of _____

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-H62-2646

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

River Bend Unit

8. FARM OR LEASE NAME

9. WELL NO.

RBU 7-22F

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 22, T10S, R20E

12. COUNTY OR PARISH

Uintah

13. STATE

Ut

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
MAPCO Production Co.

3. ADDRESS OF OPERATOR
1643 Lewis, Suite 202, Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 2466' FEL & 1586' FNL, Sec. 22, T10S, R20E

At top prod. interval reported below Same

At total depth Same

14. PERMIT NO. 43-047-30768 DATE ISSUED 9-2-80

15. DATE SPUDDED 1-24-81 16. DATE T.D. REACHED 2-10-81 17. DATE COMPL. (Ready to prod.) 4-7-81 18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 4915 GL 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 6116 SLM 21. PLUG, BACK T.D., MD & TVD 6030 22. IF MULTIPLE COMPL., HOW MANY* _____ 23. INTERVALS DRILLED BY _____ ROTARY TOOLS _____ CABLE TOOLS _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
4984-5946 - Chapita Wells

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
DLL GR FDC CNL

27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	87	17-1/2	80 sacks	
8-5/8"	24#	2646	12-1/4	1000 sacks	
5-1/2"	17#	6093	7-7/8	1266 sacks	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4820	

31. PERFORATION RECORD (Interval, size and number)
4984-88, 5022-26, 5265-71, 5451-57, 5596-98, 5681-93, 5934-46

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4984-5946	21,240 gals H ₂ O
	1,910,000 Scf N ₂
	160,000# 20/40 sand

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
5-11-81	Flowing	GSI - WO Flowline					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
5-11-81	24		→	0	1410	0	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
1700 psi	-	→	0	1410	0		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Flared

TEST WITNESSED BY
Darwin Kulland

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Richard Baumann TITLE Engineering Technician DATE 6-3-81
Richard Baumann

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	TOP	
				MEAS. DEPTH	TRUE VERT. DEPTH	
				Wasatch Chapita Wells Uteland Buttes	4320 4972 5968	+ 607 - 45 -1041



CNG PRODUCING COMPANY
TULSA DIVISION

RECEIVED

FEB 22 1985

February 15, 1985

DIVISION OF OIL
& GAS & MINING

State of Utah
Division of Oil, Gas and Mining
335 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Transfer of Ownership and
Operations
Oil and Gas Wells
State of Utah

Gentlemen:

This letter is to inform you that:

CNG Producing Company
705 S. Elgin Ave., P. O. Box 2115
Tulsa, Oklahoma 74101-2115

has acquired the ownership and operations of oil and gas wells formerly
owned and operated by:

MAPCO Oil & Gas Company
Tulsa, Oklahoma

Attached is a listing of wells involved in the transfer. Should
there be any question regarding this matter, I may be contacted at
(918)599-4005.

Sincerely,

Greg Bechtol
Sr. Engineering Technician

GB/sr
Attachment



CNG PRODUCING COMPANY
TULSA DIVISION

RECEIVED

FEB 27 1985

February 25, 1985

**DIVISION OF OIL
GAS & MINING**

State of Utah
Division of Oil & Gas Mining
355 W. North Temple
3 Triad Center - Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

Effective January 1, 1985, CNG Producing Company, New Orleans, LA., purchased the oil and gas properties of MAPCO Oil & Gas Company located in the state of Utah. Attached is a list of the properties sold for which CNG will now be responsible.

Please direct any future correspondence concerning these wells to the address shown below:

CNG Producing Company - Tulsa Division
P. O. Box 2115
Tulsa, OK 74101-2115
Attention: Joe C. Lineback

Yours truly,

Joe C. Lineback.
Manager of Accounting

JCL/cf

Attachment

RIVER BEND UNIT NO. 14-08-0001-16035
 UINTAH COUNTY, UTAH

Status of All Wells Located Within the River Bend Unit

<u>Well Name</u>	<u>Location</u>	<u>Status</u>
1. OSC No. 1	SE NW Sec. 17-T10S-R20E	Water supply well
2. OSC No. 2	NW SE Sec. 3-T01S-R20E	Suspended gas well
3. OSC No. 3	SW NE Sec. 10-T10S-R20E	Plugged & abandoned
4. OSC No. 4	NW NE Sec. 30-T 9S-R20E	Suspended gas well
5. OSC No. 4A	NW NE Sec. 30-T 9S-R20E	Suspended gas well
6. OSC No. 5	NE NE Sec. 2-T10S-R18E	Producing oil well
7. Natural 1-2	SE NW Sec. 2-T10S-R20E	Plugged & abandoned
8. OSC No. 7-15	SW NW Sec. 15-T10S-R19E	Producing gas well
9. RBU 11-16E	NE SW Sec. 16-T10S-R19E	Producing gas well
10. RBU 11-18F	NE SW Sec. 18-T10S-R20E	Producing gas well
11. RBU 11-13E	NE SW Sec. 13-T10S-R19E	Producing gas well
12. RBU 7-21F	SW NE Sec. 21-T10S-R20E	Producing gas well
13. RBU 11-15F	NE SW Sec. 15-T10S-R20E	Producing gas well
14. RBU 11-19F	NE SW Sec. 19-T10S-R20E	Producing gas well
15. RBU 11-10E	NE SW Sec. 10-T10S-R19E	Producing gas well
16. RBU 11-23E	NE SW Sec. 23-T10S-R19E	Producing gas well
17. RBU 11-21E	NE SW Sec. 21-T10S-R19E	Producing oil well
18. RBU 11-14E	NE SW Sec. 14-T10S-R19E	Producing gas well
19. RBU 11-16F	NE SW Sec. 16-T10S-R20E	Producing gas well
20. RBU 11-36B	NE SW Sec. 36-T 9S-R19E	Plugged & abandoned
21. FED 7-25B	SW NE Sec. 25-T 9S-R19E	Producing oil well
22. RBU 7-11F	SW NE Sec. 11-T10S-R20E	Producing gas well
23. RBU 11-17F	NE SW Sec. 17-T10S-R20E	Suspended gas well
24. RBU 5-11D	SW NW Sec. 11-T10S-R18E	Producing gas well
25. RBU 11-22E	NE SW Sec. 22-T10S-R19E	Producing gas well
26. RBU 4-11D	NW NW Sec. 11-T10S-R18E	Producing oil well
27. RBU 15-23F	SW SE Sec. 23-T10S-R20E	Plugged & abandoned
28. RBU 11-3F	NE SW Sec. 3-T10S-R20E	Producing gas well
29. RBU 11-2F	NE SW Sec. 2-T10S-R20E	Producing oil well
30. RBU 7-22F	SW NE Sec. 22-T10S-R20E	Producing gas well
31. RBU 8-14F	SE NE Sec. 14-T10S-R20E	Producing gas well
32. RBU 6-20F	SE NW Sec. 20-T10S-R20E	Producing gas well
33. RBU 11-24E	NE SW Sec. 24-T10S-R19E	Producing gas well
34. RBU 7-10F	SW NE Sec. 10-T10S-R20E	Producing gas well
35. RBU 1-10E	NE NE Sec. 10-T10S-R19E	Producing gas well
36. RBU 1-15E	NE NE Sec. 15-T10S-R19E	Producing gas well
37. RBU 1-22E	NE NE Sec. 22-T10S-R19E	Producing gas well
38. RBU 1-14E	NE NE Sec. 14-T10S-R19E	Producing gas well
39. RBU 1-23E	NE NE Sec. 23-T10S-R19E	Producing gas well
40. RBU 2-11D	NW NE Sec. 11-T10S-R18E	Producing oil well
41. RBU 4-19F	NW NW Sec. 19-T10S-R20E	Producing gas well
42. RBU 16-3F	SE SE Sec. 3-T10S-R20E	Producing gas well
43. RBU 13-11F	SW SW Sec. 11-T10S-R20E	Producing gas well
44. RBU 16-16F	SE SE Sec. 16-T10S-R20E	Producing gas well
45. RBU 6-2D	SE NW Sec. 2 T10S-R18E	Producing oil well



access road

top soil stockpile



meter run



dehydrator

emergency pit


Overhead

emergency pit



dehydrator

tank w/ firewall



42-381 50 SHEETS 9 SQUARE
42-382 50 SHEETS 9 SQUARE
42-383 200 SHEETS 9 SQUARE
MADE IN U.S.A.



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or GA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 7-22F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-30768
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 2,466' FEL & 1,586' FNL of Sec. 22-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Notice of Return to Production	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

The above well returned to production after a 90 day shut-in on January 8, 1992 at 2:10 PM.

RECEIVED

JAN 17 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan Hebert Title Regulatory Reports Asst. Date January 15, 1992
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Designation and Serial Number
14-20-H62-2646

7. Indian Allottee or Tribe Name

8. Unit or Communization Agreement

River Bend Unit

9. Well Name and Number

RBU 7-22F

10. API Well Number

43-047-30768

11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill new well, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT - for such proposals

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
CNG Producing Company

3. Address of Operator
1450 Poydras St., New Orleans, LA 70112-6000

4. Telephone Number
(504) 593-7260

5. Location of Well

Footage : 2,466' FEL & 1,586' FNL
QQ, SEC., T., R., M.: SW NE of Sec. 22-T10S-R20E

County : Uintah
State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other | |

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other | Annual Status Report |

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STATUS OF WELL

Shut-in

EXPLANATION FOR STATUS OF WELL

Under evaluation

FUTURE PLANS

Will return to production on January 8, 1992

RECEIVED

FEB 06 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature W. Scot Childress Title Supervisor, Prod. Engineering Date January 31, 1992

(State Use Only)


**CNG Producing
Company**

A **CNG** COMPANY

CNG Tower
1450 Poydras Street
New Orleans, LA 70112-6000
(504) 593-7000

November 6, 1995

Mr. Wayne Bankert
U.S. Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078



RE: Subsequent Report for
Plunger Lift Installations

Dear Wayne:

Prior to our conversation of last week it was not apparent that a Subsequent Sundry Notice must be filed for plunger lift installation on our wells. We have gone back through our files and would like to submit notice that plunger lift installations were completed on several RBU wells. Enclosed please find Sundry Notices for these wells.

We will be installing plunger lifts on several more RBU wells in the near future. As these operations are completed I will send in subsequent reports on those wells also.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Scot Childress at (504) 593-7574.

Sincerely,

Susan H. Sachitana
Susan H. Sachitana
Coordinator, Regulatory Reports

Enclosure

cc: Frank Matthews - Utah Department of Oil, Gas & Mining
N. Decker
M. Hall
S. Childress
RBU Well Files

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 7-22F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-30768
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 2,466' FEL & 1,586' FNL of Sec. 22-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Plunger Lift	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*
Installed plunger lift equipment on above well. Well on plunger.

NOV 08 1995
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Scot Childress Title Supervisor, Production Eng. Date November 2, 1995
Scot Childress

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. 14-22-H62-2646
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVERBEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 2,466' FEL & 1,586' FNL of Sec. 22-T10S-R20E		8. Well Name and No. 7-22F
		9. API Well No. 43-047-30768
		10. Field and Pool, or Exploratory Area ISLAND
		11. County or Parish, State UINTAH, UTAH


12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

CNG Producing Company proposes to store brine water from the above referenced well in a 100 bbl tank on the well site. As the tank fills, water will be hauled and disposed of into the RBU 16-19F injection well in Sec. 19-T10S-R20E.

Attached is a revised site diagram for this well site.



14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title COORDINATOR, REGULATORY REPORTS
Signature <i>Susan H. Sachitana</i>	Date 970725


THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.




LEGEND	
□	= Oil Line
G	= Gas Line
W	= Water Line
R	= Relief Line (Pressure)
C	= Condensate Line
V	= Vent Line
D	= Drain Line
M	= Gas Meter
P	= Pump
BP	= Back Pressure Valve
SWS	= Sealed When Shipping
SUS	= Sealed Unless Shipping
T	= Heat Traced Line
H	= Heater
BL	= Buried Line
⊗	= Valve
↗	= Check Valve
SC	= Sealed Closed Valve
NC	= Normally Closed
BD	= Blowdown Line



RBU 7-22E
RBU WS MU AB
43047307680051
651 142014622646
JUNE 22 105 20E

BL, G, C, W
 (± 100')



The site security plan is on file in CNG's district office located at 1400 N. State Street in Roosevelt, Utah. It can be inspected during office hours, from 6:30 am thru 3:30 pm Monday thru Friday.

CNG PRODUCING COMPANY

Well:	RIVER BEND FIELD, UINTA COUNTY	not to scale
	TYPICAL FLOW DIAGRAM	date: / /



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3100
U-01470-A et al
(UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. : Oil and Gas Leases
1450 Poydras Street :
New Orleans, LA 70112-6000 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JUN 05 2000

DIVISION OF
OIL, GAS AND MINERAL

cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS—Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Irene Anderson (UT-932)
Teresa Thompson (UT-931)
LaVerne Steah (UT-942)

STATE OF UTAH
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well : OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER:	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name:
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name:
4. Location of Well Footages: QQ, Sec, T., R., M.:	8. Well Name and Number: VARIOUS
	9. API Well Number
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Other	<input type="checkbox"/> Abandon* <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input checked="" type="checkbox"/> Other <u>OPERATOR NAME CHANGE FOR WELLS</u>
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recomplete <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off
Approximate date work will start _____	Date of work completion _____
	Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	*Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.


John R. Lewis
Sr. Vice-President - CNG Producing Company

RECEIVED
JUN 29 2000
DIVISION OF
OIL, GAS AND MINING

13. Name & Signature:  Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

(This space for State use only)



State of Utah
DEPARTMENT OF COMMERCE
Division of Corporations & Commercial Code

552894
CO 106990
File Number

Table with 2 columns: Check Appropriate Box, Fee Amount. Rows include Foreign Profit Corporation (\$35.00), Foreign Non-Profit Corporation (\$35.00), Foreign Limited Partnership (\$25.00), Foreign Limited Liability Company (\$35.00).

Application To Amend The
CERTIFICATE OF AUTHORITY OR
REGISTRATION of

CNG Producing Company
Business Entity Name

Delaware
Name of Home State

I. AMENDING THE BUSINESS NAME

The business name is changed to: Dominion Exploration & Production, Inc.
The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

(The corporation shall use its name as set forth on #1, unless this name is not available)

NOTE: If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- [X] The name of the corporation is changing its name in Utah to the new name of the corporation in the home state.
[] The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE

The businesses period of duration is changed to:

III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION

The corporation's state or country of incorporation/registration is changed to:

IV. Other:

(Limited Partnership changing General Partners, Limited Companies changing Members or Managers, Change of statement who is managing, etc.)
Use an attached sheet if needed.

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

Signature: [Handwritten Signature] Title: Vice President & Corporate Secretary Date: April 20 2000

State of Utah
Department of Commerce
Division of Corporations and Commercial Code

I hereby certify that the foregoing has been filed and approved on this 25 day of April 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner: [Signature] Date: 4/25/00



Signature: [Signature] Name: [Name]

Date: 04/25/2000
Receipt Number: 22156
Amount Paid: \$60.00

STATE OF UTAH
DIVISION OF CORPORATIONS
AND COMMERCIAL CODE
160 East 300 South / Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Web Site: http://www.commerce.state.ut.us

FILED

APR 25 2000

EXHIBIT A
OIL & GAS LEASES AFFECTED BY THE NAME CHANGE

U-01470-A	U-017713	U-46825
U-01790	U-035316	U-62232
U-02896-A	U-037164	UTU-66743
U-03505	U-0143519	UTU-68108
U-03576	U-0143520-A	UTU-68388
U-013429-A	U-0143521-A	UTU-68625
U-013765	U-0147541	UTU-69166
U-013766	U-0147541-A	UTU-73011
U-013767	U-3405	UTU-73433
U-013769	U-7206	UTU-76499
U-013769-A	U-9803	UTU-76500
U-013769-B	U-10291	UTU-76717
U-013769-C	U-16544	UTU-76718
U-013792	U-19266	
U-013793	U-28203	U-60759 (CA)
U-013793-A	U-29784	U-60940 (CA)
U-013794	U-30693	UTU-77360 (CA)
U-013818-A	U-37246	U-63054X (River Bend)
U-013820	U-39221	UTU-73218X
U-013821-A	U-43156	(West Willow Creek Unit)

api	well_name	well_status_main	lease_num
4304732111	RBU 7-15F	LA	14-20-H62-2645
4304732189	RBU 13-10F	P	14-20-H62-2645
4304730768	RBU 7-22F	P	14-20-H62-2646
4304732109	RBU 15-15F	LA	14-20-H62-2646
4304732844	RBU 15-15F	P	14-20-H62-2646
4304732269	RBU 4-15F	PA	INDIAN
4304733360	RBU 1-16F	DRL	ML-3393
4304731980	STATE 2-36E	LA	ML-42175
4304731801	RIVER BEND U 2-10D	S	U-013429-A
4304731551	RBU 10X-15E	PA	U-013760
4304731716	RIVER BEND U 7-13E	LA	U-013765
4304731718	RBU 15-13E	LA	U-013765
4304732600	RBU 1-21EO	P	U-013766
4304733033	RBU 7-23E	P	U-013766
4304733160	RBU 8-15E	P	U-013766
4304733272	RBU 13-3F	P	U-013767
4304733366	RBU 5-18F	P	U-013769
4304732991	RBU 6-19F	P	U-013769-A
4304733157	RBU 7-19F	P	U-013769-A
4304732454	RBU 9-14EO	P	U-013792
4304732514	RBU 8-14EO	LA	U-013792
4304732678	RBU 13-22EO	LA	U-013792
4304732989	RBU 13-10E	P	U-013792
4304733156	RBU 4-14E	P	U-013792
4304733161	RBU 16-10E	P	U-013792
4304733194	RBU 2-14E	P	U-013792
4304733365	RBU 12-14E	P	U-013792
4304732990	RBU 13-18F2	P	U-013793
4304732396	RBU 3-21F	P	U-013793-A
4304732407	RBU 15-14F	P	U-013793-A
4304732408	RBU 4-23F	P	U-013793-A
4304732899	RBU 3-14F	P	U-013793-A
4304732900	RBU 8-23F	P	U-013793-A
4304732972	RBU 1-21F	P	U-013793-A
4304733087	RBU 6-23F	P	U-013793-A
4304733158	RBU 7-20F	P	U-013793-A
4304733424	RBU 5-20F	P	U-013793-A
4304732392	RBU 11-14F	P	U-013793A
4304731719	RBU 5-24E	LA	U-013794
4304732483	RBU 5-24EO	P	U-013794
4304733034	RBU 9-18F	P	U-013794
4304733159	RBU 7-24E	P	U-013794
4304731352	RBU 16-3D	P	U-013820
4304733599	RBU 1-1D	APD	U-013820
4304733090	RBU 11-22F	P	U-0143519
4304733089	RBU 8-22F	P	U-0143521
4304732901	RBU 12-23F	P	U-01470-A
4304733091	RBU 16-22F	P	U-01470-A
4304733368	RBU 14-23F	P	U-01470-A
4304731138	RBU 11-34B	P	U-017713
4304731724	RBU 11-35B	S	U-017713
4304732094	RBU 13-35B	P	U-017713
4304732222	RBU 15-35B	S	U-017713
4304730585	RBU 7-11F	P	U-01790
4304732512	RBU 8-11F	P	U-01790
4304731739	RBU 9-9E	P	U-03505
4304732415	RBU 3-10EX (RIG SKID)	P	U-035316
4304733035	RBU 14-19F	P	U-13769-A
4304731881	APACHE 12-25	S	U-3405
4304732417	FEDERAL 3-25B	P	U-39221
4304731782	SADDLE TREE DRAW 13-34	LA	U-57598
4304732934	RBU 3-10F	P	U-7206
4304732969	RBU 11-10F	P	U-7206
4304732970	RBU 12-15F	P	U-7206
4304732971	RBU 15-16F	P	U-7206

result - select api, well_name, we

4304733088	RBU 1-10F	P	U-7206
4304733362	RBU 15-10F	P	U-7206
4304732902	RBU 1-15F	P	U-7260
4304732903	RBU 3-15F	P	U-7260
4304732904	RBU 9-15F	P	U-7260
4304732515	RBU 1-25E	P	U-73011
4304730406	RBU 7-25B	P	UTU-39221
4304732418	FEDERAL 13-24B	S	UTU-68625
4304732420	FEDERAL 15-24B	P	UTU-68625
4304732447	FEDERAL 5-24B	P	UTU-68625
4304732671	FEDERAL 3-24B	P	UTU-68625

(76 row(s) affected)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS ✓
2. CDW ✓		5-LP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective: **04-12-2000**

FROM: (Old Operator):	TO: (New Operator):
CNG PRODUCING COMPANY	DOMINION EXPLORATION & PRODUCTION INC
Address: 1450 POUDRAS ST 8TH FLOOR	Address: 1450 POYDRAS ST 8TH FLOOR
NEW ORLEANS, LA 70112-6000	NEW ORLEANS, LA 70112-6000
Phone: 1-(435)-593-7000	Phone: 1-(504)-593-7000
Account N0605	Account N1095
CA No.	Unit: RIVER BEND

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RBU 13-10F	43-047-32189	7050	10-10S-20E	INDIAN	GW	P
RBU 15-15F	43-047-32844	7050	15-10S-20E	INDIAN	GW	P
RBU 7-22F	43-047-30768	7050	22-10S-20E	INDIAN	GW	P

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2000
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2000
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 05/16/2001
- Is the new operator registered in the State of Ut YES Business Number: 852894-0143
- If **NO**, the operator was contacted contacted on: _____
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 06/02/2000
- Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: '06/02/2000
- Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A

9. **Underground Injection Control** (UIC) The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- 1. Changes entered in the **Oil and Gas Database** 05/16/2001
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 05/16/2001
- 3. Bond information entered in RBDMS on: N/A
- 4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

- 1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

- 1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
- 2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
- 3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

FILMING:

- 1. All attachments to this form have been **MICROFILMED** on: 7.26.01

FILING:

- 1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

FROM: (Old Operator): N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134 Phone: 1 (405) 749-1300	TO: (New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102 Phone: 1 (817) 870-2800
--	--

WELL NAME	CA No.	SEC	TWN	RNG	Unit:	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST										

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- a. Is the new operator registered in the State of Utah: Business Number: 5655506-0143
- b. If **NO**, the operator was contacted on: _____
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: _____
- Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/27/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
- Bond information entered in RBDMS on: 9/27/2007
- Fee/State wells attached to bond in RBDMS on: 9/27/2007
- Injection Projects to new operator in RBDMS on: 9/27/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000138
- Indian well(s) covered by Bond Number: n/a
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
- b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008
 The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: SEE ATTACHED
2. NAME OF OPERATOR: XTO Energy Inc. <i>N2615</i>		9. API NUMBER: SEE ATTACHED
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc.
14000 Quail Springs Parkway, Suite 600 *N1095*
Oklahoma City, OK 73134

James D. Abercrombie
James D. Abercrombie *(405) 749-1300*
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) <u>Edwin S. Ryan, Jr.</u>	TITLE <u>Sr. Vice President - Land Administration</u>
SIGNATURE <i>Edwin S. Ryan, Jr.</i>	DATE <u>7/31/2007</u>

(This space for State use only)

APPROVED 9127107

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED

AUG 06 2007

DIV. OF OIL, GAS & MINING

(5/2000)

7

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304730759	RBU 11-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304730762	RBU 6-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A	
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S	
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P	
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731160	RBU 3-15E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731196	RBU 3-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792	7050	Federal	GW	P	
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731369	RBU 3-13E	NENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B	7050	Federal	GW	P	
4304731605	RBU 9-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731606	RBU 3-22E	NENW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731615	RBU 4-22F	NWNW	22	100S	200E	U-0143521-A	7050	Federal	GW	S	
4304731652	RBU 6-17E	SWNW	17	100S	190E	U-03535	7050	Federal	GW	P	
4304731715	RBU 5-13E	SWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731717	RBU 13-13E	SWSW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731739	RBU 9-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P	
4304732033	RBU 13-14E	SWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732037	RBU 11-3E	NESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732038	RBU 6-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A	
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P	
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732103	RBU 15-17F	SWSE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732105	RBU 13-19F	SWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732107	RBU 1-21E	NENE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732128	RBU 9-21E	NESE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732129	RBU 9-17E	NESE	17	100S	190E	U-03505	7050	Federal	GW	P	
4304732133	RBU 13-14F	SWSW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732134	RBU 9-11F	NESE	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732138	RBU 5-21F	SWNW	21	100S	200E	U-013793	7050	Federal	GW	P	
4304732146	RBU 1-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P	
4304732149	RBU 8-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732153	RBU 13-23E	SWSW	23	100S	190E	U-13766	7050	Federal	GW	P	
4304732154	RBU 5-24E	SWNW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732156	RBU 5-14F	SWNW	14	100S	200E	U-013793A	7050	Federal	GW	P	
4304732166	RBU 7-15E	SWNE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732167	RBU 15-13E	SWSE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732189	RBU 13-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P	
4304732190	RBU 15-10E	SWSE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732191	RBU 3-17FX	NENW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732197	RBU 13-15E	SWSW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732198	RBU 7-22E	SWNE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732199	RBU 5-23E	SWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732201	RBU 13-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	S	
4304732211	RBU 15-15E	SWSE	15	100S	190E	U-013766	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304732213	RBU 5-19F	SWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732217	RBU 9-17F	NESE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732219	RBU 15-14E	SWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732220	RBU 5-3E	SWNW	03	100S	190E	U-03505	7050	Federal	GW	P	
4304732228	RBU 9-3E	NESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304732239	RBU 7-14E	SWNE	14	100S	190E	U-103792	7050	Federal	GW	P	
4304732240	RBU 9-14F	NESE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732242	RBU 5-22E	SWNW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732263	RBU 8-13E	SENE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732266	RBU 9-21F	NESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732267	RBU 5-10F	SWNW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732268	RBU 9-10F	NESE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732269	RBU 4-15F	NWNW	15	100S	200E	INDIAN	7050	Indian	GW	PA	
4304732270	RBU 14-22F	SESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304732276	RBU 5-21E	SWNW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732289	RBU 7-10E	SWNE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732290	RBU 5-17F	SWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732293	RBU 3-3E	NENW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732295	RBU 13-22E	SWSW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732301	RBU 7-21E	SWNE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732309	RBU 15-21F	SWSE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732310	RBU 15-20F	SWSE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732312	RBU 9-24E	NESE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732313	RBU 3-20F	NENW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732315	RBU 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732317	RBU 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732328	RBU 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732331	RBU 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732347	RBU 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732391	RBU 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S	
4304732392	RBU 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732396	RBU 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732407	RBU 15-14F	SWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732408	RBU 4-23F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732415	RBU 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316	7050	Federal	GW	P	
4304732483	RBU 5-24EO	SWNW	24	100S	190E	U-013794	11719	Federal	OW	S	
4304732512	RBU 8-11F	SENE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732844	RBU 15-15F	SWSE	15	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304732899	RBU 3-14F	NENW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732900	RBU 8-23F	SENE	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732901	RBU 12-23F	NWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732902	RBU 1-15F	NENE	15	100S	200E	U-7260	7050	Federal	GW	S	
4304732903	RBU 3-15F	NENW	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732904	RBU 9-15F	NESE	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732934	RBU 3-10F	NENW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732969	RBU 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304732971	RBU 15-16F	SWSE	16	100S	200E	U-7206	7050	Federal	GW	S	
4304732972	RBU 1-21F	NENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732989	RBU 13-10E	SWSW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732990	RBU 13-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304732991	RBU 6-19F	SENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733033	RBU 7-23E	NWNE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733034	RBU 9-18F	NESE	18	100S	200E	U-013794	7050	Federal	GW	P	
4304733035	RBU 14-19F	SESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733087	RBU 6-23F	SENW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733088	RBU 1-10F	NENE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733089	RBU 8-22F	SENE	22	100S	200E	U-0143521	7050	Federal	GW	P	
4304733090	RBU 11-22F	NESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304733091	RBU 16-22F	SESE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733156	RBU 4-14E	NWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733157	RBU 7-19F	SWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733158	RBU 7-20F	SWNE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733159	RBU 7-24E	SWNE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733160	RBU 8-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304733161	RBU 16-10E	SESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733194	RBU 2-14E	NWNE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733272	RBU 13-3F	SWSW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733361	RBU 5-3F	SWNW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733362	RBU 15-10F	SWSE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733363	RBU 5-16F	SWNW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304733365	RBU 12-14E	NWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733366	RBU 5-18F	SWNW	18	100S	200E	U-013769	7050	Federal	GW	P	
4304733367	RBU 10-23F	NWSE	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733368	RBU 14-23F	SESW	23	100S	200E	U-01470-A	7050	Federal	GW	S	
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P	
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304734670	RBU 8-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734671	RBU 4-24E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734701	RBU 12-11F	SENW	11	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304734702	RBU 2-15E	NWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734703	RBU 4-17F	NWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734745	RBU 10-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734749	RBU 7-18F	SWNE	18	100S	200E	U-013769	7050	Federal	GW	P
4304734750	RBU 12-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBU 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734812	RBU 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBU 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBU 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBU 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBU 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBU 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBU 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBU 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBU 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBU 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBU 6-22E	SENW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBU 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBU 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBU 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBU 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBU 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBU 8-19F	SENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734946	RBU 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBU 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBU 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBU 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBU 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBU 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBU 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBU 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBU 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBU 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBU 14-10E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734976	RBU 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBU 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBU 6-15E	SENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBU 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBU 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBU 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBU 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBU 2-20F	NWNE	20	100S	200E	U-03505	7050	Federal	GW	P
4304734987	RBU 9-20E	SWNW	21	100S	190E	U-03505	7050	Federal	GW	P
4304734989	RBU 7-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304734990	RBU 8-20E	SWNW	21	100S	190E	U-03505	14164	Federal	GW	P
4304735041	RBU 16-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304735042	RBU 12-22E	NWSW	22	100S	190E	U-013792	14165	Federal	GW	P
4304735058	RBU 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBU 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBU 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBU 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBU 6-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBU 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBU 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBU 2-3E	NWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304735088	RBU 6-3E	SESW	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBU 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBU 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBU 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBU 6-21F	SESW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBU 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBU 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBU 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBU 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBU 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBU 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBU 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBU 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBU 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBU 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBU 11-23F	SESW	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBU 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304735640	RBU 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBU 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304735645	RBU 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736200	RBU 8-17E	SWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736201	RBU 15-17EX	SWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736293	RBU 2-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	P
4304736294	RBU 6-10E	NENW	10	100S	190E	U-013792	7050	Federal	GW	P
4304736296	RBU 6-21E	SESW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736297	RBU 10-22E	NWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304736318	RBU 14-22E	SESW	22	100S	190E	U-013792	7050	Federal	GW	P
4304736427	RBU 9-15E	NESE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304736428	RBU 2-17E	NWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736429	RBU 1-17E	NENE	17	100S	190E	U-013766	7050	Federal	GW	DRL
4304736432	RBU 3-19F2	NWNW	19	100S	200E	U-013769-A	15234	Federal	GW	P
4304736433	RBU 14-17F	SESW	17	100S	200E	U-03505	7050	Federal	GW	P
4304736434	RBU 2-19F	NWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304736435	RBU 5-19FX	SWNW	19	100S	200E	U-013769-A	15855	Federal	GW	P
4304736436	RBU 4-20F	NWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304736605	RBU 16-14F	SESE	14	100S	200E	U-013793A	7050	Federal	GW	P
4304736608	RBU 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03	100S	190E	U-013765	7050	Federal	GW	P
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792	7050	Federal	GW	DRL
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SEnw	02	100S	200E	ML-10716	11377	State	OW	PA
4304730260	RBU 11-16E	NEsw	16	100S	190E	ML-13214	7050	State	GW	S
4304730583	RBU 11-36B	NEsw	36	090S	190E	ML-22541	99998	State	NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998	State	NA	PA
4304730760	RBU 11-2F	NEsw	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716	7050	State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SEsw	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NEsw	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NEsw	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304735348	RBU 13-16F	NWNW	21	100S	200E	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

Dominion Exploration & Production, Inc.
Attn: James D. Abercrombie
14000 Quail Springs Parkway, #600
Oklahoma City, OK 73134-2600

August 10, 2007

Re: River Bend Unit
Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED
AUG 16 2007
DIV. OF OIL, GAS & MINING