

UNITIZATION  
SPECIALISTS

BOX 4989  
CASPER, WYOMING 82604  
307 - 234-8951 (OFFICE)  
307 - 234-8809 (HOME)

3211 ENERGY LANE, SUITE 205  
CASPER, WYOMING 82601

October 3, 1980

State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
1588 West North Temple  
Salt Lake City, Utah 84116

Re: Application for Permit to  
Drill, Wonsits Valley Unit  
Well No. 128, sec. 10, T8S-R21E  
Uintah County, Utah


Gentlemen:

Enclosed is one complete copy of the Application for Permit to Drill, including all of the NTL-6 material which was filed with the U.S.G.S., for the referenced well.

Very truly yours,



C. C. Schmidt



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER   
 SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 GULF OIL CORPORATION

3. ADDRESS OF OPERATOR  
 c/o Haymaker & Associates  
 1720 South Poplar, Suite #5, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At surface  
 525' FSL - 2,045' FWL (SE 1/4 SW 1/4)  
 At proposed prod. zone  
 Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 Approximately 9.0 miles East of Ouray, Utah

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 525'  
 16. NO. OF ACRES IN LEASE 2,480.00

17. NO. OF ACRES ASSIGNED TO THIS WELL 40.00

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1,385'  
 19. PROPOSED DEPTH 5,700'

20. ROTARY OR CABLE TOOLS  
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
 4,835' Ground

22. APPROX. DATE WORK WILL START\*  
 As soon as possible

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9 5/8"	36# AM-STC	2,000'	Circulate
8 1/2"	5 1/2"	17# N-80 STC	5,700'	750 sx

- Propose to drill 12 1/4" hole to 2,000', set 9 5/8" casing and circulate.
- Drill 8 1/2" hole to 5,700', log and core, set 5 1/2" casing with 750 sx.

Exhibits Attached

- |                                       |   |
|---------------------------------------|---|
| A. Location and Elevation Plat        | E. Access Road Map                      |
| B. Ten Point Compliance Program       | F. Radius Map of Existing Wells         |
| C. Blowout Preventer Diagram          | G. Drill Rig Layout with Cross Sections |
| D. Multipoint Requirements for A.P.D. |   |

APPROVED BY THE DIVISION  
OF OIL, GAS, AND MINING

DATE: 10/15/80

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface localities, directions and true vertical depths. Give blowout preventer program, if any.

24. SIGNED C. P. Williams TITLE Drly Supt. DATE September 29, 1980

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:


EXHIBIT "A"

T 8 S, R 21 E, S.L.B. & M.

PROJECT

GULF OIL CORP.

Well location, *WONSITS VALLEY WELL #128*, located as shown in the SE1/4 SW1/4 Section 10, T8S, R21E, S.L.B. & M. Uintah County, Utah.



X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Gene Stewart*

REGISTERED LAND SURVEYOR  
REGISTRATION NO 3154  
STATE OF UTAH

<b>UINTAH ENGINEERING &amp; LAND SURVEYING</b> P.O. BOX Q - 110 EAST - FIRST SOUTH VERNAL, UTAH - 84078		
SCALE	1" = 1000'	DATE 8/5/80
PARTY	MS KH DF AC	REFERENCES GLO Plats
WEATHER	Clear / Hot	FILE GULF OIL CORP.

United States Department of the Interior  
Geological Survey  
2000 Administration Bldg.  
1745 West 1700 South  
Salt Lake City, Utah 84104-

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Gulf Oil Corporation  
Project Type Oil well development Wonsit Valley  
Project Location 525' FSL 2045' FWL Section 10, T. 8S, R. 21E  
Well No. 128 Lease No. U-0806  
Date Project Submitted October 8, 1980

FIELD INSPECTION Date November 20, 1980

Field Inspection  
Participants Craig M. Hansen - USGS, Vernal  
Lynn Hall - BIA, Fort Duchesne  
Chris Schmit - Gulf Oil Corporation  
Earl Grady - Dirt Contractor  
Jack Skews - Dirt Contracor

Related Environmental Documents: \_\_\_\_\_

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

November 21, 1980  
Date Prepared Craig M. Hansen  
Environmental Scientist

I concur 12/1/80  
Date E. D. [Signature]  
District Supervisor

Typing In 11-21-80 Typing Out 11-21-80

*Rec 12/1/80*



CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey  
(Conservation Division, Geological Division, Water Resource Division,  
Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement

Recommended Stipulation for Gulf #128

1. Culvert on access road.
2. Drainage north of the location will not be disturbed.
3. Paint production facilities to blend in with natural surroundings.
4. Topsoil will be placed on the southeast corner of the location.
5. Adhere to basic stipulations by BIA Fort Duchesne on file in Salt Lake City District Office.



Gulf Oil  
#128 EAST





EXHIBIT "D"

MULTI-POINT REQUIREMENTS TO ACCOMPANY APD

GULF OIL CORPORATION

Wonsits Valley Unit Well No. 128

525' FSL - 2,045' FWL

Sec. 10, T8S - R21E SLB&M

Uintah County, Utah

1. Existing Roads

- A. The proposed well site and elevation plat is included as Exhibit "A".
- B. To reach the location proceed west from Vernal, Utah, along Highway 40 approximately 14 miles to its junction with State Highway 209, then south 7 miles to State Highway 88, then south 11 miles through Ouray and across the Green River, then east on a dirt road approximately 9 miles to the location.
- C. No new access road will be needed since an existing road passes immediately adjacent to the location.
- D. No up-grading will be necessary on the existing access roads.

2. Planned Access Road

No new access road or up-grading of existing roads is planned.

3. Location of Existing Wells

- A. All existing wells within a 1.0 mile radius of the proposed location are shown directly on Exhibit "F".
- B. There are twenty-one producing wells within one mile of the location.
- C. There are five water injection wells within one mile of the location.
- D. There is one proposed location, SE $\frac{1}{4}$ NE $\frac{1}{4}$  sec. 16, within one mile of the location.
- E. There are no abandoned wells, temporarily abandoned wells, shut-in wells, monitoring or observation wells within one mile of the location.
- F. The producing, shut-in and water injection status of the wells within one mile of the location is based on the latest U.S.G.S. field map and may not be currently correct.

#### 4. Location of Existing and Proposed Facilities

Gulf Oil Corporation has tank batteries, production facilities, oil gathering lines, injection lines and other flowlines associated with the wells shown on Exhibit "F". Gulf Oil Corporation also has a tank battery and pump station approximately 1.3 miles south of the location.

It is contemplated that, in the event of production, all new facilities will be accommodated on the proposed drill pad on the solid base of cut and not located on the fill areas.

- A. No additional flagging will be necessary since all producing facilities will be on the drill pad.
- B. If production is obtained the unused areas will be restored as later described. Production facilities will be contained within the proposed drill pad area until such time as flowlines are constructed to existing facilities.
- C. Concrete and gravel, as needed, will be purchased from private sources.
- D. All pits will be fenced to minimize any hazard to domestic animals and other animals that graze in the area. Wire mesh covering or overhead flagging will be installed on pits, in the event water or other fluids are produced.
- E. Rehabilitation, whether the well is productive or dry, will be accomplished as soon as possible in those areas already described, and in accordance with the requirements of Items 7 and 10, following.

#### 5. Water Supply

- A. Water to be used in the drilling of this well will be hauled by truck, over existing roads, from the Green River south of Ouray. This water will be hauled approximately 9.0 miles to the location site.
- B. There will be no water well drilled.

#### 6. Source of Construction Materials

- A. Native soil from the drill site will be used to construct the location.
- B. No construction materials, other than borrow material from the drill site will be obtained from Federal or Indian lands.
- C. No construction material will be needed for road improvements.
- D. No new access road will be required.

## 7. Handling Waste Disposals

- A. One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one-half will be used to store non-flammable materials such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc. The reserve pits will be lined, as required.
- B. The pits will have wire and overhead flagging, as required, to protect water fowl, wildlife and domestic animals.
- C. At the onset of drilling the reserve pits will be fenced on three sides and at the time the drilling activities are completed it will be fenced on the fourth side and allowed to dry completely prior to the time that back-filling and reclamation activities are commenced.
- D. When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements in Item #10 will be followed.
- E. The burn pit will be fenced on all four sides and covered with a small mesh wire to prevent any flammable materials from escaping and creating a fire hazard and all flammable materials will be burned and then removed or buried upon completion of the well.
- F. All sewage will be removed and chemical toilets will be supplied for human waste.

## 8. Ancillary Facilities

No airstrip, camp or other facilities will be built during the drilling or completion of the well.

## 9. Well Site Layout

- A. Drilling pad layout (with cuts and fills) and cross sections are shown on Exhibit "G".
- B. Rig orientation, access road, reserve pits, pipe racks, living facilities and soil stockpile are shown on Exhibit "G".
- C. The reserve pits will be lined, as required, and the Ute Tribal District Manager, Federal and State representatives will be notified before any construction begins on the proposed location site.

## 10. Plans for Restoration of Surface

- A. A minimum of 8" of topsoil will be stripped and stockpiled (see Exhibit "G"). When all drilling and production activities have been completed the location site will be reshaped to the original contour and stockpiled topsoil will be spread over the disturbed area.

- B. Any drainages re-routed during construction activities will be restored to their original line of flow as nearly as possible. Fences around pits will be removed upon completion of drilling activities and all waste contained in the burn or trash pits will be removed or buried.
- C. The reserve pit will be completely fenced and wired with overhead wire and flagging will be installed if there is oil or fluid in the pits and then allowed to completely dry. When re-shaping of the area occurs, following drilling and/or production cessation, dried waste material from the reserve pits will be buried or removed from the location.
- D. Restoration activities will begin within 90 days after completion of the well and when restoration activities have been completed the location site will be re-seeded with a seed mixture recommended by the Ute Tribal Manager, Federal and State representatives, at such time as the moisture content of the soil is adequate for germination. Gulf Oil Corporation, as operator, and any subsequent operator covenants and agrees that all of said cleanup and restoration activities will be done and performed in a diligent and workmanlike manner, in strict conformation with the above mentioned Items 7 and 10.

11. Other Information

- A. The area is located in the Uintah Basin which is formed by the Uintah Mountains to the North and Book Cliff Mountains to the South with the Green River and the White River flowing through the basin floor. The area is interlaced with numerous canyons, ridges and plateaus of which the sides are extremely steep with numerous ledges formed in sandstone and con lomerates. The immediate area of the location site is relatively flat with drainage toward the west. All of the drainage in the area is non-perennial.
- B. The soils in this area are of the Uintah and Duchesne River formations and consist of light brownish to light redish clays with some sand and poorly graded gravels.
- C. Vegetation in the area is common to the semi-arid conditions and consists of sagebrush, bitterbrush, rabbitbrush, some grasses and cacti.
- D. The fauna of the area consists of mule deer, coyotes, rabbits, varieties of ground squirrels and other types of rodents. Birds in the area are raptors, finches, ground sparrows, magpies, crows and jays. The area is used domestically for grazing sheep and cattle.
- E. There are no occupied dwellings or other facilities of this nature in the general area.
- F. There are no visible archaeological, historical or cultural sites within any reasonable proximity of the proposed location.
- G. All surface disturbance is on Bureau of Indian Affairs lands and is under their jurisdiction.

12. Lessee's or Operator's Representative

Edward R. Haymaker  
Agent Consultant for  
Gulf Oil Corporation

or

Frank R. Matthews  
Gulf Oil Corporation  
P.O. Box 2619  
Casper, Wyoming 82602  
Phone: 307-235-1311

1720 South Poplar Suite #5  
Casper, Wyoming 82601

Phone: 307-234-6186 or  
307-266-6314

13. Certification

I hereby certify that I or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge true and correct; and, that the work associated with the operations proposed herein will be performed by Gulf Oil Corporation and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

September 29, 1980

Date: \_\_\_\_\_

  
E. R. Haymaker

Agent-Consultant for  
Gulf Oil Corporation

EXHIBIT "B"

TEN-POINT COMPLIANCE PROGRAM OF NTL-6

APPROVAL OF OPERATIONS

GULF OIL CORPORATION

Wonsits Valley Unit Well No. 128

525' FSL - 2,045' FWL

Sec. 10, T8S - R21E SLB&M

Uintah County, Utah

1. Geologic Surface Formation

The surface formation at this location is Duchesne River

2. Estimated Important Geologic Markers

<u>Formation</u>	<u>Depth</u>
Green River	2,500'
Lower Green River	4,600'
Green River (Top of Producing Interval)	5,300'
T.D.	5,700'

3. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
Lower Green River	4,600'	Water
Green River (Prod. Interval)	5,300'	Possible Oil & Gas

4. Proposed Casing Program

<u>Hole Size</u>	<u>Casing Size</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Condition</u>	<u>Depth Set</u>
12 1/4"	9 5/8"	AM-STC	36#	New	2,000'
8 1/2"	5 1/2"	N-80 STC	17#	New	5,700'

5. Operator's Minimum Specifications for Pressure Control

Exhibit "C" is a schematic diagram of the blowout preventer equipment. The BOP's will be hydraulically tested to the full working pressure after nipping up and after any use under pressure. Pipe rams will be operationally checked each 24-hour period with blind rams and with annular preventer each time pipe is pulled out of the hole.

Accessories to BOP's include an upper and a lower kelly cock, floor safety valve, and choke manifold with pressure rating equivalent to the BOP stack.

6. Type and Characteristics of the Proposed Circulating Muds

- (a) 0' - 2,000' Spud with 8.4# - 8.9# mud or fresh water as determined at well site.
- (b) 2,000' - 5,700' Use brackish water or mud as necessary for hole conditions.

Weight of Mud: 9.0# - 10.0#/gal.  
Viscosity: 35 - 45 sec.qt.  
Water Loss: Less than 30 cc.

7. Auxiliary Equipment to be Used

- (a) A kelly cock will be kept in the string.
- (b) A float will be used at the bit.
- (c) A mud logging unit will be monitoring the system.
- (d) A stabbing valve will be on the floor to be stabbed into the drill pipe when kelly is not in the string.

8. Testing, Logging and Coring Programs to be Followed

- (a) No testing is anticipated
- (b) Selective coring is planned between 5,300' and 5,600'
- (c) Dual Induction with S. P. and Gamma Ray Density logs will be run.

9. Anticipated Abnormal Pressures or Temperatures Expected

- (a) No abnormal pressures or temperatures are anticipated.
- (b) No hydrogen sulfide or other hazardous fluids or gases are anticipated.

10. Anticipated Starting Date and Duration of the Operations

- (a) This well is one of a five well program, within the Wonsits Valley Unit, which will commence as soon as all of the necessary Federal and State requirements have been fulfilled.
- (b) Drilling and completion of each well will require approximately ninety days.

\*\* FILE NOTATIONS \*\*

DATE: Oct 10, 1980  
OPERATOR: Gulf Oil Corporation  
WELL NO: Wonsits Valley #128  
Location: Sec. 10 T. 8S R. 21E County: United

File Prepared:

Entered on N.I.D.:

Card Indexed:

Completion Sheet:

API Number 43-047-30798

CHECKED BY:

Petroleum Engineer: \_\_\_\_\_

Director: OK unit well just send copy of approved copy of APD

Administrative Aide: \_\_\_\_\_

APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. \_\_\_\_\_

O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation Deed

Plotted on Map

Approval Letter Written

Hot Line

P.I.



SCOTT M. MATHESON  
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON  
Executive Director,  
NATURAL RESOURCES

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES

CHARLES R. HENDERSON  
Chairman

CLEON B. FEIGHT  
Director

DIVISION OF OIL, GAS, AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116  
(801) 533-5771

JOHN L. BELL  
C. RAY JUVELIN  
THADIS W. BOX  
CONSTANCE K. LUNDBERG  
EDWARD T. BECK  
E. STEELE McINTYRE

October 21, 1980

Gulf Oil Corporation c/o Haymaker & Associates  
1720 South Poplar, Suite #5  
Casper, Wyoming 82601

Re: WONSITS VALLEY UNIT WELLS:

- #126, Sec. 21, T. 8S, R. 21E, Uintah County, Utah
- #127, Sec. 16, T. 8S, R. 21E, Uintah County, Utah
- #128, Sec. 10, T. 8S, R. 21E, Uintah County, Utah
- #130, Sec. 22, T. 8S, R. 21E, Uintah County, Utah
- #131, Sec. 12, T. 8S, R. 21E, Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil wells is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer  
Office: 533-5771  
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API numbers assigned to these wells are:

#126:	43-047-30796;
#127:	43-047-30797;
#128:	43-047-30798;
#130:	43-047-30799;
#131:	43-047-30800.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

*Cleon B. Feight / ka*

Cleon B. Feight  
Director

DUPLICATE

Form 9-331 C (May 1963)

SUBMIT IN TRIPLICATE (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK: DRILL [X], DEEPEN [ ], PLUG BACK [ ]
b. TYPE OF WELL: OIL WELL [X], GAS WELL [ ], OTHER [ ]
2. NAME OF OPERATOR: GULF OIL CORPORATION
3. ADDRESS OF OPERATOR: c/o Haymaker & Associates, 1720 South Poplar, Suite #5, Casper, Wyoming 82601
4. LOCATION OF WELL: 525' FSL - 2,045' FWL
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: Approximately 9.0 miles East of Ouray, Utah
15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.: 525'
16. NO. OF ACRES IN LEASE: 2,480.00
17. NO. OF ACRES ASSIGNED TO THIS WELL: 40.00
18. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.: 1,385'
19. PROPOSED DEPTH: 5,700'
20. ROTARY OR CABLE TOOLS: Rotary
21. ELEVATIONS (Show whether DF, RT, GR, etc.): 4,835' Ground
22. APPROX. DATE WORK WILL START\*: As soon as possible

5. LEASE DESIGNATION AND SERIAL NO.: Utah 0806
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT AGREEMENT NAME: Wonsits Valley Unit
8. FARM OR LEASE NAME: Uintah-Ouray Tribal
9. WELL NO.: Unit Well No. 128
10. FIELD AND POOL, OR WILDCAT: Wonsits Valley Field
11. SEC. T. R., M., OR BLK. AND SURVEY OR AREA: sec. 10, T8S-R21E SLB&M
12. COUNTY OR PARISH: Uintah
13. STATE: Utah

Table with 5 columns: SIZE OF HOLE, SIZE OF CASING, WEIGHT PER FOOT, SETTING DEPTH, QUANTITY OF CEMENT. Includes rows for 12 1/4" hole and 8 1/2" hole.

- 1. Propose to drill 12 1/4" hole to 2,000', set 9 5/8" casing and circulate
2. Drill 8 1/2" hole to 5,700', log and core, set 5 1/2" casing with 750' sx

Exhibits Attached

- A. Location and Elevation Plat
B. Ten Point Compliance Program
C. Blowout Preventer Diagram
D. Multipoint Requirements for A.P.D.
E. Access Road Map
F. Radius Map of Existing Wells
G. Drill Rig Layout with Cross Sections

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.


SIGNED: C.P. Williams TITLE: Drly Supt. DATE: September 29, 1980

PERMIT NO. APPROVAL DATE: APPROVED BY: E.W. GUYNN DISTRICT ENGINEER DATE: JAN 19 1981

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY NOTICE OF APPROVAL GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

Utah Oil and Gas Commission

Utah and Ouray Agency  
Environmental Analysis and Negative Declaration



1. Description of Proposal:

Gulf Oil Corporation proposes to drill an Oil well to a proposed depth of 5700 feet; to construct approximately none miles of new access road; and upgrade approximately none miles of existing access road. The well site is located approximately 9.0 miles east of Ouray, Utah in the SESW, Sec. 10, T 8S, R 21E, SLB&M

2. Description of the Environment:

The area is used for grazing by livestock, wildlife habitat, recreation, scenic and oil and gas production. The topography is low rolling hills with shale outcrops and sand dunes. The vegetation consists of galletta grass, shadscale, rabbitbrush, trace of 4-winged saltbush.

The area is used as wildlife habitat for 0 deer, X antelope, 0 elk, 0 bear, X small animals, 0 pheasant, X dove, 0 sage grouse, 0 ruffle grouse, 0 blue grouse, 0 bald eagle, X golden eagle, other coyotes, rabbits, small rodents, small reptiles, raptors, song birds. The climate is characterized by having cold snowy winters and warm dry summers. Temperatures range from -40°F during the winter to 105°F in the summer. The approximate annual precipitation is 6 - 8 inches. The elevation is 4835 feet.

3. Environmental Impacts:

During construction of the well dust and exhaust emissions will affect air quality. Soil and vegetation will be removed from 2 acres of land occupied by the well site and access road. The disturbance of the soil and removal of vegetation will:

- A. Destroy wildlife habitat for: 0 deer, X antelope, 0 elk, 0 bear, X small mammals, 0 pheasant, X dove, 0 sage grouse, 0 ruffle grouse, 0 blue grouse, X rabbit, 0 golden eagle, 0 bald eagle, other coyotes, small rodents, small reptiles, song birds.
- B. Remove from production: X rangeland for livestock grazing, 0 irrigated cropland, 0 irrigated pastureland, 0 prime timberland, 0 pinion-juniper land.
- C. Result in the invasion of annual weeds and will cause accelerated soil erosion: During the construction and production of the well human activity in the area will increase significantly. This is expected to significantly increase: X poaching of wildlife, X disturbance of wildlife, X vandalism of property, 0 theft of firewood, X litter accumulations, X livestock disturbance, X livestock thefts, X livestock loss to accidents, X increase the hazard to public health and safety. There is a high, moderate, X slight possibility that pollution from this activity will enter a stream or lake.  
Production facilities can easily be seen from a: 0 community, 0 major highway, 0 public facility.

4. Mitigating measures:

To lessen the impact on the environment the provisions stipulated in the letter to Mr. Ed W. Gynn, District Engineer, U.S. Geological Survey, dated February 13, 1980 will be implemented. Additional stipulations and changes to the 13 point surface use plan are: see USGS EA#016-81

See USGS - EA#016-81  
Lease No. Utah 0806  
Well No. Gulf 128

5. Unavoidable adverse effects:

None of the adverse effects listed in item 13 above can be avoided in a practical manner except those which were mitigated in item 14 above.

6. Relationship between short term and longterm productivity:

As long as oil or gas wells are producing and the access roads are retained there will be a total loss of production on the land and the Environmental Impacts will continue to affect the surrounding area. Normally oil and gas wells produce from 15 to 30 years. After the wells stop producing it is standard policy to restore the surface to near its original condition. Occasionally the site occupied by the well or road can be restored to produce as much as it originally produced, but most of the time it can not be restored to its original productive capacity. Therefore, the land surface productive ability will be permanently damaged.

7. Irreversible and Irretrievable commitment of Natural Resources:

There are two irreversible and irretrievable resources commit in this action.

A. Oil or Gas: Oil and gas is a non-renewable resource. Once it has been removed it can never be replaced.

B. Damage to the land surface: There are three causes of damage to the soil surface due to oil or gas wells and road construction. (1) Gravel is normally hauled onto the site as a pad foundation for equipment and traffic to operate on. Gravel has low fertility and low waterholding capacity. Therefore, after the site is restored the gravel must either be removed, or incorporated into the natural landscape. (2) Chemicals are often either accidentally spilled or intentionally applied to the site for weed and dust control. Generally the chemicals are crude oil or production water, which may contain as much a 20,000 PPM of salts. Once chemicals become incorporated in the soil they are difficult to remove and interfere with the soils ability to produce vegetation. (3) Soil compaction occurs where the site is subject to stormy wet weather and traffic from heavy trucks and equipment. Each of the above items cause soil damage and after the site is restored the productive ability of the soil will be damaged permanently.

8. Alternatives:

A. No. program - This alternative refuses the authorization of the application for permit to drill. This action would not allow the operator to enter upon the land surface to drill for oil or gas. Because the minerals usually cannot be developed without encroachment on the surface, the mineral estate is normally and traditionally designated as dominant, and the surface ownership subservient. The mineral operator's conduct is generally prescribed only by the rule of reasonableness and the limitations that he is not permitted to act in a wanton or negligent manner. Within their confines, the operator has considerable latitude in the necessary use of the surface to produce and develop the mineral estate. Therefore if the application for permit is not signed, the operator would undoubtedly initiate court proceedings against the surface owner, in this case the Ute Tribe and the Bureau of Indian Affairs. Historically the courts have upheld the right of the mineral owner to develop the mineral resource regardless of the surface owners desire, therefore the operators rights will likely be upheld if B.I.A. refuses to sign the application for permit to drill this well.

B. Sign the application for permit to drill. This alternative authorizes the operator to drill for oil or gas as prescribed in the application, providing he complies with stipulations which are considered reasonable as specified in paragraph 4 above under mitigating measures.

9. Consultation:

Chris Schmidt & Gene McKinney - Gulf Oil Corporation

Craig Hansen - USGS - Vernal, Utah

Jim Hacking - Casada Construction - Vernal, Utah

Jack Skewes - Skewes & Hamilton - Duchesne, Utah

Earl Grady - Ross Construction - Vernal, Utah

Elwyn Dushane - Ute Tribal

*R. Lynn Hull* 11-24-80  
B.I.A. Representative

10. We (concur with or, recommend) approval of the Application for Permit to Drill the subject well.

Based on available information 11/20/80 we have cleared the proposed location in the following areas of environmental impact:

Yes  No  Listed threatened or endangered species

Yes  No  Critical wildlife habitat

Yes  No  Historical or cultural resources

Yes  No  Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)

Yes  No  Other (if necessary)

Remarks: \_\_\_\_\_

The necessary surface protection and rehabilitation requirements are specified above.

Ownership

Surface - Ute Tribe

Sub-surface - Non-Indian

R. Lynn Hall 11-24-80  
B.I.R. Representative

11. Declaration:






It has been determined that the drilling of the above well is not a Federal action significantly affecting the quality of the environment as would require the preparation of an environmental statement in accordance with Section 102 (2) (c) of the National Environmental Policy Act of 1969 (42 USC 4331) (2) (c).

L.W. Collins Jr  
Superintendent

# GULF OIL CORPORATION

WONSITS VALLEY WELL #128

C  
R  
O  
S  
S  
  
S  
E  
C  
T  
I  
O  
N  
S



1" = 10'

Scales

1" = 50'

APPROXIMATE YARDAGES

Cubic Yards of Cut - 730

Cubic Yards of Fill - 355

NOTICE OF SPUD

*Handwritten:* Gulf Oil

Caller: Mike Rogers

Phone: \_\_\_\_\_

Well Number: 1-28

Location: SE SW 10-85-21E

County: Uintah State: Utah

Lease Number: U-0806

Lease Expiration Date: \_\_\_\_\_

Unit Name (If Applicable): Wonsits Valley

Date & Time Spudded: 4:00 p.m. 1-31-81

Dry Hole Spudder/ Rotary

Details of Spud (Hole, Casing, Cement, etc.) \_\_\_\_\_

Rotary Rig Name & Number: Brunneroff #85

Approximate Date Rotary Moves In: \_\_\_\_\_

FOLLOW WITH SUNDRY NOTICE

Call Received By: JM

Date: 2-2-81

**RECEIVED**  
FEB 3 1981

DIVISION OF  
OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. NA  
Communitization Agreement No. NA  
Field Name NA  
Unit Name WONSITS VALLEY  
Participating Area GREEN RIVER  
County UINTAH State UTAH  
Operator GULF OIL CORPORATION

Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of February, 19 81

Page 4A of 5

(See Reverse of Form 9-329 for Instructions)

Well No.	Sec. & 1/4 of 1/4	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
126	NW NE21	21E	TD 5372	PBTD 5332'				Perf 5147 - 5184 w 4/JSPF. RJ Smith Energy to spot 2 bbl - 7 1/2% HCl across perfs @ 5174 - 5184'. Flushed w/28 bbl 2% KCl water. Acid frac follows: 1 start SXA acid @ 6 BPM. Acid on perfs. Rate dropped to 4.1 BPM, pumped 1000 gal 15% HCL acid & dropped 20 3/4" RCN sealer balls. Pumped 1000 gals fresh wtr w/2% HCl @ 4 BPM. Pumped 3000 gals SXA-1, 15% acid @ 4 BPM. Pumped 500 gal of 15% HCl @ 4.0 BPM. Displace acid to top perf w/formation wtr. Started well flowing to 400 bbl tank @ 7:05 p.m. 2/6/81.
128	SE SW10	21E	3/1/81	Prepare to swab.				Ran 9 5/8" surf csg. Mx & pmp 450 sx Class "H" cmt w/ 5 1/2" csg set @ 5510'. Circ 1st stage. Cmt 2nd stage. Rig released 20:00 2/14/81. Cmt w/30 sx class "G" 14% gel, 1/4 TP, & 125 sx Class G 0.3% D 60, 1/4 TP followed by 120 sx Class G 1/4 TP. Perf G-1 Line interval (5382-5402) w/2JSPF. Spotted 2 bbls 15% HCl across perfs. Acid fraced G-1 Line w/1000 PSI on annulus thruout.
132	NW NW15	21E	3/1/81	SI WOPEL				Perf 0-1 line interval, had two misfires 5241-61 used Welox-Hol carrier, 2" Sidewinder SSBI w/6.5 gm charge wt. Spotted 2 bbls of 15% HCl across perfs. Acid fraced G-1 line by pmpg 3500 gal 15% SXA-1 acid dn tbg. Pumped 500 gal 15% HCl acid. Pumped 1000 gal fresh wtr as pad & pmpd 3500 gal SXA-1 15% acid dn tbg; pumped 100 gal 15% HCl dn tbg. Displaced acid to top perfs w/fresh wtr.

CORE LABORATORIES, INC.  
*Petroleum Reservoir Engineering*  
DALLAS, TEXAS

CORE ANALYSIS REPORT

FOR

GULF OIL EXPLOR. & PROD. CO.

WONSITS VALLEY FEDERAL 128  
WONSITS VALLEY FIELD  
UINTAH COUNTY, UTAH

RECORDED  
APR 27 1981

DEPT. OF  
OIL, GAS & MINING

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

PAGE 1

GULF OIL EXPLOR. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128  
 WONSITS VALLEY FIELD  
 Uintah County, Utah

DATE : FEB-14-81  
 FORMATION : GREEN RIVER  
 DRLG. FLUID: NON DISPERSED  
 LOCATION : SE SW SEC 10-T8S-R21E

FILE NO : RP-4-5947  
 ANALYSTS : BERNDT  
 ELEVATION: 4849 KB

CONVENTIONAL ANALYSIS--BOYLE'S LAW POROSITY

SAMPLE NUMBER	DEPTH	PERM K <sub>a</sub> MAXIMUM	POR. He	FLUID OIL	SATS. WTR	GRAIN DEN	DESCRIPTION
	5239.0-68.0						SHALE NO ANALYSIS
1	5268.0-69.0	0.02	6.2	18.6	58.6	2.65	SS, GY VFG
2	5269.0-70.0	0.05	8.3	26.2	28.5	2.66	SS, GY VFG
3	5270.0-71.0	0.14	7.9	28.4	28.4	2.66	SS, GY VFG
4	5271.0-72.0	0.12	8.1	16.3	38.1	2.67	SS, GY VFG
5	5272.0-73.0	0.60	7.4	21.6	26.4	2.67	SS, GY VFG
6	5273.0-74.0	0.19	8.0	23.4	35.1	2.65	SS, GY VFG
7	5274.0-75.0	0.02	8.8	24.1	37.2	2.66	SS, GY VFG
8	5275.0-76.0	4.95	10.5	15.6	44.9	2.68	SS, GY VFG
9	5276.0-77.0	2.46	8.1	26.5	24.5	2.66	SS, GY VFG
10	5277.0-78.0	10.	11.2	24.8	24.8	2.67	SS, GY VFG
11	5278.0-79.0	0.41	9.4	20.6	39.4	2.68	SS, GY VFG
12	5279.0-80.0	4.10	10.4	21.9	32.9	2.66	SS, GY VFG
13	5280.0-81.0	15.	11.3	25.7	7.3	2.66	SS, GY VFG
14	5281.0-82.0	2.39	8.7	28.4	16.6	2.67	SS, LTGY VFG SH/LAM
15	5282.0-83.0	0.09	9.8	12.0	40.1	2.69	SS, LTGY VFG SH/LAM
16	5283.0-84.0	0.21	4.6	26.4	39.6	2.64	SLTST, LTGY
17	5284.0-85.0	0.05	2.2	47.6	47.6	2.67	SS, GY VFG SH/LAM
18	5285.0-86.0	8.53	3.6	47.4	42.1	2.67	SLTST, LTGY
19	5286.0-87.0	0.02	5.2	65.1	26.8	2.69	SLTST, LTGY
20	5287.0-88.0	0.02	3.5	79.5	6.6	2.67	SLTST, DKG Y SHY
21	5288.0-89.0	0.02	3.2	81.1	9.0	2.67	SLTST, DKG Y SHY
22	5289.0-90.0	0.09	2.9	71.2	22.3	2.64	SLTST, DKG Y SHY
23	5290.0-91.0	0.84	2.8	78.1	17.0	2.63	SLTST, DKG Y SHY
24	5291.0-92.0	0.14	2.4	78.8	15.8	2.63	SLTST, DKG Y SHY
	5292.0-20.0						SHALE NO ANALYSIS
25	5320.0-21.0	0.32	2.9	64.6	26.6	2.65	SLTST, DKG Y SHY
26	5321.0-22.0	0.09	5.6	12.3	30.8	2.67	SS, GY VFG

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

PAGE 2

GULF OIL EXPLO. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128

DATE : FEB-14-81  
 FORMATION : GREEN RIVER

FILE NO : RP-4-5947  
 ANALYSTS : BERNDT

CONVENTIONAL ANALYSIS--BOYLE'S LAW POROSITY

SAMPLE NUMBER	DEPTH	PERM K <sub>a</sub> MAXIMUM	POR. He	FLUID OIL	SATS. WTR	GRAIN DEN	DESCRIPTION
27	5322.0-23.0	2.84	8.0	16.8	35.7	2.67	SS, GY VFG
28	5323.0-24.0	4.07	9.0	21.2	25.9	2.66	SS, GY VFG
29	5324.0-25.0	20.	8.8	27.6	21.2	2.66	SS, GY VFG
30	5325.0-26.0	5.17	8.6	25.0	25.0	2.66	SS, GY VFG
31	5326.0-27.0	6.52	10.0	25.8	23.9	2.67	SS, GY VFG
32	5327.0-28.0	5.28	9.9	19.3	28.1	2.66	SS, GY VFG
33	5328.0-29.0	0.79	2.1	11.4	45.5	2.65	SS, GY VFG
34	5329.0-30.0	0.07	6.1	14.4	65.0	2.66	SS, GY VFG SH/LAM
35	5330.0-31.0	0.05	5.8	3.4	64.7	2.66	SS, GY VFG
36	5331.0-32.0	0.02	6.5	22.8	48.5	2.65	SS, GY VFG SH/LAM
37	5332.0-33.0	2.53	8.7	27.9	23.9	2.64	SS, GY VFG
38	5333.0-34.0	0.21	7.0	34.4	30.9	2.64	SS, GY VFG
39	5334.0-35.0	2.97	10.3	25.5	35.4	2.66	SS, GY VFG SH/LAM
40	5335.0-36.0	4.60	10.8	25.8	37.1	2.66	SS, GY VFG SH/LAM
41	5336.0-37.0	5.17	10.8	24.3	36.5	2.66	SS, GY VFG
42	5337.0-38.0	6.69	10.0	25.2	10.8	2.66	SS, GY VFG
	5338.0-40.0						LOST CORE
43	5340.0-41.0	0.05	4.5	0.0	38.8	2.68	SS, GY VFG SH/LAM
44	5341.0-42.0	0.02	5.7	59.0	22.1	2.65	SS, GY VFG SH/LAM
45	5342.0-43.0	0.02	4.0	35.9	41.0	2.68	SS, GY VFG SH/LAM
46	5343.0-44.0	0.02	3.7	49.3	38.8	2.66	SS, GY VFG SH/LAM
	5344.0-46.0						SHALE NO ANALYSIS
47	5346.0-47.0	0.02	2.3	41.6	46.2	2.66	SS, GY VFG SH/LAM
48	5347.0-48.0	0.02	3.6	28.6	28.6	2.67	SS, GY VFG SH/LAM
49	5348.0-49.0	0.02	3.9	25.2	44.1	2.66	SS, GY VFG SH/LAM
50	5349.0-50.0	0.02	4.7	45.3	41.2	2.70	SS, GY VFG SH/LAM
51	5350.0-51.0	0.18	3.3	32.1	48.1	2.64	SS, GY VFG SH/LAM
	5351.0-53.0						SHALE NO ANALYSIS
52	5353.0-54.0	0.02	2.1	65.7	4.7	2.67	SS, GY VFG SH/LAM
53	5354.0-55.0	0.14	3.2	54.9	18.3	2.66	SS, GY VFG SH/LAM

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

GULF OIL EXPLOR. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128

DATE : FEB-14-81  
 FORMATION : GREEN RIVER

FILE NO : RP-4-5947  
 ANALYSTS : BERNDT

CONVENTIONAL ANALYSIS--BOYLE'S LAW POROSITY

SAMPLE NUMBER	DEPTH	PERM K <sub>a</sub> MAXIMUM	POR. He	FLUID OIL	SATS. WTR	GRAIN DEN	DESCRIPTION
54	5355.0-56.0	0.02	2.6	70.0	11.7	2.66	SS, GY VFG SH/LAM
	5356.0-58.0						SHALE NO ANALYSIS
55	5358.0-59.0	22.	2.6	64.4	17.6	2.64	SS, GY VFG SH/LAM
56	5359.0-60.0	0.02	2.2	59.4	24.8	2.66	SS, GY VFG SH/LAM
57	5360.0-61.0	0.02	3.5	65.2	20.1	2.66	SS, GY VFG V/SH/LAM
58	5361.0-62.0	8.68	1.8	66.7	22.2	2.62	SLTST, DKGY V/SHY CARB
	5362.0-65.0						SHALE NO ANALYSIS
59	5365.0-66.0	0.13	0.5	71.7	15.9	2.60	SLTST, DKGY V/SHY CARB
60	5366.0-67.0	0.13	3.0	67.3	19.2	2.67	SS, GY VFG SH/LAM
61	5367.0-68.0	0.02	7.8	71.2	21.0	2.66	SS, GY VFG SH/LAM
62	5368.0-69.0	2.37	2.4	65.2	25.1	2.62	SLTST, DKGY V/SHY CARB
	5369.0-78.0						SHALE NO ANALYSIS
63	5378.0-79.0	1.61	2.0	38.2	51.9	2.71	SS, GY VFG SH/LAM
64	5379.0-80.0	2.00	13.5	27.9	29.4	2.70	LS, GY M-FXLN
65	5380.0-81.0	1.19	11.7	28.3	39.2	2.67	LS, GY M-FXLN
66	5381.0-82.0	1.05	13.8	19.2	41.1	2.70	LS, GY MXLN
67	5382.0-83.0	2.33	15.9	27.4	33.8	2.73	LS, GY MXLN
68	5383.0-84.0	1.63	14.7	41.8	35.7	2.70	LS, GY MXLN
69	5384.0-85.0	0.36	12.9	37.5	33.2	2.68	LS, GY MXLN
70	5385.0-86.0	0.05	13.0	36.9	38.1	2.65	LS, GY MXLN
71	5386.0-87.0	0.18	13.1	29.4	38.8	2.68	LS, GY MXLN
72	5387.0-88.0	0.34	13.0	28.4	33.6	2.69	LS, GY MXLN
73	5388.0-89.0	0.40	16.6	18.4	36.8	2.71	LS, GY MXLN
74	5389.0-90.0	0.30	15.3	34.3	34.3	2.67	LS, GY MXLN
75	5390.0-91.0	11.	22.7	29.5	35.0	2.77	LS, GY MXLN
76	5391.0-92.0	4.44	21.3	39.5	27.2	2.74	LS, GY MXLN
77	5392.0-93.0	1.64	19.9	40.2	24.6	2.69	LS, GY MXLN
78	5393.0-94.0	0.14	13.6	31.9	26.4	2.65	LS, GY MXLN
79	5394.0-95.0	0.09	13.7	33.1	26.3	2.65	LS, GY MXLN
80	5395.0-96.0	0.22	12.6	34.7	26.5	2.69	LS, GY MXLN

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

PAGE 4

GULF OIL EXPLO. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128

DATE : FEB-14-81  
 FORMATION : GREEN RIVER

FILE NO : RP-4-5947  
 ANALYSTS : BERNDT

CONVENTIONAL ANALYSIS--BOYLE'S LAW POROSITY

SAMPLE NUMBER	DEPTH	PERM K <sub>a</sub> MAXIMUM	POR. He	FLUID OIL	SATS. WTR	GRAIN DEN	DESCRIPTION
81	5396.0-97.0	0.16	11.7	31.3	22.3	2.68	LS, GY MXLN
82	5397.0-98.0	0.09	11.5	39.0	21.3	2.67	LS, GY MXLN
83	5398.0-99.0	0.05	14.1	36.6	31.2	2.69	LS, GY MXLN
84	5399.0-00.0	0.02	9.0	30.8	22.8	2.66	SS, GY FG

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

GULF OIL EXPLOR. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128

DATE : FEB-14-81  
 FORMATION : GREEN RIVER

FILE NO. : RP-4-5947  
 ANALYSTS : BERNDT

\*\*\* CORE SUMMARY AND CALCULATED RECOVERABLE OIL \*\*\*

DEPTH INTERVAL: 5268.0 TO 5292.0

FEET OF CORE ANALYZED : 24.0      FEET OF CORE INCLUDED IN AVERAGES: 24.0

-- SAMPLES FALLING WITHIN THE FOLLOWING RANGES WERE AVERAGED --

PERMEABILITY HORIZONTAL RANGE (MD.)	:	0.02 TO 15.	(UNCORRECTED FOR SLIPPAGE)
HELIUM POROSITY RANGE (%)	:	0.0 TO 100.0	
OIL SATURATION RANGE (%)	:	0.0 TO 100.0	
WATER SATURATION RANGE (%)	:	0.0 TO 100.0	

SHALE SAMPLES EXCLUDED FROM AVERAGES.

AVERAGE PERMEABILITY (MILLIDARCIES)		AVERAGE TOTAL WATER SATURATION	:	30.4
ARITHMETIC PERMEABILITY	:	(PERCENT OF PORE SPACE)		
GEOMETRIC PERMEABILITY	:			
HARMONIC PERMEABILITY	:	AVERAGE CONNATE WATER SATURATION	:	(E) 25.0
		(PERCENT OF PORE SPACE)		
PRODUCTIVE CAPACITY (MILLIDARCY-FEET)		OIL GRAVITY (API)	:	( ) 28.0
ARITHMETIC CAPACITY	:			
GEOMETRIC CAPACITY	:	ORIGINAL FORMATION VOLUME FACTOR	:	(E) 1.20
HARMONIC CAPACITY	:	(BBLs SATURATED OIL/STOCK-TANK BBL)		
AVERAGE POROSITY (PERCENT)	:	ORIGINAL STOCK-TANK OIL IN PLACE	:	(C) 332.
		(BARRELS PER ACRE-FOOT)		
AVERAGE RESIDUAL OIL SATURATION	:			
(PERCENT OF PORE SPACE)	:			

=====

INTERPRETATION OF DATA

5268' - 5292' - Oil productive after stimulation.

=====

(C) CALCULATED      (E) ESTIMATED      (M) MEASURED      (\*) REFER TO ATTACHED LETTER.

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

GULF OIL EXPLO. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128

DATE : FEB-14-81  
 FORMATION : GREEN RIVER

FILE NO. : RP-4-5947  
 ANALYSTS : BERNDT

\*\*\* CORE SUMMARY AND CALCULATED RECOVERABLE OIL \*\*\*

DEPTH INTERVAL: 5320.0 TO 5369.0

FEET OF CORE ANALYZED : 38.0      FEET OF CORE INCLUDED IN AVERAGES: 36.0

-- SAMPLES FALLING WITHIN THE FOLLOWING RANGES WERE AVERAGED --

PERMEABILITY HORIZONTAL RANGE (MD.)	:	0.02 TO 22.	(UNCORRECTED FOR SLIPPAGE)
HELIUM POROSITY RANGE (%)	:	0.0 TO 100.0	
OIL SATURATION RANGE (%)	:	0.0 TO 100.0	
WATER SATURATION RANGE (%)	:	0.0 TO 100.0	

SHALE SAMPLES EXCLUDED FROM AVERAGES.

AVERAGE PERMEABILITY (MILLIDARCIES)		AVERAGE TOTAL WATER SATURATION	:	30.8
ARITHMETIC PERMEABILITY	:	(PERCENT OF PORE SPACE)		
GEOMETRIC PERMEABILITY	:			
HARMONIC PERMEABILITY	:	AVERAGE CONNATE WATER SATURATION	:	(E) 25.0
		(PERCENT OF PORE SPACE)		
PRODUCTIVE CAPACITY (MILLIDARCY-FEET)		OIL GRAVITY (API)	:	( ) 28.0
ARITHMETIC CAPACITY	:			
GEOMETRIC CAPACITY	:	ORIGINAL FORMATION VOLUME FACTOR	:	(E) 1.20
HARMONIC CAPACITY	:	(BBLS SATURATED OIL/STOCK-TANK BBL)		
AVERAGE POROSITY (PERCENT)	:	ORIGINAL STOCK-TANK OIL IN PLACE	:	(C) 268.
		(BARRELS PER ACRE-FOOT)		
AVERAGE RESIDUAL OIL SATURATION	:			
(PERCENT OF PORE SPACE)	:			

=====

INTERPRETATION OF DATA

5320' - 5369' - Oil productive after stimulation.

=====

(C) CALCULATED      (E) ESTIMATED      (M) MEASURED      (\*) REFER TO ATTACHED LETTER.

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

**CORE LABORATORIES, INC.**  
*Petroleum Reservoir Engineering*  
 DALLAS, TEXAS

GULF OIL EXPLOR. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128

DATE : FEB-14-81  
 FORMATION : GREEN RIVER

FILE NO. : RP-4-5947  
 ANALYSTS : BERNDT

\*\*\* CORE SUMMARY AND CALCULATED RECOVERABLE OIL \*\*\*

DEPTH INTERVAL: 5378.0 TO 5400.0

FEET OF CORE ANALYZED : 22.0      FEET OF CORE INCLUDED IN AVERAGES: 22.0

-- SAMPLES FALLING WITHIN THE FOLLOWING RANGES WERE AVERAGED --

PERMEABILITY HORIZONTAL RANGE (MD.)	:	0.02 TO 11.	(UNCORRECTED FOR SLIPPAGE)
HELIUM POROSITY RANGE (%)	:	0.0 TO 100.0	
OIL SATURATION RANGE (%)	:	0.0 TO 100.0	
WATER SATURATION RANGE (%)	:	0.0 TO 100.0	

SHALE SAMPLES EXCLUDED FROM AVERAGES.

AVERAGE PERMEABILITY (MILLIDARCIES)

ARITHMETIC PERMEABILITY : 1.3  
 GEOMETRIC PERMEABILITY : 0.42  
 HARMONIC PERMEABILITY : 0.15

AVERAGE TOTAL WATER SATURATION  
 (PERCENT OF PORE SPACE)

: 31.6

AVERAGE CONNATE WATER SATURATION  
 (PERCENT OF PORE SPACE)

: (E) 33.0

PRODUCTIVE CAPACITY (MILLIDARCY-FEET)

ARITHMETIC CAPACITY : 29.  
 GEOMETRIC CAPACITY : 9.3  
 HARMONIC CAPACITY : 3.2

OIL GRAVITY (API)

: ( ) 28.0

ORIGINAL FORMATION VOLUME FACTOR  
 (BBLs SATURATED OIL/STOCK-TANK BBL)

: (E) 1.20

AVERAGE POROSITY (PERCENT)

: 13.9

ORIGINAL STOCK-TANK OIL IN PLACE  
 (BARRELS PER ACRE-FOOT)

: (C) 602.

AVERAGE RESIDUAL OIL SATURATION  
 (PERCENT OF PORE SPACE)

: 32.4

=====

INTERPRETATION OF DATA

5378' - 5400' - Oil productive after stimulation.

=====

(C) CALCULATED      (E) ESTIMATED      (M) MEASURED      (\*) REFER TO ATTACHED LETTER.

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

PERMEABILITY VS POROSITY


COMPANY: GULF OIL EXPLO. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

AIR PERMEABILITY : MD - HORIZONTAL ( UNCORRECTED FOR SLIPPAGE )  
 POROSITY : PERCENT ( HELIUM )

DEPTH INTERVAL	RANGE & SYMBOL	PERMEABILITY		POROSITY		POROSITY AVERAGE	PERMEABILITY AVERAGES		
		MINIMUM	MAXIMUM	MIN.	MAX.		ARITHMETIC	HARMONIC	GEOMETRIC
5378.0 - 5400.0	1 (+)	0.020	11.0	2.0	22.7	14.5	1.3	0.14	0.40

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.



STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLD. & PROD. CO.                      WELL                      : WONSITS VALLEY FEDERAL 128  
 FIELD : WONSITS VALLEY FIELD                                      COUNTY, STATE: UINTAH COUNTY, UTAH

AIR PERMEABILITY : MD.                      ( HORIZONTAL                      ) RANGE USED                      0.020 TO                      22.  
 POROSITY                      : PERCENT                      ( HELIUM                      ) RANGE USED                      0.0 TO 46.0

(PERMEABILITY UNCORRECTED FOR SLIPPAGE)

DEPTH LIMITS                      : 5268.0 - 5369.0                      INTERVAL LENGTH :                      101.0  
 FEET ANALYZED IN ZONE                      :                      62.0                      LITHOLOGY EXCLUDED : NONE

DATA SUMMARY

POROSITY AVERAGE	PERMEABILITY AVERAGES		
	ARITHMETIC	HARMONIC	GEOMETRIC
6.1	2.2	0.06	0.28

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitableness of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLD. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

GROUPING BY POROSITY RANGES

POROSITY RANGE	FEET IN RANGE	AVERAGE POROSITY	AVERAGE PERM. (GEOM.)	(ARITH)	FREQUENCY (PERCENT)	CUMULATIVE FREQUENCY (%)
0.0 - 2.0	2.0	1.2	1.1	4.4	3.3	3.3
2.0 - 4.0	22.0	3.0	0.088	0.628	36.7	40.0
4.0 - 6.0	7.0	5.2	0.047	0.066	11.7	51.7
6.0 - 8.0	7.0	7.2	0.102	0.179	11.7	63.3
8.0 - 10.0	14.0	8.9	1.1	3.7	23.3	86.7
10.0 - 12.0	8.0	10.7	5.9	6.7	13.3	100.0

TOTAL NUMBER OF FEET = 60.0

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLOR. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

GROUPING BY PERMEABILITY RANGES

PERMEABILITY RANGE	FEET IN RANGE	AVERAGE PERM. (GEOM.)	AVERAGE PERM. (ARITH)	AVERAGE POROSITY	FREQUENCY (PERCENT)	CUMULATIVE FREQUENCY (%)
0.020 - 0.039	17.0	0.023	0.023	4.3	28.3	28.3
0.039 - 0.078	5.0	0.051	0.052	5.4	8.3	36.7
0.078 - 0.156	9.0	0.117	0.119	4.8	15.0	51.7
0.156 - 0.312	4.0	0.196	0.196	5.7	6.7	58.3
0.312 - 0.625	3.0	0.428	0.444	6.6	5.0	63.3
0.625 - 1.250	2.0	0.812	0.812	2.4	3.3	66.7
1.250 - 2.500	3.0	2.4	2.4	6.4	5.0	71.7
2.500 - 5.000	7.0	3.6	3.7	9.7	11.7	83.3
5.- 10.	7.0	6.4	6.6	7.8	11.7	95.0
10.- 20.	2.0	12.	13.	11.2	3.3	98.3
20.- 40.	1.0	20.	20.	8.8	1.7	100.0

TOTAL NUMBER OF FEET = 60.0

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLOR. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

POROSITY-FEET OF STORAGE CAPACITY LOST FOR SELECTED POROSITY CUT OFF

POROSITY CUT OFF	FEET LOST	CAPACITY LOST (%)	FEET REMAINING	CAPACITY REMAINING (%)	ARITH MEAN	MEDIAN
-----	-----	-----	-----	-----	-----	-----
0.0	0.0	0.0	60.0	100.0	6.1	5.7
2.0	2.0	0.6	58.0	99.4	6.2	6.0
4.0	24.0	18.6	36.0	81.4	8.2	8.6
6.0	31.0	28.5	29.0	71.5	9.0	9.1
8.0	38.0	42.4	22.0	57.6	9.5	
10.0	52.0	76.5	8.0	23.5	10.7	
12.0	60.0	100.0	0.0	0.0		

TOTAL STORAGE CAPACITY IN POROSITY-FEET = 363.6

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLO. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD



WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

MILLIDARCY-FEET OF FLOW CAPACITY LOST FOR SELECTED PERMEABILITY CUT OFF

PERMEABILITY CUT OFF	FEET LOST	CAPACITY LOST (%)	FEET REMAINING	CAPACITY REMAINING (%)	GEOM MEAN	MEDIAN
0.005	0.0	0.0	60.0	100.0	0.28	0.14
0.010	0.0	0.0	60.0	100.0	0.29	0.14
0.020	0.0	0.0	60.0	100.0	0.28	0.14
0.039	17.0	0.3	43.0	99.7	0.77	0.74
0.078	22.0	0.5	38.0	99.5	1.11	1.57
0.156	31.0	1.3	29.0	98.7	2.23	3.20
0.312	35.0	1.9	25.0	98.1	3.28	3.90
0.625	38.0	2.9	22.0	97.1	4.34	4.53
1.250	40.0	4.2	20.0	95.8	5.13	5.00
2.500	43.0	9.8	17.0	90.2	5.86	5.80
5.	50.0	29.8	10.0	70.2	8.21	
10.	57.0	65.3	3.0	34.7	14.49	
20.	59.0	84.6	1.0	15.4	20.06	
40.	60.0	100.0	0.0	0.0		

TOTAL FLOW CAPACITY IN MILLIDARCY-FEET (ARITHMETIC) = 129.92

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.



### PERMEABILITY AND POROSITY HISTOGRAMS

GULF OIL EXPL. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128  
 WONSITS VALLEY FIELD GREEN RIVER FM.  
 Uintah County, Utah "G" LIME

#### LEGEND

ARITHMETIC MEAN POROSITY .....  
 GEOMETRIC MEAN PERMEABILITY .....  
 MEDIAN VALUE - - - - -  
 CUMULATIVE FREQUENCY - - - - -  
 CUMULATIVE CAPACITY LOST - . - . - .

PERMEABILITY VS POROSITY


COMPANY: GULF OIL EXPLD. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

AIR PERMEABILITY : MD - HORIZONTAL ( UNCORRECTED FOR SLIPPAGE )  
 POROSITY : PERCENT ( HELIUM )

DEPTH INTERVAL	RANGE & SYMBOL	PERMEABILITY		POROSITY		POROSITY AVERAGE	PERMEABILITY AVERAGES		
		MINIMUM	MAXIMUM	MIN.	MAX.		ARITHMETIC	HARMONIC	GEOMETRIC
5268.0 - 5369.0	1 (+)	0.020	22.0	0.5	11.3	6.1	2.2	0.06	0.28

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.



STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLO. & PROD. CO.                      WELL                      : WONSITS VALLEY FEDERAL 128  
 FIELD : WONSITS VALLEY FIELD                              COUNTY, STATE: UINTAH COUNTY, UTAH

AIR PERMEABILITY : MD.                      ( HORIZONTAL                      ) RANGE USED                      0.020 TO                      11.  
 POROSITY                      : PERCENT                      ( HELIUM                      ) RANGE USED                      0.0 TO 46.0

(PERMEABILITY UNCORRECTED FOR SLIPPAGE)

DEPTH LIMITS                      : 5378.0 - 5400.0                      INTERVAL LENGTH :                      22.0  
 FEET ANALYZED IN ZONE                      : 22.0                      LITHOLOGY EXCLUDED : NONE

DATA SUMMARY

POROSITY AVERAGE	PERMEABILITY AVERAGES		
	ARITHMETIC	HARMONIC	GEOMETRIC
13.9	1.3	0.15	0.42

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLOR. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

GROUPING BY POROSITY RANGES

POROSITY RANGE	FEET IN RANGE	AVERAGE POROSITY	AVERAGE PERM. (GEOM.)	AVERAGE PERM. (ARITH)	FREQUENCY (PERCENT)	CUMULATIVE FREQUENCY (%)
0.0 - 2.0	1.0	2.0	1.6	1.6	4.5	4.5
8.0 - 10.0	1.0	9.0	0.022	0.022	4.5	9.1
10.0 - 12.0	3.0	11.6	0.256	0.478	13.6	22.7
12.0 - 14.0	9.0	13.3	0.261	0.492	40.9	63.6
14.0 - 16.0	4.0	15.0	0.477	1.1	18.2	81.8
16.0 - 18.0	1.0	16.6	0.397	0.397	4.5	86.4
18.0 - 20.0	1.0	19.9	1.6	1.6	4.5	90.9
20.0 - 22.0	1.0	21.3	4.4	4.4	4.5	95.5
22.0 - 24.0	1.0	22.7	11.	11.	4.5	100.0

TOTAL NUMBER OF FEET = 22.0

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLD. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

GROUPING BY PERMEABILITY RANGES

PERMEABILITY RANGE	FEET IN RANGE	AVERAGE PERM. (GEOM.)	AVERAGE PERM. (ARITH)	AVERAGE POROSITY	FREQUENCY (PERCENT)	CUMULATIVE FREQUENCY (%)
0.020 - 0.039	1.0	0.022	0.022	9.0	4.5	4.5
0.039 - 0.078	2.0	0.045	0.045	13.6	9.1	13.6
0.078 - 0.156	3.0	0.103	0.105	12.9	13.6	27.3
0.156 - 0.312	4.0	0.210	0.216	13.2	18.2	45.5
0.312 - 0.625	3.0	0.365	0.365	14.2	13.6	59.1
0.625 - 1.250	2.0	1.1	1.1	12.7	9.1	68.2
1.250 - 2.500	5.0	1.8	1.8	13.2	22.7	90.9
2.500 - 5.000	1.0	4.4	4.4	21.3	4.5	95.5
10.- 20.	1.0	11.	11.	22.7	4.5	100.0

TOTAL NUMBER OF FEET = 22.0

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLOR. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD

WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

POROSITY-FEET OF STORAGE CAPACITY LOST FOR SELECTED POROSITY CUT OFF

POROSITY CUT OFF	FEET LOST	CAPACITY LOST (%)	FEET REMAINING	CAPACITY REMAINING (%)	ARITH MEAN	MEDIAN
-----	-----	-----	-----	-----	-----	-----
0.0	0.0	0.0	22.0	100.0	13.9	13.3
2.0	1.0	0.6	21.0	99.4	14.5	13.4
4.0	1.0	0.6	21.0	99.4	14.5	13.4
6.0	1.0	0.6	21.0	99.4	14.5	13.4
8.0	1.0	0.6	21.0	99.4	14.5	13.4
10.0	2.0	3.6	20.0	96.4	14.7	13.6
12.0	5.0	15.0	17.0	85.0	15.3	
14.0	14.0	54.0	8.0	46.0	17.6	16.0
16.0	18.0	73.7	4.0	26.3	20.1	20.0
18.0	19.0	79.1	3.0	20.9	21.3	21.0
20.0	20.0	85.6	2.0	14.4	22.0	22.0
22.0	21.0	92.6	1.0	7.4	22.7	
24.0	22.0	100.0	0.0	0.0		

TOTAL STORAGE CAPACITY IN POROSITY-FEET = 305.7

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

STATISTICAL DATA FOR POROSITY AND PERMEABILITY HISTOGRAM

COMPANY: GULF OIL EXPLOR. & PROD. CO.  
 FIELD : WONSITS VALLEY FIELD



WELL : WONSITS VALLEY FEDERAL 128  
 COUNTY, STATE: UINTAH COUNTY, UTAH

MILLIDARCY-FEET OF FLOW CAPACITY LOST FOR SELECTED PERMEABILITY CUT OFF

PERMEABILITY CUT OFF	FEET LOST	CAPACITY LOST (%)	FEET REMAINING	CAPACITY REMAINING (%)	GEOM MEAN	MEDIAN
0.005	0.0	0.0	22.0	100.0	0.42	0.39
0.010	0.0	0.0	22.0	100.0	0.44	0.39
0.020	0.0	0.0	22.0	100.0	0.42	0.39
0.039	1.0	0.1	21.0	99.9	0.48	0.44
0.078	3.0	0.4	19.0	99.6	0.62	0.56
0.156	6.0	1.5	16.0	98.5	0.87	0.88
0.312	10.0	4.5	12.0	95.5	1.40	1.44
0.625	13.0	8.2	9.0	91.8	2.20	1.77
1.250	15.0	15.9	7.0	84.1	2.66	
2.500	20.0	47.7	2.0	52.3	6.89	5.00
5.	21.0	63.1	1.0	36.9	10.70	
10.	21.0	63.1	1.0	36.9	10.70	
20.	22.0	100.0	0.0	0.0		

TOTAL FLOW CAPACITY IN MILLIDARCY-FEET (ARITHMETIC) = 28.97

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.



### PERMEABILITY AND POROSITY HISTOGRAMS

GULF OIL EXPL. & PROD. CO.  
 WONSITS VALLEY FEDERAL 128  
 WONSITS VALLEY FIELD GREEN RIVER FM.  
 JINTAH COUNTY, UTAH "F" SAND

#### LEGEND


ARITHMETIC MEAN POROSITY .....  
 GEOMETRIC MEAN PERMEABILITY .....  
 MEDIAN VALUE ————  
 CUMULATIVE FREQUENCY ————  
 CUMULATIVE CAPACITY LOST - - - - -

COMPANY GULF OIL EXPLOR. & PROD. CO. FILE NO. RP-4-5947  
 WELL MONSITS VALLEY FEDERAL 128 DATE FEB-14-81  
 FIELD MONSITS VALLEY FIELD FORMATION GREEN RIVER ELEV. 4849 KB  
 COUNTY UINTAH, COUNTY STATE UTAH DRLG. FLD. NON DISPERSED CORES \_\_\_\_\_  
 LOCATION \_\_\_\_\_

## CORRELATION COREGRAPH

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc., (all errors or omissions excepted); but Core Laboratories, Inc., and its officers and employees, assume no responsibility and make no warranty or representations as to the productivity, proper operation, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

VERTICAL SCALE: 5" = 100'



FILE IN QUADRUPLICATE  
FORM OGC-8-X

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number: Wonsits Valley #128

Operator: Gulf Oil Corp. Address: P.O. Box 2619, Casper, WY 82602

Contractor: Brinkerhoff Signal #85 Address: 3400 Anaconda Tower, Denver, CO 8020

Location SE 1/4 SW 1/4; Sec. 10 T. 8 N, R. 21 E; Uintah County.  
S W

Water Sands:

	<u>Depth:</u>		<u>Volume:</u>	<u>Quality:</u>
	From-	To-	Flow Rate or Head	Fresh or Salty
1.	<u>No water</u>			
2.				
3.				
4.				
5.				

(Continue on Reverse Side if Necessary)

Formation Tops:

Green River 2380'  
Lower Green River 4505'

Remarks:

- NOTE: (a) Upon diminishing supply of forms, please inform this office.  
(b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.  
(c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

JUN 1 1964  
DIVISION OF  
OIL, GAS & MINING

(See other instructions on reverse side)

OIL & GAS CONSERVATION COMMISSION

14

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*


1a. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_

b. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR.  Other \_\_\_\_\_

2. NAME OF OPERATOR  
Gulf Oil Corp.

3. ADDRESS OF OPERATOR  
P.O. Box 2619, Casper

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)  
At surface 525' FSL - 2045' FWL (SE/4 SW/4)  
At top prod. interval reported below Same  
At total depth Same



5. LEASE DESIGNATION AND SERIAL NO.  
Utah 0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Wonsits Valley Unit

7. UNIT AGREEMENT NAME  
Wonsits Valley Unit

8. FARM OR LEASE NAME  
Uintah - Ouray Tribal

9. WELL NO.  
#128

10. FIELD AND POOL, OR WILDCAT  
Wonsits Valley Field

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA  
10-8S-21E SLB&M

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

14. PERMIT NO. API #43-047-3079B DATE ISSUED 10-24-80

15. DATE SPUNDED 1-31-81 16. DATE T.D. REACHED 2-12-81 17. DATE COMPL. (Ready to prod.) 3-31-91 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\* 4835' GL 19. ELEV. CASINGHEAD -


20. TOTAL DEPTH, MD & TVD 5510' 21. PLUG, BACK T.D., MD. & TVD 5449' 22. IF MULTIPLE COMPL., HOW MANY\* - 23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
Green River 5382'-5402'

25. WAS DIRECTIONAL SURVEY MADE -

26. TYPE ELECTRIC AND OTHER LOGS RUN  
FDC, GR, DIL, SP, DLL sonic, CBIS, GR-N, CLI

27. WAS WELL CORRED YES



28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	DIVISION OF RECORD	AMOUNT PULLED
13 3/8"		68'		OIL, GAS & MINING	
9 5/8"	36#	1703'	12 1/4"	650 sacks	
5 1/2"	14#	5510'	7 3/4"	275 sacks	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 7/8 N-80	5350'	

31. PERFORATION RECORD (Interval, size and number)  
Green River 5382' - 5402' 2 JSPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5382'-5402'	2 bbls 15% HCL

33.\* PRODUCTION

DATE FIRST PRODUCTION 3-3-81 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping WELL STATUS (Producing or shut-in) Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3-30-81	18		→	53.7		1.35	-

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
-	-	→	71.6	-	1.8	29.8

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)  
-

TEST WITNESSED BY \_\_\_\_\_

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED E. A. McKinnon TITLE Area Engineer DATE May 27, 1981

\*(See Instructions and Spaces for Additional Data on Reverse Side)

## INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

Utah Dept. of Natural Resources  
Division of Oil, Gas & Mining  
1588 W. North Temple  
Salt Lake City, UT 84116  
Attn: Cleon B. Feight

R.W.H.

### 37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Core #1	5239	5299	recv'd 29' Sh. DK GY, Carbonaceous, 18' SS, VF GR, Thinly Laminated Strmgng yell. cut 11' Sh, DK GY, Thinly Laminated
Core #2	5299	5341	recv'd 20' Sh DK GY, Thinly Laminated 15' SS, Calc., VF GR to F GR, yell. flour and cut. 5' Sh DK GY,
Core #3	5341	5400	recv'd 9' SLT STN, 30' Sh, 21' LS, Friable, good cut & flour.
Zones of Porosity	5381	5402	Oil and Water.

### 38.

### GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Green River	2380	
Lower Green River	4505	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. NA  
 Communitization Agreement No. NA  
 Field Name NA  
 Unit Name WONSITS VALLEY  
 Participating Area GREEN RIVER  
 County UINTAH State UTAH  
 Operator GULF OIL CORPORATION

Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of September, 19 81

(See Reverse of Form 9-329 for Instructions)

PAGE 4 of 5

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	30	577	28	13	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	29	2,254	227	2,290	E
109	SE NE15	8S	21E	POW	30	3,261	289	549	
110	SE NW14	8S	21E	POW	28	313	79	833	R, E
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	30	409	455	2,950	
113	NW SE13	8S	21E	WIW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0	
116	SW SE SE 11	8S	21E	POW	30	449	143	1,684	
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	30	522	70	0	
126	NW NE21	8S	21E	POW	30	2,532	0	0	
128	SE SW10	8S	21E	POW	30	736	205	0	
132	NW NW15	8S	21E	POW	30	226	0	0	
135	NE NE21	8S	21E	POW	8	1,328	0	271	1st Prod. 9/23
136	NE NW21	8S	21E	DRG					
TOTAL						49,403	18,105	130,642	
135	NE NE21	8S	21E	10/1 flowed well to 400 bb tank. Produced 110 BO, 29 BW, 31.8 Gvty .03% BSW (Sample taken from tank after heating & draining wtr off) 26.5 @ 60° gravity. Perfd 5-1/2" csg 5148-62' 4 JHPF. Treated well dn 2-7/8" tbg w/15% MSR acid w/add. Flushed to perfs.					
136	NW NW21	8S	21E	Spud 1400 hrs 9/13 API 48-047-31047. WOCU.					

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-R0356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. \_\_\_\_\_ NA  
Communitization Agreement No. \_\_\_\_\_ NA  
Field Name \_\_\_\_\_ NA  
Unit Name \_\_\_\_\_ WONSITS VALLEY  
Participating Area \_\_\_\_\_ GREEN RIVER  
County \_\_\_\_\_ UINTAH State \_\_\_\_\_ UTAH  
Operator \_\_\_\_\_ GULF OIL CORPORATION

Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of October, 1981

PAGE 4 of 5

(See Reverse of Form 9-329 for Instructions)

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	#Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	31	442	20	14	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	31	2,307	204	2,344	
109	SE NE15	8S	21E	POW	31	1,537	120	55	
110	SE NW14	8S	21E	POW	31	328	71	907	
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	30	948	929	3,008	
113	NW SE13	8S	21E	WIW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0	
116	SW SE SE 11	8S	21E	POW	31	460	130	1,643	
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	28	544	64	0	R
126	NW NE21	8S	21E	POW	31	2,248	0	0	
128	SE SW10	8S	21E	POW	31	739	179	0	
132	NW NW15	8S	21E	POW	31	226	0	0	
135	NE NE21	8S	21E	POW	30	2,449	0	348	IPE
136	NE NW21	8S	21E	POW	17	1,518	0	0	1st prod 10/15/81
TOTAL						51,097	16,408	123,268	
84-2	SW NW23	8S	21E	DRG	API 43 53 jts	047-31049. 8-5/8" csg	Spud @ 30 hrs 10/28/81. set @ 1699'		On 11/1/81 1700'.
134	SE SE16	8S	21E	RURT	11/1/81				
135	NE NE21	8S	21E	IP test date from GR perfs 5350 TD, 5308	0/7/81.	Produced 93 BO 5148-5162. Gr. of oil 29.3° API. PBTB.	10 BW, 15 MCF w/FTP 25 lbs		GOR 161.
136	NE NW21	8S	21E	RIH w/4" perf 5-1/2" csg set @ 3603'. Treated well dn 2-7/8" tbg w/1000 gal 15% Spearhead acid w/add. IP test date 10/21/81. perfs 5193-5205 w/10 PSI 5320 TD, 5263		gun & shot 8 sqz holes fr 3825-3827, Perf 5-1/2" csg @ 5193-5205 w/10 PSI FTP. Gr of oil 30.9° API			then sqzd perfs. 205 w/4 JHPF. TSTM from GR corrected.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. \_\_\_\_\_ NA  
Communitization Agreement No. \_\_\_\_\_ NA  
Field Name \_\_\_\_\_ NA  
Unit Name \_\_\_\_\_ WONSITS VALLEY  
Participating Area \_\_\_\_\_ GREEN RIVER  
County \_\_\_\_\_ UINTAH State \_\_\_\_\_ UTAH  
Operator \_\_\_\_\_ GULF OIL CORPORATION

Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of November, 19 81

(See Reverse of Form 9-329 for Instructions)

PAGE 4 of 5

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
105	SE SE10	8S	21E	POW	30	470	20	16	
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0	
107	NW SW13	8S	21E	WIW	0	0	0	0	
108	SE SE12	8S	21E	POW	30	2,192	170	2,227	
109	SE NE15	8S	21E	POW	30	1,461	100	52	
110	SE NW14	8S	21E	POW	30	256	50	847	
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0	
112	SE NW15	8S	21E	POW	30	947	826	2,950	
113	NW SE13	8S	21E	WIW	0	0	0	0	
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0	
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0	
116	SW SE SE 11	8S	21E	POW	27	445	111	1,347	P
117	NE NE12	8S	21E	TA 4/78	0	0	0	0	
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0	
124	NW SE15	8S	21E	POW	30	623	66	0	
126	NW NE21	8S	21E	POW	25	2,906	0	0	IPE, P
128	SE SW10	8S	21E	POW	30	717	155	0	
132	NW NW15	8S	21E	POW	30	216	0	0	
134	SE SE16	8S	21E	WOCU	0	0	0	0	
135	NE NE21	8S	21E	POW	30	3,369	1,184	368	
136	NE NW21	8S	21E	POW	23	1,629	0	0	BHP
84-2	SW NW32	8S	21E	Evaluating	0	0	0	0	
88-2	NW SW12	8S	21E	DRG	0	0	0	0	
TOTAL						50,375	15,210	117,546	
84-2	SW NW23	8S	21E	Core #1 5080-5120. 5-1/2" csg set @ 5204'. Set pkr @ 4025'. Set pkr @ 4911', nipple @ 4881. Perf 5-1/2" csg @ 5094-5106 w/4 JHPF. Trtd well dn tbg w/1500 gal 15% spearhead acid. 12/1/81 Will swb & evaluate.					
88-2	NW SW12	8S	21E	API #43-047-31048. El. 4970 GL. Spud 11/10/81 @ 1600 hrs. 8-5/8" csg set @ 1729'. 12/1/81 5523' TIH Green Rvr. 5 cores.					
134	SE SE16	8S	21E	Spud @ 200 hrs on 11/3/81. 7-5/8" csg set @ 2110'. On 11/23/81 WOCU.					

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. \_\_\_\_\_ NA  
Communitization Agreement No. \_\_\_\_\_ NA  
Field Name \_\_\_\_\_ NA  
Unit Name \_\_\_\_\_ WONSITS VALLEY  
Participating Area \_\_\_\_\_ GREEN RIVER  
County \_\_\_\_\_ UINTAH State \_\_\_\_\_ UTAH  
Operator \_\_\_\_\_ GULF OIL CORPORATION

Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of January, 19 82

PAGE 4 of 5

(See Reverse of Form 9-329 for Instructions)

Well No.	Sec & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks	
105	SE SE10	8S	21E	POW	31	767	17	38		
106	SE NW13	8S	21E	TA 2/5/81	0	0	0	0		
107	NW SW13	8S	21E	WIW	0	0	0	0		
108	SE SE12	8S	21E	POW	31	1,963	78	1,917		
109	SE NE15	8S	21E	POW	31	1,158	41	89		
110	SE NW14	8S	21E	POW	31	286	29	686		
111	SE NE14	8S	21E	TA 2/17/81	0	0	0	0		
112	SE NW15	8S	21E	POW	21	214	95	1,261	SWD	
113	NW SE13	8S	21E	WIW	0	0	0	0		
114	SE SW13	8S	21E	TA 3/14/72	0	0	0	0		
115	S/2 S/2 SW 4	8S	21E	TA 4/24/81	0	0	0	0		
116	SW SE SE 11	8S	21E	POW	24	453	58	1,789		
117	NE NE12	8S	21E	TA 4/78	0	0	0	0		
118	SE NE13	8S	21E	OSI 7/2/81	0	0	0	0		
124	NW SE15	8S	21E	POW	31	338	18	0		
126	NW NE21	8S	21E	POW	31	2,448	0	0		
128	SE SW10	8S	21E	POW	31	689	76	0		
132	NW NW15	8S	21E	POW	31	676	0	0		
134	SE SE16	8S	21E	Tstg	-	-	-	-		
135	NE NE21	8S	21E	POW	31	2,515	450	186		
136	NE NW21	8S	21E	POW	29	2,893	0	0		
84-2	SW NW23	8S	21E	POW	5	24	0	31	1st prod 1/27/82	
88-2	NW SW12	8S	21E	POW	6	248	0	701	1st prod 1/20/82 IPE	
				TOTAL		43,708	5,540	70,591		
84-2	SW NW23	8S	21E	1/27/82 finish hooking up pmpg unit & started pmpg @ 12 a.m. on 1/27/82. On 2/1/82 had bad valve on tank, SD for replacement.						
88-2	NW SW12	8S	21E	Set pkr @ 5303'. RU NL McCullough & perf 5491-5503 w/4 6.5 gram SPF. Press tsted ines & acid w/2000 gal 15% M-acid w/add. Dropped 1-7/8" 1.3 SG ball sealers/50 gal of fluid pmpd. Flushed to perfs w/form wtr w/2 gal L53. Hooked well into tank & swbd. 1st prod. 1/20/82. IPE & pmp to tank @ 8:30 a.m. 1/31/82.						
134	SE SE16	8S	21E	RIH w/2" gun, correlate & perf 2010-2020 w/4 SPF. Pkr @ 1927.53', btm tailpipe @ 1989.22'. RU Halliburton & spearhead 50,000 SCF Nitrogen followed by 1000 gal 15% HCL w/add. RU Wellex & RIH w/2" gun, correlate & perf 1964-1973 w/4SPF. Spearhead 50,000 SCF nitrogen followed by 500 gal 15% HCL w/add. RU Wellex & RIH w/2" gun, correlate & perf 1872-1879 w/4 SPF. Tagged TOC @ 1913, cmt ret @ 1950'. Spearhead 50,000 SCF N2 & pmpd 500 gal 15% HCL w/add. Correlate & perf 1416-1430 w/2 SPF. Spearhead 50,000 SCF N2. Pmpd 1500 gal 15% HCL w/add. 1/31/82 Tstg.						

RECEIVED

MAR 01 1982

DIVISION OF  
OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Gulf Oil Corporation, Attn: R. W. Huwaldt

3. ADDRESS OF OPERATOR  
P.O. Box 2619, Casper, WY 82602-2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 525' FSL & 2045' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)			

5. LEASE  
U-0807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Wonsits Valley Unit/St. Federal

9. WELL NO.  
128

10. FIELD OR WILDCAT NAME  
Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
SE SW Sec 10-T8S-R21E

12. COUNTY OR PARISH | 13. STATE  
Uintah | Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4835' GL.

**RECEIVED**

JUL 23 1984 (NOTE: Report results of multiple completion or zone change on Form 9-330.)

**DIVISION OF OIL  
GAS & MINING**

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

RU Howco. Pump 1,000 gals 15% HCL w/5% mutual solvent, 0.5% anti-sludging surfactant, 0.5% non-emulsifying surfactant, 0.5% fines suspending surfactant, 0.5% clay stabilizer, 40#/1000 gals iron sequestering or chelating agent. Flush acid w/95 bbl 2% KCL FSW. Well on vacuum. AIR 4 BPM. AIP 0. Return to production.

Work performed 5-25-84.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED J. R. Bocek <sup>DTM</sup> TITLE Area Engineer DATE 7-19-84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Bureau of Land Management  
2000 Administration Building  
1745 West 1700 South  
Salt Lake City, UT 84104-3884

State of Utah  
Dept. of Natural Resources  
Division of Oil, Gas and Mining  
4241 State Office Building  
Salt Lake City, Utah 84114

DeGloyer & MacNaughton  
1 Energy Square  
Dallas, TX 75206

RWH - Info

DFM

KSA

RECEIVED

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APR 25 1985

SUNDRY NOTICES AND REPORTS ON WELLS

DIVISION (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

GAS & MINING

1.  oil well  gas well  other

2. NAME OF OPERATOR

GULF OIL CORPORATION ATTN R.W.HUWALD

3. ADDRESS OF OPERATOR

P O BOX 2619, CASPER, WY 82602 2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF   
FRACTURE TREAT   
SHOOT OR ACIDIZE   
REPAIR WELL   
PULL OR ALTER CASING   
MULTIPLE COMPLETE   
CHANGE ZONES   
ABANDON\*   
(other) Blanket Sundry

5. LEASE

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsit Valley

8. FARM OR LEASE NAME

Wonsits Valley Unit St/Fed

9. WELL NO.

#128

10. FIELD OR WILDCAT NAME

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

85. 21E. 10

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Per conversation between K. S. Aslesen & J. Sparger, on March 27, 1985, Temporary lined work pits will be used for all future casing repair work.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED J.R. BOCEK TITLE AREA ENGINEER DATE APR 19 1985

J. R. BOCEK (This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

# Gulf Oil Exploration and Production Company

L. G. Rader  
PRODUCTION MANAGER - CASPER AREA

July 2, 1985

P. O. Box 2619  
Casper, WY 82602

State of Utah  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

RECEIVED

JUL 05 1985

Gentlemen:

DIVISION OF  
GAS & MINING

Effective July 1, 1985, the corporate name of Gulf Oil Corporation was changed to Chevron U.S.A. Inc. This will be applicable to all operations, agreements, contracts, documents, and permits of Gulf Oil Corporation in the area of and/or under your jurisdiction.

The attached information is being furnished to facilitate the name change of appropriate records under your authority, and submitted as our understanding of the procedure required to accomplish the change.

Please advise this office or the office listed on the attachments should additional information be needed.

Sincerely,



L. G. Rader

KWR/mdb

Attachments



<u>Lease Name</u>	<u>Field</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>County</u>	<u>State</u>
Wonsits Unit #3	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Unit #4	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Unit #5	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Unit #7	Wonsits WV	5	8S	22E	Uintah	UT
Wonsits Unit #9	Wonsits WV	32	7S	22E	Uintah	UT
Wonsits Valley Unit #1	Wonsits WV	8	8S	22E	Uintah	UT
Wonsits Valley Unit #10	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #100	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #102	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #103	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #104	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #105	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #106	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #107	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #108	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #109	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #11	Wonsits WV	12	8S	22E	Uintah	UT
Wonsits Valley Unit #110	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #111	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #112	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #113	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #114	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #115	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #116	Wonsits WV	7	8S	21E	Uintah	UT
Wonsits Valley Unit #117	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #118	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #12	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #124	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #126	Wonsits WV	21	8S	21E	Uintah	UT
Wonsits Valley Unit #128	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #13	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #132	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #134	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #135	Wonsits WV	21	8S	21E	Uintah	UT
Wonsits Valley Unit #136	Wonsits WV	21	8S	21E	Uintah	UT
Wonsits Valley Unit #137	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #138	Wonsits WV	18	8S	22E	Uintah	UT
Wonsits Valley Unit #14	Wonsits WV	12	8S	21E	Uintah	UT

06/27/85  
leases gulf operated/file2

04-04-86

10:00 AM

P

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING  
OIL AND GAS INSPECTION RECORD

OPERATOR Chevron USA Inc. LEASE U-0806

WELL NO. WVU #128 API 43-047-30798

SE/SW SEC. 10 T. 8 S R. 21 E CONTRACTOR \_\_\_\_\_

COUNTY Uintah FIELD Wonsits

DRILLING/COMPLETION/WORKOVER:

<input type="checkbox"/> APD	<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> BOPE
<input type="checkbox"/> SAFETY	<input type="checkbox"/> POLL. CONTROL	<input type="checkbox"/> SURFACE USE	<input type="checkbox"/> PITS
<input type="checkbox"/> OPERATIONS	<input type="checkbox"/> OTHER		

SHUT-IN      / TA      :

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT*	<input type="checkbox"/> SAFETY
<input type="checkbox"/> OTHER			

ABANDONED:

<input type="checkbox"/> MARKER	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> REHAB.	<input type="checkbox"/> OTHER
---------------------------------	---------------------------------------	---------------------------------	--------------------------------

PRODUCTION:

<input checked="" type="checkbox"/> WELL SIGN	<input checked="" type="checkbox"/> HOUSEKEEPING	<input checked="" type="checkbox"/> EQUIPMENT*	<input checked="" type="checkbox"/> FACILITIES*
<input checked="" type="checkbox"/> METERING*	<input checked="" type="checkbox"/> POLL. CONTROL	<input checked="" type="checkbox"/> PITS	<input checked="" type="checkbox"/> DISPOSAL
<input checked="" type="checkbox"/> SECURITY	<input checked="" type="checkbox"/> SAFETY	<input type="checkbox"/> OTHER	

GAS DISPOSITION:

<input type="checkbox"/> VENTED/FLARED	<input type="checkbox"/> SOLD	<input type="checkbox"/> LEASE USE
--	-------------------------------	------------------------------------

LEGEND: Y - YES OR SATISFACTORY  
N - NO OR UNSATISFACTORY  
NA - NOT APPLICABLE

\*FACILITIES INSPECTED: Location, beampump, heater-treater.

REMARKS: Oil well - pumping, no tanks or pit.

ACTION: \_\_\_\_\_

INSPECTOR: *Ed Deputy* DATE 04-04-86

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

120110

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME Wonsits Valley Federal	
2. NAME OF OPERATOR Chevron U.S.A. Inc.		8. FARM OR LEASE NAME Wonsits Valley Unit/St. Fed	
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, CO 80201		9. WELL NO. 128	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface		10. FIELD AND POOL, OR WILDCAT Wonsits Valley	
14. PERMIT NO. 525' FSL & 2045' FWL (SE-SW) API-#43-047-30798		11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA Sec. 10, T8S, R21E	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4835 GR		12. COUNTY OR PARISH Uintah	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input checked="" type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is proposed to perforate F-2 and F-4 sands, acidize and possibly fracture stimulate as follows:

- MIR. N.U. BOPE. Test same. Pull production equipment.
- Perforate F-2 (5270-84) and F-4 (5325-28 and 5334-38) with 4CJPF.
- Selectively acidize F-2, F-4 and G-Lime 5382-5402 with 1000 Gal each of 15% Hcl acid. Swab back and perform scale inhibitor squeezes.
- If F-2 and F-4 zones fluid entry rate is less than 10 BPH fracture stimulate each zone.
- Clean out and rerun production equipment.
- Release rig.

RECEIVED  
NOV 21 1986

DIVISION OF  
OIL, GAS & MINING

3-BLM  
3-State  
1-EEM  
1-MKD  
2-DRLG  
1-FILE

18. I hereby certify that the foregoing is true and correct

SIGNED J.S. Watson Office Assistant  
TITLE Regulatory Affairs DATE November 4, 1986

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

ACCEPTED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

Federal approval of this action  
is required before commencing  
operations.

\*See Instructions on Reverse Side

DATE: 11-28-86  
BY: John R. Bay

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO. **010905**  
Utah 0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR

Chevron USA Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

525' FSL, 2045' FWL (SE-SW)

7. UNIT AGREEMENT NAME

Wonsits Valley Federal

8. FARM OR LEASE NAME

Wonsits Valley Unit St/Fed.

9. WELL NO.

128

10. FIELD AND POOL, OR WILDCAT

Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 10, T8S, R21E

14. PERMIT NO.

API 43-047-30798

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4835 GR

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

The following work was completed 11-24-1986.

1. Moved in Gudac Well Service 11-14-1986.

2. N/U BOPE. Pulled Production equipment.

3. Perforated 5270-84', 5325-28' & 5334-38' w/4 CJPF.

4. Acidized perfs with 15% Hcl acid as follows:

Perfs	Acid	Remarks
5382-5402	1000 gals.	Swabbed back load and pumped scale inhibitor.

5325-28' & 5334-38'	1000 gals.	Swabbed back load and pumped scale inhibitor.
---------------------	------------	---

5270-84'	1000 gals.	Swabbed back.
----------	------------	---------------

5. Fracture treated perfs 5270-84' w/12000 gal gelled fluid and 18000 #sand. Pumped scale inhibitor.

3-BLM 3-Drlg. 1-Sec. 724C

3-State 1-File

6. Run production equipment. Release rig.

1-EEM 1-JSL

18. I hereby certify that the foregoing is true and correct

SIGNED J. L. Watson

Office Assistant

TITLE Regulatory Affairs

DATE December 1, 1986


(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:



\*See Instructions on Reverse Side

DIVISION OF

Oil, Gas & Mining


30798

Ormu 128


Sec 10, T8 S0, R21E

Hubby 4/19/89


MICROFICHE



well head ○



pump jack



line heater

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**Chevron U.S.A. Inc.**

3. Address and Telephone No.  
**P.O. Box 455, Vernal, Utah 84078 (801) 789-2442**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**525' FSL, 2045' FWL-SEC<sup>10</sup> 21-T8S-R21E**

5. Lease Designation and Serial No.  
**UT-0806**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
**Red Wash Unit**

8. Well Name and No.  
**WVFU #128**

9. API Well No.  
**43-047-30798**

10. Field and Pool, or Exploratory Area  
**Red Wash-Grn. River**

11. County or Parish, State  
**Uintah, Utah**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Acid Fracture</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log forms.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The following work was completed between 04/09/93 and 04/16/93:

- MIRU. Hot oil as required and TOH with rods and pump.
- Clean out to 5428' PBTD.
- Set packers at 5357' and 5229'. Tested casing f/5229' to 500 PSI; good.
- Acid fractured well with 15,500 gals. of 28% HCL.
- Swab/flow test well.
- Run production equipment and RTP.

**RECEIVED**  
 JUN 07 1993 ✓  
 DIVISION OF  
 GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

*Christa Rought*

Title

*Oper. Assistant*

Date

*06/02/93* ✓

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
 Conditions of approval, if any:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil Gas  
 Well  Well  Other **MULTIPLE WELLS SEE ATTACHED LIST**

2. Name of Operator  
**CHEVRON U.S.A. INC.**

3. Address and Telephone No.  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**Wonsits Valley Federal Unit  
14-08-001-8482**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area  
**Wonsits Valley - Green River**

11. County or Parish, State  
**UINTAH, UTAH**

**CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <b>CHANGE OF OPERATOR</b>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit.  
The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be  
**Shenandoah Energy Inc.**  
475 17th Street, Suite 1000  
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.  
By: Mitchell L. Solich  
Mitchell L. Solich  
President

**RECEIVED**

**DEC 30 1999**

**DIVISION OF OIL, GAS & MINING**

14. I hereby certify that the foregoing is true and correct.  
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

FEB 07 2000

DIVISION OF  
OIL, GAS AND MINING

IN REPLY REFER TO  
UT-931

February 4, 2000

Shenandoah Energy Inc.  
Attn: Rae Cusimano  
475 17<sup>th</sup> Street, Suite 1000  
Denver, Colorado 80202

Re: Wonsits Valley Unit  
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)  
Division of Oil, Gas & Mining  
Minerals Adjudication Group U-932  
File - Wonsits Valley Unit (w/enclosure)  
MMS - Data Management Division  
Agr. Sec. Chron  
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 9	U-0806	43-047-15440	TA	INJ
Wonsits Valley Federal Unit 16	U-0807	43-047-15447	A	INJ
Wonsits Valley Federal Unit 21	ML-2237	43-047-15452	A	INJ
Wonsits Valley Federal Unit 28-2	U-0806	43-047-31524	A	INJ
Wonsits Valley Federal Unit 31	U-0807	43-047-15460	A	INJ
Wonsits Valley Federal Unit 32	ML-2237	43-047-16513	A	OIL
Wonsits Valley Federal Unit 35	U-0807	43-047-15463	A	INJ
Wonsits Valley Federal Unit 36	U-0806	43-047-15464	A	INJ
Wonsits Valley Federal Unit 40-2	U-0806	43-047-31798	A	INJ
Wonsits Valley Federal Unit 41	U-0807	43-047-15469	A	INJ
Wonsits Valley Federal Unit 43	U-0806	43-047-15471	A	OIL
Wonsits Valley Federal Unit 48	U-0806	43-047-15476	A	OIL
Wonsits Valley Federal Unit 50	U-0807	43-047-15477	A	INJ
Wonsits Valley Federal Unit 53	U-0806	43-047-20003	A	OIL
Wonsits Valley Federal Unit 55	U-0807	43-047-20005	A	OIL
Wonsits Valley Federal Unit 59	U-0807	43-047-20018	A	INJ
Wonsits Valley Federal Unit 62	U-0806	43-047-20024	A	OIL
Wonsits Valley Federal Unit 65	U-0807	43-047-20041	A	OIL
Wonsits Valley Federal Unit 67	U-0807	43-047-20043	A	INJ
Wonsits Valley Federal Unit 68	U-0807	43-047-20047	A	INJ
Wonsits Valley Federal Unit 71-2	U-0807	43-047-32449	A	INJ
Wonsits Valley Federal Unit 72	ML-2237A	43-047-20058	A	INJ
Wonsits Valley Federal Unit 73	ML-2237	43-047-20066	A	INJ
Wonsits Valley Federal Unit 74	ML-2237	43-047-20078	A	OIL
Wonsits Valley Federal Unit 75	ML-2237	43-047-20085	A	OIL
Wonsits Valley Federal Unit 78	ML-2237	43-047-20115	A	INJ
Wonsits Valley Federal Unit 97	U-0806	43-047-30014	A	INJ
Wonsits Valley Federal Unit 103	U-0807	43-047-30021	A	OIL
Wonsits Valley Federal Unit 104	U-0807	43-047-30022	A	OIL
Wonsits Valley Federal Unit 105	U-0806	43-047-30023	A	OIL
Wonsits Valley Federal Unit 109	U-0807	43-047-30045	A	OIL
Wonsits Valley Federal Unit 110	U-0807	43-047-30046	A	OIL
Wonsits Valley Federal Unit 112	U-0807	43-047-30048	A	OIL
Wonsits Valley Federal Unit 119	U-0804	43-047-32461	A	OIL
Wonsits Valley Federal Unit 120	U-0804	43-047-32462	A	INJ
Wonsits Valley Federal Unit 121	U-0807	43-047-31873	A	OIL
Wonsits Valley Federal Unit 124	U-0807	43-047-30745	A	OIL
Wonsits Valley Federal Unit 126	U-0804	43-047-30796	A	INJ
Wonsits Valley Federal Unit 127	STATE	43-047-31611	A	OIL
Wonsits Valley Federal Unit 128	U-0806	43-047-30798	A	OIL
Wonsits Valley Federal Unit 130	U-0804	43-047-32307	A	OIL
Wonsits Valley Federal Unit 132	U-0807	43-047-30822	A	OIL
Wonsits Valley Federal Unit 133	U-0807	43-047-31706	A	OIL
Wonsits Valley Federal Unit 134	ML-2237	43-047-31118	A	OIL
Wonsits Valley Federal Unit 135-2	U-0804	43-047-32016	A	OIL
Wonsits Valley Federal Unit 136	U-0804	43-047-31047	A	OIL
Wonsits Valley Federal Unit 137	U-0806	43-047-31523	A	OIL
Wonsits Valley Federal Unit 140	U-0807	43-047-31707	A	INJ
Wonsits Valley Federal Unit 141	ML-2237	43-047-31609	A	OIL

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

<del>1. [REDACTED]</del>	4-KAS
2. CDW ✓	5-811 ✓
3. JLT	6-FILE

Enter date after each listed item is completed

**X Change of Operator (Well Sold)**

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000

**FROM:** (Old Operator):

CHEVRON USA INC  
 Address: 11002 E. 17500 S.  
 VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

**TO:** ( New Operator):

SHENANDOAH ENERGY INC  
 Address: 11002 E. 17500 S.  
 VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

**CA No.**

**Unit: WONSITS VALLEY**

**WELL(S)**

NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
WVFU 48	43-047-15476	5265	10	08S	21E	FEDERAL
WVFU 53	43-047-20003	5265	10	08S	21E	FEDERAL
WVFU 62	43-047-20024	5265	10	08S	21E	FEDERAL
WVFU 105	43-047-30023	5265	10	08S	21E	FEDERAL
WVFU 128	43-047-30798	5265	10	08S	21E	FEDERAL
WVFU 43	43-047-15471	5265	11	08S	21E	FEDERAL
WVFU 55	43-047-20005	5265	14	08S	21E	FEDERAL
WVFU 103	43-047-30021	5265	14	08S	21E	FEDERAL
WVFU 110	43-047-30046	5265	14	08S	21E	FEDERAL
WVFU 121	43-047-31873	5265	14	08S	21E	FEDERAL
WVFU 65	43-047-20041	5265	15	08S	21E	FEDERAL
WVFU 104	43-047-30022	5265	15	08S	21E	FEDERAL
WVFU 109	43-047-30045	5265	15	08S	21E	FEDERAL
WVFU 112	43-047-30048	5265	15	08S	21E	FEDERAL
WVFU 124	43-047-30745	5265	15	08S	21E	FEDERAL
WVFU 132	43-047-30822	5265	15	08S	21E	FEDERAL
WVFU 133	43-047-31706	5265	15	08S	21E	FEDERAL
WVFU 119	43-047-32461	5265	21	08S	21E	FEDERAL
WVFU 135-2	43-047-32016	5265	21	08S	21E	FEDERAL
WVFU 136	43-047-31047	5265	21	08S	21E	FEDERAL
WVFU 130	43-047-32307	5265	22	08S	21E	FEDERAL

**OPERATOR CHANGES DOCUMENTATION**

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/22/2000



May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801

**Attention: John Baza/Jim Thompson**

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Wonsits Valley Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File – Wonsits Valley Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

**JUL 07 2003**

3104 (932.34)WF  
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.	:	Oil and Gas
1050 17 <sup>th</sup> Street Suite 500	:	lease
Denver, Colorado 80265	:	

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

*S/ Wilbert B. Forbes*

Wilbert B. Forbes  
Land Law Examiner  
Branch of Use Authorization  
Division of Resources Planning,  
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin  
MFO

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #	
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 119	21	080S	210E	4304732461	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 120	22	080S	210E	4304732462	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-22158	UT-0969
WVU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-806	UT-0969
WVU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0810	UT-0969
WVU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P	WONSITS VALLEY	630	S	UINTAH	1 U-057	UT-0969
WVU 1W-14-8-21	14	080S	210E	4304733220	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 5W-13-8-21	13	080S	210E	4304733221	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-3084A	159261960
WVU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WVU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	C WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0805	UT-0969
WVU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3 ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P		WONSITS VALLEY	2	S	UINTAH	3 ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1 U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3 ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #		
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-06304	UT-0969	
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969	
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969	
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969	
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P	WONSITS VALLEY	2	S	UINTAH	1	UTU-68219	UT-0969	
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969	
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-9617	UT-0969	
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P	WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960	
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960	
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-055	UT-0969	
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2785-A	159261960	
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969	
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	U-0969	
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969	
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	U-0969	
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969	
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969	
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969	
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969	
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969	
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P	WONSITS VALLEY	630	S	UINTAH	1	UTU-057	UT-0969	
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969	

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960

## SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	C	WONSITS VALLEY	710 S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610 S	UINTAH	1	UTU-68219	UT-1237

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:		<b>2/1/2003</b>
<b>FROM: (Old Operator):</b>	<b>TO: ( New Operator):</b>	
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	

**CA No.**

**Unit:**

**WONSITS VALLEY UNIT**

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If NO, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 9/16/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The FORMER operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM: (Old Operator):</b> N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO: ( New Operator):</b> N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

CA No.		Unit: WONSITS VALLEY UNIT						
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8-21	WV 1W-14-8-21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13-8-21	WV 5W-13-8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WV 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENW	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENW	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENE	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENE	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENE	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENE	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
		7. UNIT or CA AGREEMENT NAME: see attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: see attached	
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		9. API NUMBER: attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached COUNTY: Uintah


QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
Federal Bond Number: 965002976 (BLM Reference No. ESB000024)  
Utah State Bond Number: 965003033  
Fee Land Bond Number: 965003033  
Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

  
 Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

  
 Jay B. Neese, Executive Vice President  
 Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED  
APR 19 2007

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1 TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3 ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Wonsits Valley Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Wonsits Valley Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED  
APR 30 2007  
DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

ROUTING  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM:</b> (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO:</b> ( New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:  
See attached

**SUNDRY NOTICES AND REPORTS ON WELLS**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
See attached

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:  
See attached

1. TYPE OF WELL: OIL WELL  GAS WELL  OTHER \_\_\_\_\_

8. WELL NAME and NUMBER:  
See attached

2. NAME OF OPERATOR:  
Questar Exploration and Production Company *N5085*

9. API NUMBER:  
Attached

3. ADDRESS OF OPERATOR:  
1050 17th Street, Suite 500 Denver, STATE CO ZIP 80265

PHONE NUMBER:  
(303) 672-6900

10. FIELD AND POOL, OR WILDCAT:  
See attached

4. LOCATION OF WELL:  
FOOTAGES AT SURFACE: See attached

COUNTY: Attached  
STATE: UTAH

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
 Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*  
 Utah State Bond Number: ~~965003033~~  
 Fee Land Bond Number: ~~965003033~~ } *965010695*  
 BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst  
 SIGNATURE *Morgan Anderson* DATE 6/23/2010

(This space for State use only)

**RECEIVED**  
JUN 28 2010  
DIV. OF OIL, GAS & MINING

**APPROVED** 6/13/2010  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)

WONSITS VALLEY

effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8- 21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13- 8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**WONSITS VALLEY**  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

*Roy L Bankert*

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0806
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>  <b>7. UNIT or CA AGREEMENT NAME:</b> WONSITS VALLEY
<b>1. TYPE OF WELL</b> Oil Well	<b>8. WELL NAME and NUMBER:</b> WV 128
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047307980000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0525 FSL 2045 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 10 Township: 08.0S Range: 21.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> WONSITS VALLEY  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>6/1/2013</b>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY IS PROPOSING TO ADD ADDITIONAL PERFORATIONS TO THE GREEN RIVER FORMATION AS FOLLOWS: 1. MIRU SERVICE UNIT. 2. ND WH AND NU BOP. 3. POOH WITH RODS, PUMP AND TUBING. 4. RIH WITH BIT AND SCRAPER, CLEAN OUT TO PBTD. 5. PERFORATE 5207' - 5212' WITH 4 JSPF 90 DEGREE PHASING. 6. FRACTURE STIMULATE THE NEW PERFORATIONS. QEP ENERGY COMPANY IS REQUESTING THIS WELL BE HELD "CONFIDENTIAL".

**Accepted by the  
Utah Division of  
Oil, Gas and Mining**

Date: June 11, 2013

By: *Derek Quist*

<b>NAME (PLEASE PRINT)</b> Benna Muth	<b>PHONE NUMBER</b> 435 781-4320	<b>TITLE</b> Regulatory Assistant
<b>SIGNATURE</b> N/A	<b>DATE</b> 5/21/2013	

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0806
		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>
<b>1. TYPE OF WELL</b> Oil Well		<b>7. UNIT or CA AGREEMENT NAME:</b> WONSITS VALLEY
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY		<b>8. WELL NAME and NUMBER:</b> WV 128
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078		<b>9. API NUMBER:</b> 43047307980000
<b>PHONE NUMBER:</b> 303 308-3068 Ext		<b>9. FIELD and POOL or WILDCAT:</b> WONSITS VALLEY
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0525 FSL 2045 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 10 Township: 08.0S Range: 21.0E Meridian: S		<b>COUNTY:</b> UINTAH
		<b>STATE:</b> UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 6/12/2013	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

THIS SUNDRY IS BEING SUBMITTED CONFIRMING WORK WAS COMPLETED AS OUTLINED IN THE NOTICE OF INTENT SUBMITTED ON 5/21/2013 TO ADD ADDITIONAL PERFORATIONS TO THE GREEN RIVER FORMATION.

<b>NAME (PLEASE PRINT)</b> Benna Muth	<b>PHONE NUMBER</b> 435 781-4320	<b>TITLE</b> Regulatory Assistant
<b>SIGNATURE</b> N/A	<b>DATE</b> 7/8/2013	

Add "E5" Sand Perfs

Well Name: WVFU # 128 AFE: \_\_\_\_\_  
 Field: Wonsits Valley Well Code: SUT08817026  
 Location: SE of SW SEC.10 T 8S R21E  
 County: Uintah State: Utah  
 API: 4304730798 Spud Date (Surface): \_\_\_\_\_  
 WI: 100.00%  
 NRI: 86.03%

Well Data: TD: 5510 PBTD: 5428  
 GL: 4835 KB: 4849

**Casing & Cementing:**

Surface: 12 1/4" HOLE SIZE  
 9 5/8" 36# K-55 @ 1703' W/650 SXS.

Production: 9" HOLE SIZE  
 5 1/2" 14# K-55 @ 5510' W/275 SXS.  
 CEMENT TOP @ 4638

Perforations: 5270-328 F2  
 5325-328 F4  
 5382-402 G1

Operation: Add "E5" sand perfs

**Program:**

MIRU  
 ND WH, NU BOP  
 POOH with rods, pump and tubing  
 RIH with bit if necessary  
 Note: Depths are correlated to Schlumberger CBL dated 2/26/1981  
 Perforate 5207-5212' with 4 JSPF at 90° phasing  
 RIH with tubing and plug and packer  
 Acidize and breakdown new perfs with 500 gallons 15% HCL  
 RIH with rods pump and tubing w/ EOT @ original depth  
 ND BOP NU WH  
 Place well on production  
 RDMO

Sundry Number : 39811 API Well Number : 43047307980000