

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Exxon Corporation

3. ADDRESS OF OPERATOR
 P. O. Box 1600 Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface 2193' FNL & 1911' FEL of Section **SW NE**
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 30 miles southeast from Vernal

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 2193'

16. NO. OF ACRES IN LEASE 3,224.20

17. NO. OF ACRES ASSIGNED TO THIS WELL

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1550'

19. PROPOSED DEPTH 5800' Gr Riv?

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 Ungraded Gr. 5220'

22. APPROX. DATE WORK WILL START* 8-13-81

5. LEASE DESIGNATION AND SERIAL NO.
 U-02651

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
 Walker Hollow Unit

8. FARM OR LEASE NAME
 Walker Hollow Unit

9. WELL NO.
 62

10. FIELD AND POOL, OR WILDCAT
 Walker Hollow Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec. 10, T7S, R23E

12. COUNTY OR PARISH
 Uintah

13. STATE
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	400'	310 cu. ft. <i>circ to surf.</i>
8-3/4"	7"	20 & 23 #	5550'	570 cu. ft.

APPROVED BY THE DIVISION
 OF OIL, GAS, AND MINING
 DATE: 3-30-81
 BY: M. J. Minder

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Melva Kripling TITLE Unit Head DATE March 20, 1981
 (This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____


CONDITIONS OF APPROVAL, IF ANY:

T7S, R23E, S.L.B.&M.

PROJECT

EXXON COMPANY U.S.A.

Well location, *WALKER HOLLOW*
 UNIT # 62, located as shown in
 the SW 1/4 NE 1/4 Section 10, T7S,
 R23E, S.L.B.&M. Uintah County,
 Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
 FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
 SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
 BEST OF MY KNOWLEDGE AND BELIEF.

Jane Stewart

REGISTERED LAND SURVEYOR
 REGISTRATION NO 3154
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 P. O. BOX Q - 85 SOUTH - 200 EAST
 VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 3 - 13 - 81
PARTY N.J.M. L.D.T. B.F.W.	REFERENCES GLO Plat
WEATHER FAIR	FILE EXXON

X = Section Corners Located

WALKER HOLLOW UNIT NO.62
 Sec. 10, T7S, R23E
 Uintah County, Utah

1. The geologic name of the surface formation: Tertiary
2. The estimated tops of important geological markers:

Green River	3,075'
Green River "D" Zone, Upper 4-A	4,550'
Green River "D" Zone, Lower	5,625'

3. The estimated depths at which anticipated water, oil, gas or other mineral-bearing formations are expected to be encountered:

Fresh Water	Surface to 3,100'
Oil and Gas	4,421' to TD

4. Proposed casing program:

<u>String</u>	<u>Depth Interval</u>	<u>Size</u>	<u>Weight/Grade</u>	<u>Condition</u>
Surface	0- 400'	9 5/8"	36#/K-55	New or Used
Production	0- 5550'	7"	20 & 23#/K-55	New or Used

5. Minimum specifications for pressure control equipment:

- a. Wellhead Equipment - Threaded type 2000 psi WP.
- b. Blowout Preventers - Refer to attached drawing and list of equipment titled "Type II-G" for description of BOP stack and choke manifold.
- c. BOP Control Unit - Unit will be hydraulically operated and have at least 3 control stations.
- d. Testing - When installed on the 9 5/8" surface casing the BOP stack will be tested to a low pressure (200-300 psi) and to 1500 psi. Casing rams will be tested in like manner when installed prior to running production casing. An operational test of the blow-out preventers will be performed on each round trip (but not more than once each day); the annular and pipe ram preventers will be closed on drill pipe, and the blind rams will be closed while pipe is out of the hole.

6. Type and anticipated characteristics of drilling fluid:

<u>Depth Interval</u>	<u>Mud Type</u>
0-Surface Casing Seat	Fresh Water Spud Mud
Surface Casing Seat - 2800'	Fresh Water (Uncontrolled Properties)
2800-TD	8.5 - 9.1 ppg Fresh Water Mud

Not less than 200 barrels of fluid will be maintained in the pits.
 Weighting material should not be needed.

7. Auxiliary Control Equipment:

- a. Kelly Cocks: Upper and lower installed on kelly.
- b. Safety Valve: Full opening ball type to fit each type and size of drill pipe in use will be available on rig floor at all times, in open position for stabbing into drill pipe when kelly is not in the string.
- c. Trip tank to insure that hole is full and takes proper amount of fluid on trips will be used during drilling of production hole.

8. Testing, Logging, and Completion Programs:

- a. Logging: DIL, Sonic, FDC-CNL-GR-Cal, and Repeat Formation Tester. Mud logger from approximately 2500' to TD.
- b. Completion - Formation: Green River "D"

Proposed Completin Procedure: Frac selectively with Polymulsion and sand. See attached wellsite layout for approximate positioning of completion equipment.

- c. Production method: Rod pump through 2 7/8" tubing.

9. No abnormal pressure or hydrogen sulfide hazards are anticipated.

10. Starting date of drilling operations will depend on rig availability. Subject to rig availability, we anticipate that drilling and completion operations will begin about August 13, 1981 and be finished by August 31, 1981.

BLOWOUT PREVENTER SPECIFICATION
EQUIPMENT DESCRIPTION

TYPE II-C

All equipment should be at least 2000 psi WP or higher unless otherwise specified.


1. Bell nipple.
2. Hydril or Shaffer bag type preventer.
3. Ram type pressure operated blowout preventer with blind rams.
4. Flanged spool with one 4-inch and one 2-inch (minimum) outlet.
5. 2-inch (minimum) flanged plug or gate valve.
6. 2-inch by 2-inch by 2-inch (minimum) flanged tee.
7. 4-inch pressure operated gate valve.
8. 4-inch flanged gate or plug valve.
9. Ram type pressure operated blowout preventer with pipe rams.
10. Flanged type casing head with one side outlet (furnished by Exxon).
11. 2-inch threaded (or flanged) plug or gate valve (furnished by Exxon).
Flanged on 5000# WP, threaded on 3000# WP or less.
12. Needle valve (furnished by Exxon).
13. 2-inch nipple (furnished by Exxon).
14. Tapped bull plug (furnished by Exxon).
15. 4-inch flanged spacer spool.
16. 4-inch by 2-inch by 2-inch by 2-inch flanged cross.
17. 2-inch flanged plug or gate valve.
18. 2-inch flanged adjustable choke.
19. 2-inch threaded flange.
20. 2-inch XXH nipple.
21. 2-inch forged steel 90° Ell.
22. Cameron (or equal.) threaded pressure gage.
23. Threaded flange.

35. 2-inch flanged tee.
36. 3-inch (minimum) hose. (Furnished by Exxon).
37. Trip tank. (Furnished by Exxon).
38. 2-inch flanged plug or gate valve.
39. 2-1/2-inch pipe, 300' to pit, anchored.
40. 2-1/2-inch SE valve.
41. 2-1/2-inch line to steel pit or separator.

NOTES:

1. Items 3, 4 and 9 may be replaced with double ram type preventer with side outlets between the rams.
2. The two valves next to the stack on the fill and kill line to be closed unless drill string is being pulled.
3. Kill line is for emergency use only. This connection shall not be used for filling.
4. Replacement pipe rams and blind rams shall be on location at all times.
5. Only type U, LWS and QRC ram type preventers with secondary seals are acceptable for 5000 psi WP and higher BOP stacks.
6. Type E ram-type BOP's with factory modified side outlets may be used on 3000 psi or lower WP BOP stacks.

MIDLAND DRILLING ORGANIZATION
BLOWOUT PREVENTER SPECIFICATION
TYPE II - C



9/15/73

SURFACE USE PLAN

Exxon Corporation - Walker Hollow Unit

Well No. 52 - 1952' FSL & 708' FWL of Section 8, T7S, R24E, Lease No. U-02512
Well No. 56 - 1975' FNL & 471' FEL of Section 11, T7S, R23E, Lease No. SLC-066357
Well No. 59 - 603' FSL & 1990' FWL of Section 8, T7S, R24E, Lease No. U-02512
Well No. 60 - 660' FSL & 660' FEL of Section 11, T7S, R23E, Lease No. SLC-066357
Well No. 62 - 2193' FNL & 1917' FWL of Section 10, T7S, R23E, Lease No. U-02651
Well No. 64 - 3348' FSL & 392' FWL of Section 6, T7S, R24E, Lease No. SLC-066313
Well No. 65 - 586' FNL & 2007' FWL of Section 8, T7S, R24E, Lease No. SLC-066357

Uintah County, Utah

1. EXISTING ROADS - Area Map, Exhibit "A" is a composite of USGS quads.
 - A. Exhibit "A" shows the proposed well sites as staked.
 - B. From Vernal go easterly on Highway 40 approximately 20 miles, thence southerly on Highway 264 for approximately 6 miles, thence on oil field road 4 miles to locations.
 - C. As shown on Exhibit "A", the following new roads will be built:
 - Approximately 800' of new road to Well No. 52.
 - Approximately 900' of new road to Well No. 56.
 - Approximately 500' of new road to Well No. 59.
 - Approximately 50' of new road to Well No. 60.
 - Approximately 150' of new road to Well No. 62.
 - Approximately 2500' of new road to Well No. 64.
 - Approximately 1800' of new road to Well No. 65.
 - D. The existing roads within a one-mile radius are shown on Exhibit "A".
 - E. No improvements of existing roads will be required as the roads are being maintained in the oil field.
2. PLANNED ACCESS ROADS - Exhibit "A" shows the new access roads to be constructed.
 - 1) The roads will be a minimum of 16' wide.
 - 2) The maximum grade will be less than 10 percent.
 - 3) No turnouts will be necessary.
 - 4) Drainage structure will be installed where necessary.
 - 5) No culverts will be required except;

Well No. 64 will require two 18" culverts.
Well No. 60 will require one 48" culvert.

- 6) The roads will be graveled where necessary.
 - 7) There will be no gates, cattleguards, or fence cuts.
 - 8) New roads have been center line flagged.
3. LOCATION OF EXISTING WELLS WITHIN A ONE-MILE RADIUS -
- 1) Water wells - None.
 - 2) Abandoned Wells - #9 as shown on Exhibit "A".
 - 3) Temporarily Abandoned Wells - None.
 - 4) Disposal Wells - None.
 - 5) Drilling Wells - None.
 - 6) Producing Wells - See Exhibit "A".
 - 7) Shut-In Wells - #32 as shown on Exhibit "A".
 - 8) Injection Wells - See Exhibit "A".
 - 9) Monitoring or Observation Wells for Other Resources - None.
4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES -
- A. Existing facilities within a one-mile radius of proposed locations.
1. Tank Batteries are located in the SW/4 SW/4 of Section 1, W/2 SE/4 Section 12, T7S, R23E; and SW/4 SW/4 of Section 2, T7S R24E as shown on Exhibit "A".
 2. Production facilities are located at the tank battery site.
 3. Oil and Gas gathering lines, injection lines and disposal lines where needed are laid along the existing or proposed roads to existing lines or tank battery sites.
 4. The following oil and gas gathering lines will be laid as shown in Exhibit "A". This route may be later used for injection or disposal lines as needed.
 - WHU #62: the flowline route go as shown on Exhibit "A" 1800' and tie into the existing flowline system at Well #39.
 - WHU #59: the flowline will travel from the wellsite N/NE 1200' to existing flowlines.
 - WHU #64: the flowlines will travel westerly 2400' to the existing flowline system at Well #43.

B. Exxon will enlarge the existing tank batteries on the existing sites to accommodate the additional production.

C. Rehabilitation will be done on any disturbed areas no longer needed for operations after completion of the production facilities. This will consist of reshaping the existing surface and seeding as specified.

5. LOCATION AND TYPE OF WATER SUPPLY -

A. Water will be hauled over existing roads or piped alongside existing and proposed roads from the water flood plant or water flood distribution system. The water flood plant is located three miles east of the locations.

B. No new roads will be needed for the water supply.

6. SOURCE OF CONSTRUCTION MATERIALS - Contractor will furnish gravel and haul from a source outside of the area.

7. WASTE DISPOSAL -

A. Drill cuttings will be disposed of in the reserve pit.

B. Remaining drilling fluids will be allowed to evaporate in the reserve pit until the pit is dry enough for backfilling. (In the event of a dry hole, pumpable liquid on the surface of the pit will be injected into the well to shorten the pit-drying period.)

C. Water produced during tests will be disposed of in the reserve pit. Oil produced during tests will be stored in test tanks until sold, at which time it will be hauled from site.

D. Sewage from trailer houses will drain into holes at least 10' deep, which will be kept covered until backfilled. An outdoor toilet will be provided for rig crews; this area will be backfilled during cleanup after rig moveout.

E. Trash, waste paper and garbage will be contained in a trash pit fenced with a small mesh wire to prevent wind-scattering during collection and burned; this pit is shown on the rig layout. Residue in the pit at completion of operations will be buried either within the pit or the reserve pit by at least 24" of cover.

F. When rig moves out, all trash and debris left at site will be contained to prevent scattering and will be either burned in trash pit or buried at least 24" deep within 30 days unless ground freeze prevents burial.

8. ANCILLARY FACILITIES - No camps, airstrips, et cetera, will be constructed.

9. WELLSITE LAYOUT -

A. Exhibit "B" (Scale 1" - 50') shows proposed wellsite layout.

B. This Exhibit indicates proposed location of mud, reserve, burn and trash

pits; pipe racks and other major rig components' living facilities; soil stockpile; parking area; and turn-in from access road.

- C. Mud pits in the active circulating system will be steel pits, and the reserve pit is proposed to be unlined unless subsurface conditions encountered during pit construction indicate that lining is needed for lateral containment of fluids.
- D. The location of proposed completion equipment is shown on Exhibit "C".

10. RESTORATION OF SURFACE -

- A. Upon completion of the operation and burial of any trash and debris as discussed earlier, pits will be backfilled and leveled or contoured as soon as practical after drying-time. Drillsite surface will be reshaped to combat erosion, and stockpiled topsoil will be distributed to extent available. Prior to leaving the drillsite upon rig move-out, any pit that is to remain open for drying will be fenced and so maintained until backfilled and reshaped.
- B. Exxon will rehabilitate road as per BLM recommendations.
- C. Revegetation of the drill pad will comply with USGS-BLM specifications.
- D. Any oil on pits will be removed or otherwise disposed of to USGS-BLM approval.
- E. Rehabilitation operations will start in the Spring after completion and be completed in the Fall to BLM specifications.

11. OTHER INFORMATION -

- 1) All locations are located on steep ridges with clay soil. There is very little vegetation. There are sparse cedar trees.
- 2) There is no surface use other than grazing. All wells are on Federal surface administered by the BLM.
- 3) There are no dwellings, archeological, historical or cultural sites apparent in the area.
- 4) There are no ponds, streams or water wells in the area.
- 5) There are no buildings of any kind in the area.

12. OPERATOR'S REPRESENTATIVE - Exxon's field representative for contact regarding compliance with the Surface Use Plan is:

H. G. Davidson
P. O. Box 1600
Midland, Texas 79702
Office Phone: 915/685-9355
Home Phone: 915/694-5324

13. CERTIFICATION - I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Exxon Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. A copy of this plan will be posted at the wellsite during the drilling of the well for reference by all contractors and subcontractors.


Date March 17, 1981



H. G. Davidson
Divison Drilling Manager

For on-site inspection, contact:

Melba Knipling
915-683-0624



TYPICAL
FRAC. TRUCK LAYOUT
1" = 50'

EXHIBIT "C"

WALKER HOLLOW
 WELLS 52, 56, 59, 60, 62, 64, 65
 UTAH CO. UTAH

EXXON COMPANY, U.S.A.
 A DIVISION OF EXXON CORPORATION
 PRODUCTION DEPARTMENT

DRAWN WSW
 CHECKED _____

ENGR. SECTION _____ REVISED _____
 APPROVED _____

SCALE 1" = 50'
 DATE 4-12-80

JOB NO. _____

FILE NO. _____

FROM : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-02651-COPERATOR: ExxonWELL NO. 62LOCATION: C SW 1/4 NE 1/4 sec. 10, T. 7S., R. 23E., SLMUintah County, Utah

1. Stratigraphy:

Uintah	surface
Green River	3075'
"D" zone (upper)	4550'
"D" zone (lower)	5625'
<u>TD</u>	<u>5800'</u>

2. Fresh Water:

Fresh water may be present in the Uintah and in upper Green River sandstones.

3. Leasable Minerals:

Oil/gas: Green River

Oil shale: Green River. Mahogany zone should occur at ~ 4625'.

4. Additional Logs Needed: Adequate5. Potential Geologic Hazards: None expected

6. References and Remarks:

Signature: Gregory W. WoodDate: 3-27-81

United States Department of the Interior
 Geological Survey
 2000 Administration Bldg.
 1745 West 1700 South
 Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Exxon Corporation
 Project Type Oil Well
 Project Location 2193' FNL 1911' FEL Section 10, T. 7S, R. 23E.
 Well No. 62 Lease No. U-02651-C
 Date Project Submitted March 23, 1981

FIELD INSPECTION

Date April 9, 1981

Field Inspection
 Participants

<u>Greg Darlington</u>	<u>USGS, Vernal</u>
<u>Cory Bodman</u>	<u>BLM, Vernal</u>
<u>Mark Bolton</u>	<u>Exxon Corporation</u>
<u>Floyd Murray</u>	<u>D.E. Casada</u>

Related Environmental Documents: Unit Resource Analysis, Bonanza Planning
Unit, BLM, Vernal

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

April 17, 1981
 Date Prepared

Gregory Darlington
 Environmental Scientist

I concur

4/29/81
 Date

E. S. [Signature]
 District Supervisor

Typing In 4-17-81 Typing Out 4-17-81


PROPOSED ACTION:

Exxon Corporation plans to drill the #62 Walker Hollow Unit well, a 5800' test for oil in the Green River formation. About 150' of existing road will be rerouted for the location. The pad will be 150' by 350' and the reserve pit will be irregularly shaped with a surface area of about 14,000 square feet. The reserve pits will be lined because of their proximity to the Right Fork of Walker Hollow. A flowline hookup route is outlined in the APD.

RECOMMENDED APPROVAL CONDITIONS:

The operator agrees to accept and adhere to the following conditions in addition to the plans outlined in the APD:

1. BLM Stipulations
2. Lease Stipulations
3. Provide adequate logs for the identification of other minerals as requested in the Mineral Evaluation Report and Mining Report.



North View
Exxon 62

FIELD NOTES SHEET

Date of Field Inspection: April 9, 1981

Well No.: 62

Lease No.: U-02651-C

Approve Location:

Approve Access Road:

Modify Location or Access Road: Access will reroute existing road.

around pad as per APD layout diagram.

Topsoil stockpile near corner 2. Topsoil was switched from N to S side of the pad. Till dirt would be put on the N side to be used to rehab the reserve pit.

Evaluation of Criteria for Categorical Exclusion

1. Public Health and Safety
2. Unique Characteristics
3. Environmentally Controversial Items
4. Uncertain and Unknown Risks
5. Establishes Precedents
6. Cumulatively Significant
7. National Register Historic Places
8. Endangered/Threatened Species
9. Violate Federal, State, Local, or Tribal Laws

If this project is not eligible for Categorical Exclusion circle the numbers of the above criteria requiring the preparation of an EA.

Comments and special conditions of approval discussed at onsite: (include local topography) This may be a moderately difficult location to build.

The reserve pit will be lined. The existing road will be diverted around the reserve pit and pad. Extensive dirtwork will be required to build this location.

Pit to be lined and pumped dry as soon as operations are completed per APD
Location adjacent to the right bank of Walker Hollow
a 5' culvert is in the road to enable road to cross near the
pad and proceed on up to other wells in the Walker Hollow Unit.
Near Broadhurst #17 Energy Reserve well.

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

Criteria 516 DM 2.3.A	Federal/State Agency			Local and private corre- spondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
	Corre- spondence (date)	Phone check (date)	Meeting (date)						
1. Public health and safety							1,2,4,6	4-9-81	
2. Unique charac- teristics							1,2,4,6	4-9	
3. Environmentally controversial							1,2,4,6	4-9	
4. Uncertain and unknown risks							1,2,4,6	4-9	
5. Establishes precedents							1,2,4,6	4-9	
6. Cumulatively significant							1,2,4,6	4-9	
7. National Register historic places							1,6	4-9	
8. Endangered/ threatened species							1,6	4-9	
9. Violate Federal, State, local, tribal law							1,2,4,6	4-9	

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement
8. *USGS conditions of approval.*

** FILE NOTATIONS **

DATE: March 24, 1981
OPERATOR: Exxon Corporation
WELL NO: WHU # 62
Location: Sec. 10 T. 7S R. 23E County: Wintak

File Prepared: Entered on N.I.D.:
Card Indexed: Completion Sheet:

API Number 43-047-30914

CHECKED BY:

Petroleum Engineer: M. J. Minder, 3-30-81

Director: _____

Administrative Aide: On Walker Hollow Wn. / ok on boundaries for all wells / WHU for BR-KIV formation

APPROVAL LETTER:

Bond Required: Survey Plat Required:

Order No. _____ O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation Fed. Plotted on Map

Approval Letter Written

Hot Line P.I.

Walker Hollow #62
56 64 03

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

RECEIVED
DEC 10 1981
ACCOUNTING
CENTRAL FILE ROOM

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number WALKER Hollow #62
Operator EXXON Co., U.S.A. Address P.O. Box 1600 Midland, TX 79702
Contractor TWT EXPLORATION INC. Address P.O. Box 1329 Prospector Sq. Park City, UT 84060
Location SE 1/4 NE 1/4 Sec. 10 T: 7 S, R. 23 E. County Uintah

Water Sands

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
From	To	Flow Rate or Head	Fresh or Salty
1.		NO WATER Flows	/
2.		(FRESH WATER IS ENCOUNTERED THROUGHOUT THE	
3.		GREEN RIVER SANDS)	
4.			
5.			

(Continue of reverse side if necessary)

<u>FORMATION</u>	<u>APPROXIMATE TOP</u>
<u>Formation Tops</u> DUCHESNE RIVER	SURFACE
GREEN RIVER	3000'
<u>Remarks</u> GREEN RIVER - UPPER 4A ZONE	4500'
GREEN RIVER - LOWER	5400'

NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
(b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

April 3, 1981

Exxon Corporation
P. O. Box 1600
Midland, Texas 79702

Re: Well No. Walker Hollow Unit 62
Sec. 10, T. 7S, R. 23E, SWNE
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-30914.

Sincerely,

DIVISION OF OIL, GAS, AND MINING


Michael T. Minder
Petroleum Engineer

MTM/ko
cc: USGS

DUPLICATE

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved,
Budget Bureau No. 42-R1425.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Exxon Corporation

3. ADDRESS OF OPERATOR
 P. O. Box 1600 Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface 2193' FNL & 1911' FEL of Section
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 30 miles southeast from Vernal

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 2193'

16. NO. OF ACRES IN LEASE 3,224.20

17. NO. OF ACRES ASSIGNED TO THIS WELL

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1550'

19. PROPOSED DEPTH 5800'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 Ungraded Gr. 5220'

22. APPROX. DATE WORK WILL START*
 8-13-81

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	400'	310 cu. ft.
8-3/4"	7"	20 & 23 #	5550'	570 cu. ft.

MAY 5 1981
 DIVISION OF
 OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Meeow Knippling TITLE Unit Head DATE March 20, 1981
 (This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
 APPROVED BY [Signature] TITLE FOR E. W. GUYNN DISTRICT ENGINEER DATE MAY 04 1981
 CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL

State 046

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80



United States Department of the Interior

IN REPLY REFER TO


T & R
U-802

BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

April 13, 1981

Ed Guynn, District Engineer
USGS, Conservation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Re: Exxon Corporation
Well #52 Sec 8, T7S R24E
Well #56 Sec 11, T7S R23E
Well #59 Sec 8, T7S R24E
Well #60 Sec 11, T7S R24E
Well #62 Sec 10, T7S R23E
Well #64 Sec 6, T7S R24E
Well #65 Sec 8, T7S R24E
Kienitz Federal
#2 Sec 1. T7S R23E



Dear Mr. Guynn:

A joint examination was made on April 9, 1981, of the above referenced well site locations and proposed access roads. We feel that the surface use and operating plans are adequate with the following stipulations:

1. Construction and maintenance of roads, rehabilitation of disturbed areas, and construction of pipeline routes, shall be in accordance with surface use standards as set forth in the brochure, "Surface Operating Standards for Oil and Gas Exploration and Development."
2. Traveling off access road rights-of-way will not be allowed. The maximum width of access road (both existing and planned) will be 30 feet total disturbed area, except where backslopes and fills require additional area. Turnouts will not be required.
3. It was agreed upon by all parties present that the applied for pad sizes are of adequate size to handle all drilling and fracturing operations.
4. The BLM must be contacted at least 24 hours prior to any construction activities.
5. The BLM will be contacted at least 24 hours prior to any rehabilitation activities. The operator may be informed of any additional needed




seeding and restoration requirements.

6. Burn pits will not be constructed. There will be no burning or burying of trash or garbage at the well sites. Refuse must be contained and hauled to an approved disposal site.
7. A wire mesh or net type of fence, topped with at least one strand of barbed wire will be used around the reserve pits.
8. The top 4-6 inches of topsoil at each location, will be gathered and stockpiled as addressed in the applicants APD on the following wells: #64, ⁽⁶²⁾60, 56, 52 and Kienitz #2.
9. At well #65 ^{(SE) Topsoil + spoil pits switched TS on SE side of pad.} the top 4-6 inches of topsoil will be stockpiled at corner #6.
10. At well #59 the top 4-6 inches of topsoil will be stockpiled between corners #3 and #4, and #6 and #7.
11. At well #52 after drilling and fracing operations are completed the pad size will be reduced and the adjacent stock watering pond will be enlarged to its original dimensions.

Cultural clearances were conducted on all proposed pads and access roads. No cultural material were found. The proposed activities do not jeopardize listed threatened or endangered flora/fauna or their habitats.


The BLM representative will be Cory Bodman, 789-1362.


Sincerely,





Dean L. Evans
Area Manager
Bookcliffs Resource Area

cc: USGS, Vernal
Salt Lake





EARTH VOLUMES
 CUT 36,700 cu yds
 FILL 17,500 cu yds
 TOPSOIL 1,900 cu yds
 SPILL 17,400 cu yds



RIG LAYOUT




EXHIBIT "B"

WHU # 62		EXXON COMPANY, U.S.A. (a division of Exxon Corporation) PRODUCTION DEPARTMENT		
DRAWN MJE	ENGR. SECTION _____	REVISED _____	DATE 3/17/91	JOB NO. _____
CHECKED _____	APPROVED _____	SCALE 1" = 50'	FILE NO. _____	

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

2. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESER. Other _____

3. NAME OF OPERATOR
Exxon Corporation

4. ADDRESS OF OPERATOR
P. O. Box 1600, Midland, Texas 79702

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface **2193' FNL & 1911' FEL of Section *S.W. NE***
At top prod. interval reported below
At total depth

14. PERMIT NO. **43-047-30914** DATE ISSUED **4/3/81**

5. LEASE DESIGNATION AND SERIAL NO.
U-02651

6. IF INDIAN, ALPOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Walker Hollow Unit

8. FARM OR LEASE NAME
Walker Hollow Unit

9. WELL NO.
62

10. FIELD AND POOL, OR WILDCAT
Walker Hollow Field

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec 10, T7S, R23E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

15. DATE SPUNDED **7/9/81** 16. DATE T.D. REACHED **7/21/81** 17. DATE COMPL. (Ready to prod.) **11/17/81** 18. ELEVATIONS (DF, RKB, RT, GR, ETC.) **5233' KB** 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD **5555'** 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY? 23. INTERVALS DRILLED BY **0-5555'** ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
4611'-4621' Green River 5AA 5292'-5306' Green River 8d
4691'-4702' " " 5b
5224'-5243' " " 8c

25. WAS DIRECTIONAL SURVEY MADE? **No**

26. TYPE ELECTRIC AND OTHER LOGS RUN
FDC/CNL, RFT DIL, Cyberlook

27. WAS WELL CORRED? **No**

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 5/4"	36#	386'	12 1/4"	250. sx Class G	
7"	20#, 23#	5541'	8 3/4"	1000 sx Class G	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 7/8"	5323'	
1 1/4"	3468'	

31. PERFORATION RECORD (Interval, size and number)

4611'-4621'	2" gun, 4 spf	5400'-5405'
4691'-4702'	" " 4" gun, 4 spf	
5224'-5243'	4" gun, 4 spf	5533'-5548'
5292'-5306'	" " 4" gun, 4 spf	
5390'-5396'	" " "	

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5390'-5405'	Sqz w/100 sx Class HC cmt
5533'-5545'	Sqz w/100 sx Class H cmt
4611'-4702'	3600 gals 15% HCl
5224'-5306'	6600 gals 15% HCl

33. PRODUCTION **CIBP @ 5454'**

DATE FIRST PRODUCTION **11/16/81** PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) **Pumping** WELL STATUS (Producing or shut-in) **Producing**

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—REL.	GAS—MCF.	WATER—REL.	GAS-OIL RATIO
11/17/81	24		→	104		18	

FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—REL.	GAS—MCF.	WATER—REL.	OIL GRAVITY-API (CORR.)
		→				

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED *Daniel L. Call* TITLE Accountant DATE 12-11-81

* (See Instructions and Spaces for Additional Data on Reverse Side)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

U-02651

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Walker Hollow Unit

8. FARM OR LEASE NAME

Walker Hollow Unit

9. WELL NO.

62

10. FIELD AND POOL, OR WILDCAT

Walker Hollow Field

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 10, T7S, R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR

Exxon Corporation

3. ADDRESS OF OPERATOR

P. O. Box 1600, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 2193' FNL & 1911' FEL of Section

At top prod. interval reported below

At total depth

SWNE

14. PERMIT NO. DATE ISSUED

43-047-30914 3/3/81

15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 19. ELEV. CASINGHEAD

7/9/81 7/21/81 11/17/81 5233' KB

20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY 24. ROTARY TOOLS 25. CABLE TOOLS

5555' 5233' KB 0-5555'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 25. WAS DIRECTIONAL SURVEY MADE

4611'-4621' Green River 5AA 5292'-5306' Green River 8d
4691'-4702' " " 5b
5224'-5243' " " 8c
No

26. TYPE ELECTRIC AND OTHER LOGS RUN 27. WAS WELL CORED

FDC/CNL, RFT DIL, Cyberlook No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 5/4"	36#	386'	12 1/4"	250 sx Class G	
7"	20#, 23#	5541'	8 3/4"	1000 sx Class G	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	5323'	
					1 1/4"	3468'	

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

INTERVAL	SIZE	NUMBER	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4611'-4621'	2" gun,	4 spf	5400'-5405'	
4691'-4702'	" "	" "	4" gun, 4 spf	
5224'-5243'	4" gun,	4 spf	5533'-5548'	
5292'-5306'	" "	" "	4" gun, 4 spf	
5390'-5396'	" "	" "		
5390'-5396'			5390'-5405'	Sqz w/100 sx Class HC cmt
			5533'-5545'	Sqz w/100 sx Class H cmt
			4611'-4702'	3600 gals 15% HCl
			5224'-5306'	6600 gals 15% HCl

33.* PRODUCTION CIBP @ 5454'

DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in)

11/16/81 Pumping Producing

DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR TEST PERIOD OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO

11/17/81 24 104 18

FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL—BBL. GAS—MCF. WATER—BBL. OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED David L. Call TITLE Accountant DATE 12-11-81

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS	
				NAME	MEAS. DEPTH
					TRUE VERT. DEPTH
				Green River 4A	4304'
				4B	4369'
				5B	4689'
				6C	4868'
				7B	4986'
				8C	5221'



STATE OF UTAH
NATURAL RESOURCES & ENERGY
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 5, 1982

Exxon Corporation
P. O. Box 1600
Midland, Texas 79702

Re: See attached

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

A handwritten signature in cursive script that reads "Cari Furse". The signature is fluid and elegant, with a long, sweeping tail on the final letter.

Cari Furse
Clerk Typist

Well No. Ute Tribal Unit "C" #1
Sec. 22, T. 2S, R. 1E
Uintah County, Utah

Well No. Walker Hollow Unit #65
Sec. 8, T. 7S, R. 24E
Uintah County, Utah

Well No. Walker Hollow Unit #62
Sec. 10, T. 7S, R. 23E
Uintah County, Utah

Well No. Ute Tribal Unit "D" #1
Sec. 27, T. 2S, R. 1E
Uintah County, Utah

Well No. Josephine McCook Tribal #1
Sec. 26, T. 2S, R. 1E
Uintah County, Utah

Well No. Joan Noble Tribal #1
Sec. 23, T. 2S, R. 1E
Uintah County, Utah



STATE OF UTAH
NATURAL RESOURCES & ENERGY
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

February 19, 1982

Exxon Corporation
P. O. Box 1600
Midland, Texas 79702

Re: Well No. Walker Hollow Unit #64
Sec. 6, T. 7S, R. 24E
Uintah County, Utah

Well No. Walker Hollow Unit #62
Sec. 10, T. 7S, R. 23E
Uintah County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office January 4, 1982 & December 11, 1982, from above referred to wells, indicates the following electric logs were run: #64: CNL/FDC, FRT, Cyberlook, #62: FDC/CNL, RFT DIL, Cyberlook. As of today's date, this office has not received any of these logs.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING



Cari Furse
Clerk Typist

WHU #62

Sec 10, 750, 23E


By 22 Dec 88

N



line heater

○ well head



pumpjack

access

42,381 50 SHEETS 5 SQUARE
42,382 100 SHEETS 5 SQUARE
42,383 200 SHEETS 5 SQUARE
MADE IN U.S.A.



NATIONAL

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

LORA ROARK
 EXXON CORPORATION
 PO BOX 4721
 HOUSTON TX 77210-4721

UTAH ACCOUNT NUMBER: N0420

REPORT PERIOD (MONTH/YEAR): 2 / 95

AMENDED REPORT (Highlight Changes)

Well Name API Number Entity Location	Producing Zone	Well Status	Days Oper	Production Volumes		
				OIL(BBL)	GAS(MCF)	WATER(BBL)
✓ WALKER HOLLOW U #62 4304730914 00610 07S 23E 10	GRRV					
✓ KIENITZ FED 2/WHU 63 4304730916 00610 07S 23E 1	GRRV					
✓ WALKER HOLLOW #52 4304730945 00610 07S 24E 8	GRRV					
✓ WALKER HOLLOW #59 4304730946 00610 07S 24E 8	GRRV					
✓ WALKER HOLLOW 64 4304730947 00610 07S 24E 6	GRRV					
✓ WALKER HOLLOW #74 (BAMBERGER FED #1) 44731031 00610 07S 23E 3	GRRV					
✓ WALKER HOLLOW #73 (KIENITZ FEDERAL) 4304731032 00610 07S 23E 3	GRRV					
✓ WALKER HOLLOW 66 4304731131 00610 07S 23E 10	GRRV					
✓ WALKER HOLLOW U #75 4304731182 00610 07S 23E 2	GRRV					
✓ WALKER HOLLOW #72 4304731227 00610 07S 23E 2	GRRV					
✓ WALKER HOLLOW 76 4304731542 00610 07S 23E 1	GRRV					
✓ WALKER HOLLOW UNIT #77 4304731563 00610 07S 23E 1	GRRV					
✓ WALKER HOLLOW UNIT #69 4304731665 00610 07S 23E 2	GRRV					
TOTALS						

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

EXXON COMPANY, U.S.A.


POST OFFICE BOX 1600 • MIDLAND, TEXAS 79702-1600

MIDLAND PRODUCTION ORGANIZATION
OPERATIONS INTEGRITY

March 23, 1995

Operator Change
Walker Hollow (Green River) Unit
Summit County, Utah

Utah Oil & Gas Conservation Commission
Utah Division of Oil, Gas & Mining
355 West North Temple
State Office Building
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203



Attention: Leisha Cordova

Effective April 1, 1995, Citation Oil & Gas Corp. will replace Exxon Corp. as operator of the Walker Hollow (Green River) Unit. Attached is a list of locations, API numbers and lease numbers for wells in the subject unit.

Please direct questions concerning this property transfer to me at (915) 688-7875.

Sincerely,

A handwritten signature in black ink, appearing to read "S. Johnson". The signature is written in a cursive style with a large, sweeping initial "S".


Stephen Johnson


SJJ/mym
Enclosure



WALKER HOLLOW (GREEN RIVER) UNIT WELLS

WELL	1/4 SEC	S-T-R	API NUMBER	LEASE NUMBER
1	SWSW	8-7S-24E	4304715554 ✓	U-02512
2	SWNE	8-7S-24E	4304715556 ✓	SLC-066357
3	SWSW	7-7S-24E	4304715557 ✓	SLC-066357
4	SWSE	12-7S-23E	4304716501 <i>w/w</i>	SLC-066357
5	SWSW	12-7S-23E	4304715558 ✓	SLC-066357
6	SWSE	7-7S-24E	4304716502 <i>w/w</i>	SLC-066357
7	NESE	12-7S-23E	4304715559 <i>w/w</i>	SLC-066357
8	SWSE	8-7S-24E	4304716503 <i>w/w</i>	U-02512
10	SWNW	9-7S-24E	4304715561 <i>w/w</i>	U-02512
11	NENW	9-7S-24E	4304715562 ✓	U-02512
12	SWSE	4-7S-24E	4304716504 <i>w/w</i>	SLC-066313
13	NESW	8-7S-24E	4304715563 ✓	U-02512
14	NESE	7-7S-24E	4304715564 ✓	SLC-066357
15	NENW	12-7S-23E	4304715565 ✓	SLC-066357
16	NESW	7-7S-24E	4304715566 ✓	SLC-066357
17	SWNW	12-7S-23E	4304715567 <i>w/w</i>	SLC-066357
18	SWSE	1-7S-23E	4304715568 <i>w/w</i>	SLC-066312
20	NESE	11-7S-23E	4304715569 ✓	SLC-066357
21	NESE	1-7S-23E	4304715570 ✓	SLC-066312
22	SWSE	11-7S-23E	4304715571 <i>w/w</i>	SLC-066357
23	SWNE	11-7S-23E	4304715572 ✓	SLC-066357
24	NESW	11-7S-23E	4304715573 ✓	SLC-066357
25	SWSW	1-7S-23E	4304730040 ✓	SLC-066312
26	SWNW	11-7S-23E	4304715548 <i>w/w</i>	SLC-066357
27	SWNW	8-7S-24E	4304730082 <i>w/w</i>	SLC-066357
28	NWSW	9-7S-24E	4304730092 ✓	U-02512
29	SWSW	11-7S-23E	4304730093 ✓	SLC-066357
30	SWSE	2-7S-23E	4304730094 <i>w/w</i>	ML-3175
31	SWNE	9-7S-24E	4304711512 <i>w/w</i>	U-02512
32	NENE	9-7S-24E	4304730132 ✓	U-02512
33	SWNE	12-7S-23E	4304730133 ✓	SLC-066357
34	SWNW	7-7S-24E	4304730134 <i>w/w</i>	SLC-066357
35	NENE	11-7S-23E	4304730281 <i>w/w</i>	SLC-066357
36	NESW	12-7S-23E	4304730282 ✓	SLC-066357
37	NENW	11-7S-23E	4304730417 ✓	SLC-066357
38	NENE	12-7S-23E	4304730418 ✓	SLC-066357
39	NESE	10-7S-23E	4304730415 ✓	U-02651-C
40	NENE	8-7S-24E	4304730690 ✓	SLC-066357
41	NWSE	8-7S-24E	4304730691 ✓	U-02512
42	NWSE	11-7S-23E	4304730692 ✓	SLC-066357
43	SWNE	1-7S-23E	4304730687 ✓	SLC-066312
44	NESE	2-7S-23E	4304730688 ✓	ML-3175
45	NENE	1-7S-23E	4304730897 ✓	SLC-066312
46	NESW	1-7S-23E	4304730416 ✓	SLC-066312
47	SWNE	2-7S-23E	4304730888 ✓	SLC-066312
48	NENE	7-7S-24E	4304730891 ✓	SLC-066357
49	SWSW	4-7S-24E	4304730892 ✓	SLC-066313
52	NWSW	8-7S-24E	4304730945 ✓	U-02512
54	SESW	1-7S-23E	4304730893 ✓	SLC-066312
55	NWNW	12-7S-23E	4304730894 ✓	SLC-066357
56	SENE	11-7S-23E	4304730911 ✓	SLC-066357
57	NWNE	11-7S-23E	4304730895 ✓	SLC-066357
58	SESE	2-7S-23E	4304730912 ✓	ML-3175
59	SESW	8-7S-24E	4304730946 ✓	U-02512
60	SESE	11-7S-23E	4304730913 ✓	SLC-066357
62	SWNE	10-7S-23E	4304730914 ✓	U-02651-C
63	SWNW	1-7S-23E	4304730916 ✓	SLC-066312
64	SWNW	6-7S-24E	4304730947 ✓	SLC-066313
66	NENE	10-7S-23E	4304731131 ✓	U-02651-C
69	NESW	2-7S-23E	4304731665 ✓	ML-3175
72	SWNW	2-7S-23E	4304731227 ✓	ML-3175
73	SWSE	3-7S-23E	4304731032 ✓	SLC-066312
74	SESW	3-7S-23E	4304731031 ✓	SLC-066357
75	SWSW	2-7S-23E	4304731182 ✓	ML-3175
76	NENW	1-7S-23E	4304731542 ✓	SLC-066312
77	NENE	1-7S-23E	4304731563 ✓	SLC-066312
101	SWNE	7-7S-24E	4304715555 ✓	SLC-066357





SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

6. If Indian, Allottee or Tribe Name:

7. Unit Agreement Name:

Walker Hollow Unit

8. Well Name and Number:

see below

9. API Well Number:

see below

10. Field and Pool, or Wildcat:

Walker Hollow (Green River)

1. Type of Well: OIL GAS OTHER:

2. Name of Operator:
Citation Oil & Gas Corp.

3. Address and Telephone Number:
8223 Willow Place S. Ste 250 Houston, TX 77070 713-469-9664

4. Location of Well

Footages:

OO, Sec., T., R., M.:

County: Uintah

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other Change of Operator
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate date work will start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other _____
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1995 Citation Oil & Gas Corp. took over as operator of the Walker Hollow Unit from Exxon Company, USA.

The wells involved are as follows:

Walker Hollow Unit #1	43-047-15554	Sec. 8 T7S R24E
Walker Hollow Unit #2	43-047-15556	Sec. 8 T7S R24E
Walker Hollow Unit #3	43-047-15557	Sec. 7 T7S R24E
Walker Hollow Unit #4	43-047-16501	Sec. 12 T7S R23E
Walker Hollow Unit #5	43-047-15558	Sec. 12 T7S R23E
Walker Hollow Unit #6	43-047-16502	Sec. 7 T7S R24E
Walker Hollow Unit #7	43-047-05580	Sec. 12 T7S R23E
Walker Hollow Unit #8	43-047-16503	Sec. 8 T7S R24E
Walker Hollow Unit #9	43-047-15560	Sec. 8 T7S R24E
Walker Hollow Unit #10	43-047-15561	Sec. 9 T7S R24E

13.

continued on back

Name & Signature: Sharon Ward

Sharon Ward

Title: Production Reg. Supv.

Date: 4-6-95

(This space for State use only)

The following are the list of wells involved in the change of operator on the Walker Hollow Unit from Exxon Company USA to Citation Oil & Gas Corp. effective April 1, 1995.

Walker Hollow Unit #11	43-047-15562	Sec. 9 T7S R24E
Walker Hollow Unit #12	43-047-16504	Sec. 4 T7S R24E
Walker Hollow Unit #13	43-047-15563	Sec. 8 T7S R24E
Walker Hollow Unit #14	43-047-15564	Sec. 7 T7S R24E
Walker Hollow Unit #15	43-047-15565	Sec.12 T7S R23E
Walker Hollow Unit #16	43-047-15566	Sec. 7 T7S R24E
Walker Hollow Unit #17	43-047-15567	Sec.12 T7S R23E
Walker Hollow Unit #18	43-047-15568	Sec. 1 T7S R23E
Walker Hollow Unit #20	43-047-15569	Sec.11 T7S R23E
Walker Hollow Unit #21	43-047-15570	Sec. 1 T7S R23E
Walker Hollow Unit #22	43-047-15571	Sec.11 T7S R23E
Walker Hollow Unit #23	43-047-15572	Sec.11 T7S R23E
Walker Hollow Unit #24	43-047-15573	Sec.11 T7S R23E
Walker Hollow Unit #25	43-047-30040	Sec. 1 T7S R23E
Walker Hollow Unit #26	43-047-15548	Sec.11 T7S R23E
Walker Hollow Unit #27	43-047-30082	Sec. 8 T7S R24E
Walker Hollow Unit #28	43-047-30092	Sec. 9 T7S R24E
Walker Hollow Unit #29	43-047-30093	Sec.11 T7S R23E
Walker Hollow Unit #30	43-047-30094	Sec. 2 T7S R23E
Walker Hollow Unit #31	43-047-11512	Sec. 9 T7S R24E
Walker Hollow Unit #32	43-047-30132	Sec. 9 T7S R24E
Walker Hollow Unit #33	43-047-30133	Sec.12 T7S R23E
Walker Hollow Unit #34	43-047-30134	Sec. 7 T7S R24E
Walker Hollow Unit #35	43-047-30281	Sec.11 T7S R23E
Walker Hollow Unit #36	43-047-30282	Sec.12 T7S R23E
Walker Hollow Unit #37	43-047-30417	Sec.11 T7S R23E
Walker Hollow Unit #38	43-047-30418	Sec.12 T7S R23E
Walker Hollow Unit #39	43-047-30415	Sec.12 T7S R23E
Walker Hollow Unit #40	43-047-30690	Sec. 8 T7S R24E
Walker Hollow Unit #41	43-047-30691	Sec. 8 T7S R24E
Walker Hollow Unit #42	43-047-30692	Sec.11 T7S R23E
Walker Hollow Unit #43	43-047-30687	Sec. 1 T7S R23E
Walker Hollow Unit #44	43-047-30688	Sec. 2 T7S R23E
Walker Hollow Unit #45	43-047-30897	Sec. 1 T7S R23E
Walker Hollow Unit #46	43-047-30416	Sec. 1 T7S R23E
Walker Hollow Unit #47	43-047-30888	Sec. 2 T7S R23E
Walker Hollow Unit #48	43-047-30891	Sec. 7 T7S R24E
Walker Hollow Unit #49	43-047-30892	Sec. 4 T7S R24E
Walker Hollow Unit #52	43-047-30945	Sec. 8 T7S R24E
Walker Hollow Unit #54	43-047-30893	Sec. 1 T7S R23E
Walker Hollow Unit #55	43-047-30894	Sec.12 T7S R23E
Walker Hollow Unit #56	43-047-30911	Sec.11 T7S R23E
Walker Hollow Unit #57	43-047-30895	Sec.11 T7S R23E
Walker Hollow Unit #58	43-047-30912	Sec. 2 T7S R23E
Walker Hollow Unit #59	43-047-30946	Sec. 8 T7S R24E
Walker Hollow Unit #60	43-047-30913	Sec.11 T7S R23E
Walker Hollow Unit #62	43-047-30914	Sec.10 T7S R23E
Walker Hollow Unit #63	43-047-30916	Sec. 1 T7S R23E
Walker Hollow Unit #64	43-047-30947	Sec. 6 T7S R24E
Walker Hollow Unit #66	43-047-31131	Sec.10 T7S R23E
Walker Hollow Unit #69	43-047-31665	Sec. 2 T7S R23E
Walker Hollow Unit #72	43-047-31227	Sec. 2 T7S R23E
Walker Hollow Unit #73	43-047-31032	Sec. 3 T7S R23E
Walker Hollow Unit #74	43-047-31031	Sec. 3 T7S R23E
Walker Hollow Unit #75	43-047-31182	Sec. 2 T7S R23E
Walker Hollow Unit #76	43-047-31542	Sec. 1 T7S R23E
Walker Hollow Unit #77	43-047-31563	Sec. 1 T7S R23E
Walker Hollow Unit #78	43-047-31645	Sec. 1 T7S R23E
Walker Hollow Unit #101	43-047-15555	Sec. 7 T7S R24E

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPER. CHG. _____

1. Date of Phone Call: 5-2-95 Time: 8:23

2. DOGM Employee (name) L. CORDOVA (Initiated Call
Talked to:

Name SHARON WARD (Initiated Call - Phone No. (713) 469-9664
of (Company/Organization) CITATION O&G CORP.

3. Topic of Conversation: OPERATOR OF THE "WALKER HOLLOW (GRRV) UNIT?
BLM APRV CITATION 1994 INVESTMENT LP. IS COMPANY CHANGING NAME FROM CITATION
O&G CORP?

4. Highlights of Conversation: _____
MS. WARD "CITATION" CALLED BLM TO CHANGE APRV'L TO CITATION O&G CORP. NOT
CITATION 1994 INVESTMENT LP. PER BLM/SL THE CHANGE SHOULD NOT TAKE LONG.

*BLM/SL - SIMPLE CHANGE, SHOULD ONLY TAKE A COUPLE OF DAYS.

United States Department of the Interior

BUREAU OF LAND MANAGEMENT


Utah State Office

P.O. Box 45155

Salt Lake City, Utah 84145-0155

COPY

IN REPLY REFER TO:
UT-922



April 26, 1995

Citation 1994 Investment LP
Attn: Christopher E. Cottrell
8223 Willow Place South, Suite 250
Houston, Texas 77070-5623

Re: Walker Hollow (Green River) Unit
Uintah County, Utah

Gentlemen:

We received an indenture dated March 22, 1995, whereby Exxon Company, U.S.A. resigned as Unit Operator and Citation 1994 Investment Limited Partnership was designated as Successor Unit Operator for the Walker Hollow (Green River) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 26, 1995.

Your nationwide (Montana) oil and gas bond No. 0630 will be used to cover all operations within the Walker Hollow (Green River) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Assad M. Raffoul

for Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: District Manager - Vernal (w/enclosure)
~~Division of Oil, Gas & Mining~~
Division of Lands and Mineral Operations U-923
File - Walker Hollow (GR) Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

U-922:TAThompson:tt:04-26-95

PAGE NO. 13
MARCH 8, 1995

CORRECTION TO DIRECTOR'S MINUTES OF SEPTEMBER 21, 1994; ML 44446 BUILDING
STONE/LIMESTONE

The Director's Minutes of September 21, 1994, list State of Utah Building Stone/Limestone Lease ML 44446 as being cancelled for non-payment. Chemcial Lime Company, lessee, has been notified of their default in this matter and with the right to cure, they have complied with this office and provided the required past due rentals with interest and pentalties. Therefore, the Director's Minutes of Septemer 21, 1994, should be corrected to show that ML 44446 was not cancelled for non-payment.

Upon recommendation of Mr. Cooper, the Director approved the correction to the Director's Minutes of September 21, 1994.

* * * * *

TERMINATION OF THE INDIANOLA UNIT

Hunt Oil Company, operator of the Indianola Unit, has furnished this office with evidence that this unit was terminated by the Bureau of Land Management on February 24, 1995.

The records of the following leases should be noted to show the termination of this unit.

ML 41655	Shell Onshore Ventures, Inc.
ML 41658	Shell Onshore Ventures, Inc.

Due to the termination of the unit, the terms of ML 41655 and ML 41658 will be extended until February 24, 1997.

Upon recommendation of Mr. Bonner, the Director noted the termination of the Indianola Unit and approved the extension of ML 41655 and ML 41658.

STATEWIDE BOND OF LESSEE

Citation Oil & Gas Corporation has submitted an \$80,000 State of Utah Statewide Bond of Lessee to cover their oil and gas exploration and development operations on Trust lands. The surety is Gulf Insurance Company, Bond No. 587800.

Upon recommendation of Mr. Bonner, the Director accepted Bond No. 587800 as described above.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- PL / GIL
2-LWP 7-PL
3- PL 8-SJ
4-VLC 9-FILB
5-RJF
6-LWP

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 4-1-95)

TO (new operator)	<u>CITATION OIL & GAS CORP</u>	FROM (former operator)	<u>EXXON CORPORATION</u>
(address)	<u>8223 WILLOW PL S #250</u>	(address)	<u>PO BOX 4721</u>
	<u>HOUSTON TX 77070-5623</u>		<u>HOUSTON TX 77210-4721</u>
	<u>SHARON WARD</u>		<u>STEPHEN JOHNSON/MIDLAND</u>
	phone <u>(713) 469-9664</u>		phone <u>(915) 688-7875</u>
	account no. <u>N 0265</u>		account no. <u>N 0420</u>

Well(s) (attach additional page if needed): ***WALKER HOLLOW (GREEN RIVER) UNIT**

Name: **SEE ATTACHED**	API: <u>047-30914</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 3-27-95)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 4-5-95) (Rec'd 4-6-95) (Rec'd 4-10-95)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(5-2-95)*
6. Cardex file has been updated for each well listed above. *5-8-95*
7. Well file labels have been updated for each well listed above. *5-8-95*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(5-2-95)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ___ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

*950308 Trust Lands Admin. Surety # 587800 / 80,000 Gulf Ins. Co.

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) ___. Today's date _____ 19___. If yes, division response was made by letter dated _____ 19__.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated _____ 19__, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

FILMING

- 1. All attachments to this form have been microfilmed. Date: May 18 1995.

FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

- 950329 Exxon / Steve Johnson "Req. UIC F5"
- 950406 Rec'd UIC F5 "Old Form".
- 950426 BLM Appr. "Citation 1994 Investment L.P."
- 950502 Unit open nm. chg. from "Citation 1994 Investment L.P." to "Citation O&G Corp." in progress. (See phone DOC.)

United States Department of the Interior **COPY**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

MAY 5 1995

IN REPLY REFER TO:
UT-922

May 9, 1995

Citation Oil & Gas Corporation
Attn: Sharon Ward
8223 Willow Place South, Suite 250
Houston, Texas 77070-5623

Re: Walker Hollow (Green River) Unit
Uintah County, Utah

Gentlemen:

We received an indenture dated May 2, 1995, whereby Citation 1994 Investment Limited Partnership resigned as Unit Operator and Citation Oil & Gas Corporation was designated as Successor Unit Operator for the Walker Hollow (Green River) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective May 9, 1995.

Your nationwide (Montana) oil and gas bond No. 0630 will be used to cover all operations within the Walker Hollow (Green River) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: District Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Division of Lands and Mineral Operations U-923
File - Walker Hollow (GR) Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

U-922:TAThompson:tt:05-09-95

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other **Field fuel line tie-in**

2. Name of Operator
CITATION OIL & GAS CORP.

3a. Address **P.O. Box 690688, Houston, Texas 77269-0688**

3b. Phone No. (include area code) **(281) 469-9664**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2193' FNL & 1911' FEL, Sec. 10, T7S, R23E; SW NE

5. Lease Serial No.
U02651

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
Walker Hollow Unit

8. Well Name and No.
Walker Hollow Unit #62

9. API Well No.
43-047-30914

10. Field and Pool, or Exploratory Area
Walker Hollow Green River


11. County or Parish, State
Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Lay line for field fuel to Broadhurst
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Lease U02651A
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Citation Oil & Gas Corp. requests approval to lay approximately 1100' of 2" Schedule 40 welded steel pipe from the Walker Hollow Unit well #62 to a point approximately 1200' SW of the Broadhurst #11 well. This line will be utilized to provide a reliable source of field fuel for the Broadhurst lease. Gas sold from the Walker Hollow Unit to the Broadhurst lease will be metered at a tie-in point on the Walker Hollow Unit #62 location at 2193' FNL & 1911' FEL, Sec. 10, T7S, R23E. A 2" meter run will be installed, charts will be integrated monthly and the meter will be calibrated quarterly. The fuel gas line will be laid on the surface.



14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Debra Harris

Signature

Debra Harris

Title

Regulatory Analyst

Date

1/25/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date


Office

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED
 JAN 28 1999
 DIV. OF OIL, GAS & MINING



Plan: Lay $\pm 1100'$ 2" Schedule 40 welded steel pipe from WHU 62 to a point $\pm 1200'$ SW of Broadhurst 11. Line will be utilized to provide reliable source of field fuel for Broadhurst lease. Gas sold from WHU to Broadhurst will be metered at tie-in point on location of WHU 62. A 2" meter run will be installed, charts integrated monthly and the meter calibrated quarterly. The gas line will be laid on the surface.



Sec.10-T7S-R23E
 Uintah County, Utah



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other **Lay oil transfer line**

2. Name of Operator
CITATION OIL & GAS CORP.

3a. Address **P.O. Box 690688, Houston, Texas 77269-0688**

3b. Phone No. (include area code) **(281) 469-9664**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2193' FNL & 1911' FEL, Sec. 10, T7S, R23E; SW NE

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
Walker Hollow Unit

8. Well Name and No.
Walker Hollow Unit #62

9. API Well No.
43-047-30914

10. Field and Pool, or Exploratory Area
Walker Hollow Green River


11. County or Parish, State
Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Lay oil transfer
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	line from Broadhurst
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	Lease U02651A

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Per the attached schematic and map, Citation Oil & Gas Corp. requests approval to lay approximately 1100' of 3" Schedule 40 welded steel pipe from the Walker Hollow Unit well #62 to a tie-in point approximately 1200' SW of the Broadhurst #11 well. This line will be utilized to transfer oil production from the USA Pearl Broadhurst Lease #02651A to the Walker Hollow Unit Lease Tank battery #2 on lease SLC066357, which was previously transported via truck. Per previous approval dated 2/8/99, oil will be flowed to the Walker Hollow Unit Tank Battery #3, sold through a common LACT meter (#283070) and transported by Chevron Pipeline Company. The oil will be measured at the Broadhurst battery prior to leaving the lease. This oil transfer line will be laid beside the gas fuel line along the surface within the existing right of way. Once line is in operation, surface will be reclaimed.



14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Debra Harris** Title **Regulatory Analyst**

Signature *Debra Harris* Date **4/21/99**


THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Office _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



T
7
S

T
7
S

R 23 E




To Place On The Predicted North American Datum 1983
 Move The Projection Lines 6 Meters North And
 39 Meters East As Shown By Dashed Corner Ticks

- HEADER BOX
- FLOW LINES
- - - TEST LINES
- INJECTION LINES
- - - GAS LINES
- OIL LINE



WALKER HOLLOW FIELD
 Uintah County, Utah



Citation Oil & Gas Corp.

Proposed new line to transfer oil from Pearl Broadhurst lease to Walker Hollow Unit.

RECEIVED TIME


JAN. 29.

2:50PM

PRINT TIME

JAN. 29.

2:51PM



Schematic 2

01/29/99 FRI 13:50 FAX 1 307 682 0186

Citation Gillette

PRODUCTION

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other Walker Hollow Unit Tank Battery #3 LACT

2. Name of Operator
 CITATION OIL & GAS CORP.

3a. Address
 P.O. Box 690688 Houston, TX 77269-0688

3b. Phone No. (include area code)
 (281) 469-9664

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 SW SE Sec. 27, T7S, R23E

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
 Walker Hollow Unit Various

9. API Well No.

10. Field and Pool, or Exploratory Area
 Walker Hollow Green River

11. County or Parish, State
 Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Sale of oil from
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	U02651A through
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	LACT Meter at WHU

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Citation Oil & Gas Corp. received verbal approval from Mr. Ed Forsman and Mr. Wayne Bankert of the Vernal, Utah office of the Bureau of Land Management to truck oil sold from the USA Pearl Broadhurst Lease (U02651A) to the Walker Hollow Unit Lease Tank Battery #2 (SLC066357) and then flow it to the Walker Hollow Unit Tank Battery #3 where it will be sold through a common LACT Meter #283070 and transported by Chevron Pipeline Company. A run ticket for the oil trucked off the Broadhurst lease will be the basis for separating the oil sold from the Broadhurst from the Walker Hollow oil sold each month.

RECEIVED
APR 26 1999
DIV. OF OIL, GAS & MINING

RECEIVED
JAN 20 1999

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Debra Harris

Signature

Debra Harris

Title

Regulatory Analyst

Date

1/15/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Howard D. ...
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

Date

FEB 08 1999

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

v.m.b. OPERATOR

UNIT STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other Various

2. Name of Operator
CITATION OIL & GAS CORP.

3a. Address **8223 Willow PL S., #250, Houston, TX 77070-5623**

3b. Phone No. (include area code)
(281) 469-9664

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
E2, E2/W2, SW SW Sec. 9, T7S, R23E & W2; NW NE Sec. 10, T7S, R23E

5. Lease Serial No.
U02651A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
USA Pearl Broadhurst - Various

9. API Well No.

10. Field and Pool, or Exploratory Area
Walker Hollow Green River


11. County or Parish, State
Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Sell Oil through</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>Walker Hollow Unit</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	<u>LACT Meter</u>

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Citation Oil & Gas Corp. received verbal approval from Mr. Ed Forsman and Mr. Wayne Bankert of the Vernal, Utah office of the Bureau of Land Management to truck oil sold from the USA Pearl Broadhurst Lease (U02651A) to the Walker Hollow Unit Lease Tank Battery #2 (SLC066357) and then flow it to the Walker Hollow Unit Tank Battery #3 where it will be sold through a common LACT Meter #283070 and transported by Chevron Pipeline Company. A run ticket for the oil trucked off the Broadhurst lease will be the basis for separating the oil sold from the Broadhurst from the Walker Hollow oil sold each month



RECEIVED
JAN 20 1999

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Debra Harris

Signature
Debra Harris

Title
Regulatory Analyst

Date
1/15/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by *[Signature]* Title _____ Date **FEB 08 1999**

Office _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.