

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK
 b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE
 2. NAME OF OPERATOR
 CIG Exploration, Inc.
 3. ADDRESS OF OPERATOR
 P. O. Box 749, Denver, Colorado 80201
 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 814' FSL / 252' FWL (SW SW)
 At proposed prod. zone Same

5. LEASE DESIGNATION AND SERIAL NO.
 U-01191-A
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 N/A
 7. UNIT AGREEMENT NAME
 Natural Buttes Unit
 8. FARM OR LEASE NAME
 Natural Buttes Unit
 9. WELL NO.
 CIGE 64D-33-9-22P
 10. FIELD AND POOL, OR WILDCAT
 Natural Buttes Field
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Section 33, T9S, R22E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 15 miles SE of Ouray, Utah
 16. NO. OF ACRES IN LEASE 1363.21
 17. NO. OF ACRES ASSIGNED TO THIS WELL 160
 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. approx. 2000'
 19. PROPOSED DEPTH 6200' Wasatch
 20. ROTARY OR CABLE TOOLS Rotary
 12. COUNTY OR PARISH Uintah
 13. STATE Utah

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 5022' Ungr. Gr.
 22. APPROX. DATE WORK WILL START*
 May 1, 1981

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36# 36#	200'	125 sacks
8-3/4", 7-7/8"	4-1/2"	11.6#	6200'	Circulate cement back to surface.

Fresh Water Aquifers will be protected when the long string is run and cement is circulated back to surface.

Please see the following supplemental information:

- (1) 10-Point Program
- (2) 13-Point Program
- (3) BOP Schematic
- (4) Survey Plat

APPROVED BY THE DIVISION
 OF OIL, GAS, AND MINING
 DATE: 4-28-81
 BY: *M. J. Muder*

RECEIVED
 MAR 27 1981
 DIVISION OF
 OIL, GAS & MINING

Gas Well Production Hookup to follow on Sundry Notice

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *F. W. Heiser* TITLE Drilling Manager DATE March 25, 1981

(This space for Federal or State office use)

PERMIT NO. 30950 APPROVAL DATE


APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

C.I.G. EXPLORATION, INC.


C.I.G.E #34D-33-9-22-P

SEC. 33, T 9 S, R 22 E, S.L.B.M.




CROSS SECTIONS


STA. 0+00




STA. 1+50




STA. 3+25



1" = 50'



SCALE 1"=50'
3/3/81



APPROXIMATE YARDAGES

CUBIC YARDS OF CUT — 4711
CUBIC YARDS OF FILL — 4221

C.I.G. EXPLORATION, INC.

C.I.G.E. #64D-33-9-22-P



TOPO. MAP 'B'



SCALE 1" = 2000'

ROAD CLASSIFICATION

Medium-duty ——— Light duty ———
Unimproved dirt - - - - -
○ State Route



RR 22 E
RR 21 E

T 9 S
T 10 S

WELL
WELL
WELL

PROPOSED ACCESS ROAD - 3900'

WELL

WELL
Gas Well
Pumping Station

WELL
Gas Well
Pumping Station

BITTER CREEK GAS FIELD


WHITE RIVER

PIPELINE

WASH STRAD

Gas Well

Drill Hole



United States Department of the Interior




BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

April 27, 1981

Ed Guynn, District Engineer
USGS, Conservation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Re: CIGE Exploration, Inc.
Well #84D-12-10-21,
Sec. 12, T10S, R21E;
Well #75D-8-10-21,
Sec. 8; T10S, R21E;
Well #77D-10-10-21,
Sec. 10, T10S, R21E;
Well #88D-15-10-21,
Sec. 15, T10S, R21E;
Well #73D-5-10-22,
Sec. 5, T10S, R22E;
Well #76D-9-10-21,
Sec. 9, T10S, R21E;
Well #64D-33-9-22.
Sec. 33, T9S, R22E;
Uintah County, Utah



Dear Mr. Guynn:

A joint field examination was made on April 21, 1981, of the above referenced well site locations and proposed access roads. We feel that the surface use and operating plans are adequate with the following stipulations:

1. Construction and maintenance of roads, rehabilitation of disturbed areas, and construction of pipeline routes, shall be in accordance with surface use standards as set forth in the brochure, "Surface Operating Standards of Oil and Gas Exploration and Development."
2. Traveling off access road right-of-way will not be allowed. The maximum width of access roads (both existing and planned) will be 30 feet total disturbed area, except where backslope and fills require additional area. Turn-outs will not be required. Access roads will be crowned and bar ditched where needed.



Continued

3. Topsoil will be stockpiled as addressed in the applicant's 13 Point Plan, with the following exceptions. The BLM recommends that at least the top 4 inches of topsoil materials be stockpiled at well sites 64D, 76D, 77D, and 75D. At wells 73D, and 88D at least the top 6 inches of topsoil will be stockpiled. At well #84D the top 8 inches of topsoil should be stockpiled.
4. The BLM must be contacted at least 24 hours prior to any construction activities.
5. The BLM will be contacted at least 24 hours prior to any rehabilitation activities. The operator may be informed of any additional needed seeding and restoration requirements.
6. In the event that oil storage tanks are used, earth dikes will be built around the tanks in order to contain accidental spills. The height of the dikes will be sufficient to contain the entire contents of the tanks.
7. A wire mesh or web type fence will be used around the reserve pits. At least two strands of barbed wire will top this fence.
8. Well #84D will have corner 2 of the pad rounded off to accommodate the wash around that corner.
9. All pits will have at least 4 feet of their depths below the natural ground level.
10. Well #77D will have its reserve pit width decreased to 75 feet. It may be lengthened accordingly.
11. Production facilities will be painted with a color which blends in with the natural background. Various earth tones can accomplish this.

An archaeological study has not been conducted in any of these areas. No construction activities will be permitted at any of the proposed sites until this is accomplished.

The proposed activities do not jeopardize listed, threatened or endangered flora/fauna or their habitats.

The BLM representative will be Ron Rogers, 789-1362.

Sincerely,

Ronald W. Rogers
(for)

Dean L. Evans
Area Manager
Bookcliff Resource Area

Attn: Dia




United States Department of the Interior

IN REPLY REFER TO
T & R
U-802

BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

June 8, 1981

Ed Gynn, District Engineer
USGS, Conservation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104



Re: CIGE Corporation
Well #84D-12-10-21
Sec 12, T10S R21E
Well #75D-8-10-21
Sec 8, T10S R21E
Well #76D-9-10-21
Sec 9, T10S R21E
Well #64D-33-9-22
Sec 33, T9S R22E
Uintah County, Utah

Dear Sir:

We have received the cultural reports for the above referenced wells.
Based on the reports we have no objections to your office approving
the company's A.P.D.

Sincerely,



Dean L. Evans
Area Manager
Bookcliffs Resource Area

CC:
USGS, Vernal



3000 psi

Working Pressure BOP's



Test Procedure

- 1) Flush BOP's and all lines to be tested with water.
- 2) Run test plug on test joint and seat in casing head (leave valve below test plug open to check for leak).
- 3) Test the following to rated pressure:
 - a) inside blowout preventer
 - b) lower kelly cock
 - c) upper kelly cock
 - d) stand pipe valve
 - e) lines to mud pump
 - f) kill line to BOP's
- 4) Close and test pipe rams to rated pressure.
- 5) Close and test Hydril to rated pressure.
- 6) Back off and leave test plug in place. Close and test blind rams to rated pressure.
- 7) Test all choke manifold valves to rated pressure.
- 8) Test kill line valves to rated pressure.

** FILE NOTATIONS **

DATE: April 20, 1981
OPERATOR: CIG Exploration, Inc.
WELL NO: CIGE 64D-33-9-22P

Location: Sec. 33 T. 9S R. 22E County: Wintah

File Prepared: Entered on N.I.D:
Card Indexed: Completion Sheet:

API Number 43-047-30950

CHECKED BY:

Petroleum Engineer: M.S. Minder 4-28-81

Director: _____

Administrative Aide: ok on bndrys. for gas well (In NBU).

APPROVAL LETTER:

Bond Required: Survey Plat Required:

Order No. _____ O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation Sec. Plotted on Map

Approval Letter Written

Hot Line P.I.

May 5, 1981

CIG Exploration, Inc.
P. O. Box 749
Denver, Colorado 80201

Re: Well No. CIGE 64D-33-9-22P
Sec. 33, T. 9S, R. 22E, SW SW
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047030950.

Sincerely,

DIVISION OF OIL, GAS, AND MINING



Michael T. Minder
Petroleum Engineer

MTM/ko
cc: USGS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
 CIG Exploration, Inc.

3. ADDRESS OF OPERATOR
 P. O. Box 749, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface: 814' FSL / 252' FWL (SW SW)
 At proposed prod. zone: Same

5. LEASE DESIGNATION AND SERIAL NO.
 U-01191-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 N/A

7. UNIT AGREEMENT NAME
 Natural Buttes Unit

8. FARM OR LEASE NAME
 Natural Buttes Unit

9. WELL NO.
 CIGE 64D-33-9-22P

10. FIELD AND POOL, OR WILDCAT
 Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Section 33-T9S-R22E

12. COUNTY OR PARISH
 Uintah

13. STATE
 Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 15 miles SE of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 252'

16. NO. OF ACRES IN LEASE
 1363.2'

17. NO. OF ACRES ASSIGNED TO THIS WELL
 160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 approx. 2000'

19. PROPOSED DEPTH
 6200' Wasatch

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 5022' Ungr. Gr.

22. APPROX. DATE WORK WILL START*
 May 1, 1981

RECEIVED

JUN 17 1981

DIVISION OF OIL, GAS & MINING

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sacks
8-3/4", 7-7/8"	4-1/2"	11.6#	6200'	Circulate cement back to surface.

Fresh Water Aquifers will be protected when the long string is run and cement is circulated back to surface.

Please see the following supplemental information:

- (1) 10-Point Program
- (2) 13-Point Program
- (3) BOP Schematic
- (4) Survey Plat

Gas Well Production Hookup to follow on Sundry Notice

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED F. W. Heiser TITLE Drilling Manager DATE March 25, 1981
 (This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
 APPROVED BY W. P. Mantus FOR E. W. GUYNN DISTRICT ENGINEER DATE JUN 16 1981
 CONDITIONS OF APPROVAL, IF ANY:


NOTICE OF APPROVAL
State 046
 CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

T 9 S, R 22 E, S.L.B. & M.

PROJECT
C.I.G. EXPLORATION, INC.

Well location, C.I.G.E. #64D-33-9-22-P, located as shown in the SW 1/4 SW 1/4 Section 33, T 9 S, R 22 E, S.L.B. & M. Uintah County, Utah.



X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

[Signature]

REGISTERED LAND SURVEYOR
 REGISTRATION NO 3137
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 P O. BOX Q - 85 SOUTH - 200 EAST
 VERNAL, UTAH - 84078


SCALE 1" = 1000'	DATE 3/18/81
PARTY DA DB WB	REFERENCES GLO Plat
WEATHER Overcast / Cold / Windy	FILE C.I.G. EXPLORATION, INC.

C.I.G. EXPLORATION, INC.
C.I.G.E. #64D-33-9-22-P

TOPO. MAP A



SCALE: 1" = 4 Mi.



1. Geologic name of surface formation:

UINTA

2. The estimated tops of important geologic markers:

GREEN RIVER: 1200'
WASATCH: 4425'

3. The estimated depths at which anticipated water, oil, gas are expected to be encountered:

WASATCH - 4425' GAS -

4. The proposed casing program, including the size, grade and weight per foot each string and whether new or used:

9-5/8" - K-55, ST&C - 36# - NEW
4 -1/2" - N-80, LT&C - 11.6# - NEW

5. The operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings and testing procedures and testing frequency:

BOTTOM

3000# BOP W/4-1/2" pipe rams
3000# BOP W/blind rams
3000# Hydril

TOP:

Grant rotating head

Manifold includes appropriate valves, positive and adjustable chokes and kill line to control abnormal pressures.

BOP's will be tested at installation and will be cycled on each trip.

6. The type and characteristics of the proposed circulating medium to be employed for rotary drilling and the quantities and types of mud and weighting material to be maintained:

(Continued on Page 2)

6. Continued --

The well will be drilled with fresh water from surface to 4500' with a weight of 8.3 to 8.7 . From 4500' to TD the well will be drilled with fresh wtr mud with a weight from 8.7 to 10.4 . Sufficient weighting material (barite) will be on location to increase the mud weight if abnormal pressure is encountered.

7. The auxiliary equipment to be used:

- a. kelly cock
- b. monitoring equipment on the mud system
- c. a sub on the floor with a full opening valve to be stabbed into the drill pipe when the kelly is not in the string.

8. The testing, logging and coring program to be followed:

No DST's are planned
No cores are expected to be cut.

LOGS: Dual Induction Laterolog
Compensated Neutron-Formation Density

9. Any anticipated abnormal pressures or temperatures expected to be encountered:

No abnormal pressures or temperatures expected
No hydrogen sulfide expected

10. The anticipated starting date and duration of the operation:

May 1, 1981
three weeks' duration

C.I.G. EXPLORATION INCORPORATED

13 Point Surface Use Plan

for

Well Location

C.I.G.E. #64D-33-9-22P

Located In

Section 33, T9S, R22E, S.L.B. & M.

Uintah County, Utah

C.I.G. EXPLORATION INCORPORATED
C.I.G.E. #64D-33-9-22P
Section 64, T9S, R22E, S.L.B. & M.

1. EXISTING ROADS

See attached Topographic Map "A".

To reach C.I.G. EXPLORATION INCORPORATED, well location site C.I.G.E. #64D-33-9-22P located in the SW 1/4 SW 1/4 Section 33, T9S, R22E, S.L.B. & M., Uintah County, Utah:

Proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 14 miles to the junction of this road and Utah State Highway 209; proceed South along Utah State Highway 209 - 7 miles more or less to the junction of this highway and Utah State Highway 88, proceed South along Utah State Highway 88 - 10 miles to Ouray, Utah; proceed on South along a county road, known as the Seep Ridge Road 11.2 miles + to its junction with a road to the East; proceed Easterly along this road 8.6 miles to its junction with a road to the Northwest; proceed Northwesterly 5.0 miles to the beginning of the proposed access road (to be discussed in Item #2).

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to Ouray, Utah at which point the county road is surfaced with native asphalt, to the oil field service road.

The aforementioned dirt oil field service road and other roads in the vicinity are constructed out of native materials that are prevalent to the areas they are located in and range from clays to sandy-clay shale material.

There is no anticipated construction on any portion of the above described roads. They will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase, completion phase, and production phase of this well at such time that production is established.

The roads that are required for access during the drilling phase, completion phase, and production phase of this well, will be maintained at the standards required by the B.L.M. or other controlling agencies.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The proposed access road leaves the existing road described in Item #1 in the SW 1/4 NW 1/4 Section 4, T10S, R22E, S.L.B. & M. and proceeds in a Northwesterly direction 3900' + to the proposed location site.

In order to facilitate the anticipated traffic flow necessary to drill and produce this well, the following standards will be met:

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road, where is is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to the area.

C.I.G. EXPLORATION INCORPORATED
C.I.G.E. #64D-33-9-22P
Section 64, T9S, R22E, S.L.B. & M.

Back slopes along the cut areas of the roads will be 1 1/2 to 1 slopes and terraced.

The road will be centerline flagged prior to the commencement of construction.

The grade of this road is relatively flat but will not exceed 8%. This road will be constructed from native borrow accumulated during construction.

There will be no culverts required along this access road.

There will be no turnouts required along this road.

There are no fences encountered along this access road therefore there are no gates or cattleguards required.

The terrain that this access road traverses is relatively flat.

All lands involved under this action are under B.L.M. jurisdiction.

The vegetation of this route consists of sparse amounts of sagebrush, rabbitbrush, some grasses, and cacti with large areas that are devoid of vegetation.

3. EXISTING WELLS

There are six existing producing wells within a one mile radius of this location site. See Topographic Map "B" for the location of these wells relative to the proposed location site.

There are no water wells, abandoned wells temporarily abandoned wells, disposal wells, drilling wells shut-in wells, injection wells, monitoring or observation wells for other resources located within a one-mile radius of this location site.

4. LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES, AND PRODUCTION GATHERING AND SERVICE LINES

At the present time there are other C.I.G. EXPLORATION INCORPORATED Production facilities, and gas gathering lines, tank batteries, oil gathering lines, injection lines or disposal lines within a one-mile radius.

In the event that production of this well is established the existing area of the location will be utilized for the establishment of the necessary production facilities.

The total area that is needed for the production of this well will be fenced and cattleguards will be utilized for access to these facilities.

The area will be built if possible, with native materials and if these materials are not available, then the necessary arrangements will be made to get them from private sources.

C.I.G. EXPLORATION INCORPORATED
C.I.G.E. #64D-33-9-22P
Section 64, T9S, R22E, S.L.B.& M.

The proposed gas flowline will be an 18' right-of-way. It is not known at this time where the proposed flowline will run.

If there is any deviation from the above, all appropriate agencies will be notified.

Rehabilitation of disturbed areas no longer needed for operations after construction is completed will meet the requirements of Item #10.

5. LOCATION AND TYPE OF WATER SUPPLY

See Topographic Map "A".

Water to be used for the drilling and production of this well will be hauled from the White River in Section 4, T9S, R20E, S.L.B.& M. This water will be hauled by truck over existing roads and the proposed access road.

All regulations and guidelines will be followed and no deviations will be made unless all concerned agencies are notified.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

7. METHODS OF HANDLING WASTE DISPOSAL

A reserve pit shall be constructed, and at least half of the depth of the reserve pit shall be below the existing ground surface. All trash and flammable materials will be contained in a portable trash basket and hauled to the nearest sanitary landfill. Non-flammable material such as cuttings, salts, chemicals, etc., will be buried in the reserve pit and covered with a minimum of four feet of earth material. Prior to the onset of drilling, the reserve pit will be fenced on three sides. Upon completion of drilling the fourth side of the reserve pit will be fenced and allowed to dry completely before backfilling and reclamation is attempted.

A portable chemical toilet will be supplied for human waste.

All produced oil from this well will be contained in the storage tank and will be sold. Water if any which is produced will be run into the a reserve pits as required in the NTL-2B Regulations.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

C.I.G. EXPLORATION INCORPORATED
C.I.G.E. #64D-33-9-22P
Section 64, T9S, R22E, S.L.B. & M.

9. WELL SITE LAYOUT

See attached location layout sheet.

The B.L.M. District Manager shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See location layout sheet). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket shall be hauled to the nearest sanitary landfill. The reserve pit will be completely fenced and allowed to dry before covering. When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. District Manager when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Item #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area - (See Topographic Map "A")

The area slopes from the rim of the Book Cliff Mountains to the South to the White River to the North, and is a portion of the Roan Plateau. The area is interlaced with numerous canyons and ridges which are extremely steep with numerous ledges formed in sandstone, conglomerates, and shale deposits.

The majority of the washes and streams in the area are non-perennial in nature with the only two in the area having a year round flow being White River to the North, of which the numerous washes, draws and non-perennial streams are tributaries to.

The majority of the surrounding drainages are of a non-perennial nature with normal flow limited to the early spring and extremely rare heavy thunderstorms, or rainstorms of high intensity that lasts over an extended period of time and are extremely rare in nature as the normal annual precipitation is only 8".

C.I.G. EXPLORATION INCORPORATED
C.I.G.E. #64D-33-9-22P
Section 64, T9S, R22E, S.L.B. & M.

All drainages in the immediate area are non-perennial streams and flow to the North and are tributaries to the White River.

The soils of this semi-arid area are of the Uinta Formation and Duchesne River Formation (the Fluvial Sandstone and Mudstone) from the Eocene Epoch and Quaternary Epoch (gravels surfaces) and the visible geologic structure consists of light brownish-gray clays (OL) to sandy soils (SM-ML) with poor gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates and shales).

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area are common of the semi-arid region we are located in and in the lower elevations of the Uintah Basin. It consists of, as primary flow areas of sagebrush, rabbitbrush, some grasses, and cacti and large areas of bare soils devoid of any growth in the areas away from and in the vicinity of non-perennial streams and along the areas that are formed along the edges of perennial streams, cottonwood, willows, tamarack sagebrush, rabbitbrush, grasses and cacti can be found.

The fauna of the area is sparse and consists predominantly of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to this area.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

The Topography of the Immediate Area - (See Topographic Map "B").

C.I.G.E. #64D-33-9-22P location site sits on a relatively small ridge.

The geologic structure of the location is of the Uinta Formation and consists of light brownish-gray clay (SP-PL) with some sandstone outcrops.

The ground slopes from the Northeast through the location to the Southwest at approximately a 5.0% grade into a small non-perennial drainage which drains to the North, into the White River.

The location is covered with some sagebrush and grasses.

The total surface ownership affected by this location is administered by the B.L.M.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

C.I.G. EXPLORATION INCORPORATED
C.I.G.E. #64D-33-9-22P
Section 64, T9S, R22E, S.L.B.& M.

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

C.I.G. EXPLORATION INCORPORATED
P.O. Box 749
Denver, CO. 80201

1-303-572-1121

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with the operation proposed herein will be performed by C.I.G. EXPLORATION INCORPORATED and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Date

3/25/81



F. W. Heiser
Drilling Manager

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104 --

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator CIG Exploration, Inc.
Project Type Gas Well
Project Location 814' FSL 252' FWL Section 33, T. 9S, R. 22E.
Well No. 64D-33-9-22P Lease No. U-01191-A
Date Project Submitted March 30, 1981

FIELD INSPECTION Date April 21, 1981

Field Inspection Participants

<u>Greg Darlington</u>	<u>USGS, Vernal</u>
<u>Ron Rogers</u>	<u>BLM, Vernal</u>
<u>Johnny Davis</u>	<u>CIG Exploration</u>
<u>Floyd Murray</u>	<u>D.E. Casada</u>

Related Environmental Documents: Unit Resource Analysis, Seep Ridge Planning Unit, BLM, Vernal

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

June 5
May 4, 1981
Date Prepared

Gregory Darlington
Environmental Scientist

I concur
JUN 08 1981
Date

WT Mantua FOR E. W. GUYNN
District Supervisor DISTRICT ENGINEER

Typing In 5-5-81 Typing Out 5-6-81

PROPOSED ACTION:

CIG Exploration plans to drill the CIGE 64D-33-9-22P well, a 6200' gas test of the Wasatch Formation. At the onsite we discussed and rejected two alternate access routes to the southwest then reluctantly settled on the route proposed in the APD. This route would involve crossing two parallel gathering lines then proceeding about .75 miles to the location. Several sizeable sidehill cuts will be required for the construction of this road. A pad 200' by 325' and a reserve pit 75' by 200' are requested for the location. At least 3.5 acres of disturbed surface will be associated with the construction of this project with some additional area required for backsloping along the access road.

RECOMMENDED APPROVAL CONDITIONS:

The operator agrees to accept and adhere to the following conditions in addition to the plans outlined in the APD:

1. BLM Stipulations
2. Lease Stipulations
3. Provide adequate logs for the identification of other minerals as requested in the Mineral Evaluation Report and Mining Report.

FIELD NOTES SHEET

Date of Field Inspection: April 21, 1981

Well No.: 64D-33-9-22P (CIG E well)

Lease No.: U-01191-A

Approve Location: ✓

Approve Access Road: ✓

Modify Location or Access Road: _____

Location approved. Access road reluctantly approved as in APD.
The access road crosses two parallel gas gathering lines

Evaluation of Criteria for Categorical Exclusion

1. Public Health and Safety
2. Unique Characteristics
3. Environmentally Controversial Items
4. Uncertain and Unknown Risks
5. Establishes Precedents
6. Cumulatively Significant
7. National Register Historic Places
8. Endangered/Threatened Species
9. Violate Federal, State, Local, or Tribal Laws

If this project is not eligible for Categorical Exclusion circle the numbers of the above criteria requiring the preparation of an EA.

Comments and special conditions of approval discussed at onsite: (include local topography) Good location, plans adequate Rough access road.


Alternate access road considered one would cross a section corner and another would require blasting close to a gathering line
considerable sidehill cuts for the ^{APD's} access road on the proposed route. Among the rejected alternatives the
Best alternative was to blade out the section corner and follow
the gathering line in ~~away from the gathering line~~
to a jeep trail then proceed to the location.

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE


Criteria 516 DM 2.3.A	Federal/State Agency			Local and private corre- spondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
	Corre- spondence (date)	Phone check (date)	Meeting (date)						
1. Public health and safety							1,2,4,6	4-21-21	(
2. Unique charac- teristics									
3. Environmentally controversial									
4. Uncertain and unknown risks									
5. Establishes precedents									
6. Cumulatively significant									(
7. National Register historic places									
8. Endangered/ threatened species									
9. Violate Federal, State, local, tribal law							▼	▼	

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement
8. *USGS conditions of approval.*



*Northwest View
CIGE 64D-33-9-22*



*Southwest View From
CIGE 64D-33-9-22P*

FROM: : DISTRICT GEOLOGIS ME, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-01191-AOPERATOR: CIG Exploration WELL NO. CIG 64D-33-9-22PLOCATION: NW 1/4 SW 1/4 sec. 33, T. 9S., R. 22E., SLMUintah County, Utah

1. Stratigraphy:

Uintah	surface
Green River	1200'
Wasatch	4425'
<u>TD</u>	<u>6200'</u>

2. Fresh Water:

Fresh water may be present in the Uintah and in upper Green River sandstones.

3. Leasable Minerals:

Oil Shale: Green River. The Mahogany zone should occur at ~ 2200'.

Saline minerals: Green River. These may occur in a 700' rock interval immediately overlying the Mahogany.

Gas: Wasatch

4. Additional Logs Needed: Adequate5. Potential Geologic Hazards: None expected

6. References and Remarks:

Signature: Gregory W. Wood Date: 4-2-81

DIVISION OF OIL, GAS AND MINING

0

SPLUDDING INFORMATION

NAME OF COMPANY: Coastal Oil & Gas Corporation

WELL NAME: CIGE 64D-33-9-22P

SECTION SW SW 33 TOWNSHIP 9S RANGE 22E COUNTY Uintah

DRILLING CONTRACTOR Westburne

RIG # 65

SPLUDDED: DATE 7-13-81

TIME 8:00 a.m.

HOW dryhole

DRILLING WILL COMMENCE _____

REPORTED BY Tracie Dawe

TELEPHONE # 303-

DATE 7-15-81 SIGNED DB

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: CIG

WELL NAME: CIGE 64D-33-9-22P

SECTION SW SW 33 TOWNSHIP 9S RANGE 22E COUNTY Uintah

DRILLING CONTRACTOR Westburne

RIG # 65

SPUDDED: DATE 7-13-81

TIME 8:00 a.m.

How dryhole

DRILLING WILL COMMENCE _____

REPORTED BY Tracie Dawe

TELEPHONE # _____

DATE 8-5-81 SIGNED DB

NOTICE OF SPUD

COASTAL
O & G

Caller: TRACI

Phone: _____

Well Number: CIGE 64D-33-9-22P

Location: SWSW 33-9S-22E

County: UINTAH State: UTAH

Lease Number: U-01191A

Lease Expiration Date: _____

Unit Name (If Applicable): NATURAL BUTTES

Date & Time Spudded: 7-13-81 8:00 A.M.

Dry Hole Spudded/Rotary: _____

Details of Spud (Hole, Casing, Cement, etc.) 12 1/4" hole

Rotary Rig Name & Number: WESTBURN RIG #65

Approximate Date Rotary Moves In: 8-25-81

FOLLOW WITH SUNDRY NOTICE

Call Received By: KR

Date: 8-3-81

NOTICE OF SPUD

put Print in file. Coated

Caller: Tracy

Phone: _____

Well Number: _____

Location: CI G #69A-33-9-22P

County: Uintah State: Utah

Lease Number: U-01191A

Lease Expiration Date: _____

Unit Name (If Applicable): Natural Buttes

Date & Time Spudded: 8:00 AM 7/13/81

Dry Hole Spudded/ Rotary: _____

Details of Spud (Hole, Casing, Cement, etc.) 12 1/2

9 5/8 CC

W/125 class 6

Rotary Rig Name & Number: NA

Approximate Date Rotary Moves In: 8/3/81

FOLLOW WITH SUNDRY NOTICE

Call Received By: Tracy

Date: 7/15/81

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
CIG Exploration, Inc.

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, Co. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 814' FSL/252' FWL (SW SW)
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Spud	X

5. LEASE
U-01191-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
CIGE 64D-33-9-22P

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 33-T9S-R22E

12. COUNTY OR PARISH
Utah

13. STATE
Utah

14. API NO.
43-047-30950

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5022' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Verbal report made 7/15/81 to USGS (Vicki) and State (Debbie). Please see attached for further details.

RECEIVED

JUL 17 1981

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Aab TITLE Dist Drilling Mgr DATE July 15, 1981

(This space for Federal or State office use)

DIVISION OF
OIL, GAS & MINING

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF SPUD

WELL NAME: CIBF 64D-33-9-22P

LOCATION: SW 1/4 SW 1/4 SECTION 33 T- 9S R- 22E

COUNTY: Lincoln STATE: WY

LEASE NO.: U-01191-A LEASE EXPIRATION DATE: HBP

UNIT NAME (If Applicable): Natural Buttes Unit

DATE & TIME SPUDDED: 8:00 AM 7/13/81

DRY HOLE SPUDDER: Ram Air Drilling

DETAILS OF SPUD (Hole, Casing, Cement, etc.): 12 1/4" to 210' Ram 5 its
9 5/8" 36# K-55 csg 209.70' land @ 208' RL Ru Howeo
cmt 9 5/8" csg w/125 sk Class "G" 2% CaCl₂ 1/4" /sk floccle
Circ ± 6 bbl to surface Left 10' cmt inside 9 5/8" csg

ROTARY RIG NAME & NUMBER: Westburne #1.5

APPROXIMATE DATE ROTARY MOVES IN: 8/3/81

FOLLOW WITH SUNDRY NOTICE

USGS CALLED: DATE: July 15, 1981

PERSON CALLED: Vicki McAllister

STATE CALLED: DATE: July 15, 1981

PERSON CALLED: Debbie Beauregard

REPORTED BY: Leboea P. R. Rouse

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
DIVISION OF
OIL, GAS & MINING
AUG 05 1981

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
CIG Exploration, Inc.

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, Co. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 814' FSL/252' FWL (SW SW)
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
-01191-A

IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
CIGE 64D-33-9-22P

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 33-T9S-R22E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

14. API NO.
43-047-30950

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5022' Ungr. Gr.

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		<u>Spud</u>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Verbal report made to State (Debbie) and USGS (Kim) on August 3, 1981.
Please see attached for additional details.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *W. E. Aab* TITLE Dist. Drilling Mgr DATE August 3, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF SPUD

WELL NAME: CIGE 64D-33-9-22P

LOCATION: SW 1/4 SW 1/4 SECTION 33 T-9S R-22E

COUNTY: Utah STATE: Utah

LEASE NO.: 11-01191-A LEASE EXPIRATION DATE: NBP

UNIT NAME (If Applicable): Natural Buttes

DATE & TIME SPURRED: 8:00 am / 7/13/81

DRY HOLE SPUDDER: Ram Air Drilling

DETAILS OF SPUD (Hole, Casing, Cement, etc.): Drill 12 1/4" to 210'
Ran 5 JTS 9 5/8" 36" K55 csg 209.70' land @ 208 GL
RU Haverd cmt 9 5/8" csg w/125 sx Class B 2% CaCl₂ 1/4" /sk
flocde. Circ ± 6 bbl to surface. Left 10' cmt inside 9 5/8" csg

ROTARY RIG NAME & NUMBER: Westburne Rig #65

APPROXIMATE DATE ROTARY MOVES IN: 8/25/81

FOLLOW WITH SUNDRY NOTICE

USGS CALLED: DATE: August 3, 1981

PERSON CALLED: Kim Rutterbur

STATE CALLED: DATE: August 3, 1981

PERSON CALLED: Debbie Beauregard

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR

CIG Exploration, Inc.

3. ADDRESS OF OPERATOR

P.O. Box 749, Denver, Co. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 814' FSL/252' FWL (SW SW)
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)		Operations	X

5. LEASE
II-01191-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
CIGE 64D-33-9-22P

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 33-T9S-R22E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

14. API NO.
43-047-30950

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5022' Ungr. Gr.

AUG 20 1981
DIVISION OF OIL, GAS & MINING

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please see attached chronological for report of operations 7/16/81-8/15/81.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Aab TITLE Dist. Drilling Mgr DATE August 17, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

CIGE #64D-33-9-22-P (CIGE)

Natural Buttes Unit

Uintah County, Utah

AFE: 19857 WI: 100%

ATD: 6200' SD: 7-13-81/8-8-81

CIGE, Oper.

Westburne #65, Contr.

9-5/8" @ 208' GL;

LOCATION: 814' FSL & 252' FWL
SW SW, Sec 33-T9S-R22E.
Elev: 5022' GL (ungr)7-14-81 210'; (210').RU Ram Air Drlg; drl 12 $\frac{1}{4}$ " hole to 210' on 7-13-81.7-15-81 TD 210'; WO RT.Ran 5 jnts 9-5/8" 36# K-55 csg (209.70'); landed @ 208' GL; RU Howco & cmt 9-5/8" csg w/125 sx Cl "G", 2% CaCl, $\frac{1}{4}$ #/sk Flocele; circ +6 bbl to surf; left 10' cmt inside 9-5/8" csg. Cum Csts: \$37,426.7-16-81 TD 210'; WO RT.7-17-81 thru 8-7-81 WO RT & MI RT.8-8-81 347'; (121'-5 hrs); Drlg.

NU BOP; press tst BOP w/Yellow Jacket w/5000 psi; inst wear ring; PU BHA & TIH; tag cmt @ 190'; drl cmt; RS; drl shoe @ 226'; drl new hole. Start drlg new form, spud @ 1:00 AM 8-8-81. Mud = wtr. Cum Csts: \$65,701.

8-9-81 1075'; (728'-20 hrs); Drlg.LD 2 bad DC; RS; drl; rig rep; drl; surv; drl; RS; drl; rig rep; drl; surv; drl. MW 8.4, vis 27, drlg w/wtr. (3/4^o @ 510') (3/4^o @ 1015'). Cum Csts: \$82,378.8-10-81 1626'; (551'-20 hrs); RU Howco to cmt lost circ zn.

Drl; RS; rig rep; drl. Lost retns @ 1422'; partial retns @ 1454'; 100% loss @ 1626'; TOH; TIH OE to 375'; RU Howco. MW 8.4, vis 27, drlg w/wtr. Cum Csts: \$90,293.

8-11-81 1631'; (0'); Drlg cmt plug #1.Howco set plug #1, DP @ 375'; used 250 sx Cl "G", 3% CaCl, 5#/sk Gilsonite, $\frac{1}{4}$ #/sk Flocele; compl @ 6:30 AM 8-10-81; TOH w/DP; WOC; fill hole @ 10:30 AM 8-10-81 - stayed full (30 bbl fresh wtr); TIH w/bit & tag cmt @ 799'; drl cmt 799-1537' w/full retns. MW 8.4, vis 27 (wtr). (3/4^o @ 1015'). Cum Csts: \$98,790.8-12-81 1806'; (175'-7 hrs); TIH to drl cmt plug #2.Drl w/partial retns; tite conn, wash back 15'; lost 100% retns @ 1705'; dry drl to 1806'; TOH; TIH OE to 563'; Howco set plug #2 w/250 sx Cl "G", 3% CaCl, 8#/sk Gilsonite, $\frac{1}{4}$ #/sk Flocele; fin @ 3:35 PM 8-11-81; TOH; WOC; fill hole in 4 hrs w/30 bbl fresh wtr, stayed full; TIH w/bit. MW 8.4, vis 27 (wtr). Cum Csts: \$112,755.8-13-81 2464'; (658'-14 $\frac{1}{2}$ hrs); Drlg w/full retns.TIH w/bit #1 & tag cmt @ 671'; drl cmt plug #2 (stringer cmt to 1806'); drl new form; RS; drl; surv; drl; inst rot head; drl w/full retns. MW 8.4, vis 27, Wtr. (1 $\frac{1}{2}$ ^o @ 1950'). Cum Csts: \$127,060.8-14-81 3325'; (861'-22 $\frac{1}{2}$ hrs); Drlg.Drl; surv; drl; RS; drl; surv; drl. BGG 500 units. MW 8.4, vis 27, Wtr. (1 $\frac{1}{2}$ ^o @ 2495') (2^o @ 2955'). Cum Csts: \$134,825.8-15-81 4062'; (737'-20 hrs); Trip f/bit #2.Drl; surv; drl; RS; drl; surv; drl; TOH f/bit; circ gas out; TOH. BGG 250 units. MW 8.7, vsi 37, Mudding up. (1^o @ 3343') (1^o @ 3842'). Cum Csts: \$142,700.8-16-81 4460'; (402'-18 hrs); Drlg.TIH w/bit #2; circ gas bubble out; fin TIH; prime pmps; ream 30' to btm; drl; RS; drl. BGG 150 units, MW 9.2, vis 34, WL 16, PV 7, YP 7, Sd $\frac{1}{2}$, Sol 6, pH 10, Alk 0.2, Mf 1.2, CL 5000, CA 60, Gels 2/4, Cake 2/32, MBT 12 $\frac{1}{2}$, Cf 400. (3/4^o @ 4062'). Cum Csts: \$155,575.8-17-81 4900'; (440'-23 hrs); Drlg.Drl; RS; drl; surv; drl. BGG 65 units, CG 135 units. MW 9.3, vis 33, WL 10,0, PV 6, YP 4, Sd Tr, Sol 7, pH 10, Alk .60, Mf 2.60, CL 2700, CA 60, Gels 1/2, Cake 2/32, Cr 500, MBT 12 $\frac{1}{2}$. (1^o @ 4580'). Cum Csts: \$164,930.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
CIG Exploration, Inc.

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, Co. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 814' FSL/252' FWL (SW SW)
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)		<u>Operations</u> <input checked="" type="checkbox"/>

5. LEASE
U-01191-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
CIGE 64D-33-9-22P

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 33-T9S-R22E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah


14. API NO.
43-047-30950

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5022' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please see attached chronological for report of operations August 16, through September 15, 1981.



Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct
SIGNED H. E. Aab TITLE Dist. Drilling Mgr DATE September 17, 1981
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

CIGE #64D-33-9-22-P (CIGE)

Natural Buttes Unit

Uintah County, Utah

AFE: 19857 WI: 100%

ATD: 6200' SD: 7-13-81/8-8-81

CIGE, Oper.

Westburne #65, Contr.

9-5/8" @ 208' GL; 4½" @ 6005';

LOCATION: 814' FSL & 252' FWL
SW SW, Sec 33-T9S-R22E.
Elv: 5022' GL (ungr)

TD: 6005'

Perf: 4926-5538' (14 shots)

8-18-81 5245'; (345'-23 hrs); Drlg.

Drl; RS; drl; RS; drl. BGG 50 units, CG 110 units; No drlg brks. MW 9.2, vis 33, WL 10, PV 9, YP 7, Sd ¼, Sol 6, pH 9.5, Alk 0.25, Mf 0.5, CL 2200, CA 60, Gels 2/4, Cake 2/32, MBT 3.0, Cr 550. Cum Csts: \$176,220.

8-19-81 5590'; (345'-23 hrs); Drlg @ 15'/hr.

Drl; RS; drl; RS; drl. BGG 30 units, CG 115 units. Drlg Brks: 5388-5422' rate 5/2/4 mpf, gas 25/65/20 units; 5520-5542' rate 4/1/5 mpf, gas 30/377/30 units. MW 9.4, vis 35, WL 10, PV 10, YP 7, Sd ¼, Sol 7.5, pH 9.5, Alk .15, Mf .5, CL 1800, CA 70, Gels 2/4, Cake 2/32, MBT 3.0, Cr 550. Cum Csts: \$184,889.

8-20-81 5890'; (300'-23½ hrs); Drlg.

Drl; RS; drl. BGG 175 units, CG 400 units. No drlg brks. MW 9.4, vis 33, WL 10, PV 10, YP 7, Sd ¼, Sol 7½, pH 9½, Alk 0.15, Mf 0.50, CL 1800, CA 60, Gels 2/4, Cake 2/32, Cr 500, MBT 3.0. Cum Csts: \$193,554.

8-21-81 6000'; (110'/9½ hrs); TIH to cond to run casing

Drilling, rig service; drilling; circ & drop survey; rig service; TOOH to log; RU Slj - log - CILL-FDC-CNL-Caliper; TIH to circ to run csg. Csts: \$216,097.

8-22-81 6005'; RDRT

Finish TIH; circ & cond for csg; RU csg crew & TOH; lay down DP & DC; pull wear ring; ran 137 jt (6007') 4½", 11.6#, N-80, 8 rd csg set @ 6005', FC 5959; circ; HOWCO cem w/860. sks class "H" 50-50 Poz w/8% gel, 10% salt, 0.6% Halid 24, 5#/sk Gilsonite; 1/4# / sk flocele + 675 sks class "H" 50-50 Poz, 2% gel, 10% salt, 0.6% Halid 24 1/4#/sk Flocele. Display 5% KCL water w/no returns thru out display. Cem to surface but would not circ; Pump plug down @ 12:00 midnight 8-21-81; set slips & cut off csg; clean pits & RD RT. Rig rel 6:00 AM 8-22-81. Cum Csts: \$313,860. Drop f/report; WO CU.

8-23-81 thru 8-31-81 WO CU.9-1-81 TD 6005'; RU SU.

MI RU SU (Utah Well); ND tree, NU BOP; set pmp & tank. Cum Csts: \$1800.

9-2-81 TD 6005'; PBSD 5924' (WL); Prep to press tst & perf.

Road to loc; fin RU SU; RU Welex & run CBL w/GR-CCL f/PBSD to surf under 1000 psi; TOC 2200'; SDFN. Cum Csts: \$7430.

9-3-81 TD 6005'; PBSD 5924' WL.

Road to loc; RU Western & press tst csg to 6000 psi; RU Welex & perf w/3-1/8" csg gun per procedure w/1 JSPF @ 5538, 5535, 5524, 5425, 5410, 5404, 5398, 5021, 5010, 5005, 5000, 4939, 4932, 4926' (14 holes), all fired; TIH w/153 jnts 2-3/8" 4.7# J-55 tbg; NC on btm, SN 1 jnt up & 10' blast jnt at surf; NC @ 4754', SN 4723'. Cum Csts: \$43,885.

9-4-81 Opn to pit.

Road to loc; RU Western & brk dwn w/2800 gal 5% KCl wtr & 28 BS; safety meeting & press tst lines to 6000 psi; fill hole & est rate w/14 bbl; start BS @ 3100#, 5.6 BPM; balls on perms @ 3100# & 5.6 BPM; all balls dropped @ 3800#, 5.8 BPM; flush 4500#, 5.4 BPM; balled out; surge 15 min; resume pmpg & balled out; surge 20 min; ball out; job compl; surge balls to get ISDP 1700#, 15 min 1600#; opn to pit on 16/64" CK; RD & rel Utah Well Service. Cum Csts: \$47,262.

9-5-81 NR.9-6-81 FTP 550#, SICP 635#, 16/64" CK, 725 MCFD, wtr - NR.9-7-81 FTP 525#, SICP 600#, 16/64" CK, 700 MCFD, wtr - NR.9-8-81 FTP 500#, SICP 575#, 16/64" CK, 650 MCFD w/no wtr.9-9-81 FTP 565#, SICP 540#, 775 MCFD, 0 BWPD, 16/64" CK.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
CIG Exploration, Inc.

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, Co. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 814' FSL/252' FWL (SW SW)
AT TOP PROD. INTERVAL: SAME
AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>

(other) Proposed Gas Well Production Hookup

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SUPPLEMENT TO APPLICATION FOR PERMIT TO DRILL

- (1) PROPOSED GAS WELL PRODUCTION HOOKUP
 - (A) TYPICAL WELL HEAD INSTALLATION
 - (B) TYPICAL MAIN LINES AND PIPE ANCHOR DETAIL
- (2) PROPOSED PIPELINE MAP
- (3) PROPOSED ROAD AND FLOW LINE AND PIPELINE RIGHT OF WAY

FOR ON-SITE CONTACT: IRA K. McCLANAHAN AT (303) 473-2300

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED F. R. Midkiff TITLE Production Manager DATE September 28, 1981

 (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

5. LEASE
U-01191-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
CIGE 64D-33-9-22P

10. FIELD OR WILDCAT NAME
Natural Buttes Field


11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 33-T9S-R22E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

14. API NO.
43-047-30950

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5022' Ungr. Gr.

(NOTE: Report results of multiple completions or zone change on Form 9-330.)



COASTAL OIL & GAS CORPORATION
 DENVER, COLORADO

CIGE 64D-33-9-22P
 Section 33-T9S-R22E SW SW
 814' FWL/252' FWL
 Uintah County, Utah

Statement for permit to lay flow line, to be included with application for Drilling Permit:

Upon approval of all concerned regulatory agencies, CIG proposes to install a surface flow line from CIGE 64D-33-9-22P in a westerly direction through the SW/4 of Section 33 connecting to Line F165-8" in the SE/4 of Section 32, all in 9S-22E. The line will be approximately 800' long, as shown on the attached sketches.

Pipe will be 4-1/2" O.D. x .125" W.T., Grade X-42 EW. It will be butt-welded in place, using portable electric welding machines, and will be laid aboveground except where burial is necessary for road crossing, ditches, or other obstructions. Magnesium anodes will be installed at the dehydrator, meter setting, road crossings, underground piping at stream crossings, and at producer's separator for corrosion protection.

CIG will connect to producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.

ESTIMATE SKETCH

DATE: 4-21-81
STARTING DATE: _____
EST. COMP. DATE: _____
 COMPANY CONTRACT

COLORADO INTERSTATE GAS COMPANY


W O NO.: _____
REVISION NO.: _____
BUDGET NO.: _____
RELATED DWG.: 1157-4-1C

LOCATION: SW SW Section 33-9S-22E COUNTY: Uintah STATE: Utah
DESCRIPTION OF WORK: CONDUIT G.I.E. # 640-33-9-22-P

Natural Burres

REQUESTED BY: _____ APPROXIMATE MILEAGE: _____ PROJECT ENGINEER: JFK

RANGE: 22E





TOWNSHIP: 9S

PREPARED BY: MDC

SCALE (IF ANY): 1" = 1000'

Freehand sketch of location of proposed installation to be constructed or retired showing relative location of existing facilities in area.

PIPELINE TO BE ADEQUATELY ANCHORED TO PREVENT UNDUE MOVEMENT OR STRAIN TO EXISTING FACILITY. NUMBER AND SPACING OF ANCHORS TO BE DETERMINED IN FIELD




NO.	C O. NO.	DESCRIPTION	DATE	BY	CHK.	APP.
1	2385B	REVISE STARTING POINT	8-22-77	RWP		
REVISIONS						

Colorado Interstate Gas Co.
COLORADO SPRINGS, COLORADO

TYPICAL CONNECTION TO MAIN LINES AND PIPE ANCHOR
DETAIL - NATURAL BUTTES FIELD
UINTA COUNTY, UTAH

SCALE: NONE DRAWN: RWP APP: AM
DATE: 7-7-77 CHECK: [Signature] C O 2385B

115FP-1 1/8



NO.	C. O. NO.	DESCRIPTION	DATE	BY	CHK.	APPR.

Colorado Interstate Gas Co.
 COLORADO SPRINGS, COLORADO

TYPICAL WELL HEAD INSTALLATION
 NATURAL BUTTES FIELD

UINTAH COUNTY, UTAH

SCALE: NONE	DRAWN: RWP	APP: .	115FP-2 1/8
DATE: 7-15-77	CHECK: .	C. O. 23858	

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

(See other instructions on reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
CIG EXPLORATION, INC.

3. ADDRESS OF OPERATOR
P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 814' FSL 252' FWL (SW SW)
At top prod. interval reported below SAME
At total depth SAME

14. PERMIT NO. 43-047-30950 DATE ISSUED 5-5-81

5. LEASE DESIGNATION AND SERIAL NO.

U-01191-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

NATURAL BUTTES UNIT

8. FARM OR LEASE NAME

NATURAL BUTTES UNIT

9. WELL NO.

CIGE #64D-33-9-22-P

10. FIELD AND POOL, OR WILDCAT

NATURAL BUTTES FIELD

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

SECTION 33-T9S-R22E

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

15. DATE SPUNDED 7-13-81 16. DATE T.D. REACHED 8-22-81 17. DATE COMPL. (Ready to prod.) 9-22-81 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 5022' Ungr. Gr. 19. ELEV. CASINGHEAD -

20. TOTAL DEPTH, MD & TVD 6005' 21. PLUG, BACK T.D., MD & TVD 5924' 22. IF MULTIPLE COMPL., HOW MANY* N/S 23. INTERVALS DRILLED BY ROTARY TOOLS 0-TD CABLE TOOLS -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4926' - 5538' WASATCH 25. WAS DIRECTIONAL SURVEY MADE YES

26. TYPE ELECTRIC AND OTHER LOGS RUN DIL & FDC - CNL 27. WAS WELL CORED NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	208'	12 1/2"	125 SX	
4 1/2"	11.6#	6005'	7-7/8"	1535 SX	

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4754'	

31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
CSG GUN AS FOLLOWS:				DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5538'	5410'	5010'	4932'	4926' - 5538'	BRKDOWN w/2800 gal KCl wtr.
5535'	5404'	5005'	4926'		FRAC w/70,000 gal gel,
5524'	5398'	5000'			& 140,000# 20/40 Sand
5425'	5021'	4939'	TOTAL: 14 HOLES		

33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in) SI	
9-22-81		FLOWING				WOPLC	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
9-22-81	24	16/64"	→	-	1300	3	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
875	1000	→	-	1300	3	-	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) VENTED TEST WITNESSED BY KARL ODEN

35. LIST OF ATTACHMENTS NONE

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED W. J. Gooden TITLE PRODUCTION ENGINEER DATE OCTOBER 2, 1981

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			
38. GEOLOGIC MARKERS			
NAME	MEAS. DEPTH	TOP	TRUE VERT. DEPTH
WASATCH FORMATION	4425'	4425'	+615'

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number CIGE #64D-33-9-22-P

Operator CIG EXPLORATION, INC Address P. O. BOX 749, DENVER, CO 80201

Contractor WESTBURNE DRILLING INC. Address 1612 TREMONT PL, DENVER, CO 80202

Location SW ¼ SW ¼ Sec. 33 T: 9S R: 22E County UINTAH

Water Sands

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
From	To	Flow Rate or Head	Fresh or Salty
1.	<u>NONE REPORTED</u>		
2.	<u></u>		
3.	<u></u>		
4.	<u></u>		
5.	<u></u>		

(Continue of reverse side if necessary)

Formation Tops WASATCH FORMATION 4425' (+615')

Remarks

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
- (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR

CTG Exploration, Inc.

3. ADDRESS OF OPERATOR

P.O. Box 749, Denver, Co. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 814' FSL/252' FWL (SW SW)

AT TOP PROD. INTERVAL: SAME

AT TOTAL DEPTH: SAME

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING

MULTIPLE COMPLETE

CHANGE ZONES

ABANDON*

(other)

Operations

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please see attached chronological for report of operations Sept. 16 through September 22, 1981. Well completed 9/22/81. Completion report filed 10/2/81.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Aab TITLE Dist Drilling Mgr DATE October 15, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

5. LEASE	U-01191-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME	N/A
7. UNIT AGREEMENT NAME	Natural Buttes Unit
8. FARM OR LEASE NAME	Natural Buttes Unit
9. WELL NO.	CIGE 64D-33-9-22P
10. FIELD OR WILDCAT NAME	Natural Buttes Field
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA	Section 33-T9S-R22E
12. COUNTY OR PARISH	Utah
13. STATE	Utah
14. API NO.	43-047-30950
15. ELEVATIONS (SHOW DF, KDB, AND WD)	5022' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OCT 30 1981

CAS 2 MIN

CIGE #64D-33-9-22-P (CIGE)

Natural Buttes Unit

Uintah County, Utah

AFE: 19857 WI: 100%

ATD: 6200' SD: 7-13-81/8-8-81

CIGE, Oper.

Westburne #65, Contr.

9-5/8" @ 208' GL; 4½" @ 6005';

LOCATION: 814' FSL & 252' FWL
SW SW, Sec 33-T9S-R22E.
Elv: 5022' GL (ungr)

TD: 6005'

PBSD: 5924'

Perf: 4926-5538' (14 shots)

- 9-10-81 SI; WO frac.
FTP 525#, SICIP 550#, 16/64" CK, 725 MCFD, 0 BWPD; SI @ 12:15 AM; WO frac.
- 9-11-81 SITP 1525#, SICIP 1525#.
- 9-13-81 SITP 1600#, SICIP 1625#.
- 9-14-81 SI; WO frac.
NR of press.
- 9-15-81 SI; WO frac.
- 9-16-81 SI; WO frac.
- 9-17-81 SI; Prep to frac.
- 9-12-81 RU Howco & pmp 800 sx 50/50 Pozmix w/4% gel, 2.5 MC RA sd @ 1.5-2 BPM & 500 psi. Cum Csts: \$8316.
- 9-18-81 SI 24 hrs after frac.
MI RU BJ to frac Wasatch dwn tbg & tbg-csg annulus w/70,000 gal gelled wtr & 140,000# 20/40 sd: AR 30 BPM @ 5450#, temp 72°F; SITP 1520#; start pad; pad @ perfs @ 28 BPM, 6000#; pad @ 29 BPM, 5850#; start 1 ppg @ 28 BPM, 5700#; on perfs @ 29 BPM, 5780#; start 3 ppg @ 32 BPM, 5650#; on perfs @ 32 BPM, 5650#; start 3 ppg @ 32.4 BPM, 5600#; on perfs @ 33 BPM, 5500#; start 5 ppg @ 34.5 BPM, 5330#; on perfs @ 35 BPM, 5400#; end frac @ 34 BPM, 5050#; flush to mid-perfs & overflush 15 bbl w/tot 87 bbl 5% KC1 wtr @ 36 BPM, 5450#; ISDP 1540#, 15 min 1400#, 30 min 1360#; SI f/24 hrs. Cum Csts: \$100,602.
- 9-19-81 Flwg to pit after frac.
Opn well @ 3:00 PM 9-18-81 on 10/64" CK, FTP 50 psi, SICIP 50 psi, flw 2" stream wtr. 10/64" CK, FTP 575 psi, SICIP 765 psi, 225 MCFD w/20 BWPD.
- 9-20-81 Flwg to pit after frac.
16/64" CK, FTP 800 psi, SICIP 950 psi, 1175 MCFD w/5 BWPD.
- 9-21-81 Flwg to pit after frac.
Flwg to pit - no gauge. Cum Csts: \$100,602.
- 9-22-81 Flwg to pit after frac.
16/64" CK, FTP 860 psi, SICIP 1000 psi, 1060 MCFD w/3 BWPD. Cum Csts: \$100,602.
- 9-23-81 Well SI; WO CIG tst & PLC.
Flw 7 hrs on 16/64" CK, FTP 875 psi, SICIP 1000 psi, 1300 MCFD w/1 BWPD.
Well SI @ 2:00 PM 9-22-81. Completed as single GW. Cum Csts: \$100,602.
- 9-24-81 SI; WO CIG tst & PLC.
SITP 1450#, SICIP 1450#. Cum Csts: \$100,602.
- 9-25-81 SI; WO CIG tst & PLC.
SITP 1500 psi, SICIP 1500 psi. Cum Csts: \$100,602. Final Report.

**COLORADO INTERSTATE GAS COMPANY
WELL TEST DATA FORM**

STATE COPY

FIELD CODE 560-01-11		FIELD NAME NATURAL BUTTES, UT				OPERATOR CODE 2200		OPERATOR NAME CIG EXPLORATION INC				WELL NAME CIGE 640-33-9-22-P			
WELL CODE 25392		SECT 33		LOCATION 9S 22E		RGE/SUR 22E		PANHANDLE/REDCAVE SEQ. NUMBER 01000		K-FACTOR 01000		FORMATION WASATCH SA FLOW TEST			

RECEIVED
UTAH STATE OFFICE

WELL ON (OPEN)						FLOW TEST																														
DATE (COMP.)						ORIFICE SIZE	METER RUN SIZE	COEFFICIENT	GRAVITY (SEP.)	METER DIFF. RANGE	METER PRESSURE	DIFFERENTIAL ROOTS	WELL TEMP	FLOWING PRESSURE	STATIC TSG/CSG PRESSURE	FLOWING STRING																				
MO.	DAY	YR.	MO.	DAY	YR.											TUBING	CASING																			
11	12	13	14	15	16	17	18	19	20	21	22	23	27	28	32	33	38	39	42	43	45	46	51	52	55	56	58	59	61	62	67	68	73	74	75	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10 12 83						01 000		2 067		0.50730		1.00		0.05430		04 75		0.78		0.12040		0.12060		X												

BUR. OF LAND MGMT.

WELL OFF (SHUT-IN)						SHUT-IN TEST										SLOPE			EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT.										
DATE						CASING PRESSURE (PSIG)	TUBING PRESSURE (PSIG)	34	35	38	39	44	45	49	50												53	54	55							
MO.	DAY	YR.	MO.	DAY	YR.																															
11	12	13	14	15	16	17	18	19	20	21	22	23	28	29	34	35	38	39	44	45	49	50	53	54	55											
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
10 22 83						01 279.0		01 279.0		574		1.9950		4754																						CIG: _____ OPERATOR: <i>H. K. Nash</i> COMMISSION: <i>Neil Truck</i>

METER STAMP: **25392 01000**

REMARKS:

**COLORADO INTERSTATE GAS COMPANY
WELL TEST DATA FORM**

STATE COPY

FIELD CODE -01-11		FIELD NAME NATURAL BUTTES, UT				OPERATOR CODE 2200		OPERATOR NAME CIG EXPLORATION INC.				WELL NAME CITE 140-13-9-22-7			
CODE 25392	SECT. 33	LOCATION TWN/BLK 35 22E		PANHANDLE/REDCAVE SEQ. NUMBER 01000		K-FACTOR		FORMATION WASATCH SA		FLOW TEST					

WELL ON (OPEN)											FLOW TEST																								
DATE (COMP.)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING (TSG/CSG PRESSURE)		STATIC (TSG/CSG PRESSURE)		FLOWING (STRING TUBING / CASING)										
MO.	DAY	YR.	MO.	DAY	YR.																														
11	12	13	14	15	16	17	18	19	20	21	22	23	27	28	32	33	38	39	42	43	45	46	51	52	55	56	58	59	61	62	67	68	73	74	75
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
16	22	82	06	29	82	01	000	2	067	0	5073	0	0611	100	00707	0	1670	0	079	00825	0	00068	0	0											X

WELL-OFF (SHUT-IN)			SHUT-IN TEST										SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT.													
DATE			PRESSURE TAKEN		DATE		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)																										
MO.	DAY	YR.	MO.	DAY	YR.																														
11	12	13	14	15	16	17	18	19	20	21	22	23	28	29	34	35	38	39	44	45	49	50	53	54	55										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	E	E										
06	29	82	07	02	82	01	1090	0	1100	0			574	1	0950	4754																			

<p>25392 01000</p>	<p>REMARKS:</p>
---------------------------	-----------------

CIG: *W. H. ...*
 OPERATOR: *C. G. Johnson*
 COMMISSION:

NATURAL BUTTES UNIT
COASTAL OIL & GAS CORPORATED - OPERATED (COGC)
COLORADO INTERSTATE GAS EXPLORATION - OPERATED (CIGE)

Natural Duck

COGC 1-22-9-20
COGC 2-22-9-20

Natural Buttes

COGC NBU (Ute Trail) #1W
COGC NBU (Ute Trail) #1MV
COGC NBU (Ute Trail) #7
COGC NBU (Ute Trail) #52X
COGC NBU (Ute Trail) #83X
COGC NBU (Ute Trail) #88X

COGC NBU #1
COGC NBU #3
COGC NBU #4
COGC NBU #6
COGC NBU #7
COGC NBU #8
COGC NBU #9
COGC NBU #10
COGC NBU #11
COGC NBU #12
COGC NBU #13
COGC NBU #14
COGC NBU #15
COGC NBU #16
COGC NBU #17
COGC NBU #18
COGC NBU #19
COGC NBU #20
COGC NBU #22
COGC NBU #23 N
COGC NBU #24 N2
COGC NBU #26

Highland (Coastal Operated)

NBU #27
NBU #27A
NBU #28
NBU #29
NBU #31

COGC NBU #32Y
COGC NBU #33Y
COGC NBU #35Y
COGC NBU #36Y

COGC NBU #37XP
COGC NBU #38 N2
COGC NBU #39 N
COGC NBU #41J
COGC NBU #43 N
COGC NBU #45 N
COGC NBU #46 N

RECEIVED
FEB 14 1961

DIVISION OF
OIL, GAS & MINING

COGC NBU #47N2
COGC NBU #48N3
COGC NBU #49V
COGC NBU #50N2
COGC NBU #51J
COGC NBU #52J
COGC NBU #53N
COGC NBU #54N
COGC NBU #56N2
COGC NBU #57N
COGC NBU #58N2
COGC NBU #62N
COGC NBU #63N3
COGC NBU #64N3
COGC NBU #65N3
COGC NBU #68N2
COGC NBU #69N2
COGC NBU #70N3
COGC NBU #72N3
COGC NBU #74N3
COGC NBU #75N3
COGC NBU #80V
COGC NBU #81V
COGC NBU #83J
COGC NBU #84V
COGC NBU #85J
COGC NBU #86J
COGC NBU #87J
COGC NBU #98V

CIGE NBU #2-29-20-21
CIGE NBU #3-32-9-22
CIGE NBU #4-9-10-21
CIGE NBU #5-31-9-22
CIGE NBU #6-19-9-21
CIGE NBU #7-8-10-21
CIGE NBU #8-35-9-22
CIGE NBU #9-36-9-22
CIGE NBU #10-2-10-22
CIGE NBU #11-14-9-20 (W)
CIGE NBU #13-7-10-21
CIGE NBU #14-9-10-22
CIGE NBU #15-8-10-22
CIGE NBU #16-20-10-22
CIGE NBU #18-2-10-21
CIGE NBU #19-16-9-21
CIGE NBU #20-20-10-22
CIGE NBU #21-15-10-22
CIGE NBU #22-15-9-10
CIGE NBU #23-7-10-22
CIGE NBU #24-29-9-22
CIGE NBU #25-34-9-22
CIGE NBU #27-33-9-22
CIGE NBU #28-35-9-21
CIGE NBU #30-6-10-21
CIGE NBU #31-1-10-22
CIGE NBU #32A-20-9-20

CIGE NBU #33-27-10-21
CIGE NBU #34-13-10-20
CIGE NBU #35-1-10-20
CIGE NBU #36D-32-9-22
CIGE NBU #37D-21-9-21P
CIGE NBU #38-4-10-21
CIGE NBU #40-3-10-21
CIGE NBU #41-12-10-21
CIGE NBU #42-25-9-21
CIGE NBU #43-14-10-22
CIGE NBU #44-9-9-21
CIGE NBU #45-15-9-21
CIGE NBU #46-21-9-21
CIGE NBU #47-14-10-21
CIGE NBU #48-15-10-21
CIGE NBU #49-22-10-21
CIGE NBU #51D-31-9-22P
CIGE NBU #52-5-10-22
CIGE NBU #53-6-10-22
CIGE NBU #54D-35-9-21
CIGE NBU #55-1-10-21
CIGE NBU #56-34-9-21
CIGE NBU #57-10-10-21
CIGE NBU #58-16-10-21
CIGE NBU #59-21-10-21
CIGE NBU #60-14-9-21
CIGE NBU #61-13-9-21
CIGE NBU #62D-36-9-22P
CIGE NBU #63D-29-9-22P
CIGE NBU #64D-33-9-22P
CIGE NBU #65-19-10-22
CIGE NBU #66-23-10-21
CIGE NBU #67A-2-10-22P
CIGE NBU #68D-35-9-22P
CIGE NBU #69-19-10-21
CIGE NBU #70-20-9-21
CIGE NBU #71-7-9-21
CIGE NBU #72-18-9-21
CIGE NBU #73D-5-10-22P
CIGE NBU #74D-6-10-22P
CIGE NBU #75D-8-10-21P
CIGE NBU #76D-9-10-21P
CIGE NBU #77D-10-10-21P
CIGE NBU #78C-16-9-21P
CIGE NBU #79D-1-10-21P
CIGE NBU #80D-2-10-21
CIGE NBU #81D-4-10-21
CIGE NBU #83D-7-10-22P
CIGE NBU #84D-12-10-21P
CIGE NBU #85D-29-10-21
CIGE NBU #86D-16-9-21P
CIGE NBU #87D-34-9-21P
CIGE NBU #88D-15-10-21P
CIGE NBU #89D-34-9-22J

95. JJE, 33 30950

CIGE NBU #90D-9-9-21J
CIGE NBU #91D-15-9-21J
CIGE NBU #92D-13-10-20J
CIGE NBU #93D-2-10-21J
CIGE NBU #94D-14-10-21J
CIGE NBU #95D-14-10-21J
CIGE NBU #99D-25-9-21J

COGC NBU #11-14-9-20

Bluebell (Coastal Operated)

Asay

Powell Fee #3

Powell Fee #4


Ute Tribal #1-31

Powell Fee #3 SWD

Q16E 64D

Sec 33 T9S R22E

Burbly 1/11/89



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

U-01191A

6. If Indian, Alottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

CIGE 64D-33-9-22-P

9. API Well No.

43-047-30950

10. Field and Pool, Or Exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

CIG Exploration, Inc.

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

814' FSL & 252' FWL

SW/SW Section 33-T9S-R22E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other *Acdz, lwr tbg. & install PLE*

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

The operator proposes to acidize existing perforations, lower tubing, and install plunger lift equipment.
Please see attached workover procedure for work to be performed on the subject well.



14. I hereby certify that the foregoing is true and correct

Signed

Sheila Bremer
Sheila Bremer

TITLE

Environmental & Safety Analyst

Date

02/11/97

(This space for Federal or State office use)

APPROVED BY

TITLE

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

**CIGE #64D-33-9-22
NATURAL BUTTES FIELD
SECTION 33 T9S R22E
WORKOVER PROCEDURE _{HW}**

WELL DATA

LOCATION: 814' FSL 252' FWL SEC. 33 T9S R22E
ELEVATION: 5022' GR., 5040' KB.
TD: 6005', PBTB 5924' (11/81)
CSG: 9-5/8", 36.0#, K-55 @ 208' w/ 125 SX.
4-1/2", 11.6#, N-80 @ 6005' w/ 1535 SX.
TBG: 2-3/8", 4.7#, J-55 @ 4754'
FORMATION(S): WASATCH 4926' - 5538', 14 HOLES (1981)


PROCEDURE

1. MI & RU pulling unit. Blow down & safely kill well w/ minimum amount of 3% KCL water. ND WH. NU BOP.
2. RIH w/ 2-3/8" tbg. Tag WLS (11/96) PBTB 5716' (new PBTB). PU & land tbg @ 5538' (BP @ 5538'). ND BOP. NU WH. RD & MO pulling unit.
3. RU service company. Pump 260 gal 15% acid w/ inhibitors & clay stabilizers across perfs 4926' - 5538' to clean up possible scale. Acid to be swabbed back within 8 hrs. RD service company. RU swab unit. Swab/flow well to clean up.
4. Install PLE. Return the well to sales.

**CIGE #64D-33-9-22
NATURAL BUTTES FIELD
SECTION 33 T9S R22E**

WELL DATA

LOCATION: 814' FSL 252' FWL SEC. 33 T9S R22E
 ELEVATION: 5022' GR., 5040' KB.
 TD: 6005', PBTD 5924' (11/81)
 CSG: 9-5/8", 36.0#, K-55 @ 208' w/ 125 SX.
 4-1/2", 11.6#, N-80 @ 6005' w/ 1535 SX.
 TBG: 2-3/8", 4.7#, J-55 @ 4754'
 FORMATION(S): WASATCH 4926' - 5538', 14 HOLES (1981)



Bonnie

**COASTAL OIL & GAS CORPORATION
PRODUCTION REPORT**

CHRONOLOGICAL REPORT

CIGE #64D
Natural Buttes Field
Uintah County, Utah
WI: 100% TD: 6005'
5½" @ 5924' Perfs: 4926'-5538'

Page 1

Clean Out, Lower Tubing, and Install PLE

- 04/28/97 **PU & RIH w/tbg.** Road rig from CIGE #109D to CIGE #64D. SICP 200 psi, SITP 200 psi. RU pmp & line. Pmp 10 bbls dn tbg. ND WH & NU BOPs. RU floor & tbg equip. PU & LD hanger blast jt. RU broach tbg to SN. Talley & SDFN
DC: \$3,173 TC: \$3,173

- 04/29/97 **Swab on well.** SICP 250 psi, SITP 300 psi. Blow well dn & pmp 10 bbls dn tbg. PU & RIH w/tbg, tag @ 5724'. LD 8 jts tbg & broach. PU hanger & land tbg w/25 jts 2¾" tbg. EOT 5518', SN 5486'. RU BJ Server & spot acid on perf from 4926' to 5538' w/400 gal 15% HCl w/add. Max/Avg P=0/0 psi, Max/Avg R=4.2/4.2 bpm. Total load 55 bbls, ISTP 0 psi 5 min on vacuum. RD BJ Serv & WO acid. RD floor, ND BOPs & NU WH, and PLE stop. RDMO. MIRU Delsco & swab IFL 4800', made 11 runs, rec 40 BW & acid PH 6.8, FCP 200 psi & FFL 5100'. 75 BLTR, rec 40 BLW, 35 BLWTR. SDFN
DC: \$10,249 TC: \$13,422

- 04/30/97 **On production line.** Delsco - blow dn well. Start to swab, IFL 5100', ITP 60 psi, ICP 250 psi. Made 1 run, 4 runs on plunger, 10 bbls. Put well on production. FTP 150 psi, FCP 200 psi. 35 BLWTR, rec 10 BW, 25 BLWTR.
DC: \$865 TC: \$14,287

- 05/01/97 Flowing 183 MCF, 1 BW, 120 TP, 220 CP, on 30/64" chk.
- 05/02/97 Flowing 214 MCF, 1 BW, 120 TP, 220 CP, on 30/64" chk.
- 05/03/97 Flowing 211 MCF, 1 BW, 120 TP, 220 CP, on 30/64" chk.
- 05/04/97 Flowing 126 MCF, 1 BW, 130 TP, 220 CP, on 30/64" chk. **Final Report**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

U-01191-A

6. If Indian, Alottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

CIGE #64D-33-9-22

9. API Well No.

43-047-30950

10. Field and Pool, Or Exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

814' FSL & 252' FWL

SW/SW Section 33, T9S-R22E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other CO, lwr tbg. & install PLE

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Please see attached chronological history for operations performed on the subject well.



14. I hereby certify that the foregoing is true and correct

Signed

Bonnie Carson

Senior Environmental

Analyst

Date

05/29/97

(This space for Federal or State office use)

APPROVED BY

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

WD tax credit 2/98

COASTAL OIL & GAS CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL REPORT

CIGE #64D
Natural Buttes Field
Uintah County, Utah
WI: 100% TD: 6005'
5½" @ 5924' Perfs: 4926'-5538'

Page 1

Clean Out, Lower Tubing, and Install PLE

- 04/28/97 **PU & RIH w/tbg.** Road rig from CIGE #109D to CIGE #64D. SICP 200 psi, SITP 200 psi. RU pmp & line. Pmp 10 bbls dn tbg. ND WH & NU BOPs. RU floor & tbg equip. PU & LD hanger blast jt. RU broach tbg to SN. Talley & SDFN
DC: \$3,173 TC: \$3,173
- 04/29/97 **Swab on well.** SICP 250 psi, SITP 300 psi. Blow well dn & pmp 10 bbls dn tbg. PU & RIH w/tbg, tag @ 5724'. LD 8 jts tbg & broach. PU hanger & land tbg w/25 jts 2⅝" tbg. EOT 5518', SN 5486'. RU BJ Server & spot acid on perf from 4926' to 5538' w/400 gal 15% HCl w/add. Max/Avg P=0/0 psi, Max/Avg R=4.2/4.2 bpm. Total load 55 bbls, ISTP 0 psi 5 min on vacuum. RD BJ Serv & WO acid. RD floor, ND BOPs & NU WH, and PLE stop. RDMO. MIRU Delsco & swab IFL 4800', made 11 runs, rec 40 BW & acid PH 6.8, FCP 200 psi & FFL 5100'. 75 BLTR, rec 40 BLW, 35 BLWTR. SDFN
DC: \$10,249 TC: \$13,422
- 04/30/97 **On production line.** Delsco - blow dn well. Start to swab, IFL 5100', ITP 60 psi, ICP 250 psi. Made 1 run, 4 runs on plunger, 10 bbls. Put well on production. FTP 150 psi, FCP 200 psi. 35 BLWTR, rec 10 BW, 25 BLWTR.
DC: \$865 TC: \$14,287
- 05/01/97 Flowing 183 MCF, 1 BW, 120 TP, 220 CP, on 30/64" chk.
- 05/02/97 Flowing 214 MCF, 1 BW, 120 TP, 220 CP, on 30/64" chk.
- 05/03/97 Flowing 211 MCF, 1 BW, 120 TP, 220 CP, on 30/64" chk.
- 05/04/97 Flowing 126 MCF, 1 BW, 130 TP, 220 CP, on 30/64" chk. **Final Report**
-
- 05/16/97 **Well on production.** MIRU Colorado Well Service Rig #66, kill well w/5 bbls 3% KCl. RD tree, found plunger in 3 pieces, 2 parts on donut, top neck in master vlv. Replace master vlv, RU tree, RU swab, pull 3 runs, well kicked off. Put on production. RD & rls Colorado Well Service Rig #66.
DC: \$3,631 TC: \$3,631

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 8 South 1200 East CITY Vernal STATE Utah ZIP 84078		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: Exhibit "A"
PHONE NUMBER: 435-789-4433		9. API NUMBER:
COUNTY:		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA



TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation	
NAME (PLEASE PRINT) John T. Elzner	TITLE Vice President
SIGNATURE 	DATE 06-15-01
El Paso Production Oil & Gas Company	
NAME (PLEASE PRINT) John T. Elzner	TITLE Vice President
SIGNATURE 	DATE 06-15-01

(This space for State use only)

RECEIVED
JUN 19 2001
DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

MAR 11 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall
Vice President

Attest:

Margaret E. Roark
Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

5. If NO, the operator was contacted contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 08/01/2001
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 08/01/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEDERAL BOND VERIFICATION:

1. Federal well(s) covered by Bond No.: WY 2793

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: _____

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".

JAN. 17. 2003 3:34PM

PORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5409

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:
Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:

1. TYPE OF WELL

OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

Exhibit "A"

2. NAME OF OPERATOR:

El Paso Production Oil & Gas Company

9. API NUMBER:

3. ADDRESS OF OPERATOR:

9 Greenway Plaza CITY Houston STATE TX ZIP 77064-0995

PHONE NUMBER:

(832) 676-5933

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL	
<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF	
<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____	
<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION		


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED


FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.

NAME (PLEASE PRINT) David R. Dix

TITLE Agent and Attorney-in-Fact

SIGNATURE 

DATE

12/17/02

(This space for State use only)

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED EXHIBIT "A"

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

9. API Well No.
SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other

**SUCCESSOR OF
OPERATOR**

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED
MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
CHERYL CAMERON

Title
OPERATIONS

Signature

Date
March 4, 2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02	
FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. Unit: NATURAL BUTTES

WELL(S)						
NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
CIGE 3-32-9-22	32-09S-22E	43-047-30320	2900	STATE	GW	P
CIGE 173-32-9-22	32-09S-22E	43-047-32324	2900	STATE	GW	P
NBU 161	32-09S-22E	43-047-32023	2900	STATE	GW	P
CIGE 152-33-9-22	33-09S-22E	43-047-32068	2900	FEDERAL	GW	P
NBU 173	33-09S-22E	43-047-32116	2900	FEDERAL	GW	P
NBU 138	33-09S-22E	43-047-32012	2900	FEDERAL	GW	PA
NBU 138A	33-09S-22E	43-047-32151	2900	FEDERAL	GW	P
COG NBU 93-33E	33-09S-22E	43-047-31753	2900	FEDERAL	GW	P
CIGE 109D-33-9-22	33-09S-22E	43-047-31754	2900	FEDERAL	GW	P
NBU CIGE 27-33-9-22	33-09S-22E	43-047-30738	2900	FEDERAL	GW	P
NBU CIGE 64D-33-9-22P	33-09S-22E	43-047-30950	2900	FEDERAL	GW	P
NBU 112	33-09S-22E	43-047-31930	2900	FEDERAL	GW	P
CIGE 174-33-9-22P	33-09S-22E	43-047-32323	2900	FEDERAL	GW	P
CIGE 213-33-9-22	33-09S-22E	43-047-32933	2900	FEDERAL	GW	P
NBU 327	33-09S-22E	43-047-33735	2900	FEDERAL	GW	P
CIGE 242	33-09S-22E	43-047-34022	99999	FEDERAL	GW	APD
CIGE 266	33-09S-22E	43-047-34386	99999	FEDERAL	GW	APD
CIGE 212-34-9-22	34-09S-22E	43-047-32938	2900	FEDERAL	GW	P
NBU 113	34-09S-22E	43-047-31931	2900	FEDERAL	GW	P
NBU CIGE 25-34-9-22	34-09S-22E	43-047-30737	2900	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 03/18/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/18/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
891008900A

8. Well Name and No.

Multiple Wells - see attached

9. API Well No.

Multiple Wells - see attached

10. Field and Pool, or Exploratory Area

Natural Buttes Unit

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Multiple Wells - see attached

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average NBU well produces approximately 6 bbbls condensate per month. The resulting shrinkage would amount to 0.56 bbbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached. Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) J.T. Conley Title Operations Manager
Signature *J.T. Conley* Initials *JTC* Date 9-2-2003
SEP 10 2003
DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by _____ Title _____ Date _____
Accepted by the Utah Division of Oil, Gas and Mining
Federal Approval of This Action is Necessary
Office _____ Date: 9/16/03

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CIGE 013	7-10-21 NESE	UTU02270A	891008900A	430473042000S1
CIGE 014	9-1-21 NESW	UTU01196B	891008900A	430473048400S1
CIGE 018	2-10-21 NWNE	ML22652	891008900A	430473047100S1 ✓
CIGE 019	16-9-21 SWSW	ML3141A	891008900A	430473045900S1
CIGE 020	20-10-21 SESW	UTU02278	891008900A	430473048500S1
CIGE 022	15-9-20 SENW	UTU0144868	891008900A	430473049700S1
CIGE 023	7-10-22 SESE	ML23609	891008900A	430473033300S1 ✓
CIGE 024	29-9-22 SESW	U01207	891008900A	430473049300S1
CIGE 025	34-9-22 SENW	UTU0149077	891008900A	430473073700S1
CIGE 027	33-9-22 NENW	UTU01191A	891008900A	430473073800S1
CIGE 028	35-9-21 NESE	ML22582	891008900A	430473073900S1 ✓
CIGE 030	6-10-21 NENW	UTU01791	891008900A	430473049800S1
CIGE 031	1-10-22 SWNW	U011336	891008900A	430473051100S1
CIGE 032A	20-9-20 NESW	UTU01567A	891008900A	430473049600S1
CIGE 034	13-10-20 SWNE	UTU02270A	891008900A	430473050800S1
CIGE 035	1-10-20 NESW	UTU02270A	891008900A	430473049400S1
CIGE 036D	32-9-22 NWNW	ML22649	891008900A	430473083300S1 ✓
CIGE 037D	21-9-21 SWSE	UTU0576	891008900A	430473091000S1
CIGE 038D	4-10-21 SWSE	U01416	891008900A	430473049500S1
CIGE 040	3-10-21 NESW	UTU0149078	891008900A	430473074000S1
CIGE 042	25-9-21 SWSE	U04139	891008900A	430473049200S1 ✓
CIGE 043	14-10-22 SENW	U01197A	891008900A	430473049100S1 ✓
CIGE 044	9-9-21 SESE	UTU01188	891008900A	430473052700S1
CIGE 045	15-9-21 NESE	UTU01193	891008900A	430473052800S1
CIGE 046	21-9-21 NENE	UTU0576	891008900A	430473052900S1
CIGE 047	14-10-21 NWSE	UTU01393C	891008900A	430473051000S1
CIGE 048	15-10-21 SWNE	UTU01416A	891008900A	430473050600S1
CIGE 051D	31-9-22 NENE	U01191	891008900A	430473088900S1 ✓
CIGE 052	5-10-22 SENW	UTU01195	891008900A	430473053100S1
CIGE 053	6-10-22 NESW	UTU01195	891008900A	430473053300S1
CIGE 054D	35-9-21 NENE	ML22582	891008900A	430473085100S1 ✓
CIGE 055	1-10-21 SENW	ML23612	891008900A	430473051200S1 ✓
CIGE 056	34-9-21 SWSE	U01194A	891008900A	430473053000S1 ✓
CIGE 057	10-10-21 NENE	UTU0149079	891008900A	430473054300S1
CIGE 058	16-10-21 SESE	ML10755	891008900A	430473053200S1
CIGE 060	14-9-21 SENW	UTU01193	891008900A	430473054900S1
CIGE 061	13-9-21 SENW	U01193	891008900A	430473055000S1
CIGE 062D	36-9-22 NWSW	ML22650	891008900A	430473088500S1 ✓
CIGE 063D	29-9-22 NWNW	UTU462	891008900A	430473094900S1
CIGE 064D	33-9-22 SWSW	UTU01191A	891008900A	430473095000S1
CIGE 066	23-10-21 SENW	UTU02278A	891008900A	430473054200S1
CIGE 067A	2-10-22 NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35-9-22 NWSW	UTU010954A	891008900A	430473095100S1
CIGE 069	19-10-21 SENW	ML22792	891008900A	430473063500S1
CIGE 070	20-9-21 NESE	UTU0575	891008900A	430473063600S1
CIGE 071	7-9-21 NESE	UTU0575B	891008900A	430473063700S1
CIGE 072	18-9-21 SWNE	UTU0575	891008900A	430473063400S1
CIGE 073D	5-10-22 SWSW	UTU01191A	891008900A	430473095200S1
CIGE 074D	6-10-22 NWSE	UTU01195	891008900A	430473095300S1
CIGE 075D	8-10-21 SENE	UTU01791	891008900A	430473095400S1
CIGE 076D	9-10-21 NENE	UTU01416	891008900A	430473095500S1
CIGE 077D	10-10-21 SESE	UTU0149079	891008900A	430473095600S1
CIGE 078C	16-9-21 NENW	UTU38409	891008900A	430473087000S1
CIGE 079D	1-10-21 NENE	ML23612	891008900A	430473089600S1 ✓
CIGE 080D	2-10-21 NWNW	ML22652	891008900A	430473085300S1 ✓
CIGE 081D	4-10-21 NENE	ML22940	891008900A	430473085400S1
CIGE 086D	16-9-21 SWSE	ML3282	891008900A	430473088600S1
CIGE 087D	34-9-21 NENE	U01194A	891008900A	430473086900S1 ✓
CIGE 088D	15-10-21 NWNW	UTU01791A	891008900A	430473095800S1
CIGE 089D	34-9-22 SENE	UTU0149077	891008900A	430473114600S1
CIGE 090D	9-9-21 NWNE	UTU01188A	891008900A	430473114900S1
CIGE 091D	15-9-21 NWNE	UTU01188	891008900A	430473115100S1

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions:

Fill in blue boxed areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name:

Condensate Shrinkage Economics

Is this job a well pull or production rig job ??? N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before		After		Difference	
Oil Production	0.192	BOPD	0.194	BOPD	0.002	BOPD
Gas Production	0	MCFPD	0	MCFPD	0	MCFPD
Wtr Production	0	BWPD	0	BWPD	0	BWPD
Horse Power		HP		HP	0	HP
Fuel Gas Burned		MCFPD		MCFPD	0	MCFPD

Project Life:

Life = Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR =

AT Cum Cashflow:

Operating Cashflow = (Discounted @ 10%)

Payout Calculation:

Payout = $\frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}}$ = 1

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = Years or Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bopd with no tank pressure. The production is increased to 0.194 Bopd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.
NBU/Ouray Field
RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: **1/6/2006**

FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024
---	--

WELL NAME	CA No.	Unit:	NATURAL BUTTES UNIT					
	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- 4a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- 4b. If **NO**, the operator was contacted on:
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet

7. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006

8. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006. KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203
 BIA BOND = RLB0005239

APPROVED 5116106

Earlene Russell
 Division of Oil, Gas and Mining
 Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) RANDY BAYNE	Title DRILLING MANAGER
Signature <i>Randy Bayne</i>	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Office

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>

IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

U.S. DEPT. OF THE INTERIOR

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: U-01191A
1. TYPE OF WELL Gas Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONSHORE, L.P.		7. UNIT or CA AGREEMENT NAME: NATURAL BUTTES
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779		8. WELL NAME and NUMBER: CIGE 64D
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0814 FSL 0252 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 33 Township: 09.0S Range: 22.0E Meridian: S		9. API NUMBER: 43047309500000
PHONE NUMBER: 720 929-6515 Ext		9. FIELD and POOL or WILDCAT: NATURAL BUTTES
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input checked="" type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> WILDCAT WELL DETERMINATION <input type="checkbox"/> OTHER	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 3/3/2011	<input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> DRILLING REPORT Report Date:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The subject well location has returned to production form a shut-in status on Thursday, March 3, 2011.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Gina Becker	PHONE NUMBER 720 929-6086	TITLE Regulatory Analyst II
SIGNATURE N/A	DATE 3/27/2011	