

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG ELECTRIC LOGS FILE WATER SANDS LOCATION INSPECTED OIL WELL SUB. REPORT/abd.

* Location Abandoned - Well never drilled - 8-08-83

DATE FILED 4-27-81

LAND: FEE & PATENTED

STATE LEASE NO.

PUBLIC LEASE NO. U-0144867-A

INDIAN

DRILLING APPROVED:

6-29-81

SPUDED IN:

COMPLETED:

PUT TO PRODUCING:

INITIAL PRODUCTION:

GRAVITY A.P.I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH:

WELL ELEVATION:

4808' 6L

DATE ABANDONED:

LA'D 8-8-83

FIELD: 3/86 NATURAL BUTTES

UNIT:

COUNTY: UINTAH

WELL NO. NATURAL DUCK #18-20GR

API NO. 43-047-30988

LOCATION 804'

FT. FROM (N) LINE.

519'

FT. FROM (W) LINE.

NW NW

1/4 - 1/4 SEC. 20

TWP.	RGE.	SEC.	OPERATOR
------	------	------	----------

TWP.	RGE.	SEC.	OPERATOR
------	------	------	----------

9S

20E

20

BELCO DEVELOPMENT CORP.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 519' FWL & 804' FNL NW/NW
 At proposed prod. zone SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
APPROX. 5 MILES SOUTH OF OURAY, UTAH

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)
519'

16. NO. OF ACRES IN LEASE
519'

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
5330'

19. PROPOSED DEPTH
5330'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4808' Natural G.L.

22. APPROX. DATE WORK WILL START*
8-5-81

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9 5/8"	36#	200'	200 sx "G"-to surf
8 3/4"	5 1/2"	17#	5330'	Sufficient to cover 200' above uppermost hydro-carbon zone

SEE ATTACHMENTS FOR:

- (1) Location Plat
- (2) 10 Point Program
- (3) BOP design
- (4) 13 Point surface Use Plan
- (5) Additional Provisions to surface use plan
- (6) Location Layout sheet
- (7) Topo maps A & B
- (8) Production Facilities Schematic

RECEIVED

APR 27 1981

DIVISION OF
APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 6-26-81

BY: [Signature]

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED J.C. Ball TITLE District Engineer DATE 4/27/81
 (This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

10 POINT PROGRAM

1. GEOLOGIC SURFACE FORMATION:

 Uinta formation of the Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	Surface
Green River	1865'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Uinta	Sand & shale, possible water
Green River	Sand and shale, primary objective oil

4. PROPOSED CASING PROGRAM:

- a) Surf Csg: 13 3/8" 54.5#, K-55 to 200', cement to surface
- b) Prod Csg: 4 1/2" 11.6#, K-55 to TD, will use enough cement to cover 200' over top of Green River formation

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operators minimum specifications for pressure control equipment are as follows: 10", 3000 PSI hydraulic doublegate BOP or the equivalent. Pressure tests of BOP to 1000# will be made prior to drilling surface plug and on each trip for bit.

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

It is proposed that the hole will be drilled to approx. 4000' with 3% KCL water in order to clean the hole. From 4000' to TD it is planned to drill the well with mud. The mud system will be a water based, gel-chemical mud, weighted up to 10.5 ppg as required for gas control.

7. AUXILIARY EQUIPMENT TO BE USED:

Auxiliary equipment to be used will be a 2", 2000 PSI choke manifold and kill line, stabbing valve, kelly cock and visual mud monitoring.

8. TESTING, LOGGING AND CORING PROGRAMS:

No coring or drill stem testing has been scheduled for this well. The logging will consist of DLL, CNL, FDC and Gamma Ray w/caliper.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:


It is not anticipated that abnormal pressures or temperatures will be encountered, nor that any other abnormal hazards such as H₂S gas will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

Anticipated starting date is 8-5-81. Drilling operations should be complete 2 1/2 weeks after they commence.

Natural Duck 18-20 GR

DIAGRAM "A"



13 Point Surface Use Plan

DUCK CREEK FIELD

DC 43-17GR
DC 44-17GR
DC 45-17GR
DC 46-17GR
DC 47-17GR
DC 48-17GR
DC 49-17GR
DC 50-07GR
DC 51-8 GR
DC 56-8,GR
DC 57-8 GR
DC 58-8GR
DC 59-8GR

NATURAL DUCK FIELD

ND 15-21GR
ND 16-20GR
ND 17-20GR
ND 18-20GR
ND 19-20GR
ND 20-20GR
ND 21-20GR
ND 22-20GR
ND 23-20GR

1. EXISTING ROADS

- A. For the location of the proposed well sites and existing roads, see the Topo maps marked "B", attached to the APD's. All the proposed wells are located in Sections 8, 17, 20 and 21, T9S, R20E, Uintah County, Utah. All wells are within 5 to 6 miles of Ouray, Utah.
- B. The county road running south from Ouray, Utah takes you directly into Sections 8, 17, 20 and 21 where these proposed wells are located. All access roads branch out from this county road.
- C. The proposed access roads are outlined in detail on the Topo Maps marked "B" attached to each individual APD.
- D. See Topo Maps "B".
- E. Not applicable.
- F. Access to the proposed well sites will be over the existing county road except for the proposed access roads. The proposed access roads will be crowned and ditched so as to accomodate rig traffic.

2. PLANNED ACCESS ROADS

See the Maps attached to each APD.

The planned access roads will comply with the general specifications as outlined.

- A. Proposed access roads will be 32 foot crown roads, usable 16 feet on either side of the centerline, with drain ditches along either side of the proposed roads, where it is determined necessary in order to handle any run off from the normal weather conditions prevalent to this area.
- B. Maximum grades of the proposed access roads will be 3% and will not exceed that amount.
- C. No turnouts are planned for the length of the proposed access roads, so additional cut disturbances will be kept to a minimum. Line of site vision is such that turnouts are unnecessary.
- D. Drainage design of the proposed roads will avoid unnecessary disturbance of the natural run off patterns. Drainage will be implemented so as not to cause siltation or accumulate any debris.
- E. Surfacing material shall be the native borrow material from the cut areas and will be used to stabilize the road surfaces and the locations. No other material for construction is anticipated.
- F. No fences will be crossed in order to access the proposed locations; No cattle guards will be needed.

- G. The roads have been centerline staked for the full distance of the proposed routes.

3. : LOCATION OF EXISTING WELLS

- A. Water wells-None
- B. Abandoned wells-None
- C. Temporarily abandoned wells-None
- D. Disposal wells-None
- E. Drilling wells-DC 4-17, Gas well.
- F. Producing wells- Section 8, DC 41-8GR, Section 17, DC 24-17GR, Section 20, Cige 32-22-9-20, Sun 2 S.O., NBU 21-20B, Section 21, CIGE 28, (NBU 34-Y) ND 10-21GR, ND 11-21GR, ND 4-21GR, NBU 19-21B. River Junction Unit, Phillips RJ 1 & RJ 2.
- G. Shut in wells-none
- H. Injection wells-None
- I. Monitoring wells-None

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

- A. Existing production facilities located within one mile of the proposed well are:
 - 1. Tank batteries-Section 16, DC 7-16GR, DC 3-16GR, DC 14-16GR, DC 5-16GR, DC 11-16GR, DC 6-16GR, DC 16-16GR. Section 21, ND 4-21, CIGE 28-21-9-20.
 - 2. Production Facilities: Section 8, DC 41-8GR, Section 17, DC 24-17GR, Section 20, Sun 2 S.O., CIGE 32, NBU 21-20B, Section 21, ND 11-21GR, ND 10-21GR, ND 4-21GR, NBU 19-21B, CIGE 28 (NBU 34-Y) Section 16, DC 8-16GR, DC 7-16GR, DC 17-16GR, DC 3-16GR, DC 16-16GR, DC 14-16GR, DC 15-16GR, DC 5-16GR, DC 11-16GR, DC 6-16GR, DC 18-16, DC 10-16GR.
 - 3. Oil Gathering Lines: Buried oil line from DC 15-16GR to DC 5-16GR, DC 8-16GR to DC 7-16GR, and DC 17-16GR to DC 7-16GR.
 - 4. Gas gathering lines- Northwest Pipeline's gas gathering lines.
 - 5. There are no injection lines in this area.
 - 6. There are no disposal lines in the area.

See attached Duck Creek-Natural Duck Fields map for location of the above.

- B. Attached to each individual APD is a diagram marked "B" showing the production facilities to be utilized in the event of production of oil. All production facilities, tank batteries, separators, de-hys, etc., will be kept on the location pad.

Construction materials will be native borrow or cut exposed on the site and will be consistent with accepted oilfield standards and good engineering practices.

A three strand barbed wire fence will be constructed and maintained around any disposal pits during the drilling and completion phase of the well. When these pits are no longer needed or within 90 days, they will be covered over with native borrow material and rehabilitated to conform with the provisions of the rehabilitation agreement of BIA standards.

Guard rails will be constructed around the wellhead to prevent access to livestock or wildlife.

Rehabilitation of the pits is discussed above. The remaining pad not used for producing operations will be recontoured to conform with the natural grade and covered with topsoil saved on the site. This area will be reseeded as per BIA specifications.

5. LOCATION AND TYPE OF WATER SUPPLY

- A. Water to be used to drill these wells will be hauled by truck from the White River. Access point for the water will be near the White River Bridge, Section 4, T9S, R20E, Uintah County, Utah. Permit for this water will be purchased from the Bureau of Indian Affairs, prior to the drilling operations.
- B. Water will be hauled by truck (Liquid Transport of Duchesne, Utah, PSC #1969) on the above described access routes. See access routes on Topo Maps "B", attached to each APD. No new roads or pipelines will be needed for this purpose.
- C. No water wells will be drilled.

6. SOURCE OF CONSTRUCTION MATERIALS

- A. All construction materials for these locations and their access roads will be native borrow rock and soil, accumulated during the construction. No additional road gravel or pit lining materials are anticipated at this time, but if they are required, appropriate action will be taken to acquire them from private sources after notification is given to the proper regulatory agencies.
- B. Items described in part "A" are from BIA regulated lands.
- C. See part "A".
- D. No other access roads are required, other than described in Item 2.

7. METHODS OF HANDLING WASTE DISPOSAL

- A. Drill cuttings, drilling fluids, salts, chemicals, and produced fluids will be disposed of in the reserve pits on the location pads.

- B. See "A" above for disposal of drilling fluids.
- C. See "A" above for disposal of produced water.
- D. A portable chemical toilet will be provided for human waste during the drilling phase.
- E. Garbage and other waste materials will be contained in a wire mesh cage and then disposed of in an approved waste disposal facility.
- F. Immediately after the drilling rig moves off the location, the remaining trash and garbage will be collected and hauled away by truck. The reserve pit will be fenced on the open side to protect domestic animals and wildlife. This pit will be utilized during the completion and testing phase of the well for storage of produced fluids.

8. ANCILLARY FACILITIES

No airstrips or camps are planned for these wells.

9. WELL SITE LAYOUT

See the Location Layout sheets attached to the individual APD's which show the following items:

- A. Cross section of the pad, showing details of the cuts and fills.
- B. Location of the reserve pits, pipe racks, living facilities and topsoil stockpile.
- C. Rig orientation, parking areas and access road.
- D. Pits will be lined to conserve water and will be fenced on the fourth side at the completion of operations. Proper NTL-2B notices will be filed if the wells produce water.

10. PLANS FOR RESTORATION OF SURFACE

In the event of a dry hole, pits will be allowed to dry and will then be backfilled and waste pits will be backfilled. The location will be restored to as near the original contour as feasible and then reseeded.

- 1. Upon completion of the testing phase of the well, the areas not needed for access to the well and used for producing operations will be filled and recontoured to blend with the surrounding topography and the stockpiled soil redistributed over the unused disturbed area. After final plugging and abandonment of the well, the entire disturbed area will be contoured and topsoil spread over any previously disturbed area.

2. The revegetation of the drill site area and access not needed to carry on production operations will be reseeded with a seed mixture recommended by the BIA. It will be performed at a time of the year when the moisture content of the soil is adequate for germination. The Lessee agrees that all of the clean up and restoration activities shall be done in a diligent and timely manner and in conformity with the above mentioned Items 7 and 10 (1).
3. All pits will be fenced prior to disposal of any waste material and the open side of the reserve pit will be fenced before removing the rig from location. The fences will be maintained in good condition until Item (1) is started.
4. Any oil or condensate on any temporary pit will be removed in a timely manner. Overhead flagging or netting will be installed on any sump pit used to handle well fluids during the producing life of the well.
5. Restoration activities will begin within 90 days after the completion of the well. Once completion activities have begun, they will be completed within 30 days. All wellhead and surface equipment will be painted to blend with the environment, according to BIA specifications.

11. OTHER INFORMATION

Topography of the general area is relatively flat, rolling terrain, consisting of clay and stabilized sand dunes.

Vegetation in the area consists of four-wing saltbrush, tumbleweed, cotton-horn horsebrush, spiny hop sage, curly grass, matchweed, greasewood and a sparse population of Indian ricegrass.

Livestock grazing, mineral exploration and production are the only surface use activities in the area. All lands involved with these locations are controlled by the BIA.

There is no water in the immediate vicinity of these locations, the Green River runs 1 to 3 miles to the north of these locations and also 3 to 4 miles to the west. No occupied dwellings or known archeological or cultural sites are in this area.

- 12: Belco Development Corporation's representative for these operations will be Mr. J. C. Ball, District Engineer, P. O. Box X, Vernal, Utah, 84078, telephone #1-801-789-0790.

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill sites and access routes; that I am familiar with the conditions which presently exist, that the statements made in this Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Belco Development Corporation, its contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

DATE 4/24/81

J. C. Ball
J. C. BALL
District Engineer

BUREAU OF INDIAN AFFAIRS
ADDITIONAL PROVISIONS TO THE SURFACE USE AND OPERATING PLAN

WELL NAME: Natural Duck 18-20GR

LOCATION: NW/NW Sec. 20, T9S, R20E
Uintah Co., Utah

1. FIREARMS:

Employees of Belco Development Corporation, it's contractors and subcontractors have been instructed not to carry firearms on the Uintah and Ouray Indian Reservation.

2. OFFROAD TRAFFIC:

Employees of Belco Development Corporation, it's contractors, and subcontractors have been instructed to remain only on established roads and well sites.

3. FIREWOOD:

Employees of Belco Development Corporation, its contractors and subcontractors have been notified of the requirements of the Bureau of Indian Affairs to obtain a wood permit from the Forestry Section before gathering any wood on the Uintah and Ouray Indian Reservation.

4. RESTORATION:

All topsoil will be stripped and stockpiled. When all drilling and production activities end or if abandonment is required, the location site and access road will be reshaped to the original contour and stockpiled soil spread over the disturbed area. Any drainages rerouted during the construction activities shall be restored as near as possible to their original line of flow. Restoration activities shall begin when the pit is sufficiently dry. Once activities have been completed, the location site and access road shall be reseeded with a seed mixture recommended by the Bureau of Indian Affairs when the moisture content of the soil is adequate for seed germination.

5. DISPOSAL OF PRODUCED WATERS:

No produced water is anticipated. However if water is produced, Belco Development Corporation will comply with all requirements of NTL-2B.

6. SIGNS:

A sign stating the following shall be placed on the access road to the location site:

AUTHORIZED PERSONNEL ONLY
BELCO DEVELOPMENT CORPORATION
WELL IDENTIFICATION
FIREARMS ARE PROHIBITED
THIS LAND IS OWNED BY THE UINTAH
AND OURAY INDIAN RESERVATION
PERMITS TO CUT FIREWOOD MUST BE OBTAINED
FROM THE BIA FORESTRY SECTION PRIOR TO
CUTTING OR GATHERING ANY WOOD ALONG THIS ROAD

7. RIGHTS OF WAYS:

Right-of-way and damages will be paid as per the resurvey by Uintah Engineering and their affidavit of completion.

8. PERMITS FOR WATER OR EARTH FILL:

Water for this operation will be obtained from the White River, near the White River Bridge in Section 4, T9S, R20E. Permit for water will be purchased before the drilling operations commence.

9. WEED CONTROL:

Belco Development Corporation will initiate a plan for controlling noxious weeds alongside the location and road in accordance with BIA specifications.

10. LITTER:

All litter will be contained in a trash cage and removed from the location at the end of drilling and completion activities. The area will be groomed and cleaned before removal of the cage.

11. BENCH MARKS:




A bench mark will be established near the well site, set in concrete with a brass cap showing the well number and the elevation of the site.

DATE: 4/24/81

J. C. Ball
J. C. Ball
District Engineer

BELCO DEVELOPMENT CORP.

NATURAL DUCK # 18-20 GR



C-1.8
4810.52'

C-2.4
4811.12'

C-4.6
4813.32'


⑤ F-0.6
4808.12'

⑥ F-1.4
4807.32'

⑦ F-1.1
4807.62'

① F-0.7
4808.02'

⑧ F-3.2
4805.52'



SCALES
1" = 10'
1" = 50'


BELCO DEVELOPMENT CORP.
PROPOSED LOCATION
NATURAL DUCK # 18-20 GR

TOPO. MAP "B"

SCALE - 1" = 5000'

ROAD CLASSIFICATION

Light duty
Unimproved dirt



UTAH

QUADRANT LOCATION

18 19 20 21

22 23 24 25

26 27 28 29

30 31 32 33

34 35 36 37

38 39 40 41

42 43 44 45

46 47 48 49

50 51 52 53

54 55 56 57

58 59 60 61

62 63 64 65

66 67 68 69

70 71 72 73

74 75 76 77

78 79 80 81

82 83 84 85

86 87 88 89

90 91 92 93

94 95 96 97

98 99 100 101

102 103 104 105

106 107 108 109

110 111 112 113

114 115 116 117

118 119 120 121

122 123 124 125

126 127 128 129

130 131 132 133

134 135 136 137

138 139 140 141

142 143 144 145

146 147 148 149

150 151 152 153

154 155 156 157

158 159 160 161

162 163 164 165

166 167 168 169

170 171 172 173

174 175 176 177

178 179 180 181

182 183 184 185

186 187 188 189

190 191 192 193

194 195 196 197

198 199 200 201

202 203 204 205

206 207 208 209

210 211 212 213

214 215 216 217

218 219 220 221

222 223 224 225

226 227 228 229

230 231 232 233

234 235 236 237

238 239 240 241

242 243 244 245

246 247 248 249

250 251 252 253

254 255 256 257

258 259 260 261

262 263 264 265

266 267 268 269

270 271 272 273

274 275 276 277

278 279 280 281

282 283 284 285

286 287 288 289

290 291 292 293

294 295 296 297

298 299 300 301

302 303 304 305

306 307 308 309

310 311 312 313

314 315 316 317

318 319 320 321

322 323 324 325

326 327 328 329

330 331 332 333

334 335 336 337

338 339 340 341

342 343 344 345

346 347 348 349

350 351 352 353

354 355 356 357

358 359 360 361

362 363 364 365

366 367 368 369

370 371 372 373

374 375 376 377

378 379 380 381

382 383 384 385

386 387 388 389

390 391 392 393

394 395 396 397

398 399 400 401

402 403 404 405

406 407 408 409

410 411 412 413

414 415 416 417

418 419 420 421

422 423 424 425

426 427 428 429

430 431 432 433

434 435 436 437

438 439 440 441

442 443 444 445

446 447 448 449

450 451 452 453

454 455 456 457

458 459 460 461

462 463 464 465

466 467 468 469

470 471 472 473

474 475 476 477

478 479 480 481

482 483 484 485

486 487 488 489

490 491 492 493

494 495 496 497

498 499 500 501

502 503 504 505

506 507 508 509

510 511 512 513

514 515 516 517

518 519 520 521

522 523 524 525

526 527 528 529

530 531 532 533

534 535 536 537

538 539 540 541

542 543 544 545

546 547 548 549

550 551 552 553

554 555 556 557

558 559 560 561

562 563 564 565

566 567 568 569

570 571 572 573

574 575 576 577

578 579 580 581

582 583 584 585

586 587 588 589

590 591 592 593

594 595 596 597

598 599 600 601

602 603 604 605

606 607 608 609

610 611 612 613

614 615 616 617

618 619 620 621

622 623 624 625

626 627 628 629

630 631 632 633

634 635 636 637

638 639 640 641

642 643 644 645

646 647 648 649

650 651 652 653

654 655 656 657

658 659 660 661

662 663 664 665

666 667 668 669

670 671 672 673

674 675 676 677

678 679 680 681

682 683 684 685

686 687 688 689

690 691 692 693

694 695 696 697

698 699 700 701

702 703 704 705

706 707 708 709

710 711 712 713

714 715 716 717

718 719 720 721

722 723 724 725

726 727 728 729

730 731 732 733

734 735 736 737

738 739 740 741

742 743 744 745

746 747 748 749

750 751 752 753

754 755 756 757

758 759 760 761

762 763 764 765

766 767 768 769

770 771 772 773

774 775 776 777

778 779 780 781

782 783 784 785

786 787 788 789

790 791 792 793

794 795 796 797

798 799 800 801

802 803 804 805

806 807 808 809

810 811 812 813

814 815 816 817

818 819 820 821

822 823 824 825

826 827 828 829

830 831 832 833

834 835 836 837

838 839 840 841

842 843 844 845

846 847 848 849

850 851 852 853

854 855 856 857

858 859 860 861

862 863 864 865

866 867 868 869

870 871 872 873

874 875 876 877

878 879 880 881

882 883 884 885

886 887 888 889

890 891 892 893

894 895 896 897

898 899 900 901

902 903 904 905

906 907 908 909

910 911 912 913

914 915 916 917

918 919 920 921

922 923 924 925

926 927 928 929

930 931 932 933

934 935 936 937

938 939 940 941

942 943 944 945

946 947 948 949

950 951 952 953

954 955 956 957

958 959 960 961

962 963 964 965

966 967 968 969

970 971 972 973

974 975 976 977

978 979 980 981


982 983 984 985

986 987 988 989

990 991 992 993

DIAGRAM "B"
PRODUCTION FACILITIES SCHEMATIC

Natural Duck 18-20 GR



** FILE NOTATIONS **

DATE: June 12, 1981
OPERATOR: Bella Development Corporation
WELL NO: Natural Duck 18-20GR
Location: Sec. ^{NW NW} 20 T. 9S R. 20E County: Witak

File Prepared: Entered on N.I.D.:
Card Indexed: Completion Sheet:

API Number 43-047-30988

CHECKED BY:

Petroleum Engineer: M.J. Minder 6-26-81

Director: _____

Administrative Aide: as per Rule C-3, ok on boundaries

APPROVAL LETTER:

Bond Required: Survey Plat Required:

Order No. _____ O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation Fed. Plotted on Map

Approval Letter Written

Hot Line P.I.

Drilling

SUBMIT IN REPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1420.

4

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface 519' FWL & 804' FNL NW/NW
At proposed prod. zone SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
APPROX. 5 MILES SOUTH OF OURAY, UTAH

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
519'

16. NO. OF ACRES IN LEASE
40

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
5330'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4808' Natural G.L.

22. APPROX. DATE WORK WILL START*
8-5-81

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9 5/8"	36#	200'	200 sx "G"-to surf
8 3/4"	5 1/2"	17#	5330'	Sufficient to cover 200' above uppermost hydro-carbon zone

SEE ATTACHMENTS FOR:

- (1) Location Plat
- (2) 10 Point Program
- (3) BOP design
- (4) 13 Point surface Use Plan
- (5) Additional Provisions to surface use
- (6) Location Layout sheet
- (7) Topo maps A & B
- (8) Production Facilities Schematic

RECEIVED

JUN 18 1981

DIVISION OF
OIL, GAS & MINING

** This permit valid to base of Green River formation ONLY!*

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED J.C. Ball TITLE District Engineer DATE 4/27/81

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
APPROVED BY W.P. Matus FOR E. W. GUYNN DISTRICT ENGINEER DATE JUN 16 1981

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY See Instructions On Reverse Side


of state of ut.

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

T 9 S, R 20 E, S.L.B. & M.

PROJECT
BELCO DEVELOPMENT CORP.

Well location, *NATURAL DUCK # 18-20 GR*, located as shown in the NW 1/4 NW 1/4 Section 20, T9S, R20E, S.L.B. & M. Uintah County, Utah



X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

John J. Marshall
 REGISTERED LAND SURVEYOR
 REGISTRATION NO 2454
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 P. O. BOX Q - 85 SOUTH - 200 EAST
 VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 4/16/81
PARTY DA DB RDR	REFERENCES GLO PLAT
WEATHER CLOUDY/COOL	FILE BELCO DEVELOPMENT CORP.

BELO DEVELOPEMENT CORP.

PROPOSED LOCATION
NATURAL DUCK # 18-20 GR

TOPO.

MAP "A"




SCALE 1" = 4 MILES

PROPOSED LOCATION

4.5 MILES

1.0 MILES

UINTAH AND OURAY INDIAN RESERVATION



Cody

FROM: DISTRICT GEOLOGIST, , SALT LAKE CITY, UTAH

TO: DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-0144867-AOPERATOR: BelcoWELL NO. 18-20GRLOCATION: C NW $\frac{1}{2}$ NW $\frac{1}{2}$ sec. 20, T. 9S, R. 20E, 5CMUintah County, Utah

1. Stratigraphy:

Uintah	surface
Green River	~1865'
Wasatch	N/A
<u>TD</u>	<u>5330'</u>



2. Fresh Water:

Fresh water may be present in the Uintah and in upper Green River sandstones.

3. Leasable Minerals:

Oil shale: Green River (~1865' to ~3900'). The Mahogany zone should occur at ~2500'

Saline minerals: Green River. These may occur in a 800' rock interval immediately overlying the Mahogany.

Oil: Lower Green River (Douglas Creek)

Gas: Wasatch

4. Additional Logs Needed:

Density logs should be run through entire Green River oil shale interval.

5. Potential Geologic Hazards: None expected.

6. References and Remarks:

Signature: Gregory W. WoodDate: 4-30-81

Identification CER/EA No. 426-81

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Belco Development Corp.
Project Type Oil Well Development
Project Location 579' FWL 804' FNL Section 20, T. 9S, R. 20E
Well No. 18-20 Lease No. U-0144867-A
Date Project Submitted April 27, 1981

FIELD INSPECTION

Date May 28, 1981

Field Inspection
Participants

Craig Hansen USGS, Vernal


Lynn Hall BIA, Ft. Duchesne

Rick Schatz Belco

Related Environmental Documents: _____

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

June 8, 1981
Date Prepared


Environmental Scientist

I concur
JUN 15 1981
Date


District Supervisor

FOR
E. W. GYNN
DISTRICT ENGINEER

Typing In 6-8-81 Typing Out 6-9-81

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey
(Conservation Division, Geological Division, Water Resource Division,
Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement

RECOMMENDED STIPULATIONS FOR BELCO #18-20

1. Operator will adhere to standard BIA surface stipulations.
2. Operator will paint production facilities a tan color to blend in with the natural surroundings.
3. Low profile tanks will be used to reduce visual effects to people in the area.
4. Access road will have wing ditches to divert water away from center line of road.
5. Topsoil will be placed on the west edge of the location.



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

UINTAH AND OURAY AGENCY

Fort Duchesne, Utah 84026

(801) 722-2406 Ext. #202

IN REPLY REFER TO:

Land Operations, SMC

June 4, 1981

Mr. Craig Hansen
U.S. Geological Survey
Conservation Division
P.O. Box 1037
Vernal, Utah 84078



Dear Mr. Hansen:

Enclosed are Negative Declarations and Environmental Analysis for 12 Belco Development Corporation Well locations identified by Well No's 55-9, 54-9, 51-8GR, 52-16, 43-17GR, 44-17GR, 48-17GR, 46-17GR, 18-20GR, 47-17GR, 58-8GR, and 50-17GR.

The Operator's Surface Use and Operating Plan is adequate with the modification made at the on-site inspection and recorded in the U.S.G.S. Environmental Assessments.

The general stipulations (BIA) on file with your office and stipulations listed under item 4, Mitigating Measures, of each Environmental Analysis, are conditions of approval.

Sincerely yours,

Superintendent

Enclosure

UNITED STATES GOVERNMENT

Memorandum

TO : Acting Realty Officer

DATE: June 9, 1981

FROM : Soil Conservationist

SUBJECT: Environmental Analysis and Negative Declarations

Enclosed are Environmental Analysis and Negative Declarations
for Belco Development Corp. to drill gas wells near Ouray, Utah.

R. Lynn Hall
R. Lynn Hall

FY: '81-94, '81-100,
'81-95, '81-101,
'81-96, '81-102,
'81-97, '81-103,
'81-98, '81-104,
'81-99, '81-105

Utah and Ouray Agency
Environmental Analysis and Negative Declaration

1. Description of Proposal:

Belco Development Corp. proposes to drill an Oil well 18-20GR
to a proposed depth of 5330 feet; to construct approximately 0.8 miles of new access roads
and upgrade approximately none miles of existing access road. The well site is located approximately
5 miles South of Ouray, Utah in the NWNW, Sec. 20, T9S, R. 20E, S1M.
519' FWL & 804' FNL

2. Description of the Environment:

The area is used for livestock, wildlife, scenic value, hunting, and Oil and Gas
drilling and production. The topography is mesa
top near an eroded valley with bedrock outcrop. The vegetation consists of
shadscale, horsebrush, rabbitbrush, galleta, russian thistle mustard

The area is used as wildlife habitat for X deer, X antelope, ___ elk, ___
bear, X small animals, ___ pheasant, X dove, ___ sage grouse, ___ ruffle grouse, ___ blue grouse, ___ bald eagle, X
golden eagle, other rabbits, coyote, rodents, reptiles, raptors, small desert
birds. The climate is characterized by having cold snowy winters and warm dry summers. Tempera-
tures range from -40°F during the winter to 105°F in the summer. The approximate annual precipitation is 6-8
inches. The elevation is 4808 feet.

3. Environmental Impacts:

During construction of the well dust and exhaust emissions will affect air quality. Soil and vegetation will be re-
moved from 6.3 acres of land occupied by the well site and access road. The disturbance of the soil and removal of
vegetation will:

A. Destroy wildlife habitat for: X deer, X antelope, ___ elk, ___ bear, X small mammals, ___ pheasant, X dove, ___ sage grouse, ___
ruffle grouse, ___ blue grouse, X rabbit, X golden eagle, ___ bald eagle, other small rodents and reptiles.

B. Remove from production: X rangeland for livestock grazing, ___ irrigated cropland, ___ irrigated pastureland, ___ prime
timberland, ___ pinion-juniper land.

C. Result in the invasion of annual weeds and will cause accelerated soil erosion: During the construction and pro-
duction of the well human activity in the area will increase significantly. This is expected to significantly in-
crease X poaching of wildlife, X disturbance of wildlife, X vandalism of property, ___ theft of firewood, X litter accumu-
lations, X livestock disturbance, X livestock thefts, X livestock loss to accidents, X increase the hazard to public
health and safety. There is a ___ high, X moderate, ___ slight possibility that pollution from this activity will enter
a stream or lake.

Production facilities can easily be seen from a: ___ community, ___ major highway, ___ public facility.

4. Mitigating measures:

To lessen the impact on the environment the provisions stipulated in the letter to Mr. Ed W. Quinn, District Engineer,
U.S. Geological Survey, dated February 13, 1980 will be implemented. Additional stipulations and changes to the 11
point surface use plan are: (1) Obtain right-of-way and required permits from the BIA.
(2) Compensate the surface owner for all damages. (3) Comply with all USGS, BIA,
and Tribal Regulations and Ordinance. (4) Assume a continuing responsibility
for operation and maintenance of roads, culverts, pipelines, and other facilities.
(5) Take measures to prevent or reduce erosion, and revegetate all disturbed
surface areas according to BIA specifications. (6) Comply with operating plan
as modified at on-site evaluation and recorded in USGS EA# 426-81.

5. Unavoidable adverse effects:

None of the adverse effects listed in item #3 above can be avoided in a practical manner except those which were mitigated in item #4 above.

6. Relationship between short term and longterm productivity:

As long as oil or gas wells are producing and the access roads are retained there will be a total loss of production on the land and the Environmental Impacts will continue to affect the surrounding area. Normally oil and gas wells produce from 15 to 30 years. After the wells stop producing it is standard policy to restore the surface to near its original condition. Occasionally the site occupied by the well or road can be restored to produce as such as it originally produced, but most of the time it can not be restored to its original productive capacity. Therefore, the land surface productive ability will be permanently damaged.

7. Irreversible and Irretrievable commitment of Natural Resources:

There are two irreversible and irretrievable resources commit in this action.

- A. Oil or Gas: Oil and gas is a non-renewable resource. Once it has been removed it can never be replaced.
- B. Damage to the land surface: There are three causes of damage to the soil surface due to oil or gas wells and road construction. (1) Gravel is normally hauled onto the site as a pad foundation for equipment and traffic to operate on. Gravel has low fertility and low waterholding capacity. Therefore, after the site is restored the gravel must either be removed, or incorporated into the natural landscape. (2) Chemicals are often either accidentally spilled or intentionally applied to the site for weed and dust control. Generally the chemicals are crude oil or production water, which may contain as much as 20,000 PPM of salts. Once chemicals become incorporated in the soil they are difficult to remove and interfere with the soils ability to produce vegetation. (3) Soil compaction occurs where the site is subject to sticky wet weather and traffic from heavy trucks and equipment. Each of the above items cause soil damage and after the site is restored the productive ability of the soil will be damaged permanently.

8. Alternatives:

- A. No. program - This alternative refuses the authorization of the application for permit to drill. This action would not allow the operator to enter upon the land surface to drill for oil or gas. Because the minerals usually cannot be developed without encroachment on the surface, the mineral estate is normally and traditionally designated as dominant, and the surface ownership subservient. The mineral operator's conduct is generally prescribed only by the rule of reasonableness and the limitations that he is not permitted to act in a wanton or negligent manner. Within their confines, the operator has considerable latitude in the necessary use of the surface to produce and develop the mineral estate. Therefore if the application for permit is not signed, the operator would undoubtedly initiate court proceedings against the surface owner, in this case the Ute Tribe and the Bureau of Indian Affairs. Historically the courts have upheld the right of the mineral owner to develop the mineral resource regardless of the surface owners desire, therefore the operators rights will likely be upheld if B.I.A. refuses to sign the application for permit to drill this well.
- B. Sign the application for permit to drill. This alternative authorizes the operator to drill for oil or gas as prescribed in the application, providing he complies with stipulations which are considered reasonable as specified in paragraph 4 above under mitigating measures.

9. Consultations:

Craig Hansen - USGS, Vernal, Utah

Rick Schatz - Belco, Vernal, Utah

R. Lynn Hall 6/4/81
B.I.A. Representative

10. We (concur with or, recommend) approval of the Application for Permit to Drill the subject well.

Based on available information 5-28-81, we have cleared the proposed location in the following areas of environmental impacts:

Yes y No ___ Listed threatened or endangered species

Yes X No ___ Critical wildlife habitat

Yes X No ___ Historical or cultural resources

Yes ___ No ___ Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)

Yes ___ No ___ Other (if necessary)

Remarks: _____

The necessary surface protection and rehabilitation requirements are specified above.

R. Lynn Hall 6-4-81
B.I.M. Representative

11. Declaration:

It has been determined that the drilling of the above well is not a Federal action significantly affecting the quality of the environment as would require the preparation of an environmental statement in accordance with Section 102 (2) (c) of the National Environmental Policy Act of 1969 (42 USC 4331) (2) (c).

L.W. Collier Jr
Superintendent

June 29, 1981

Belco Development Corp.
P. O. BOX "X"
Vernal, Utah 84078

RE: Well No. Natural Duck #18-20GR
Sec. 20, T. 9S, R. 20E,
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure. However, This well may be completed as an oil well ONLY in the green river formation.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-30988.

Sincerely,

DIVISION OF OIL, GAS, AND MINING



Michael T. Minder
Petroleum Engineer

MTM/db
CC: USGS



STATE OF UTAH
NATURAL RESOURCES & ENERGY
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 3, 1982

Belco Development Corporation
P. O. Box X
Vernal, Utah 84078

Re: See attached

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

A handwritten signature in cursive script that reads "Cari Furse".

Cari Furse
Clerk Typist

Well No. Duck Creek 56-8GR
Sec. 8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #57-8GR
Sec. 8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #58-8GR
Sec. 8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #59-8GR
Sec. 8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #54-9
Sec. 9, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #55-9
Sec. 9, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #52-16GR
Sec. 16, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #13-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #43-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #44-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #45-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #46-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #47-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #48-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #49-17GR
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #16-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #17-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #18-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #19-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #20-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #21-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #22-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #23-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #15-21GR
Sec. 21, T. 9S, R. 20E.
Uintah County, Utah

Belco Development Corporation

Belco

March 8, 1982

State of Utah
Division of Oil, Gas and Mining
1588 West North Temple
Salt Lake City, Utah 84116


Attn: Cari Furse

RE: See attached list

Dear Ms Furse,

All wells as listed on the attached sheet are being considered by Belco Development Corporation for drilling sometime this year. No activity has taken place on any location as of this date. Belco will notify you when the location is spudded. The Duck Creek 52-16GR well is still waiting on USGS approval.

Sincerely,


Kathy Knutson
Engineering Clerk

/kk

cc: File

RECEIVED
MAR 11 1982

DIVISION OF
OIL, GAS & MINING

Well No. Duck Creek 56-8GR ✓
Sec. 8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #57-8GR
Sec. 8, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #58-8GR ✓
Sec. 8, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #59-8GR
Sec. 8, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #54-9 ✓
Sec. 9, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #55-9
Sec. 9, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #52-16GR
Sec. 16, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #13-17GR
Sec. 17, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #43-17GR ✓
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #44-17GR
Sec. 17, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #45-17GR ✓
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #46-17GR
Sec. 17, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #47-17GR ✓
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Duck Creek #48-17GR
Sec. 17, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Duck Creek #49-17GR ✓
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #16-20GR
Sec. 20, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Natural Duck #17-20GR
Sec. 20, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Natural Duck #18-20GR
Sec. 20, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Natural Duck #19-20GR ✓
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #20-20GR
Sec. 20, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Natural Duck #21-20GR ✓
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #22-20GR
Sec. 20, T. 9S, R. 20E. ✓
Uintah County, Utah

Well No. Natural Duck #23-20GR ✓
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck #15-21GR
Sec. 21, T. 9S, R. 20E. ✓
Uintah County, Utah

Belco Development Corporation



May 24, 1982

Mr. E. W. Gynn - District Engineer
United States Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: TIME EXTENSION
APPLICATION FOR PERMIT TO DRILL
Natural Duck 18-20GR
Section 20, T9S, R20E

Duck Creek 48-17GR
Section 17, T9S, R20E
Uintah County, Utah

Dear Sir,

Attached are originals and two copies of Sundry Notices for the above two referenced wells requesting that the Applications for Permit to Drill be extended for another 6 months. It is proposed to drill both wells this fall. Both original APD's were approved on June 16, 1981.

Sincerely,

A handwritten signature in cursive script that reads "Kathy Knutson".

Kathy Knutson
Engineering Clerk

/kk
attachments

cc: Division of Oil, Gas & Mining
Belco - Houston
Belco - Denver
File

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
BELCO DEVELOPMENT CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX X, VERNAL, UTAH 84078

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 519' FWL & 804' FNL (NW/NW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH:

5. LEASE
U-0144867-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE

7. UNIT AGREEMENT NAME
SALT LAKE CITY, UTAH

8. FARM OR LEASE NAME
NATURAL DUCK

9. WELL NO.
18-20GR

10. FIELD OR WILDCAT NAME

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC 20, T9S, R20E

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. API NO.
43-047-30988

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4808' NAT GL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>	EXTENSION OF TIME	<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is hereby requested that an extension of time on the Application for Permit to Drill the above referenced well be granted. The original permit was approved June 16, 1982. It is proposed that drilling operations will start in October of this year.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED J. Beal TITLE DISTRICT ENGINEER DATE MAY 24, 1982

APPROVED BY W.P. Martin (This space for Federal or State office use) FOR E. W. GUYNN TITLE DISTRICT OIL & GAS SUPERVISOR DATE JUN 11 1982

CONDITIONS OF APPROVAL, IF ANY:

THIS RE-APPROVAL IS SUBJECT TO ALL OF THE CONDITIONS OF APPROVAL ORIGINALLY APPROVED ON JUNE 16, 1981.

NOTICE OF APPROVAL

*See Instructions on Reverse Side

State Oil & Gas



STATE OF UTAH
NATURAL RESOURCES & ENERGY
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 21, 1983

Belco Development Corporation
P. O. Box X
Vernal, Utah 84078

Re: See attached list of wells

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a firm second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

A handwritten signature in cursive script that reads "Cari Furse".

Cari Furse
Well Records Specialist

CF/cf

Well No. North Duck Creek # 62-30
Sec. 30, T. 8S, R. 21E.
Uintah County, Utah

Well No. North Duck Creek # 48-17
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck # 18-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Buttes # 7-19GR
Sec. 19, T. 9S, R. 21E.
Uintah County, Utah

Well No. Natural Buttes Unit # 201-20
Sec. 20, T. 9S, R. 21E.
Uintah County, Utah

Well No. Chapita Wells # 203-16MV
Sec. 16, T. 9S, R. 22E.
Uintah County, Utah

M

Belco Development Corporation

Belco

March 23, 1983

State of Utah
Division of Oil, Gas & Mining
4241 State Office Building
Salt Lake City, Utah 84114

SUBJECT: See attached List of Wells

Dear Sirs,

This letter is to notify you that Belco does not intend at this time to drill any of the wells on the attached list. There has been no surface disturbance at any of these locations. If at some future date these wells should come up for possible drilling activity, a new APD will be issued.

Very truly yours,



Kathy Knutson
Engineering Clerk

/kk
attachments

cc: Files
Denver
Houston

RECEIVED
MAR 25 1983

DIVISION OF
OIL, GAS & MINING

Well No. North Duck Creek # 62-30
Sec. 30, T. 8S, R. 21E.
Uintah County, Utah

Well No. North Duck Creek # 48-17
Sec. 17, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Duck # 18-20GR
Sec. 20, T. 9S, R. 20E.
Uintah County, Utah

Well No. Natural Buttes # 7-19GR
Sec. 19, T. 9S, R. 21E.
Uintah County, Utah

Well No. Natural Buttes Unit # 201-20
Sec. 20, T. 9S, R. 21E.
Uintah County, Utah

Well No. Chapita Wells # 203-16MV
Sec. 16, T. 9S, R. 22E.
Uintah County, Utah

RECEIVED
MAR 25 1983
MAR 6 1983

DIVISION OF
OIL GAS & MINING

3140
(U-922)

Branch of Fluid Minerals
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

August 8, 1983

Seico Development Corporation
P.O. Box X
Vernal, UT 84078

Re: Rescinded Application for Permit
to Drill
Well No. 18-2088
Section 20-T9S-R10E
Uintah County, Utah
Lease No. U-0144867-A

Gentlemen:

The Application for Permit to Drill the referenced well was approved on April 27, 1981. Since that date no known activity has transpired at the approved location. Under current District policy, applications for permit to drill are effective for a period of one year. In view of the foregoing this office is rescinding the approval of the referenced application without prejudice. If you intend to drill at this location at a future date, a new application for permit to drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must then be submitted to this office. Your cooperation in this matter is appreciated.

Sincerely,

E. W. Gayne
Chief, Branch of
Fluid Minerals

hec: SLM-Vernal
J State O&G
State BLM
EIA
Well File
APD Control
BSP/RE Reading

942:DWoreley:rw:8/8/83:4590