

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
 P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface
 660' FSL/1982' FWL
 At proposed prod. zone
 Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 15 miles SE of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drilg. unit line, if any) 660'

16. NO. OF ACRES IN LEASE
 1440

17. NO. OF ACRES ASSIGNED TO THIS WELL
 160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 3100'

19. PROPOSED DEPTH
 7200'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4862' Ungr. Gr.

22. APPROX. DATE WORK WILL START*
 1/15/82

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sx
8-3/4", 7-7/8"	4-1/2"	11.6#	7200'	Sufficient cmt to cover 200' above the uppermost hydrocarbon zone to protect the oil shale.

Fresh water aquifers will be protected when the long string is run and cement is circulated back to surface.

Please see the attached supplemental information:

- (1) Survey Plat
- (2) Ten-point Program
- (3) BOP Schematic
- (4) Thirteen-point Surface Use Program

10-15-81
M.J. Mink

Gas Well Production Hook-up to follow on Sundry Notice.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *H. E. A&D* TITLE District Drilling Manager DATE Sept. 23, 1981

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

1. Geologic name of surface formation:

UINTA

2. The estimated tops of important geologic markers:

GREEN RIVER: 1650'

WASATCH: 5030'

3. The estimated depths at which anticipated water, oil, gas are expected to be encountered:

WASATCH - 5030' GAS -

4. The proposed casing program, including the size, grade and weight per foot each string and whether new or used:

9-5/8" - K-55, ST&C - 36# - NEW

4 -1/2" - N-80, LT&C - 11.6# - NEW

5. The operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings and testing procedures and testing frequency:

BOTTOM 3000# BOP W/4-1/2" pipe rams
3000# BOP W/blind rams
3000# Hydril

TOP: Grant rotating head

Manifold includes appropriate valves, positive and adjustable chokes and kill line to control abnormal pressures.

BOP's will be tested at installation and will be cycled on each trip.

6. The type and characteristics of the proposed circulating medium to be employed for rotary drilling and the quantities and types of mud and weighting material to be maintained:

10-POINT PROGRAM - PAGE 2

6. Continued --

The well will be drilled with fresh water from surface to 4500' with a weight of 8.3 to 8.7 . From 4500' to TD the well will be drilled with fresh wtr mud with a weight from 8.7 to 10.4 . Sufficient weighting material (barite) will be on location to increase the mud weight if abnormal pressure is encountered.

7. The auxiliary equipment to be used:
- a. kelly cock
 - b. monitoring equipment on the mud system
 - c. a sub on the floor with a full opening valve to be stabbed into the drill pipe when the kelly is not in the string.


8. The testing, logging and coring program to be followed:
- No DST's are planned
No cores are expected to be cut.

LOGS: Dual Induction Laterolog
Compensated Neutron-Formation Density

9. Any anticipated abnormal pressures or temperatures expected to be encountered:
- No abnormal pressures or temperatures expected
No hydrogen sulfide expected
10. The anticipated starting date and duration of the operation:
- January 15, 1982
Three week's duration

3000 psi

psi Working Pressure BOP's



Test Procedure

- 1) Flush BOP's and all lines to be tested with water.
- 2) Run test plug on test joint and seat in casing head (leave valve below test plug open to check for leak).
- 3) Test the following to rated pressure:
 - a) inside blowout preventer
 - b) lower kelly cock
 - c) upper kelly cock
 - d) stand pipe valve
 - e) lines to mud pump
 - f) kill line to BOP's
- 4) Close and test pipe rams to rated pressure.
- 5) Close and test Hydril to rated pressure.
- 6) Back off and leave test plug in place. Close and test blind rams to rated pressure.
- 7) Test all choke manifold valves to rated pressure.
- 8) Test kill line valves to rated pressure.

COASTAL OIL & GAS CORPORATION

13 Point Surface Use Plan

for

Well Location

N.B.U. #65

Located In

Section 14, T9S, R21E, S.L.B. & M.

Uintah County, Utah

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B. & M.

1. EXISTING ROADS

See attached Topographic Maps "A" & "B".

To reach COASTAL OIL & GAS CORPORATION, well location site N.B.U. #65 located in the SE 1/4 SW 1/4 Section 14, T9S, R21E, S.L.B. & M., Uintah County, Utah:

Proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 14 miles to the junction of this road and Utah State Highway 209; proceed South along Utah State Highway 209 - 7 miles more or less to the junction of this Highway and the Utah State Highway 88; proceed Southerly on Highway 88 - 10 miles to Ouray, Utah; proceed along South on a county road known as the Seep Ridge Road 0.2 miles to its junction with a County road to the East; proceed in an Easterly direction along this road along the North side of the White River 12.8 miles to its junction with the Glen Bench road to the South; proceed in a Southerly direction along this road 1.9 miles to the Mountain Fuel Bridge; proceed across the Mountain Fuel Bridge 1.2 miles to its junction with a road to the Northwest; proceed in a Northwesterly direction along this road 2 miles to its junction with an existing road to the South; proceed in a Southeasterly direction along this road 1.1 miles to the junction of this road and the proposed access road (to be discussed in Item #2).

The highways mentioned above are bituminous surfaced roads to Ouray, Utah and are maintained by State road crews.

The county road known as the Seep Ridge Road is surfaced with native asphalt for ± 4 miles and is then a gravel surface road. The above described county road is maintained by county road crews and will require no further maintenance. The dirt gas field roads described above are dirt surfaced road that were built out of the native materials of the area which were accumulated during their construction. These materials consist of light brown sandy clay materials with some poorly graded gravels. These gas field roads will be maintained by COASTAL OIL & GAS CORPORATION or its sub-contractors, this maintenance will consist of some minor grader work to smooth road grades and for snow removal.

There is no anticipated construction on any portion of the above described roads. They will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase, completion phase, and production phase of this well at such time that production is established.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The proposed access road leaves the existing road described in Item #1 in the SE 1/4 SE 1/4 Section 14, T9S, R21E, S.L.B. & M., and proceeds in a Westerly direction 0.3 miles to the proposed location site.

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B. & M.

The grade along this road will be relatively level, the maximum grade along this road will not exceed 8%. The vegetation along this road consists of sagebrush and grasses with large areas devoid of any vegetation.

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area.

Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced.

The road will be centerline flagged prior to the commencement of construction. This road will be constructed out of the native materials which will be accumulated during its construction.

It is not anticipated at this time that there will be any turnouts required along this road, however, if at the time of the onsite inspection, it is determined that it is necessary, then it will be constructed according to the specifications for turnout installation in the Oil & Gas Surface Operation Manual.

It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence.

There are no fences encountered along this access road, there will be no gates or cattleguards required.

3. EXISTING WELLS

There are approximately 3 existing producing gas wells within a one mile radius of this location site. See Topographic Map "B" for the location of these wells relative to the proposed location site.

There are no water wells, abandoned wells, temporarily abandoned wells, disposal wells, drilling wells, shut-in wells, injection wells, monitoring or observation wells for other resources located within a one-mile radius of this location site.

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B. & M.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

At the present time there are existing facilities belonging to COASTAL OIL & GAS CORPORATION within a one-mile radius of this location site.

In the event that production is established at this location the production will be contained within the location site until a gas line can be run from this location to existing lines in the area. The exact location of this line is not known at this time. Detailed plans for this line will be submitted to the appropriate agencies before construction begins, showing the approximate final location of the facilities.

All areas used to contain these production facilities will be built out of the native materials accumulated during their construction. These facilities will be constructed using graders, bulldozers, and workman crews to construct and place the proposed facilities.

The proposed gas flow line will be an 18' right-of-way.

If there is any deviation from the above, all appropriate agencies will be notified.

5. LOCATION AND TYPE OF WATER SUPPLY

Water to be used for the drilling and production of this well will be hauled by truck from the White River at a point in the SW 1/4 NE 1/4 Section 17, T9S, R22E, S.L.B. & M. 5 miles over the roads described in Items #1 & 2.

In the event the above source cannot be improvised other arrangements will be made and all concerned agencies will be notified. All permits and necessary requirements will be strictly adhered to.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of a sandy-clay soil and sandstone and shale materials gathered in actual construction of the road and location.

7. METHODS OF HANDLING WASTE DISPOSAL

See Location Layout Sheet.

A reserve pit shall be constructed.

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B. & M.

The reserve pit will be 8' deep and at least half of the depth of the reserve pit shall be below the existing ground surface.

One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one half will be used to store non-flammable material such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

If deemed necessary by the agencies concerned, to prevent contamination to surrounding areas, the reserve pit will be lined with a gel.

The pits will have wire and overhead flagging installed at such time as deemed necessary to protect the water fowl, wildlife, and domestic animals.

At the onset of drilling, the reserve pit will be fenced on three sides and at the time the drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that backfilling and reclamation activities are attempted.

When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements of Item #10 will be followed.

A portable trash basket will be placed on the location site and all trash will be hauled to the nearest Sanitary Landfill.

A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached location layout sheet.

The B.I.A. Representative shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B. & M.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See location layout sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during the construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket shall be hauled to the nearest sanitary landfill.

Restoration activities shall begin within 90 days after completion of the well. Once Restoration activities have begun, they shall be completed within 30 days.

When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.I.A. Representative when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area - (See Topographic Map "A")

The area is a large basin formed by the Uinta Mountains to the North and the Book Cliff Mountains to the South. The White River is located approximately 6 mile to the East of the location site and 3 miles to the North of the location site.

The majority of the washes and streams in the area are non-perennial in nature with the only ones in the area having a year round flow being the White River and Green River to the North and Willow Creek to the West, of which the numerous washes, draws and non-perennial streams are tributaries to.

The majority of the surrounding drainages are of a non-perennial nature with normal flow limited to the early spring and extremely rare heavy thunderstorms, or rainstorms of high intensity that lasts over an extended period of time and are extremely rare in nature as the normal annual precipitation is only 8".

All drainages in the immediate area are non-perennial streams and flow to the North and are tributaries to the White River.

The soils of this semi-arid area are of the Uinta Formation and Duchesne River Formation (the Fluvial Sandstone and Mudstone) from the Eocene Epoch and Quaternary Epoch (gravels surfaces) and the visible geologic structure consists of light brownish-gray clays (OL) to sandy soils (SM-ML) with poor gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates and shales)

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B. & M.

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area are common of the semi-arid region we are located in and in the lower elevations of the Uintah Basin. It consists of, as primary flow areas of sagebrush, rabbitbrush, some grasses, and cacti and large areas of bare soils devoid of any growth in the areas away from and in the vicinity of non-perennial streams and along the areas that are formed along the edges of perennial streams, cottonwood, willows, tamarack sagebrush, rabbitbrush, grasses and cacti can be found.

The fauna of the area is sparse and consists predominantly of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to this area.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

The Topography of the Immediate Area - (See Topographic Map "B").

N.B.U. #65 is located on a relatively flat area approximately 3 mile South of the White River.

The geologic structure of the location is of the Uinta Formation and consists of light brownish-gray clay (SP-PL) with some sandstone outcrops.

The ground slopes through this location site from the Southwest through the site to the Northeast at approximately a 3.5% grade.

The location is covered with some sagebrush and grasses.

The total surface ownership affected by this location is administered by the B.I.A.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

COASTAL OIL & GAS CORPORATION
P.O. Box 749
Denver, CO. 80201


1-303-572-1121

COASTAL OIL & GAS CORPORATION
N.B.U. #65
Section 14, T9S, R21E, S.L.B.& M.

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with the operation proposed herein will be performed by COASTAL OIL & GAS CORPORATION and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.


September 23, 1981
Date



H. E. Aab
District Drilling Manager


COASTAL OIL & GAS CORPORATION
N.B.U. #6

PROPOSED LOCATION



SCALE - 1" = 2000'

ROAD CLASSIFICATION
Light-duty road, all weather, improved surface
Unimproved road, all weather



**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE 660' FSL/1982' FWL
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Proposed Gas Well Prod. Hookup		


5. LEASE U-01193	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe Surface	
7. UNIT AGREEMENT NAME Natural Buttes Unit	
8. FARM OR LEASE NAME Natural Buttes Unit	
9. WELL NO. Natural Buttes Unit No. 65	
10. FIELD OR WILDCAT NAME Natural Buttes Field	
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 14-T9S-R21E	
12. COUNTY OR PARISH Uintah	13. STATE Utah
14. API NO.	
15. ELEVATIONS (SHOW DF, KDB, AND WD) 4862' Ungr. Gr.	

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SUPPLEMENT TO APPLICATION FOR PERMIT TO DRILL

- (1) PROPOSED GAS WELL PRODUCTION HOOKUP
 - (A) TYPICAL WELL HEAD INSTALLATION
 - (B) TYPICAL MAIN LINES AND PIPE ANCHOR DETAIL
- (2) PROPOSED PIPELINE MAP
- (3) PROPOSED ROAD AND FLOW LINE AND PIPELINE RIGHT OF WAY




FOR ON-SITE CONTACT: IRA K. McCLANAHAN AT (303) 473-2300
Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED F. R. Midkiff TITLE Production Manager DATE October 5, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



COASTAL OIL & GAS CORPORATION
DENVER, COLORADO

Natural Buttes Unit No 65
Section 14-T9S-R21E
Uintah County, Utah

ESTIMATE SKETCH

DATE: 9-25-81
STARTING DATE: _____
EST. COMP. DATE: _____
 COMPANY CONTRACT


COLORADO INTERSTATE GAS COMPANY

W O NO.: _____
REVISION NO.: _____
BUDGET NO.: _____
RELATED DWG.: 115F4-1B

LOCATION: SE SW SEC. 14-T9S-R21E COUNTY: UNUTAH STATE: UTAH
DESCRIPTION OF WORK: CONNECT NBH #65 NATURAL BUTTES FIELD

REQUESTED BY: _____ APPROXIMATE MILEAGE: _____ PROJECT ENGINEER: JFK

RANGE: 21E



4" ON 4" S.U. PER
115' FP-40 W/CHECK
VALVE

APPROX. 2,000' OF 4 1/2" O.D. X
.125" WT. GR X-42 PIPE

2" MS. P53 2M W/ DEHYDRATOR

TOWNSHIP: 9S


Statement for permit to lay flow line, to be included with application for Drilling Permit:

Upon approval of all concerned regulatory agencies, CIG proposes to install a surface flow line from NBU 65 in a northwesterly direction through the SW/4 of Section 14 connecting to Line F93-4" in the SW/4 of Section 14, all in 9S-21E. The line will be approximately 2,000' long, as shown on the attached sketches.

Pipe will be 4-1/2" O.D. x .125" W.T., Grade X-42 EW. It will be butt-welded in place, using portable electric welding machines, and will be laid aboveground except where burial is necessary for road crossing, ditches, or other obstructions. Magnesium anodes will be installed at the dehydrator, meter setting, road crossings, underground piping at stream crossings, and at producer's separator for corrosion protection.

CIG will connect to producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.



Colorado Interstate Gas Co.
 COLORADO SPRINGS, COLORADO

TYPICAL WELL HEAD INSTALLATION
 NATURAL BUTTES FIELD

UINTAH COUNTY, UTAH

NO.	C O. NO.	DESCRIPTION	DATE	BY	CHK.	APPR.	SCALE: NONE	DRAWN: RWP	APP:	115FP-2 1/8
-----	----------	-------------	------	----	------	-------	-------------	------------	------	-------------

PIPELINE TO BE ADEQUATELY ANCHORED TO PREVENT UNDUE MOVEMENT OR STRAIN TO EXISTING FACILITY. NUMBER AND SPACING OF ANCHORS TO BE DETERMINED IN FIELD

FOR PIPE ANCHOR
DETAIL SEE DWG.
80FM3-4A

20' ±

B.O.
C.Y.
S.Y.

EXIST. PIPELINE

ALTERNATE ANCHOR - BURY PIPELINE MIN. OF 18"

(TYP. FOR G.P.E. OR C.I.G.)

C.I.G. OTHER

INSUL.

TYP. FOR CONN. TO M.F.S.

Colorado Interstate Gas Co.
COLORADO SPRINGS, COLORADO

TYPICAL CONNECTION TO MAIN LINES AND PIPE ANCHOR
DETAIL - NATURAL BUTTES FIELD
UINTA COUNTY, UTAH

1	23858	REVISE STARTING POINT	8-22-77	RWP	[Signature]
---	-------	-----------------------	---------	-----	-------------

NO	C O. NO	DESCRIPTION	DATE	BY	CHK.	APP.	SCALE: NONE	DRAWN: RWP	APP: [Signature]	115FP-1 1/8
REVISIONS										
DATE: 7-7-77 CHECK: [Signature] C O 23858										

** FILE NOTATIONS **

DATE: October 15, 1981

OPERATOR: Coastal Oil & Gas Corporation

WELL NO: Natural Buttes Unit # 65

Location: Sec. 14 T. 9S R. 21E County: Wintah

File Prepared:

Entered on N.I.D:

Card Indexed:

Completion Sheet:

API Number 43-047-31099

CHECKED BY:

Petroleum Engineer: M.J. Minder 10-15-81

Director: _____

Administrative Aide: Unit Well, abn boundaries

APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. _____

O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation fed.

Plotted on Map

Approval Letter Written

Hot Line

P.I.

October 19, 1981

Coastal Oil & Gas Corp.
P. O. Box 749
Denver, Colo. 80201

RE: Well No. Natural Buttes Unit #65,
Sec. 14, T. 9S, R. 21E,
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31099.

Sincerely

DIVISION OF OIL, GAS AND MINING


Cleon B. Feight
Director

CBF/db
CC: USGS



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

UINTAH AND OURAY AGENCY

Fort Duchesne, Utah 84026

(801) 722-2406 Ext. #202

IN REPLY REFER TO:

Land Operations, SMC

November 4, 1981

Mr. Craig Hansen
U.S. Geological Survey
Oil and Gas Division
P.O. Box 1037
Vernal, Utah 84078

Dear Mr. Hansen:


Enclosed are Environmental Analysis and Negative Declarations for Coastal Oil and Gas Corporation's proposed wells listed below:

<u>Well No.</u>	<u>Location</u>
63	SWNW, Sec. 12, T9S., R21E., S1M
64	NESE, Sec. 8, T9S., R21E., S1M
65	SESW, Sec. 14, T9S., R21E., S1M
66	NESE, Sec. 21, T9S., R20E., S1M
67	NESW, Sec. 21, T9S., R20E., S1M

We also concur in the approval of the installation of surface flowlines and hook-up from existing lines to the well head with the following stipulations:

1. Flowlines will parallel access road whenever possible.
2. Flowlines will be installed above ground with no removal of vegetation except that damage caused by vehicles transporting pipe and equipment.
3. Where pipelines must be buried to cross under roads, the disturbed land areas shall be re-vegetated to adapted plant species determined by the appropriate Bureau of Indian Affairs Representative.
4. The operator shall assume the responsibility of maintaining the facilities in a safe operable condition and avoid or cleanup any foreign material that may distract from the natural landscape.

Sincerely yours,


Superintendent

Enclosure



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface
660' FSL/1982' FWL
 At proposed prod. zone
Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Approximately 15 miles SE of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)
660'

16. NO. OF ACRES IN LEASE
1440

17. NO. OF ACRES ASSIGNED TO THIS WELL
160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
3100'

19. PROPOSED DEPTH
7200'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4862' Ungr. Gr.

22. APPROX. DATE WORK WILL START*
1/15/82

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sx
8-3/4", 7-7/8"	4-1/2"	11.6#	7200'	Sufficient cmt to cover 200' above the uppermost hydrocarbon zone to protect the oil shale.

Fresh water aquifers will be protected when the long string is run and cement is circulated back to surface.

Please see the attached supplemental information:

- (1) Survey Plat
- (2) Ten-point Program
- (3) BOP Schematic
- (4) Thirteen-point Surface Use Program

Gas Well Production Hook-up to follow on Sundry Notice.

RECEIVED
APR 05 1982

DIVISION OF
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H. E. Aas TITLE District Drilling Manager DATE Sept. 23, 1981

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
 FOR E. W. GUYNN
 APPROVED BY [Signature] TITLE DISTRICT OIL & GAS SUPERVISOR DATE APR 1 1982
 CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL
[Signature]


*See Instructions On Reverse Side
 CONDITIONS OF APPROVAL ATTACHED
 TO OPERATOR'S COPY

T9S, R21E, S.L.B.&M.

PROJECT

COASTAL OIL & GAS CORP.

Well location, N.B.U. # 65
located as shown in SE 1/4 SW 1/4,
Section 14, T9S, R21E, S.L.B.&M.
Uintah County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Lawrence A. ...
REGISTERED LAND SURVEYOR
REGISTRATION NO 3137
STATE OF UTAH

X = Section Corners Located

UINTAH ENGINEERING & LAND SURVEYING P.O. BOX Q - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078			
SCALE	1" = 1000'	DATE	9/2/81
PARTY	DA, KR, DK, JH	REFERENCES	GLO PLAT
WEATHER	CLEAR/HOT	FILE	COASTAL

PROPOSED LOCATION

N.B.U. # 65

20.11 MI

COASTAL OIL & GAS CORPORATION

N.B.U. # 65


PROPOSED LOCATION

TOPO.

MAP "A"



SCALE - 1" = 4 MI.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL/1982' FWL (SE SW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
U-01193

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Tribe Surface

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
Natural Buttes Unit N. 65

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 14-T9S-R21E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.
43-047-31099

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4862' Ungr. Gr.

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING

MULTIPLE COMPLETE

CHANGE ZONES

ABANDON*

(other) Change Casing Program

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) * It is proposed to change casing program FROM:

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	9-5/8"	36#	200'	125 sx
7-7/8"	5 1/2"	17#	7200'	Circulate cmt to surface to properly isolate the hydrocarbon bearing zones, the oil shale & shallow ground water.

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING
DATE: 7/8/82
BY: [Signature]

TO:

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	9-5/8"	36#	200'	125 sx
7-7/8"	5 1/2"	17#	7200'	Circulate cmt to surface to properly isolate the hydrocarbon bearing zones, the oil shale & shallow ground water.

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

SIGNED: [Signature] H. E. Aab TITLE: Dist. Drlg. Manager DATE: June 29, 1982

(This space for Federal or State office use)

APPROVED BY: _____ TITLE: _____ DATE: _____
CONDITIONS OF APPROVAL, IF ANY:

Identification CER/EA No. 651-81

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Coastal Oil and Gas Corporation
Project Type Gas Well - Wildcat Sec. 14-95-21E
Project Location 660' FSL & 1982' FWL
Well No. NBU #65 Lease No. I-01193
Date Project Submitted September 28, 1981

FIELD INSPECTION

Date October 21, 1981

Field Inspection
Participants

Craig Hansen - USGS, Vernal
Lynn Hall - BIA, Ft. Duchesne
Dennis Montgomery - BIA, Ft. Duchesne
Pat Bohner - Coastal Oil and Gas

Related Environmental Documents: _____

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

11-16-81
Date Prepared

Craig Hansen
Environmental Scientist

I concur
11/17/81
Date

[Signature]
District Supervisor

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey
(Conservation Division, Geological Division, Water Resource Division,
Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement

RECOMMENDED STIPULATIONS FOR COASTAL OIL AND GAS WELL #65:

1. Production facilities will be painted a tan to gray color to blend in with the natural surroundings.
2. Topsoil will be piled on the west and east edges of the location to insure rehabilitation efforts.
3. Flowlines will follow existing access roads to main transmission lines east of the location.
4. The operator will adhere to BIA surface stipulations.

Utah and Curry Agency
Environmental Analysis and Negative Declaration

1. Description of Proposal:

Coastal Oil & Gas Corp. proposes to drill an gas well Unit #65 to a proposed depth of 7200 feet; to construct approximately 0.4 miles of new access road; and upgrade approximately None miles of existing access road. The well site is located approximately 15 miles SE of Ouray, Utah in the SESW, Sec. 14, T. 9S, R. 21E, SIM 660' FSL & 1982' FWL.

2. Description of the Environment:

The area is used for grazing of livestock, habitat for wildlife, hunting and scenic qualities. The topography is undulating mesa top. The vegetation consists of 4-wint saltbush, horse brush, rabbit brush, shadscale, galleta grass, prickly pear.

The area is used as wildlife habitat for X deer, X antelope, elk, bear, X small animals, pheasant, X dove, sage grouse, ruffed grouse, blue grouse, bald eagle, golden eagle, other coyote, rabbit, rodents, reptiles, raptors, small desert birds. The climate is characterized by having cold snowy winters and warm dry summers. Temperatures range from -40°F during the winter to 105°F in the summer. The approximate annual precipitation is 6-8 inches. The elevation is 4862 feet.

3. Environmental Impacts:

During construction of the well dust and exhaust emissions will affect air quality. Soil and vegetation will be removed from 4 acres of land occupied by the well site and access road. The disturbance of the soil and removal of vegetation will:

A. Destroy wildlife habitat for X deer, X antelope, elk, bear, X small animals, pheasant, X dove, sage grouse, ruffed grouse, blue grouse, X rabbit, golden eagle, bald eagle, other rodents, reptiles

B. Remove from production: X rangeland for livestock grazing, irrigated cropland, irrigated pastureland, prime timberland, pinion-juniper land.

C. Result in the invasion of annual weeds and will cause accelerated soil erosion: During the construction and production of the well human activity in the area will increase significantly. This is expected to significantly increase: poaching of wildlife, disturbance of wildlife, vandalism of property, theft of firewood, litter accumulation, livestock disturbance, livestock thefts, livestock loss to accidents, increase the hazard to public health and safety. There is a high, moderate, slight possibility that pollution from this activity will enter a stream or lake.

Production facilities can easily be seen from a community, major highway, public facility.

4. Mitigating measures:

To lessen the impact on the environment the provisions stipulated in the letter to Mr. Bill M. Quinn, District Engineer, U.S. Geological Survey, dated February 13, 1988 will be implemented. Additional stipulations and changes to the 13 point surface use plan are:

(1) Obtain right-of-ways & permits from the BIA and Ute Tribe. (2) Comply with USGS, BIA & Tribal regulations. (3) Pay surface owner for damages. (4) Assume a continue responsibility to promptly correct problems that result from the operators activities. (5) Comply with the 13 point surface use plan including additions and modification made at the on-site inspection and recorded in USGS EA#651-81.

5. Unavoidable adverse effects:

None of the adverse effects listed in item #1 above can be avoided in a practical manner except those which were mitigated in item #4 above.

6. Relationship between short term and longterm productivity:

As long as oil or gas wells are producing and the access roads are retained there will be a total loss of production on the land and the Environmental Impacts will continue to affect the surrounding area. Normally oil and gas wells produce from 15 to 20 years. After the wells stop producing it is standard policy to restore the surface to near its original condition. Occasionally the site occupied by the well or road can be restored to produce as much as it originally produced, but most of the time it can not be restored to its original productive capacity. Therefore, the land surface productive ability will be permanently damaged.

7. Irreversible and Irrecoverable commitment of Natural Resources:

There are two irreversible and irretrievable resources commit in this action.

A. Oil or Gas: Oil and gas is a non-renewable resource. Once it has been removed it can never be replaced.

B. Damage to the land surface: There are three causes of damage to the soil surface due to oil or gas wells and road construction. (1) Gravel is normally hauled onto the site as a pad foundation for equipment and traffic to operate on. Gravel has low fertility and low waterholding capacity. Therefore, after the site is restored the gravel must either be removed, or incorporated into the natural landscape. (2) Chemicals are often either accidentally spilled or intentionally applied to the site for weed and dust control. Generally the chemicals are crude oil or production water, which may contain as much as 20,000 PPM of salts. Once chemicals become incorporated in the soil they are difficult to remove and interfere with the soils ability to produce vegetation. (3) Soil compaction occurs where the site is subject to sticky wet weather and traffic from heavy trucks and equipment. Each of the above items cause soil damage and after the site is restored the productive ability of the soil will be damaged permanently.

8. Alternatives:

A. No. program - This alternative refuses the authorization of the application for permit to drill. This action would not allow the operator to enter upon the land surface to drill for oil or gas. Because the minerals usually cannot be developed without encroachment on the surface, the mineral estate is normally and traditionally designated as dominant, and the surface ownership subservient. The mineral operator's conduct is generally prescribed only by the rule of reasonableness and the limitations that he is not permitted to act in a wanton or negligent manner. Within their confines, the operator has considerable latitude in the necessary use of the surface to produce and develop the mineral estate. Therefore if the application for permit is not signed, the operator would undoubtedly initiate court proceedings against the surface owner, in this case the Ute Tribe and the Bureau of Indian Affairs. Historically the courts have upheld the right of the mineral owner to develop the mineral resource regardless of the surface owners desire, therefore the operators rights will likely be upheld if B.I.A. refuses to sign the application for permit to drill this well.

B. Sign the application for permit to drill. This alternative authorizes the operator to drill for oil or gas as prescribed in the application, providing he complies with stipulations which are considered reasonable as specified in paragraph 4 above under mitigating measures.

9. Consultations:

Patricia Bohner - Coastal Oil & Gas Corp.

Craig Hansen - USGS

Dennis Montgomery - BIA

Elwyn Dushane - Ute Tribe

Max Chapoose - Ute Tribe

R. Lynn Hall, 11-4-81
B.I.A. Representative

10. We (concur with or, recommend) approval of the Application for Permit to Drill the subject well.

Based on available information 10/21/81, we have cleared the proposed location in the following areas of environmental impacts:

Yes No Listed threatened or endangered species

Yes No Critical wildlife habitat

Yes No Historical or cultural resources

Yes No Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)

Yes No Other (if necessary)

Remarks: _____

The necessary surface protection and rehabilitation requirements are specified above.

R. Lynn Hall 11-4-81
A.T.A. Representative

11. Declaration:

It has been determined that the drilling of the above well is not a Federal action significantly affecting the quality of the environment as would require the preparation of an environmental statement in accordance with Section 102 (2)(c) of the National Environmental Policy Act of 1969 (42 USC 4332)(2)(c).

Henry J. Paul
Superintendent

PL
HOTWIRE

DIVISION OF OIL, GAS AND MINING

SPODDING INFORMATION

NAME OF COMPANY: COASTAL OIL & GAS

WELL NAME: NBU 65-N3

SECTION SESW 14 TOWNSHIP 9 S RANGE 21 E COUNTY Uintah

DRILLING CONTRACTOR LOFFLAND

RIG # 236

SPODDED: DATE 7-9-82

TIME 5:00 PM

How Dry Hole

DRILLING WILL COMMENCE _____

REPORTED BY Sandy

TELEPHONE # 303-572-1121

DATE 7-19-82

SIGNED _____ AS _____

NOTICE OF SPUD

Company: Coastal Oil & G.

Caller: Sandy

Phone: _____

Well Number: NBU 65N3

Location: SESW 14-9S-21E

County: Uintah State: Utah

Lease Number: U-01193

Lease Expiration Date: _____

Unit Name (If Applicable): Natural Buttes Unit

Date & Time Spudded: 7-9-82 5:00 P.M.

Dry Hole Spudder/Rotary: _____

Details of Spud (Hole, Casing, Cement, etc.) ~~95~~ 12 1/4" hole

Rotary Rig Name & Number: Lofland #236

Approximate Date Rotary Moves In: 7-19-82

FOLLOW WITH SUNDRY NOTICE

Call Received By: KR

Date: 7-19-82

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL/1982' FWL (SE SW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

5. LEASE
U-01193

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Tribe Surface

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
Natural Buttes Unit N. 65

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 14-T9S-R21E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.
43-047-31099

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4862' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

USGS (Kim) and State (Arlene) notified on July 19, 1982 regarding the attached Notice of Spud.

RECEIVED
JUL 21 1982

DIVISION OF
OIL, GAS & MINING

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Aab TITLE Dist. Drlg. Mgr. DATE July 19, 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF SPUD

WELL NAME: NBU #65N3

LOCATION: SE 1/4 SW 1/4 SECTION 14 T- 9S R21E

COUNTY: Uintah STATE: Utah

LEASE NO.: U-01193 LEASE EXPIRATION DATE: -

UNIT NAME (If Applicable): Natural Buttes Unit

DATE & TIME SPUDDED: 5:00 p.m. ~~7-8-82~~ 7-9-82

DRY HOLE SPUDDER: Ru Ram Air

DETAILS OF SPUD (Hole, Casing, Cement, etc.): PU DC Tag Cmt @ 230'
12 1/4"

ROTARY RIG NAME & NUMBER: Loffland #236

APPROXIMATE DATE ROTARY MOVES IN: 7-19-82

FOLLOW WITH SUNDRY NOTICE

USGS CALLED: DATE: 7-19-82

PERSON CALLED: Kim

STATE CALLED: DATE: 7-19-82

PERSON CALLED: Arlene

REPORTED BY: Sandy Crowell

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-E355

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other
 b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESV. Other

2. NAME OF OPERATOR
COASTAL OIL & GAS CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
 At surface 660' FSL & 1982' FWL (SE SW 1/4)
 At top prod. interval reported below SAME
 At total depth SAME

RECEIVED
 AUG 30 1982
 DIVISION OF OIL & GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.
U-01193
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBE SURFACE
 7. UNIT AGREEMENT NAME
NATURAL BUTTES UNIT
 8. FARM OR LEASE NAME
NATURAL BUTTES UNIT
 9. WELL NO.
NATURAL BUTTES UNIT #65N3
 10. FIELD AND POOL, OR WILDCAT
NATURAL BUTTES FIELD
 11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
SECTION 14-T9S-R21E
 12. COUNTY OR PARISH
UINTAH
 13. STATE
UTAH

14. PERMIT NO. 43-047-31099
 15. DATE SPUNDED 7-9-82
 16. DATE T.D. REACHED 8-1-82
 17. DATE COMPL. (Ready to prod.) 8-21-82
 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4862' Ungr Gr
 19. ELEV. CASINGHEAD -

20. TOTAL DEPTH, MD & TVD 7025'
 21. PLUG, BACK T.D., MD & TVD 6235'
 22. IF MULTIPLE COMPL., HOW MANY* N/S
 23. INTERVALS DRILLED BY → 0-TD
 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
 6126' - 6192' WASATCH
 25. WAS DIRECTIONAL SURVEY MADE YES

26. TYPE ELECTRIC AND OTHER LOGS RUN
~~DIP FDC-CNE~~
 27. WAS WELL CORRED NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WRIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	235'	12-1/4"	125 SX	
5-1/2"	17#	6315'	7-7/8"	1915 SX	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	6000'	

31. PREPARATION RECORD (Interval, size and number)
 GUN AS FOLLOWS: 3-1/8" CSG.

DEPTH	INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6126'	6138'	BRKDN W/1,600 GAL. 3% KCL ETR.
6129'	6146'	FRAC w/25,000 GAL GEL &
6132'	6187'	50,000 LBS. 20/40 SAND.
TOTAL: 8 HOLES		

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing, or shut-in)
8-21-82	FLOWING	SI WOPLC

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
8-21-82	24	18/64"	→	0	500	1 - 2	-

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
250	500	→	0	500	1 - 2	-

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
 VENTED
 TEST WITNESSED BY
 KARL ODEN

35. LIST OF ATTACHMENTS
 NONE

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
 SIGNED W.J. Gooden TITLE PRODUCTION ENGINEER DATE 8-23-82

*(See Instructions and Spaces for Additional Data on Reverse Side)

FILE IN TRIPLICATE
FORM OGC-8-X

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number NATURAL BUTTES UNIT #65N3
Operator COASTAL OIL & GAS CORP. Address P. O. BOX 749, DENVER, CO 80201
Contractor LOFFLAND BROS. Address P. O. BOX 3565, GRAND JCT. CO 81502
Location SE 1/4 SW 1/4 Sec. 14 T. 9S R. 21E County HINTAH

Water Sands

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
From	To	Flow Rate or Head	Fresh or Salty
1.	NONE REPORTED		
2.			
3.			
4.			
5.			

(Continue of reverse side if necessary)

Formation Tops

WASATCH FORMATION 5002' (-124')

Remarks

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
- (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL/1982' FWL (SE SW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:
TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
PULL OR ALTER CASING
MULTIPLE COMPLETE
CHANGE ZONES
ABANDON*
(other) Operations

SUBSEQUENT REPORT OF:

5. LEASE
U-01193
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Tribe Surface
7. UNIT AGREEMENT NAME
Natural Buttes Unit
8. FARM OR LEASE NAME
Natural Buttes Unit
9. WELL NO.
Natural Buttes Unit N. 65
10. FIELD OR WILDCAT NAME
Natural Buttes Field
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 14-T9S-R21E
12. COUNTY OR PARISH
Uintah
13. STATE
Utah
14. API NO.
43-047-31099
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4862' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please see attached chronological for report of operations through 8/25/82.

Well completed 8/21/82. Completion Report filed 8/23/82.

RECEIVED
SEP 21 1982

DIVISION OF
OIL, GAS & MINING Set @ _____ Ft.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Aab TITLE Dist. Drlg. Mgr. DATE September 15, 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NBU #65N-3 (COGC)

Natural Buttes Unit

Uintah County, Utah

AFE: 12548 WI: 100%

ATD: 7000' SD: 7-9-82/7-18-82

Coastal Oil & Gas Corp., Oper.

Loffland #236, Contr.

9-5/8" @ 235' GL; 5 1/2" @ 6315';

LOCATION: 660' FSL & 1982' FWL
SW SW, Section 14-T9S-R21E.
Elv: 4862' GL (ungr)

TD: 7025'

PBSD: 6235'

Perf: 6126-6192' (8 holes)

8-12-82 Flwg to pit after brkdown.

8 AM FTP 100 psi, SICP 1350 psi, 18/64" CK - part plugged, small stream wtr, gas TSTM: opn to 22/64" CK; 9 AM FTP 100 psi, SICP 1075 psi, 1/2" stream wtr - surging. Cum Csts: \$403,168.

8-13-82 Prep to frac.

FTP 50 psi, SICP 175 psi, 18/64" CK, 100 MCFD gas w/wtr TSTM; SI @ 9:30 AM; WO frac. Cum Csts: \$403,168.

8-14-82 Prep to flw to pit to clean up after frac.

SITP 1800 psi, SICP 1800 psi; MI RU Dowell & frac Wasatch perfs 6126-6192' (8 holes) dwn tbg & tbg-csg annulus w/25,000 gal low-residue X-linked gel & 50,000# 20/40 sd as follows: held safety meeting & press tst lines to 5500 psi; fill hole & est rate @ 12 BPM w/4800 psi; pad on perfs @ 12 BPM w/4800 psi; start 1 ppg @ 12 BPM w/4500 psi; on perfs @ 20 BPM w/4500 psi; start 2 ppg @ 20 BPM w/4400 psi; on perfs @ 22 BPM w/4300 psi; start 3 ppg @ 22 BPM w/4300 psi; on perfs @ 22 BPM w/4300 psi; start 4 ppg @ 22 BPM w/4300 psi; on perfs @ 23 BPM w/4000 psi; flush w/3% KCl wtr, 23 BPM @ 4000 psi; ISIP 1600 psi, 15 min 1000 psi; AR 22 BPM, AP 4300 psi; SION. Cum Csts: \$419,875.

8-15-82 Flwg to pit to clean up after frac.

SITP 475 psi, SICP 550 psi; opn to pit on 18/64" CK @ 1:30 PM.

8-16-82 Flwg to pit to clean up after frac.

12:15 PM FTP 0 psi, SICP 200 psi, 18/64" CK, 1/2" stream wtr w/no gas. Cum Csts: \$419,875.

8-18-82 Prep to MI RU SU to CO sd.

MI RU swb unit; tag fill @ 4527' KB w/swb mandrel; 1st run @ 400', rec 1 bbl w/Tr sd; 2nd run @ 800', rec 1 bbl w/Tr sd; run sinker bar & jars; tag fill @ 4527' KB; RD & rel swb unit. Cum Csts: \$420,930.

8-17-82 Prep to MI swb unit.

FTP 0 psi, SICP 200 psi, 18/64" CK, well dead - no wtr, no gas; SI @ 12 Noon.

8-19-82 Fin CO frac sd.

MI RU Gamanche Well Service; attempt to pmp dwn tbg - press to 3500 psi; kill annulus w/3% KCl wtr & ND tree; NU BOP; POH w/3 jnts tbg; pmp @ 2 BPM & 2500 psi dwn tbg to brk sd plug - circ dwn csg up tbg, rec frac sd; RIH w/5 jnts & circ out slugs of frac sd; RIH 1 jnt to 6199' & circ 1 hr; POH w/7 stds & single; SDFN. Cum Csts: \$424,275.

8-20-82 Flwg to pit after cleanout.

Road to loc; RIH & tag btm @ 6199'; well kicked; kill w/3% KCl wtr; CO sd stringers to 6235' KB; circ btms up, rec frac sd; POH & LD 8 jnts; land tbg @ 5989' (no blast jnt); ND BOP, NU tree; opn to pit on 18/64" CK; RD SU. Cum Csts: \$425,775.


8-21-82 Flwg to pit after sd CO.

FTP 100 psi, SICP 250 psi, 18/64" CK, est 100 MCFD w/2-10 BW

NBU 65

Sec 14, T95, R21E

Brubly 12/22/88



COLORADO INTERSTATE GAS COMPANY

WELL TEST DATA FORM

STATE COPY

FIELD CODE 01-11		FIELD NAME NATURAL BUTTES, UT				OPERATOR CODE 2915		OPERATOR NAME COASTAL OIL & GAS CORPORATION				WELL NAME NATURAL BUTTES UNIT 65			
CODE 73265	SECT. 14	LOCATION TWN/SP/BLK 9S 21E	RGE/SUR. 21E		PANHANDLE/REDCAVE SEQ. NUMBER		K-FACTOR		FORMATION WASATCH SA FLOW TEST						

WELL ON (OPEN)						FLOW TEST																							
DATE (COMP.)			ORIFICE SIZE		METER RUN SIZE		COEFFICIENT		GRAVITY (SEP.)		METER DIFF. RANGE		METER PRESSURE		DIFFERENTIAL ROOTS		METER TEMP.		WELL HEAD TEMP.		FLOWING TBG/CSG PRESSURE		STATIC TBG/CSG PRESSURE		FLOWING STRING TUBING CASING				
MO.	DAY	YR.	MO.	DAY	YR.	23	27	28	32	33	38	39	42	43	45	46	51	52	55	58	58	59	61	62	67	68	73	74	75
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
07	13	83	07	23	83	00	500	2	067	0	1219	0	663	100	00715	0	0530	098					008740	010180			X		

WELL-OFF (SHUT-IN)			SHUT-IN TEST				SLOPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT. CIG: <i>K.G. Williams</i> OPERATOR: <i>George D. Jones</i> COMMISSION:										
			PRESSURE TAKEN		DATE		CASING PRESSURE (PSIG)		TUBING PRESSURE (PSIG)																	
MO.	DAY	YR.	MO.	DAY	YR.	23	28	29	34	35	38	39	44	45	49											50
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	E	E							
07	23	83	07	24	83	01573	0	015740		078	1	9950	0000	663												

73265 00500

REMARKS: *Extended Test Producer unstacked on 7th day of Test
compressor down on 8th day*

**COLORADO INTERSTATE GAS COMPANY
WELL TEST DATA FORM**

STATE COPY

FIELD CODE 1-01-11	FIELD NAME NATURAL BUTTES, UT	OPERATOR CODE 2915	OPERATOR NAME COASTAL OIL & GAS CORPORATION	WELL NAME NATURAL BUTTES 65 N3
WELL CODE 3	LOCATION SECT. TWRNSHP/BLK 14 9S 21E	PANHANDLE/REDCAVE SEQ. NUMBER 215	K-FACTOR	FORMATION WASATCH 98

WELL ON (OPEN)						FLOW TEST																														
DATE (COMP.)						ORIFICE SIZE	METER RUN SIZE	COEFFICIENT	GRAVITY (SEP.)	METER DIFF. RANGE	METER PRESSURE	DIFFERENTIAL ROOTS	METER TEMP.	WELL HEAD TEMP.	FLOWING TBG/CSG PRESSURE	STATIC TBG/CSG PRESSURE	FLOWING-STRING																			
MO.	DAY	YR.	MO.	DAY	YR.												TUBING	CASING																		
11	12	13	14	15	16	17	18	19	20	21	22	23	27	28	32	33	38	39	42	43	47	48	51	52	55	56	58	59	61	62	67	68	73	74	75	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
11	30	82	12	07	82	01	000	2	067	05	073	0	663	100	00508	0	0390	073																		X

WELL-OFF (SHUT-IN)						SHUT-IN TEST										SLOPE					EFFECTIVE DIAMETER		EFFECTIVE LENGTH		GRAVITY (RAW GAS)	EST CSG PRESS	EST TBG PRESS	TO THE BEST OF MY KNOWLEDGE THE ABOVE DATA IS CORRECT. CIG: <i>H.G. Williams</i> OPERATOR: _____ COMMISSION: _____								
PRESSURE TAKEN						CASING PRESSURE (PSIG)	TUBING PRESSURE (PSIG)	SLOPE					EFFECTIVE DIAMETER		EFFECTIVE LENGTH																					
MO.	DAY	YR.	MO.	DAY	YR.			23	28	29	34	35	38	39	44	45	49	50	53	54	55															
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
11	12	82	11	15	82	01	449	0	01441	0																										

METS/ST/	13265	00500	REMARKS: 2nd RETEST
----------	-------	-------	---------------------

state

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.
U-01193

6. If Indian, Alottee or Tribe Name
Ute Tribe Surface

7. If Unit or CA, Agreement Designation
Natural Buttes Unit

8. Well Name and No.
NBU-65-N

9. API Well No.
43-047-31099

10. Field and Pool, Or Exploratory Area
Natural Buttes Field

11. County or Parish, State
Uintah County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Coastal Oil & Gas Corporation

3. Address and Telephone No.
P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)
660 FSL & 1982' FWL
Section 14-T9s-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>returned to production</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Well was returned to production on 11/2/96

14. I hereby certify that the foregoing is true and correct

Signed Sheila Bremer Title Environmental & Safety Analyst Date 01/02/97
 Sheila Bremer

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.
U-01193

6. If Indian, Allottee or Tribe Name
Ute Tribe Surface

7. If Unit or CA, Agreement Designation
Natural Buttes Unit

8. Well Name and No.
NBU-65-N

9. API Well No.
43-047-31099

10. Field and Pool, Or Exploratory Area
Natural Buttes Field

11. County or Parish, State
Uintah County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Coastal Oil & Gas Corporation

3. Address and Telephone No.
P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)
660 FSL & 1982' FWL
Section 14-T9s-R21E


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Lwr tbg. install PLE</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Please see the attached procedure for work to be performed on the subject well.



14. I hereby certify that the foregoing is true and correct

Signed Bonnie Carson Title Sr. Environmental Analyst Date 02/13/98

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

NBU #65N-14-9-21
NATURAL BUTTES FIELD
SECTION 14 T9S R21E
WORKOVER PROCEDURE *HUM*

WELL DATA

LOCATION: 660' FSL 1982' FWL SEC. 14 T9S R21E
ELEVATION: 4862' GR., 4878' KB.
TD: 7025', PBTB 6235' (1982)
CSG: 9-5/8", 36.0#, K-55 @ 235' w/ 125 SX.
5-1/2", 17.0#, K-55 @ 6315' w/ 1915 SX.
TBG: 2-3/8", 4.7#, J-55 @ 6000' (1982)
1-1/4", COIL TBG @ 5968' (1993)
FORMATION(S): WASATCH 6126' - 6192', 8 HOLES (1982)

PROCEDURE

1. MI & RU Coil Tubing unit. Kill 1-1/4" tbg w/ 5 BC & 2% KCL water. POOH & spool 1-1/4" C.T. RD & MO CTU. Shut well in.
2. MI & RU pulling unit. Blow down & kill well w/ minimum amount of 2% KCL water. ND WH. NU BOP. Record BLTR.
3. RU slick line to tag PBTB (Bottom perf @ 6192'). **NOTE: Well has not workover since 1993, expect scale. CO to 6235' if necessary.**
4. RIH w/ 2-3/8" tbg to 6192'. RU service company. Circulate 8 bbls 15% HCL acid with additives across perf's 6126' - 6192' to clean up possible scale. RD service company. PU & land 2-3/8" tbg @ 6175' (new EOT).
5. ND BOP. NU WH. RD & MO pulling unit. RU swab unit. Swab/flow back to clean up.
6. Complete installation of plunger lift equipment. Return the well to sales.

ESTIMATED: 4 DAYS
\$20,000

PRODUCING STATUS: FLOWING WITHIN STRING
 WELLHEAD WORKING PRESSURE: 5,000#

DOWNOLE SCHEMATIC	
LEASE:	<u>A. B.</u>
WELL #:	<u>65 N-3</u>
FIELD:	<u>Natural Bull</u>
LOCATION:	<u>14-195-R21E</u>
COUNTY/STATE:	<u>Utah</u>
TD:	<u>7025</u>
PSTD:	<u>6198</u>
PERFS:	<u>6192, 90, 8746</u> <u>38, 32, 28, 26</u>
PROD. FORM(S):	<u>Unaltd</u>
DATE:	<u>8-10-2007 GDT</u>

KB ELEVATION: 16

FORM. TOPS

ITEM, QUANTITY, DEPTHS, GRADE, WEIGHT, CPLG, Etc.	O.D.	I.D.
HOLE SIZE: <u>12 1/4"</u>		
SURFACE CASING: O.D. <u>9 5/8"</u> , WEIGHT(S) <u>36#</u> GRADE(S) <u>K-55</u> , CPLG SET AT <u>227'</u> W/ <u>SX</u>		
HOLE SIZE: <u>7 1/4"</u>		
<u>5 1/2 COQ. 17# K-55 @ 6315' w</u> <u>1915' d.f.</u>		
<u>189 JTs 2 3/8 N-80 T64 - 5941.35"</u>		
<u>Seat Nipple 5968.82"</u>		
<u>1JT 2 3/8 N-80 T64 - 31.02</u>		
<u>Matched Collar 5999.82"</u>		

8/02 Wasatch 6126'-6192'
 6126 6187
 6129 6190
 6132 6192
 6138
 6146 8 holes

BD w/ 1100 gal 3% KCL & 16 BS
 Flowed 100 MCF 1 1/2" CK FTP 50

FRAC w/ 50,000 20/40 sand + 25,000 gal CE
 IPR (8/82) 500 MCF + 1-2 BW 1 1/2" CK
 FTP 250 CP 500"

11/93 Run 1 1/4 C.T. Sphn stem
 to 5968'.

1 1/4" coiled
thru @ 5968'

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.

U-01193

6. If Indian, Allottee or Tribe Name

Ute Tribe Surface

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

NBU 65N

9. API Well No.

43-047-31099

10. Field and Pool, or exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P.O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL & 1982' FWL
Section 14-T9S-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
 Subsequent Report
 Final Abandonment Notice


TYPE OF ACTION

- Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Dispose Water
- Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The operator requests permission to empty produced water into tanks. The produced water will then be transported by truck to the underground injection well, NBU #159, located at NE/SW Section 35, T9S-R21E.



14. I hereby certify that the foregoing is true and correct

Signed Bonnie Carson

Title Bonnie Carson
Sr. Environmental Analyst

Date 2/23/98

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.

U-01193

6. If Indian, Allottee or Tribe Name

Ute Tribe Surface

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

NBU 65N

9. API Well No.

43-047-31099

10. Field and Pool, or exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P.O. Box 749, Denver, CO 80201-0749 (303) 573-4455

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL & 1982' FWL
Section 14-T9S-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

- Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other CO. lwr tbq. acdz and install PLE
 Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please see the attached chronological well history for work performed on the subject well.

14. I hereby certify that the foregoing is true and correct

Signed

Sheila Bremer

Title

Sheila Bremer

Environmental and Safety Analyst

Date

4/21/98

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

*WTC
12-23-98
RJR*

THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

NBU #65N
Natural Buttes Unit
Uintah County, Utah
PBSD: 6235'
Perfs: 6126'-6192'
Prod csg: 5-1/2", 17# @ 6315'
Formation: Wasatch
WI: 0% COGC AFE: #27719

Page 1

CO, Lwr Tbg, Acidize, Install PLE

4/4/98 Put well on prod. SICP 500#, FTP 75#. RU coil tbg unit & hot oil trk. Pumpd 5 bbls cond & 5 bbls 2% KCL. Latch on & POOH w/1-1/4" coil tbg, 5968'. RD CTU & hot oiler. Turn over to prod.
DC: \$8,744 TC: \$8,744

4/5-14/98 Well SI, waiting on workover rig.

4/15/98 RU BJ & acidize. MIRU rig & equip. SICP 600#, FTP 150#. Blow well dn. ND WH, NU BOP. PU & RIH w/2-3/8" tbg. Tag fill @ 6214', 21' of fill & 22' of rat hole. POOH & LD 2 jts tbg. PU 18' of subs. EOT @ 6194'. SWIFN.
DC: \$3,013 TC: \$11,757

04/16/98 Ck press & swab. SICP 400#, SITP 100#. Blow dn. RU BJ & spot 24 bbls 2% KCL, 8 bbls 15% HCL. Flush w/24 bbls 2% KCL. RD BJ. Total load 56 bbls. LD tbg subs. Land tbg w/196 jts J-55, 2-3/8" tbg in well. EOT @ 6184', SN @ 6152'. ND BOP, NU WH. RDMO. Install PLE. MIRU swbg unit. In 6 hrs, made 10 runs, rec 50 bbls wtr. IFL 4200', FFL 4200'. SICP 0. SWI for PBU. SDFN.
DC: \$8,033 TC: \$19,790

04/17/98 Swabbing on well. SITP 0, SICP 0. Made 16 swab runs, rec 40 bbls. IFL 4800', FFL 5400'. SI for PBU. SITP 0, SICP 250#.
DC: \$1,476 TC: \$21,266

04/18/98 Well producing. Made 2 swab runs, rec 5 BW. IFL 5400'. Started plunger & put well on prod @ 10:30 am. ITP 200#, FTP 200#. ICP 500#, FCP 250#.
DC: \$723 TC: \$21,999

04/19/98 Flwg 35 MCF, 5 BW, FTP 91#, CP 123#, 40/64" ck, 24 hrs.

04/20/98 Flwg 42 MCF, 5 BW, FTP 92#, CP 123#, 40/64" ck, 24 hrs.

04/21/98 Flwg 36 MCF, 4 BW, FTP 94#, CP 124#, 40/64" ck, 24 hrs.

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.


We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chronos



JAN. 17. 2003 3:34PM

PORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:

3106

UTU-25566 et al

(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)



IN REPLY REFER TO:
Real Estate Services

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
Exhibit "A"

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

9. API NUMBER:

3. ADDRESS OF OPERATOR:
9 Greenway Plaza Houston TX 77064-0995 PHONE NUMBER: (832) 676-5933

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact


RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.
NAME (PLEASE PRINT) David R. Dix

TITLE Agent and Attorney-in-Fact

SIGNATURE 

DATE 12/17/02

(This space for State use only)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

9. API Well No.
SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other
			SUCCESSOR OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zc Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
CHERYL CAMERON

Title
OPERATIONS

Signature
Cheryl Cameron

Date
March 4, 2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02	
FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. **Unit:** **NATURAL BUTTES**

WELL(S)						
NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 317	13-09S-21E	43-047-33921	99999	FEDERAL	GW	APD
NBU 318	13-09S-21E	43-047-33880	2900	FEDERAL	GW	P
CIGE 274	13-09S-21E	43-047-34778	99999	FEDERAL	GW	APD
NBU 10	13-09S-21E	43-047-30117	2900	FEDERAL	GW	PA
NBU CIGE 60-14-9-21	14-09S-21E	43-047-30549	2900	FEDERAL	GW	P
NBU 65N3	14-09S-21E	43-047-31099	2900	FEDERAL	GW	P
CIGE 170-14-9-21	14-09S-21E	43-047-32403	2900	FEDERAL	GW	P
CIGE 199-14-9-21	14-09S-21E	43-047-32801	2900	FEDERAL	GW	P
NBU CIGE 45-15-9-21	15-09S-21E	43-047-30528	2900	FEDERAL	GW	P
NBU CIGE 91D-15-9-21J	15-09S-21E	43-047-31151	2900	FEDERAL	GW	P
NBU 123	15-09S-21E	43-047-31974	2900	FEDERAL	GW	P
CIGE 163-15-9-21	15-09S-21E	43-047-32192	2900	FEDERAL	GW	P
NBU 191	15-09S-21E	43-047-32298	2900	FEDERAL	GW	P
NBU 216	15-09S-21E	43-047-32487	2900	FEDERAL	GW	P
CIGE 171-15-9-21	15-09S-21E	43-047-32348	2900	FEDERAL	GW	P
NBU 298	15-09S-21E	43-047-33041	2900	FEDERAL	GW	P
CIGE 216-15-9-21	15-09S-21E	43-047-32920	2900	FEDERAL	GW	P
CIGE 237	15-09S-21E	43-047-33878	2900	FEDERAL	GW	P
CIGE 215-15-9-21	15-09S-21E	43-047-32919	2900	FEDERAL	GW	PA
CIGE 217-16-9-21	16-09S-21E	43-047-32898	2900	STATE	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/11/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/11/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
891008900A

8. Well Name and No.
Multiple Wells - see attached

9. API Well No.
Multiple Wells - see attached

10. Field and Pool, or Exploratory Area
Natural Buttes Unit

11. County or Parish, State
Uintah County, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address **P.O. BOX 1148 VERNAL, UT 84078**
3b. Phone No. (include area code) **(435) 781-**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Multiple Wells - see attached

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached.

Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **J.T. Conley** Title **Operations Manager**
Signature *J.T. Conley* Date **9-2-2003**
Initials **CHD** Date **9-2-2003**

SEP 10 2003

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by _____ Title **Accepted by the Utah Division of Oil, Gas and Mining** Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office **Oil, Gas and Mining** Date **9/16/03**

Federal Approval of This Action Is Necessary

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Westport Oil & Gas, L.P.
Project Economics Workst

Instructions: Fill in blue areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name: **Condensate Shrinkage Economics**

Is this job a well pull or production rig job ??? N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULLING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before		After		Difference
Oil Production	0.192	BOPD	0.194	BOPD	0.002
Gas Production	0	MCFPD	0	MCFPD	0
Wtr Production	0	BWPD	0	BWPD	0
Horse Power		HP		HP	0
Fuel Gas Burned		MCFPD		MCFPD	0

Project Life:

Life = Years
 (Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR =

AT Cum Cashflow:

Operating Cashflow = (Discounted @ 10%)

Payout Calculation:

Payout = $\frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$

Payout occurs when total AT cashflow equals investment
 See graph below, note years when cashflow reaches zero

Payout = Years or Days


Gross Reserves:

Oil Reserves = 6 BO
 Gas Reserves = 0 MCF
 Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.194 Bcpd if 6 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.

NBU/Ouray Field

RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

WELL	LEGALS	STFLEASENO	CANUMBER	APINO
NBU 058N2	27-10-22 NENW	UTU473	891008900A	430473083800S1
NBU 060	26-9-21 NWSW	U01194	891008900A	430473172800S1 ✓
NBU 062N3	16-10-21 SENW	ML10755	891008900A	430473090900S1
NBU 063N3	12-9-21 SWNW	UTU0141317	891008900A	430473109700S1
NBU 064N3	8-9-21 NESE	UTU0575B	891008900A	430473109800S1
NBU 065N3	14-9-21 SESW	UTU01193	891008900A	430473109900S1
NBU 067A	4-10-22 SWNE	UTU01191	891008900A	430473173700S1
NBU 068N2	26-9-21 NESE	ML22934	891008900A	430473108900S1 ✓
NBU 069N2	35-9-21 SWSW	U01194	891008900A	430473109000S1 ✓
NBU 070N3	3-10-22 SWNW	UTU01191	891008900A	430473110000S1
NBU 072N3	12-10-20 NWNW	UTU4478	891008900A	430473108800S1
NBU 074N3	24-10-20 SWNE	ML22790	891008900A	430473108700S1
NBU 075N3	20-10-21 NENE	UTU02278	891008900A	430473110300S1
NBU 078	30-9-22 NWNW	U463	891008900A	430473176200S1
NBU 080V	34-9-22 NWSW	UTU0149077	891008900A	430473124000S1
NBU 081V	35-9-21 SWNW	U01194	891008900A	430473123200S1 ✓
NBU 083J	27-9-21 NESW	U01194A	891008900A	430473123500S1 ✓
NBU 084V	6-10-22 NWNE	UTU01195B	891008900A	430473124500S1
NBU 085J	4-10-22 SWNW	UTU01191A	891008900A	430473124600S1
NBU 086J	3-10-22 NENE	UTU01191A	891008900A	430473125100S1
NBU 087J	3-10-22 NESW	UTU01191	891008900A	430473125000S1
NBU 088V	26-9-21 NENE	U01194	891008900A	430473123300S1 ✓
NBU 093	33-9-22 NESE	UTU01191A	891008900A	430473175300S1
NBU 097	25-9-21 NENW	U01189	891008900A	430473174400S1 ✓
NBU 098V	34-9-21 SWSW	U01194A	891008900A	430473132700S1 ✓
NBU 099	25-9-21 SWSW	U01194	891008900A	430473174500S1 ✓
NBU 101	3-10-21 NWSE	UTU0149078	891008900A	430473175500S1
NBU 102	5-10-21 SESW	UTU01393D	891008900A	430473175700S1
NBU 1021-16G	16-10-21 SWNE	ML10755	891008900A	430473511100S1 ✓
NBU 1021-20	2-10-21 SWSE	ML13826	891008900A	430473511000S1 ✓
NBU 103	10-9-21 SENW	U0141315	891008900A	430473195600S1
NBU 104	16-9-21 SENE	ML3282	891008900A	430473195700S1
NBU 105	17-9-21 SWSW	UTU0575	891008900A	430473230200S1
NBU 106	21-9-21 NESW	UTU0576	891008900A	430473194600S1
NBU 107	26-9-21 SENW	U01194	891008900A	430473191600S1
NBU 108	19-9-22 SESE	UTU0284	891008900A	430473195800S1
NBU 109	27-9-21 SENE	U01194A	891008900A	430473191700S1 ✓
NBU 110	28-9-21 NENE	U05676	891008900A	430473192400S1
NBU 111	25-9-21 SWNW	U01194	891008900A	430473192000S1 ✓
NBU 112	33-9-22 SESE	UTU01191	891008900A	430473193000S1
NBU 113	34-9-22 SESE	UTU0149077	891008900A	430473193100S1
NBU 114	5-10-21 SWSW	UTU01393D	891008900A	430473192300S1
NBU 115	10-10-21 NENW	UTU0149079	891008900A	430473192900S1
NBU 116	6-10-22 NWNW	UTU464	891008900A	430473192500S1
NBU 117	10-10-22 NENE	U01197A	891008900A	430473191400S1
NBU 118	22-9-20 SENE	UTU0577B	891008900A	430473196900S1
NBU 119	22-9-20 SENW	UTU0577B	891008900A	430473197300S1
NBU 120	10-9-21 NWNW	U0141315	891008900A	430473197200S1
NBU 121	13-9-21 NWNE	U01193	891008900A	430473208600S1
NBU 122	13-9-21 SESE	U01193	891008900A	430473230300S1
NBU 123	15-9-21 NWNW	UTU01188	891008900A	430473197400S1
NBU 124	16-9-21 NWNE	ML3282	891008900A	430473197100S1
NBU 125	17-9-21 SESE	UTU0575	891008900A	430473235000S1
NBU 126	21-9-21 SENW	UTU0576	891008900A	430473234900S1
NBU 127	21-9-21 SWNW	UTU0576	891008900A	430473196300S1
NBU 128	21-9-21 SWSW	UTU0576	891008900A	430473196400S1
NBU 129	22-9-21 SENE	UTU010950A	891008900A	430473196500S1
NBU 130	22-9-21 SWNW	UTU0147566	891008900A	430473196700S1
NBU 131	23-9-21 NWSW	UTU0149075	891008900A	430473196600S1
NBU 132	26-9-21 NWNW	U01194	891008900A	430473193800S1 ✓
NBU 133	28-9-21 SWNE	U05676	891008900A	430473195000S1

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/6/2006

FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024
---	--

WELL NAME	CA No.	Unit:	NATURAL BUTTES UNIT					
	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- b. If **NO**, the operator was contacted on:
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet

7. Federal and Indian Units:

The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006

8. Federal and Indian Communization Agreements ("CA"):

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

9. Underground Injection Control ("UIC") The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006. KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203
BIA BOND = RLB0005239

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) RANDY BAYNE	Title DRILLING MANAGER
Signature <i>Randy Bayne</i>	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MULTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>

IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

U.S. OF OIL, GAS & MINES

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

KERR McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESW SEC. 14, T9S, R21E 660'FSL, 1982'FWL

5. Lease Serial No.

U-01193

6. If Indian, Allottee or Tribe Name

TRIBAL SURFACE

7. If Unit or CA/Agreement, Name and/or No.

UNIT #891008900A

NATURAL BUTTES UNIT

8. Well Name and No.

NBU 65N3

9. API Well No.

4304731099

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other SHUT-IN

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

The operator requests authorization to shut-in the subject well location. Gross production from the greater Natural Buttes area is currently constrained at roughly 215mmcf/d due to lack of export pipeline capacity. The field is capable of producing more gas than this, which results in frequent and widespread bottlenecked areas of high line pressure. This in turn causes numerous wells to log off of production, often requiring swab rigs to get them going again. Operating the field in this reactionary manner is very inefficient. The operator requests authorization to shut in wells strategically to alleviate this situation and utilize the resource more efficiently. A significant drop in production is not expected, as the field is constrained anyway. The subject well was selected on the basis of one or more of the following factors:

*Located in a bottlenecked area; *High intervention requirement relative to gas production; *High water production

Wells will be shut in for an indefinite period. As the constrained situation continues, different wells will be selected and subject wells will be returned to production in order to cycle the shut-ins around the field and allow wells to produce and assist with future production.

COPIES TO OPERATOR
Date: 11/15/06
Initial: [Signature]

RECEIVED
NOV 07 2006

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature

[Handwritten Signature]

Title

Regulatory Analyst

Date

November 3, 2006

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Accepted by the
**Utah Division of
Oil, Gas and Mining**

Date

Date: 11/15/06

**Federal Approval Of This
Action Is Necessary**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-01193

6. If Indian, Allottee or Tribe Name
TRIBAL SURFACE

7. If Unit or CA/Agreement, Name and/or No.
**UNIT #891008900A
NATURAL BUTTES UNIT**

8. Well Name and No.
NBU 65N3

9. API Well No.
4304731099

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SESW SEC. 14, T9S, R21E 660'FSL, 1982'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other SHUT-IN
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE SUBJECT WELL LOCATION WAS RETURNED BACK TO PRODUCTION ON 11/22/2006 AT 11:00 AM.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchego	Title SENIOR LAND ADMIN SPECIALIST
Signature 	Date November 29, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED
DEC 06 2006
DIV. OF OIL, GAS & MINING