

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1A. TYPE OF WORK  
 DRILL       DEEPEN       PLUG BACK

B. TYPE OF WELL  
 OIL WELL       GAS WELL       OTHER       SINGLE ZONE       MULTIPLE ZONE

2. NAME OF OPERATOR  
 CNG Producing Company

3. ADDRESS OF OPERATOR  
 P. O. Box 2115, 705 S. Elgin, Tulsa, OK 74101-2115

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements\*)  
 At surface 1926' FNL & 833' FEL  
 At proposed prod. zone same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 10 miles SW of Ouray

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)  
 833'

16. NO. OF ACRES IN LEASE  
 800

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 160

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
 2850'

19. PROPOSED DEPTH  
 6500'

20. ROTARY OR CABLE TOOLS  
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
 5167' GR

22. APPROX. DATE WORK WILL START\*  
 5-13-85

5. LEASE DESIGNATION AND SERIAL NO.  
 U-013794

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
 River Bend

8. FARM OR LEASE NAME  
 RBU

9. WELL NO.  
 8-24E

10. FIELD AND POOL, OR WILDCAT  
 NATURAL BOTTES

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
 Sec. 24-T10S-R19E

12. COUNTY OR PARISH  
 Uintah

13. STATE  
 Utah

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24#	± 400'	Cmt. calc. to surface
7 7/8"	5 1/2"	17#	±6500'	Cmt. calc. to surface

Subject development well will be drilled to the proposed depth and set casing as above if producible hydrocarbons are indicated. Should the well be plugged and abandoned, it will be done in accordance with instructions from the BLM. All Conditions for Approval of Notice to Drill will be adhered to.

Exhibits Attached

- "A" Plat
- "B" Drilling Plan
- "C" Blow Out Preventor Equipment
- "D" Surface Use Plan
- "E" Access Roads
- "F" Production Facilities
- "G" Wellsite Layout

RECEIVED

MAR 27 1985

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

DIVISION OF OIL  
GAS & MINING

SIGNED Angus C. Besttal TITLE Sr. Engineering Tech. DATE 3/21/85

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_  
 CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY THE STATE  
 OF UTAH DIVISION OF  
 OIL, GAS, AND MINING

DATE: 3/28/85

BY: John R. Baya


WELL SPACING: A-3 (Unit)

\*See Instructions On Reverse Side

**CNG PRODUCING CO.  
WELL LOCATION PLAT  
R.B.U. 8-24E**

LOCATED IN 'E SE¼ OF THE NE¼ OF  
SECTION 24, T10S, R19E, S.L.B.&M.

EXHIBIT "A"



SCALE: 1"=1000'

**LEGEND & NOTES**


- ◆ ORIGINAL CORNERS FOUND AND USED BY THIS SURVEY.

THE GENERAL LAND OFFICE PLAT WAS  
USED FOR REFERENCE AND CALCULATIONS.

**SURVEYOR'S CERTIFICATE**

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

*Jerry D. Allred*  
Jerry D. Allred, Registered Land  
Surveyor, Cert. No. 3817 (Utah)



**JERRY D. ALLRED & ASSOCIATES**  
Surveying & Engineering Consultants

121 North Center Street  
P.O. Drawer C  
DUCHESNE, UTAH 84021  
(801) 738-8382

20 Feb. '85

79-128-116

ONSHORE OIL AND GAS ORDER NO. 1Drilling Plan

CNG Producing Company  
 River Bend Unit  
 RBU 8-24E  
 Section 24-T10S-R19E  
 1926' FNL & 833' FEL  
 Uintah County, Utah

1. Estimated Tops of Important Geologic Markers

<u>Formation</u>	<u>Depth</u>	<u>Datam</u>
Surface	0'	+5167
X-Marker	1895'	+3272
Wasatch Tongue	4083'	+1084
Green River Tongue	4433'	+ 734
Wasatch	4597'	+ 570
Chapita Wells	5287'	- 120
Utteland Buttes	6261'	-1094

2. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
Green River Tongue	4433'	Oil
Wasatch	4597'	Gas
Chapita Wells	5287'	Gas
Utteland Buttes	6261'	Gas

3. Operators Minimum Specifications for Pressure Control

(See Exhibit "C")

Exhibit "C" is a schematic diagram of the BOPE. BOP's and choke manifold will be installed and pressure tested before drilling out casing cement plugs. The BOP's will be pressure tested to 1000 psi and annular type preventer to 750 psi. Pipe rams will be operated daily and blind rams as possible.

4. Proposed Casing Program

<u>Size of Casing</u>	<u>Weight &amp; Grade</u>	<u>Setting Depth</u>	<u>Quantity of Cement</u>
8-5/8"	24#, K-55	± 400'	Calculated to surface
5-1/2"	17#, K-55 & N-80	±6500'	Calculated to surface

5. Proposed Mud Program

The well is to be drilled with a salt water mud system maintaining a weight of approximately 9#/gal with 10# gal saltwater weighting materials on location sufficient to weight up for pressure control. No chromates will be used in the drilling fluid.

6. Auxiliary Equipment to Be Used

- 1) Kelly Cock
- 2) Full opening valve on floor with DP connection for use when kelly is not in string
- 3) Pit volume indicator

7. Testing, Logging and Coring Program

A two (2) man mud logging will be in operation from base of surface casing to TD.

Testing: No DST's are anticipated

Coring: No coring is anticipated

Logging: GR-DLL, FDC-CNL-Caliper

Exact logging detail and procedures will be prepared prior to reaching logging depth.

8. Any Abnormal Pressures or Temperatures


No abnormal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H<sub>2</sub>S gas. Maximum anticipated BHP is 2500 psi at total depth.

9. Anticipated Starting Date and Duration of Operations


Starting Date: May 13, 1985

Duration: 14 days

BOP STACK



CHOKER MANIFOLD



Onshore Oil and Gas Order No. 1

Surface Use Plan

CNG Producing Company  
River Bend Unit  
RBU 8-24E  
Section 24-T10S-R19E  
1926' FNL & 833' FEL  
Uintah County, Utah

The operator or his contractor will contact the Vernal District BLM, Bookcliffs Resource Area, 48 hours prior to beginning any work on public lands.

The dirt contractor will be furnished with an approved copy of the surface use plan and any additional BLM stipulations prior to any work.

1. Existing Roads

- A. The proposed wellsite and elevation is shown on the plat, Exhibit "A". The location and existing roads are shown on Exhibit "E". There is no anticipated construction on any existing roads.
- B. The proposed wellsite is located in the River Bend Unit, approximately 10 miles SW of Ouray, Utah.

2. Access Roads To Be Constructed

- A. The construction of an access road approximately 1600 feet long will be required as shown on Exhibit "E".
- B. Construction and maintenance of roads, rehabilitation of disturbed areas and construction of pipeline routes will be in accordance with surface use standards as set forth in the booklet, "Surface Operating Standards for Oil and Gas Exploration and Development".
  - a. Width: Maximum of 30' right-of-way with road bed being 16'-18' and remainder of right-of-way to be used for barrow ditches.
  - b. Maximum Grade: 8%
  - c. Turnouts: None

- d. Drainage: Drain ditches along either side of road where necessary for drainage. Material from barrow ditch used to build crown of road.
  - e. Culverts: None
  - f. Surface Material: Native dirt
  - g. Gates, cattle guards, fence cuts: None
- C. All travel will be confined to existing access road rights-of-way.

### 3. Location of Existing Wells

All existing wells known in the area are shown on Exhibit "E".

Wells within a one mile radius are listed below:

- A. Water wells: None
- B. Abandoned wells: None
- C. Temporarily abandoned wells: None
- D. Disposal wells: None
- E. Drilling wells: None
- F. Producing wells: RBU 11-13E, RBU 1-23E, RBU 11-24E, RBU 12-18F, RBU 4-19F, RBU 11-19F
- G. Shut-in wells: None
- H. Injection wells: None
- I. Observation wells: None

### 4. Location of Tank Batteries and Production Facilities

- A. The location of existing and/or proposed facilities owned or controlled by the lessee/operator within a one mile radius are shown on Exhibit "E".
  - a. Tank batteries: None
  - b. Production facilities: At above producing wells
  - c. Oil gathering lines: None
  - d. Gas gathering lines: At above producing wells
  - e. Injection lines: None
  - f. Disposal lines: None
- B. It is contemplated that, in the event of production, all new facilities will be easily accommodated on the drill paid. The dimensions of the production facilities and their orientation is shown on Exhibit "F". Location of production facilities will be per Conditions of Approval for Notice to Drill.
- C. Concrete and gravel as needed will be purchased from private sources.

- D. Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and securely anchored at the meter. Oil and gas measurement facilities will be installed on the wellsite. Gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and quarterly thereafter. The Vernal BLM will be notified of the date and time of initial meter calibration and future meter proving schedules. Copies of meter calibration reports will be submitted to the Vernal BLM District office. All measurement facilities will conform with API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.
- E. All permanent structures constructed or installed, including pumpjacks, will be painted a flat, non-reflective, earthtone color to match the standard environmental colors as determined by the Rocky Mountain 5 State Interagency Committee. Facilities required to comply with O.S.H.A. will be excluded.
- F. Pits will be fenced to minimize any hazard to sheep, cattle, antelope and other animals that graze the area. Flagging material will be used as needed if water or other fluid is produced.
- G. All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

#### 5. Location and Type of Water Supply

Water for drilling purposes will be hauled from the Green River permit #T5975049-1283 or from the OSC #1 water well permit #54801 (49-367).

#### 6. Source of Construction Material

Road surfacing and pad construction material will be native soil consisting of sandy-clay, sandstone and shale gathered in actual construction of the road and location. Construction materials will be located on the lease. The use of materials under BLM jurisdiction will confirm to 43 CFR 3610.2-3 regulations.

#### 7. Methods of Handling Waste Disposal

- A. Drill cuttings will be buried in the reserve pit when covered.

- B. All drilling fluids will be handled in the reserve pit. Location as determined in Conditions of Approval for Notice to Drill.
- C. Any fluids produced during testing will be collected in test tanks, water drained to the pit, and the oil saved.
- D. Sewage will be handled by portable chemical toilets.
- E. There will be no burning. Garbage and other waste material will be enclosed in a wire mesh container, and then disposed of in an approved waste disposal pit.
- F. After the rig moves out, all materials will be cleaned up and no adverse materials will be left on location. Any dangerous pit will be fenced or covered.

#### 8. Ancilliary Facilities

No additional facilities not described herein are anticipated.

#### 9. Wellsite Layout

- A. Exhibit "G" is the wellsite layout at a scale of 1"=40'.
- B. The access to the well pad is shown on Exhibit "E".
- C. Stock piling of top soil will be per BLM Conditions of Approval for Notice to Drill.
- D. Reserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire.

#### 10. Plans for Restoration of Surface

- A. Upon completion of drilling, the location and surrounding area will be cleared of all debris, material, trash and junk not required for production. All trash will be hauled to a local sanitary landfill.
- B. The operator or his contractor will contact the Vernal BLM, Bookcliffs Resource Area, 24 hours prior to starting rehabilitation work that involves earth moving equipment and upon completion of restoration measures.
- C. Before any dirt work to restore the location takes place, the reserve pit will be completely dried and all trash (cans, barrels, pipe, etc.) will be removed. The reserve pit and that portion of the location and access road not needed for production or production facilities will be reclaimed within a reasonable time period.




14. Certification


I hereby certify that I, or the persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which currently exist, that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by CNG Producing Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

3-26-85


Date

  
\_\_\_\_\_  
J. D. Holliman  
Manager of Production  
Western Production Division







Tie-down Diagram



# CNG PRODU

## WELL LAYO

R.B.U. 8-




SCALE: 1"=40'

### Notes

THIS LOCATION IS SITUATED AMONG LOW HILLS WITH GENERAL DRAINAGE, NORTHERLY TOWARD THE GREEN RIVER. THE SOIL IS SHALE AND WEATHERED SANDSTONE.


RECEIVED  
 MAR 27 1985  
 DIVISION OF OIL  
 GAS & MINING



APPROXIMATE QUANTITIES

CUT: 11,588 Cu. Yds.

FILL: 620 Cu. Yds.



KEYWAY A—A

	<b>JERRY D. ALLRED &amp; ASSOCIATES</b> Surveying & Engineering Consultants
	121 North Center Street P.O. Drawer C

OPERATOR CNG Producing Co DATE 3-27-85  
WELL NAME RBN 8-24E  
SEC SE NE 24 T 10S R 19E COUNTY Wentz

43 047-31607  
API NUMBER

Oil  
TYPE OF LEASE

CHECK OFF:

PLAT

BOND

NEAREST WELL

LEASE

FIELD

POTASH OR OIL SHALE

PROCESSING COMMENTS:

Unit well - & on P/D  
Not with permit

APPROVAL LETTER:

SPACING:

A-3

Liner Bend  
UNIT

c-3-a

CAUSE NO. & DATE

c-3-b

c-3-c

STIPULATIONS:

1- Water



STATE OF UTAH  
NATURAL RESOURCES  
Oil, Gas & Mining

Norman H. Bangerter, Governor  
Dee C. Hansen, Executive Director  
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 28, 1985

CNG Producing Company  
P. O. Box 2115  
705 S. Elgin  
Tulsa, Oklahoma 74101-2115

Gentlemen:

Re: Well No. River Bend Unit #8-24E - SE NE Sec. 24, T. 10S, R. 19E  
1926' FNL, 833' FEL - Uintah County, Utah

Approval to drill the above referenced gas well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.

Page 2  
CNG Producing Company  
Well No. River Bend Unit #8-24E  
March 28, 1985

4. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-31607.

Sincerely,



R. J. Firth  
Associate Director, Oil & Gas

as  
Enclosures  
cc: Branch of Fluid Minerals

UNITED STATES  
DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

5. LEASE DESIGNATION AND SERIAL NO.  
U-013794

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
River Bend

8. FARM OR LEASE NAME  
RBU

9. WELL NO.  
8-24E

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 24-T10S-R19E

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

1A. TYPE OF WORK  
DRILL  DEEPEN  PLUG BACK

1B. TYPE OF WELL  
OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
CNG Producing Company

3. ADDRESS OF OPERATOR  
P. O. Box 2115, 705 S. Elgin, Tulsa, OK 74101-2115

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)  
At surface 1926' FNL & 833' FEL

At proposed prod. zone same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
10 miles SW of Ouray

10. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)  
833'

16. NO. OF ACRES IN LEASE  
800

17. NO. OF ACRES ASSIGNED TO THIS WELL  
160

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
2850'

19. PROPOSED DEPTH  
6500'

20. ROTARY OR CABLE TOOLS  
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
5167' GR

22. APPROX. DATE WORK WILL START\*  
5-13-85

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24#	± 400'	Cmt. calc. to surface
7 7/8"	5 1/2"	17#	±6500'	Cmt. calc. to surface

Subject development well will be drilled to the proposed depth and set casing as above if producible hydrocarbons are indicated. Should the well be plugged and abandoned, it will be done in accordance with instructions from the BLM. All Conditions for Approval of Notice to Drill will be adhered to.

Exhibits Attached

- "A" Plat
- "B" Drilling Plan
- "C" Blow Out Preventor Equipment
- "D" Surface Use Plan
- "E" Access Roads
- "F" Production Facilities
- "G" Wellsite Layout



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Angus C. Besttal TITLE Sr. Engineering Tech. DATE 3/21/85

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

APPROVED BY [Signature] TITLE **DISTRICT MANAGER** DATE 4/9/85

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

Div OG+M  
UT-080-5-M-113

\*See Instructions On Reverse Side

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company CNG Producing Company Well No. 8-24E  
Location Sec. 24 T10S R19E Lease No. U-013794  
Onsite Inspection Date 03-15-85

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. Estimated Depth of Anticipated Water, Oil, Gas, or Minerals

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

BOP and choke manifold systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Prior to drilling out the surface casing shoe, the annular-type preventer and the ram-type preventers will be tested to 1,500 psi.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion reports shall be submitted to this office on a weekly basis.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Other Conditions for Drilling Program

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

B. THIRTEEN POINT SURFACE USE PLAN

7. Location of Tank Batteries and Production Facilities

All facilities will be painted within 6 months of installation.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain  $1\frac{1}{2}$  times the storage capacity of the battery.

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

8. Methods of Handling Waste Disposal

The reserve pit will not be lined.

Burning will not be allowed. All trash must be contained in a wire mesh trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

Produced waste water will be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance, and will be grounds for issuing a shut-in order.

9. Well Site Layout

The reserve pit will be located as indicated in the layout diagram.

The stockpiled topsoil will be stored as indicated in the layout diagram. The top 4-6" of topsoil will be stockpiled there.

Access to the well pad will be as indicated.

Reserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire.

10. Plans for Restoration of Surface

If the wellsite is to be abandoned, then all disturbed areas will be recontoured to the approximate natural contours.

The stockpiled topsoil will be evenly distributed over the disturbed areas.

Seed will be broadcast or drilled at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The following seed mixture will be used:

Crested wheatgrass	2 lbs./acre
Western wheatgrass	2 lbs./acre
Yellow sweetclover	2 lbs./acre
Fourwing saltbush	2 lbs./acre

11. Other Information

There will be no deviation from the proposed drilling and/or work-over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.2.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3164.

The dirt contractor will be provided with an approved copy of the surface use plan.

A cultural resource clearance has been received for the project. If any cultural resources are found during construction, all work will stop and the AO will be notified.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

## DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

API #43-047-31607

NAME OF COMPANY: CNG PRODUCINGWELL NAME: RBU 8-24ESECTION SE NE 24 TOWNSHIP 10S RANGE 19E COUNTY UintahDRILLING CONTRACTOR Ram Drilling

RIG # \_\_\_\_\_

SPUDDED: DATE 5-4-85TIME 10:30 AMHOW Dry Hole SpudderDRILLING WILL COMMENCE Approx. 9 days - Olsen Rig #2REPORTED BY Darwin KullandTELEPHONE # 722-4521DATE 5-5-85 SIGNED JRB



# CNG PRODUCING COMPANY

P.O. BOX 1360, ROOSEVELT, UTAH 84066, (801) 722-4521

file  
RECEIVED

MAY 14 1985

Bureau of Land Management  
Minerals Management Service  
170 S. 500 E.  
Vernal, Utah 84078

DIVISION OF OIL  
GAS & MINING

May 7, 1985

This is to inform you that the RBU 8-24E, lease  
# U-013794, located in the SE 1/4 of the NE 1/4 of Section  
24, T 10 S, R 19 E, Uintah County, Utah, was  
spudded 5-4-85 at 10:30 <sup>am</sup> ~~pm~~ by Ram Drilling Co.  
(dry hole driller).

They drilled 408 feet of 12-1/4 inch hole then ran 10 joints  
of 8-5/8" 24#, K-55 casing with        centralizers, float collar or  
insert float at       , and shoe at 384'.

Cemented with B.J. Hughes using 190 sacks of class/type  
"G" cement with 1/4# cello flake per sack.

Yield 1.141, weight 15.9,        bbls slurry. Cement to surface  
(yes/~~no~~).

Sincerely,

*Darwin Kulland*

Darwin Kulland  
District Superintendent

DK/sf

cc: JDH

State of Utah  
Division of Oil, Gas & Mining  
ATTN: Ron Firth  
4241 State Office Bldg.  
Salt Lake City, Utah 84111

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

8

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
CNG Producing Company

3. ADDRESS OF OPERATOR  
705 S. Elgin, P. O. Box 2115, Tulsa, OK 74101-2115

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below )  
At surface  
1926' FNL and 823' FEL

14. PERMIT NO. 43-047-31607

15. ELEVATIONS (Show whether OF, ST, GR, etc.)  
5167 GR

5. LEASE DESIGNATION AND SERIAL NO  
U-013794

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
River Bend

8. FARM OR LEASE NAME  
RBU

9. WELL NO.  
8-24E

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLM, AND SURVEY OR AREA  
Sec. 24-T10S-R19E

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input type="checkbox"/>	(Other) <u>Operations Report</u> <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Operations report for the Month of May, 1985:  
Drilled to a total depth of 6,500' and ran production casing on 5-20-85.

RECEIVED

JUN 17 1985

DIVISION OF OIL  
GAS & MINING

18. I hereby certify that the foregoing is true and correct  
SIGNED Murray C. Baskett TITLE Sr. Engineering Tech. DATE 6-12-85

(This space for Federal or State office use)  
APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

3. LEASE DESIGNATION AND SERIAL NO

U-013794

6. IF INCLD. ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

River Bend

8. FARM OR LEASE NAME

RBU

9. WELL NO.

15 8-24E

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR B.L.M. AND  
SUBST OR ABA

Sec. 24-T10S-R19E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

**SUNDRY NOTICES AND REPORTS RECEIVED**  
(Do not use this form for proposals to drill or to deepen or plug back to a closed reservoir.  
Use "APPLICATION FOR PERMIT..." for such proposals.)

AUG 05 1985

OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR

CNG Producing Company

DIVISION OF OIL

3. ADDRESS OF OPERATOR

705 S. Elgin Ave., P.O. Box 2115, Tulsa, OK 74101-2115

GAS & MINING

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below)  
At surface

1926' FNL & 823' FEL

14. PERMIT NO.

43-047-31607

15. ELEVATIONS (Show whether SP, TV, GR, etc.)

5167 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PCLL OR ALTER CASING

MULTIPLE COMPLETS

ABANDON\*

CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

Operations Report

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Operations Report for the month of June, 1985.

No Activity

18. I hereby certify that the foregoing is true and correct

SIGNED

*Dwight C. Bechtel*

TITLE Sr Engr. Tech.

DATE 8-1-85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

3. LEASE DESIGNATION AND SERIAL NO  
U-013794

6. IF INDIAN ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
River Bend

8. FARM OR LEASE NAME  
RBU

9. WELL NO.  
8-24E

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., N., OR B.L.K. AND SURVEY OR AREA  
Sec. 24-T10S-R19E

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
CNG Producing Company

3. ADDRESS OF OPERATOR  
705 S. Elgin Ave., P.O. Box 2115, Tulsa, OK 74101-2115

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
1926' FNL & 823' FEL

14. PERMIT NO.  
43-047-31607

15. ELEVATIONS (Show whether SP, ST, CR, etc.)  
5167 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETS <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDISE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input type="checkbox"/>	(Other) <u>Operations Report</u>	<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locumms and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Operations Report for the Month of July 1985.

No Activity

RECEIVED

SEP 23 1985

DIVISION OF OIL  
GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED *George C. Bechtel* TITLE Sr. Engr. Tech. DATE 9-19-85

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO

U-013794

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

River Bend

8. FARM OR LEASE NAME

RBU

9. WELL NO.

8-24E

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR B.L.K. AND  
SURVEY OR AREA

Sec. 24-T10S-R19E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
CNG Producing Company

3. ADDRESS OF OPERATOR  
705 S. Elgin Ave., P.O. Box 2115, Tulsa, OK 74101-2115

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below)  
At surface

1926' FNL & 823' FEL

14. PERMIT NO.  
43-047-31607

15. ELEVATIONS (Show whether DF, ST, CR, etc.)  
5167 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF   
FRACTURE TREAT   
SHOOT OR ACIDIZE   
REPAIR WELL   
(Other)

PCLL OR ALTER CASING   
MULTIPLE COMPLETE   
ABANDON\*   
CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF   
FRACTURE TREATMENT   
SHOOTING OR ACIDIZING   
(Other)

REPAIRING WELL   
ALTERING CASING   
ABANDONMENT\*

Operations Report   
(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Operations Report for the Month of August 1985.

Perforate Chapita Wells 5973'-79' & 5982'-88'.

RECEIVED

SEP 23 1985

DIVISION OF OIL  
GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED

*Mary C. Bestel*

TITLE Sr. Engr. Tech.

DATE 9-19-85

(This space for Federal or State office use)

APPROVED BY


TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See instructions on Reverse Side





L. D. "Vern" HUNTER  
Consulting Geologist

TELEPHONE  
(406) 656-5197  
2903 PARK HILL DRIVE  
BILLINGS, MONTANA, 59102

RECEIVED

DEC 10 1985

DIVISION OF OIL  
GAS & MINING

CNG PRODUCING COMPANY

RBU No. 8-24E

SE NE Section 24, T. 10 S., R. 19 E.

UINTAH COUNTY, UTAH

Prepared for: CNG Producing Company

By: L. D. 'Vern' Hunter  
Consulting Geologist  
Billings, Montana

OPERATOR: CNG Producing Company

WELL: RBU No. 8-24E

LOCATION: SE $\frac{1}{4}$  NE $\frac{1}{4}$  Section 24, T. 10 S., R. 19 E  
1,926' FNL & 833' FEL  
Uintah County, Utah

TOPOG REFERENCE: Big Pack Mtn., NW

ELEVATIONS: 5,167' Grd., 5,179' KB

SPUD DATE: May 12, 1985 (8:30 a.m.)

SURFACE CASING: 8-5/8" 24# K-55; cemented w/ 190 sx Class G, 1/4# celloflake  
per sx; good returns

HOLE SIZE: 12-1/4" to 408'  
7-7/8" from 396' to TD

TD AND DATE: 6,500' May 18, 1985 (5:20 p.m.)  
6,502' Logger

CORES: None

LOST CIRCULATION: 1,820-1,860'

FRACTURE ZONES: None noted

OIL ON PITS: Trace on breaks 4, 5, 24

WATER FLOWS: None reported

SAMPLES: 30' samples from 396' to 4,000'  
10' samples from 4,000' to TD

DRILL STEM TESTS: None

ELECTRIC LOGS:

Dresser-Atlas

Engineer: Mr. C. Miller

DLL/GR/Cal from 6,492' to 398'

Den/Neu/Gr/Cal from 6,500' to 2,000'

Prolog from 6,500' to 2,000'

SAMPLE AND/OR PENETRATION RATE TOPS:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Lower Green River oil shale	3,894'	+1,285
Wasatch Tongue	4,087'	+1,092
Green River Tongue	4,464'	+ 715
Wasatch	4,612'	+ 567
Chapita Wells	5,305' ?	- 126

LOG TOPS:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Green River	1,240'	+3,939
X-Marker	1,928'	+3,251
A Zone	2,454'	+2,725
A+	2,734'	+2,445
B Zone	2,764'	+2,415
Purple Marker	2,806'	+2,373
C Zone	2,852'	+2,327
D Sandstone	2,954'	+2,225
E Zone	3,048'	+2,131
F Zone	3,150'	+2,029
G Zone	3,194'	+1,985
G+	-----	-----
H Zone	3,352'	+1,827
I Zone	3,436'	+1,743
J Zone	3,518'	+1,661
K <sub>u</sub> Zone	3,700'	+1,479
K <sub>1</sub>	3,756'	+1,423
Lower Green River Oil Shale	3,892'	+1,287
Wasatch Tongue	4,110'	+1,069
2	4,160'	+1,019
3	4,208'	+ 971
Green River Tongue	4,460'	+ 719
Wasatch	4,622'	+ 557
Chapita Wells	5,348'	- 169
Uteland Buttes	6,420'	-1,241
TD	6,502'	-1,323



CHRONOLOGICAL HISTORY

<u>DATE</u>	<u>PTD</u>	<u>ACTIVITY</u>	<u>DEPTH</u>
	8:00 am		
May 13, 1985	1,676'	Drilling	1,280'
14	3,073'	Drilling	1,397'
15	4,213'	Drilling	1,140'
16	4,928'	Drilling	715'
17	5,708'	Drilling	780'
18	6,232'	Drilling	524'
19	6,500'	Logging	268'

DEVIATIONS

<u>DATE</u>	<u>DEPTH</u>	<u>AMOUNT</u>
May 13, 1985	365'	1/2°
	858'	1/2°
	1,341'	1-1/2°
14	1,900'	2-1/2°
	2,337'	1-3/4°
	2,836'	2°
15	3,335'	1-3/4°
16	4,679'	2-1/4°
17	5,708'	2°
18	6,182'	1-3/4°
19	6,500'	1°

MUD CHECKS

	<u>DATE</u>	<u>DEPTH</u>	<u>WT.</u>	<u>VIS.</u>	<u>TYPE</u>	<u>WL</u>	<u>KCl</u>	<u>Ph.</u>	<u>SOLIDS</u>	<u>LCM</u>	<u>CHLORIDE</u>
May	13, 1985	2,035'	8.4	27	Fr. wtr.	-	-	10.5	-	-	10,500
	14	3,300'	8.5	27	KCl wtr.	-	1½%	10.5	-	-	21,000
	15	4,365'	8.6	27	KCl wtr.	-	3%	11.5	-	-	31,000
	16	5,132'	8.8	27	KCl/Brine wtr.	-	3%	11.0	-	-	33,000
	17	5,870'	9.0	27	KCl/Brine wtr.	-	3½%	9.5	-	-	63,000
	18	6,500'	10.0	31	KCl/Polymer	12.6	4%	9.5	1%	-	188,400

BIT RECORDS

<u>No.</u>	<u>Size</u>	<u>Co.</u>	<u>Type</u>	<u>Out</u>	<u>Footage</u>	<u>Hours</u>	<u>Ave. Ft/Hr</u>
1	7-7/8"	STC	F-4	4,679'	4,283'	77	55.6
2	7-7/8"	STC	F-3	6,182'	1,503'	42-3/4	35.2
3	7-7/8"	STC	F-3	6,500'	318'	11-1/2	27.7

REPORT FOR SHOWS & DRILLING BREAKS

DATE	SHOW &/or BREAK #'s	DEPTH	DRLG.	DRLG.	DRLG.	TOTAL GAS		MUD LOGGER SAMPLE DESCRIPTION
			RATE BEFORE BREAK	RATE FOR BREAK	RATE AFTER BREAK	BEFORE- DURING- AFTER- BREAK		
May 13	1	940- 950	.7	.4	.7	0- 140-	0	Oil sh
	2	959- 983	.7	.4	.7	0- 150-	0	Oil sh
	3	1124-1150	1	.5	1	0- 200-	0	Oil sh
	-	1676	-	-	-	BG-10; Conn-200		
14	4	1914-1930	.8	.6	.8	20- 300-	20	Oil sh/l's
	5	2020-2068	.8	.4	.8	20-3500-	1500	Oil sh/l's
	6	2136-2154	.8	.4	.8	1000-2000-	800	Ss
	7	2338-2352	1	.4	.8	1100-1800-	1000	Oil sh
	8	2448-2460	1	.4	1	500-2000-	500	Ls
	9	2520-2525	.8	.4	.8	600-2500-	1000	Ls
	10	2618-2628	.8	.4	.8	1000-2500-	1000	Ls
	11	2647-2654	.8	.4	.8	1000-3000-	1000	Ss
	12	2700-2708	.8	.4	.8	500-4000-	2000	Ls/ss
	13	2714-2720	.8	.4	.8	2000-3000-	2000	Ls/ss
	14	2788-2802	1	.4	1	2000-2500-	2000	Ls/ss
	15	2810-2824	1	.4	1	2000-2500-	2000	Ls/ss
	16	2845-2860	1	.3	1	2000-3500-	2000	Ss
	17	2898-2920	1	.6	1	2000-3200-	2000	Ss
18	2945-2972	1	.2	1	2000-3000-	2000	Ss	
	-	3073	-	-	-	BG-2000; Conn-4000		
15	19	3,003-3012	1	.6	1	2000-3000-	2000	Ss
	20	3063-3080	1	.6	1	2000-3200-	2000	Ss
	21	3200-3222	1	.5	1	2000-3000-	2000	Ss
	22	3300-3324	1	.5	1	2000-2000-	2000	Ss
	23	3358-3378	1	.5	1	1500-2500-	1500	Ss
	24	3580-3592	1	.5	1	1000-2000-	1000	Ss
	25	3760-3770	1.5	1	1.5	1000-1200-	1000	Ss
	26	3899-3912	1	.5	1	1000-1200-	1000	Oil sh
	27	3930-3948	1	.5	1	1000-1200-	1000	Oil sh
	28	4008-4020	1	.5	1	1000-1250-	1000	Oil sh
	29	4064-4084	1	.5	1	1000-1150-	900	Oil sh
	-	4213	-	-	-	BG-1000; Conn-2000		
16	30	4426-4435	1	.5	1	1500-1500-	1500	Ss
	31	4463-4473	1	.5	1	1000-1500-	1000	Oil sh
	32	4544-4552	1.5	.4	1.5	500-1000-	500	Ss
	33	4860-4870	1.5	1	1.5	250- 500-	250	Ss
		-	4928	-	-	-	BG-250; Conn-750; TG-2500	
17	34	5906-5112	1.5	.5	1.5	500-3500-	2500	Ss
	35	5126-5134	1.5	.5	1.5	2500-3500-	2000	Ss
	36	5220-5240	1.5	.5	1.5	2000-3000-	2000	Ss
	37	5370-5380	2	.7	2	2100-3000-	2100	Ss
	38	5476-5504	2	.7	2	2000-3000-	2000	Ss
		-	5708	-	-	-	BG-2100; Conn-3000	
18	39	5704-5712	1.5	.7	1.5	2000-3500-	2000	Ss
	40	5806-5849	1.5	.4	1.5	1500-4500-	2000	Ss
	41	5909-5924	1.5	.4	1.5	2000-3500-	2000	Ss
	42	5961-6002	1.5	.5	1.5	2000-4000-	2000	Ss
		-	6232	-	-	-	BG-2000; Conn-4500; TG-6000	

REPORT FOR SHOWS & DRILLING BREAKS

<u>DATE</u>	<u>SHOW &amp;/or BREAK #'s</u>	<u>DEPTH</u>	<u>DRLG. RATE BEFORE BREAK</u>	<u>DRLG. RATE FOR BREAK</u>	<u>DRLG. RATE AFTER BREAK</u>	<u>TOTAL GAS BEFORE- DURING- AFTER- BREAK</u>	<u>MUD LOGGER SAMPLE DESCRIPTION</u>
May 19	43	6404-6412	2	1	2	500- 800- 500	Ss
	44	6480-6487	2.5	1	3	400- 750- 500	Ss
	45	6490-6494	3	1.5	3	500- 700- 400	Ss

SAMPLE DESCRIPTIONS


<u>BREAK #</u>	<u>DEPTH</u>	<u>LITHOLOGY</u>
1	940- 950	Ls, buff to tan, dol'c xf, tr pyr, shly, <u>yell SF, v pale bluish cut &amp; CF</u>
2	959- 988	As above
3	1,124-1,150	Sh, med brn to tan, dol'c, firm, <u>pale gold SF, wk bluish cut &amp; CF</u>
4	1,914-1,930	Sh aa
5	2,020-2,068	Sh, tan to med brn, dol'c to calc, firm, <u>yell SF, bluish-yell cut &amp; CF</u>
6	2,136-2,154	Sh, grn-gry, dol'c, calc in pt, no SF
7	2,338-2,352	Sh, med brn, dol'c, firm, <u>pale yell SF, bluish-yell cut &amp; CF</u>
8	2,448-2,460	Sh, gry-grn, dol'c, firm w/ ls, crm, lith, chalky, ti, <u>yell SF, wk bluish cut</u>
9	2,520-2,525	Sh, gry-grn to buff, dol'c, tr ls as above
10	2,618-2,628	As above
11	2,647-2,654	Ss, med gry, xf, calc, clay-filled, ti, NS w/ sltstn, med gry, ti, NS
12	2,700-2,708	Ls, crm, lith, chalky, ti, <u>pale yell SF, no cut</u>
13	2,714-2,720	Sh, gry-grn, dol'c, firm, tr ls aa, <u>pale bluish-yell SF, no cut</u>
14	2,788-2,802	Ss, wht to lt gry, vf, ang to sa, calc, ti, w/ ostracods, <u>no SF, pale yell bluish cut &amp; CF</u>
15	2,810-2,824	Sh, gry-grn to tan, dol'c, calc in pt, tr ss aa, <u>wk gold SF w/ bluish cut &amp; CF</u>
16	2,845-2,860	Ss, wht, vf, calc, mostly free drlg, ti, pyr, NS
17	2,898-2,920	Ss aa w/ sh, med gry, dol'c, firm
18	2,945-2,972	Ss aa
19	3,003-3,012	Aa
20	3,063-3,080	VPS ss/sh aa
21	3,200-3,222	Ss, wht, vf, ang to sa, calc, ti, NS
22	3,300-3,324	Ss aa

<u>BREAK #</u>	<u>DEPTH</u>	<u>LITHOLOGY</u>
23	3,358-3,378	Ss aa w/ sh, gry-grn, dol'c to calc, firm, NS
24	3,580-3,592	Ss aa w/ sh, med brn, dol'c, firm, NS
25	3,760-3,770	Sh, gry-grn, dol'c, firm
	<u>SAMPLE TOP:</u>	LOWER GREEN RIVER OIL SHALE 3,894' (+1,285)
26	3,899-3,912	Oil sh, med to dk brn, dol'c, <u>dull gold SF, bluish-yell cut &amp; CF</u>
27	3,930-3,948	Aa
28	4,008-4,020	Aa
29	4,064-4,084	Aa
	<u>SAMPLE TOP:</u>	WASATCH TONGUE 4,087' (+1,092)
30	4,426-4,435	Ss, lt gry, vf, ang to sa, calc, ti, clay-filled, NS
	<u>SAMPLE TOP:</u>	GREEN RIVER TONGUE 4,464' (+715)
31	4,463-4,473	Sh, med brn, dol'c, firm, <u>gold SF, bluish-yell cut &amp; CF</u>
32	4,544-4,552	Ss, wht, f, tr m, sa to sr, free drlg, calc, NS
	<u>SAMPLE TOP:</u>	WASATCH 4,612' (+567)
33	4,860-4,870	Sh, rd-grn, grn, calc, firm, NS
34	5,096-5,112	Ss, lt gry, vf, sa, calc, clay-filled, ti, NS (NOTE: took gas kick)
35	5,126-5,134	Ss aa w/ sh, rd-brn, calc, firm
36	5,220-5,240	Ss aa w/ pk & grn grains
	<u>SAMPLE TOP:</u>	CHAPITA WELLS 5,305'? (-126)
37	5,370-5,380	As above
38	5,476-5,504	Sandstone aa
39	5,704-5,712	Sh, rd-brn, to gry-grn, calc, firm w/ ss aa
40	5,806-5,842	Ss, wht, vf, sa, calc, free drlg, <u>no oil stn</u>
41	5,909-5,924	Ss aa w/ tr pk & blk grains
42	5,961-6,002	As above

<u>BREAK #</u>	<u>DEPTH</u>	<u>LITHOLOGY</u>
43	6,404-6,412	Ss, wht, vf-f, ang to sa, calc, free driling, pk & pale grn & blk grains, ti, no oil stn
44	6,480-6,487	Ss, aa w/ sh, rd-brn, calc, firm
45	6,490-6,494	As above

46 0782

K&E 10 X 10 TO THE INCH • 7 X 10 INCHES  
KEUFFEL & ESSER CO. MADE IN U.S.A.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

8

RECEIVED

5. LEASE DESIGNATION AND SERIAL NO.  
U-013794

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
River Bend

8. FARM OR LEASE NAME  
RBU

9. WELL NO.  
8-24E

10. FIELD AND POOL, OR WILDCAT  
Natural Buttes

11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA  
Sec. 24-T10S-R19E

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other OCT 30 1985

b. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR.  Other

2. NAME OF OPERATOR  
CNG Producing Company

3. ADDRESS OF OPERATOR  
705 S. Elgin Ave., P. O. Box 2115, Tulsa, OK 74101-2115

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
At surface 1926' FNL & 833' FEL SENE  
At top prod. interval reported below Same  
At total depth Same

14. PERMIT NO. 43-047-31607 DATE ISSUED 3-28-85

15. DATE SPUNDED 5-6-85 16. DATE T.D. REACHED 5-19-85 17. DATE COMPL. (Ready to prod.) 9-29-85 18. ELEVATIONS (DF. RKB, RT, GR, ETC.)\* 5167 GR 5179 KB 19. ELEV. CASINGHEAD N/A

20. TOTAL DEPTH, MD & TVD 6500' 21. PLUG. BACK T.D., MD & TVD 6454' 22. IF MULTIPLE COMPL., HOW MANY\* 23. INTERVALS DRILLED BY Surface to TD ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S). OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
Wasatch  
Chaparral Wells 5832'-48', 5965'-70', 5982'-88', 5915'-20', 5973'-79'. 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN  
CPL/CNL/GR, DLL/GR, Prolog, Sample, APC 27. WAS WELL CORRED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24	384'	12 1/4"	Cement to surface	
5 1/2"	17	6495'	7 7/8"	Cement with 955 sx	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	30. TUBING RECORD
					SIZE 2 3/8" DEPTH SET (MD) 5893' PACKER SET (MD) 5854'

31. PERFORATION RECORD (Interval, size and number) See Attachment

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.  
DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED  
See Attachment

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
9-28-85	Flowing	SI WOPL					
DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
9-29-85	24	12/64		0	2306	0	N/A
FLOW. TUBING PRSS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
1300	1400		0	2306	0	N/A	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Flared TEST WITNESSED BY Jon Bingham

35. LIST OF ATTACHMENTS  
Perforation and Stimulation Report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Ray Bechtel TITLE Sr. Engineering Technician DATE 10-17-85

851101

\*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				Wasatch Tge	4110	+1069
				Green River Tge	4460	+ 719
				Wasatch	4622	+ 557
				Chapita Wells	5348	- 169
				Utteland Buttes	6420	-1241

CNG PRODUCING COMPANY


PERFORATION AND STIMULATION REPORT  
RBU 9-13E

<u>Perforation Record</u>			<u>Acid, Shot, Fracture, Cement Squeeze, Etc.</u>
<u>Zone and Depth</u>	<u>Size</u>	<u>No.</u>	<u>Amount and Kind of Material Use</u>
Chapita Wells 5965'-5970'	0.50	19	Frac with 53,800 gal. 67/75 quality N <sub>2</sub> foam and 71,000 lbs. 16/30 sand.
5973'-5979'			
5982'-5988'			
Chapita Wells 5915'-5920'	0.50	12	Frac with 34,440 gal. 67/75 quality N <sub>2</sub> foam and 38,000 lbs. 16/30 sand.
Chapita Wells 5832'-5848'	0.50	19	Frac with 46,495 gal. 67/75 quality N <sub>2</sub> foam and 56,000 lbs. 16/30 sand.

NOTE: Packer set at 5854'.

Flow tested 1110 MCFD, 12/64 choke, 1300 psi from perforations 5915'-20', 5965'-70', 5973'-79' and 5982'-88' up tubing. Flow tested 1196 MCFD, 12/64 choke, 1400 psi from perforations 5832'-48' up casing annulus.

42-381 50 SHEETS 5 SQUARE  
42-382 100 SHEETS 3 SQUARE  
42-389 200 SHEETS 3 SQUARE  
NATIONAL MANUFACTURING U.S.A.



tank w/  
firewall

dehydrator

2 separators

emergency  
pits

wellhead.

stock pile



**CNG Producing  
Company**

A **CNG** COMPANY

CNG Tower  
1450 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

October 16, 1992

**RECEIVED**

OCT 19 1992

DIVISION OF  
OIL GAS & MINING

Mr. Ed Forsman  
U.S. Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078

RE: River Bend Unit  
Well Completion Reports  
River Bend Unit 5-21E  
River Bend Unit 5-21F  
River Bend Unit 5-22E  
River Bend Unit 7-22E  
River Bend Unit 8-24E

Dear Ed:

Enclosed please find the original and two copies of the above referenced reports.

CNG Producing Company is requesting all information be held confidential.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Scot Childress at (504) 593-7574.

Sincerely,

*Susan M. Hebert*

Susan M. Hebert  
Regulatory Reports Asst. II

Enclosure

cc: Ms. Tammy Searing - Utah Department of Oil, Gas & Mining  
Y. Abadie  
S. Childress  
B. Coffin  
V. Corpening  
G. Donaldson  
D. Kulland  
D. Montelaro  
R. Mueller  
J. Nicas  
PG&E Resource Company

**UNITED STATES**  
**DEPARTMENT OF THE INTERIOR**  
**BUREAU OF LAND MANAGEMENT**

**SUBMIT IN DUPLICATE\***

(See other in-  
structions on  
reverse side)

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG\***

1a. TYPE OF WELL: OIL WELL  GAS WELL  **X** DRY  **RECEIVED**

1b. TYPE OF COMPLETION: NEW WELL  **WORK OVER**  DEEP-EN  PLUG BACK  DIFF. RESVR.  Other  **OCT 19 1992**

5. LEASE DESIGNATION AND SERIAL NO.  
**U-013794**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
**River Bend Unit**

8. FARM OR LEASE NAME  
**RBU**

2. NAME OF OPERATOR  
**CNG Producing Company**

**DIVISION OF OIL GAS & MINING**

9. WELL NO.  
**8-24E**

3. ADDRESS OF OPERATOR  
**CNG Tower - 1450 Poydras St., New Orleans, LA 70112-6000**

10. FIELD AND POOL, OR WILDCAT ISLAND

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
**At surface 1,926' FNL & 833' FEL of Sec. 24-T10S-R19E**

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

**At top prod. interval reported below**

**SE of NE of 24-T10S-R19E**

**At total depth**

**CONFIDENTIAL**

17. PERMIT NO. **43-047-31607** DATE ISSUED **03/28/85**

12. COUNTY OR PARISH **Uintah** 13. STATE **Utah**

15. DATE SPUDDED **05/06/85** 16. DATE T.D. REACHED **05/19/85** 17. DATE COM. (Ready to prod.) **09/11/92**

18. ELEVATION (DF, RKB, RT, GR, ETC.)\* **5,167' GR 5,179' KB** 19. ELEV. CASING HEAD

20. TOTAL DEPTH MD & TVD **6,500'** 21. PLUG, BACK T.D. MD & TVD **5,968'** 22. IF MULTIPLE COMPL., HOW MANY\* **5 Zones**

23. INTERVALS DRILLED BY **Rotary** ROTARY TOOLS **Rotary** CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)\*  
**5,964-90', 5,912-26', 5,826-52', 5,478-5,506', 5,372-84', 5,702-08', 5,229-54', 5,096-5,110' - Wasatch**

25. WAS DIRECTIONAL SURVEY MADE **No**

26. TYPE ELECTRIC AND OTHER LOGS RUN **None**

27. WAS WELL CORED **No**

28. CASING RECORD (Report all strings set in well)

**CONFIDENTIAL**

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	384'	12 1/4"	Cement to surface	
5 1/2"	17# N-80	6,454'	7 7/8"	Cement with 995 sks	

29. LINER RECORD				30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD) / PACKER SET (MD)
					2 3/8"	5,889' / 5,791'

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
Zone	Interval	Depth Interval (MD)	Amount and Kind of Material Used
Zone #1	5,965-5,970', 5,973-5,979', & 5,982-5,988'	Zone #1	71,000 lbs of 16/30 Frac Sand
Zone #2	5,915-5,920'	Zone #2	38,000 lbs of 16/30 Frac Sand
Zone #3	5,832-5,848'	Zone #3	56,000 lbs of 16/30 Frac Sand
Stage 1	5,375', 5,383', 5,478', 5,483', 5,486', 5,490', 5,492', 5,495', 5,499', 5,500', 5,704' & 5,708'	Stage 1	290,000 lbs of 16/30 Frac Sand
Stage 2	5,238', 5,236', 5,230', 5,228', 5,226', 5,224', 5,108', 5,106', 5,104', 5,100', 5,098' & 5,096'	Stage 2	233,000 lbs of 16/30 Frac Sand

33. DATE FIRST PRODUCTION **09/18/92** PRODUCTION MET (Flowing, gas lift, pumping - size and type of pump) **Flowing** WELL STATUS (Producing or shut-in) **Producing**

DATE OF TEST **10/05/92** HOURS TESTED **24** CHOKER SIZE **10/64** PROD'N FOR TEST PERIOD **----->** OIL-BBL. **-** GAS-MCF. **853** WATER-BBL. **-** GAS-OIL RATIO **-**

FLOW TUBING PRESS. **1390** CASING PRESSURE **1400** CALCULATED 24 HR RATE **----->** OIL-BBL. **-** GAS-MCF. **853** WATER-BBL. **-** OIL GRAVITY-API (CORR.) **-**

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **Sold** TEST WITNESSED BY **Mitch Hall**

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.  
SIGNED **W. Scot Childress** TITLE **Supervisor, Prod. Eng.** DATE **10/07/92**

\*(See Instruction and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries)

38. GEOLOGICAL MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Wasatch	5,964'	5,990'	sdstone, wh-gy, vfgr-fgr, sbang-sbrnd, calcareous	Wasatch Tongue	4,110'	4,110'
Wasatch	5,912'	5,926'	aa	Green River Tongue	4,470'	4,470'
Wasatch	5,826'	5,852'	aa	Wasatch	4,622'	4,622'
Wasatch	5,762'	5,708'	aa	Chapita Wells	5,348'	5,348'
Wasatch	5,478'	5,506'	aa	Uteland Buttes	6,418'	6,418'
Wasatch	5,372'	5,384'	aa			
Wasatch	5,222'	5,254'	aa			
Wasatch	5,096'	5,110'	aa			

RBU 8-24E

Move in and rig up rig. Killed well. Run pressure integrity test on casing and bridge plug. Rig up electric line and set bridge plug at 5,785'. Perforate Zone #1 5,375', 5,383', 5,478', 5,486', 5,490', 5,492', 5,495', 5,499', 5,500', 5,704' & 5,708'. Frac'd Zone #1 with 290,000 lbs of 16/30 frac sand, 1,591 bbls gelled fluid & 60 tons of CO2. Flowed well to clean up. Killed well. Rig up electric line and set bridge plug at 5,310'. Perforate Zone #2 5,238', 5,236', 5,230', 5,228', 5,226', 5,224', 5,108', 5,106', 5,104', 5,100', 5,098' & 5,096'. Frac'd Zone #2 with 233,000 lbs of 16/30 frac sand, 1,138 bbls of gelled x-link fluid, and 59 tons of CO2. Flowed well to clean up. Run in hole to 5,310' and release bridge plug. Hung off tubing. Well plugged with sand. Treated well with N2 to blow sand out of well. Well started flowing.


CNG Producing  
Company

A CNG COMPANY

CNG Tower  
1483 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

June 6, 1994

Mr. Paul M. Andrews  
Area Manager, Books Cliff Resource Area  
U.S. Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078



RE: River Bend Unit  
Application for Disposal Pits

Dear Mr. Andrews:

Enclosed please find an original and two copies of Sundry Form 3160-5 requesting approval for disposal pits at the following locations:

<u>Well Name</u>	<u>Location</u>	<u>Lease Number</u>
RBU 16-3E	SE SE 16-T10S-R19E	U-035316
RBU 5-10E	SW NW 10-T10S-R19E	U-013792
RBU 9-10E	NE SE 10-T10S-R19E	U-013792
RBU 15-10E	SW SE 10-T10S-R19E	U-013792
RBU 5-11F	SW NW 11-T10S-R20E	U-7260
RBU 9-13E	NE SE 13-T10S-R19E	U-013765
RBU 5-14F	SW NW 14-T10S-R20E	U-013793-A
RBU 3-15E	NE NW 15-T10S-R19E	U-013766
RBU 13-15E	SW SW 15-T10S-R19E	U-013766
RBU 8-16F	SE NE 16-T10S-R20E	U-7206
RBU 9-21E	NE SE 21-T10S-R19E	U-013766
RBU 3-24E	NE NW 24-T10S-R19E	U-013794
RBU 8-24E	SE NE 24-T10S-R19E	U-013794

CNG is applying for these disposal pits under the criteria that these wells do not produce more than 5 barrels per day, therefore the following information is not applicable:

1. Water Analysis
2. There are no known aquifers in the area.

Should you have any question please feel free to contact me at (504) 593-7260.

Sincerely,

*Susan H. Sachitana*  
Susan H. Sachitana  
Regulatory Specialist

Enclosure

cc: Utah Board of Oil Gas & Mining  
Darwin Kulland  
Yvonne Abadie

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
BUDGET BUREAU NO. 1004-0135  
DUE DATE: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 8-24E
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-31607
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,926' FNL & 833' FEL of Sec. 24-T10S-R19E	10. Field and Pool, or Exploratory Area Natural Buttes
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Onshore Order #7 Application for Disposal Pit	<input type="checkbox"/> Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

Pursuant to Onshore Order #7 effective October 8, 1993, CNG Producing Company hereby makes application under Section 3.D.2.iv. The pit dimensions would be 40' x 40' with a minimum of 2' of free-board adjacent to the dehy dump. The pit shall be fenced or enclosed to prevent access by livestock, wildlife and unauthorized personnel.

The volume of water to be disposed of does not exceed an average of 5 barrels per day of a monthly basis.

The evaporation rate in the area is 4" per year and the percolation rate of the soil is approximately 1" per day.

14. I hereby certify that the forgoing is true and correct

Signed Susan H. Sachitana Title Regulatory Specialist Date June 6, 1994  
Susan H. Sachitana

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any: Federal Approval of this Action is Necessary

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side


**CNG Producing  
Company**

A **CNG COMPANY**

CNG Tower  
1450 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

July 20, 1994

Mr. Paul M. Andrews  
Area Manager, Books Cliff Resource Area  
U.S. Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078



RE: River Bend Unit  
Application for Disposal Pits

Dear Mr. Andrews:

Enclosed please find an original and two copies of Sundry Form 3160-5 requesting approval for a second disposal pit at the following locations:

<u>Well Name</u>	<u>Location</u>	<u>Lease Number</u>
RBU 16-3E	SE SE 16-T10S-R19E	U-035316
RBU 5-10E	SW NW 10-T10S-R19E	U-013792
RBU 9-10E	NE SE 10-T10S-R19E	U-013792
RBU 5-11F	SW NW 11-T10S-R20E	U-7260
RBU 9-13E	NE SE 13-T10S-R19E	U-013765
RBU 3-15E	NE NW 15-T10S-R19E	U-013766
RBU 8-16F	SE NE 16-T10S-R20E	U-7206
RBU 3-24E	NE NW 24-T10S-R19E	U-013794
RBU 8-24E	SE NE 24-T10S-R19E	U-013794

CNG is applying for these disposal pits under the criteria that these wells do not produce more than 5 barrels per day, therefore the following information is not applicable:

1. Water Analysis
2. There are no known aquifers in the area.

Should you have any question please feel free to contact me at (504) 593-7260.

Sincerely,

*Susan H. Sachitana*  
Susan H. Sachitana  
Regulatory Specialist

Enclosure

cc: Utah Board of Oil Gas & Mining  
Darwin Kulland  
Yvonne Abadie

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. B-24E
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-31607
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,926' FNL & 833' FEL of Sec. 24-T10S-R19E	10. Field and Pool, or Exploratory Area Natural Buttes
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Onshore Order #7	<input type="checkbox"/> Dispose Water
	Application for Disposal Pit	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

Pursuant to Onshore Order #7 effective October 8, 1993, CNG Producing Company hereby makes application under Section 3.D.2.iv for a second disposal pit. The pit dimensions will not exceed 15' x 15' with a minimum of 2' of free-board adjacent to the dehy dump. The pit shall be fenced or enclosed to prevent access by livestock, wildlife and unauthorized personnel.

The volume of water to be disposed of does not exceed an average of 5 barrels per day of a monthly basis.

The evaporation rate in the area is 4' per year and the percolation rate of the soil is approximately 1" per day.

14. I hereby certify that the forgoing is true and correct


Signed Susan H. Sachitana Title Regulatory Specialist Date July 20 1994  
Susan H. Sachitana

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_  
Conditions of approval, if any:

**Accepted by the  
Utah Division of  
Oil, Gas and Mining**

**FOR RECORD ONLY**



Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
EXPIRES: July 31, 1996

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to deepen or re-enter an  
abandoned well. Use form 3160-3 (APD) for such proposals.

**SUBMIT IN TRIPLICATE - Other instruction on reverse side**


1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-013794
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. RIVER BEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1,926' FNL & 833' FEL of Sec. 24-T10S-R19E		8. Well Name and No. 8-24E
		9. API Well No. 43-047-31607
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	_____
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

CNG Producing Company request permission to run the water dump line, the condensate dump line and the blow down line to the production tank. Water will be stored in the production tank until such time where there is enough to transport and dispose of in the RBU 16-19F salt water disposal well.



14. I hereby certify that the forgoing is true and correct Name (Printed/Typed)  SUSAN H. SACHITANA	Title REGULATORY REPORTS ADMINISTRATOR
Signature <i>Susan H. Sachitana</i>	Date 9900902

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CNG Office  
1431 20th Street  
Vernal, UT 84078  
(801) 787-1111

September 2, 1999

Mr. Wayne Bankart  
Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078

RE: Water Disposal Sundries

Dear Wayne:

Enclosed please find an original and two copies of sundry notices for various requesting permission to run the water dump, condensate dump and blow down line to the production tank and then disposed of the water at the RBU 16-19F salt water disposal well once there is enough water to haul.


If you have any questions or need any further information, please feel free to contact me at (504) 593-7260 or our District Manager, Mitch Hall, at (435) 722-4521. Anything you can do to expedite approval of these sundries would be greatly appreciated.

Sincerely,

*Susan H. Sachitana*

Susan H. Sachitana  
Regulatory Reports Administrator

cc: Utah Board of Oil, Gas & Mining  
Nelda Decker  
Mitch Hall  
Well History Files





# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

In Reply Refer To:  
3100  
U-01470-A et al  
(UT-932)

JUN 2 2000

### NOTICE

Dominion Exploration & Production, Inc. : Oil and Gas Leases  
1450 Poydras Street :  
New Orleans, LA 70112-6000 :

#### Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

**/s/ Robert Lopez**

Robert Lopez  
Chief, Branch of  
Minerals Adjudication

Enclosure  
Exhibit of Leases

**RECEIVED**

JUN 05 2000

DIVISION OF  
OIL, GAS AND MINING

cc: Wyoming State Office  
New Mexico State Office  
Moab Field Office  
Vernal Field Office  
MMS–Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217  
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801  
Irene Anderson (UT-932)  
Teresa Thompson (UT-931)  
LaVerne Steah (UT-942)

Dominion Exploration & Production, Inc.  
1450 Poydras Street, New Orleans, LA 70112-6000  
Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson  
Utah Board of Oil Gas & Mining  
1594 West North Temple  
Suite 1210  
Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitana  
Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

**RECEIVED**

JUN 29 2000

**DIVISION OF  
OIL, GAS AND MINING**

STATE OF UTAH  
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.  
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.


1. Type of Well : OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER: _____	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name:
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name:
4. Location of Well Footages: QQ, Sec. T., R., M.:	8. Well Name and Number: VARIOUS
	9. API Well Number
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon	<input type="checkbox"/> Abandon*
<input type="checkbox"/> Repair Casing	<input type="checkbox"/> Repair Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Convert to Injection
<input type="checkbox"/> Fracture Treat or Acidize	<input type="checkbox"/> Fracture Treat or Acidize
<input type="checkbox"/> Multiple Completion	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> Other	
<input type="checkbox"/> New Construction	<input type="checkbox"/> New Construction
<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Recomplete	<input type="checkbox"/> Reperforate
<input type="checkbox"/> Reperforate	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Water Shut-Off	
Approximate date work will start _____	Date of work completion _____
	Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	*Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.


  
John R. Lewis  
Sr. Vice-President - CNG Producing Company

**RECEIVED**

JUN 29 2000

DIVISION OF  
OIL, GAS AND MINING

13.

Name & Signature:  Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

John R. Lewis

(This space for State use only)



State of Utah
DEPARTMENT OF COMMERCE
Division of Corporations & Commercial Code

552894
CO 106990
File Number

Table with 2 columns: Check Appropriate Box, Fee Amount. Includes Foreign Profit Corporation (\$35.00), Foreign Non-Profit Corporation (\$35.00), Foreign Limited Partnership (\$25.00), Foreign Limited Liability Company (\$35.00).

Application To Amend The
CERTIFICATE OF AUTHORITY OR
REGISTRATION of

CNG Producing Company
BUSINESS ENTITY NAME

Delaware
NAME OF HOME STATE

I. AMENDING THE BUSINESS NAME

The business name is changed to: Dominion Exploration & Production, Inc.
The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

(The corporation shall use its name as set forth on #1, unless this state is not available)

NOTE: If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- [X] The name of the corporation is changing its name in Utah to the new name of the corporation in the home state.
[] The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE

The businesses period of duration is changed to:

III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION

The corporation's state or country of incorporation/registration is changed to:

IV. Other:
(Limited Partnership changing General Partners, Limited Companies changing Members or Managers. Change of statement who is managing, etc. Use an attached sheet if needed.)

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

Signature: [Handwritten Signature] Title: Vice President & Corporate Secretary Date: April 20 2000

State of Utah
Department of Commerce
Division of Corporations and Commercial Code

I Herby certify that the foregoing has been filed and approved on this 25 day of April 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner: [Signature] Date: 4/25/00



Date: 04/25/2000
Receipt Number: 22156
Amount Paid: \$50.00

STATE OF UTAH
DIVISION OF CORPORATIONS AND COMMERCIAL CODE
160 East 300 South / Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Web Site: http://www.commerce.state.ut.us

FILED

APR 25 2000

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
RBU #16-16F	430473111500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-34B	430473113800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-18F	430473114000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-24E	430473114100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-23E	430473114300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-23E	430473114400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-14E	430473114500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-15E	430473116000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-15E	430473116100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-10E	430473117600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #14-2D	430473119100S1	DOMINION EXPLORATION & PR	SIEC	STATE
RBU #6-11D	430473119200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-14E	430473119600S1	DOMINION EXPLORATION & PR	PR	BLM
FEDERAL 33-18J	430473120000S01	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-4E	430473125200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-2D	430473128000S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #1-19F	430473132200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-10E	430473132300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-20F	430473132400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-3D	430473135200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-11D	430473135700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-11D	430473135800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-10D	430473136400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-13E	430473136900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-2D	4304731452S02	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-3E	430473151800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-11F	430473151900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-17F	430473152000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-3D	430473153900S1	DOMINION EXPLORATION & PR	PR	BLM
* HILL CREEK FEDERAL #1-30	430473160100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-13E	430473160500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-22E	430473160600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-24E	430473160700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-18F	430473160800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-11F	430473161300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-16F	430473161400S2	DOMINION EXPLORATION & PR	PR	BLM
RBU #4-22F	430473161500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-12D	430473165100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-17E	430473165200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-13E	430473171500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-13E	430473171700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-35B	430473172400S1	DOMINION EXPLORATION & PR	TA	BLM
RBU #9-9E	430473173900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-16E	430473174000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #2-10D	430473180100S1	DOMINION EXPLORATION & PR	PR	BLM
APACHE FEDERAL #12-25	430473188100S1	DOMINION EXPLORATION & PR	PR	BLM BIA
APACHE FEDERAL #44-25	430473192200S2	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-2F	430473202600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-14E	430473203300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-3E	430473203700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-18F	430473203800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-24E	430473204000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-14E	430473204100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-16E	430473204200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-20F	430473205000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-13E	430473205100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-19F	430473207000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-22E	430473207100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-34B	430473207200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-15E	430473207300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-21F	430473207400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-22F	430473207500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-20F	430473208100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-23E	430473208200S1	DOMINION EXPLORATION & PR	PR	BLM

**OPERATOR CHANGE WORKSHEET**

<del>1-KAS</del>	4-KAS ✓
2-CDW ✓	5- <del>CDW</del> ✓
3-JLT	6-FILE

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold)                      Designation of Agent  
**X Operator Name Change Only**                      Merger

The operator of the well(s) listed below has changed, effective: 4-12-00

**TO:**(New Operator) DOMINION EXPL & PROD INC.  
 Address: 1450 POYDRAS STREET  
NEW ORLEANS, LA 70112-6000  
 Phone: 1-(504)-593-7000  
 Account No. N1095

**FROM:**(Old Operator) CNG PRODUCING COMPANY  
 Address: 1450 POYDRAS STREET  
NEW ORLEANS, LA 70112-6000  
 Phone: 1-(504)-593-7000  
 Account No. N0605

WELL(S):	CA Nos.	or	RIVER BEND	Unit
Name: <u>RBU 10-11D</u>	API: <u>43-047-31357</u>	Entity: <u>7053</u>	S <u>11</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013429-A</u>
Name: <u>RBU 8-11D</u>	API: <u>43-047-31358</u>	Entity: <u>7054</u>	S <u>11</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013429-A</u>
Name: <u>RBU 8-10D</u>	API: <u>43-047-31364</u>	Entity: <u>4955</u>	S <u>10</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013429-A</u>
Name: <u>RBU 3-13E</u>	API: <u>43-047-31369</u>	Entity: <u>7050</u>	S <u>13</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013765</u>
Name: <u>RBU 16-3E</u>	API: <u>43-047-31518</u>	Entity: <u>7050</u>	S <u>03</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-035316</u>
Name: <u>RBU 11-11F</u>	API: <u>43-047-31519</u>	Entity: <u>7050</u>	S <u>11</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-7206</u>
Name: <u>RBU 1-17F</u>	API: <u>43-047-31520</u>	Entity: <u>7050</u>	S <u>17</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013769-B</u>
Name: <u>RBU 15-3D</u>	API: <u>43-047-31539</u>	Entity: <u>9965</u>	S <u>03</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013820</u>
Name: <u>RBU 9-13E</u>	API: <u>43-047-31605</u>	Entity: <u>7050</u>	S <u>13</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013765</u>
Name: <u>RBU 3-22E</u>	API: <u>43-047-31606</u>	Entity: <u>7050</u>	S <u>22</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013792</u>
Name: <b><u>RBU 8-24E</u></b>	API: <u>43-047-31607</u>	Entity: <u>7050</u>	S <u>24</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-013794</u>
Name: <u>RBU 15-18F</u>	API: <u>43-047-31608</u>	Entity: <u>7050</u>	S <u>18</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-013794</u>
Name: <u>RBU 5-11F</u>	API: <u>43-047-31613</u>	Entity: <u>7050</u>	S <u>11</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-7206</u>
Name: <u>RBU 8-16F</u>	API: <u>43-047-31614</u>	Entity: <u>11617</u>	S <u>16</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-7206</u>
Name: <u>RBU 4-22F</u>	API: <u>43-047-31615</u>	Entity: <u>7050</u>	S <u>22</u> T <u>10S</u> R <u>20E</u>	Lease: <u>U-0143521A</u>
Name: <u>RBU 12-12D</u>	API: <u>43-047-31651</u>	Entity: <u>10688</u>	S <u>12</u> T <u>10S</u> R <u>18E</u>	Lease: <u>U-013821-A</u>
Name: <u>RBU 6-17E</u>	API: <u>43-047-31652</u>	Entity: <u>7050</u>	S <u>17</u> T <u>10S</u> R <u>19E</u>	Lease: <u>U-03505</u>

**OPERATOR CHANGE DOCUMENTATION**

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00.
- YES 4. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? **Yes/No** If yes, the company file number is SEE ATTACHED. If no, Division letter was mailed to the new operator on \_\_\_\_\_.

- YES 5. **Federal and Indian Leases**. The BLM or the BIA has approved a merger, name change or operator change for all wells listed above involving Federal or Indian leases on 6-2-00.
- N/A 6. **Federal and Indian Units**. The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on \_\_\_\_\_.
- N/A 7. **Federal and Indian Communitization Agreements ("CA")**. The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on \_\_\_\_\_.
- N/A 8. **Underground Injection Control ("UIC") Program**. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
- YES 9. Changes have been entered in the **Oil and Gas Information System** for each well listed on 7-27-00.
- YES 10. Changes have been included on the **Monthly Operator Change letter** on 7-27-00.

---

### STATE BOND VERIFICATION

- N/A 1. State Well(s) covered by Bond No. \_\_\_\_\_.

---

### FEE WELLS - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION

- N/A 1. (R649-3-1) The **NEW** operator of any fee lease well(s) listed above has furnished a proper bond.
- N/A 2. A copy of this form has been placed in the **new and former operator's bond files** on \_\_\_\_\_.
- N/A 3. The **FORMER** operator has requested a release of liability from their bond as of today's date \_\_\_\_\_? If yes, Division response was made to this request by letter dated \_\_\_\_\_. (see bond file).
- N/A 4. (R649-2-10) The **Former** operator of any Fee lease wells listed above has been contacted and informed by letter dated \_\_\_\_\_, of their responsibility to notify all interest owners of this change.
- N/A 5. Bond information added to **RBDMS** on \_\_\_\_\_.
- N/A 6. Fee wells attached to bond in **RBDMS** on \_\_\_\_\_.

---

### FILMING

- \_\_\_\_\_ 1. All attachments to this form have been **microfilmed** on 2, 22, 01.

---

### FILING

- \_\_\_\_\_ 1. **Originals/Copies** of all attachments pertaining to each individual well have been filed in each **well file**.
- \_\_\_\_\_ 2. The **original of this form** has been filed in the operator file and a copy in the old operator file.

---

### COMMENTS

---



---



---



---

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**DOMINION EXPL. & PROD., INC.**

3a. Address  
**CNG TOWER, 1450 POYDRAS STREET  
 NEW ORLEANS, LA 70112**

3b. Phone No. (include area code)  
**281/873-3692**

4. Location of Well (Footage, Sec., T. R. M., or Survey Description)  
**1926' FNL & 833' FEL OF SEC. 24-T10S-R19E**

5. Lease Serial No.  
**U-013794**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.  
**RIVER BEND UNIT**

8. Well Name and No.  
**RBV 8-24E**

9. API Well No.  
**43-047-31607**

10. Field and Pool, or Exploratory Area  
**NATURAL BUTTES**

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input checked="" type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <b>COVER PITS</b>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

**COMPLETELY COVER PITS.**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)  
**DIANN FLOWERS**

Signature *Diann Flowers*

Title **REGULATORY REPORTS ADMINSTRATOR**

Date **09/26/00**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office \_\_\_\_\_

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

<b>ROUTING</b>
1. DJJ
2. CDW

**X - Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

<b>FROM:</b> (Old Operator): N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134  Phone: 1 (405) 749-1300	<b>TO:</b> ( New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102  Phone: 1 (817) 870-2800
--	--

WELL NAME	CA No.	SEC	TWN	RNG	Unit:	API NO	ENTITY NO	LEASE TYPE	RIVER BEND	WELL TYPE	WELL STATUS
SEE ATTACHED LIST											

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- a. Is the new operator registered in the State of Utah: Business Number: 5655506-0143
- b. If **NO**, the operator was contacted on: \_\_\_\_\_
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: \_\_\_\_\_
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 9/27/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
- Bond information entered in RBDMS on: 9/27/2007
- Fee/State wells attached to bond in RBDMS on: 9/27/2007
- Injection Projects to new operator in RBDMS on: 9/27/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: UTB000138
- Indian well(s) covered by Bond Number: n/a
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
- b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

**COMMENTS:**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: XTO Energy Inc. <i>N2615</i>		8. WELL NAME and NUMBER: SEE ATTACHED
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102		9. API NUMBER: SEE ATTACHED
PHONE NUMBER: (817) 870-2800		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  
Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc. *N1095*  
14000 Quail Springs Parkway, Suite 600  
Oklahoma City, OK 73134

*James D. Abercrombie* (405) 749-1300  
James D. Abercrombie  
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) <u>Edwin S. Ryan, Jr.</u>	TITLE <u>Sr. Vice President - Land Administration</u>
SIGNATURE <i>Edwin S. Ryan, Jr.</i>	DATE <u>7/31/2007</u>

(This space for State use only)

**APPROVED** 9127107

*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

**RECEIVED**

**AUG 06 2007**

**DIV. OF OIL, GAS & MINING**

(5/2000)

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304730759	RBU 11-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304730762	RBU 6-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A	
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S	
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P	
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731160	RBU 3-15E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731196	RBU 3-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792	7050	Federal	GW	P	
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731369	RBU 3-13E	NENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B	7050	Federal	GW	P	
4304731605	RBU 9-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731606	RBU 3-22E	NENW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731615	RBU 4-22F	NWNW	22	100S	200E	U-0143521-A	7050	Federal	GW	S	
4304731652	RBU 6-17E	SWNW	17	100S	190E	U-03535	7050	Federal	GW	P	
4304731715	RBU 5-13E	SWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731717	RBU 13-13E	SWSW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731739	RBU 9-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P	
4304732033	RBU 13-14E	SWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732037	RBU 11-3E	NESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732038	RBU 6-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A	
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P	
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732103	RBU 15-17F	SWSE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732105	RBU 13-19F	SWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732107	RBU 1-21E	NENE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732128	RBU 9-21E	NESE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732129	RBU 9-17E	NESE	17	100S	190E	U-03505	7050	Federal	GW	P	
4304732133	RBU 13-14F	SWSW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732134	RBU 9-11F	NESE	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732138	RBU 5-21F	SWNW	21	100S	200E	U-013793	7050	Federal	GW	P	
4304732146	RBU 1-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P	
4304732149	RBU 8-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732153	RBU 13-23E	SWSW	23	100S	190E	U-13766	7050	Federal	GW	P	
4304732154	RBU 5-24E	SWNW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732156	RBU 5-14F	SWNW	14	100S	200E	U-013793A	7050	Federal	GW	P	
4304732166	RBU 7-15E	SWNE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732167	RBU 15-13E	SWSE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732189	RBU 13-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P	
4304732190	RBU 15-10E	SWSE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732191	RBU 3-17FX	NENW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732197	RBU 13-15E	SWSW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732198	RBU 7-22E	SWNE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732199	RBU 5-23E	SWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732201	RBU 13-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	S	
4304732211	RBU 15-15E	SWSE	15	100S	190E	U-013766	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304732213	RBW 5-19F	SWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732217	RBW 9-17F	NESE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732219	RBW 15-14E	SWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732220	RBW 5-3E	SWNW	03	100S	190E	U-03505	7050	Federal	GW	P	
4304732228	RBW 9-3E	NESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304732239	RBW 7-14E	SWNE	14	100S	190E	U-103792	7050	Federal	GW	P	
4304732240	RBW 9-14F	NESE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732242	RBW 5-22E	SWNW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732263	RBW 8-13E	SENE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732266	RBW 9-21F	NESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732267	RBW 5-10F	SWNW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732268	RBW 9-10F	NESE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732269	RBW 4-15F	NWNW	15	100S	200E	INDIAN	7050	Indian	GW	PA	
4304732270	RBW 14-22F	SESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304732276	RBW 5-21E	SWNW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732289	RBW 7-10E	SWNE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732290	RBW 5-17F	SWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732293	RBW 3-3E	NENW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732295	RBW 13-22E	SWSW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732301	RBW 7-21E	SWNE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732309	RBW 15-21F	SWSE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732310	RBW 15-20F	SWSE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732312	RBW 9-24E	NESE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732313	RBW 3-20F	NENW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732315	RBW 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732317	RBW 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732328	RBW 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732331	RBW 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732347	RBW 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732391	RBW 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S	
4304732392	RBW 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732396	RBW 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732407	RBW 15-14F	SWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732408	RBW 4-23F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732415	RBW 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316	7050	Federal	GW	P	
4304732483	RBW 5-24EO	SWNW	24	100S	190E	U-013794	11719	Federal	OW	S	
4304732512	RBW 8-11F	SENE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732844	RBW 15-15F	SWSE	15	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304732899	RBW 3-14F	NENW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732900	RBW 8-23F	SENE	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732901	RBW 12-23F	NWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732902	RBW 1-15F	NENE	15	100S	200E	U-7260	7050	Federal	GW	S	
4304732903	RBW 3-15F	NENW	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732904	RBW 9-15F	NESE	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732934	RBW 3-10F	NENW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732969	RBW 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304732971	RBU 15-16F	SWSE	16	100S	200E	U-7206	7050	Federal	GW	S	
4304732972	RBU 1-21F	NENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732989	RBU 13-10E	SWSW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732990	RBU 13-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304732991	RBU 6-19F	SENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733033	RBU 7-23E	NWNE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733034	RBU 9-18F	NESE	18	100S	200E	U-013794	7050	Federal	GW	P	
4304733035	RBU 14-19F	SESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733087	RBU 6-23F	SENW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733088	RBU 1-10F	NENE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733089	RBU 8-22F	SENE	22	100S	200E	U-0143521	7050	Federal	GW	P	
4304733090	RBU 11-22F	NESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304733091	RBU 16-22F	SESE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733156	RBU 4-14E	NWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733157	RBU 7-19F	SWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733158	RBU 7-20F	SWNE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733159	RBU 7-24E	SWNE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733160	RBU 8-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304733161	RBU 16-10E	SESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733194	RBU 2-14E	NWNE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733272	RBU 13-3F	SWSW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733361	RBU 5-3F	SWNW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733362	RBU 15-10F	SWSE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733363	RBU 5-16F	SWNW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304733365	RBU 12-14E	NWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733366	RBU 5-18F	SWNW	18	100S	200E	U-013769	7050	Federal	GW	P	
4304733367	RBU 10-23F	NWSE	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733368	RBU 14-23F	SESW	23	100S	200E	U-01470-A	7050	Federal	GW	S	
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P	
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304734670	RBU 8-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734671	RBU 4-24E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734701	RBU 12-11F	SENW	11	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304734702	RBV 2-15E	NWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734703	RBV 4-17F	NWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734745	RBV 10-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734749	RBV 7-18F	SWNE	18	100S	200E	U-013769	7050	Federal	GW	P
4304734750	RBV 12-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBV 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734812	RBV 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBV 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBV 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBV 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBV 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBV 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBV 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBV 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBV 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBV 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBV 6-22E	SENW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBV 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBV 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBV 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBV 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBV 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBV 8-19F	SENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734946	RBV 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBV 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBV 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBV 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBV 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBV 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBV 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBV 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBV 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBV 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBV 14-10E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734976	RBV 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBV 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBV 6-15E	SENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBV 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBV 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBV 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBV 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBV 2-20F	NWNE	20	100S	200E	U-03505	7050	Federal	GW	P
4304734987	RBV 9-20E	SWNW	21	100S	190E	U-03505	7050	Federal	GW	P
4304734989	RBV 7-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304734990	RBV 8-20E	SWNW	21	100S	190E	U-03505	14164	Federal	GW	P
4304735041	RBV 16-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P

## N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

## RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304735042	RBU 12-22E	NWSW	22	100S	190E	U-013792	14165	Federal	GW	P
4304735058	RBU 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBU 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBU 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBU 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBU 6-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBU 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBU 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBU 2-3E	NWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304735088	RBU 6-3E	SESW	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBU 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBU 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBU 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBU 6-21F	SESW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBU 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBU 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBU 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBU 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBU 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBU 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBU 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBU 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBU 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBU 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBU 11-23F	SESW	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBU 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304735640	RBU 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBU 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304735645	RBU 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736200	RBU 8-17E	SWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736201	RBU 15-17EX	SWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736293	RBU 2-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	P
4304736294	RBU 6-10E	NENW	10	100S	190E	U-013792	7050	Federal	GW	P
4304736296	RBU 6-21E	SESW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736297	RBU 10-22E	NWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304736318	RBU 14-22E	SESW	22	100S	190E	U-013792	7050	Federal	GW	P
4304736427	RBU 9-15E	NESE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304736428	RBU 2-17E	NWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736429	RBU 1-17E	NENE	17	100S	190E	U-013766	7050	Federal	GW	DRL
4304736432	RBU 3-19F2	NWNW	19	100S	200E	U-013769-A	15234	Federal	GW	P
4304736433	RBU 14-17F	SESW	17	100S	200E	U-03505	7050	Federal	GW	P
4304736434	RBU 2-19F	NWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304736435	RBU 5-19FX	SWNW	19	100S	200E	U-013769-A	15855	Federal	GW	P
4304736436	RBU 4-20F	NWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304736605	RBU 16-14F	SESE	14	100S	200E	U-013793A	7050	Federal	GW	P
4304736608	RBU 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P	
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL	
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P	
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL	
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P	
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P	
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P	
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P	
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S	
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P	
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL	
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P	
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL	
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL	
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL	
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL	
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL	
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL	
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792	7050	Federal	GW	DRL	
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	DRL	
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SENW	02	100S	200E	ML-10716	11377	State	OW	PA
4304730260	RBU 11-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	S
4304730583	RBU 11-36B	NESW	36	090S	190E	ML-22541	99998	State	NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998	State	NA	PA
4304730760	RBU 11-2F	NESW	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716	7050	State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SESW	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NESW	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304735348	RBU 13-16F	NWNW	21	100S	200E	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

Dominion Exploration & Production, Inc.  
Attn: James D. Abercrombie  
14000 Quail Springs Parkway, #600  
Oklahoma City, OK 73134-2600

August 10, 2007

Re: River Bend Unit  
Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

*/s/ Greg J. Noble*

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED  
AUG 16 2007  
DIV. OF OIL, GAS & MINING