

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
302 (22-24B)

10. FIELD AND POOL, OR WILDCAT
/ Red Wash

11. SEC., T., R., N., OR S.E.K. AND SURVEY OR AREA
Sec. 24, T7S, R23E

12. COUNTY OR PARISH 13. STATE
Utah Utah

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

20. ROTARY OR CABLE TOOLS
Rotary

22. APPROX. DATE WHEN WILL START*
December 1, 1985

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1A. TYPE OF WORK
DRILL DEEPEN PLUG BACK

B. TYPE OF WELL
OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
At surface 1845' FNL & 2082' FWL (SE, NW)
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
±17 miles southeast of Jensen, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT (Also to nearest drilg. unit line, if any)
2082'

16. NO. OF WELLS IN PROPOSED UNIT
Within Unit

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1490'

19. PROPOSED DEPTH
5800' *Green River*

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DP, RT, GR, etc.)
GR: 5675'

22. APPROX. DATE WHEN WILL START*
December 1, 1985

RECEIVED
OCT 17 1985

DIVISION OF OIL
GAS & MINING

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
16"	14"	48	50'	To Surface
12 1/2"	9-5/8"	36	500'	±250 sks to surface
8-3/4"	7"	23 & 23	4750' 5800'	To Surface

It is proposed to drill this Development Well to a depth of 5800' to test the Green River Formation.

Attachments:

- Certified Plat
- Drilling Procedure
- Geological Procedure
- Chevron Class III BOPE & Wellhead Specifications
- Multi Point Surface Use Plan

- 3-BLM
- 2-STATE
- 2-PARTNERS
- 1-RKW
- 1-ALF
- 1-Geo
- 1-LJT
- 1-Sec. 724C
- 3-DRLG
- 1-LLK

Completion procedure to be submitted by Sundry Notice.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED L. L. Kurbatnik TITLE Permit Coordinator DATE October 14, 1985

(This space for Federal or State office use)

PERMIT NO 43-047-31683

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

APPROVED BY _____ TITLE _____

DATE: 10/31/85
BY: John R. Bays
WELL SPACING: Unit Well A-3

CONDITIONS OF APPROVAL, IF ANY:


T 7 S, R 23 E, S.L.B.&M.

PROJECT
CHEVRON U.S.A. INC.

Well location, **REDWASH UNIT # 302, (22-24)**, located as shown in the SE1/4 NW 1/4 Section 24, T 7 S, R 23 E, S.L.B.&M. Uintah County, Utah

NOTE:

Elev. Ref. Pt. N 85°02'18"E - 255' = 5678.70'
 " " " " 307' = 5676.80'
 " " " S 4°57'42"E - 225' = 5652.88'
 " " " " 280' = 5652.90'



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Lawrence E. Kay
 REGISTERED LAND SURVEYOR
 REGISTRATION NO 3137
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 P. O. BOX Q - 85 SOUTH - 200 EAST
 VERNAL, UTAH - 84078

SCALE	1" = 1000	DATE	9/25/85
PARTY	L.D.T. H.M. C.M. S.B.	REFERENCES	GLO Plat
WEATHER	Fair	FILE	CHEVRON

X = Section Corners Located

DRILLING PROGRAM

Field Red Wash Unit Well RWU #302 (22-24B) Exp/Dev Dev.

Location Section 24, T7S, R23E, 2082' FWL, 1845' FNL, Uintah County, Utah

Drill X Deepen _____ Elevations: GL 5675' KB 5690'

Directional/Straight Hole: Proposed Measured TD 5750' TVD 5750'

KOP _____ Build _____ Max. Angle _____ Avg. Angle _____

Target Location _____ Bearing from Surface _____

1. Conductor Hole

Hole Size 16" Proposed Depth 50' Casing Size, Weight & Grade 14"

2. Surface Hole

Hole Size 12 1/4" Proposed Depth 500' BOPE NONE

Mud Program: Type MW FV WL Other
Gel-Water ±8.5 -- --

Potential Hazards: NONE

Electric Logging Program: NONE

Core/DST Program: NONE

Casing Program:*

Size	Grade	Weight	Thread	Section Length
<u>9-5/8"</u>	<u>K-55</u>	<u>36#/ft.</u>	<u>ST&C</u>	<u>500'</u>

*Actual Wt., Grade & Thread may vary depending upon available stock on hand.

Cement Program: Lead Slurry

Tail Slurry Class "G" with 2% CaCl₂ - 250 ska

WOC Time 6 hrs. Casing Test 1000 psi Shoe test MWE 8.6 (static) PPE

3. Intermediate Hole

Hole Size _____ Proposed Depth _____ BOPE _____

Mud Program: Type _____ MW _____ FV _____ WL _____ Other _____

Potential Hazards: _____

Electric Logging Program: _____

Core/DST Program: _____

Casing Program:

Size	Grade	Weight	Thread	Section Length
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Cement Program: Lead Slurry

Tail Slurry

WOC Time _____ hrs. Casing Test _____ psi Shoe test MWE PPE

4. Oil String/Liner Hole

Hole Size 8-3/4" Proposed Depth 5750' BOPE Chevron Class III - 3000 psi W.P.

Mud Program:	Type	MW	FV	WL	Other
	<u>Gyp-Water</u>	<u>+8.6</u>	<u>--</u>	<u>--</u>	<u>500'-2500'</u>
	<u>Gel-Water-Chem.</u>	<u>+9.0</u>	<u>40</u>	<u>±10 cc</u>	<u>2500'-T.D.</u>

Potential Hazards: Lost circulation

Electric Logging Program: DIL-SFL-SP, LTD-CNL-w/GR, CAL., EPT-Microlog

Core/DST Program: _____

Casing Program: *

Size	Grade	Weight	Thread	Section Length
<u>7"</u>	<u>N-80</u>	<u>23#/ft.</u>	<u>LT&C</u>	<u>5750'-4750'</u>
<u>7"</u>	<u>K-55</u>	<u>23#/ft.</u>	<u>LT&C</u>	<u>4750'-Surface</u>

*Actual Wt., Grade, & Thread may vary depending upon available stock on hand.

Cement Program: Lead Slurry Low density filler cement

Tail Slurry Class "C" tailored for depth & temp.

WOC Time 12 hrs. Casing Test 1500 psi

5. Auxiliary Equipment

Mud Logging Unit @	<u>2000'</u>	Rotating Head @	<u>--</u>
Geolograph @	<u>Spud</u>	Degasser @	<u>500'</u>
Visulogger @	<u>--</u>	Desilter @	<u>Spud</u>
Adj. Choke @	<u>500'</u>	Centrifuge @	<u>--</u>
PVT & Flowmeter @	<u>Spud</u>	Mud Cleaner @	<u>Spud</u>
Trip Tank @	<u>Spud</u>	H ₂ S Safety Equip. @	<u>--</u>

Other: Full opening drill pipe safety valve, inside BOP, upper and lower Kelly cock valves at spud.

6. Drill String Design

Surface Hole:

BHA 12 1/2" bit, 1 x 8" D.C., STAB., 2 x 8" D. C. XO, 6-3/4" Drill collars

Drill Pipe 4 1/2", 16.60 E

Intermediate Hole:

BHA N/A

Drill Pipe _____

Oil String/Liner Hole:

BHA 8-3/4" bit, 6-3/4" drill collar

Drill Pipe 4 1/2", 16.60 E

7. Other

Inspect BHA after 200 rotating hours.

In "straight" holes run inclination surveys every ±500 feet.

Gyro Surveys NONE

Check drilling breaks for flow below 2000 feet.

Fill drill pipe every 20 stds when running float.

8. General Remarks

Attached

9. Geologic Program

Attached

Prepared By Steve Lee Date 10-4-85 Drilling Superintendent Lee Date 10/14/85

DRILLING PROGRAM ATTACHMENT

GENERAL REMARKS

1. Applicable Federal and State Regulations will be adhered to during the drilling of this well.
2. The drilling rig is to be level and the kelly centered over the hole before drilling operations commence. Check periodically during the drilling of the well to insure the rig stays level.
3. Prior to spud insure all toolpushers, drillers and crews are thoroughly familiar with and understand the Chevron procedure for handling well kicks.

In H₂S environments Chevron's contingency plan for your location is to be read, understood and adhered to. All personnel are to be thoroughly familiar with the use of air packs, the air supply system, locations of air packs and what to do in the event of sour gas to surface.

4. Test BOPE before drilling out and every seven days thereafter. Perform low pressure test (200 psi) and high pressure test. High pressure test should be 70% of BOPE working pressure or 70% of burst of last casing string, whichever is less. Record BOP tests on Tour Reports. Notify applicable Federal and State Regulatory Agencies 24 hours in advance of BOPE tests and record notification and names on Tour Reports.
5. Do not reuse ring gaskets. Replace with new Rx or Bx ring gaskets.
6. Separate full opening safety valves and inside BOP's are required for each size drill pipe in use. Test weekly with BOPE.
7. Run full open valve below kelly that can be run in the hole if necessary. Do not use this valve as a mud saver sub.
8. BOP controls are to remain in the open position during drilling operations.
9. Hold pit drills for each crew at least once every seven days and record on Tour Reports.
10. On trips fill the annulus before hydrostatic pressure drops 75 psi or every 5 stds of drill pipe, whichever is first. Use trip tanks to measure hole fill-up and monitor at all times.
11. Use drill pipe floats at all times unless your supervisor instructs otherwise.
12. Have wear ring installed in wellhead before tripping or rotating. Remember to remove wear ring before running casing or when testing BOPE.

13. Casing rams are to be installed and bonnets tested on last trip out before running casing.
14. Run pilot and thickening time tests with rig mixing water for all cement slurries prior to cementing operations.
15. Casing should be tested to 1,500 psi or 0.2 psi/ft., whichever is greater, prior to drilling out and recorded on Tour Reports. Discuss the test pressure with your supervisor and reference DM-49 before testing.
16. Drill out slick beneath each casing string. Drill deep enough to bury stabilization to be picked up.
17. Do not drill with hardbanded pipe inside of casing.
18. Do not run full gauge stabilizers. Run stabilizers 1/16" to 1/8" undergauge.
19. When necessary to work pipe, keep pipe moving up and down. Rotating alone is not considered sufficient.
20. Install and test full lubricator on all logging runs unless instructed otherwise by supervisor.
21. Fully describe damaged or lost equipment on Tour Reports.

GEOLOGIC PROGRAM

Field/Area Red Wash Field Expl/Dev Development

Well Name RWU # 302 (22-24B)

Location: Sec 24 TWP 7S Range 23E
 Co Uintah State Utah
 Surface SE NW, 2082' FWL, 1845' FWL
 Bottom Hole -----

Elevation: GL estimated 5660' Surveyed _____
 KB estimated 5680' Surveyed _____

Total Depth 5750' Fm at TD Wasatch

Objectives: Primary Lower Green River Fm.
 Secondary Uinta Fm.

Corings:	Formation	Estimated Depth	Amount
Interval/on show	<u>None</u>	_____	_____
Interval/on show	_____	_____	_____
Interval/on show	_____	_____	_____
Interval/on show	_____	_____	_____
Interval/on show	_____	_____	_____

Drill Stem Testing None

Mud Logging Conventional 2-man unit from 2000' to T.D.

Electric logging:	Surface	Intermediate	Total Depth
1) MEMPHIS	_____	_____	<u>--</u>
2) DIL- NFL-SP	_____	_____	<u>Surface to TD</u>
3) MEMPHIS/SP/SP	_____	_____	<u>--</u>
4) LPT-GR. w/GR, Cal.	_____	_____	<u>2000' to TD</u>
5) MEMPHIS/SP/SP	_____	_____	<u>--</u>
6) Dipmeter	_____	_____	<u>--</u>
7) Velocity	_____	_____	<u>--</u>
8) MEM	_____	_____	<u>--</u>
9) EPT-Microlog	_____	_____	<u>4200' to TD</u>
10)	_____	_____	_____
11)	_____	_____	_____

All runs from TD to either base of surface casing or overlap with previous log run unless otherwise noted.

NOTE: Fifth drill in this 5-well program.

GEOLOGIC PROGRAM (Continued)

Tops:

Formation	Estimated Depth, datum	Sample Depth, datum	Log Depth, datum
Green River	2805 (+2875)		
F	4220 (+1660)		
G	4462 (+1218)		
H	4669 (+1011)		
I	4852 (+ 828)		
J	5408 (+ 272)		
K	5230 (+ 450)		
KA	5265 (+ 415)		
LA	5460 (+ 220)		
LH	5630 (+ 50)		
Wasatch	5670 (+ 10)		

Correlation Wells:

Correlative Zones with Subject Well

	Fm	Interval	
1) RWU #168	IB-JE	4859-5152	Primary objective zones indicated
	K-KF	5172-5400	
	LA-LG	5400-5553	
2) RWU #59	IB-JE	4841-5188	Primary objective zones indicated.
	K-KF	5226-5456	
	LA-LG	5456-5621	

DIVISION OF INTEREST:

Working Interest Partners:

Chevron	98.82%	Buttress	0.885%	Caulkins	0.295%
---------	--------	----------	--------	----------	--------

Others Receiving Data:

REMARKS: It is possible that some swabbing may be necessary to finalize the EPT calibration.

Prepared by Thomas F. Sherman
 Reviewed by Larry Han
 Geological Evaluation Analyst

Date 8/16/85
 Date _____

Approved G.L. Swedley

Date 8/19/85
8/19/85






FIGURE 4
THREE PREVENTER HOOKUP
CLASS III

(PRESSURE RATING 3-5000 PSI AS REQUIRED)

EMERGENCY FLOW HOOKUP

ALTERNATE CHOKE MANIFOLD



WHILE DRILLING, BOTH VALVES ARE KEPT CLOSED

UNCOUPLER HALF UNION
 2" STEEL VALVES

CASING SPOOL SHOULD BE POSITIONED SO THAT THESE VALVES ARE DIRECTLY UNDER THE BARREL OF THE RAM PREVENTER.


AN EXTRA SET OF DRILL PIPE RAMS AND BONNET SEALS WILL BE ON LOCATION AT ALL TIMES.

Chevron U.S.A. Inc.
ROCKY MTN. PRODUCTION DIVISION

CHEVRON

Red Wash #302

LL
10/3/85



CASING

9-5/8"

7"

2-7/8"

CHEVRON U.S.A. INC.
RED WASH UNIT 302 (22-24B)
SEC. 24, T7S, R23E
UINTAH COUNTY, UTAH
MULTIPOINT SURFACE USE PLAN

1. EXISTING ROADS

- A. See Topo maps "A" and "B". We do not plan to change, alter or improve upon any existing state or county roads.
- B. From Vernal, Utah, take U.S. Hwy. 40. Travel east for 3 miles to State Hwy 45. On Hwy. 45 go 19.3 miles southeast to a paved county road; take this road east for 2.5 miles to the Red Wash Office. Continue on this road 2.1 miles, then go southeast 0.5 mile and southwest 0.3 mile to the proposed access road.

2. PLANNED ACCESS ROADS

From the proposed access road entrance the proposed access road is to go approximately $\pm 1020'$ southwest. Existing and planned access roads in the Unit will be maintained in accordance with Bureau of Land Management (BLM) requirements. See Topo Map "B".

- A. Width: Maximum width 30' with an 18' travel area.
- B. Maximum Grade: No greater than 8%.
- C. Turnouts: None, avoid blind corners.
- D. Drainage Design: Roads to be placed and constructed so that minimal drainage alterations will be made. Water will be diverted around well pad as necessary.
- E. No major cuts and fills.
- F. Surfacing Materials: Gravel if necessary (see item 6-A).
- G. Other: No gates, cattleguards or fence cuts.

3. LOCATION OF EXISTING WELLS

See Exhibit "D".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

- A. See Exhibit "D".
- B. Install new flowline from subject well a distance of 4,300' to collection station "F" as shown on Exhibit "D". Flowline will be 3" plain end welded line pipe, placed on supports on the surface. Normal construction procedures will be used. When warranted, fences, flagging, etc., will be used to protect animals. Install an electric powerline to an existing powerline at the compressor station.
- C. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by appropriate BLM personnel.

MULTIPOINT SURFACE USE PLAN
RED WASH UNIT 302 (22-24B)
Page 2

- D. A blooie pit 8' X 10' X 5' deep will be constructed 150' to the southeast of the center hole as shown on Exhibit "C". A line will be placed on the surface from the center hole to the burn pit. The pit will be fenced on four sides to protect livestock.
- E. A line heater will be required for the production from this well. About 100' of access will be needed to service this line heater. This will be adjacent to the pad and placed along the production flowline from this well.

5. LOCATION AND TYPE OF WATER SUPPLY

- A. Water supplied to the location will be hauled by truck on existing roads in the area from a point in section 13T-7S-R23E in the NE~~SE~~SE~~E~~. This water source has been permitted with the Utah State Engineer.

6. SOURCE OF CONSTRUCTION MATERIALS

- A. All land is Federal land. All gravel, cement, etc., needed on the access road and location will come commercially from the Vernal, Utah area. Access road needed is shown on Topo map "B".

7. METHODS FOR HANDLING WASTE DISPOSAL

- A. Cuttings will be settled out in the reserve pit. The reserve pit will be unlined. It will be fenced with a wire mesh fence, topped with at least one strand of barbed wire.
- B. Drilling fluids will be retained in reserve tanks utilizing maximum recirculation during drilling operations. Following drilling, the liquid waste will be evaporated and the remainder worked into the deep subsoil of the pit, and the pit filled in and returned to natural grade.
- C. In the event fluids are produced, any oil will be retained until sold in tankage and any water produced will be retained until its quality is determined. The quality and quantity of water produced will then determine the necessary disposal procedure.
- D. Sewage will be disposed of in a 1,000 gallon fiber glass insulated holding tank, which is to be placed in the vicinity of the trailers on the well location. Arrangements have been made for the sewage to be transported from the wellsite to the City of Vernal, Utah for disposal in the city disposal system. The sewage will be hauled by an authorized hauling firm.
- E. Trash will be contained in a portable metal container and hauled periodically to an approved disposal dump.

- F. After the rig has moved from the wellsite, all waste material will be removed to an approved disposal dump.

8. ANCILLARY FACILITIES

Because of the accessibility to good roads and relatively close housing, we anticipate no need for ancillary facilities with the exception of two trailers to be located on the drilling location.

9. WELLSITE LAYOUT

- A. Four to six inches of topsoil will be removed from the location and stockpiled. Location of mud tanks, reserve, burn and trash pits, pipe racks, living facilities and soil stockpiles will be located as shown on Exhibit "C". Stock pile of top soil will be on the north side of the location adjacent to stakes #3 and #4.
- B. Pits will not be lined.
- C. Access to the well pad will be as indicated in Exhibit "C".

10. PLANS FOR RESTORATION OF SURFACE

- A. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.
- B. The topsoil will be evenly distributed over the disturbed areas. Reseeding will be performed as directed by the BLM.
- C. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- D. Any oil accumulation on the pit will be removed, burned or overhead flagged as dictated by then existing conditions.
- E. The well will be completed during 1984. Rehabilitation will commence following completion of the well. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as is possible.

11. SURFACE OWNERSHIP

- A. The wellsite, access roads, flowlines and powerlines will all be constructed on BLM owned surfaces. The operator shall contact the BLM office at (801) 789-1362 between 24 & 48 hours prior to construction activities (Book Cliffs Resource Area).

12. OTHER INFORMATION

- A. The well is located on hilly and rocky terrain. Vegetation consists of small sagebrush, natural grasses and some small trees on and around the locations. The soil is a poorly developed, semi-arid, thin topsoil layer over the Uintah Formation.
- B. Surface use activities other than the oil well facilities consist of livestock grazing as assigned by BLM.
- C. There are no water bodies or occupied dwellings near the wellsites. Archaeological, historical and cultural sites may be determined by the BLM during the field inspection. An archaeological survey has been conducted, on the disturbed areas, and a copy of this report has been sent to the BLM.
- D. No construction or drilling activities shall be conducted between May 15 and June 20 because of the Pronghorn habitat and kidding areas.

13. COMPANY REPRESENTATIVE

Mr. B. L. Haynes
P.O. Box 599
Denver, CO 80201
(303) 691-7527

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron U.S.A. Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

10-14-85
Date



B. L. Haynes
Drilling Manager

LLK:mmm

Map "A" - Proposed Location
Map "B" - Proposed Access Road
Exhibit "C" - Location Layout and Cut and Fill
Exhibit "D" - Existing Wells and Existing and Proposed Facilities

RED WASH UNIT #302 (22-24B)

PROPOSED LOCATION


TOPO. MAP "B"



SCALE 1" = 2000'

ROAD CLASSIFICATION

Improved duty road, all weather, paved surface Unimproved road fair or dry weather



QUADRANGLE LOCATION

VERNAL 24.8 Mi.


21 MILES W

PROPOSED LOCATION
RED WASH UNIT #302 (22-24B)



PROPOSED ACCESS ROAD

PROPOSED FLOWLINE

PROPOSED ACCESS ROAD 1020' ±



CHEVRON U.S.A INC.
RED WASH UNIT #302 (22-2AB)
EXHIBIT 'C' LOCATION LAYOUT CUT AND FILL



CUT	21,541
FILL	17,902
CU. YDS. UNBALANCE AFTER 20% COMPACTION 58	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for each proposal.)

RECEIVED

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME Red Wash	
2. NAME OF OPERATOR Chevron U.S.A. Inc.		8. FARM OR LEASE NAME	
3. ADDRESS OF OPERATOR P.O. Box 599, Denver, CO 80201		9. WELL NO. 302 (22-24B)	
4. LOCATION OF WELL (Report location clearly and in accordance with any GAS SURVEYS See also space 17 below.) At surface 1845' FNL & 2082' FWL (SE SW)		10. FIELD AND POOL, OR WILDCAT Red Wash	
14. PERMIT NO. Not Yet Assigned		11. SEC., T., R., M., OR S.E.C. AND SURVEY OR AREA Sec. 24, T7S, R23E	
15. ELEVATIONS (Show whether SP, ST, OR, etc.) GR: 5675'		12. COUNTY OR PARISH Uintah	
		13. STATE Utah	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDISE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDISING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Correction:
The 7" casing will be set 5800' to surface.

- 3-BLM
- 2-STATE
- 2-PARTNERS
- 1-RKW
- 3-SLI
- 1-LLK

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 10/22/85
BY: [Signature]

Federal approval of this action
is required before commencing
operations.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Env. Eng. Spec. DATE October 17, 1985

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



STATE OF UTAH
NATURAL RESOURCES
Water Rights

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Robert L. Morgan, State Engineer

Eastern Area • State/County Building • 152 E. 100 North • Vernal, UT 84078-2110 • 801-789-3714

October 18, 1985

RECEIVED

OCT 21 1985

DIVISION OF OIL,
GAS & MINING

Chevron U. S. A. Inc.
P. O. Box 599
Denver, CO 80201


RE: Temporary Change 85-49-42

Gentlemen:

The above numbered Temporary Change Application has been approved, subject to prior rights.

A copy is herewith returned to you for your records and future reference.

Sincerely yours,


Allen K. Nielsen
for Robert L. Morgan, P. E.
State Engineer

RLM:AKN/ln

Enclosure

ATTACHMENT

Application For Temporary Change of Point of Diversion,
Place or Purpose of Use

STATE OF UTAH

030713

- ✓ Red Wash Unit #298 (22-27B) 43-047-31619 POW
SE $\frac{1}{4}$, NW $\frac{1}{4}$; Sec. 27, T7S, R23E
- ✓ Red Wash Unit #299 (44-21B) 43-047-31680 2A
SE $\frac{1}{4}$, SE $\frac{1}{4}$; Sec. 21, T7S, R23E
- ✓ Red Wash Unit #300 (44-15B) 43-047-31681 7A
SE $\frac{1}{4}$, SE $\frac{1}{4}$; Sec. 15, T7S, R23E
- ✓ Red Wash Unit #301 (43-15B) 43-047-31682 POW
NE $\frac{1}{4}$, SE $\frac{1}{4}$; Sec. 15, T7S, R23E
- ✓ Red Wash Unit #302 (22-24B) 43-047-31683 POW
SE $\frac{1}{4}$, NW $\frac{1}{4}$; Sec. 24, T7S, R23E
- Wonsits Valley State/Federal Unit #127 (42-16)
SE $\frac{1}{4}$, NE $\frac{1}{4}$; Sec. 16, T8S, R21E 43-047-31611 POW
- Wonsits Valley State/Federal Unit #141 (33-16)
NW $\frac{1}{4}$, SE $\frac{1}{4}$; Sec. 16, T8S, R21E 43-047-31609 POW

APPLICATION NO. 85-49-42
DISTRIBUTION SYSTEM RECEIVED

Application For Temporary Change of Point of Diversion,
Place or Purpose of Use
STATE OF UTAH
OCT 2 1 1985
DIVISION OF OIL
GAS & MINING

(To Be Filed in Duplicate)

Denver, Colorado September 30 1985
Place Date

For the purpose of obtaining permission to temporarily change the point of diversion, place or purpose of use
(Strike out written matter not needed)

of water, the right to the use of which was acquired by 49-228 (A31850)
(Give No. of application, title and date of Decree and Award No.)
to that hereinafter described, application is hereby made to the State Engineer, based upon the following showing of
facts, submitted in accordance with the requirements of the Laws of Utah.

- 1. The owner of right or application is Chevron U.S.A. Inc.
2. The name of the person making this application is Chevron U.S.A. Inc.
3. The post office address of the applicant is P.O. Box 599, Denver, CO 80201

PAST USE OF WATER

- 4. The flow of water which has been used in second feet is 1.0
5. The quantity of water which has been used in acre feet is
6. The water has been used each year from January 1 to December 31 incl.
7. The water has been stored each year from to incl.
8. The direct source of supply is 13 wells in Uintah County.
9. The water has been diverted into pipelines at a point located SEE APPLICATIONS.
10. The water involved has been used for the following purpose: Secondary recovery, oil field repressurization, and oil and gas recovery operations.

Total acres.
NOTE: If for irrigation, give legal subdivisions of land and total acreage which has been irrigated. If for other purposes, give place and purpose of use.

THE FOLLOWING TEMPORARY CHANGES ARE PROPOSED

- 11. The flow of water to be changed in cubic feet per second is
12. The quantity of water to be changed in acre-feet is 15.0
13. The water will be diverted from the pipeline at a point located NE 1/4 SE 1/4 Section 13, T7S, R23E, SLB&M and hauled by truck to the well sites.
14. The change will be made from November 1 1985 to February 1 1986
15. The reasons for the change are Oil well drilling
16. The water involved herein has heretofore been temporarily changed years prior to this application.
17. The water involved is to be used for the following purpose: Drilling operations on the attached locations.

Total acres.
NOTE: If for irrigation, give legal subdivisions of land to be irrigated. If for other purposes, give place and purpose of proposed use.

EXPLANATORY

A filing fee in the sum of \$7.50 is submitted herewith. I agree to pay an additional fee for either investigating or advertising this change, or both, upon the request of the State Engineer.

Signature of Applicant

OPERATOR Cameron USA Inc DATE Oct. 27, 1985

WELL NAME Red Wash Unit 302 (22-248)

SEC SE 24 T 7S R 23E COUNTY Witch

43-047-31683
API NUMBER

Fee
TYPE OF LEASE

CHECK OFF:

- PLAT
- BOND
- NEAREST WELL
- LEASE
- FIELD
- POTASH OR OIL SHALE

PROCESSING COMMENTS:

Unit Well - P.O.D. &

Water & - 85-49-42

APPROVAL LETTER:

SPACING: A-3 Red Wash UNIT c-3-a _____ CAUSE NO. & DATE

c-3-b c-3-c

STIPULATIONS:

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPlicate
(Other instructions on re-
verse side)

Budget Category No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug-back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED		5. LEASE DESIGNATION AND SERIAL NO. U-082
OCT 25 1985		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME Red Wash
2. NAME OF OPERATOR Chevron U.S.A. Inc.		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR P.O. Box 599, Denver, CO 80201		9. WELL NO. 302 (22-24B)
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1845' FNL & 2082' FWL (SE, SW)		10. FIELD AND POOL, OR WILDCAT Red Wash
14. PERMIT NO. Not yet assigned		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 24, T7S, R23E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) GR: 5675'		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. **Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(Other) **Revise drilling procedure**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Anticipated bottomhole pressure 3200 psia.

3-BLM
2-STATE
1-RKW
3-SLI
1-LLK

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE Env. Eng. Spec. DATE October 24, 1985

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

October 31, 1985

Chevron U. S. A. Inc.
P. O. Box 599
Denver, Colorado 80201

Gentlemen:

Re: Well No. Red Wash Unit 302 (22-24B) - SE NW Sec. 24, T. 7S, R. 23E
1845' FNL, 2082' FWL - Uintah County, Utah

Approval to drill the above-referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.
5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-31683.

Sincerely,

R. J. Firth
Associate Director, Oil & Gas

as
Enclosures
cc: Branch of Fluid Minerals

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
 P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with State requirements.)*
 At surface 1845' FNL & 2082' FNL (SEE MAP)

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE
 ±17 miles southeast of Jensen, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 2082'
 16. NO. OF ACRES IN LEASE Within Unit

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1490'
 19. PROPOSED DEPTH 5800'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 GR: 5675'

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
16"	14"	48	50'	To Surface
12 3/4"	9-5/8"	36	500'	±250 sks to surface
8-3/4"	7"	23 & 23	4750'	To Surface

It is proposed to drill this Development Well to a depth of 5800' to test the Green River Formation.

Attachments:

- Certified Plat
- Drilling Procedure
- Geological Procedure
- Chevron Class III BOPE & Wellhead Specifications
- Multi Point Surface Use Plan

- 3-BLM
- 2-STATE
- 2-PARTNERS
- 1-RKW
- 1-ALF
- 1-Geo.
- 1-LJT
- 1-Sec. 724C
- 3-DRLG
- 1-LLK

Completion procedure to be submitted by Sundry Notice.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED L.L. Kurshyutruk TITLE Permit Coordinator DATE October 14, 1985

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____


APPROVED BY [Signature] TITLE DISTRICT MANAGER DATE 11/13/85

CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

Ut 080-6M-06
 BLM Div OG+M



CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company Chevron U.S.A., Inc. Well No. 302 (22-24B)
Location Sec. 24 T7S R23E Lease No. U-082

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

BOP and choke manifold systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

The use materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or work-over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirements to Accompany APD

1. Location of Existing and/or Proposed Facilities

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

2. Methods for Handling Waste Disposal

On BLM administered lands:

The reserve pit shall not be lined.

Produced waste water will be confined to an unlined pit or, if deemed necessary, a storage tank for a period not to exceed 90 days after first production. During the 90-day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

3. Well Site Layout

All pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire. The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Any hydrocarbons on the pit will be removed from the pit as soon as possible after drilling operations are completed. Pits will be fenced and maintained until clean-up.

The fence will be constructed as prescribed in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development. Alternatives to the prescribed standards shall be submitted to the Authorized Officer for approval.

Well Site Layout: The reserve pit will be located as indicated in the APD.

The stockpiled topsoil will be stored on the north side of the location.

Access to the well pad will be as indicated in the APD.

4. Plans for Restoration of Surface

A. Provide a restoration program upon completion of operations, including:

- (1) Backfilling, leveling, recontouring, and waste disposal; segregation of topsoil from cut materials as needed
- (2) Revegetation and rehabilitation--including abandoned access roads or portions of well pads no longer needed (normally per BLM recommendations)
- (3) Proposed timetable for commencement and completion of rehabilitation operations

B. The following are provisions to be addressed in the restoration plan:

Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed. The reserve pit will be reclaimed within one year from the date of well completion.

All disturbed areas will be recontoured to the approximate natural contours.

The stockpiled topsoil will be evenly distributed over the disturbed areas.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage and the seed mixture will be proportionately larger (double the lbs. per acre).

An appropriate seed mixture will be determined by the BLM, either as part of the Conditions of Approval of the APD or at the time restoration activities are scheduled to begin.

All seeding will be done from September 1 until the ground freezes.

At such time as the well is plugged and abandoned, the operator will submit a surface reclamation plan to the Surface Management Agency for prescribed seed mixtures and reseeding requirements.

If the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings.

The BLM recommends the following procedure for reclamation:

Compacted areas of the well pad should be plowed or ripped to a depth of 12" before reseeding. Seeding should be done with a disc-type drill to ten inches apart. The seed should be planted between one-half inch deep and three-quarter inch deep. A drag, packer or roller may be used to insure uniform coverage of the seed, and adequate compaction. Drilling of the seed should be done on the contour where possible. Where slopes are too steep for contour drilling, a "cyclone" hand-seeder or similar broadcast seeder should be used, using twice the recommended seed per acre. Seed should then be covered to a depth described above by whatever means is practical.

5. Other Additional Information

A cultural resource clearance will be required before any construction begins on Federal and Indian lands. However, historic and cultural resource work shall be undertaken only with the written consent of a private surface owner. If the private surface owner refuses entry for that purpose, the lessee or operator shall use its best efforts to conduct its approved operations in a manner that avoids adverse effects on any properties which are listed, or may be eligible for listing, in the NRHP.

If, during operations, any archaeological or historical sites, or any object of antiquity (subject to the Antiquities Act of June 8, 1906) are discovered, all operations which would affect such sites are to be suspended and the discovery reported promptly to the Surface Management Agency.

On BLM administered land, it is required that a proposed use of pesticide, herbicide or other possible hazardous chemicals shall be cleared for use prior to application.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his sub-contractors. A copy of these conditions will be furnished the field representative to insure compliance.

The dirt contractor will be provided with an approved copy of the Surface Use Plan from the APD.

This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

In the event after-hour approvals are necessary, please contact one of the following individuals:

Craig M. Hansen
Assistant District Manager
for Minerals

(801) 247-2318

Gerald E. Kenczka
Petroleum Engineer

(801) 781-1190

R. Allen McKee
Petroleum Engineer

(801) 781-1368

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to add depth to a well.
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

5. LEASE DESIGNATION AND SERIAL NO.
U-082
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Red Wash
8. FARM OR LEASE NAME
9. WELL NO.
302 (22-24B)
10. FIELD AND POOL, OR WILDCAT
Red Wash
11. SEC., T., R., M., OR BLM. AND
SURVEY OR AREA
Sec 24, T7S, R23E
12. COUNTY OR PARISH
Uintah
13. STATE
Utah

1. OIL WELL GAS WELL OTHER
2. NAME OF OPERATOR
Chevron U.S.A. Inc.
3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1845' FNL & 2082' FWL (SE/SW)
14. PERMIT NO.
API #43-047-31683
15. ELEVATIONS (Show whether DF, RT, GR, etc.)
GR: 5675'

JAN 22 1986

DIVISION OF OIL
GAS & MINING

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Proposed flowline route is changed per attached map.

- 3 - BLM
- 2 - STATE
- 2 - PARTNERS
- 1 - GDE
- 3 - GHW
- 1 - LLK

18. I hereby certify that the foregoing is true and correct
SIGNED R.R. Pinkpatrick TITLE Environmental Engineering Specialist DATE January 16, 1986
(This space for Federal or State office use)
APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

CHEVRON U.S.A. INC.

REDWASH UNIT #302 (22-24E)

PROPOSED LOCATION


TOPO.

MAP "B"

SCALE 1" = 2000'

ROAD CLASSIFICATION

Light duty road, all weather, improved surface Unimproved road fair or dry weather



QUADRANGLE LOCATION

4.8 Mi.

2.1 MILES

PROPOSED LOCATION
REDWASH UNIT #302 (22-24E)


PROPOSED ACCESS ROAD

PROPOSED FLOWLINE
REVISED 1-10-86

PROPOSED ACCESS ROAD 1020' ±
PROPOSED FLOWLINE 4300' ±

R
23
E
R
24
E

T7S




B

R 23 E

CARTER
DAMBERGER

CARTER
UNIT
W



Chevron U.S.A. Inc.
 Red Wash Unit 302 (22-24B)
 Sec. 24, T7S, R23E
 Uintah County, Utah

- Proposed Powerline
- - - Proposed Flowline
- - - Revised Flowline (1/14/86)

CENTRAL BATTERY

24B Comp
Goso Plant

N

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back or convert a well to a reservoir. Use "APPLICATION FOR PERMIT" for such purposes.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
1845' FNL 2082' FWL (SE/SW)

5. LEASE DESIGNATION AND SERIAL NO
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
302 (22-24B)

10. FIELD AND POOL, OR WILDCAT
Red Wash

11. SEC., T., R., E., N., OR BLK. AND SUBVY OR AREA
Sec 24, T7S, R23E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. PERMIT NO.
43-047-31683

15. ELEVATIONS (Show whether DF, RT, OR, etc.)
5675 GR

JAN 24 1986
DIVISION OF OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The above well was drilled to a depth of 5750' w/7" production casing run to a depth of 5750' on 1/6/86. Parker Rig 56 was released on 1/7/86. It is proposed to complete the well in the Green River Formation as follows: MIRU. WSU. NU BOP's, TIH w/Bit & Scraper to ±5671 PBT. POH. Perforate at 4SPF 90° phasing and selectively swab test the following zones: 5573-18, 5509-14, 5466-71, 5341-44, 5300-07 and 5011-17. If swab tests indicate excessive water production, cement squeeze those perforations with ±150 sks LWL cement. Drill out cement. Then acidize and/or fracture any productive zones with 15% HCl or gelled water. Flow test well. Run production packer and production tubing. Land tubing. NU tree. RDMOL. Turn well over to production.

Work is anticipated to begin February 5, 1986.

3 - BLM
3 - STATE
1 - GDE
3 - DRLG
1 - LLK

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Associate Environmental Specialist DATE January 21, 1986

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ ACCEPTED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

CONDITIONS OF APPROVAL, IF ANY: **Federal approval of this action is required before commencing operations.**

*See Instructions on Reverse Side DATE: 1-27-86

BY: [Signature]

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within the jurisdiction of that department or agency.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different depth.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT ASSIGNMENT NAME Red Wash	
2. NAME OF OPERATOR Chevron U.S.A. Inc.		8. FARM OR LEASE NAME Red Wash	
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, CO 80201		9. WELL NO. 302 (22-24B)	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1845' FNL & 2082' FWL (SE/SW)		10. FIELD AND POOL, OR WILDCAT Red Wash	
14. PERMIT NO. API #43-047-31683		11. SEC., T., R., N., OR BLK. AND QUARTER OF AREA Sec 24, T7S, R23E	
15. ELEVATIONS (Show whether SP, WT, GR, etc.) GR: 5675'		12. COUNTY OR PARISH Uintah	
		13. STATE Utah	

JAN 3 1986

DIVISION OF OIL
& GAS & MINING

16. **Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANE <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	

*Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.

17. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS** (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Proposed flowline route is changed per attached map.

The flow line routing was originally proposed from RWU 22-24B to RWU 13-24B (existing corridor) to the "F" Station. Since the insulation on the flow line from the RWU 23-24B to "F" station needed replacing, it was decided to change the route of the flow line from the RWU 22-24B to RWU 23-24B and then continuing in this corridor to "F" station. This will allow us to install new installation between the PRU 23-24B and "F" station.

- 3 - BLM
- 2 - STATE
- 2 - PARTNERS
- 1 - GDE
- 3 - GSW
- 1 - LLK

Rev. 1-28-86

18. I hereby certify that the foregoing is true and correct.

SIGNED R.R. McIntosh TITLE Environmental Engineering Specialist DATE January 16, 1986

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other Instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

6

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations)
At surface 1845' FNL 2082' FWL (SE NW)
At top prod. interval reported below Same
At total depth Same

RECEIVED
MAR 11 1986

DIVISION OF
OIL, GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.

U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

302 (22-24B)

10. FIELD AND POOL, OR WILDCAT

Red Wash

11. SEC. T. R., M., OR BLOCK AND SURVEY OR AREA

Sec 24, T7S, R23E

12. COUNTY OR PARISH

Utah

13. STATE

14. PERMIT NO. 43-047-31683

DATE ISSUED

15. DATE SPUDDED 12/18/85

16. DATE T.D. REACHED 1/3/86

17. DATE COMPL. (Ready to prod.) 2/26/86

18. ELEVATIONS (DP, RKB, RT, GR, ETC.)* 5667' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 5750'

21. PLUG, BACK T.D., MD & TVD 5605'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS All

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
5300'-5307' Green River Formation
5466'-5578' Green River Formation

25. WAS DIRECTIONAL SURVEY MADE

26. TYPE ELECTRIC AND OTHER LOGS RUN
DIL-SFL-GR, LDT-CNL-GR-CAL, EPT-PCM-CAL, LSS-GR, CBL, CST, RCS microlog

27. WAS WELL CORRED

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
16		67			--
9-5/8	36	492	12 1/2	1750 sks 'G' to SFC	--
7	26	5750	8-3/4	1090 sks 'H'	--

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

5011'-17' (SQZD), 5300'-07', 5341'-44' (SQZD) 5466'-71', 5509'-14', 5573'-78',
4 SPF 90° phasing. 4" csg guns.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5011'-17'	100 sks 'G' cmt
5341'-44', and 5300'-07'	100 sks 'G' cmt
All perms	500 gals ea 15% HCl acid

33. PRODUCTION

DATE FIRST PRODUCTION February 27, 1986
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Rod Pump: 1-3/4" x 115" x 10 SPM
WELL STATUS (Producing or shut-in) Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
2/28-3/2/86	72	--	→	20	45	154	2,250

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
--	0	→	7	15	51	30

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold

TEST WITNESSED BY R. J. Sustakoski

35. LIST OF ATTACHMENTS 860319 cp

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED *R. J. Sustakoski* TITLE Assoc. Environmental Spec. DATE March 12, 1986

*(See Instructions and Spaces for Additional Data on Reverse Side)



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

June 25, 1986

Chevron U.S.A., Inc.
P.O. Box 599
Denver, Colorado 80201

Gentlemen:

Re: Well No. Red Wash Unit #302 (22-24B) - Sec. 24, T. 7S, R. 23E
Uintah County, Utah - API No. 43-047-31683

A review of our records indicates that copies of the LSS-GR, CBL, and CST logs, which were run on the referenced well as indicated on the Well Completion Report dated March 12, 1986 have not been received.

Rule 312, Oil and Gas Conservation General Rules, requires that copies of the well logs be submitted within 90 days of well completion.

Please provide copies of the required logs at your earliest convenience, but not later than July 18, 1986.

Respectfully,

A handwritten signature in black ink, appearing to read "Norman C. Stout".

Norman C. Stout
Administrative Assistant

ts
cc: Dianne R. Nielson
Ronald J. Firth
John R. Baza
File

0413/12

071727



Chevron U.S.A. Inc.
Overthrust Area Office, P. O. Drawer AA, Evanston, WY 82930

July 15, 1986

T. L. Perryman
Area Operations Superintendent

RECEIVED
JUL 17 1986

**DIVISION OF
OIL, GAS & MINING**

State of Utah
Natural Resources
Oil, Gas & Mining
355 West North Temple
#3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attention Mr. Norman C. Stout

Dear Mr. Stout:

Enclosed are the LSS-GR, CBL and CST logs for Red Wash Unit #302
and the CBL log for Wonsits Valley Unit #142 as per your request.

Sincerely,

T.L. Perryman

WJM:at
Enclosures

CORE LABORATORIES, INC.
Petroleum Reservoir Engineering
DALLAS, TEXAS

RECEIVED
JUL 17 1986

DIVISION OF
OIL, GAS & MINING

CORE ANALYSIS REPORT

FOR

CHEVRON USA, INC.

RWV #302 (22-24B)
RED WASH FIELD

*CST = core sample
taker*

Core Log Results.

CHEVRON USA, INC.
RWV #302 (22-24B)
RED WASH FIELD

DATE : 07-JAN-86
FORMATION :
DRLG. FLUID:
LOCATION :

FILE NO. : 38060-7864
LABORATORY : AURORA, COLO
API WELL NO. :
CORES :

SIDEWALL CORE ANALYSIS

REC IN	DEPTH FEET	OILZ PORE	WTRZ PORE	DESCRIPTION
	4305.0			UNSUITABLE FOR ANALYSIS
	4425.0			UNSUITABLE FOR ANALYSIS
	4443.0	0.0	62.5	SLTST BRN-GRN NO ODOR NO FLU
	4501.0			UNSUITABLE FOR ANALYSIS
	4571.0	7.5	59.7	SS TAN VFG-MED CALC SL ODOR GD SPTY FLU
	4625.0	0.0	76.3	SLTST BRN ARG CALC NO ODOR NO FLU
	4688.0			UNSUITABLE FOR ANALYSIS
	4752.0	8.2	49.2	SS TAN VFG-FG CALC NO ODOR GD SPTY FLU
	4792.0	0.0	69.0	SLTST LT GRN-GRY CALC NO ODOR NO FLU
	4814.0	0.0	72.5	SLTST LT GRN-GRY CALC NO ODOR NO FLU
	4877.0	0.0	64.2	SS GRY VFG-FG CALC SLTY NO ODOR NO FLU
	4909.0	1.4	69.9	SS TAN VFG-MED CALC NO ODOR SL/FLU
	4943.0	0.0	75.1	SS TAN VFG-FG CALC NO ODOR NO FLU
	4988.0	0.0	67.8	SLTST BRN ARG CALC NO ODOR NO FLU
	5129.0	0.0	72.3	SLTST GRY ARG CALC NO ODOR NO FLU
	5196.0			UNSUITABLE FOR ANALYSIS
	5243.0			UNSUITABLE FOR ANALYSIS
	5243.0	0.0	75.8	SLTST GRY ARG CALC NO ODOR NO FLU
	5302.0	13.8	60.0	SS TAN VFG-FG SL/ODOR GD THR FLU
	5313.0	0.0	81.5	SLTST GRY ARG CALC NO ODOR NO FLU
	5329.0			UNSUITABLE FOR ANALYSIS
	5329.0			UNSUITABLE FOR ANALYSIS
	5343.0			UNSUITABLE FOR ANALYSIS
	5362.0			UNSUITABLE FOR ANALYSIS
	5383.0	0.0	83.3	SLTST GRY ARG CALC NO ODOR NO FLU
	5394.0	0.0	64.5	SS WH VFG-FG CALC NO ODOR NO FLU
	5431.0	0.0	83.3	UNSUITABLE FOR ANALYSIS
	5455.0			SS TAN VFG-MED SL/ODOR GD THR FLU
	5476.0	0.0	63.3	SS LT GRY VFG-FG CALC SLTY ARG NO ODOR NO FLU
	5525.0	3.2	80.6	SS LT GRY VFG-FG CALC SLTY ARG SL/ODOR SL/FLU

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

CORE LABORATORIES, INC.
Petroleum Reservoir Engineering
DALLAS, TEXAS

PAGE 2

CHEVRON USA, INC.
RWV #302 (22-24B)

DATE : 07-JAN-86
FORMATION :

FILE NO. : 38060-7864
LABORATORY : AURORA, COL

SIDEWALL CORE ANALYSIS

REC IN	DEPTH FEET	OILZ PORE	WTRZ PORE	DESCRIPTION
	5563.0	0.0	84.2	SS GRY VFG-MED CALC NO ODOR NO FLU
	5575.0	0.0	75.0	SLTST LT GRY CALC NO ODOR NO FLU
	5673.0			UNSUITABLE FOR ANALYSIS

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

API #43-047-31683

NAME OF COMPANY: CHEVRONWELL NAME: RED WASH UNIT 302 (22-24B)SECTION SE NW 24 TOWNSHIP 7S RANGE 23E COUNTY UintahDRILLING CONTRACTOR Bill Martin Jr

RIG # _____

SPUDDED: DATE 12-12-86TIME 10:00 AMHOW Rat Hole DiggerDRILLING WILL COMMENCE 12-18-85 - Parker Rig #56REPORTED BY Ron GorobiTELEPHONE # 789-6232DATE 1-31-86 SIGNED AS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.
U-082 **POW**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
080407

7. UNIT AGREEMENT NAME
Red Wash Unit

8. FARM OR LEASE NAME
RWU

9. WELL NO.
#302

10. FIELD AND POOL, OR WILDCAT
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 24, T7S, R23E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P.O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
SE/4 NW/4

14. PERMIT NO.
43-047-31683

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
GR 5660'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACURE TREAT	<input checked="" type="checkbox"/>	FRACURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other)	<input type="checkbox"/>
(Other) Add perforations	<input type="checkbox"/>		
PULL OR ALTER CASING	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
CHANGE PLANS	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to perforate and acidize the Ld, fracture treat the Kb and return the well to production.

- MIRU. N/D Wellhead. N/U BOPE.
- Pull production equipment.
- Perforated the Ld 5534'-5544'.
- Acidize the Ld (5534'-5544') w/1000 gal 15% HCL.
- Fracture stimulate the Kb (5300'-5307').
- Run production equipment.
- N/D BOPE. N/U Wellhead.
- RDMO.

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 8-3-87
BY: John R. Duce

- 3-BLM
- 3-State
- 2-Partners
- 1-EEM
- 3-Drlg
- 1-File

18. I hereby certify that the foregoing is true and correct

SIGNED J. J. Watson TITLE Office Assistant DATE 7/27/87

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

Federal approval of this action is required before commencing operations

*See Instructions on Reverse Side

RECEIVED
AUG 3 1987

DIVISION OF OIL
GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

POW

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" form.)

RECEIVED
OCT 05 1987

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599 Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
SE 1/4 NW 1/4

14. PERMIT NO.
43-047-311083

15. ELEVATIONS (Show whether DF, RT, OR, etc.)
5660 GR

5. LEASE DESIGNATION AND SERIAL NO.
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
100713

7. UNIT AGREEMENT NAME
Red Wash Unit

8. FARM OR LEASE NAME
Red Wash Unit

9. WELL NO.
302

10. FIELD AND POOL, OR WILDCAT
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 24, T7S, R23E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Red Wash Unit #302 was perforated, acidized, and fracture stimulated as follows:

1. Moved in rig 9-21-87.
2. Pulled rods. Nippled down wellhead. Nippled up BOP and tested.
3. Perforated 5534-5544 (L_D).
4. Acidized the L_D (5534-44) with 1000 gal 15% HCl, communicated during job with L_C perms (5509-14).
5. Swab tested L_D (5534-44) and L_C (5509-14) combined.
6. Pumped scale inhibitor squeeze on L_D and L_C perms.
7. Fracture stimulated K_B (5300-07) with 10,000# 20/40 and 7500# 12-20.
8. Cleaned out after frac.
9. Ran production equipment. ND BOPE. NU wellhead.
10. Released rig 9-25-87. Turned well over to production.

- 3 - BLM
- 3 - State
- 2 - Partners
- 1 - EEM
- 1 - MKD
- 3 - Drlg
- 1 - PLM
- 1 - Sec. 724 C
- 1 - File

18. I hereby certify that the foregoing is true and correct

SIGNED J. Watson TITLE Office Assistant DATE 10/1/87

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Red Wash

8. Well Name and No.
302 (22-24B)

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
Red Wash

11. County or Parish, State
Uintah, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
P.O. Box 599, Denver, CO 80201 (303) 930-3691

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SE/NW
Section 24, T7S-R23E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Shut In</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

As of 9/1/91 the subject well is shut in.

RECEIVED

SEP 19 1991

DIVISION OF
OIL GAS & MINING

3-BLM
3-State
1-JRB
1-Well File
1-JLW
1-REK
1-Sec 724R
1-COS
2-Partners

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Permit Specialist Date 9/13/91

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Chevron U.S.A. Inc.

3. Address and Telephone No.

100 Chevron Road, Rangely, Colorado 81648 (303) 675-3700

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1845' FNL & 2082' FWL, SE NW SEC. 24, T7S, R23E

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
REDWASH UNIT

8. Well Name and No.
RWU # 302

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
REDWASH, UTAH

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

IT IS PROPOSED TO CONVERT ABOVE WELL TO A GAS PRODUCER AS FOLLOWS:

1. MIRU. REMOVE RODS & PUMP.
2. ND WELLHEAD, NU & TEST BOPE.
3. REMOVE PRODUCTION TBG.
4. C/O & SCRAPE 7" CSG TO +/- 5300'.
5. SET 7" CIBP @ +/- 5275'. TOP W\ 50' CEMENT PLUG. (35' IF DUMP BAILER)
6. INSTALL "F" NIPPLE, PKR & PROD TBG. TREAT ANN, SET PKR @ +/- 4350'.
7. ND BOPE, NU WELLHEAD. SWAB TBG DOWN TO 2500'
8. PERF 7" CSG @ 2JPF: 5199'-93', 4944'-38', 4752'-47', 4536'-32', 4442'-30'
9. FLOW TEST WELL. PERFORM NITRIFIED ACID SQUEEZE IF REQUIRED.
10. PLACE WELL ON PRODUCTION. RDMO.

RECEIVED

NOV 07 1991

DIVISION OF
OIL, GAS & MINING

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 11-12-91

BY: J.D. Howard

14. I hereby certify that the foregoing is true and correct

Signed **J.D. Howard**

J.D. Howard

Title **Drilling Technologist**

Date **11-04-91**

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any: _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
REDWASH UNIT

8. Well Name and No.
RWU # 302 (22-24B)

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
REDWASH, UTAH

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Well Gas Well Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
100 Chevron Road, Rangely, Colorado 81648 (303) 675-3700

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL & 2082' FWL, SW 1/4 NW 1/4 SEC. 24, T7S, R23E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

THE ABOVE WELL WAS CONVERTED TO A GAS WELL AS FOLLOWS:

- MIRU, ND WH, NU & TEST BOPE.
- REMOVE PRODUCTION EQUIPMENT. CLEAN OUT & SCRAPE 7" CASING TO PBTD @ 5605'.
- SET 7" CIBP @ 5275'. TOP WITH 35' CEMENT W\ DUMP BAILER.
- RIH W\ 7" LOK-SET PKR ON 2 7/8" TBG, SET PKR @ 4344'.
- PERFORATE 7" CASING @ 2 JPF: 5199'-93', 4944'-38', 4752'-47', 4536'-32', 4442'-36'.
- FLOW TEST WELL.
- ND BOPE, NU WELLHEAD.
- PLACE WELL ON PRODUCTION.

RECEIVED

DEC 23 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed J.D. Howard *J.D. Howard* Title Drilling Technologist Date 12-18-91 ✓

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other
 Well

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526
Steve McPherson in Red Wash (801) 781-4310
or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL & 2082' FWL (SE NW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
Red Wash Unit 302 (22-24B)

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS OF WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

CHEVRON IS REQUESTING TA APPROVAL ON THE ABOVE WELL THIS WELL NEEDS TO BE EVALUATED FURTHER AS A POSSIBLE OFFSET DEVELOPMENT/WATERFLOOD REALIGNMENT POTENTIAL.



14. I hereby certify that the foregoing is true and correct.
 Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date November 5, 1996

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Well Gas Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL & 2082' FWL (SE NW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 302 22-24B

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS OF WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

CHEVRON IS REQUESTING A TA STATUS ON THE ABOVE WELL. THIS WELL HAS POTENTIAL FUTURE USE IN RECONFIGURED PATTERN WATERFLOOD.



14. I hereby certify that the foregoing is true and correct.
Signed D.C. Tanner Title COMPUTER SYSTEMS OPERATOR Date 12/10/97

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL & 2082' FWL (SE NW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 302 22-24B

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE BELIEVE A RETURN TO PRODUCTION COULD BE JUSTIFIED IN THE FUTURE.



14. I hereby certify that the foregoing is true and correct.
Signed D. C. BEAMAN *D C Beaman* Title COMPUTER SYSTEMS OPERAOTR Date 3/18/1999

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other **MULTIPLE WELLS SEE ATTACHED LIST**

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
**RED WASH UNIT
I-SEC NO 761**

8. Well Name and No.

2. Name of Operator
CHEVRON U.S.A. INC.

9. API Well No.

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
UINTAH, UTAH

11. County or Parish, State
UINTAH, UTAH

12. **CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit. The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be Shenandoah Energy Inc. 475 17th Street, Suite 1000 Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
~~Division of Oil, Gas & Mining~~
Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU081	4304715152	24 (34-14B) RED WASH SWSE		14	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730344	240 (12-36B) RED WAS SWNW		36	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304730345	241 (22-14B) RED WAS SENW		14	T 7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304730346	242 (42-13B) RED WAS SENE		13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730347	243 (42-18C) RED WAS SENE		18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02149	4304730348	244 (23-19C) RED WAS NESW		19	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTSL071964	4304730349	245 (14-30C) RED WAS SWSW		30	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU02148	4304730387	246 (22-18C) RED WAS SENW		18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730388	247 (22-17C) RED WAS SENW		17	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02149	4304730389	248 (43-20C) RED WAS NESE		20	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304716476	25 (23-23B) RED WASH NESW		23	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTSL071965	4304730391	250 (41-29C) RED WAS NENE		29	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU0559	4304730457	257 (21-23A) RED WAS NENW		23	T 7S	R22E	ABD	CHEVRON U S A INCORPORATED
UTU0559	4304730458	258 (34-22A) RED WAS SWSE		22	T 7S	R22E	WIW	CHEVRON U S A INCORPORATED
STATE	4304732785	259 SWSW		16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715153	26 (23-22B) RED WASH NESW		22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
STATE	4304732786	260 SWSE		16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730517	262 (22-26B) RED WAS SENW		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730518	263 (24-26B) RED WAS SESW		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730519	264 (31-35B) RED WAS NWNW		35	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0566	4304730520	265 (44-26B) RED WAS SESE		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730521	266 (33-26B) RED WAS NWSE		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304732981	267 SWNE		17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730522	269 (13-26B) RED WAS NWSW		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715154	27 (43-14B) RED WASH NESE		14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731082	270 (22-35B) RED WAS SENW		35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731081	271 (42-35B) RED WAS SENE		35	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731054	272 (44-23B) RED WAS SESE		23	T 7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU0566	4304731051	273 (42-27B) RED WAS SENE		27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0823	4304731083	274 (13-25B) RED WAS NWSW		25	T 7S	R23E	P+A	CHEVRON U S A INCORPORATED
UTU0566	4304731077	275 (31-26B) RED WAS NENW		26	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0566	4304731053	276 (44-27B) RED WAS SESE		27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731076	278 (11-26B) RED WAS NWNW		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
STATE	4304731052	279 (11-36B) RED WAS NWNW		36	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715155	28 (43-22B) RED WASH NESE		22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731079	280 (11-35B) RED WAS NWNW		35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0823	4304731078	281 (11-25B) RED WAS NWNW		25	T 7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU0566	4304731080	282(42-26B) RED WAS SENE		26	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304732982	283 NESE		18	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU082	4304731476	284 (33-23B) RED WAS NWSE		23	T 7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU082	4304731477	285 (11-24B) RED WAS NWNW		24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0567	4304731478	286 (42-21B) RED WAS SENE		21	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731512	287 (44-13B) RED WAS SESE		13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731513	288 (24-27B) RED WAS SESW		27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731517	289 (13-24B) RED WAS NWSW		24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715156	29 (32-23B) RED WASH SWNE		23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304731515	290 (12X-23B) RED WA SWNW		23	T 7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304731516	291 (22X-23B) RED WA SENW		23	T 7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304731576	292 (42-23B) RED WAS SENE		23	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0559	4304731581	293 (22-22A) RED WAS	SENW	22	T 7S	R22E	OSI	CHEVRON U S A INCORPORATED
UTU02148	4304731582	294 (24-18C) RED WAS	SESW	18	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304731577	295 (11-22B) RED WAS	NWNW	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731578	296 (12-35B) RED WAS	SWNW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731579	297 (24-15B) RED WAS	SESW	15	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731679	298 (22-27B) RED WAS	SENW	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304733018	299	SWNE	18	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715136	3 (34-23B) RED WASH	SWSE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715157	30 (23-13B) RED WASH	NESW	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731682	301 (43-15B) RED WAS	NESE	15	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731683	302 (22-24B) RED WAS	SENW	24	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304731819	303 (34-17B) RED WAS	SWSE	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0830	4304732538	305	NENE	4	T 8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304732629	306	NESW	23	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
STATE	4304732632	307	SWSW	16	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTSL071965	4304732627	308	SESW	28	T 7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTU081	4304715158	31 (34-22B) RED WASH	SWSE	22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304732628	311	NESW	26	T 7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTSL071963	4304732595	312	SWNE	34	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU02149	4304732630	313	NESW	20	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTSL071965	4304732626	314	SESW	29	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU081	4304715160	33 (14-14B) RED WASH	SWSW	14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715161	34 (23-14B) RED WASH	NESW	14	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715162	35 (43-13B) RED WASH	NESE	13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715163	36 (32-13B) RED WASH	SWNE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0823	4304715164	37 (41-25B) RED WASH	NENE	25	T 7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304715165	38 (14-23B) RED WASH	SWSW	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715166	39 (14-24A) RED WASH	SWSW	24	T 7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715137	4 (41-22B) RED WASH	NENE	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715167	40 (21-24B) RED WASH	NENW	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715168	41 (34-13B) RED WASH	SWSE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304715169	42 (21-29C) RED WASH	NENW	29	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0116	4304715170	43 (12-17B) RED WASH	SWNW	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0829	4304715171	44 (32-33C) RED WASH	SWNE	33	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715172	45 (23-30B) RED WASH	NESW	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU080	4304715173	46 (41-21C) RED WASH	NENE	21	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715174	48 (32-19B) RED WASH	SWNE	19	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715175	49 (12-29B) RED WASH	SWNW	29	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715138	5 (41-23B) RED WASH	NENE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715176	50 (14-23A) RED WASH	SWSW	23	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
STATE	4304715177	51 (12-16B) RED WASH	SWNW	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0116	4304715178	52 (14-18B) RED WASH	SWSW	18	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0561	4304715179	53 (41-25A) RED WASH	NENE	25	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715181	55 (41-21A) RED WASH	NENE	21	T 7S	R22E	P+A	CHEVRON U S A INCORPORATED
UTU02030	4304715182	56 (41-28B) RED WASH	NENE	28	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304715183	57 (12-18C) RED WASH	SWNW	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU082	4304716477	59 (12-24B) RED WASH	SWNW	24	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304716482	6 (41-21B) RED WASH	NENE	21	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715184	60 (43-30B) RED WASH	NESE	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0559	4304731581	293 (22-22A) RED WAS	SE	22	T 7S	R22E	OSI	CHEVRON U S A INCORPORATED
UTU02148	4304731582	294 (24-18C) RED WAS	SE	18	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304731577	295 (11-22B) RED WAS	NW	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731578	296 (12-35B) RED WAS	NW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731579	297 (24-15B) RED WAS	SE	15	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731679	298 (22-27B) RED WAS	SE	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304733018	299	SE	18	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715136	3 (34-23B) RED WASH	SE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715157	30 (23-13B) RED WASH	SE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731682	301 (43-15B) RED WAS	NE	15	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731683	302 (22-24B) RED WAS	SE	24	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304731819	303 (34-17B) RED WAS	SE	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0830	4304732538	305	NE	4	T 8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304732629	306	NE	23	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
STATE	4304732632	307	SE	16	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTSL071965	4304732627	308	SE	28	T 7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTU081	4304715158	31 (34-22B) RED WASH	SE	22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304732628	311	NE	26	T 7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTSL071963	4304732595	312	SE	34	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU02149	4304732630	313	NE	20	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTSL071965	4304732626	314	SE	29	T 7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU081	4304715160	33 (14-14B) RED WASH	SE	14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715161	34 (23-14B) RED WASH	NE	14	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715162	35 (43-13B) RED WASH	NE	13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715163	36 (32-13B) RED WASH	SE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0823	4304715164	37 (41-25B) RED WASH	NE	25	T 7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304715165	38 (14-23B) RED WASH	SE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715166	39 (14-24A) RED WASH	SE	24	T 7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715137	4 (41-22B) RED WASH	NE	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715167	40 (21-24B) RED WASH	NE	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715168	41 (34-13B) RED WASH	SE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304715169	42 (21-29C) RED WASH	NE	29	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0116	4304715170	43 (12-17B) RED WASH	NW	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0829	4304715171	44 (32-33C) RED WASH	SE	33	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715172	45 (23-30B) RED WASH	NE	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU080	4304715173	46 (41-21C) RED WASH	NE	21	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715174	48 (32-19B) RED WASH	SE	19	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715175	49 (12-29B) RED WASH	NW	29	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715138	5 (41-23B) RED WASH	NE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715176	50 (14-23A) RED WASH	SE	23	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
STATE	4304715177	51 (12-16B) RED WASH	NW	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0116	4304715178	52 (14-18B) RED WASH	SE	18	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0561	4304715179	53 (41-25A) RED WASH	NE	25	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715181	55 (41-21A) RED WASH	NE	21	T 7S	R22E	P+A	CHEVRON U S A INCORPORATED
UTU02030	4304715182	56 (41-28B) RED WASH	NE	28	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304715183	57 (12-18C) RED WASH	NW	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU082	4304716477	59 (12-24B) RED WASH	NW	24	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304716482	6 (41-21B) RED WASH	NE	21	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715184	60 (43-30B) RED WASH	NE	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
SHENANDOAH ENERGY, INC

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL & 2082' FWL (SE NW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 302 22-24B

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE BELIEVE A RETURN TO PRODUCTION COULD BE JUSTIFIED IN THE FUTURE.

RECEIVED
APR 17 2000
DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct.
Signed D. C. BEAMAN *Doris Beaman* Title OFFICE MANAGER Date 04/13/00

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
 The Extension for Shut-in or Temporarily Abandonment may be issued, in accordance with _____ Accepted by the _____
 Conditions of approval, if any _____ Utah Division of _____
 RC 49-3-36, 1-1, 2 & 1-3, upon receipt and review, by the Division of Oil, Gas & Mining of _____ Oil, Gas & Mining
 Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. _____ M. Hebertson 10-Mar-2000

*See instruction on Reverse Side

COPY SENT TO OPERATOR
Date: 4-20-00
Initials: CHD

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-SPD ✓
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01-01-2000

FROM: (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account N4235

CA No.

Unit: RED WASH

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 293 (22-22A)	43-047-31581	5670	22-07S-22E	FEDERAL	OW	TA
RWU 30 (23-13B)	43-047-15157	5670	13-07S-23E	FEDERAL	GW	TA
RWU 297 (24-15B)	43-047-31579	5670	15-07S-23E	FEDERAL	OW	P
RWU 301 (43-15B)	43-047-31682	5670	15-07S-23E	FEDERAL	GW	P
RWU 303 (34-17B)	43-047-31819	5670	17-07S-23E	FEDERAL	OW	P
RWU 299 (32-18B)	43-047-33018	5670	18-07S-23E	FEDERAL	OW	P
RWU 295 (11-22B)	43-047-31577	5670	22-07S-23E	FEDERAL	GW	S
RWU 31 (34-22B)	43-047-15158	5670	22-07S-23E	FEDERAL	OW	P
RWU 290 (12X-23B)	43-047-31515	5670	23-07S-23E	FEDERAL	OW	PA
RWU 291 (22X-23B)	43-047-31516	5670	23-07S-23E	FEDERAL	OW	PA
RWU 29 (32-23B)	43-047-15156	5670	23-07S-23E	FEDERAL	OW	P
RWU 292 (42-23B)	43-047-31576	5670	23-07S-23E	FEDERAL	GW	TA
RWU 3 (34-23B)	43-047-15136	5670	23-07S-23E	FEDERAL	OW	P
RWU 289 (13-24B)	43-047-31517	5670	24-07S-23E	FEDERAL	OW	P
RWU 302 (22-24B)	43-047-31683	5670	24-07S-23E	FEDERAL	GW	S
RWU 298 (22-27B)	43-047-31679	5670	27-07S-23E	FEDERAL	OW	TA
RWU 296 (12-35B)	43-047-31578	5670	35-07S-23E	FEDERAL	OW	P
RWU 307	43-047-32632	5670	16-07S-24E	STATE	GW	PA
RWU 294 (24-18C)	43-047-31582	5670	18-07S-24E	FEDERAL	GW	P
RWU 306	43-047-32629	5670	23-07S-24E	FEDERAL	GW	P
RWU 308	43-047-32627	5670	28-07S-24E	FEDERAL	GW	PA
RWU 305 (41-4F)	43-047-32538	5670	04-08S-24E	FEDERAL	GW	TA

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12-30-1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08-23-2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Pro;** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 09/20/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/20/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 159261960

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 03-09-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.

UT U082

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

7. If Unit or CA/Agreement, Name and/or No.
8920007610

1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.
RED WASH UNIT 302 22-24B

2. Name of Operator
SHENANDOAH ENERGY INC.

Contact: ANN PETRIK
E-Mail: ann.petrik@questar.com

9. API Well No.
43-047-31683

3a. Address
11002 EAST 17500 SOUTH
VERNAL, UT 84078

3b. Phone No. (include area code)
Ph: 435.781.4306
Fx: 435.781.4329

10. Field and Pool, or Exploratory
RED WASH

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T7S R23E SENW 1845FNL 2082FWL

11. County or Parish, and State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

THIS WELL IS A RETURN TO PRODUCTION CANDIDATE, MAIN AREA LINE DRIVE.

RECEIVED

DEC 18 2002

THIS SUNDRY IS BEING RETURNED; INSUFFICIENT DATA WAS SUBMITTED TO APPROVE THE RE-ENTRY OF OIL, GAS & MINING
The well has been nonactive or nonproductive 8 years 0 months. In accordance with R649-3-36, a sundry notice shall be filed indicating the reasons and length of time for the well shut-in or temporary abandonment and a demonstration of the well's integrity; evidence that the well is not a risk to public health and safety or the environment.

[Signature]
January 3, 2003
Utah Division of Oil, Gas and Mining

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #16188 verified by the BLM Well Information System
For SHENANDOAH ENERGY INC., sent to the Vernal

Name (Printed/Typed) ANN PETRIK

Title ADMINISTRATIVE CONTACT

Signature *[Signature]*
(Electronic Submission)

Date 11/18/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____

Title COPY SENT TO OPERATOR

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Date: 1-20-03
Initials: CHD

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

[Handwritten scribbles]



Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED
JUN 02 2003
DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P ↗
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	itype	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		2/1/2003
FROM: (Old Operator):	TO: (New Operator):	
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	

CA No. Unit: RED WASH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If NO, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 8/28/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS					*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENE	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.


Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list


Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE	Supervisor, Regulatory Affairs
SIGNATURE	DATE	4/17/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED
APR 30 2007
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU 082
2. Name of Operator Questar Exploration and Production Inc.		6. If Indian, Allottee or Tribe Name N/A
3a. Address 1050 17th Street, Suite 500 Denver, CO 80265	3b. Phone No. (include area code) 303 308-3068	7. If Unit or CA/Agreement, Name and/or No. Redwash
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1845' FNL, 2082' FWL, SENW, SECTION 24, T7S, R23E, SLBM		8. Well Name and No. RW 22-24B
		9. API Well No. 43-047-31683
		10. Field and Pool, or Exploratory Area Redwash
		11. County or Parish, State Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to plug and abandon this well as follows:

1. Set cement retainer at 4410'
2. Stab into retainer and squeeze 35 sx cement, unstab and dump 35 sx of cement on top of retainer
3. Fill hole with minimum 9 ppg fluid.
4. Perforate the production casing @ 3000'
5. Balance plug from 3000' - 2800' inside production casing and in production casing x open hole annulus.
6. Perforate production casing @ 520', cement from 520' to surface in production casing and in production casing x surface casing annulus.
7. Cut off wellhead, install dryhole marker

Work will start after Questar receives BLM and UDOGM approval

Please direct all questions regarding paperwork submittal to Debbie Stanberry at (303) 308-3068.
Please direct all technical questions regarding procedure to Lucius McGillivray at (435) 781-4319.

AUG 24 2007

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Debra K. Stanberry	Title Supervisor, Regulatory Affairs
Signature 	Date 08/17/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Title Accepted by the Utah Division of Oil, Gas and Mining	Date	Federal Approval Of This Action Is Necessary
--	--	------	---

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

9-6-07
RM

Date: **9/10/07**
By:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well Oil Well Gas Well Other

2. Name of Operator **Questar Exploration and Production Inc.**

3a. Address **11002 E. 17500 S. VERNAL, UT 84078-8526**

3b. Phone No. (include area code) **435-781-4319**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL, 2082' FWL, SENW, SECTION 24, T7S, R23E, SLBM

5. Lease Serial No.
UTU 082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 22-24B

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
Uintah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to recomplete this well as follows:

MIRU. ND WH and NU BOP
RIH with RBP and set at 4900'
RU wireline and perforate 4874'-86' with 4 JSPF at 90° phasing
Acidize with 500 gal. of 15% HCL w/ additives
Swab test, if zone is unproductive set RBP @ 4410'
RU wireline and perforate 4270'-80' with 4 JSPF at 90° phasing
Acidize with 500 gal. of 15% HCL w/ additives
Swab test, if zone is unproductive set RBP @ 4250'
RU wireline and perforate 4230'-40' with 4 JSPF at 90° phasing
Acidize with 500 gal. of 15% HCL w/ additives
Swab test, the well will be placed on production or plugged and abandoned based on the swab test results

Work will start after Questar receives BLM and UDOGM approval

COPY SENT TO OPERATOR

Date: 1-24-2008

Initials: KS

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Lucius McGillivray lucius.mcgillivray@questar.com

Title **Associate Petroleum Engineer**

Signature

Lucius McGillivray

Date

1-8-08

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Federal Approval of This Action is Necessary

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title **Utah Division of** Date

Oil, Gas and Mining

Office 1/22/08
[Signature]

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

JAN 18 2008

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU 082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 22-24B

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
Uintah

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Questar Exploration and Production Inc.

3a. Address
11002 E. 17500 S. VERNAL, UT 84078-8526

3b. Phone No. (include area code)
435-781-4319

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1845' FNL, 2082' FWL, SENW, SECTION 24, T7S, R23E, SLBM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar Exploration and Production reports the following work to plug and abandon has occurred on February 12, 2009 as follows:

1. Set CICR @ 4402'
2. Pumped 135 sacks, 50 under and 85 on top
3. Shoot perfs at 3000', no rate into perfs
4. Shoot perfs at 545' then 480', with no rate into either perf
5. Shoot perfs at 50', slow bleed through
6. TIH to 3048', pump 60 sack balance plug
7. TIH to 600', pump 40 sack balance plug
8. Pump 80 sacks down production casing out perfs at 50'
9. Cut off wellhead,
10. Weld on plate

BLM on location: Randy Bywater

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Lucius McGillivray lucius.mcgillivray@questar.com

Title **Associate Petroleum Engineer**

Signature

Lucius McGillivray

Date

2-13-09

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

FEB 19 2009

DIV. OF OIL, GAS & MINING

RECEIVED

Form 3160-5
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

JUL 01 2015

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS **BLM**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU082

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
UTU630100

8. Well Name and No.
RW 22-24B

9. API Well No.
43-047-31683

10. Field and Pool, or Exploratory
RED WASH

11. County or Parish, and State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
QEP ENERGY COMPANY
Contact: VALYN DAVIS
E-Mail: valyn.davis@qepres.com

3a. Address
11002 EAST 17500 SOUTH
VERNAL, UT 84078
3b. Phone No. (include area code)
Ph: 435-781-4369

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T7S R23E Mer SLB SENW 1845FNL 2082FWL
40.197230 N Lat, 109.277350 W Lon

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input checked="" type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Alter Casing
	<input type="checkbox"/> Fracture Treat
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Change Plans
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input checked="" type="checkbox"/> Other Final Abandonment Notice

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

THIS WELL WAS PLUGGED AND ABANDONED ON 2/12/20019.

FINAL RECLAMATION WAS CONDUCTED. RECENT MONITORING RESULTS SHOW THAT THE RELATIVE DESIRABLE VEGETATION HAS REACHED THE 75% THRESHOLD AS REQUIRED IN THE BLM GRD RECLAMATION GUIDELINES.

BASED ON THESE RESULTS, QEP ENERGY COMPANY REQUESTS APPROVAL OF THIS FINAL ABANDONMENT NOTICE(FAN).

RECEIVED

JUN 13 2016

See attached

DIV. OF OIL, GAS & MINING

Cancelled 5/11/2016 by request of Stephanie Tomkinson

VERNAL FIELD OFFICE

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #307810 verified by the BLM Well Information System
For QEP ENERGY COMPANY, sent to the Vernal
Committed to AFMSS for processing by JOHNETTA MAGEE on 07/07/2015 ()

ENG. _____

GEOLOGIST _____

S.S. *cy 3/18/16*

PET. _____

RECL. _____

Name (Printed/Typed) VALYN DAVIS

Title REGULATORY AFFAIRS ANALYST

Signature (Electronic Submission)

Date 07/01/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

UDOGM