

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

5. LEASE DESIGNATION AND SERIAL NO.
U-011336

6. IF INDIAN, ALLOTTED OR TRIBE NAME
Not Applicable

7. UNIT AGREEMENT NAME
Natural Buttes

8. FARM OR LEASE NAME
C.I.G.E.

9. WELL NO.
105D-1-10-22

10. FIELD AND POOL, OR WILDCAT
Natural Buttes

11. SEC., T., R., M., OR BLK.
AND SURVEY OR AREA
Section 1, T10S, R22E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
C.I.G. EXPLORATION, INC.

3. ADDRESS OF OPERATOR
P. O. Box 749, Denver, Colorado 80201-0749

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface
824' FNL, 2095' FWL (NE $\frac{1}{4}$ NW $\frac{1}{4}$) 1-10S-22E
At proposed prod. zone
Same As Above

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Sixteen (16) Miles Southeast of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 824'

16. NO. OF ACRES IN LEASE 522.84

17. NO. OF ACRES ASSIGNED TO THIS WELL 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1300'±

19. PROPOSED DEPTH 7300' *Wester*

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4996' GR

22. APPROX. DATE WORK WILL START*
October 9, 1986

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" J-55	20.0#	0-250'	Circulate to Surface *
7-7/8"	5-1/2" K-55	17.0#	0-Total Depth	1800 sx Lite + Class "G"

RECEIVED
OCT 03 1986

* Cement volumes may change due to hole size. Calculate from caliper log.

DIVISION OF
OIL, GAS & MINING

EIGHT-POINT RESOURCE PROTECTION PLAN ATTACHED.

Coastal Oil & Gas Corporation (Unit Operator and Parent Company of C.I.G.E.) has a current nationwide bond.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNER H. E. Aab TITLE District Drilling Manager DATE Sept. 26, 1986

(This space for Federal or State office use)

PERMIT NO. 43-047-31758

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

APPROVED BY _____ TITLE _____

DATE 10-8-86
BY: [Signature]

CONDITIONS OF APPROVAL, IF ANY:


WELL SPACING: 203

*See Instructions On Reverse Side

T 10 S, R 22 E, S.L.B. & M.

PROJECT
COASTAL OIL & GAS CORP.

Well location, C.I.G.E. # 105 D,
located as shown in Lot 3 (NE 1/4
NW 1/4) Section 1, T10 S, R22 E,
S.L.B. & M. Uintah County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Robert J. ...

REGISTERED LAND SURVEYOR
REGISTRATION NO 2454
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX Q - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 9 / 2 / 86
PARTY R.K. BFW BFW	REFERENCES GLO Plat
WEATHER Fair	FILE Coastal

X = Section Corners Located

C.I.G. EXPLORATION, INC.

Lease # U-011336, CIGE # 105D-1-10-22
NE¼NW¼ Section 1, T10S, R22E
Uintah County, Utah

Drilling Prognosis

1. Estimated Tops of Important Geologic Markers:

Uinta	Surface
Green River	1105'
Wasatch	4165'
Total Depth	7300'

2. Estimated Depths of Anticipated Water, Oil, Gas or Mineral Formations:

Wasatch 4165' Gas (Primary Objective)

If any shallow water zones are encountered, they will be adequately protected and reported; none anticipated. All potentially productive hydrocarbon zones will be cemented off.

3. Pressure Control Equipment:

Type : 10" Double Gate Hydraulic with 1 blind ram (above) and 1 pipe ram (below); equipped with automatic choke and manifold and 9-10" casing head, with hydril.

Pressure Rating : 3000 psi BOP and 3000 psi choke manifold, 3000 psi casing head, with 3000 psi annular preventer (hydril).

Testing Procedure : The BOP and choke manifold will be pressure tested to the rated working pressure of 70% of the internal yield strength of the surface casing, whichever is less, for a period of 15 minutes upon installation; once every thirty days and/or when flange seals are broken if a "nipple-up" or "nipple-down" takes place.

Fill line will be 3", kill line will be 3", choke relief line will be 3". BOP drills and tests will be recorded in the driller's log.

The choke manifold and BOP extension rods with handwheels will be located outside the sub-structure. The hydraulic BOP closing unit will be located at least 25 feet from the well head. Exact locations and configurations will depend upon the particular rig contracted to drill this hole.

4. The Proposed Casing and Cementing Program: (Used Pipe)

A. Casing Program:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Wt./Ft., Grade</u>	<u>Joint</u>	<u>Depth Set</u>	<u>String Length</u>
12-1/4"	8-5/8"	20.0#	J-55 ST&C	0-250'	250'
7-7/8"	5-1/2"	17.0#	K-55 ST&C	0-T.D.	7300'

Casing string(s) will be pressure tested to 0.2 psi/ft., or 1000 psi, whichever is greater.

B. Cementing Program:

Surface Casing : 120 sx Class "H" w/2% CaCl₂ + 0.25#/sx Celloflake

Production Casing : 800 sx Lite + 1000 sx Class "G" w/2% Gel + 10% Salt.

A greater amount of cement will be used if necessary to ensure that all potentially productive hydrocarbon zones are cemented off. Fill-up to be determined from logs.

5. Mud Program: (Visual Monitoring and Flow Sensor Device)

<u>Interval</u>	<u>Type</u>	<u>Weight</u>	<u>Viscosity</u>	<u>Fluid Loss</u>
0-250'	Air	--	--	--
250-Total Depth	Fresh Water	8.5-8.9	45 sec.	12 cc/less

Sufficient mud inventory will be maintained on location during drilling to handle any adverse conditions that may arise. Inventory will not be less than the required amount needed to drill this well.

6. Evaluation Program:

Logs : DIL with Caliper - Surface to Total Depth
 FDC/CNL - Approximately 1500' to Total Depth

DST's : None anticipated

Cores : None anticipated

Evaluation program may change at the discretion of the wellsite geologist, with approval of the Bureau of Land Management.

Stimulation : No stimulation or frac treatment has been formulated for this test at this time. The drill site, as approved, will be of sufficient size to accommodate all completion activities.

7. Abnormal Conditions:

No abnormal temperatures or pressure are anticipated. No H₂S gas has been reported or known to exist from previous drilling in the area at this depth. Maximum anticipated bottom hole pressure equals 2000 psi.

8. Drilling Activity and Auxiliary Equipment:

A. Drilling Activity:

Anticipated Commencement Date: October 9, 1986


Drilling Days : Approximately 15 days

Completion Days : Approximately 3 days

B. Auxiliary Equipment:

1. A kelly cock will be kept in the string at all times.
2. Periodic checks will be made each tour of the mud system (refer to Item #5).
3. A stabbing valve will be kept on the derrick floor to be stabbed into the drill pipe whenever the kelly is not in the string.
4. No bit float will be used.
5. A blooie line will be laid from the well head into a separate blooie pit (approximately 25' X 25') which will be constructed at a minimum of 100 feet from the well head. Said line and pit will be utilized during the air drilling phase of operations.

3000 psi Working Pressure BOP's



Test Procedure

- 1) Flush BOP's and all lines to be tested with water.
- 2) Run test plug on test joint and seat in casing head (leave valve below test plug open to check for leak).
- 3) Test the following to rated pressure:
 - a) inside blowout preventer
 - b) lower kelly cock
 - c) upper kelly cock
 - d) stand pipe valve
 - e) lines to mud pump
 - f) kill line to BOP's
- 4) Close and test pipe rams to rated pressure.
- 5) Close and test Hydril to rated pressure.
- 6) Back off and leave test plug in place. Close and test blind rams to rated pressure.
- 7) Test all choke manifold valves to rated pressure.
- 8) Test kill line valves to rated pressure.

C.I.G. Exploration, Inc.

Lease #U-011336, C.I.G.E. #105D-1-10-22
NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 1, T10S, R22E
Uintah County, Utah

Multi-Point Surface Use and Operations Plan

1. Existing Roads: Refer to Map "B" (Shown in RED)
 - A. The proposed well site is staked and the surveyors plat attached. Two 200-foot reference stakes are present.
 - B. To reach the location from the town of Vernal, Utah; proceed southwest approximately 14 miles on U.S. Highway 40, thence south approximately 7.0 miles on Utah State Highway 209, thence generally south approximately 10.0 miles on Utah State Highway 88 to the town of Ouray, thence generally south approximately 1.0 mile on the Seep Ridge Road (an existing, upgraded county road), thence east approximately 13.0 miles on an existing, upgraded Uintah County road, thence southeast approximately 6.0 miles on an existing oilfield road, thence generally south approximately 3.7 miles on an existing oilfield road, thence north approximately 0.25 mile to the proposed location.
 - C. Access roads - refer to Maps "A" and "B".
 - D. Access roads within a one-mile radius - refer to Map "B".
 - E. The existing roads will be maintained in the same or better condition as existed prior to commencement of operations and said maintenance will continue until final abandonment and reclamation of the well location.

2. Planned Access Roads: Refer to Map "A" (Shown in GREEN)

Approximately 0.25 mile (1300 feet) of new road construction will be required for access to this location.

 - A. Width - 30-foot right-of-way with 18-foot running surface.
 - B. Maximum grade - 4%.
 - C. Turnouts - none.
 - D. Drainage design - the road will be crowned and ditched with water turnouts installed as required.
 - E. Culverts, cuts and fills - no culverts will be required along the proposed access route. There are no major cuts or fills.
 - F. Surfacing material - native materials from construction of access road will be sufficient, no outside construction materials will be required.
 - G. Gates, cattleguards or fence cuts - none required.
 - H. The new access road is flagged.

2. Planned Access Roads: Con't.

- I. The surface lands to be crossed by the proposed access road are owned by the United States of America and are located within the boundary of the Natural Buttes Unit. Therefore, a separate right-of-way application will not be required for access to this location.
- J. All travel will be confined to existing access road rights-of-way.
- K. Access roads and surface disturbing activities will conform to standards outlined in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development.

3. Location of Existing Wells Within a One-Mile Radius: Refer to Map "B"

- A. Water wells - none known.
- B. Abandoned wells - none known.
- C. Temporarily abandoned wells - none.
- D. Disposal wells - none.
- E. Drilling wells - none.
- F. Producing wells - SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 35, T9S, R22E
NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 36, T9S, R22E
NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 36, T9S, R22E
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 36, T9S, R22E
SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 1, T10S, R22E
SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 1, T10S, R22E
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 2, T10S, R22E
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 2, T10S, R21E
NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 12, T10S, R22E
NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 6, T10S, R23E
- G. Shut-in wells - SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 1, T10S, R22E
- H. Injection wells - none.
- I. Monitoring wells - none.

4. Location of Existing and/or Proposed Facilities Owned by C.I.G. Exploration, Inc./Coastal Oil & Gas Corporation Within a One-Mile Radius:

- A. Existing
 - 1. Tank batteries - SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 35, T9S, R22E
NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 36, T9S, R22E
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 36, T9S, R22E
SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 1, T10S, R22E
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 2, T10S, R22E
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 2, T10S, R21E
 - 2. Production facilities - same as above.
 - 3. Oil gathering lines - none.
 - 4. Gas gathering lines - same as Item #A1, above (surface lines)

4. Location of Existing and/or Proposed Facilities Owned by C.I.G. Exploration, Inc./Coastal Oil & Gas Corporation Within a One-Mile Radius: Con't.

- B. New Facilities Contemplated (Refer to Figure #2)
1. All production facilities will be located on the disturbed portion of the well pad and at a minimum of 25 feet from the toe of the back cut or top of the fill slope.
 2. Production facilities will require an area approximately 300' X 150'.
 3. Production facilities will be accommodated on the well pad. Construction materials needed for installation of the production facilities will be obtained from the site; any additional materials needed will be purchased from a local supplier. A dike will be completely constructed around the production facilities (i.e., production tanks, produced water tanks and/or heater treater). The dikes for the production facilities will be constructed of compacted subsoil, be impervious, hold 1.5 times the storage capacity of the battery, and be independent of the back cut. The integrity of the dike will be maintained.
 4. All permanent above-the-ground structures will be painted Desert Brown or Carlsbad Canyon (Munsell standard color #'s 10YR6/3 or 2.5Y6/3) within 6 months of installation. The exception being that Utah Occupation Health and Safety Act Rules and Regulations are to be complied with where special safety colors are required.
- C. The production pit will be fenced with mesh wire with one top strand of barbed wire, held in place by side posts and corner 'H' braces in order to protect livestock and wildlife.
- D. During drilling and subsequent operations, all equipment and vehicles will be confined to the access road, well pad and any additional areas specified in the APD.
- E. Reclamation of the disturbed areas no longer needed for operations will be accomplished by grading, leveling and seeding as recommended by the BLM.

5. Location and Type of Water Supply:

- A. Water for drilling will be obtained from the White River at a point in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 17, T9S, R21E, Uintah County, Utah. Application for Permit to Appropriate Surface Water will be filed with the State of Utah prior to diversion.
- B. Water will be hauled over existing roads via tank truck from the point of diversion to the proposed location. No new construction will be required on/along the water haul route. No off-lease/off-unit Federal lands will be crossed on/along the water haul route.

5. Location and Type of Water Supply: Con't.

C. No water well will be drilled on this location.

6. Source of Construction Materials:

- A. No additional construction materials will be needed for well pad construction; surface and sub-surface soils will be sufficient. Refer to Item #2F regarding construction material required on the access road.
- B. The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3. Source of construction materials will be located on lease. No construction materials will be taken from Indian lands.
- C. If production is established, any construction materials needed for surfacing access road and installation of production facilities will be purchased from a local supplier.
- D. No new access roads for construction materials will be required.

7. Methods of Handling Waste Material Disposal:

- A. Cuttings - the cuttings will be disposed of in the reserve pit.
- B. Drilling fluids - contained in reserve pit and allowed to evaporate. The reserve pit will be designed to prevent the collection of surface runoff and will be constructed with a minimum of one-half (1/2) the total depth below the original ground surface on the lowest point within the pit.
- C. Produced fluids - hydrocarbons produced during completion operations will be placed in test tanks on the location. Produced waste water will be confined to an unlined pit for a period not to exceed ninety (90) days after initial production. During the ninety (90) day period, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted for the District Manager's approval pursuant to Onshore Oil and Gas Order No. 3 (NTL-2B). Any spills of oil, gas, salt water or other noxious fluids will be cleaned up and removed to an approved disposal site.
- D. Sewage - self-contained, chemical toilets will be provided by Rocket Sanitation for human waste disposal. Upon completion of operations, the holding tanks will be pumped and the contents disposed of in a municipal sewage treatment facility or other authorized disposal facility.
- E. Garbage and other waste material - all garbage and inflammable wastes/trash will be contained in a portable trash container and disposed of weekly. No trash will be placed in the reserve pit.

7. Methods of Handling Waste Material Disposal: Con't.

- F. After the rig moves out, all materials will be cleaned up and no adverse materials will be left on the location. Any open pits will be fenced during drilling and kept fenced until such time as the pits are backfilled.
- G. Three sides of the reserve pit will be fenced with wire mesh with one top strand of barbed wire before drilling starts. The fourth side will be fenced as soon as drilling is completed. The fence will be constructed as prescribed in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development. Alternatives to the prescribed standards shall be submitted to the Authorized Officer for approval. Fencing will be maintained until cleanup.
- H. The reserve pit will be lined with clay to prevent seepage.

8. Ancillary Facilities:

None

9. Wellsite Layout:

- A. Figure #1 shows the drill site layout as staked. Cross-sections have been drafted to visualize the planned cuts and fills across the location. Approximately four (4) inches of topsoil will be stockpiled for future reclamation of the well site. Refer to Figure #1 for the location of the topsoil stockpile.
- B. Figure #1 is a diagram showing the rig layout. No permanent living facilities are planned. There will be three trailers on location; one each for mud logger, toolpusher, and geologist.
- C. Figure #2 shows the proposed production facilities layout.
- D. The reserve pit will be lined with clay (refer to Item #7H). During the air-drilling phase of operations, a blooie line will be laid from the well head into a separate blooie pit (approximately 25' X 25') constructed at a minimum of 100' from the well head and directly adjacent to the reserve pit.

10. Plans for Reclamation of the Surface:

- A. Backfilling, leveing and re-contouring are planned as soon as the reserve pit dries. Waste and spoil materials will be disposed of immediately upon completion of drilling and workover activities. If production is established, the un-needed areas of the location will be reclaimed as soon as the reserve pit dries. For production, the fill slopes will be reduced from a 1.5:1 to a 3:1 slope and the cut slopes will be reduced from a 2:1 to 3:1 slope by pushing the fill material back into the cut.

10. Plans for Reclamation of the Surface: Con't.

- B. Upon completion of backfilling, leveling and re-contouring, the stockpiled topsoil will be evenly spread over the reclaimed area(s). All disturbed surfaces (including access road and well pad areas) will be re-seeded using the seed mixture recommended by the BLM. Seed will be drilled on the contour to an approximate depth of 1/2 inch. Fall seeding will be completed after September 1 and prior to ground frost. If applicable, spring seeding will be completed after the frost has left the ground and prior to May 15.
- C. Three sides of the reserve pit will be fenced during drilling and the fourth side will be fenced immediately upon rig removal. Said fencing will consist of woven wire with 1 top strand of barbed wire and corner 'H' braces and will be maintained until leveling and cleanup are accomplished.
- D. If any oil is on the pits and is not immediately removed after operations cease, the pit containing the oil or other adverse substances will be flagged overhead or covered with wire mesh.
- E. The reclamation operations will begin after the drilling rig is removed. Removal of oil or other adverse substances will begin immediately or area will be flagged and fenced. Other cleanup will be done as needed. Planting and re-vegetation is considered best in Fall, 1988, unless requested otherwise.
- F. The following are provisions to be addressed in the restoration of the C.I.G.E. #105D-1-10-22 location.
 - 1. Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash, and junk not required for production.
 - 2. Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed. The reserve pit will be reclaimed within 2 years from the date of well completion.
 - 3. All disturbed areas will be re-contoured to the approximate natural contours.
 - 4. The stockpiled topsoil will be evenly distributed over the disturbed areas.
 - 5. Prior to re-seeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.
 - 6. Seed will be broadcast or drilled at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage and the seed mixture will be proportionately larger (double the lbs. per acre)

10. Plans for Reclamation of the Surface: Con't.

F. Con't.

7. An appropriate seed mixture will be determined by the BLM, either as part of the Conditions of Approval of the APD or at the time resotation activities are scheduled to begin.
8. All seeding will be done from September 1 until the ground freezes.
9. At such time as the well is plugged and abandoned the operator will submit a surface reclamation plan to the surface Management Agency for prescribed seed mixtures and re-seeding requirements.
10. If the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings.

11. Surface Ownership:

The well site and proposed access road are situated on surface owned by the United States of America and administered by:

State of Utah
Department of Natural Resources
Division of Oil, Gas & Mining
1690 Highway 40
Vernal, UT 84078
(801) 789-1388

12. Other Information:

- A. The project area lies within the Natural Buttes Unit in an area characterized by moderately undulated uplands dissected by numerous dendritically-patterned ephemeral drainages. The proposed location is east of Cottonwood Wash, east of the White River, and west of East Bench. Flora consists of bluebunch wheatgrass, Indian ricegrass, cheatgrass, greasewood, four-wing saltbush, winterfat, sagebrush, rabbitbrush, threadleaf sedge, and prickly pear cactus. Fauna consists of mule deer, antelope, coyotes, raptors, rabbits, and various smaller vertebrates.
- B. The primary surface use is for grazing.
- C.
 1. The closest source of permanent water is the White River, located approximately 1.0 mile to the west.
 2. The closest known occupied dwellings are located at Ouray, approximately 16 miles to the northwest.
 3. There are no known archeological, historical or cultural sites that will be disturbed by this drilling operation.

12. Other Information: Con't.


In the event cultural resources are observed during construction and operations, they will be left intact and the Area Manager, Bureau of Land Management, Vernal, Utah, will be notified. In addition, if paleontological resources, either large and conspicuous, and/or of significant scientific value are discovered during construction, the find will be reported to the above-authorized officer immediately. Construction will be suspended within 250 feet of said find. An evaluation of the paleontological discovery will be made by a BLM-approved professional paleontologist within five (5) working days, weather permitting, to determine the appropriate action(s) to prevent the potential loss of any significant paleontological values. Operations within 250 feet of such a discovery will not be resumed until written authorization to proceed is issued by the authorized officer. Operator will bear the cost of any required paleontological appraisals, surface collection of fossils, or salvage of any large conspicuous fossils of significant scientific interest discovered during the operations.


13. Lessee's or Operator's Representative and Certification:

- | | |
|--|---|
| * Heitzman Drill-Site Services
Dale Heitzman/Robert M. Anderson
P. O. Box 3579
Casper, WY 82602
(307) 266-4840 | C.I.G. Exploration, Inc./
Coastal Oil & Gas Corporation
Harold E. Aab, District Drilling Mgr.
P. O. Box 749
Denver, CO 80201-0749
(303) 573-4458 |
|--|---|
- * Contact for the pre-drill inspection and additional information if required.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by C.I.G. Exploration, Inc. and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

9/29/86
Date


Robert M. Anderson/Agent



COASTAL OIL & GAS CORPORATION

C.I.G.E. # 105 D

PROPOSED LOCATION

TOPO.

MAP A

SCALE 1" = 2000'

R22E

R32E

BELCO
CW18
TD5718

BELCO
CW17
TD6312

BELCO
244-25

BELCO
CW46
TD7252

Unit
Boundary

BELCO
CW45
TD7472

SD 1-6-81
CD 4-18-83
IP 200 MCF
FS 5-18-84
TP 12,060 MCF

BELCO
213-364
TD7361

SD 11-3-82
CD 4-26-83
IP 1368 MCF
FS 4-5-84
TP 150,833

SD 5/29/77
CD 7/27/77
IP 5,684 MCFD
FS 4/ /78
TP 1,435,444 MCF

BELCO
4 35B
TD 7290

BELCO
36R
TD 7275

SD 7/14/77
CD 9/6/77
IP 2,530 MCFD
FS 4/ /78
TP 709,266 MCF

CIGE
620 36 9 22P
TD 7200

CIGE
9-36-9-22
TD 7300

SD 3/4/81
CD 4/26/81
IP 1900 MCFD
FS 5/18/81
TP 820,369 MCF

SD 5/27/78
CD 9/5/78
IP 678 MCFD
FS 11/1/78
TP 802,701 MCF

CIGE
685 9 22P
TD 7240

SD 9/20/81
CD 11/23/81
IP 2401 MCFD
FS 1/29/82

T9S

CIGE
8 35-9 22
TD 7032

SD 8/16/78
CD 11/6/78
IP 2,200 MCFD
FS 6/2/79
TP 312,152 MCF

T10S

CIGE
67A 210-22P
TD 7248

SD 4/18/81
CD 6/16/81
IP 1400 MCFD
FS 9/29/81
TP 420,619 MCF

BELCO
3-2B
TD 7061

SD 2/27/77
CD 1/3/77
IP 588 MCFD
FS 0/ /77
TP 368,887 MCF

BELCO
217-2
TD 7015

SD 2-16-82
CD 2-26-83
IP 950 MCF
FS 1-18-84
TP 88,533 MCF

CIGE
10-2-10-22
TD 7000

SD 7/5/78
CD 11/10/78
IP 2,500 MCFD
FS 9/5/79
TP 329,696 MCF

CIGE
#105D-1-10-22

CIGE
31-1-10-22
TD 7308

SD 2/16/80
CD 5/21/80
IP 2,400 MCFD
FS 11/10/80
TP 633,030 MCF

COG
(DeKALB)
UT 5
TD 6004

SD 9/28/61
CD 12/9/61
IP 6,800 MCFD
FS 1/ /62
TP 169,373 MCF
PAA 6-17-82

6

ENSERCH
2-6
TD 8187

BELCO
31-1B
TD 6977

SD 12/21/77
CD 2/21/78
IP 1,506 MCFD
FS 4/ /78
TP 126,589 MCF

BELCO
31-12B
TD 7126

SD 5/20/78
CD 12/29/78
IP 2,530 MCFD
FS 6/14/79
TP 236,037 MCF

ENSERCH
2-7
TD 8165

ENSERCH

C.I.G. Exploration, Inc.
C.I.G.E. #105D-1-10-22
NE1/4NW1/4, Section 1
T10S, R22E
Uintah County, Utah

Map B

COG
(GPE)
NBU 31
TD 7000

SD 3/9/78
CD 10/7/78
IP 1,500 MCFD
FS 1/9/79
TP 613,509 MCF

COG
NBU 24N2
TD 6386



SD 1-26-82
CD 4-17-82
IP 250 MCF
FS 6-3-82
TP 22,336 MCF

SD 5/10/78 BELCO

COASTAL OIL & GAS CORP.

C.I.G.E. # 105 D



SCALE 1" = 50'
DATE 9-2-86



NOTE:
CUT DRAINAGE AROUND
LOCATION SITE
5006.36
C-676

SOILS LITHOLOGY

- No Scale -



APPROXIMATE YARDAGES

CU. YDS. CUT 8085
CU. YDS. FILL 6894
UNBALANCE AFTER 20% COMPACTION 128 CU. YDS.





FIGURE # 1

PROPOSED PRODUCTION FACILITY LAYOUT



LEGEND:

- 1. Tank Battery
- 2. Separator
- 3. Production Pit
- 4. P/L Meter Run & Dehydrator

FIGURE # 2

OPERATOR C.I.G. Exploration Inc DATE 10-7-86

WELL NAME C.I.G.E. #105D-1-10-22

SEC NE NW 1 T 10S R 22E COUNTY Witch

43-047-3758
API NUMBER

Lease
TYPE OF LEASE

CHECK OFF:

PLAT

BOND

NEAREST WELL

LEASE

FIELD

POTASH OR OIL SHALE

PROCESSING COMMENTS:

Unit Well - R on P.O.D.
Water & - 49-1398 (TG1982)

APPROVAL LETTER:

SPACING:

203

Natural Bottom
UNIT

302

CAUSE NO. & DATE

302.1

STIPULATIONS:

1 - Oil Shale



STATE OF UTAH
 NATURAL RESOURCES
 Oil, Gas & Mining

Norman H. Bangerter, Governor
 Dee C. Hansen, Executive Director
 Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

October 8, 1986

C. I. G. Exploration, Inc.
 P. O. Box 749
 Denver, Colorado 80201-0749

*We've rec. E-logs
 on this well.
 Arlene has requested
 spud notice*

Gentlemen:

Re: C.I.G.E. #105D-1-10-22 - NE NW Sec.
 824' FNL, 2095' FWL - Uintah County

12-12-86

Approval to drill the referenced well with Section 40-6-18, Utah Code Annotated Rule 203, Oil and Gas Conservation General stipulations:

1. Special attention is directed to prescribes drilling procedures

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule 311.3, Associated Gas Flaring, Oil and Gas Conservation General Rules.



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

October 8, 1986

C. I. G. Exploration, Inc.
P. O. Box 749
Denver, Colorado 80201-0749

Gentlemen:

Re: C.I.G.E. #105D-1-10-22 - NE NW Sec. 1, T. 10S, R. 22E
824' FNL, 2095' FWL - Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule 203, Oil and Gas Conservation General Rules, subject to the following stipulations:

1. Special attention is directed to compliance with Rule 318.4, which prescribes drilling procedures for designated oil shale areas.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule 311.3, Associated Gas Flaring, Oil and Gas Conservation General Rules.

C. I. G. Exploration, Inc.
C.I.G.E. #105D-1-10-22
October 8, 1986

5. Prior to commencement of the proposed drilling operations, plans for toilet facilities and the disposal of sanitary waste at the drill site shall be submitted to the local health department having jurisdiction. Any such drilling operations and any subsequent well operations must be conducted in accordance with applicable State and local health department regulations. A list of all local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 533-6163.
6. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-31758.

Sincerely,



R. G. Birt
Associate Director, Oil & Gas

as
Enclosures
cc: Branch of Fluid Minerals
D. R. Nielson
8159T

UNITED STATES
DEPARTMENT OF THE INTERIOR 102716
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 C.I.G. EXPLORATION, INC. 43-047-31758

3. ADDRESS OF OPERATOR
 P. O. Box 749, Denver, Colorado 80201-0749 (OCT) 2 1986

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface: 824' FNL, 2095' FWL (NE $\frac{1}{4}$ NW $\frac{1}{4}$) 1-10S-22E
 At proposed prod. zone: Same As Above

5. LEASE DESIGNATION AND SERIAL NO.
 U-011336

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 Not Applicable

7. UNIT AGREEMENT NAME
 Natural Buttes

8. FARM OR LEASE NAME
 C.I.G.E.

9. WELL NO.
 # 105D-1-10-22

10. FIELD AND POOL, OR WILDCAT
 Natural Buttes

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Section 1, T10S, R22E

12. COUNTY OR PARISH
 Uintah

13. STATE
 Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Sixteen (16) Miles Southeast of Ouray, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 824'

16. NO. OF ACRES IN LEASE
 522.84

17. NO. OF ACRES ASSIGNED TO THIS WELL
 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 1300'±

19. PROPOSED DEPTH
 7300'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4996' GR

22. APPROX. DATE WORK WILL START*
 October 9, 1986

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" J-55	20.0#	0-250'	Circulate to Surface *
7-7/8"	5-1/2" K-55	17.0#	0-Total Depth	1800 sx Lite + Class "G"

*Cement volumes may change due to hole size. Calculate from caliper log.

EIGHT-POINT RESOURCE PROTECTION PLAN ATTACHED.

Coastal Oil & Gas Corporation (Unit Operator and Parent Company of C.I.G.E.) has a current nationwide bond.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H. E. Aab TITLE District Drilling Manager DATE Sept. 26, 1986
 (This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
 APPROVED BY David E. Butler TITLE DISTRICT MANAGER DATE 10/22/86

CONDITIONS OF APPROVAL OR ANY NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Div OGM

RECEIVED
OCT 2 1986

DIVISION OF OIL, GAS & MINING

OCT 1986 RECEIVED
Utah

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company C.I.G. Exploration, Inc. Well No. 105D-1-10-22

Location NE/NW Sec. 1 T10S R22E Lease No. U-011336

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report all water shows and water-bearing sands encountered to Wayne Svejnoha of this office. Copies of State of Utah form OGC-8-X will be acceptable. If noticeable water flows are encountered, submit samples to this office along with any water analyses conducted by the operator.

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

All BOPE and testing procedures will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office shall be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Ensure that any fresh water is protected by the cement behind the 5½" casing.

Ensure that the oil shale in the Mahogany Zone (estimated top at +1,870') is covered by the cement behind the 5½" casing.

The District Office shall be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Borehole compensated sonic log shall be run through the Mahogany Oil Shale Zone of the Parachute Creek Member of the Green River Formation (+1,800-2,600').

Cement bond log shall be run after cementing the 5½" casing.

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form

3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or work-over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

In the event after-hour approvals are necessary, please contact one of the following individuals:

Craig M. Hansen Assistant District Manager for Minerals	(801) 247-2318
Gerald E. Kenczka Petroleum Engineer	(801) 781-1190
R. Allen McKee Petroleum Engineer	(801) 781-1368

Revised October 1, 1985

Date NOS Received 09/10/86

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator C.I.G. Exploration, Inc.

Well Name & Number CIGE 105D-1-10-22

Lease Number U-011336

Location NE ¼ NW ¼ Sec. 1 T. 10 S. R. 22 E.

Surface Ownership Public Lands Administered by the BLM

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirements to Accompany APD

1. Methods for Handling Waste Disposal

Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

The reserve pit shall be lined with sufficient natural clay or commercial bentonite to protect the environment and prevent seepage from occurring across the location and conserve water.

If the pit is lined, it shall be constructed so as not to leak, break, or allow discharge.

To protect the environment (without a chemical analysis).

Produced waste water will be confined to a lined pit or, if deemed necessary, a storage tank for a period not to exceed 90 days after first production. During the 90-day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

2. Well Site Layout

All pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire. The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Any hydrocarbons on the pit will be removed from the pit as soon as possible after drilling operations are completed. Pits will be fenced and maintained until clean-up.

The fence will be constructed as prescribed in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development. Alternatives to the prescribed standards shall be submitted to the Authorized Officer for approval.

The reserve pit will be located on the south side of the location. A blooie pit will be constructed as indicated in the layout diagram.

The stockpiled topsoil will be stored on the west side of the location near stake No. 7.

Access to the well pad will be from the south and will enter the pad near stake No. 4.

Diversion ditch(es) shall be constructed on the north side of the location below the cut slope, draining to the west. An old stream channel will be cut out and used. A drainage diversion will also be cut around the west and southwest portions of the pad to facilitate drainage and avoid accumulating runoff in the reserve pit.

3. Plans for Restoration of Surface

Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed. The reserve pit will be reclaimed within one year from the date of well completion.

4. Surface Ownership: Public Lands Administered by the BLM
Federal minerals are involved by the lease.

5. Other Additional Information

On BLM administered land, it is required that a proposed use of pesticide, herbicide or other possible hazardous chemicals shall be cleared for use prior to application.

The operator or his contractor shall contact the BLM Office at (801) 789-1362 between 24 and 48 hours prior to construction activities. Contact the Bookcliffs Resource Area.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

The dirt contractor will be provided with an approved copy of the Surface Use Plan from the APD.

This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPPLICATE
other instructions on
reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. U-011336										
2. NAME OF OPERATOR CIG Exploration Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A										
3. ADDRESS OF OPERATOR P.O. Box 749, Denver, CO 80201-0749		7. UNIT AGREEMENT NAME Natural Buttes Unit										
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 824' FNL & 2095' FWL		8. FARM OR LEASE NAME CIGE										
14. PERMIT NO. 43-047-31758	15. ELEVATIONS (Show whether DF, RT, OR, etc.) 4996' GR	9. WELL NO. 105D-1-10-22										
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		10. FIELD AND POOL, OR WILDCAT Natural Buttes										
<p>NOTICE OF INTENTION TO:</p> <table border="0"> <tr> <td>TEST WATER SHUT-OFF <input type="checkbox"/></td> <td>PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>		TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA Section 1, T10S, R22E
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>											
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>											
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>											
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>											
(Other) <input type="checkbox"/>												
		12. COUNTY OR PARISH 18. STATE Uintah Utah										

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Rpt of production operations <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please refer to attached copy of production operations during the month of December 1986.

RECEIVED
FEB 09 1987

DIVISION OF
OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED Rodney E. Cox TITLE Production Engineer DATE 2-3-87
Rodney E. Cox

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

THE COASTAL CORPORATION
DRILLING REPORT

RECEIVED
FEB 09 1987

86 JV CIGE #105D
NATURAL BUTTES PROSPECT
UINTAH COUNTY, UTAH
WI: 100.00% CIGE AFE: 18043
SD: 11/9/86
TD: 7100' (WASATCH)
CSG: 5-1/2" @ 6565'
PERFS:
CWC(M\$): 281.6 CC(M\$):

DIVISION OF
OIL, GAS & MINING

- 12/8/86 Prep to PU 2-3/8" tbg & TIH. MIRU Pool Rig #298.
DC: \$14,700 TC: \$207,700
- 12/9/86 Prep to run cased hole logs. PU 4-3/4" cmt mill & TIH. Tagged cmt @ 6482'. Drld cmt 6482-6525'. Drld FC & cmt to 6541'. Circ hole w/3% KCL wtr. SDFN.
DC: \$2,300 TC: \$210,000
- 12/10/86 Prep to perform Bradenhead sqz. POH w/2-3/8" tbg. RU Dresser Atlas & ran PDK 100 log fr 6523' LTD to 4500'. Ran CBL/CCL w/GR fr 6523' to 1050' w/TOC @ 1340'. Held 2000 psi on csg thruout. SDFN.
DC: \$6,400 TC: \$216,400
- 12/11/86 Prep to perf Wasatch. MIRU Howco. Pmpd 250 sx Howco Hifill cmt dn 5-1/2" x 8-5/8" annul @ 7 BPM & 100 psi. Csg static after job compl.
DC: \$4,525 TC: \$220,925
- 12/12/86 Prep to brkdn perfs. MIRU Gearhart. Perf'd Wasatch 5127-6310' w/1 SPF using 4" csg gun, tot 15 holes. RIH w/2-3/8" tbg to 4993' w/ball scraper on btm. SDFN.
DC: \$3,700 TC: \$224,625
- 12/13/86 Flow back after brkdn. MIRU Dowell. Brkdn perfs 5127-6310' w/3000 gal 3% KCL wtr & 30 1.3 s.g. ball sealers. AIR 5.4 BPM, AIP 3300 psi. Balled off. Surged off & fin pmpg 5.8 BPM & 3300 psi. ISIP 1620. Bled dn press. TIH to scrape off balls. Landed tbg @ 5013'. ND BOP & NU tree. S/1 hr & rec 40 bbls. Well kicked off. Left flwg to pit on 20/64" chk. RR.
DC: \$11,950 TC: \$236,575
- 12/14/86 FTP/SICP 250/450. Flwg 600 MCFD on 20/64" chk w/40 BWPD.
- 12/15/86 FTP/SICP 225/350. Flwg 580 MCFD on 20/64" chk w/10 BWPD.
- 12/16/86 SITP/CP 1580/1600/24 hrs.
- 12/17/86 SI after frac. MIRU Smith Energy. Fraced Wasatch perfs 5127-6310' w/3000 gals 7-5/2% HCL followed by 57,500 gals x-linked gel & 100,000# 20/40 sd. AIR 46 BPM, AIP 4350 psi, ISIP 2050, 5 min 1980, 10 min 1960, 15 min 1900. 1726 BLWTR.
DC: \$35,400 TC: \$271,975
- 12/18/86 Flow back after frac. SITP/CP 700/700/24 hrs. Opnd well to pit on 20/64" chk.
- 12/19/86 Flow back after frac. FTP/SICP 250/750. Flwg 650 MCFD w/30 BLWPD on 20/64" chk.
- 12/20/86 SI. WOPLC. FTP/SICP 500/800. Flwg 1250 MCFD on 20/64" chk w/10 BWPD. SI well @ 8:30 AM, 12/19/86.
- 12/21/86 SI. WOPLC. SITP/CP 1650/1650/24 hrs.
- 12/22/86 SITP/CP 1750/1750/48 hrs.
- 12/23/86 SITP/CP 1825/1825/72 hrs. FINAL REPORT. Note: PBDT 6518', no perfs.

FILING FOR WATER IN THE STATE OF UTAH

Rec. by CT
 Fee Paid \$ 15.00
 Platted 214.2
 Microfilmed _____
 Roll # _____

APPLICATION TO APPROPRIATE WATER

DEC 23 1986

DIVISION OF
 CONSERVATION

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah.

WATER USER CLAIM NO. 49 - 1405

APPLICATION NO. T62133

1. PRIORITY OF RIGHT: October 20, 1986

FILING DATE: October 20, 1986

2. OWNER INFORMATION

Name: Dalbo Inc.

Address: P.O.Box 1168, Vernal, UT 84078

The land is not owned by the applicant(s), see explanatory.

3. QUANTITY OF WATER: 12.0 acre feet (Ac. Ft.)

4. SOURCE: White River DRAINAGE: SE Uinta Basin

COUNTY: Uintah

POINT(S) OF DIVERSION:

(1) S. 1500 feet, E. 2000 feet, from the NW Corner of Section 28,
 Township 9 S, Range 22 E, SLB&M

Description of Diverting Works: Pumped into tank trucks

(2) S. 2500 feet, W. 2700 feet, from the NE Corner of Section 2,
 Township 10 S, Range 22 E, SLB&M

Description of Diverting Works: pumped into tank trucks

COMMON DESCRIPTION:

5. NATURE AND PERIOD OF USE

Oil Recovery: From October 20 to October 20.

6. PURPOSE AND EXTENT OF USE

Oil Recovery: Drilling of 4 wells (CIGE 105D, 106D, 109D and NBU 77D)

7. PLACE OF USE

The water is used in all or parts of each of the following legal subdivisions.

TOWN RANGE SEC	North East Quarter				North West Quarter				South West Quarter				South East Quarter			
	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$
9 S 22 E All																
10 S 22 E All																

All locations in Salt Lake Base and Meridian

EXPLANATORY

No. 1 Diversion is on BLM Land. No. 2 Diversion is on State Land

Appropriate

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMITTED IN TRIPLICATE
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS <small>(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)</small>		5. LEASE DESIGNATION AND SERIAL NO. U-011336
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME Natural Buttes Unit
2. NAME OF OPERATOR CIG Exploration Inc.		8. FARM OR LEASE NAME CIGE
3. ADDRESS OF OPERATOR P.O. Box 749, Denver, Colorado 80201-0749		9. WELL NO. 105D-1-10-22
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 824' FNL & 2095' FWL		10. FIELD AND POOL, OR WILDCAT Natural Buttes
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 1, T10S, R22E
14. PERMIT NO. 43-047-31758	15. ELEVATIONS (Show whether SF, RT, GR, etc.) 4996' GR	12. COUNTY OR PARISH 13. STATE Uintah Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

12/12/86 Prep to brkdn perms. MIRU Gearhart. Perf'd Wasatch 5127-6310' w/1 SPF using 4" csg gun, tot 15 holes. RIH w/2-3/8" tbg to 4993' w/ball scraper on btm. SDFN.

12/13/86 Flow back after brkdn. MIRU Dowell. Brkdn perms 5127-6310' w/3000 gal 3% KCL wtr & 30 1.3 s.g. ball sealers. AIR 5.4 BPM, AIP 3300 psi. Balled off. Surged off & fin pmpg 5.8 BPM & 3300 psi. ISIP 1620. Bled dn press. TIH to scrape off balls. Landed tbg @ 5013'. ND BOP & NU tree. S/1 hr & rec 40 bbls. Well kicked off. Left flwg to pit on 20/64" chk. RR.

12/17/86 SI after frac. MIRU Smith Energy. Fraced Wasatch perms 5127-6310' w/3000 gals 7-5/2% HCL followed by 57,500 gals x-linked gel & 100,000# 20/40 sd. AIR 46 BPM, AIP 4350 psi, ISIP 2050, 5 min 1980, 10 min 1960, 15 min 1900. 1726 BLWTR.

12/20/86 SI. WOPLC. FTP/SICP 500/800. Flwg 1250 MCFD on 20/64" chk w/10 BWPD. SI well @ 8:30 AM, 12/19/86.

18. I hereby certify that the foregoing is true and correct

SIGNED Rodney E. Cox TITLE Production Engineer DATE 2-3-87
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
 CONDITIONS OF APPROVAL, IF ANY: _____



STATE OF UTAH

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

OIL & GAS CONSERVATION COMMISSION

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

5. LEASE DESIGNATION AND SERIAL NO. U-011336

6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A

7. UNIT AGREEMENT NAME Natural Buttes Unit

8. FARM OR LEASE NAME CIGE

WELL NO. 105D-1-10-22

FIELD AND POOL, OR WILDCAT Natural Buttes

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Section 1, T10S, R22E

12. COUNTY OR PARISH Uintah 13. STATE Utah

RECEIVED FEB 09 1987

DIVISION OF OIL, GAS & MINING

2. NAME OF OPERATOR CIG Exploration Inc.

3. ADDRESS OF OPERATOR P.O. Box 749, Denver, CO 80201-0749

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 824' FNL & 2095' FWL At top prod. interval reported below At total depth Same

14. PERMIT NO. 43-047-31758 DATE ISSUED 10/13/86

15. DATE SPUNDED 11/9/86 16. DATE T.D. REACHED 11/20/86 17. DATE COMPL. (Ready to prod.) 12/20/86 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4996' GR 19. ELEV. CASINGHEAD 4996'

20. TOTAL DEPTH, MD & TVD 7092' 21. PLUG, BACK T.D., MD & TVD 6,541' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Wasatch

25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN DIL-FDC/CNI 1-22-87 PDK100 Acoustic Cement Bond Log 1-22-87 GAMMA UDL 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24	265	12-1/4	160 SX	
5-1/2	17	6565	7-7/8	1400 SX	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
None				

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	4993	---

31. PERFORATION RECORD (Interval, size and number)

Wasatch 5127-6310'
Total 15 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5127-6310'	Frac w/57,500 gals gel & 100,000# 20-40 sd.

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)
12/19/86	Flowing	SI - WOPLC

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12/19/86	24	20/64	→	0	1250	10	---

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
500	800	→	0	1250	10	---

34. DISPOSITION OF GAS (Solid, used for fuel, vented, etc.) Vented TEST WITNESSED BY Paul Breshears

35. LIST OF ATTACHMENTS None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Rodney E. Cox TITLE Production Engineer DATE 2-3-87

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
 SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

38.

GEOLOGIC MARKERS

FORMATION	DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM
NAME	MEAS. DEPTH	TOP	TRUE VERT. DEPTH
WASATCH	4148'	4148'	4148'

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE*
 (Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		5. LEASE DESIGNATION AND SERIAL NO. 6. IF INDIAN, ALLOTTEE OR TRIBE NAME <h2 style="text-align: center;">042110</h2>
1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR CIG Exploration, Inc.	8. FARM OR LEASE NAME	
3. ADDRESS OF OPERATOR P.O. Box 749, Denver, Colorado 80201-0749	9. WELL NO.	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT Natural Buttes	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, OR, etc.)	11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA 12. COUNTY OR PARISH 13. STATE Uintah Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	
(Other) <input type="checkbox"/>	Change of Operator <input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This is to report Coastal Oil & Gas Corporation is the Operator of the following wells:

Well Name	API No.	Location
↘ CIGE #106D-32-9-22	4304731746	Sec. ³⁰ 22-T9S-R22E
↘ CIGE #107D-1-10-21	4304731747	Sec. 1-T10S-R21E
↘ CIGE #109D-33-09-22	4304731754	Sec. 33-T9S-R22E
↘ CIGE #108D-4-10-21	4304731756	Sec. 4-T10S-R21E
↘ CIGE #105D-1-10-22	4304731758	Sec. 1-T10S-R22E

RECEIVED

APR 20 1987

DIVISION OF
OIL, GAS & MINING


18. I hereby certify that the foregoing is true and correct

SIGNED David K. Dillon TITLE Sr. Production Engineer DATE April 16, 1987

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



42-381 50 SHEETS 5 SQUARE
42-382 100 SHEETS 5 SQUARE
42-389 200 SHEETS 5 SQUARE



MADE IN U.S.A.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED
JUL 30 1990

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. U-011336
2. Name of Operator CIG Exploration, Inc.	6. If Indian, Allottee or Tribe Name N/A
3. Address and Telephone No. P. O. Box 749, Denver, Colorado 80201-0749 (303) 573-4476	7. If Unit or CA. Agreement Designation Natural Buttes Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 824' FNL & 2095' FWL Section 1, T10S-R22E	8. Well Name and No. CIGE #105D-1-10-22
	9. API Well No. 43-047-31758
	10. Field and Pool, or Exploratory Area Natural Buttes Field
	11. County or Parish, State Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection

Returned well to production
(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The above-referenced well was returned to production July 4, 1990

OIL AND GAS	
DFN	RJF
JPB	GLH
DIS	SLS
1-DONE	
2-MICROFILM	
3-FILE	

14. I hereby certify that the foregoing is true and correct.

Signed Eileen Danni Dey Title Regulatory Analyst Date 7-27-90
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-011336

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

CIGE #105D-1-10-22

9. API Well No.

PGW
43-047-31758

10. Field and Pool, or Exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

CIG Exploration, Inc.

3. Address and Telephone No.

P. O. Box 749, Denver, Colorado 30201-0749 (303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

824' FNL & 2095' FWL
Section 1, T10S-R22E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- Notice of Intent
 Subsequent Report
 Final Abandonment Notice

- Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other _____

- Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

PROPOSED PROCEDURE:

- 1) MIRU service company. ND WH, NU BOP. TOOH w/tubing.
- 2) RU wireline company. RIH w/RBP on wireline and set @ 5210'. Dump 2 sx. sand on top of BP.
- 3) TIH w/cmt. retainer and set @ 5140'.
- 4) TIH w/tbg. and sting into retainer. Cmt. squeeze perms 5154-5168' w/50 sxs of Cl "C" cmt. w/water loss additive (slurry volume 1.15 cu.ft./sx). Unsting from retainer. Reverse out excess cmt. If no squeeze is obtained, clear perms w/water and resqueeze. Max squeeze pressure is 1500 psi. TOOH w/tbg.
- 5) WOC 4 hrs. Drill out cmt. retainer and cmt. to 5170'.
- 6) RIH w/retrievable pkr. and set @ 5130'. Press test squeezed perms to 500 psi. Circulate sand from RBP. Retrieve BP.
- 7) RIH w/2-3/8" tbg. Return well to production.

DATE: 1-30-91

BY: J.P. Matthews

14. I hereby certify that the foregoing is true and correct

Signed

Eileen Danni Day
Eileen Danni Day
Title Regulatory Analyst

Date 1-23-91

(This space for Federal or State office use)


Approved by _____

Title _____

Date _____

Conditions of approval, if any: _____

CIG 105
UINTA CO., UTAH
EL: 4996' GL
5011' KB



SFC - 8 5/8" 24# K-55 CSA 265'
CMT w/ 160 SXS

PERFORATIONS: 5127, 5154, 5158, 5164, 5168
5881, 6108, 6110, 6267, 6278
6292, 6294, 6304, 6307, 6310

PBTD 6541'
TD 7092'

5 1/2" 17# K-55 CSA 6565'
CMT w/ 1400 SXS

Dresser Atlas

DRESSER

ACOUSTIC CEMENT BOND LOG

VOL GAMMA RAY

FILE NO.

COMPANY COASTAL OIL & GAS CORPORATION

API NO.

WELL CIGE 1050-1-10-22

FIELD NATURAL BUTTES

COUNTY UINTAH STATE UTAH

LOCATION:

N.E./N.W.
824' F.N.L.
2095' F.W.L.

OTHER SERVICES

POK 100

SEC 1 TWP 10 S. RGE 22 E.

PERMANENT DATUM G.L. ELEV. 4996'

ELEVATIONS

LOGGING MEASURED FROM K.B. 15 FT. ABOVE P.D.

KB 5011

DRILLING MEASURED FROM K.B.

DF 5010


GL 4996


DATE	9 DEC 86
RUN	1
SERVICE ORDER	118873
DRILLER	6541
DEPTH-LOGGER	6521
BOTTOM LOGGED INTERVAL	6514
TOP LOGGED INTERVAL	1100
TYPE FLUID IN HOLE	WATER
SALINITY PPM CL.	-----
DENSITY LB/GAL.	-----
LEVEL	FULL
MAX. REC. TEMP. DEG. F	NOT RECORDED
OPR. RIG TIME	5 HRS.
EQUIP NO. / LOC.	HL 6426 RKSPGS
RECORDED BY	K. FRANCIS
WITNESSED BY	P. BRESHEARS

BOREHOLE RECORD

NO.	BIT	FROM	TO



RUN: 1
 TRIP: 1
 DATE: 12/09/86
 TIME: 15:55:31
 MODE: RECORD
 FILE: 5
 CCL: 0100
 CR/API: 150
 ME: CIGE 1050-1-10-22
 KR32EM
 FSYSAL REV D007 VER 7





05100

05200



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-011336

6. If Indian, Allottee or Tribe Name
N/A

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 CIG Exploration, Inc.

3. Address and Telephone No.
 P. O. Box 749, Denver, Colorado 80201-0749 (303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 842' FNL & 2095' FWL
 Section 1, T10S-R22E

7. If Unit or CA, Agreement Designation
 Natural Buttes Unit

8. Well Name and No.
 CIGE #105D-1-10-22

9. API Well No.
 43-047-31758 PGW

10. Field and Pool, or Exploratory Area
 Natural Buttes Unit

11. County or Parish, State
 Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input checked="" type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached chronological report for the water shut-off procedure performed on the above-referenced well.

RECEIVED
MAR 07 1991

DIVISION OF
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
 Signed *Edleen Danna Day* Title Regulatory Analyst Date 3-4-91
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

Page 1

CIGE #105 (WATER SO)
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 100% CIGE AFE: 18113
TD: 7092' (WASATCH)
TOF: 6573'
CSG: 5-1/2" @ 6565'
PERFS: 5127-6310'
CWC(M\$): \$21.5

- 2/8/91 MIRU Pool rig #298.
DC: \$1,600 TC: \$1,600
- 2/9/91 Prep to squeeze. Killed well, ND tree, NU BOP. TOH w/tbg. RU
Cutters wireline. Set CIBP @ 5220'. RD WL. TIH w/cmt retainer on
2-3/8" tbg. Set retainer @ 5140'.
DC: \$6,971 TC: \$8,571
- 2/10/91 Prep to drill cmt. RU Howco. Squeeze zone 5154-5168' w/60 sx Class
"G". Stage last 2 bbls. Squeeze to 1100 psi. Had 9-1/2 bbl cmt
past perfs. Reverse out 1 bbl cmt. POOH w/tbg. PU four 3-1/2"
drill collars & 4-3/8" mill. Start RIH.
DC: \$6,720 TC: \$15,291
- 2/11/91 Fishing. Fin TIH with 2-3/8" tbg. RU power swivel and mud pump.
Tagged cmt @ 5132'. Drilled 8' cmt to cmt retainer @ 5140'. Mill on
retainer and twisted off. RD equipment and POOH w/430' 2-3/8" tbg.
No fishing tools. Make up overshot in 3-1/16" grapple. TIH. Grab
fish. Picked up 6000# over string weight. Fish came off. POOH.
Grapple was broke.
DC: \$2,168 TC: \$17,459
- 2/12/91 No psi on well. TIH w/14 jts of 2-3/8" tbg and overshot. Latched
onto fish @ 430'. POOH & layed down fish (split collar). TIH w/mill
and mill on cement retainer @ 5140'. Mill retainer and 38' cmt from
5141' to 5179'. Tagged the bridge plug @ 5220'. Pressure tested to
500 psi for 15 min; test OK. Mill out bridge plug @ 5226' for 45
min.
DC: \$3,850 TC: \$21,309
- 2/13/91 Mill out bridge plug @ 5226'. Chase plug to 6351'. POOH. PU
production equipment. TIH. Land tbg @ 5013'. Swab 21 bbls wtr in
3 runs. FL @ 2600'.
DC: \$3,000 TC: \$24,309
- 2/14/91 Swabbing. SITP 25 psi. Made 28 runs. Fl went from 3200' to 3800'.
Slight gas interference. Recover 185 bbls wtr. Well still dead.
DC: \$2,000 TC: \$26,309
- 2/15/91 Swabbing. SITP 75 psi, SICP 400 psi. Made 26 swab runs, FL @ 3700'.
Recovered 120 bbls wtr.
DC: \$2,091 TC: \$28,400
- 2/16/91 Swabbing. SITP 500 psi, SICP 650 psi. Made 19 swab runs, FL @
4100'. Recovered 35 bbls wtr.
DC: \$2,000 TC: \$30,400
- 2/17/91 Swabbing. SITP 500 psi, SICP 650 psi. Made 10 swab runs, FL @
4980'. Recovered 30 bbls wtr.
DC: \$1,400 TC: \$31,800
- 2/18/91 RDMO SU. Flowing well. Csg 625#, tbg 400#. Flwg 220 MCFD on 10/64"
choke.
DC: \$1,400 TC: \$33,200

THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

CIGE #105 (WATER SO)
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 100% CIGE AFE: 18113

Page 2


2/19/91 Flwg 180 MCFD on 12/64" choke, FTP 220#.

2/20/91 SI, blgd pressure.

2/21/91 Flwg 200 MCFD, FTP 725 psi on 6/64" choke.

Prod prior to WO: 90 MCFD, 9 BWPD on plunger lift. Final report.

WELL NAME	FOOTAGES	WELL LOCATION	LEASE DESIGNATION AND SERIAL NO.	API WELL NO.
CIGE 8-35-9-22	1044' FSL & 2488' FEL	Sect. 35, T9S-R22E	U-010954-A	43-047-30427
CIGE 9-36-9-22	2090' FSL & 1852' FEL	Sect. 36, T9S-R22E	ML-22650	43-047-30419
CIGE 10-2-10-22	2421' FSL & 1652' FEL	Sect. 2, T10S-R22E	ML-22651	43-047-30425
CIGE 31	1587' FNL & 1195' FWL	Sect. 1, T10S-R22E	U-011336	43-047-30511
CIGE 62D-36-9-22	2340' FSL & 1085' FWL	NW/SW Sect. 36, T9S-R22E	ML-22650	43-047-30885
CIGE 67A-2-10-22	210' FNL & 874' FEL	NE/NE Sect. 2, T10s-R22E	ML-22651	43-047-30866
CIGE 68D-35-9-22	2084' FSL & 676' FWL	Sect. 35, T9S-R22E	U-10954-A	43-047-30951
CIGE 89D-34-9-22	2183' FNL & 597' FEL	SE/NE Sect.34, T9S-R22E	U-0149077	43-047-31146
CIGE 105D-1-10-22	842' FNL & 2095' FWL	Sect. 1, T10S-R22E	U-011336	43-047-31758
CIGE 118-35-9-22	2116' FSL & 615' FEL	SW/NW Sect. 35, T9S-R22E	UTU-010954A	43-047-32025
CIGE 144-2-10-22	1501' FNL & 1719' FEL	SW/NE Sect. 2, T10S-R22E	ML-22651	43-047-32022
CIGE 147-36-9-22	1121 FSL & 2328' FWL	SE/SW Sect. 36, T9S-R22E	ML-22650	43-047-32020
CIGE 153-35-9-22	921' FSL & 1795' FEL	Sect. 35, T9S-R22E	UTU-010954A	43-047-32067
CIGE 161-2-10-22	297' FSL & 1033' FEL	SE/SE Sect. 2, T10S-R22E	ML-22651	43-047-32168
CIGE 162-36-9-22	1224' FSL & 618' FEL	SE/SE Sect. 36, T9S-R22E	ML-22650	43-047-32164
NBU 38N2	1752' FWL & 1768' FSL	NW/SW Sect. 13, T10S-R22E	U-06512 ST	43-047-30536
4-35B	2037' FNL & 2539' FWL	SE/NW Sect. 35, T9S-R22E	U-010954-A	43-047-30273
5-36	1023' FNL & 958' FWL	NW/NW Sect. 36, T9S-R22E	ML-22650	43-047-30272
31-12B	565' FNL & 756' FWL	NW/NW Sect. 12, T10S-R22E	U-01197-A-ST	43-047-30385
213-36	579' FNL & 659' FEL	NE/NE Sect. 36, T9S-R22E	ML-22650	43-047-31268
318-36	1869' FNL & 1482' FEL	SW/NE Sect. 36, T9S-R22E	ML-22650	43-047-32204
331-35	1531' FNL & 1153' FEL	SE/NE Sect. 35, T9S-R22E	U-010954-A	43-047-32147
342-35	918' FNL & 2563' FEL	NW/NE Sect. 35, T9S-R22E	U-010954-A	43-047-32212
343-36	1448' FNL & 1823' FWL	SE/NW Sect. 36, T9S-R22E	ML-22650	43-047-32205



THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY


CIGE #105D (CO, Acidize)
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 100% (CIGE)

PAGE 1

- 01/08/95 **TIH w/MSOT Hydro Bailer.** MI&RU. CP 600#, TP 275#. Blow well down, pump 60 bbl wtr. 40# CP, 20# TP. ND WH - NU BOP's. POOH w/155 jts 2-3/8" tbg. SDFN.
DC: \$3,322 CC:\$3,322
- 01/09/95 **Swab back.** SICIP 100#. Pump 40 bbl 3% KCl. PU MSOT Hydro bailer & 195 jts 2-3/8" tbg. Tag fill @ 6306'. CO to 6341' (35'). POOH w/tools. TIH w/prod tbg. 1 - SN @ 5701'; 1 - jt 2-3/8" tbg; 1 - NC. EOT @ 5734.30'. SDFN.
DC: \$3,711 CC: \$7,033
- 01/10/95 **Swabbing w/swab rig.** No psi csg or tbg. RU swab equip. IFL @ 2500'. Made 7 runs, rec 39 bbls wtr. FFL @ 4500'. RD swab equip. RD & MO. Turn over to the swab rig.
DC: \$1,058 CC:\$8,091
- 01/11/95 **Swab.** MI&RU. Swab on well. FL when started 4000', stopped 5650'. 19 runs made. Fluid recovered: 87 bbls. TP 0#, CP 300# when started. TP 0#, CP 275# shen stopped. Slight gas blow, tbg dry.
DC: \$1,100 CC: \$9,101
- 01/12/95 **SI for press BU.** SITP 3003, SICIP 750#. RD & MO Colo. Well Serv. swab rig. MI & RU Basin Well Serv. rig. Blew well down. ND WH, NU BOP. PU & add 17 jts to tbg string (567'), lowering EOT to 6300'. ND BOP, NU WH. RU swab. Made 10 runs, rec 12 BW. IFL 5400', FFL @ 6000', SICIP 250#. No gas cut fluid or blow. SDFN.
DC: \$3,300 CC: \$12,401
- 01/13/95 **SI to build pressure.** TP 50#, CP 950#. Made 1 swab run, rec 8 bbls. FL 3600'. Flowed 2 hr then died. RD & Move Basin Rig. TP 0#, CP 575#. MI&RU Colo. Well Serv. Run broach to 6260' tubing clean. Made 1 swab run, rec 4 bbls. FL 4950', flowed 1 hr then died.
DC: \$997 CC: \$13,398
- 01/15/95 TP 0#, CP 800#. Tubing flowing. Shut well in to build pressure for 24 hrs. RD & MO Colo. Well Serv. rig. **FINAL REPORT.**
DC: \$511 CC: \$13,909

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993
Case Designation and Serial No.



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

011336

6. If Indian, Alottee or Tribe Name

N/A
Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	8. Well Name and No. Natural Buttes Unit
2. Name of Operator CIG Exploration, Inc.	9. API Well No. CIGE #105D-1-10-22
3. Address and Telephone No. P. O. Box 749, Denver, CO 80201-0749 (303) 573-4455	10. Field and Pool, Or Exploratory Area 43-047-31758 Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description) 842' FNL & 2095' FWL Section 1-T10S-R22E	11. County or Parish, State Uintah County, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Plug Back to U. Wasatch, Perf & Stimulate
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Please see the attached workover procedure for work to be performed in the subject well.

14. I hereby certify that the foregoing is true and correct

Signed Sheila Bremer Title Environmental & Safety Analyst Date 04/11/96
Sheila Bremer

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date 3/26/96
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WORKOVER PROCEDURE

CIGE 105

NE NW Section 1-10S-22E
Uintah County, UT

March 20, 1996

ELEVATION: 4996' GL; 5011' KB
TOTAL DEPTH: 6573' (fish to 7092') PBSD: 6351' (Milled & pushed CIBP 2/13/91)
CASING: 8-5/8", 24#, J-55 ST&C set @ 265'
5-1/2", 17#, J-55 set @ 6565'
TUBING: 2-3/8", 4.7#, N-80 set @ 6300'
PERFORATIONS: 5127-6310' 15 holes (Wasatch)

PROCEDURE:

Current 14 day rate: 0 (Shut-In)

- 1) MIRU pulling unit. ND WH, NU BOP's. POOH w/6300' of tubing.
- 2) RU W/L. Set 5-1/2" CIBP @ 5100'. Dump bail 2 sx cmt on CIBP. Perforate the following Wasatch depths w/3-1/8" (0.375" entry hole). Phasing and # of spf to be determined later. Depths correlate to Welex Spectral Density Log 11/22/86:

4944'	4941'	4935'	4931'
4838'	4832'	4822'	
- 3) PU 5-1/2" pkr & TIH. Set pkr @ +/-4725'. Breakdown perforations with 700 gal 15% HCl dropping 12 ball sealers for diversion. Load backside and pump at maximum rate but do not exceed 5000 psi injection pressure.
- 4) Flow/swab back acid load. Note pH of each swab run on report. Determine BWPD rate.
- 5) Unset pkr and re-set at 4900'. Swab/flow the lower zone and again determine BWPD rate. Call Denver office to discuss results.
- 6) POOH w/pkr. TIH w/production tbg to 4800'. ND/NU. RDMO pulling unit.
- 7) RU frac service. Include a flowback manifold on tubing. Install a pressure gauge on the tubing and monitor throughout job (static string). Frac down 5-1/2" x 2-3/8" annulus. Pump schedule to be determined. Immediately flow back +/-15 bbls at 2-3 bpm for "reverse screen-out".
- 8) Control well. RD frac service. Swab and return well to production via plunger lift.

WELL PROFILE

1.
2.
3.
4.
5.

Plunger lift

OPERATOR *Coastal Oil & Gas*
 WELL # *105-D*
 FIELD *Natural Buttes*
 COUNTY *Uintah*
 STATE *Utah*
 DATE *1-9-95*
 NEW COMPLETION WORKOVER
Clean out & lower tag

	Casing	Liner	Tubing
SIZE	5 1/2"		2 3/8"
WEIGHT	17#		4.7#
GRADE	J55		J-55
THREAD	8.19		8.2
DEPTH	6569'		5734'

ITEM NO.	EQUIPMENT AND SERVICES	
1.	2 3/8" 8.2# Top & 6tm, tag hanger	14.5
2.	2 3/8" 8.2# Pin & Box Blast jt 3 1/2" O.D X 2' I.D	14.8
3.	177 jts 2 3/8" 8.2#, 4.7#, J-55 tag	8.9
4.	2 3/8" 8.2# + 45 P.S.N	23.8
5.	1 jt 2 3/8" 8.2#, 4.7#, J-55 tag w/ matched collar	5676.8
		5700.6
		1.0
		5701.7
		32.6
		E.O.T. 5734.3

5/28/95 EOT @ 6300'

Perf = 5127' to 6310' - 15 holes

Notes: P.B.T.D, milled up C.I.B.P @ 6341'

P.B.T.D 6341'

PREPARED BY *R.S. Diez written #319* OFFICE *Roosevelt, Utah* PHONE *722-3451*

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.
U-011336

6. If Indian, Alottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
Natural Buttes Unit

8. Well Name and No.
CIGE #105D-1-10-22

9. API Well No.
43-047-31758

10. Field and Pool, Or Exploratory Area
Natural Buttes

11. County or Parish, State
Uintah County, UT

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
CIG Exploration, Inc.

3. Address and Telephone No.
P. O. Box 749, Denver, CO 80201-0749 (303) 573-4455

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)
842' FNL & 2095' FWL
Section 1-T10S-R22E


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input checked="" type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>CO, install packer.</u>	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

The operator requests approval to shut off a water-producing zone by installing a packer at approximately 4900 feet and clean out the wellbore.



14. I hereby certify that the foregoing is true and correct

Signed Bonnie Carson Title Senior Environmental Analyst Date 06/06/96

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

U-011336

6. If Indian, Alottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

CIGE #105D-1-10-22

9. API Well No.

43-047-31758

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

CIG Exploration, Inc.

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749 (303) 573-4455

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

842' FNL & 2095' FWL
Section 1-T10S-R22E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other **Plug Back to U. Wasatch,
Perf & Stimulate**

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Please see the attached chronological history for work performed in the subject well.



14. I hereby certify that the foregoing is true and correct

Signed Sheila Bremer Title Environmental & Safety Analyst Date 06/26/96
Sheila Bremer

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

- 05/05/96 SICP 400 psi, FTP 180 psi on 20/64" chk, 400 MCFPD, 2 BW/hr surging. MIRU Camco coiled tbg & N₂ Unit. RIH w/1¼" coiled tbg, tag fill @ 4807'. Cleaned out to PBTD @ 5021' (coiled tbg measurement) PU above perfs 1 hr. RIH to PBTD - no fill. POH & RD Camco. Start flow back @ 4pm. 12 noon - flowing 500 MCFPD, 1 BW, 450 TP, 800 CP, on 18/64" chk, trace of sd. 4pm Flowing 500 MMCF, 3 BW, 450 TP, 800 CP, on 18/64" chk.
DC: \$10,960 TC: \$75,640
- 05/06/96 7am - 2 BW, 480 TP, 800 CP, on 18/64" chk.
- 05/07/96 Blow down & kill well w/40 bbls 3% KCl wtr. RIH w/tbg, tag fill @ 4849'. RU & land tbg @ 4753'. ND BOP, NU WH. RD & MO Colorado Well Service Rig #26. Turn well into line @ 2:30 pm. SITP 400 psi, SICP 650 psi. Production 10 min & died. MIRU Delsco Swbg rig. Made 1 swb run. FL @ 3500', well flowed 2 bbls sd, then kicked off. Turned into line @ 6:30 pm. FTP 900, CITP 800 psi, 470 MCFPD on 15/64" chk. Flowing 340 MMCF, 300 BW, 500 TP, 800 CP, on 15/64" chk.
DC: \$2,150 TC: \$77,790
- 05/07/96 Flowing 744 MMCF, 308 BW, 500 TP, 600 CP, on 17/64" chk.
- 05/08/96 Flowing 321 MMCF, 308 BW, 450 TP, 550 CP, on 17/64" chk.
- 05/09/96 Flowing 303 MMCF, 308 BW, 400 TP, 525 CP, on 17/64" chk.
- 05/10/96 Flowing 353 MMCF, 300 BW, 1000 TP, 900 CP, on 17/64" chk. Ran WL PBTD 4951'.
- 05/11/96 Flowing 303 MMCF, 8 BW, 900 TP, 850 CP, on 12/64" chk. Separator sanded up.
- 05/12/96 Flowing 658 MMCF, 114 BW, 450 TP, 600 CP, on 15/64" chk. Compressor down.
- 05/13/96 Flowing 434 MMCF, 114 BW, 450 TP, 600 CP, on 15/64" chk. Run Production Log.
- 05/14/96 Flowing 570 MMCF, 100 BW, 350 TP, 500 CP, on 15/64" chk.
- 05/15/96 Flowing 593 MMCF, 80 BW, 320 TP, 450 CP, on 17/64" chk.
- 05/16/96 Flowing 581 MMCF, 89 BW, 290 TP, 400 CP, on 20/64" chk.
- 05/17/96 Flowing 581 MMCF, 84 BW, 260 TP, 375 CP, on 20/64" chk.
- 05/18/96 Flowing 516 MMCF, 70 BW, 250 TP, 350 CP, on 20/64" chk.

05/19/96 Flowing 516 MMCF, 82 BW, 240 TP, 360 CP, on 20/64" chk.
05/20/96 Flowing 489 MMCF, 80 BW, 250 TP, 340 CP, on 20/64" chk.
05/21/96 Flowing 466 MMCF, 115 BW, 200 TP, 235 CP, on 25/64" chk. Comp down.
05/22/96 Flowing 453 MMCF, 60 BW, 175 TP, 290 CP, on 25/64" chk. Comp down.
05/23/96 Flowing 464 MMCF, 60 BW, 175 TP, 290 CP, on 25/64" chk.
05/24/96 Flowing 434 MMCF, 72 BW, 175 TP, 275 CP, on 25/64" chk.
05/25/96 Flowing 415 MMCF, 60 BW, 160 TP, 260 CP, on 25/64" chk.
05/26/96 Flowing 401 MMCF, 60 BW, 160 TP, 250 CP, on 25/64" chk.
05/27/96 Flowing 390 MMCF, 40 BW, 270 TP, 250 CP, on 25/64" chk.
05/28/96 Flowing 375 MMCF, 52 BW, 150 TP, 250 CP, on 25/64" chk.
05/29/96 Flowing 363 MMCF, 44 BW, 150 TP, 250 CP, on 25/64" chk.
05/30/96 Flowing 349 MMCF, 40 BW, 150 TP, 250 CP, on 25/64" chk. (Est. [school])
05/31/96 Flowing 338 MMCF, 79 BW, 150 TP, 250 CP, on 25/64" chk.
06/1-2/96 Flowing 322 MMCF, 28 BW, 75 TP, 260 CP, on 25/64" chk.
06/03/96 Flowing 325 MMCF, 28 BW, 175 TP, 260 CP, on 25/64" chk.
06/04/96 Flowing 309 MMCF, 14 BW, 260 TP, 200 CP, on 25/64" chk.
06/05/96 Flowing 299 MMCF, 40 BW, 200 TP, 340 CP, on 25/64" chk. CD 20 hrs flow.
06/06/96 Flowing 276 MMCF, 10 BW, 340 TP, 400 CP, on 25/64" chk.

Isolate Upper Wasatch Perfs

06/07/96 MIRU Colorado Well Service Rig #26. Blow down & kill well w/60 bbls 3% KCl wtr. ND WH. NU BOP. PU & RIH w/tbg, tag fill @ 7947' (btm perf @ 4946') POH w/tbg. SDFN.
DC: \$4,570 TC: \$82,360

06/08/96 SICP 220 psi. Blow well down. RIH w/Hydrostatic bailer. CO from 4920' to 5015', bailer quit. POOH & empty bailer. RIH, CO from 5000' to PBTD @ 5096'. POOH & LD bailer. RIH w/prod tbg - notched clr, 1 jt tbg. SN, 1 jt tbg. MS R-3 pkr, 151 jts tbg. Set pkr @ 4866'. EOT @ 4936' & SN @ 4902'. Set pkr w/14,000# compression. ND BOP, NU WH. RD&MO Colorado Well Service Rig #26. Flowing 36 MMCF, 12 BW, 400 TP, 260 CP, on 30/64" chk.
DC: \$4,190 TC: \$8,760

06/09/96 SITP 800 psi, SICP 100 psi. Hook up lubricator for plunger lift & Put well back on prod @ 10:30 am. Flowing 258 MMCF, 86 BW, 250 TP, 500 CP, on 30/64" chk.
DC: \$2,200 TC: \$10,960

06/10/96 Flowing 258 MMCF, 23 BW, 200 TP, 650 CP, on 25/64" chk. Comp down.

06/11/96 Flowing 304 MMCF, 0 BW, 225 TP, 875 CP, on 25/64" chk.

06/12/96 Flowing 264 MMCF, 35 BW, 175 TP, 1000 CP, on 25/64" chk.

06/13/96 Flowing 259 MMCF, 28 BW, 175 TP, 1100 CP, on 25/64" chk.

06/14/96 Flowing 246 MMCF, 19 BW, 180 TP, 1150 CP, on 25/64" chk.

06/15/96 Flowing 225 MMCF, 20 BW, 200 TP, 1200 CP, on 25/64" chk.

06/16/96 Flowing 220 MMCF, 22 BW, 160 TP, 1220 CP, on 25/64" chk.

06/17/96 Flowing 217 MMCF, 20 BW, 130 TP, 1250 CP, on 25/64" chk.

06/18/96 Flowing 217 MMCF, 20 BW, 130 TP, 1250 CP, on 25/64" chk.

06/19/96 Flowing 211 MMCF, 22 BW, 225 TP, 1250 CP, on 25/64" chk.

06/20/96 Flowing 194 MMCF, 33 BW, 175 TP, 1270 CP, on 25/64" chk. Comp down.

06/21/96 Flowing 197 MMCF, 10 BW, 150 TP, 1325 CP, on 25/64" chk.

06/22/96 Flowing 199 MMCF, 15 BW, 150 TP, 1350 CP, on 25/64" chk.

06/23/96 Flowing 194 MMCF, 10 BW, 150 TP, 1350 CP, on 25/64" chk.

06/24/96 Flowing 192 MMCF, 27 BW, 140 TP, 1100 CP, on 25/64" chk. **Final Report**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

43-047-31758
FORM APPROVED

Budget Bureau No. 1004-0135


Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" - for such proposals.

SUBMIT IN TRIPPLICATE



1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

See attached spreadsheet

5. Lease Designation and Serial No.

See attached spreadsheet

6. If Indian, Allottee or Tribe Name

See attached spreadsheet

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

See attached spreadsheet

9. API Well No.

See attached spreadsheet

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other
- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)

The Operator requests approval to empty produced water into tanks on the listed locations. The produced water will then be transported by truck to the underground injection well NBU #159, located at NE/SW Section 35, T9S-R21E, for disposal. Furthermore, the Operator requests approval for the presence of small unlined pits, approximate dimensions of 7' x 7' x 4' deep, to be located immediately adjacent to the stock tanks on the listed locations. The small pits may be necessary to drain off water from the stock tanks at the time of condensate sales. The water will be emptied from the small pit and trucked to the NBU #159 disposal well. The volume of water to be disposed of at each facility will not exceed an average of 5 barrels per day on a monthly basis, in conformance with the requirements of Onshore Order #7.

The listed locations include all wells listed in a Request to Dispose Water sundry dated 10/11/96, as well as all wells drilled to date in the Operator's 1997 drilling program in the Natural Buttes field.

Accepted by the State
of Utah Division of
Oil, Gas and Mining

303-670-3077

14. I hereby certify that the foregoing is true and correct

Signed Bonnie Carson Title Senior Environmental Analyst Date: 12-1-97 By: [Signature] 10/28/97

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____
Conditions of approval, if any:

must meet all agency guidelines

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Well Name & No.	API No.	Lease Designation & Serial Number	If Indian, Allottee or Tribe Name	Footages	Qtr/Qtr	Section	Township	Range	Field	County
CIGE #105D-1-10-22E	43-047-31758	U-011336	N/A	842' FNL & 2095' FWL	NENW	1	10	22	Natural Buttes	Uintah
CIGE #114-34-9-21	43-047-31915	ST U-01194-A	N/A	1931' FSL & 535' FEL	NESE	34	9	21	Natural Buttes	Uintah
CIGE #118-35-9-22	43-047-32025	U-010954-A	N/A	2116' FSL & 615' FEL	NESE	35	9	22	Natural Buttes	Uintah
CIGE #124-9-9-21	43-047-32045	U-01188	Ute Tribe Surface	1854' FSL & 1819' FEL	NWSE	9	9	21	Natural Buttes	Uintah
CIGE #129-18-9-21	43-047-32043	U-0581	Ute Tribe Surface	928' FNL & 1837' FWL	NENW	18	9	21	Natural Buttes	Uintah
CIGE #130-19-9-21	43-047-32030	U-0581	Ute Tribe Surface	772' FNL & 714' FEL	NENE	19	9	21	Natural Buttes	Uintah
CIGE #140-16-10-21	43-047-31977	ST ML-10755	N/A	380' FNL & 591' FEL	NENE	16	10	21	Natural Buttes	Uintah
CIGE #144-2-10-22	43-047-32022	ST ML-22651	N/A	1501' FNL & 1719' FEL	SWNE	2	10	22	Natural Buttes	Uintah
CIGE #149-8-10-21	43-047-32056	U-01791	N/A	833' FNL & 2011' FEL	NWNE	8	10	21	Natural Buttes	Uintah
CIGE #161-2-10-22	43-047-32168	ST ML-22651	N/A	297' FSL & 1033' FEL	SESE	2	10	22	Natural Buttes	Uintah
CIGE #164-34-9-22	43-047-32353	U-0149077	N/A	660' FNL & 1739' FWL	NENW	34	9	22	Natural Buttes	Uintah
CIGE #178-5-10-22	43-047-32330	U-01195	N/A	926' FWL & 685' FNL	NWNW	5	10	22	Natural Buttes	Uintah
CIGE #180-16-9-21	43-047-32478	ST ML-3141	N/A	333' FSL & 2557' FWL	SESW	16	9	21	Natural Buttes	Uintah
CIGE #183-20-9-21	43-047-32656	U-0575	Ute Tribe Surface	1725' FSL & 2386' FEL	SWSE	20	9	21	Natural Buttes	Uintah
CIGE #187-13-10-20	43-047-32607	U-4485	N/A	900' FNL & 2200' FWL	NENW	13	10	20	Natural Buttes	Uintah
CIGE #189-29-9-22	43-047-32813	USA U-462	N/A	1574' FNL & 720' FWL	SWNW	29	9	22	Natural Buttes	Uintah
CIGE #194-1-10-22	43-047-32932	USA U-011336	N/A	2017' FNL & 61' FWL	SWNW	1	10	22	Natural Buttes	Uintah
CIGE #197-7-9-21	43-07-32798	U-0149747	N/A	854' FNL & 2178' FEL	NWNE	7	9	21	Natural Buttes	Uintah
CIGE #198-9-9-21	43-047-32799	U-01188	Ute Tribe Surface	2502' FSL & 772' FEL	NESE	9	9	21	Natural Buttes	Uintah
CIGE #199-14-9-21	43-047-32801	U-01193	Ute Tribe Surface	959' FNL & 1760' FWL	NENW	14	9	21	Natural Buttes	Uintah
CIGE #200-16-9-21	43-047-32802	U-38409	Ute Tribe Surface	1950' FNL & 2500' FWL	SESW	16	9	21	Natural Buttes	Uintah
CIGE #201-18-9-21	43-047-32804	U-0575	Ute Tribe Surface	1814' FNL & 944' FEL	SENE	18	9	21	Natural Buttes	Uintah
CIGE #202-21-9-21	43-047-32805	U-0575	Ute Tribe Surface	785' FSL & 471' FEL	SESE	21	9	21	Natural Buttes	Uintah
CIGE #204-35-9-21	43-047-32794	ML-22582	N/A	2055' FNL & 1604' FEL	SWNE	35	9	21	Natural Buttes	Uintah
CIGE #205-1-10-21	43-047-32795	ML-23612	N/A	2110' FNL & 2607' FEL	SWNE	1	10	21	Natural Buttes	Uintah
CIGE #221-36-9-22	43-047-32868	ML-22650	N/A	550' FSL & 514' FEL	NESW	13	9	21	Natural Buttes	Uintah
CIGE #235-25-9-21	43-047-32858	U-01194-ST	N/A	1900' FSL & 1800' FEL	NWSE	25	9	21	Natural Buttes	Uintah
CIGE #236-34-9-21	43-047-32861	U-01194-A-ST	N/A	428' FSL & 882' FEL	SESE	34	9	21	Natural Buttes	Uintah
CIGE #23-7-10-22	43-047-30333	ST ML-23609	N/A	1573' FNL & 1024' FEL	SENE	7	10	22	Natural Buttes	Uintah
CIGE #25-34-9-22	43-047-30737	U-0149077	N/A	2037' FNL & 1608' FWL	SESW	34	9	22	Natural Buttes	Uintah
CIGE #3-32-9-22	43-047-30320	ST ML-22649	N/A	2270' FNL & 900' FEL	SENE	32	9	22	Natural Buttes	Uintah
CIGE #43-14-10-22	43-047-30491	U-01197-A-ST	N/A	1437' FWL & 1416' FNL	NW	14	10	22	Natural Buttes	Uintah
CIGE #59-21-10-21	43-047-30548	U-02278	N/A	809' FSL & 1081' FWL	SWSW	21	10	21	Natural Buttes	Uintah
CIGE #6-19-9-21 (GR)	43-047-30356	U-0581	N/A	1122' FSL & 1542' FEL	SWSE	19	9	21	Natural Buttes	Uintah
CIGE #63D-29-9-22P	43-047-30949	U-462	N/A	521' FNL & 977' FWL	NWNW	29	9	22	Natural Buttes	Uintah
CIGE #9-36-9-22	43-047-30419	ST ML-22650	N/A	2090' FSL & 1852' FEL	NWSE	36	9	22	Natural Buttes	Uintah
CIGE #97D-31-9-22	43-047-31729	U-01530-A-ST	N/A	548' FSL & 907' FEL	SESE	31	9	22	Natural Buttes	Uintah
Morgan State #10-36	43-047-32816	ML-22265	N/A	1794' FNL & 649' FEL	SENE	36	9	21	Natural Buttes	Uintah
Morgan State #11-36	43-047-32813	ML-22265	N/A	1943' FSL & 1843' FEL	NESW	36	9	21	Natural Buttes	Uintah
Morgan State #12-36	43-047-32814	ML-22265	N/A	1992' FSL & 722' FEL	NESE	36	9	21	Natural Buttes	Uintah
Morgan State #13-36	43-047-32817	ML-22265	N/A	540' FSL & 815' FEL	SESE	36	9	21	Natural Buttes	Uintah
Morgan State #2-36	43-047-32585	ST ML-22265	N/A	900' FNL & 804' FWL	NWNW	36	9	21	Natural Buttes	Uintah
Morgan State #4-36	43-047-32729	ST ML-22265	N/A	1912' FSL & 649' FWL	NWSW	36	9	21	Natural Buttes	Uintah
Morgan State #5-36	43-047-32735	ST ML-22265	N/A	2100' FSL & 1800' FEL	NWSE	36	9	21	Natural Buttes	Uintah
Morgan State #8-36	43-047-32812	ML-22265	N/A	650' FNL & 690' FEL	NENE	36	9	21	Natural Buttes	Uintah
Morgan State #9-36	43-047-32815	ML-22265	N/A	1894' FNL & 1978' FEL	SWNE	36	9	21	Natural Buttes	Uintah
NBU #105	43-047-32302	U-0575	N/A	1026' FSL & 1011' FWL	SWSW	17	9	21	Natural Buttes	Uintah
NBU #113	43-047-31931	U-0149077	N/A	580' FSL & 854' FEL	SESE	34	9	22	Natural Buttes	Uintah
NBU #118	43-047-31969	U-5077-B	Ute Tribe Surface	1700' FNL & 660' FEL	SENE	22	9	20	Natural Buttes	Uintah
NBU #12	43-047-30119	U-461	N/A	1563' FSL & 2328' FEL	NWSE	18	9	22	Natural Buttes	Uintah

NBU #121	43-047-32086	UTU-01193	Ute Tribe Surface	819' FNL & 2163' FEL	NWNE	13	9	21	Natural Buttes	Uintah
NBU #123	43-047-31974	U-01188	N/A	827' FNL & 916' FWL	NWNW	15	9	21	Natural Buttes	Uintah
NBU #131	43-047-31966	U-0149075	Ute Tribe Surface	1699' FSL & 800' FWL	NWSW	23	9	21	Natural Buttes	Uintah
NBU #134	43-047-32011	U-0576	N/A	138' FSL & 836' FWL	SWSW	28	9	21	Natural Buttes	Uintah
NBU #140	43-047-31947	U-01191-A	N/A	1031' FNL & 1879' FEL	NWNE	5	10	22	Natural Buttes	Uintah
NBU #148	43-047-31983	U-01191	N/A	279' FSL & 2127' FWL	SESW	4	10	22	Natural Buttes	Uintah
NBU #150	43-047-31992	U-01196-B	N/A	2042' FNL & 2002' FWL	SESW	9	10	22	Natural Buttes	Uintah
NBU #152	43-047-31990	U-01196-D	N/A	815' FSL & 754' FEL	SESE	9	10	22	Natural Buttes	Uintah
NBU #153	43-047-31975	ST U-01197-A	N/A	2500' FNL & 974' FWL	SWNW	11	10	22	Natural Buttes	Uintah
NBU #18	43-047-30221	U-025187	N/A	2401' FWL & 2337' FSL	SWNE	10	10	22	Natural Buttes	Uintah
NBU #180	43-047-32113	U-025187	N/A	843' FSL & 2075' FEL	SWSE	10	10	22	Natural Buttes	Uintah
NBU #182	43-047-32162	U-0141315	N/A	1809' FNL & 1519' FWL	SESW	11	9	21	Natural Buttes	Uintah
NBU #185	43-047-32171	U-01191-A	N/A	2132' FNL & 2126' FEL	SWNE	3	10	22	Natural Buttes	Uintah
NBU #187	43-047-32230	U-0149077	N/A	1057' FSL & 2321' FWL	SESW	34	9	22	Natural Buttes	Uintah
NBU #188	43-047-32234	U-01196-C	N/A	699' FWL & 1248' FSL	SWSW	10	10	22	Natural Buttes	Uintah
NBU #189	43-047-32236	U-0149075	Ute Tribe Surface	1551' FWL & 1064' FSL	SESW	23	9	21	Natural Buttes	Uintah
NBU #198	43-047-32357	U-010950-A	N/A	2041' FEL & 2107' FSL	NWSE	22	9	21	Natural Buttes	Uintah
NBU #201	43-047-32364	U-0149767	Ute Tribe Surface	2310' FNL & 500' FWL	SWNW	9	9	21	Natural Buttes	Uintah
NBU #206	43-047-32341	U-01196-C	N/A	2209' FNL & 303' FWL	SWNW	10	10	22	Natural Buttes	Uintah
NBU #207	43-047-32329	ST U-01197	N/A	912' FNL & 1685' FWL	NENW	10	10	22	Natural Buttes	Uintah
NBU #208	43-047-32343	U-01191	N/A	790' FSL & 569' FEL	SESE	4	10	22	Natural Buttes	Uintah
NBU #210	43-047-32340	U-01196-C	N/A	1956' FSL & 2060' FWL	NESW	10	10	22	Natural Buttes	Uintah
NBU #216	43-047-32487	U-010950-A	Ute Tribe Surface	1875' FSL & 1665' FWL	NESW	15	9	21	Natural Buttes	Uintah
NBU #223	43-047-32517	U-01194-ST	N/A	514' FNL & 2174' FWL	NENW	26	9	21	Natural Buttes	Uintah
NBU #228	43-047-32636	U-0575	Ute Tribe Surface	660' FSL & 1843' FEL	SWSE	17	9	21	Natural Buttes	Uintah
NBU #229	43-47-32594	U-01191-A	N/A	1019' FNL & 1712' FEL	NWNE	3	10	22	Natural Buttes	Uintah
NBU #230A	43-047-32908	U-01191-A	N/A	1849' FNL & 677' FEL	SENE	3	10	22	Natural Buttes	Uintah
NBU #231	43-047-32561	U-01191-A-ST	N/A	966' FNL & 1539' FEL	NWNE	10	10	22	Natural Buttes	Uintah
NBU #252	43-047-32800	U-0141315	Ute Tribal Surface	641' FNL & 1845' FWL	NENW	10	9	21	Natural Buttes	Uintah
NBU #254	43-047-32803	U-0575	Ute Tribal Surface	1840' FNL & 2014' FWL	NESW	17	9	21	Natural Buttes	Uintah
NBU #255	43-047-32806	U-0575	Ute Tribal Surface	642' FSL & 1235' FWL	SESW	21	9	21	Natural Buttes	Uintah
NBU #256	43-047-32807	U-0147566	Ute Tribal Surface	2213' FNL & 2312' FWL	SESW	22	9	21	Natural Buttes	Uintah
NBU #257	43-047-32790	ST U-01194	N/A	1756' FNL & 2150' FWL	SESW	25	9	21	Natural Buttes	Uintah
NBU #258	43-047-32791	ST U-01194	N/A	1880' FNL & 211' FEL	SENE	26	9	21	Natural Buttes	Uintah
NBU #259	43-047-32792	ST U-01194	N/A	2300' FNL & 1850' FEL	SWNE	26	9	21	Natural Buttes	Uintah
NBU #263	43-047-32793	ST U-01194-A	N/A	1641' FNL & 1832' FWL	SESW	34	9	21	Natural Buttes	Uintah
NBU #265	43-047-32796	ML-13826	N/A	1953' FSL & 632' FEL	NESE	2	10	21	Natural Buttes	Uintah
NBU #270	43-047-32862	ML-23608	N/A	1963' FNL & 801' FWL	SWNW	13	10	21	Natural Buttes	Uintah
NBU #280	43-047-32865	ML-32935-A	N/A	2596' FSL & 1459' FWL	NESW	31	9	22	Natural Buttes	Uintah
NBU #289	43-047-32910	U-01191	N/A	463' FSL & 2023' FWL	SESW	3	10	22	Natural Buttes	Uintah
NBU #291	43-047-32911	U-1196-D	N/A	457' FNL & 570' FEL	NENE	9	10	22	Natural Buttes	Uintah
NBU #38N2	43-047-30536	U-08512-ST	N/A	1752' FWL & 1768' FSL	CSW	13	10	22	Natural Buttes	Uintah
NBU #80V	43-047-31240	U-0149077	N/A	2042' FSL & 984' FWL	NWSW	34	9	22	Natural Buttes	Uintah
NBU #86J	43-047-31251	U-01191-A	N/A	492' FNL & 722' FEL	NENE	3	10	22	Natural Buttes	Uintah

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

Exhibit "A"

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

9. API NUMBER:

3. ADDRESS OF OPERATOR: 8 South 1200 East CITY Vernal STATE Utah ZIP 84078 PHONE NUMBER: 435-789-4433

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708


Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T. Elzner TITLE Vice President

SIGNATURE  DATE 06-15-01

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T. Elzner TITLE Vice President

SIGNATURE  DATE 06-15-01

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 14 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall
Vice President

Attest:

Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

**DIVISION OF
OIL, GAS AND MINING**

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-LP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective: **3-09-2001**

FROM: (Old Operator):
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

CA No.

Unit: NATURAL BUTTES

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 20-1B	43-047-30319	2900	01-10S-22E	FEDERAL	GW	S
CIGE 105D-1-10-22	43-047-31758	2900	01-10S-22E	FEDERAL	GW	P
NBU CIGE 31-1-10-22	43-047-30511	2900	01-10S-22E	FEDERAL	GW	P
CIGE 194-1-10-22	43-047-32932	2900	01-10S-22E	FEDERAL	GW	P
CIGE 223-1-10-22	43-047-32983	2900	01-10S-22E	FEDERAL	GW	P
NBU 37XP	43-047-30724	2900	03-10S-22E	FEDERAL	GW	P
NBU 70	43-047-31100	2900	03-10S-22E	FEDERAL	GW	P
NBU 87J	43-047-31250	2900	03-10S-22E	FEDERAL	GW	S
NBU 86J	43-047-31251	2900	03-10S-22E	FEDERAL	GW	P
NBU 164	43-047-32055	2900	03-10S-22E	FEDERAL	GW	P
NBU 165	43-047-32057	2900	03-10S-22E	FEDERAL	GW	P
NBU 185	43-047-32171	2900	03-10S-22E	FEDERAL	GW	P
NBU 209	43-047-32345	2900	03-10S-22E	FEDERAL	GW	P
NBU 229	43-047-32594	2900	03-10S-22E	FEDERAL	GW	P
NBU 230A	43-047-32908	2900	03-10S-22E	FEDERAL	GW	P
NBU 289	43-047-32910	2900	03-10S-22E	FEDERAL	GW	P
NBU 285	43-047-32976	2900	03-10S-22E	FEDERAL	GW	S
NBU 286	43-047-32984	2900	03-10S-22E	FEDERAL	GW	P
NBU 287	43-047-32985	2900	03-10S-22E	FEDERAL	GW	P
NBU 288	43-047-32986	2900	03-10S-22E	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
- Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

JAN. 17. 2003 3:34PM

WESTPORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.



CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:
Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT or CA AGREEMENT NAME:
8. WELL NAME and NUMBER:
Exhibit "A"
9. API NUMBER:
10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____
2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company
3. ADDRESS OF OPERATOR:
9 Greenway Plaza CITY **Houston** STATE **TX** ZIP **77064-0995** PHONE NUMBER: **(832) 676-5933**

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH**


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____
State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY
By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED
FEB 28 2003
DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.
NAME (PLEASE PRINT) **David R. Dix** TITLE **Agent and Attorney-in-Fact**
SIGNATURE  DATE **12/17/02**

(This space for State use only)

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

9. API Well No.
SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other

SUCCESSOR OF
OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zc. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
CHERYL CAMERON

Title
OPERATIONS

Signature
Cheryl Cameron

Date
March 4, 2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW/
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **12-17-02**

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. Unit: NATURAL BUTTES

WELL(S)	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 18	26-10S-21E	43-047-30221	2900	FEDERAL	GW	S
NBU 22-27B	27-10S-21E	43-047-30360	2900	FEDERAL	GW	PA
NBU 33-27-10-21	27-10S-21E	43-047-30502	2900	FEDERAL	GW	PA
NBU 389	28-10S-21E	43-047-34229	2900	STATE	GW	P
NBU 359	29-10S-21E	43-047-33706	2900	STATE	GW	P
CIGE 2-29-10-21	29-10S-21E	43-047-30243	2900	STATE	GW	PA
NBU CIGE 85D-29-10-21	29-10S-21E	43-047-30855	2900	STATE	GW	PA
NBU 390	30-10S-21E	43-047-34230	2900	STATE	GW	P
NBU 67-30B	30-10S-21E	43-047-30574	2900	STATE	GW	PA
NBU CIGE 31-1-10-22	01-10S-22E	43-047-30511	2900	FEDERAL	GW	P
CIGE 105D-1-10-22	01-10S-22E	43-047-31758	2900	FEDERAL	GW	P
CIGE 194-1-10-22	01-10S-22E	43-047-32932	2900	FEDERAL	GW	P
CIGE 223-1-10-22	01-10S-22E	43-047-32983	2900	FEDERAL	GW	P
NBU 3-2B	02-10S-22E	43-047-30267	2900	STATE	GW	P
CIGE 67A-2-10-22P	02-10S-22E	43-047-30938	2900	STATE	GW	P
NBU 217-2	02-10S-22E	43-047-31282	2900	STATE	GW	P
CIGE 10-2-10-22	02-10S-22E	43-047-30425	2900	STATE	GW	P
CIGE 161-2-10-22	02-10S-22E	43-047-32168	2900	STATE	GW	P
CIGE 144-2-10-22	02-10S-22E	43-047-32022	2900	STATE	GW	P
CIGE 195-2-10-22	02-10S-22E	43-047-32797	2900	STATE	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/21/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/21/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Multiple Wells - see attached

7. If Unit or CA/Agreement, Name and/or No.
891008900A

8. Well Name and No.
Multiple Wells - see attached

9. API Well No.
Multiple Wells - see attached

10. Field and Pool, or Exploratory Area
Natural Buttes Unit

11. County or Parish, State
Uintah County, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.


The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached. Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

J.T. Conley

Signature



COPY SENT TO OPERATOR

Date: 9-2-03 Date

Initials: CHD Date

9-2-2003

Operations Manager

SEP 10 2003

DIV. OF OIL GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Date

**Federal Approval of This
Action is Necessary**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Date: **9/16/03**

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Westport Oil & Gas, L.P.

Project Economics Works

Instructions:

Fill in blue areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name:

Condensate Shrinkage Economics

Is this job a well pull or production rig job ??? N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before		After		Difference	
Oil Production	0.192	BOPD	0.194	BOPD	0.002	BOPD
Gas Production	0	MCFPD	0	MCFPD	0	MCFPD
Wtr Production	0	BWPD	0	BWPD	0	BWPD
Horse Power		HP		HP	0	HP
Fuel Gas Burned		MCFPD		MCFPD	0	MCFPD

Project Life:

Life = Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR =

AT Cum Cashflow:

Operating Cashflow = (Discounted @ 10%)

Payout Calculation:

$$\text{Payout} = \frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$$

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = Years or Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.196 Bcpd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.
NBU/Ouray Field
RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

WELL	LEGALS	STFLEASENO	CANUMBER	API NO
CIGE 092D	13-10-20 SENW	UTU4485	891008900A	430473116200S1 ✓
CIGE 093D	3-10-21 SWNW	UTU0149078	891008900A	430473116300S1
CIGE 094D	7-10-21 SWNE	UTU01791	891008900A	430473116400S1
CIGE 095D	14-10-21 NESW	UTU01393C	891008900A	430473116600S1
CIGE 096D	32-9-22 NWNE	ML22649	891008900A	430473173000S1
CIGE 097D	31-9-22 SESE	U01530A	891008900A	430473172900S1 ✓
CIGE 098D	25-9-21 NESE	U0868	891008900A	430473172700S1 ✓
CIGE 099D	25-9-21 NWNE	U01189	891008900A	430473122300S1 ✓
CIGE 100D	2-10-21 SENE	ML22652	891008900A	430473173100S1 ✓
CIGE 101D	9-10-21 SWSE	UTU01791	891008900A	430473173600S1
CIGE 102D	8-10-21 SWNW	UTU01791	891008900A	430473174100S1
CIGE 103D	13-10-20 NENE	UTU02270A	891008900A	430473174200S1
CIGE 105D	1-10-22 NENW	U011336	891008900A	430473175800S1
CIGE 106D	32-9-22 SENW	ML22649	891008900A	430473174600S1 ✓
CIGE 107D	1-10-21 NWNW	ML23612	891008900A	430473174700S1 ✓
CIGE 108D	4-10-21 NESE	U01416	891008900A	430473175600S1
CIGE 109D	33-9-22 SWNW	UTU01191A	891008900A	430473175400S1
CIGE 110D	7-9-21 SWSE	UTU0575B	891008900A	430473195900S1
CIGE 111D	13-9-21 SESW	U01193	891008900A	430473230500S1
CIGE 112D	19-9-21 SESE	U0581	891008900A	430473194500S1
CIGE 113	21-9-21 SWNE	UTU0576	891008900A	430473194400S1
CIGE 114	34-9-21 NESE	U01194A	891008900A	430473191500S1 ✓
CIGE 115	35-9-21 NWNE	ML22582	891008900A	430473191800S1 ✓
CIGE 116	29-9-22 NWSW	ML22935	891008900A	430473191900S1
CIGE 117	34-9-22 SWNW	UTU0149077	891008900A	430473192800S1
CIGE 118	35-9-22 NESE	UTU010954A	891008900A	430473202500S1
CIGE 119	15-10-21 NENE	UTU01416A	891008900A	430473192700S1
CIGE 120	15-9-20 NENE	UTU0144868	891008900A	430473225100S1
CIGE 121	15-9-20 SWNE	UTU0144868	891008900A	430473225200S1
CIGE 122	7-9-21 NENE	UTU0149767	891008900A	430473209800S1
CIGE 123	7-9-21 SWNE	UTU0575B	891008900A	430473204700S1
CIGE 124	9-9-21 NWSE	UTU01188	891008900A	430473204500S1
CIGE 125	13-9-21 NWNW	U01193	891008900A	430473208400S1
CIGE 127	16-9-21 NESW	ML3141	891008900A	430473203600S1
CIGE 129	18-9-21 NENW	UTU0581	891008900A	430473204300S1
CIGE 130	19-9-21 NENE	U0581	891008900A	430473203000S1
CIGE 131	19-9-21 SWNE	U0581	891008900A	430473202900S1
CIGE 133	35-9-21 SWSE	ML22582	891008900A	430473197800S1 ✓
CIGE 134D	1-10-20 SWSW	UTU02270A	891008900A	430473198900S1
CIGE 135	3-10-21 SWSW	UTU0149078	891008900A	430473200100S1
CIGE 136	4-10-21 SWNE	ML22940	891008900A	430473197900S1
CIGE 137	6-10-21 SENE	UTU01791	891008900A	430473198800S1
CIGE 138A	6-10-21 SENW	UTU01791	891008900A	430473204900S1
CIGE 139	10-10-21 SWNE	UTU0149079	891008900A	430473198600S1
CIGE 140	16-10-21 NENE	ML10755	891008900A	430473197700S1
CIGE 141	7-10-22 NWNE	ML23609	891008900A	430473197000S1
CIGE 142	25-9-21 SENE	U01189	891008900A	430473199400S1 ✓
CIGE 143	34-9-21 SWNE	U01194A	891008900A	430473199500S1 ✓
CIGE 144	2-10-22 SWNE	ML22651	891008900A	430473202200S1
CIGE 145	29-9-22 SENW	ML22935	891008900A	430473199300S1
CIGE 146	16-10-21 NWNE	ML10755	891008900A	430473202100S1
CIGE 147	36-9-22 SESW	ML22650	891008900A	430473202000S1 ✓
CIGE 148	31-9-22 NWNE	ML22935A	891008900A	430473202400S1 ✓
CIGE 149	8-10-21 NWNE	UTU01791	891008900A	430473205600S1
CIGE 150	9-10-21 SWNE	UTU01416	891008900A	430473205800S1
CIGE 151	10-10-21 SWSE	UTU0149079	891008900A	430473205900S1
CIGE 152	33-9-22 SESW	UTU01191A	891008900A	430473206800S1
CIGE 153	35-9-22 SESW	UTU010954A	891008900A	430473206700S1
CIGE 154	13-10-20 NWNW	UTU4485	891008900A	430473211900S1
CIGE 155	9-9-21 SENE	UTU01188B	891008900A	430473215700S1
CIGE 156	16-9-21 NESE	ML3282	891008900A	430473219500S1
CIGE 157	18-9-21 SWNW	UTU138409	891008900A	430473216000S1

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
MULTIPLE WELLS- SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
MULTIPLE WELLS- SEE ATTACHED

8. Well Name and No.
MULTIPLE WELLS- SEE ATTACHED

9. API Well No.
MULTIPLE WELLS- SEE ATTACHED

10. Field and Pool, or Exploratory Area
MULTIPLE WELLS- SEE ATTACHED

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
1368 SOUTH 1200 EAST, VERNAL, UTAH 84078

3b. Phone No. (include area code)
435-781-7060

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
MULTIPLE WELLS- SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY RESCINDS ANY PREVIOUSLY APPROVED DISPOSAL SITES AND PROPOSES THAT ANY PRODUCED WATER FROM THE ATTACHED LIST OF WELLS WILL BE CONTAINED IN A WATER TANK AND WILL THEN BE HAULED BY TRUCK TO ONE OF THE FOLLOWING PRE-APPROVED DISPOSAL SITES: DALBO, INC.; RNI, SEC. 5-T9S-R22E; ACE OILFIELD, SEC. 2-T6S-R20E; SOUTHMAN CANYON #3 SWD, SEC. 15-T10S-R23E, API NO. 43047158800000S1; AND DIRTY DEVIL FEDERAL 14-10 SWD, SWC. 10-T9S-R24E, API NO. 430473056600S1.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) DEBRA DOMENICI	Title ENVIRONMENTAL ASSISTANT
Signature <i>Debra Domenici</i>	Date July 12, 2004

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

JUL 14 2004

DIV. OF OIL, GAS & MINING

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
SOUTHMAN CANYON 04-04	4	10S	23E	NWSE	UTU33433	UTU33433	430473063200S1
SOUTHMAN CANYON 04-05	5	10S	23E	NESE	UTU33433	UTU33433	430473063300S1
SOUTHMAN CANYON 09-03M	9	10S	23E	SWSW	UTU37355	UTU37355	430473254000S1
SOUTHMAN CANYON 09-04J	9	10S	23E	NWSE	UTU37355	UTU37355	430473254100S1
SOUTHMAN CANYON 31-01-L	31	09S	23E	NWSW	UTU33433	UTU74898	430473254300S1
SOUTHMAN CANYON 31-02X	31	09S	23E	NWNW	UTU33433	UTU33433	430473489800S1
SOUTHMAN CANYON 31-03	31	09S	23E	SESW	UTU33433	UTU33433	430473472600S1
SOUTHMAN CANYON 31-04	31	09S	23E	SESW	UTU33433		430473472700S1
SOUTHMAN CANYON 923-31B	31	09S	23E	NWNE	U-33433	UTU33433	430473515000S1
SOUTHMAN CANYON 923-31J	31	09S	23E	NWSE	U-33433	UTU33433	430473514900S1
SOUTHMAN CANYON 923-31P	31	09S	23E	SESE	U-33433		430473528800S1
SOUTHMAN CANYON SWD #3	15	10S	23E	NESE	UTU-38427		430471588000S1
WHITE RIVER 1-14	14	10S	23E	NENW	UTU38427	UTU38427	430473048100S1

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
BONANZA 04-06	4	10S	23E	NESW	U-33433	UTU33433	430473475100S1
BONANZA 06-02	6	10S	23E	NESW	UTU38419	UTU38419	430473484300S1
BONANZA 08-02	8	10S	23E	SESE	UTU37355	UTU37355	430473408700S1
BONANZA 08-03	8	10S	23E	NWNW	U-37355	UTU37355	430473477000S1
BONANZA 09-05	9	10S	23E	SESW	U-37355	UTU37355	430473486600S1
BONANZA 09-06	9	10S	23E	NWNE	U-37355	UTU37355	430473477100S1
BONANZA 10-02	10	10S	23E	NWNW	U72028	UTU80201	430473470400S1
BONANZA 10-03	10	10S	23E	NWNE	UTU38261	CR-5	430473472800S1
BONANZA 10-04	10	10S	23E	SENE	UTU40736	CR-5	430473477200S1
BONANZA 1023-2A	2	10S	23E	NENE	ML47062		430473534700S1
BONANZA 1023-2C	2	10S	23E	NENW	ML47062		430473534600S1
BONANZA 1023-2E	2	10S	23E	SWNW	ML47062		430473534500S1
BONANZA 1023-4E	4	10S	23E	SWNW	U-33433		43047353920S1
BONANZA 1023-6C	6	10S	23E	NENW	U-38419	UTU38419	430473515300S1
BONANZA 1023-7B	7	10S	23E	NWNE	U-38420	UTU38420	430473517200S1
BONANZA 1023-7L	7	10S	23E	NWSW	U-38420		430473528900S1
BONANZA 11-02	11	10S	23E	SWNW	UTU38425	CR-23	430473477300S1
BONANZA FEDERAL 03-15	15	10S	23E	NENW	UTU38428	UTU38428	430473127800S1
CANYON VIEW FEDERAL 1-18	18	10S	23E	SENE	UTU38421	UTU38421	430473037900S1
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 009	36	09S	22E	NWSE	ML22650	891008900A	430473041900S1
CIGE 010	2	10S	22E	NWSE	ML22651	891008900A	430473042500S1
CIGE 031	1	10S	22E	SWNW	U011336	891008900A	430473051100S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 067A	2	10S	22E	NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35	09S	22E	NWSW	UTU010954A	891008900A	430473095100S1
CIGE 089D	34	09S	22E	SENE	UTU0149077	891008900A	430473114600S1
CIGE 105D	1	10S	22E	NENW	U011336	891008900A	430473175800S1
CIGE 118	35	09S	22E	NESE	UTU010954A	891008900A	430473202500S1
CIGE 144	2	10S	22E	SWNE	ML22651	891008900A	430473202200S1
CIGE 147	36	09S	22E	SESW	ML22650	891008900A	430473202000S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1
CIGE 161	2	10S	22E	SESE	ML22651	891008900A	430473216800S1
CIGE 162	36	09S	22E	SESE	ML22650	891008900A	430473216400S1
CIGE 186	35	09S	22E	NWSE	UTU010954A	891008900A	430473259000S1
CIGE 193	35	09S	22E	SESE	UTU010954A	891008900A	430473297300S1
CIGE 194	1	10S	22E	SWNW	U011336	891008900A	430473293200S1
CIGE 195	2	10S	22E	NWNE	ML22651	891008900A	430473279700S1
CIGE 212	34	09S	22E	NENE	UTU0149077	891008900A	430473293800S1
CIGE 221	36	09S	22E	SWSW	ML22650	891008900A	430473286800S1
CIGE 222	36	09S	22E	NESW	ML22650	891008900A	430473286900S1
CIGE 223	1	10S	22E	NWNW	U011336	891008900A	430473298300S1
CLIFF EDGE 1-15	15	10S	23E	NWSE	UTU38427	UTU38427	430473046200S1
CROOKED CYN FED 1-17	17	10S	23E	NESW	UTU37355	UTU37355	430473036900S1
FLAT MESA FEDERAL 1-7	7	10S	23E	NWSE	UTU38420	UTU38420	430473036500S1
FLAT MESA FEDERAL 2-7	7	10S	23E	SENE	UTU38420	UTU38420	430473054500S1
JACK RABBIT 1-11	11	10S	23E	SWNE	UTU38425	CR-23	430473042300S1
LOOKOUT POINT STATE 1-16	16	10S	23E	NESE	ML22186A		430473054400S1
NBU 024N2	12	10S	22E	SESE	U01197A	891008900A	430473053500S1
NBU 038N2	13	10S	22E	NWSW	U06512	891008900A	430473053600S1
NBU 1022-1G	1	10S	22E	SWNE	U-11336	891008900A	430473517500S1
NBU 922-35K	35	09S	22E	NESW	UTU-010954A	891008900A	430473512600S1
NBU 922-36I	36	09S	22E	NESE	ML-22650	891008900A	430473510700S1
NO NAME CANYON 1-9	9	10S	23E	SENE	UTU037355	UTU37355	430473037800S1
NO NAME CANYON 2-9	9	10S	23E	NENW	UTU037355	UTU37355	430473150400S1
NSO FEDERAL 1-12	12	10S	23E	NENW	UTU38423	CR-22	430473056000S1
PETE'S FLAT 1-1	1	10S	23E	NESE	UTU40736		430473055800S1
SAGE HEN FEDERAL 1-6	6	10S	23E	NESE	UTU38419	CR-3	430473038200S1
SAGEBRUSH FEDERAL 1-8	8	10S	23E	SWNE	UTU37355	UTU37355	430473038300S1
SHEEPHERDER FEDERAL 1-10	10	10S	23E	NESE	UTU38424	CR-5	430473055900S1
SOUTHMAN CANYON 01-05 FED	5	10S	23E	SENE	UTU33433	UTU74473	430473085600S1

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
MULTIPLE WELLS- SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
MULTIPLE WELLS- SEE ATTACHED

8. Well Name and No.
MULTIPLE WELLS- SEE ATTACHED

9. API Well No.
MULTIPLE WELLS- SEE ATTACHED

10. Field and Pool, or Exploratory Area
MULTIPLE WELLS- SEE ATTACHED

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
1368 SOUTH 1200 EAST, VERNAL, UTAH 84078

3b. Phone No. (include area code)
435-781-7060

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
MULTIPLE WELLS- SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas Company rescinds any previously approved disposal sites and proposes that any produced water from the attached list of wells on Exhibit A will be contained in a water tank and will then be hauled by truck to one of the following pre-approved disposal sites: Dalbo, Inc. Disposal Pit; RNI Disposal Pit, Sec. 5-T9S-R22E; Ace Oilfield Disposal, Sec. 2-T6S-R20E; Southman Canyon #3 SWD, Sec. 15-T10S-R23E, API No. 43047158800000S1 CIGE 9 SWD, Sec. 36-T9S-R22E; and Dirty Devil Federal 14-10 SWD, Sec. 10-T9S-R24E, API No. 430473056600S1. The disposal/emergency pits for the locations listed on Exhibit B will be reclaimed within the 2004 year. The rest of the locations that have disposal/emergency pits which are listed on Exhibit C will have their pits reclaimed by September 2008.

RECEIVED
JUL 27 2004

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) DEBRA DOMENICI	Title ENVIRONMENTAL ASSISTANT
Signature <i>Debra Domenici</i>	Date July 22, 2004

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

EXHIBIT A

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
SOUTHMAN CANYON 04-04	4	10S	23E	NWSE	UTU33433	UTU33433	430473063200S1
SOUTHMAN CANYON 04-05	5	10S	23E	NESE	UTU33433	UTU33433	430473063300S1
SOUTHMAN CANYON 09-03M	9	10S	23E	SWSW	UTU37355	UTU37355	430473254000S1
SOUTHMAN CANYON 09-04J	9	10S	23E	NWSE	UTU37355	UTU37355	430473254100S1
SOUTHMAN CANYON 31-01-L	31	09S	23E	NWSW	UTU33433	UTU74898	430473254300S1
SOUTHMAN CANYON 31-02X	31	09S	23E	NWNW	UTU33433	UTU33433	430473489800S1
SOUTHMAN CANYON 31-03	31	09S	23E	SENE	UTU33433	UTU33433	430473472600S1
SOUTHMAN CANYON 31-04	31	09S	23E	SESW	UTU33433		430473472700S1
SOUTHMAN CANYON 923-31B	31	09S	23E	NWNE	U-33433	UTU33433	430473515000S1
SOUTHMAN CANYON 923-31J	31	09S	23E	NWSE	U-33433	UTU33433	430473514900S1
SOUTHMAN CANYON 923-31P	31	09S	23E	SESE	U-33433		430473528800S1
SOUTHMAN CANYON SWD #3	15	10S	23E	NESE	UTU-38427		430471588000S1
WHITE RIVER 1-14	14	10S	23E	NENW	UTU38427	UTU38427	430473048100S1

EXHIBIT B
PITS TO BE RECLAIMED IN 2004

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1

EXHIBIT C
PITS TO BE RECLAIMED BY SEPTEMBER, 2008

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 009	36	09S	22E	NWSE	ML22650	891008900A	430473041900S1
CIGE 010	2	10S	22E	NWSE	ML22651	891008900A	430473042500S1
CIGE 031	1	10S	22E	SWNW	U011336	891008900A	430473051100S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 067A	2	10S	22E	NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35	09S	22E	NWSW	UTU010954A	891008900A	430473095100S1
CIGE 089D	34	09S	22E	SENE	UTU0149077	891008900A	430473114600S1
CIGE 105D	1	10S	22E	NENW	U011336	891008900A	430473175800S1
CIGE 118	35	09S	22E	NESE	UTU010954A	891008900A	430473202500S1
CIGE 144	2	10S	22E	SWNE	ML22651	891008900A	430473202200S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1
CIGE 161	2	10S	22E	SESE	ML22651	891008900A	430473216800S1
CIGE 162	36	09S	22E	SESE	ML22650	891008900A	430473216400S1
NBU 024N2	12	10S	22E	SESE	U01197A	891008900A	430473053500S1
NBU 038N2	13	10S	22E	NWSW	U06512	891008900A	430473053600S1

EXHIBIT A

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
BONANZA 04-06	4	10S	23E	NESW	U-33433	UTU33433	430473475100S1
BONANZA 06-02	6	10S	23E	NESW	UTU38419	UTU38419	430473484300S1
BONANZA 08-02	8	10S	23E	SESE	UTU37355	UTU37355	430473408700S1
BONANZA 08-03	8	10S	23E	NWNW	U-37355	UTU37355	430473477000S1
BONANZA 09-05	9	10S	23E	SESW	U-37355	UTU37355	430473486600S1
BONANZA 09-06	9	10S	23E	NWNE	U-37355	UTU37355	430473477100S1
BONANZA 10-02	10	10S	23E	NWNW	U72028	UTU80201	430473470400S1
BONANZA 10-03	10	10S	23E	NWNE	UTU38261	CR-5	430473472800S1
BONANZA 10-04	10	10S	23E	SENE	UTU40736	CR-5	430473477200S1
BONANZA 1023-2A	2	10S	23E	NENE	ML47062		430473534700S1
BONANZA 1023-2C	2	10S	23E	NENW	ML47062		430473534600S1
BONANZA 1023-2E	2	10S	23E	SWNW	ML47062		430473534500S1
BONANZA 1023-4E	4	10S	23E	SWNW	U-33433		430473539200S1
BONANZA 1023-6C	6	10S	23E	NENW	U-38419	UTU38419	430473515300S1
BONANZA 1023-7B	7	10S	23E	NWNE	U-38420	UTU38420	430473517200S1
BONANZA 1023-7L	7	10S	23E	NWSW	U-38420		430473528900S1
BONANZA 11-02	11	10S	23E	SWNW	UTU38425	CR-23	430473477300S1
BONANZA FEDERAL 03-15	15	10S	23E	NENW	UTU38428	UTU38428	430473127800S1
CANYON VIEW FEDERAL 1-18	18	10S	23E	SENW	UTU38421	UTU38421	4304733037900S1
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 009	36	09S	22E	NWSE	ML22650	891008900A	430473041900S1
CIGE 010	2	10S	22E	NWSE	ML22651	891008900A	430473042500S1
CIGE 031	1	10S	22E	SWNW	U011336	891008900A	430473051100S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 067A	2	10S	22E	NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35	09S	22E	NWSW	UTU010954A	891008900A	430473095100S1
CIGE 089D	34	09S	22E	SENE	UTU0149077	891008900A	430473114600S1
CIGE 105D	1	10S	22E	NENW	U011336	891008900A	430473175800S1
CIGE 118	35	09S	22E	NESE	UTU010954A	891008900A	430473202500S1
CIGE 144	2	10S	22E	SWNE	ML22651	891008900A	430473202200S1
CIGE 147	36	09S	22E	SESW	ML22650	891008900A	430473202000S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1
CIGE 161	2	10S	22E	SESE	ML22651	891008900A	430473216800S1
CIGE 162	36	09S	22E	SESE	ML22650	891008900A	430473216400S1
CIGE 186	35	09S	22E	NWSE	UTU010954A	891008900A	430473259000S1
CIGE 193	35	09S	22E	SESE	UTU010954A	891008900A	430473297300S1
CIGE 194	1	10S	22E	SWNW	U011336	891008900A	430473293200S1
CIGE 195	2	10S	22E	NWNE	ML22651	891008900A	430473279700S1
CIGE 212	34	09S	22E	NENE	UTU0149077	891008900A	430473293800S1
CIGE 221	36	09S	22E	SWSW	ML22650	891008900A	430473286800S1
CIGE 222	36	09S	22E	NESW	ML22650	891008900A	430473286900S1
CIGE 223	1	10S	22E	NWNW	U011336	891008900A	430473298300S1
CLIFF EDGE 1-15	15	10S	23E	NWSE	UTU38427	UTU38427	430473046200S1
CROOKED CYN FED 1-17	17	10S	23E	NESW	UTU37355	UTU37355	430473036900S1
FLAT MESA FEDERAL 1-7	7	10S	23E	NWSE	UTU38420	UTU38420	430473036500S1
FLAT MESA FEDERAL 2-7	7	10S	23E	SENW	UTU38420	UTU38420	430473054500S1
JACK RABBIT 1-11	11	10S	23E	SWNE	UTU38425	CR-23	430473042300S1
LOOKOUT POINT STATE 1-16	16	10S	23E	NESE	ML22186A		430473054400S1
NBU 024N2	12	10S	22E	SESE	U01197A	891008900A	430473053500S1
NBU 038N2	13	10S	22E	NWSW	U06512	891008900A	430473053600S1
NBU 1022-1G	1	10S	22E	SWNE	U-11336	891008900A	430473517500S1
NBU 922-35K	35	09S	22E	NESW	UTU-010954A	891008900A	430473512600S1
NBU 922-36I	36	09S	22E	NESE	ML-22650	891008900A	430473510700S1
NO NAME CANYON 1-9	9	10S	23E	SENE	UTU037355	UTU37355	430473037800S1
NO NAME CANYON 2-9	9	10S	23E	NENW	UTU037355	UTU37355	430473150400S1
NSO FEDERAL 1-12	12	10S	23E	NENW	UTU38423	CR-22	430473056000S1
PETE'S FLAT 1-1	1	10S	23E	NESE	UTU40736		430473055800S1
SAGE HEN FEDERAL 1-6	6	10S	23E	NESE	UTU38419	CR-3	430473038200S1
SAGEBRUSH FEDERAL 1-8	8	10S	23E	SWNE	UTU37355	UTU37355	430473038300S1
SHEEPHERDER FEDERAL 1-10	10	10S	23E	NESE	UTU38424	CR-5	430473055900S1
SOUTHMAN CANYON 01-05 FED	5	10S	23E	SENW	UTU33433	UTU74473	430473085600S1

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: **1/6/2006**

FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	Unit:	NATURAL BUTTES UNIT	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on:
- (R649-9-2)Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
 The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006. KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED
MAY 10 2006
 DIV. OF OIL, GAS & MINING

BLM BOND = C01203
BIA BOND = RLB0005239
APPROVED 5/16/06

Earlene Russell
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) RANDY BAYNE	Title DRILLING MANAGER
Signature <i>Randy Bayne</i>	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION					
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off		
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity		
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR		
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon			
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal			

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Office

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>

IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

U.S. DEPT. OF THE INTERIOR

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-011336

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
UNIT #891008900A
NATURAL BUTTES UNIT

8. Well Name and No.
CIGE 105D

9. API Well No.
4304731758

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NE/NW SEC. 1, T10S, R22E ⁸²⁴ 842'FNL, 2095'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION TO PLUG AND ABANDON THE SUBJECT WELL LOCATION. THE SUBJECT WELL LOCATION HAS BEEN ON TEMPORARILY ABANDON STATUS. THE OPERATOR HAS EVALUATED THE WELL LOCATION, THE WELL HAS NO FUTURE POTENTIAL.

PLEASE REFER TO THE ATTACHED PLUG AND ABANDON PROCEDURE.

COPY SENT TO OPERATOR

Date: 5.20.2008

Initials: KS

RECEIVED

MAY 02 2008

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) SHEILA UPCHEGO	Title SENIOR LAND ADMIN SPECIALIST
Signature <i>Sheila Upchego</i>	Date April 21, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by <i>Henry Macdonald for Dustin Doucet</i>	Title Office
---	-----------------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING
DATE: May 7 2008
BY: ASALL
for DKO



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

CONDITIONS OF APPROVAL TO PLUG AND ABANDON WELL

Well Name and Number: CIGE 105
API Number: 43-047-32338
Operator: Kerr-McGee
Reference Document: Sundry Notice dated April 7, 2008,
received by DOGM on April 15,
2008. Accepted May 7, 2008

Approval Conditions:

1. Notify the Division at least 24 hours prior to conducting abandonment operations. Please call Dan Jarvis at 801-538-5338.
2. All requirements in the Oil and Gas Conservation General Rule R649-3-24 shall apply.
3. Set plug across Parachute Creek Mbr/Mahogany Bench to isolate Oil Shale Zone as per Well Spacing Order 190-5(B) of the Utah Board of Oil, Gas and Mining. *2 plugs - 200' each -
fr 2500' to 2300' }
fr 1300' to 1100' }*
4. If there are any changes to the plugging procedure or the wellbore configuration, notify Dustin Doucet at 801-538-5281 prior to continuing with the procedure. *D&D*
5. All other requirements for notice and reporting in the Oil and Gas Conservation General Rules shall apply.


Helen Sadik-Macdonald for Dustin K. Doucet,
Petroleum Engineer

May 7, 2008
Date



CIGE 105D
842' FNL & 2095' FWL
NENW – Sec. 1 – T10S – R22E
Uintah County, UT

KBE:	5011'	API NUMBER:	43-047-31758
GLE:	4996'	LEASE NUMBER:	U-011336
TD:	7092'	WI:	100.0000%
PBTD:	~5082' (CIBP @ 5100')	NRI:	83.202950%
	6541' (Original)	ORRI:	9.547750%

CASING: 12.25" hole
8.625" 24# K-55 @ 265'
Cemented with 160 sx Class A; circulated cement to surface. TOC @ surface by circulation

7.875" hole
5.5" 17# K-55 @ 6565'
Cemented with 525 sx HiFill lead and 875 sx 50-50 Pozmix tail. Original TOC @ 1340' by CBL. Pumped 250 sx HiFill top job, cement stayed static, effective TOC @ surface.

TUBING: 2.375" 4.7# J-55 tubing with R-3 packer landed at 4866', EOT at 4936'

Tubular/Borehole	Drift inches	Collapse psi	Burst Psi	Capacities		
				Gal./ft.	Cuft/ft.	Bbl./ft.
2.375" 4.7# J-55 tbg.	1.901	8100	7700	0.1626	0.02173	0.00387
5.5" 17# J/K-55 csg.	4.892	4910	5320	0.9764	0.1305	0.02324
Annular Capacities						
2.375" tbg. X 5.5" 17# csg.				0.7462	0.0997	0.01776
5.5" csg. X 8.625" 24# csg.				1.4406	0.1926	0.0343
5.5" csg. X 7.875" hole				1.2978	0.1733	0.0309

GEOLOGIC INFORMATION:

Formation	Depth to top, ft.
Uinta	Surface
Green River	3828'
Wasatch	4148'

Tech. Pub. #92 Base of USDW's

USDW Elevation	~1500' MSL
USDW Depth	~3496' KBE

PERFORATIONS:

Formation	Date	Top	Bottom	SPF	Status
Wasatch	5/2/1996	4816	4823	4	Open – Csg.
Wasatch	5/2/1996	4829	4842	4	Open – Csg.
Wasatch	5/1/1996	4928	4946	4	Open – Tbg.
Wasatch	12/12/1986	5127		1	Excl- Sqz.
Wasatch	12/12/1986	5154		1	Excl- Sqz.
Wasatch	12/12/1986	5158		1	Excl- Sqz.
Wasatch	12/12/1986	5164		1	Excl- Sqz.
Wasatch	12/12/1986	5168		1	Excl- Sqz.
Wasatch	12/12/1986	5881		1	Excluded
Wasatch	12/12/1986	6108		1	Excluded
Wasatch	12/12/1986	6110		1	Excluded
Wasatch	12/12/1986	6267		1	Excluded
Wasatch	12/12/1986	6278		1	Excluded
Wasatch	12/12/1986	6292		1	Excluded
Wasatch	12/12/1986	6294		1	Excluded
Wasatch	12/12/1986	6304		1	Excluded
Wasatch	12/12/1986	6307		1	Excluded
Wasatch	12/12/1986	6310		1	Excluded

WELL HISTORY:**Completion – December 1986**

- **Note** – Drill pipe became stuck and was backed off at 6573', with the bottom ~500' of the hole abandoned. There is no definitive description of the fish in the well file, although it likely consists of drill collars, bumper sub and bit.
- Perforated the gross Wasatch interval 5127' through 6541' and landed tubing with ball scraper at 4993'.
- Broke down with 3000 gal 3% KCl and ball sealers. Scraped balls with tubing and re-landed at 5013'. Acidized with 3000 gal 7.5% HCl then fractured with 57500 gal gel containing 100000# 20/40 sand.
- Tested 1250 MCFD, 0 BCPD, 10 BWPD, 500 psi FTP, 800 psi SICP 20/64th choke on 12/19/1986.

Workover #1 – October 1990

- Lowered tubing to 6042' and RTP.

Workover #2 – January 1991

- Raised tubing to 5013'.
- Ran fluid entry log. Showed 100% of the water coming from the gross interval 5154' through 5168'. RTP.

Workover #3 – February 1991

- Pulled tubing, set CIBP at 5220', set CICR at 5140' and squeezed with 60 sx Class G cement.

- Drilled out to CIBP and pressure tested successfully to 500 psi. Continued drilling out through CIBP and pushed same to 6351'.
- Landed tubing at 5013' and RTP.

Workover #4 – January 1995

- Cleaned out 6306' to 6341' and landed tubing at 5734'.
- Well would not kick off, so lowered tubing to 6300' and swabbed. RTP.

Workover #5 – May 1995

- Ran and set packer at 6195'. Acidized with 500 gal 15% HCl.
- Pulled packer, landed tubing at 6300' and RTP.

Workover #6 – May 1996

- Set CIBP at 5100' with 2 sx cement on top.
- Perforated the Wasatch interval 4928-4946' and fractured with 27930 gal gel containing 80000# 20/40 sand.
- Spotted sand plugs and acid to perforate next stage.
- Perforated the gross Wasatch interval 4816' through 4842' and fractured with 29484 gal gel containing 93400# 20/40 sand.
- Cleaned out to 5021' with coiled tubing and RTP.

Workover #7 – June 1996

- Cleaned out 4920' to PBTD.
- Set R-3 packer at 4866' to isolate 4816' through 4842' and RTP.

CIGE 105D P&A PROCEDURE

GENERAL

- H₂S MAY BE PRESENT. CHECK FOR H₂S AND TAKE APPROPRIATE PRECAUTIONS.
- CEMENT QUANTITIES BELOW ASSUME NEAT CLASS G, YIELD 1.145 CUFT./SX. IF A DIFFERENT PRODUCT IS USED, WELLSITE PERSONNEL ARE RESPONSIBLE FOR CORRECTING QUANTITIES TO YIELD THE STATED SLURRY VOLUME. WHEN SQUEEZING, INCLUDE 10% EXCESS PER 1000' OF DEPTH.
- BRINE WITH A MINIMUM DENSITY OF AT LEAST 9 PPG MUST BE PLACED BETWEEN ALL PLUGS. 10 PPG IS ASSUMED IN THIS PROCEDURE.
- NOTIFY BLM 24 HOURS BEFORE MOVING ON LOCATION.

P&A PROCEDURE

Note: An estimated 198 sx Class "G" cement needed for procedure.

1. MIRU. KILL WELL AS NEEDED. ND WH, NU AND TEST BOPE.
2. RELEASE PACKER & LD SAME. PULL TBG & LD SAME. RU WIRELINE AND MAKE A GAUGE RING RUN TO CHECK FOR FILL AND PREP FOR GYRO SURVEY.
3. RUN GYRO SURVEY.
4. **PLUG #1, WASATCH PERFORATIONS (4816' – 4946'), WASATCH TOP (4148'), GREEN RIVER TOP (3828'), & BASE OF USDW'S (~3496')**: RIH W/ 5 ½" TBG SET CIBP. SET @ ~4810'. RELEASE CIBP, PUH 10', BRK CIRC W/ FRESH WATER. DISPLACE 162 SX CMT (184.53 CUFT) AND BALANCE PLUG W/ TOC @ ~3396' (1414' CMT, TOC 100' ABOVE BASE OF USDW'S). PUH ABOVE TOC. REVERSE CIRCULATE WITH 10 PPG BRINE.
5. **PLUG #2, SURFACE CSG SHOE (265') & SURFACE HOLE**: PUH TO 300'. BRK CIRC W/ FRESH WATER. DISPLACE 36 SX (41.11 CUFT.) TO SURFACE. AMMEND PROCEDURE FOR PLUG #2 AS NECESSARY IF IT DISCOVERED THAT THERE IS NOT CEMENT TO SURFACE ON THE BACKSIDE OF CASING.
6. CUT OFF WELLHEAD AND INSTALL MARKER PER BLM GUIDELINES.
7. RDMO. TURN OVER TO OPERATIONS FOR SURFACE REHAB.

ALM – 4/15/08

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well Oil Well Gas Dry Other
 b. Type of Completion: New Work Over Deepen Plug Back Diff. Resvr.
 Other PLUG AND ABANDON

2. Name of Operator
KERR-MCGEE OIL & GAS ONSHORE LP

3. Address **1368 SOUTH 1200 EAST, VERNAL, UTAH 84078** 3a. Phone No. (include area code) **(435) 781-7024**

4. Location of Well (Report locations clearly and in accordance with Federal requirements) *
 At surface **NE/NW 842'FNL, 2095'FWL**
 At top prod. interval reported below
 At total depth

14. Date Spudded **11/09/86** 15. Date T.D. Reached **11/20/86** 16. Date Completed D & A Ready to Prod. **5/29/2008 P&A**

18. Total Depth: MD **7092'** TVD **MD 6541'** 19. Plug Back T.D.: MD **6541'** TVD **MD 6541'** 20. Depth Bridge Plug Set: MD **MD** TVD **TVD**

21. Type Electric & Other Mechanical Logs Run (Submit copy of each) **N/A**
 22. Was well cored? No Yes (Submit copy)
 Was DST run? No Yes (Submit copy)
 Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4"	8 5/8"	24#		265'		160 SX			
7 7/8"	5 1/2"	17#		6565'		1400 SX			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)
2 3/8"	4993'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) N/A			N/A			
B)						
C)						
D)						

26. Perforation Record

Depth Interval	Amount and type of Material
N/A	

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
N/A	

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						P&A
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
			→						P&A

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
			→						

RECEIVED

JUN 09 2008

DIV. OF OIL, GAS & MINING

(See instructions and spaces for additional data on reverse side)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

P&A ON 05/29/2008

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
WASATCH MESAVERDE					


32. Additional remarks (include plugging procedure):

THE SUBJECT WELL LOCATION WAS PLUG AND ABANDON ON 05/29/2008.

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 5. Core Analysis
- 7. Other:

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) SHEILA UPCHEGO Title SENIOR LAND ADMIN SPECIALIST
 Signature  Date 06/02/08

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-011336

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
UNIT #891008900A
NATURAL BUTTES UNIT

8. Well Name and No.
CIGE 105D

9. API Well No.
4304731758

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NE/NW SEC. 1, T10S, R22E 842'FNL, 2095'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input type="checkbox"/> Other _____

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

ON 05/29/2008: MIRU WESTREN WELLSITE SERVICES BLOW DN WELL (1400 PSI CSG 600 PSI TBG) KILL TBG W/20 BBLS 9# WATER NDWH, NUBOP ATTEMPT TO RELEASE PACKER FAILED. FREE POINT & CUT TBG AT 4568' TOH TIH W/BIT TOH TIH W/CIBP SET AT 4536' PRESS TEST TBG HELD 1000 PSI TOH LD STINGER TIH TO 4536' LOAD HOLE W/70 BBLS 9# WATER W/CORROSION INHIBITER W/ BIOCIDES PRESS TEST CSG HELD 1000 PSI MIX & PMP 140 SX CLASS G TOH TO 1970' MIX & PMP 25 SX CLASS G TOH TO 1220' MIX & PMP 25 SX CLASS G TOH NDBOP TIH TO 322' MIX & PMP CMT FROM 322' TO SURFACE (40 SX CLASS G) CUT OFF WELL HEAD TOP OFF PRODUCTION CSG & 1" SURFACE ANNULAS 300' W/140 SX WELD ON PLATE BACKFILL RDMO
THE SUBJECT WELL LOCATION WAS PLUG AND ABANDON ON 05/29/2008.
GPS COORDINATES: LAT- 39° 58.980' LONG- 109° 23.416'

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) SHEILA UPCHEGO	Title SENIOR LAND ADMIN SPECIALIST
Signature 	Date June 2, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

JUN 09 2008

DIV. OF OIL, GAS & MINING