

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work
DRILL DEEPEN PLUG BACK

b. Type of Well
Oil Well Gas Well Other Single Zone Multiple Zone

2. Name of Operator
Coastal Oil & Gas Corporation

3. Address of Operator
P. O. Box 749, Denver, Colorado 80201-0749

4. Location of Well (Report location clearly and in accordance with any State requirements.*)
At surface
1546' FNL, 1279' FWL (SE 1/4 NW 1/4) 31-9S-22E
At proposed prod. zone
Same

14. Distance in miles and direction from nearest town or post office*
Approximately 16 Miles Southeast of Ouray, Utah

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg. line, if any)
400'

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.
1700'

21. Elevations (Show whether DF, RT, GR, etc.)
4848' GR

5. Lease Designation and Serial No.
ML-23607
6. If Indian, Allottee or Tribe Name
Not Applicable
7. Unit Agreement Name
Natural Buttes
8. Farm or Lease Name
NBU
9. Well No.
155
10. Field and Pool, or Wildcat
Natural Buttes
11. Sec., T., R., M., or Blk. and Survey or Area
Section 31, T9S, R22E
12. County or Parrish
Uintah
13. State
Utah
17. No. of acres assigned to this well
80
20. Rotary or cable tools
Rotary
22. Approx. date work will start*
May 1, 1991

23. PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12-1/4"	8-5/8" K-55	24.0#	0-250'	180 sx Circulate to Surface
7-7/8"	5-1/2" K-55	17.0#	0-T.D.	550 sx Lite + Class "G"

TECHNICAL REVIEW
Engr. [Signature] 4/9/91
Geol. [Signature] 4/4/91
Surface [Signature] 4/4/91

PLEASE REFER TO ATTACHED DRILLING PROGNOSIS.

RECEIVED
MAR 29 1991
DIVISION OF OIL GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Signed: [Signature] Dale Heitzman Title: Authorized Agent Date: March 26, 1991

Permit No. 43.047-30004 Approval Date

Approved by: _____ Title: _____
Conditions of approval, if any:

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING
DATE: [Signature] 4/10/91
BY: [Signature]
WELL SPACING: R. 15-2-3

T9S, R22E, S.L.B.&M.

COASTAL OIL & GAS CORP.

Well location, NBU #155, located as shown in the SE 1/4 NW 1/4 of Section 31, T9S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.

RECEIVED

MAR 29 1991

DIVISION OF
OIL GAS & MINING




CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert L. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO. 5709
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX 1758 - 86 SOUTH - 200 EAST
VERNAL, UTAH - 84078



▲ = SECTION CORNERS LOCATED. (Brass Cops)

SCALE 1" = 1000'	DATE 3-8-91
PARTY J.F. B.C. R.E.H.	REFERENCES G.L.O. PLAT
WEATHER COOL	FILE COASTAL OIL & GAS CORP.

COASTAL OIL & GAS CORPORATION

#155 NBU
SE¼NW¼ Section 31, T9S, R22E
Uintah County, Utah

Drilling Prognosis

1. Estimated Formation Tops:

Surface	Uinta
Green River	1490'
Wasatch	4065' Gas (Primary Objective)
Total Depth	5575'

2. Pressure Control Equipment:

Type : One 10" X 2000 psi annular preventer.
One 10" X 2000 psi double ram preventer (blind ram above, pipe ram below).
One wing with two manual valves and one choke.
One positive choke and one adjustable.

Testing Procedure : The BOP and choke manifold will be pressure tested to the rated working pressure or 70% of the internal yield strength of the surface casing, whichever is less, for a period of 15 minutes upon installation; once every thirty days and/or when flange seals are broken if a "nipple-up" or "nipple-down" takes place.

3. Drilling Fluids Program:

<u>Interval</u>	<u>Type</u>	<u>Weight</u>	<u>Viscosity</u>	<u>Fluid Loss</u>
0-Total Depth	Aerated Water	--	--	--

Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control during the course of drilling operations.

4. Evaluation Program:

Logs : DIL with Caliper - Surface to Total Depth
FDC-CNL - Approximately 1500' to Total Depth



DST's : None Anticipated

Cores : None Anticipated

5. Abnormal Conditions:

No abnormal temperatures or pressures are anticipated. No H₂S gas has been reported or known to exist from previous drilling in the area at this depth. Maximum anticipated surface pressure equals 1590 psi.

BOP STACK



COASTAL OIL & GAS CORPORATION
#155 NBU
SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 31, T9S, R22E
Uintah County, Utah

Supplement to Application for Permit to Drill

1. Location and Type of Water Supply:

- A. Water for drilling will be obtained from an existing industrial water well (Uintah #1) owned by Target Trucking, Inc. and located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 16, Township 10 South, Range 21 East, Uintah County, Utah; Permit Number 49-991 (A57530).

2. Methods of Handling Waste Disposal:

- A. Sewage - self-contained, chemical toilets will be provided for human waste disposal. Upon completion of operations, the holding tanks will be pumped and the contents disposed of in a municipal sewage treatment facility or other authorized disposal facility.
- B. Garbage and other waste materials - all trash will be contained in a portable trash cage. Upon completion of operations, all trash will be hauled to an approved sanitary landfill.
- C. Cuttings and drilling fluids - the cuttings will be deposited in the reserve pit. Drilling fluids will be contained in reserve pit and allowed to evaporate. The reserve pit will be designed to prevent the collection of surface runoff and will be constructed with a minimum of one-half (1/2) the total depth below the original ground surface on the lowest point within the pit. The reserve pit will not be lined unless fractured rock or extremely porous soil/rock formations are encountered.

3. Plans for Reclamation of the Surface:

- A. Backfilling, leveling and re-contouring are planned as soon as the reserve pit dries. Waste and spoil materials will be disposed of immediately upon completion of drilling and workover activities. If production is established, the unneeded areas of the location will be reclaimed as soon as the reserve pit dries.
- B. Upon completion of backfilling, leveling and re-contouring, the stockpiled topsoil will be evenly spread over the reclaimed area(s). All disturbed surfaces (including access road and well pad areas) will be reseeded using the seed mixture recommended by the State of Utah. Seed will be drilled on the contour to an approximate depth of 1/2 inch.
- C. Three sides of the reserve pit will be fenced during drilling operations. Prior to rig release, the reserve pit will be fenced on the fourth side to prevent livestock and wildlife from becoming entrapped, and the fencing will be maintained until leveling and cleanup are accomplished.

3. Plans for Reclamation of the Surface: Continued

- D. If any oil is on the pits and is not immediately removed after operations cease, the pit containing the oil or other adverse substances will be flagged overhead or covered with wire mesh.
- E. The reclamation operations will begin after the drilling rig is removed. Removal of oil or other adverse substances will begin immediately or area will be flagged and fenced. Other cleanup will be done as needed. Rehabilitation operations should be completed by the Fall of 1991.

4. Other Information:

- A. A cultural resource inventory of the proposed well site and access road has been completed.

5. Surface Ownership:

State of Utah
Division of State Lands and Forestry
Salt Lake City, Utah
Telephone: (801) 538-5508

6. Contact for Additional Data if Required:

Heitzman Drill-Site Services
Dale Heitzman/Bob Anderson
P. O. Box 3579
Casper, Wyoming 82602
Telephone: (307) 266-4840

DRILLING LOCATION ASSESSMENT

**State of Utah
Division of Oil, Gas and Mining**

OPERATOR: COASTAL OIL & GAS WELL NAME: NBU 155
SECTION: 31 TWP: 9S RNG: 22E LOC: 1546 FNL 1279 FWL
QTR/QTR SE/NW COUNTY: UINTAH FIELD: NATURAL BUTTES
SURFACE OWNER: STATE OF UTAH
SPACING: NATURAL BUTTES UNIT
INSPECTOR: Brad Hill DATE AND TIME: 3/20/91 11:35

PARTICIPANTS: Bill Siersma-CIGE, Dale Heitzman-Permit Agent,
Robert Kay-Uintah Engineering, Harley Jackson-Jackson Const., Dan
Jarvis-DOGM

REGIONAL SETTING/TOPOGRAPHY: The proposed location is in the
southeastern Uinta Basin on a small ridge on the edge of Sand
Wash to the east. A small short drainage is located on the west
side of the location. The east side of the location is right up
to the edge of the main wash channel.

LAND USE:

CURRENT SURFACE USE: None

PROPOSED SURFACE DISTURBANCE: A roughly rectangular pad will be
constructed with approximate dimensions of 325'X 160' with a
125'X 83' extension for the reserve pit. (see application) An
access road 100' feet long will also be constructed.

AFFECTED FLOODPLAINS AND/OR WETLANDS: None

FLORA/FAUNA: Rabbitbrush, Shadscale, Greasewood, Indian
Ricegrass, Halogeton, Sage/Deer, Antelope, Rabbits, Coyote

ENVIRONMENTAL PARAMETERS

SURFACE GEOLOGY

SOIL TYPE AND CHARACTERISTICS: Sandy-clay with abundant
sandstone fragments, some sandstone outcrop.

SURFACE FORMATION & CHARACTERISTICS: Uinta Formation consisting
of interbedded sandstones and shales.

EROSION/SEDIMENTATION/STABILITY: No active erosion or
sedimentation at present. Location should be stable
providing there is no major change in the channel of Sand
Wash.

PALEONTOLOGICAL POTENTIAL: None observed.

SUBSURFACE GEOLOGY

OBJECTIVES/DEPTHS: Green River-1490', Wasatch-4065'

ABNORMAL PRESSURES-HIGH AND LOW: None anticipated

CULTURAL RESOURCES/ARCHAEOLOGY: Cleared by Metcaff and Associates.

CONSTRUCTION MATERIALS: Onsite materials will be used for construction.

SITE RECLAMATION: The area will be recontoured and reseeded as per State Lands instructions.

RESERVE PIT

CHARACTERISTICS: The reserve pit will be rectangular with dimensions of 125'X 78'X 12'.

LINING: None needed.

MUD PROGRAM: The entire well will be drilled with aerated water.


DRILLING WATER SUPPLY: To be purchased from Target trucking.

STIPULATIONS FOR APD APPROVAL

Location is to be bermed in order to prevent run off.
Drainage on the west side of location is to be diverted.

ATTACHMENTS

Photographs will be placed on file.




TOPOGRAPHIC
MAP "A"

DATE 3-8-91



COASTAL OIL & GAS CORP.

NBU #155
SECTION 31, T9S, R22E, S.L.B.&M.



TOPOGRAPHIC
MAP "B"
SCALE: 1" = 2000'
DATE 3-8-91



COASTAL OIL & GAS CORP.
NBU #155
SECTION 31, T9S, R22E, S.L.B.&M.

RECEIVED

MAR 29 1991


DIVISION OF OIL GAS & MINING

COASTAL OIL & GAS CORP.


LOCATION LAYOUT FOR

NBU #155

SECTION 31, T9S, R22E, S.L.B.&M.



SCALE: 1" = 50'
DATE: 3-8-91
Drawn By: T.D.H.



TYP. LOCATION LAYOUT
TYP. CROSS SECTIONS








FIGURE #1

NOTE:
Blooie Pit is to be located a min. of 30' from the Reserve Pit & min. of 100' from the Well Head.



APPROXIMATE YARDAGES

CUT		EXCESS MATERIAL AFTER	
(6") Topsoil Stripping	= 1,070 Cu. Yds.	5% COMPACTION	= 2,160 Cu. Yds.
Remaining Location	= 9,535 Cu. Yds.	Topsoil & Pit Backfill	= 2,130 Cu. Yds.
		(1/2 Pit Vol.)	
TOTAL CUT	= 10,610 CU.YDS.	EXCESS UNBALANCE	= 30 Cu. Yds.
FILL	= 8,030 CU.YDS.	(After Rehabilitation)	

NOTES:

Elev. Ungraded Ground At Loc. Stake = 4848.1'
FINISHED GRADE ELEV. AT LOC. STAKE = 4839.4'

OPERATOR Coastal Oil Gas N. 0030 DATE 4-9-91

WELL NAME NBJ 155

SEC SEW 31 T 9S R 03E COUNTY Mintah

43-047-30004
API NUMBER

State (3)
TYPE OF LEASE

CHECK OFF:

PLAT.

BOND

NEAREST WELL

LEASE

FIELD
GLBM

POTASH OR
OIL SHALE

PROCESSING COMMENTS:

Included in 0th Supplement 1991 POD approved 3-07-91.
Water Permit 49-991 (A57530) draft ducking
Permit 3-00-91/Geology memo 4-9-91
Oil shale area

APPROVAL LETTER:

SPACING:

R615-2-3

Natural Buttes
UNIT

R615-3-2

N/A
CAUSE NO. & DATE

R615-3-3

STIPULATIONS:

- 1 Oil shale
- 2 A berm should be placed around the location to prevent run off from the location.
- 3 Drainage on the west side of the location should be diverted.



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Norman H. Bangertter
Governor
Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

April 12, 1991

Coastal Oil & Gas Corporation
P. O. Box 749
Denver, Colorado 80201-0749

Gentlemen:

Re: NBU 155 Well, 1546 feet from the North line, 1279 feet from the West line, SE NW, Section 31, Township 9 South, Range 22 East, Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Utah Code Ann. Section 40-6-18, et seq. (1953, as amended), and Utah Admin. R.615-2-3, subject to the following stipulations:

1. Special attention is directed to compliance with Utah Admin. R.615-3-34, which prescribes drilling procedures for designated oil shale areas.
2. A berm should be placed around the location to prevent runoff from the location.
3. Drainage on the west side of the location should be diverted.

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification within 24 hours after drilling operations commence.
2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
3. Submittal of the Report of Water Encountered During Drilling, Form 7.
4. Prompt notification in the event it is necessary to plug and abandon the well. Notify R. J. Firth, Associate Director, (Office) (801) 538-5340, (Home) 571-6068, or J. L. Thompson, Lead Inspector, (Home) 298-9318.

Page 2
Coastal Oil & Gas Corporation
NBU 155
April 12, 1991

5. Compliance with the requirements of Utah Admin. R.615-3-20, Gas Flaring or Venting.
6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of Drinking Water/Sanitation, telephone (801) 538-6159.
7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-32004.

Sincerely,



R. D. Firth
Associate Director, Oil & Gas

tas
Enclosures
cc: Bureau of Land Management
Division of State Lands
J. L. Thompson
we14/1-6

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

5. Lease Designation and Serial No.

ML-23607

6. If Indian, Allottee or Tribe Name

Not Applicable

7. Unit Agreement Name

Natural Buttes

8. Farm or Lease Name

NBU

9. Well No.

155

10. Field and Pool, or Wildcat

Natural Buttes

11. Sec., T., R., M., or Blk. and Survey or Area

Section 31, T9S, R22E

12. County or Parrish 13. State

Uintah Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL

DEEPEN

PLUG BACK

b. Type of Well

Oil Well

Gas Well

Other

Single Zone

Multiple Zone

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address of Operator

P. O. Box 749, Denver, Colorado 80201-0749

4. Location of Well (Report location clearly and in accordance with any State requirements.)*

At surface

1546' FNL, 1279' FWL (SE $\frac{1}{4}$ NW $\frac{1}{4}$) 31-9S-22E

At proposed prod. zone

Same

43-047-3200A

14. Distance in miles and direction from nearest town or post office*

Approximately 16 Miles Southeast of Ouray, Utah

16. Distance from proposed*

location to nearest property or lease line, ft. (Also to nearest drig. line, if any)

400'

16. No. of acres in lease

124.06

17. No. of acres assigned to this well

80

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

1700'

19. Proposed depth

5575'

20. Rotary or cable tools

Rotary

21. Elevations (Show whether DF, RT, GR, etc.)

4848' GR

22. Approx. date work will start*

May 1, 1991

23. PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12-1/4"	8-5/8" K-55	24.0#	0-250'	180 sx Circulate to Surface
7-7/8"	5-1/2" K-55	17.0#	0-T.D.	550 sx Lite + Class "G"

RECEIVED

APR 30 1991

DIVISION OF OIL GAS & MINING

PLEASE REFER TO ATTACHED DRILLING PROGNOSIS.

COPY

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

Signed

Lee Hertzman
Lee Hertzman

Title Authorized Agent

Date March 26, 1991

(This space for Federal or State office use)

Permit No.

Approval Date

Approved by
Conditions of approval, if any:

ACCEPTED BY BLM FOR UNIT PURPOSES ONLY

Title

Date APR 25 1991

DIVISION OF OIL, GAS AND MINING

WATER PERMI OK

SPUDDING INFORMATION

API NO. 43-047-32004

NAME OF COMPANY: COASTAL OIL & GAS CORPORATION

WELL NAME: NBU #155

SECTION SEW 31 TOWNSHIP 9S RANGE 22E COUNTY UINTAH

DRILLING CONTRACTOR COASTAL

RIG # 1

SPUDDED: DATE 7-25-91

TIME 10:30 a.m.

HOW DRY HOLE

DRILLING WILL COMMENCE 8-4-91

REPORTED BY DOUG PITINGAL

TELEPHONE # 823-6135

DATE 7-29-91 SIGNED TAS

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number

ML-23607

7. Indian Allottee or Tribe Name

N/A

8. Unit or Communitization Agreement

Natural Buttes Unit

9. Well Name and Number

NBU #155

10. API Well Number

43-047-32004

11. Field and Pool, or Wildcat

Natural Buttes

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT— for such proposals.

1. Type of Well

- Oil Well Gas Well Other (specify)

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address of Operator

P. O. Box 749, Denver, Colorado 80201-0749

4. Telephone Number

(303) 573-4476

5. Location of Well

Footage : 1546' FNL & 1279' FWL (SENW)

County : Uintah

Q. Sec. T. R. M. : SENW Section 31, T9S-R22E

State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU Leon Ross Drilling. Spud surface hole at 10:30 A.M., 7/25/91. Drilled 12-1/4" hole to 265'. Ran 6 jts. 8-5/8", 24#, K55, ST&C casing and set at 260'. Cemented w/150 sx. Prem. + additives. Cement in place at 1:15 P.M., 7/26/91. Procedure witnessed by Carol Kubley, Utah Division of Oil, Gas & Mining.

RECEIVED

AUG 01 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature

Ernest D. Smith

Title Regulatory Analyst Date 7/29/91

(State Use Only)

ENTITY ACTION FORM - FORM 6

OPERATOR Coastal Oil & Gas Corporation

OPERATOR ACCT. NO. NO230

ADDRESS P. O. Box 749

Denver, Colorado 80201-0749

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	2900 →		43-047-32004	NBU #155	SENW	31	9S	22E	Uintah	7/25/91	7/25/91
WELL 1 COMMENTS: <i>State Lease Field-Natural Buttes Unit-Natural Buttes Prop. Zone-WSTC (Entity added 8-29-91) [Signature]</i>											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

RECEIVED

AUG 0 1 1991

DIVISION OF
OIL GAS & MINING

Eileen Danni Dey
Signature Eileen Danni Dey
Regulatory Analyst 7/29/91
Title Date
Phone No. (303) 573-4476

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
ML-23607
7. Indian Allottee or Tribe Name
N/A

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT for such proposals.

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
Coastal Oil & Gas Corporation

3. Address of Operator
P. O. Box 749, Denver, Colorado 80201-0749

4. Telephone Number
(303) 573-4476

5. Location of Well
Footage : 1546' FNL & 1279' FWL
County : Uintah
QQ. Sec. T. R. M. : SENW Section 31, T9S-R22E
State : UTAH

6. API Well Number
43-047-32004

7. Field and Pool, or Wildcat
Natural Buttes

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Report of Operations</u>	
<input type="checkbox"/> Other _____			

Approximate Date Work Will Start _____

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached chronological report for the drilling operations on the above-referenced well.

RECEIVED

AUG 16 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature Eileen Danni Dev Title Regulatory Analyst Date 8/13/91

(State Use Only)

COASTAL OIL & GAS CORPORATION
CHRONOLOGICAL HISTORY

NBU #155
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 60% COGC AFE: 13103
ATD: 5700' (WASATCH) SD:
CSG: 8-5/8" @ 272'; 5-1/2" @ 5707'
DHC(M\$): 158.9

SE/NW SECTION 31-T9S-R22E

- 7/27/91 265' WO rig. Spud well @ 10:30 a.m., 7/25/91 w/Leon Ross Drlg. Drill 12-1/4" hole to 265'. Run 6 jts 8-5/8", K-55 24# ST&C, 8rd csg (260.06'). Set @ 260'. TOC @ ±220'. Cmt csg w/Howco. 150 sx Prem + 5., 2% CaCl₂, 1/4#/sk Floseale. Displ w/14-1/2 BW. Circ 3 bbls cmt to pit. Cmt in place @ 1:15 p.m., 7/26/91. Witness by Carol Kubly w/Utah State. CC: \$8399.
- 8/2/91 500' Drlg 270'/3.5 hrs. RD @ NBU 159 & move - RU. Test BOP and manifold to 2000 psi; hydril to 1500 psi; csg to 1500 psi. PU BHA & rot hd. Drlg cmt 230'-275'. Ftlh. Dpuf @ 2:30 a.m., 8/2/91. Notified State of Utah (Jimmy Thompson) in SLC. No one witnessed. Local rep on vacation. Drlg w/air mist. 1400 SCFM. CC: \$95,487.
- 8/3/91 2120' Drlg 1620'/22.5 hrs. Drlg, svys: 1-1/2 deg @ 798'; 2 deg @ 1302'; 1-3/4 deg @ 2050'. Hit wtr @ 1375'. Aerated wtr, MW 8.3, VIS 26, PH 9.5, 700 CFM. CC: \$102,792.
- 8/4/91 3215' Drlg 1095'/23 hrs. Drlg, RS, svy: 1 deg @ 2910'. Drlg w/wtr - 4" water flow. MW 8.3, VIS 26, PH 9.5, NO AIR. CC: \$109,433.
- 8/5/91 4200' Drlg 985'/23 hrs. Drlg, RS, check BOP. Install blind flange. Drlg, WL svy: 1-1/2 deg @ 4055'. MW 8.3, VIS 26, PH 9.0. CC: \$115,692.
- 8/6/91 4960' Drlg 760'/23.5 hrs. Drlg, RS & chk BOP's. Drlg, 6'-8' flare. Drlg w/wtr. MW 8.4, VIS 26, PH 9.0, NO AIR. CC: \$124,646.
- 8/7/91 5445' Drlg 485'/17 hrs. Drlg, RS & chk BOP. Drlg, 100 bbls of 10 ppg brine. Svy & POH to 2200'. PU Kelly & spot 125 bbls of 10 ppg brine. POH w/BHA. LD SS & PU bit & BS. TIH, load pipe and wash 30' to btm, no fill. Drlg w/wtr. Drlg brk from 5367-5371'. Flare 8-10'. Svy: 1-1/4 deg @ 5150'. MW 8.4, VIS 26, PH 9.0. CC: \$132,140.
- 8/8/91 5710' TIH w/BHA to condition hole. Drlg, RS & chk BOP. Drlg, circ hole. Short trip 10 stds, no drag. Displace hole w/500 bbls 10 ppg brine. POH w/BHA. RU Halliburton logging and run combination DLL-GR-Density-Neutron tool. WL loggers TD 5694'. Run DLL-GR from 5694-2600' and run density-neutron from 5694-2500'. RD Halliburton. TIH w/BHA. Drlg w/wtr. MW 8.4, VIS 26, PH 9.0. CC: \$155,914.
- 8/9/91 5710' RDRT. RD LD machine. LD DP & DC. RU & run 135 jts 5-1/2" 17# J-55 LT&C csg. Tally run 5707'. Wash csg down 35' to btm @ 5710'. RU Halliburton and pump 430 sx Hi-Fill lead cmt w/1#/sk Capseal, 0.3% HR-7 and follow w/525 sx 50-50 Poz. Tail cmt w/2% gel, 10% salt, 0.4% Halad 24, 0.3% CFR-3, 1#/sk Capseal and 1/4#/sk Flocele. PD @ 5:05 p.m. w/2000 psi (500 psi over). Displaced w/131 bbls, had full returns except for last 16 bbls. Set slips w/80,000#. ND BOP and clean mud tanks. Released rig @ 8:00 p.m., 8/8/91. CC: \$230,524.

RECEIVED

SEP 03 1991

DIVISION OF
OIL GAS & MINING

43-047-32004

Coastal Oil & Gas Corp.

NBU #155

Section 31

Township 9S

Range 22E

County, Uintah, Utah

Operator Coastal Oil & Gas Corp.

Contractor Coastal Drilling #1

Tested by Steven King

QUICK TEST INC.
OFFICE (801) 789-8159

Coastal Oil & Gas
NBU #155
8-01-91

TEST #	ITEM TESTED	PRESSURE	MIN. HELD	RESULTS
1	1st choke, 1st set choke manifold valves	2000	10	No visible leaks
2	Choke			Bleed off OK
3	Choke			Bleed off OK
4	1st choke, 2nd set manifold valves	2000	10	No visible leaks
5	Lower kelly cock	2000	10	No visible leaks
6	Upper kelly cock	2000	10	No visible leaks
7	Blind rams, csg, 1st kill, 1st set manifold valves	1500	15	No visible leaks
8	Piperams, 1st kill, 1st choke	2000	10	No visible leaks
9	Hydril, 1st kill, 1st choke	1500	10	No visible leaks
10	Blind rams, 1st kill, 1st set manifold valves	2000	10	No visible leaks
11	Safety valve	2000	10	No visible leaks

PRINTED IN U.S.A.

DAY

NIGHT

CALIBRATED
CHARTS


Coastal oil & gas

METER NUMBER
TIME PUT ON
DATE PUT ON


TUBE & DRIF. SIZE
TIME TAKEN DIF
DATE TAKEN DIF

NBu 155 BR-2373 8-1-91
B 0-10-8

SIGNED
Coastal #1



PRINTED IN U. S. A.



16 NIGHT

PRINTED U.S.A.


DAY

NIGHT


CALIBRATED CHARTS
Coastal Oil & Gas

METER NUMBER		TUBE & ORIF. SIZE	
TIME PUT ON		TIME TAKEN OFF	
DATE PUT ON	M	DATE TAKEN OFF	M
	19		19

NB 155 BR-2373 8-1-91
 SIGNED B 0-10-8
Coastal Oil



COASTAL OIL & GAS CORP.
COASTAL DRILL #1



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number	ML-23607
7. Indian Allottee or Tribe Name	N/A
8. Unit or Communitization Agreement	Natural Buttes Unit
9. Well Name and Number	NBU # 155
10. API Well Number	43-047-32004
11. Field and Pool, or Wildcat	Natural Buttes

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells; deepen existing wells; or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)
2. Name of Operator Coastal Oil & Gas Corporation
3. Address of Operator P.O. Box 749, Denver, Colorado 80201-0749
4. Telephone Number (303) 573-4476
5. Location of Well Footage : 1546' FNL & 1279' FWL Co. Sec. T. R. M. : SENW Section 31, T9S-R22E County : Uintah State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other Pipeline Right-of-Way
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
• Must be accompanied by a cement verification report.

11. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Coastal Oil & Gas Corporation requests a right-of-way to install a 4" gas pipeline from the NBU # 155 gas well and tie into the existing gas pipeline. This right-of-way will be located in section 31, T9S -R22E, within lease #ML 23607 and within the Natural Buttes Unit boundaries. Coastal requests a 30' width easement with a total slope distance of 98' . There will be minimum surface disturbance as the pipeline will be laid on the surface. Please see the attached topographic map which illustrates this proposed right-of-way.

RECEIVED

APPROVED BY THE COMMISSIONER OF UTAH DIVISION OF OIL, GAS, AND MINING

SEP 26 1991


11-4-91
J.M. Matthews

DIVISION OF OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature *Gregory Annis Day*
(State Use Only)

Title Regulatory Analyst Date 9-24-91



TOTAL PIPELINE SLOPE DISTANCE = 98'

TOPOGRAPHIC
MAP

LEGEND

- EXISTING PIPELINE
- - - - - Proposed Pipeline



COASTAL OIL & GAS CORP.

PROPOSED PIPELINE RIGHT-OF-WAY FOR
NBU #155
SECTION 31, T9S, R22E, S.L.B.&M.

DATE 9-21-91

RJ

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

2. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

3. NAME OF OPERATOR
Coastal Oil & Gas Corporation

4. ADDRESS OF OPERATOR
P. O. Box 749 Denver, CO 80201-0749 (303) 573-4476

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface 1546' FNL & 1279' FWL

At top prod. interval reported below Same as above.

At total depth Same as above.

RECEIVED
OCT 16 1991

DIVISION OF
OIL GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.

ML-23607

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

Natural Buttes Unit

8. FARM OR LEASE NAME

NBU

9. WELL NO.

155

10. FIELD AND POOL OR WILDCAT

Natural Buttes

11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA

Section 31, T9S-R22E

14. API NO. 43-047-32004 DATE ISSUED 4/12/91

12. COUNTY Uintah

13. STATE Utah

15. DATE SPUNDED 7/25/91 16. DATE T.D. REACHED 8/7/91 17. DATE COMPL. (Ready to prod.) 8/14/91 (Plug & Abd.) 18. ELEVATIONS (DF, SER, RT, GR, ETC.) 4848' GR, 4860' KB 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 5710' 21. PLUG BACK T.D., MD & TVD 5652' 22. IF MULTIPLE COMPL. HOW MANY 23. INTERVALS DRILLED BY SFC-TD ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD) 4777'-5491' Wasatch 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN DLL-GR, Density-Neutron 8-29-91 27. WAS WELL CORED YES NO (Submit analysis) DRILL STEM TEST YES NO (See reverse side)

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
3-5/8"	24#	272'	12-1/4"	150 sx Pren + Add.	None
5-1/2"	17#	5707'	7-7/8"	955 sx HiFill & 50/50 Poz	None

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number) Perf'd w/4" csg gun @ following depths:
4777' 5434' 5464'
5361' 5451' 5472'
5367' 5458' 5491'

32. ACID, SHOT, FRACTURE CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4777'-5491'	4000 gals 3% KCl wtr + 18 BS's

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
8/14/91	Flowing	SI					
DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
8/14/91	24	20/64"	→	0	1500	0	N/A
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	
600	600	→	0	1500	0	N/A	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SI, WOPLC TEST WITNESSED BY D. Barone

35. LIST OF ATTACHMENTS Chronological report.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Eileen Danni Dey TITLE Regulatory Analyst DATE 10/10/91

See Spaces for Additional Data on Reverse Side

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.

ITEMS 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

37. SUMMARY OF POROUS ZONES:

Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

38. GEOLOGIC MARKERS

Formation	Top	Bottom	Description, contents, etc.	Name		
				Meas. Depth	True Vert. Depth	Top
				Wasatch Fm.	4429'	4429'

COASTAL OIL & GAS CORPORATION
CHRONOLOGICAL HISTORY

NBU #155
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 60% COGC AFE: 13103
ATD: 5700' (WASATCH) SD:
CSG: 8-5/8" @ 272'; 5-1/2" @ 5707'
DHC(M\$): 158.9

SE/NW SECTION 31-T9S-R22E

- 7/27/91 265' WO rig. Spud well @ 10:30 a.m., 7/25/91 w/Leon Ross Drlg. Drill 12-1/4" hole to 265'. Run 6 jts 8-5/8", K-55 24# ST&C, 8rd csg (260.06'). Set @ 260'. TOC @ ±220'. Cmt csg w/Howco. 150 sx Prem + 5., 2% CaCl₂, 1/4#/sk Floseale. Displ w/14-1/2 BW. Circ 3 bbls cmt to pit. Cmt in place @ 1:15 p.m., 7/26/91. Witness by Carol Kubly w/Utah State. CC: \$8399.
- 8/2/91 500' Drlg 270'/3.5 hrs. RD @ NBU 159 & move - RU. Test BOP and manifold to 2000 psi; hydril to 1500 psi; csg to 1500 psi. PU BHA & rot hd. Drlg cmt 230'-275'. ~~Flare~~ Spud @ 2:30 a.m., 8/2/91. Notified State of Utah (Jimmy Thompson) in SLC. No one witnessed. Local rep on vacation. Drlg w/air mist. 1400 SCFM. CC: \$95,487.
- 8/3/91 2120' Drlg 1620'/22.5 hrs. Drlg, svys: 1-1/2 deg @ 798'; 2 deg @ 1302'; 1-3/4 deg @ 2050'. Hit wtr @ 1375'. Aerated wtr, MW 8.3, VIS 26, PH 9.5, 700 CFM. CC: \$102,792.
- 8/4/91 3215' Drlg 1095'/23 hrs. Drlg, RS, svy: 1 deg @ 2910'. Drlg w/wtr - 4" water flow. MW 8.3, VIS 26, PH 9.5, NO AIR. CC: \$109,433.
- 8/5/91 4200' Drlg 985'/23 hrs. Drlg, RS, check BOP. Install blind flange. Drlg, WL svy: 1-1/2 deg @ 4055'. MW 8.3, VIS 26, PH 9.0. CC: \$115,692.
- 8/6/91 4960' Drlg 760'/23.5 hrs. Drlg, RS & chk BOP's. Drlg, 6'-8' flare. Drlg w/wtr. MW 8.4, VIS 26, PH 9.0, NO AIR. CC: \$124,646.
- 8/7/91 5445' Drlg 485'/17 hrs. Drlg, RS & chk BOP. Drlg, 100 bbls of 10 ppg brine. Svy & POH to 2200'. PU Kelly & spot 125 bbls of 10 ppg brine. POH w/BHA. LD SS & PU bit & BS. TIH, load pipe and wash 30' to btm, no fill. Drlg w/wtr. Drlg brk from 5367-5371'. Flare 8-10'. Svy: 1-1/4 deg @ 5150'. MW 8.4, VIS 26, PH 9.0. CC: \$132,140.
- 8/8/91 5710' TIH w/BHA to condition hole. Drlg, RS & chk BOP. Drlg, circ hole. Short trip 10 stds, no drag. Displace hole w/500 bbls 10 ppg brine. POH w/BHA. RU Halliburton logging and run combination DLL-GR-Density-Neutron tool. WL loggers TD 5694'. Run DLL-GR from 5694-2600' and run density-neutron from 5694-2500'. RD Halliburton. TIH w/BHA. Drlg w/wtr. MW 8.4, VIS 26, PH 9.0. CC: \$155,914.
- 8/9/91 5710' RDRT. RD LD machine. LD DP & DC. RU & run 135 jts 5-1/2" 17# J-55 LT&C csg. Tally run 5707'. Wash csg down 35' to btm @ 5710'. RU Halliburton and pump 430 sx Hi-Fill lead cmt w/1#/sk Capseal, 0.3% HR-7 and follow w/525 sx 50-50 Poz. Tail cmt w/2% gel, 10% salt, 0.4% Halad 24, 0.3% CFR-3, 1#/sk Capseal and 1/4#/sk Flocele. PD @ 5:05 p.m. w/2000 psi (500 psi over). Displaced w/131 bbls, had full returns except for last 16 bbls. Set slips w/80,000#. ND BOP and clean mud tanks. Released rig @ 8:00 p.m., 8/8/91. CC: \$230,524.

RECEIVED

OCT 16 1991

DIVISION OF
OIL GAS & MINING

THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

PAGE 2

NBU #155
SE/NW SECTION 31-T9S-R22E
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 60% COGC AFE: 13103
TD: 5710' (WASATCH)
CSG: 5-1/2" @ 5707'
PERFS: 4777'-5491'
CWC(M\$): \$358.8

- 8/11/91 POOH w/tbg. MIRU Welltech. PU 4-3/4" mill and tbg. Tag cmt @ 5652'. Circ hole clean.
DC: \$20,250 TC: \$250,774
- 8/12/91 Prep to spot acid. POOH w/tbg. MIRU HLS. Run CBL-GR from PBD to 300'. TOC @ 580'. Perf Wasatch w/9 holes from 4777' to 5491'. TIH w/2-3/8" tbg. Set @ 4732'. MIRU Smith Energy. Could not breakdown perfs.
DC: \$5,608 TC: \$256,382
- 8/13/91 Flow back breakdown. TIH w/tbg. Shot 1500 gal acid across perfs. Reset tbg. Breakdown perfs w/4000 gals 3% KCl and 18 ball sealers. MIR 7.5 BPM, AIR 6.5 BPM, ISIP 1800 psi, 15 min 110 psi. Swab 94 bbls in 10 runs. Well kicked off.
DC: \$8,494 TC: \$264,876
- 8/14/91 Flow testing. Flowing 1.5 MMCFD, FTP 600 psi, CP 600 psi, 20/64" choke.
- 8/15/91 SI waiting on frac. Kill well. TOOH w/tbg. LD tbg, ND BOP. Drop from report until further activity.
DC: \$1,100 TC: \$265,976

RECEIVED

OCT 16 1991

DIVISION OF
OIL GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number

ML-23607

7. Indian Allottee or Tribe Name

N/A

8. Unit or Communitization Agreement

Natural Buttes Unit

9. Well Name and Number

NBU #155

10. API Well Number

43-047-32004

11. Field and Pool, or Wildcat

Natural Buttes

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells; deepen existing wells; or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT for such proposals.

Type of Well
 Oil Well
 Gas Well
 Other (specify)

Name of Operator
 Coastal Oil & Gas Corporation

Address of Operator
 P. O. Box 749 Denver, CO 80201-0749

4. Telephone Number
 (303) 573-4476

Location of Well
 Footage 1546' FNL & 1279' FWL
 Q.C. Sec. T.R.M. : SE/NW Section 31, T9S-R22E

County : Uintah
 State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
 (Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
 (Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion 11/8/91

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 • Must be accompanied by a cement verification report.

2. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached chronological history for the fracture stimulation procedure performed on the above referenced well.

RECEIVED

DEC 19 1991

DIVISION OF
OIL GAS & MINING

I hereby certify that the foregoing is true and correct.

Name & Signature

Green Danni Day

Title Regulatory Analyst Date 12/16/91

State Use Only

THE COASTAL CORPORATION
PRODUCTION REPORT

RECEIVED

DEC 19 1991

CHRONOLOGICAL HISTORY

DIVISION OF
OIL GAS & MINING

PAGE 2

NBU #155
SE/NW SECTION 31-T9S-R22E
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH
WI: 60% COGC AFE: 13103
TD: 5710' (WASATCH)
CSG: 5-1/2" @ 5707'
PERFS: 4777'-5491'
CWC(M\$): \$358.8

- 11/1/91 MIRU Welltech.
DC: \$2,780 TC: \$268,756
- 11/2/91 Prep to kill well. Kill well w/150 bbls 3% KCl wtr. ND WH, NU BOP.
PU & RIH w/2-3/8" tbg. Well kicked off, kill well. Ran tbg. Well
kicked off.
DC: \$2,935 TC: \$271,691
- 11/3/91 SI, waiting on frac. Kill well w/20 bbls 3% KCl. Finish RIH w/tbg.
Well kicked 2 times while running tbg. EOT @ 4723' w/notched collar
on btm, SN 1-jt above btm. ND BOP, NU WH.
DC: \$15,280 TC: \$286,971
- 11/8/91 Flow test well. MIRU Western. Frac well w/60,000 gals gel w/30% CO₂
and 115,500 lbs sand, AIP 3600 psi @ 30 BPM. ISIP 2050 psi, 15 min
2010 psi. Shut well in 5 hrs. Flow back well.
DC: \$49,030 TC: \$336,001
- 11/9/91 Flwg 2500 MCFD CO₂, FTP 1150 psi, CP 900 psi, 20/64" choke. Light
mist.
- 11/10/91 Flwg 2500 MCFD CO₂, FTP 1100 psi, CP 900 psi, 20/64" choke. Light
mist.
- 11/11/91 Flwg 2500 MCFD CO₂, FTP 1100 psi, CP 900 psi, 20/64" choke. Light
mist.
- 11/12/91 Flwg 2500 MCFD CO₂, FTP 1120 psi, CP 900 psi, 20/64" choke. 5-10
BWPD.
- 11/13/91 Flwg 2500 MCFD, FTP 1075 psi, CP 900 psi, 20/64" choke. Gas will
burn.
- 11/14/91 SI, waiting on pipeline. Drop from report until further activity.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number	ML-23607
7. Indian Allottee or Tribe Name	N/A
8. Unit or Communitization Agreement	Natural Buttes Unit
9. Well Name and Number	NBU #155
10. API Well Number	43-047-32004
11. Field and Pool, or Wildcat	Natural Buttes

SUNDRY NOTICES AND REPORTS ON WELLS:

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
 Use APPLICATION FOR PERMIT— for such proposals.

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
 Coastal Oil & Gas Corporation

3. Address of Operator
 P. O. Box 749 Denver, CO 80201-0749

4. Telephone Number
 (303) 573-4476

5. Location of Well
 Footage : 1546' FNL & 1279' FWL
 QQ. Sec. T. R. M. : SE/NW Section 31, T9S-R22E
 County : Uintah
 State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
 (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
 (Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other Report of 1st Sales | |

Date of Work Completion 12/19/91

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The above referenced well was connected to CIG's gas salesline and 1st sales occurred @ 1:00 p.m., 12/19/91 with a rate of 1500 MCFD, FTP 1638 psi, SICP 1266 psi on 14/64" choke.

RECEIVED

JAN 27 1992

DIVISION OF
 OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Name & Signature

Colleen M. Davis

Title Regulatory Analyst Date 1/22/92

(State Use Only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

APR 17 1992

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS OIL GAS & MINING
DIVISION OF

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 Coastal Oil & Gas Corporation

3. Address and Telephone No.
 P. O. Box 749 Denver, CO 80201-0749 (303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 See Attached List

5. Lease Designation and Serial No.
 See Attached List

6. If Indian, Allottee or Tribe Name
 See Attached List

7. If Unit or CA, Agreement Designation
 Natural Buttes Unit

8. Well Name and No.
 See Attached List

9. API Well No.
 See Attached List

10. Field and Pool, or Exploratory Area
 Natural Buttes

11. County or Parish, State
 Uintah County, Utah

12 CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other NTL 2B; IV
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Coastal Oil & Gas Corporation hereby requests permission to dispose of produced water in unlined pits per NTL-2B, IV, for the subject wells.

- 1) These wells are completed in the Wasatch formation and produce less than 5 barrels of water per day on a monthly basis.
- 2) Two unlined pits per location will be used due to the size and layout of the locations: 40' x 40' x 8' and 6' x 6' x 6' deep with berms surrounding them. Each pit will be fenced and will have cement corner posts per BLM specifications. (See the attached typical facilities diagram.)
- 3) The average evaporation rate for the area compensated for annual rainfall is 70" per year.
- 4) The estimated percolation rate based on the soil characteristics under and adjacent to the pits is 2-6" per hour.
- 5) The depth of usable water aquifers in this area is approximately 1500'.


14. I hereby certify that the foregoing is true and correct.
 Signed Eileen Dana Dey Title Regulatory Analyst Date 4/14/92
 (This space for Federal or State office use)

Accepted by the State
of Utah Division of
Oil, Gas and Mining
 Date: 4-29-92

Approved by _____ Title _____
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

COASTAL OIL & GAS CORP.
NATURAL BUTTES UNIT
TYPICAL FACILITIES LAYOUT
NTL-2B; IV



13-Apr-92

NATURAL BUTTES

UINTAH COUNTY, UTAH

WELL #	LOCATION	STATE OR BLM	API
QUAD SEC TWP RGE	LEASE #	SURFACE	NUMBER
NBU #103	SENW 10 9 21	U-0141315	UTE 43-047-31956
NBU #104	SENE 16 9 21	ST ML-3282	UTE 43-047-31957
NBU #105	SWSW 17 9 21	U-0575	UTE 43-047-31955
NBU #106	NESW 21 9 21	U-0576	UTE 43-047-31946
NBU #107	SENW 26 9 21	ST ML-01194	STATE 43-047-31916
NBU #108	SESE 19 9 22	U-0284	UTE 43-047-31958
NBU #109	SENE 27 9 21	ST U-01194-A	STATE 43-047-31917
NBU #110	NENE 28 9 21	U-0576	FED. 43-047-31924
NBU #111	SWNW 25 9 21	ST U-01194	STATE 43-047-31920
NBU #112	SESE 33 9 22	U-01191	FED. 43-047-31930
NBU #113	SESE 34 9 22	U-0149077	FED. 43-047-31931
NBU #114	SWSW 5 10 21	U-01393-D	FED. 43-047-31923
NBU #115	NENW 10 10 21	U-0149079	FED. 43-047-31929
NBU #116	NWNW 6 10 22	U-464	FED. 43-047-31925
NBU #117	NENE 10 10 22	ST UT-01197-A	STATE 43-047-31914
NBU #118	SENE 22 9 20	U-0577-B	UTE 43-047-31969
NBU #119	SENW 22 9 20	U-0577-B	UTE 43-047-31973
NBU #120	NWNW 10 9 21	U-0141315	UTE 43-047-31972
NBU #121	NWNE 13 9 21	U-01193	UTE 43-047-
NBU #122	SWSE 13 9 21	U-01193	UTE 43-047-32085
NBU #123	NWNW 15 9 21	U-01188	UTE 43-047-31974
NBU #124	NWNE 16 9 21	ST ML-3282	UTE 43-047-31971
NBU #125	NESE 17 9 21	U-0575	UTE 43-047-32090
NBU #126	NENW 21 9 21	U-0576	UTE 43-047-31962
NBU #127	SWNW 21 9 21	U-0576	UTE 43-047-31963
NBU #128	SWSW 21 9 21	U-0576	UTE 43-047-31964
NBU #129	SENE 22 9 21	U-010950-A	UTE 43-047-31965
NBU #130	SWNW 22 9 21	U-0147566	UTE 43-047-31967
NBU #131	NWSW 23 9 21	U-0149075	UTE 43-047-31966
NBU #132	NWNW 26 9 21	ST U-01194	STATE 43-047-31938
NBU #133	SWNE 28 9 21	U-0576	FED. 43-047-31950
NBU #134	SWSW 28 9 21	U-0576	FED. 43-047-32011
NBU #135	NESE 18 9 22	U-461	UTE 43-047-32089
NBU #136	SWSE 19 9 22	U-0284	UTE 43-047-31968
NBU #137	SESE 30 9 22	ST ML-22935	STATE 43-047-31939
NBU #138A	SENE 33 9 22	U-01191-A	FED. 43-047-32151
NBU #139	SWNE 14 10 21	U-465	FED. 43-047-31948
NBU #140	NWNE 5 10 22	U-01191A	FED. 43-047-31947
NBU #141	SENW 6 10 22	U-464	FED. 43-047-32017
NBU #142	NESE 10 10 22	U-025187	FED. 43-047-32013
NBU #143	NWNE 10 9 21	U-0141315	UTE 43-047-32088
NBU #144	NWNW 23 9 21	U-0149075	UTE 43-047-32044
NBU #145	NWNE 27 9 21	ST U-01194-A	STATE 43-047-31976
NBU #146	SWNW 14 10 21	U-465	FED. 43-047-31985
NBU #147	NWSW 4 10 22	U-01191	FED. 43-047-31984
NBU #148	SESW 4 10 22	U-01191	FED. 43-047-31983
NBU #149	NESE 5 10 22	U-01191	FED. 43-047-31982
NBU #150	SENW 9 10 22	U-01196-B	FED. 43-047-31992
NBU #151	NWNW 9 10 22	U-01196-B	FED. 43-047-31991
NBU #152	SESE 9 10 22	U-01196-D	FED. 43-047-31990
NBU #153	SWNW 11 10 22	ST U-01197-A	STATE 43-047-31975
NBU #154	NWSE 26 9 21	ST ML-22934	STATE 43-047-32003
NBU #155	SENW 31 9 22	ST ML-23607	STATE 43-047-32004
NBU #156	SWNW 35 9 21	ST U-01194	STATE 43-047-32005
NBU #157	SESW 32 9 22	ST ML-22649	STATE 43-047-32007
NBU #158	NWSE 27 9 21	ST U-01194-A	STATE 43-047-31997
NBU #159	NESW 35 9 21	ST U-01194	STATE 43-047-31996
NBU #160	SESW 31 9 22	ST ML-22935-A	STATE 43-047-32006
NBU #161	SESE 32 9 22	ST ML-22649	STATE 43-047-32023
NBU #162	SENW 12 10 20	U-4478	FED. 43-047-32066
NBU #163	NENW 14 10 21	U-465	FED. 43-047-32069
NBU #164	NWSE 3 10 22	U-01191-A	FED. 43-047-32055
NBU #165	NENW 3 10 22	U-01191	FED. 43-047-32057
NBU #166	SWSE 28 9 21	U-0576	FED. 43-047-32065
NBU #167	SESW 25 9 21	ST U-01194	STATE 43-047-32054
NBU #168	NWSW 12 10 20	U-4478	FED. 43-047-32117
NBU #169	SESW 12 10 20	U-4478	FED. 43-047-32118

13-Apr-92

NATURAL BUTTES

UINTAH COUNTY, UTAH

WELL #	LOCATION				STATE OR BLM		API
	QUAD	SEC	TWP	RGE	LEASE #	SURFACE	NUMBER
NBU #170	NWNW	4	10	22	U-01191-A	FED.	43-047-32169
NBU #171	SENE	5	10	22	U-01191-A	FED.	43-047-32115
NBU #172	NENE	19	9	22	U-0284	UTE	43-047-32194
NBU #173	NWNE	33	9	22	U-01191-A	FED.	43-047-32116
NBU #174	NWNW	11	9	21	U-0141315	UTE	43-047-32193
NBU #175	NENW	28	9	21	U-0576	FED.	43-047-32143
NBU #176	SWNW	28	9	21	U-0576	FED.	43-047-32144
NBU #177	NESE	29	9	21	U-0581	FED.	43-047-32112
NBU #178	NWNE	30	9	21	U-0581	FED.	43-047-32121
NBU #179	SWSW	10	10	21	U-01416-A	FED.	43-047-32145
NBU #180	SWSE	10	10	22	U-025187	FED.	43-047-32113
NBU #181	SESW	9	9	21	U-0576	UTE	43-047-32161
NBU #182	SENW	11	9	21	U-0141315	UTE	43-047-32162
NBU #183 ✓	SWNW	27	9	21	ST U-01194-A	STATE	43-047-32122
NBU #184	SESW	30	9	22	U-463	FED.	43-047-32170
NBU #185	SWNE	3	10	22	U-01191-A	FED.	43-047-32171
NBU #186	SENE	30	9	22	U-463	FED.	43-047-
NBU #187	SESW	34	9	22	U-0149077	FED.	43-047-
NBU #188	SWSW	10	10	22	U-01196-C	FED.	43-047-
NBU #189	SESW	23	9	21	U-0149075	UTE	43-047-
NBU #190 ✓	NWNE	26	9	21	ST U-01194	STATE	43-047-
CIGE 110-7-9-21	SWSE	7	9	21	U-0575-B	UTE	43-047-31959
CIGE 111-13-9-21	SESW	13	9	21	U-01193	UTE	43-047-31954
CIGE 112-19-9-21	SESE	19	9	21	U-0581	UTE	43-047-31945
CIGE 113-21-9-21	SWNE	21	9	21	U-0576	UTE	43-047-31944
CIGE 114-34-9-21 ✓	NESE	34	9	21	ST U-01194-A	STATE	43-047-31915
CIGE 115-35-9-21 ✓	NWNE	35	9	21	ST ML-22582	STATE	43-047-31918
CIGE 116-29-9-22 ✓	NWSW	29	9	22	ST ML-22935	STATE	43-047-31919
CIGE 117-34-9-22	SWNW	34	9	22	U-0149077	FED.	43-047-31928
CIGE 118-35-9-22	NESE	35	9	22	U-010954A	FED.	43-047-32025
CIGE 119-15-10-21	NENE	15	10	21	U-01416-A	FED.	43-047-31927
CIGE 120-15-9-20	SENE	15	9	20	U-0144868	UTE	43-047-32032
CIGE 121-15-9-20	NWNE	15	9	20	U-0144868	UTE	43-047-32031
CIGE 122-7-9-21	NENE	7	9	21	U-0149767	UTE	43-047-32098
CIGE 123-7-9-21	SWNE	7	9	21	U-0575-B	UTE	43-047-32047
CIGE 124-9-9-21	NWSE	9	9	21	U-01188	UTE	43-047-32045
CIGE 125-13-9-21	NWNW	13	9	21	U-01193	UTE	43-047-32084
CIGE 126-13-9-21	NWSW	13	9	21	U-01193	UTE	43-047-32087
CIGE 127-16-9-21	NESW	16	9	21	ST ML-3141	UTE	43-047-32036
CIGE 128-18-9-21	NENE	18	9	21	U-0575	UTE	43-047-32046
CIGE 129-18-9-21	NENW	18	9	21	U-0581	UTE	43-047-32043
CIGE 130-19-9-21	NENE	19	9	21	U-0581	UTE	43-047-32030
CIGE 131-19-9-21	SWNE	19	9	21	U-0581	UTE	43-047-32029
CIGE 132-20-9-21	NWSW	20	9	21	U-0575	UTE	43-047-32028
CIGE 133-35-9-21 ✓	SWSE	35	9	21	ST ML-22582	STATE	43-047-31978
CIGE 134-1-10-20	SWSW	1	10	20	U-02270-A	FED.	43-047-31989
CIGE 135-3-10-21	SWSW	3	10	21	U-0149078	FED.	43-047-32001
CIGE 136-4-10-21 ✓	SWNE	4	10	21	ST ML-22940	STATE	43-047-31979
CIGE 137-6-10-21	SENE	6	10	21	U-01791	FED.	43-047-31988
CIGE 138A-6-10-21	SENW	6	10	21	U-01791	FED.	43-047-31987
CIGE 139-10-10-21	SWNE	10	10	21	U-0149079	FED.	43-047-31986
CIGE 140-16-10-21 ✓	NENE	16	10	21	ST ML-10755	STATE	43-047-31977
CIGE 141-7-10-22 ✓	NWNE	7	10	22	ST ML-23609	STATE	43-047-31970
CIGE 142-25-9-21 ✓	SENE	25	9	21	ST U-01189	STATE	43-047-31994
CIGE 143-34-9-21 ✓	SWNE	34	9	21	ST U-01194-A	STATE	43-047-31995
CIGE 144-2-10-22 ✓	SWNE	2	10	22	ST ML-22651	STATE	43-047-32022
CIGE 145-29-9-22 ✓	SENW	29	9	22	ST ML-22935	STATE	43-047-31993
CIGE 146-16-10-21 ✓	NWNE	16	10	21	ST ML-10755	STATE	43-047-32021
CIGE 147-36-9-22 ✓	SESW	36	9	22	ST ML-22650	STATE	43-047-32020
CIGE 148-31-9-22 ✓	NWNE	31	9	22	ST ML-22935-A	STATE	43-047-32024
CIGE 149-8-10-21	NWNE	8	10	21	U-01791	FED.	43-047-32056
CIGE 150-9-10-21	SWNE	9	10	21	U-01416	FED.	43-047-32058
CIGE 151-10-10-21	SWSE	10	10	21	U-0149079	FED.	43-047-32059
CIGE 152-33-9-22	SESW	33	9	22	U-01191-A	FED.	43-047-32068
CIGE 153-35-9-22	SESW	35	9	22	U-010954-A	FED.	43-047-32067
CIGE 154-13-10-20	NWNW	13	10	20	U-4485	STATE	43-047-32119
CIGE 155-9-9-21	SENE	9	9	21	U-01188-B	UTE	43-047-32157

13-Apr-92

NATURAL BUTTES

UINTAH COUNTY, UTAH

WELL #	LOCATION				STATE OR BLM		API NUMBER
	QUAD	SEC	TWP	RGE	LEASE #	SURFACE	
CIGE 156-16-9-21	NESE	16	9	21	ST ML-3282	UTE	43-047-32195
CIGE 157-16-9-21	SWNW	16	9	21	U-38409	UTE	43-047-32160
CIGE 158-21-9-21	NESE	21	9	21	U-0576	UTE	43-047-32158
CIGE 159-6-10-21	NWNE	6	10	21	U-01791	FED.	43-047-32120
CIGE 160-14-10-21	SWSE	14	10	21	U-01393-C	FED.	43-047-32124
CIGE 161-2-10-22	SESE	2	10	22	ST ML-22651	STATE	43-047-32168
CIGE 162-36-9-22	SESE	36	9	22	ST ML-22650	STATE	43-047-32164
CIGE 163-15-9-21	SENE	15	9	21	U-01193	UTE	43-047-32192
CIGE 164-34-9-22	NWNE	34	9	22	U-0149077	FED.	43-047-32141
CIGE 165-1-10-20	SWNW	1	10	20	U-02270-A	FED.	43-047-32114
CIGE 166-3-10-21	NENW	3	10	21	U-0149078	FED.	43-047-32172
CIGE 167-7-10-21	NENE	7	10	21	U-01791	FED.	43-047-32142
CIGE 168-16-10-21	NWSE	16	10	21	ST ML-10755	STATE	43-047-32123
CIGE 169-2-10-21	SENW	2	10	21	ST ML-22652	STATE	43-047-

**UTAH DIVISION OF OIL, GAS AND MINING
EQUIPMENT INVENTORY**

Operator: COASTAL OIL & GAS CORP. Lease: State: Y Federal:
 Indian: Fee:

Well Name: NBU STATE 155 API Number: 43-047-32004
 Section: 31 Township: 9S Range: 22E County: UINTAH Field:
NATURAL BUTTES
 Well Status: PGW Well Type: Oil: Gas: Y

PRODUCTION LEASE EQUIPMENT: Y CENTRAL BATTERY:

Y Well head Boiler(s) Compressor Separator(s)
Y Dehydrator(s) (2) Shed(s) Line Heater(s) Y Heated
 Separator
 VRU Heater Treater(s)

PUMPS:
 Triplex Y Chemical Centrifugal

LIFT METHOD:
 Pumpjack Hydraulic Submersible Flowing

GAS EQUIPMENT:

Y Gas Meters Purchase Meter Y Sales Meter

TANKS:	NUMBER	SIZE
	<u> </u> Oil Storage Tank(s)	<u> </u> BBLS
	<u> </u> Water Tank(s)	<u> </u> BBLS
	<u> </u> Power Water Tank	<u> </u> BBLS
	<u>YES</u> Condensate Tank(s)	<u>1-100 BARREL</u> BBLS
	<u> </u> Propane Tank	<u> </u> BBLS

REMARKS: SEPARATOR & DEHYDRATOR W/SHED; SALES METER W/SHED.

Location central battery: Qtr/Qtr: Section: Township:
 Range:

Inspector: DENNIS INGRAM Date: 6/23/93

PGW

COAL OIL & GAS CORP.

ML-23607


STATE NBH 155

43-047-32004

SEC 31 T9S R22E

6/23/93

JK



STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number
ML-23607

6. Indian, Allottee or Tribe Name:
N/A

7. Unit Agreement Name:
Natural Buttes Unit

8. Well Name and Number:
NBU #155

9. API Well Number:
43-047-32004

10. Field and Pool, or Wildcat
Natural Buttes

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such purposes

1. Type of Well: OIL GAS OTHER:

2. Name of Operator
Coastal Oil & Gas Corporation

3. Address and Telephone Number.
P.O. Box 749, Denver, CO 80201-0749 (303) 673-4476


4. Location of Well
Footages: **1546' FNL & 1279' FWL** County: **Uintah**
QQ,Sec., T., R., M.: **Section 31, T9S-R22E** State: **Utah**

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)	
<input type="checkbox"/> Abandon	<input type="checkbox"/> New Construction	<input type="checkbox"/> Abandon*	<input type="checkbox"/> New Construction
<input type="checkbox"/> Repair Casing	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Repair Casing	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Perforate
<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Perforate	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat or Acidize	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat or Acidize	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> Other _____	
<input checked="" type="checkbox"/> Other <u>Lwr tbg. acidize. install PLE</u>		Date of work completion _____	
Approximate date work will start <u>upon approval</u>		Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.	
		* Must be accompanied by a cement verification report.	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached procedure for work to be performed on the subject well.



13. Name & Signature Bonnie Carson Title Senior Environmental Analyst Date August 1, 1997

(This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 8/2/97
John R. Day

NBU #155-31-9-22
NATURAL BUTTES FIELD
SECTION 31 T9S R22E
WORKOVER PROCEDURE *HWTM*

WELL DATA

LOCATION: 1546' FNL 1279' FWL SEC. 31 T9S R22E
ELEVATION: 4848' GR., 4860' KB.
TD: 5710', PBD 5652' (1991); WLS 5518' (11/96)
CSG: 8-5/8", 24.0#, K-55 @ 272' w/ 150 SX.
5-1/2", 17.0#, J-55 @ 5707' w/ 955 SX.
TBG: 2-3/8", 4.7#, J-55 @ 4723'
FORMATION(S): WASATCH 4777' - 5491', 9 HOLES (1991)

PROCEDURE

1. MI & RU pulling unit. Blow down & kill well w/ minimum amount of 2% KCL water. ND WH. NU BOP. Record BLTR.
2. RIH w/ tbg to 5491'. RU service company. Spot 697 gal. 15% HCL acid w/ additives across perf's 4777' - 5491' to clean up possible scale. RD service company. PU above perf's & wait 3 hrs for acid to soak. RIH & land 2-3/8" tbg @ 5472' (new EOT).
4. ND BOP. NU WH. RD & MO pulling unit. RU swab unit. Swab/flow back to clean up.
5. Complete installation of plunger lift equipment. Return the well to sales.

DATE 07/10/97 WELL NBU 155
 FOREMAN _____ FIELD NATURAL BUTTES
 KB 4860' GL 4848'

SECTION 31 TWS: T9S
 COUNTY UINTAH RNG R22E
 STATE UT

1546' FNL 1279' FWL

SPUD 7/25/91 COMPL 8/14/97

CASING RECORD

SIZE	WT	GRADE	THD	AT	CMT
8-5/8"	24.0#	K-55		272'	150 SX.
5-1/2"	17.0#	J-55		5707'	955 SX.

TUBING RECORD

SIZE	WT	GRADE	THD	FROM	TO
2-3/8"	4.7#	J-55		0'	4723'
JTS 144	SN 4669'	AC	MUD ANCHOR SIZE	LGTH	

COMMENTS/PERFORATIONS:


8/91 WASATCH 4777' - 55491' 9 HOLES W/ 4" C.G.

4777'	5361'	5434'	5451'	5491'
	5367'		5458'	
			5464'	
			5472'	

BD W 4000 GAL 3% KCL WTR + 18 BS'S
 IPF 500 MCF 20/64" FTP 600 PSI
 FRAC'D W/ 115,500 # 20/40 SD + 60,000 GAL GEL W/ 30% CO2
 IPF (11/13/91) 2500 MCF
 12064" FTP 1075#, CP 900#

WLS (11/96) PBDT 5518' - NO PERF'S COVERED

FLS (5/97) FL @ 3985' - EOT 4723'



STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number

ML-23607

6. Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

Natural Buttes Unit

8. Well Name and Number:

NBU #155

9. API Well Number:

43-047-32004

10. Field and Pool, or Wildcat

Natural Buttes

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such purposes

1. Type of Well: OIL GAS OTHER:

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone Number.

P.O. Box 749, Denver, CO 80201-0749

(303) 573-4455

4. Location of Well

Footages: 1546' FNL & 1279' FWL

County: Uintah

QQ, Sec., T., R., M.: Section 31, T9S-R22E

State: Utah

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandon
- Repair Casing
- Change of Plans
- Convert to Injection
- Fracture Treat or Acidize
- Multiple Completion
- Other _____
- New Construction
- Pull or Alter Casing
- Recomplete
- Perforate
- Vent or Flare
- Water Shut-Off

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandon*
- Repair Casing
- Change of Plans
- Convert to Injection
- Fracture Treat or Acidize
- Other Lwr tbq. acidize. install PLE
- New Construction
- Pull or Alter Casing
- Perforate
- Vent or Flare
- Water Shut-Off


Date of work completion 9/4/97

Report results of **Multiple Completions** and **Recompletions** to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached chronological history for work performed on the subject well.



WTC
12-23-98
RJM

13. Name & Signature: Sheila Bremer Title: Environmental & Safety Analyst Date: September 11, 1997

(This space for State use only)

Acdz, Lwr tbg, inst PLE

- 08/20/97 **Prep to acidize.** MIRU Colo Well Serv rig #26. Blow well down, ND WH, ND BOP. PU & RIH w/ tbg. Tag fill @ 5520'. PU & land tbg for prod. 164 jts landed @ 5460' w/ notched collar on btm & PSN 1 jt above @ 5428'. Broached tbg. ND BOP, NU WH. SDFN.
DC: \$3,670 TC: \$3,670
- 08/21/97 **Prep to swab.** MI B J Serv. Held safety meeting. Test lines to 2000 psi. Pump 20 bbls 2% KCl, lead 750 gal 15% HCl w/ add. Displaced w/ 21 bbls 2%. Max 146 psi @ 4 BPM on vac @ end of job. Left acid on perms 3 hrs. Install PLE. MI Delco. No pressure on well. Made 11 swab runs, rec 24 bbls. IFL 4400', FFL 5300'. ITP 100 psi, FTP 0. ICP 300 psi, FCP 150 psi. SIFN.
DC: \$8,755 TC: \$12,425
- 08/22/97 **Swabbing.** -Swb 10 runs, rec 18 bbls. IFL 4700', FFL 5000'. ITP 50 psi, FTP 0. ICP 300 psi, FCP 300 psi. SIBP. Moved to swb acid on CIGE 148. Will try to run plunger in morning.
DC: \$630 TC: \$13,055
- 08/23/97 **On production.** Flowing 19 MCF, 1 BW, FTP 200 psi, CP 325 psi, 30/64" chk.
- 08/24/97 Flowing 12 MCF, 1 BW, FTP 100 psi, CP 320 psi, 30/64" chk.
- 08/25/97 Flowing 12 MCF, 0 BW, FTP 290 psi, CP 325 psi, 12/64" chk, 8 hrs, down 16 hrs. SI f/ PBU.
- 08/26/97 Flowing 33 MCF, 1 BW, FTP 275 psi, CP 325 psi, 30/64" chk.
- 08/27/97 Flowing 35 MCF, 0 BW, FTP 150 psi, CP 325 psi, 30/64" chk.
- 08/28/97 Flowing 53 MCF, 1 BW, FTP 130 psi, CP 325 psi, 30/64" chk.
- 08/29/97 Flowing 70 MCF, 1 BW, FTP 130 psi, CP 300 psi, 30/64" chk, 24 hrs.
- 08/30/97 Flowing 133 MCF, 1 BW, FTP 120 psi, CP 300 psi, 30/64" chk, 24 hrs.
- 08/31/97 Flowing 139 MCF, 1 BW, FTP 120 psi, CP 300 psi, 30/64" chk, 24 hrs.
- 09/01/97 Flowing 178 MCF, 1 BW, FTP 140 psi, CP 300 psi, 30/64" chk, 24 hrs.
- 09/02/97 Flowing 178 MCF, 1 BW, FTP 140 psi, CP 275 psi, 30/64" chk, 24 hrs.
- 09/03/97 Flowing 177 MCF, 1 BW, FTP 150 psi, CP 260 psi, 30/64" chk.
- 09/04/97 Flowing 178 MCF, 1 BW, FTP 120 psi, CP 260 psi, 30/64" chk, 24 hrs. Prior production: Flowing 83 MCF, 0 BW, FTP 130 psi, CP 350 psi, 30/64" chk. **Final Report.**

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 58 South 1200 East CITY Vernal STATE Utah ZIP 84078		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: 435-789-4433		8. WELL NAME and NUMBER: Exhibit "A"
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:

COUNTY: _____
STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA



TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation	
NAME (PLEASE PRINT) John T. Elzner	TITLE Vice President
SIGNATURE 	DATE 06-15-01
El Paso Production Oil & Gas Company	
NAME (PLEASE PRINT) John T. Elzner	TITLE Vice President
SIGNATURE 	DATE 06-15-01

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 14 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

010162788

AUTHENTICATION: 1061007

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION



David L. Siddall
Vice President

Attest:



Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

**DIVISION OF
OIL, GAS AND MINING**

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

JAN. 17. 2003 3:34PM

PORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

**RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.**

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.


We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chron





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:
Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
Exhibit "A"

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

9. API NUMBER:

3. ADDRESS OF OPERATOR:
9 Greenway Plaza CITY **Houston** STATE **TX** ZIP **77064-0995** PHONE NUMBER: **(832) 676-5933**

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH**


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____
State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY
By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED
FEB 28 2003
DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.
NAME (PLEASE PRINT) **David R. Dix** TITLE **Agent and Attorney-in-Fact**
SIGNATURE  DATE **12/17/02**

(This space for State use only)

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"
6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

9. API Well No.
SEE ATTACHED EXHIBIT "A"

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

10. Field and Pool, or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other
			SUCCESSOR OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed when testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED
MAR 04 2003

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
CHERYL CAMERON

Title
OPERATIONS

Signature
Cheryl Cameron

Date
March 4, 2003

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.
(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02	
FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No.

Unit:

NATURAL BUTTES

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 41J	31-09S-22E	43-047-31224	2900	STATE	GW	P
CIGE 97D-31-9-22	31-09S-22E	43-047-31729	2900	STATE	GW	P
NBU 155	31-09S-22E	43-047-32004	2900	STATE	GW	P
CIGE 148-31-9-22	31-09S-22E	43-047-32024	2900	STATE	GW	P
NBU 280	31-09S-22E	43-047-32865	2900	STATE	GW	P
CIGE 220-31-9-22	31-09S-22E	43-047-32884	2900	STATE	GW	P
NBU 326	31-09S-22E	43-047-33204	2900	STATE	GW	P
NBU 354	31-09S-22E	43-047-33231	2900	FEDERAL	GW	P
NBU 160	31-09S-22E	43-047-32006	2900	STATE	GW	PA
CIGE 241-32-9-22	32-09S-22E	43-047-33208	2900	STATE	GW	P
NBU 404	32-09S-22E	43-047-34375	2900	STATE	GW	P
NBU 281	32-09S-22E	43-047-32866	2900	STATE	GW	P
NBU 282	32-09S-22E	43-047-32867	2900	STATE	GW	P
CIGE 190-32-9-22	32-09S-22E	43-047-32912	2900	STATE	GW	P
NBU 157	32-09S-22E	43-047-32007	2900	STATE	GW	P
CIGE 96D-32-9-22	32-09S-22E	43-047-31730	2900	STATE	GW	P
NBU 51J	32-09S-22E	43-047-31234	2900	STATE	GW	P
CIGE 106D-32-9-22	32-09S-22E	43-047-31746	2900	STATE	GW	P
NBU CIGE 36D-32-9-22	32-09S-22E	43-047-30833	2900	STATE	GW	P
NBU 54N	32-09S-22E	43-047-30890	2900	STATE	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 03/18/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/18/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The FORMER operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

891008900A

8. Well Name and No.

Multiple Wells - see attached

9. API Well No.

Multiple Wells - see attached

10. Field and Pool, or Exploratory Area

Natural Buttes Unit

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple Wells - see attached

9S 22E 31

4304732004

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input type="checkbox"/> Other _____

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part III.C.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped.

The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing

and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached.

Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

J.T. Conley

Signature

J.T. Conley

COPY SENT TO OPERATOR

Date: 9-16-03

Initials: JHC Date: 9-2-2003

Title

Operations Manager

SEP 10 2003

DIV OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Accepted by the
Utah Division of
Oil, Gas and Mining

Date

Federal Approval of This
Action is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Date: 9/16/03

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions: Fill in blue boxes with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name: **Condensate Shrinkage Economics**

Is this job a well pull or production rig job ??? **N** (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/840	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before		After		Difference	
Oil Production	0.192	BOPD	0.194	BOPD	0.002	BOPD
Gas Production	0	MCFPD	0	MCFPD	0	MCFPD
Wtr Production	0	BWPD	0	BWPD	0	BWPD
Horse Power		HP		HP	0	HP
Fuel Gas Burned		MCFPD		MCFPD	0	MCFPD

Project Life:

Life = **20.0** Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR = **#DIV/0!**

AT Cum Cashflow:

Operating Cashflow = **(\$2,917)** (Discounted @ 10%)

Payout Calculation:

$$\text{Payout} = \frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$$

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = **NEVER** Years or **#VALUE!** Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.194 Bcpd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.

NBU/Ouray Field

RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

WELL	LEGALS	STFLEASENO	CANUMBER	APINO
NBU 149	5-10-22 NESE	UTU01191	891008900A	430473198200S1
NBU 150	9-10-22 SENW	UTU01196B	891008900A	430473199200S1
NBU 151	9-10-22 NWNW	UTU01196B	891008900A	430473199100S1
NBU 152	9-10-22 SESE	UTU01196D	891008900A	430473199000S1
NBU 153	11-10-22 SWNW	U01197A	891008900A	430473197500S1
NBU 154	26-9-21 NWSE	ML22934	891008900A	430473200300S1 ✓
NBU 155	31-9-22 SENW	ML23607	891008900A	430473200400S1 ✓
NBU 156	35-9-21 SWNW	U01194	891008900A	430473200500S1 ✓
NBU 157	32-9-22 SESW	ML22649	891008900A	430473200700S1 ✓
NBU 158	27-9-21 NWSE	U01194A	891008900A	430473199700S1 ✓
NBU 159SWD	35-9-21 NESW	U01194	891008900A	430473199600S1 ✓
NBU 161	32-9-22 SESE	ML22649	891008900A	430473202300S1 ✓
NBU 162	12-10-20 SENW	UTU4478	891008900A	430473206600S1
NBU 163	14-10-21 NENW	UTU465	891008900A	430473206900S1
NBU 164	3-10-22 NWSE	UTU01191A	891008900A	430473205500S1
NBU 165	3-10-22 NENW	UTU01191	891008900A	430473205700S1
NBU 166	28-9-21 SWSE	U05676	891008900A	430473206500S1
NBU 167	25-9-21 SESW	U01194	891008900A	430473205400S1 ✓
NBU 168	12-10-20 NWSW	UTU4478	891008900A	430473211700S1 ✓
NBU 169	12-10-20 SESW	UTU4478	891008900A	430473211800S1
NBU 170	4-10-22 NWNW	UTU01191A	891008900A	430473216900S1
NBU 171	5-10-22 SENE	UTU01191A	891008900A	430473211500S1
NBU 172	19-9-22 NENE	UTU0284	891008900A	430473219400S1
NBU 173	33-9-22 NWNE	UTU01191A	891008900A	430473211600S1
NBU 174	11-9-21 NWNW	UTU0141315	891008900A	430473219300S1
NBU 175	28-9-21 NENW	U05676	891008900A	430473214300S1
NBU 176	28-9-21 SWNW	U05676	891008900A	430473214400S1
NBU 177	29-9-21 NESE	UTU0581	891008900A	430473211200S1
NBU 178	30-9-21 NWNE	UTU0581	891008900A	430473212100S1
NBU 180	10-10-22 SWSE	UTU025187	891008900A	430473211300S1
NBU 181	9-9-21 SESW	UTU0576	891008900A	430473216100S1
NBU 182	11-9-21 SENW	UTU0141315	891008900A	430473216200S1
NBU 183	27-9-21 SWNW	U01194A	891008900A	430473212200S1 ✓
NBU 184	30-9-22 SESW	U463	891008900A	430473217000S1
NBU 185	3-10-22 SWNE	UTU01191A	891008900A	430473217100S1
NBU 186	30-9-22 SENE	U463	891008900A	430473223300S1
NBU 187	34-9-22 SESW	UTU0149077	891008900A	430473223000S1
NBU 188	10-10-22 SWSW	U01196C	891008900A	430473223400S1
NBU 189	23-9-21 SESW	UTU0149075	891008900A	430473223600S1
NBU 190	26-9-21 NWNE	U01194	891008900A	430473223200S1
NBU 191	15-9-21 SWSW	UTU010950A	891008900A	430473229800S1
NBU 192	22-9-21 NENW	UTU0147566	891008900A	430473229900S1
NBU 193	22-9-21 SWSW	UTU010950A	891008900A	430473230000S1
NBU 194	22-9-21 NESW	UTU010950A	891008900A	430473229600S1
NBU 195	11-9-21 NWNE	UTU0141317	891008900A	430473235500S1
NBU 198	22-9-21 NWSE	UTU010950A	891008900A	430473235700S1
NBU 199	9-9-21 SWSW	UTU0576A	891008900A	430473233700S1
NBU 200	19-9-22 NESE	UTU0284	891008900A	430473235900S1
NBU 201	9-9-21 SWNW	UTU0149767	891008900A	430473236400S1
NBU 202	8-9-21 NENE	UTU0149767	891008900A	430473233800S1
NBU 204	9-10-22 NWNE	UTU01196D	891008900A	430473234200S1
NBU 206	10-10-22 SWNW	U01196C	891008900A	430473234100S1
NBU 207	10-10-22 NENW	UTU69129	891008900A	430473232900S1 ✓
NBU 208	4-10-22 SESE	UTU01191	891008900A	430473234300S1
NBU 209	3-10-22 SWSW	UTU01191	891008900A	430473234500S1
NBU 210	10-10-22 NESW	U01196C	891008900A	430473234000S1
NBU 211	1-10-21 NWSW	U02842B	891008900A	430473233900S1
NBU 212	24-10-20 NENW	UTU4485	891008900A	430473239900S1
NBU 213	15-10-22 NWNW	UTU025187	891008900A	430473240100S1
NBU 214	27-9-21 NWSW	U01194	891008900A	430473246600S1 ✓
NBU 215	12-10-21 NWNW	UTU01190	891008900A	430473247100S1
NBU 216	15-9-21 NESW	UTU010950A	891008900A	430473248700S1
NBU 217	28-9-21 NESW	U05676	891008900A	430473248000S1
NBU 221X	34-9-21 NWNW	U01194A	891008900A	430473254500S1 ✓
NBU 222	11-10-22 SWNE	U01194A	891008900A	430473250900S1 ✓
NBU 223	26-9-21 NENW	U01194	891008900A	430473251700S1 ✓
NBU 224	26-9-21 NESW	U01194	891008900A	430473251600S1 ✓
NBU 228	17-9-21 SWSE	UTU0575	891008900A	430473263600S1
NBU 229	3-10-22 NWNE	UTU01191A	891008900A	430473259400S1
NBU 230A	3-10-22 SENE	UTU01191A	891008900A	430473290800S1
NBU 231	10-10-22 NWNE	U01197	891008900A	430473256100S1 ✓
NBU 236	30-9-22 SWNW	U463	891008900A	430473299400S1
NBU 242	5-10-22 SWSE	UTU01191	891008900A	430473294400S1
NBU 243	6-10-22 NWNW	UTU464	891008900A	430473293000S1
NBU 244	7-10-22 NESE	UTU466	891008900A	430473293100S1

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	1/6/2006
FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024

WELL NAME	CA No.	Unit:	NATURAL BUTTES UNIT					
	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on:
- (R649-9-2)Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- Reports current for Production/Disposition & Sundries on: ok

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet

7. **Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006

8. **Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
 The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203
BIA BOND = RLB0005239

APPROVED 5116106

Earlene Russell

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Title

DRILLING MANAGER

Signature

Randy Bayne

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
MUTIPLE WELLS

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

9. API Well No.

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

10. Field and Pool, or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) BRAD LANEY	Title ENGINEERING SPECIALIST
Signature	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by <i>Brad Laney</i>	Title	Date 5-9-06
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-23607
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well		8. WELL NAME and NUMBER: NBU 155
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONSHORE, L.P.		9. API NUMBER: 43047320040000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 720 929-6515 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1546 FNL 1279 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 31 Township: 09.0S Range: 22.0E Meridian: S		COUNTY: UINTAH
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 5/7/2011 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input checked="" type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	
	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		
THE SUBJECT WELL WAS RETURNED BACK TO PRODUCTION ON 05/07/2011.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Sheila Wopsock	PHONE NUMBER 435 781-7024	TITLE Regulatory Analyst
SIGNATURE N/A		DATE 5/27/2011