

# ENRON

## Oil & Gas Company

1801 California Street, Suite 3400, Denver, Colorado 80202 (303) 293-2525

January 17, 1992

Utah State Office  
Bureau of Land Management  
P.O. Box 45155  
Salt Lake City, Utah 84145-0155

RECEIVED

JAN 22 1992

DIVISION OF  
OIL GAS & MINING

Attention: Mr. Robert A. Henricks  
Chief, Branch of Fluid Minerals

RE: Designations of Agent  
NBU 303-6E, 306-18E, 310-24E, 311-23E,  
314-3E, 316-17E, 328-13E, 329-29E,  
330-29E, 333-2E, 334-3E, 335-23E,  
336-24E, 337-24E, 338-24E, 339-19E,  
340-20E, 341-29E, 342-35E, 343-36E,  
344-12E, 345-4E, 346-5E, 347-8E,  
348-9E, 312-2E  
Uintah County, Utah  
Natural Buttes Prospect  
1540-AA29, 1540-AA41, 0050612-000,  
0050615-000, 0050621-000, 0050622-000,  
0050623-000, 0050627-000, 0050628-000,  
0050630-000, 0050632-000, 0050637-000,  
0050638-000, 0050642-000, 0050686-000,  
0050691-000, 0050692-000

Gentlemen:


Enclosed, for your approval, are three (3) copies of a blanket Designation of Agent pertaining to Enron Oil & Gas Company's proposed twenty-six (26) wells listed on Exhibit "A" thereto. All copies have been originally executed on behalf of Coastal Oil & Gas Corporation.

When approved, please forward the approved Designation of Agent to my attention at the letterhead address.

If anything further is needed in connection with this matter, please contact the undersigned at the telephone number listed in the letterhead.

Yours very truly,

ENRON OIL & GAS COMPANY



Toni Lei Miller  
Project Landman

TLM/dac

9548T/Enclosure

cc: Vernal District, BLM (with copy of enclosure)  
Division of Oil, Gas & Mining, Attn: Ms. Tami Searing  
(with copy of enclosure)  
Jim Schaefer - Big Piney (with copy of enclosure)  
George R. McBride - Vernal (with copy of enclosure)  
Coastal Oil & Gas Corporation, Attn: Mr. Donald H. Spicer  
(with copy of enclosure)

## DESIGNATION OF AGENT

Robert A. Henricks  
Chief, Branch of Fluid Minerals

The undersigned is, on the records of the Bureau of Land Management Unit Operator under the Natural Buttes Unit Agreement, Uintah County, Utah, No. 14-08-00018900 approved January 5, 1968, and hereby designates:

NAME: Enron Oil & Gas Company

ADDRESS: P. O. Box 1815  
Vernal, Utah 84078

as its agent, with full authority to act in its behalf in complying with the terms of the unit agreement and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to drilling, testing, and completing the unit wells listed on the attached Exhibit "A" which are located in Uintah County, Utah.

This designation of agent does not relieve the Unit Operator of responsibility for compliance with the terms of the unit agreement. It is also understood that this designation of agent does not constitute an assignment of any interest under the unit agreement or any lease committed thereto.


The designated agent will be responsible for compliance with the Oil and Gas Operating Regulations as they relate to the drilling, testing, and completing of each of the subject wells. In accordance with 3104.2, bonding shall be provided by Enron Oil & Gas Company, Bond No. 81307603.

This designation of agent is deemed to be temporary and in no manner a permanent arrangement.

This designation is given only to enable the agent herein designated to drill the above specified unit well. Unless sooner terminated, this designation shall terminate as to each well when there is filed in the appropriate district office of the Bureau of Land Management a completed file of all required Federal reports pertaining to that well. At which time the Unit Operator shall assume all liability of that well and bonding shall be provided by the Unit Operator or as otherwise arranged by the unit agreement. It is also understood that this designation of agent is limited to field operations and does not cover administrative actions requiring specific authorization of the Unit Operator.

COASTAL OIL & GAS CORPORATION, Unit Operator

By:

  
Carl E. Lindberg, Vice President

Date: December 16, 1991



## EXHIBIT "A"

Attached to and made a part of that certain Designation of Agent dated December 16, 1991, from Coastal Oil & Gas Corporation.

| WELL NAME   | LOCATION |     |     |     |
|-------------|----------|-----|-----|-----|
|             | DIV.     | SEC | TWP | RGE |
| NBU 303-6E  | SESW     | 6   | 10  | 21  |
| NBU 306-18E | NESW     | 18  | 9   | 21  |
| NBU 310-24E | SWNE     | 24  | 9   | 21  |
| NBU 311-23E | SWSE     | 23  | 9   | 21  |
| NBU 314-3E  | SESW     | 3   | 9   | 21  |
| NBU 316-17E | SWNW     | 17  | 9   | 21  |
| NBU 328-13E | NESW     | 13  | 10  | 20  |
| NBU 329-29E | SENE     | 29  | 9   | 22  |
| NBU 330-29E | SENW     | 29  | 9   | 21  |
| NBU 333-2E  | NESW     | 2   | 9   | 21  |
| NBU 334-3E  | NESE     | 3   | 9   | 21  |
| NBU 335-23E | SENE     | 23  | 9   | 21  |
| NBU 336-24E | SENW     | 24  | 9   | 21  |
| NBU 337-24E | NESW     | 24  | 9   | 21  |
| NBU 338-24E | NENE     | 24  | 9   | 21  |
| NBU 339-19E | NWSW     | 19  | 9   | 22  |
| NBU 340-20E | NWSE     | 20  | 9   | 22  |
| NBU 341-29E | SESE     | 29  | 9   | 22  |
| NBU 342-35E | NENW     | 35  | 9   | 22  |
| NBU 343-36E | SENW     | 36  | 9   | 22  |
| NBU 344-12E | NWNE     | 12  | 10  | 20  |
| NBU 345-4E  | SWSW     | 4   | 10  | 21  |
| NBU 346-5E  | NWSE     | 5   | 10  | 21  |
| NBU 347-8E  | NESW     | 8   | 10  | 21  |
| NBU 348-9E  | NWNW     | 9   | 10  | 21  |
| NBU 312-2E  | SWSE     | 2   | 9   | 21  |

# ENRON

## OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

March 5, 1992

Bureau of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: APPLICATION FOR PERMIT TO DRILL  
NATURAL BUTTES UNIT 342-35E  
SECTION 35, T9S, R22E  
UINTAH COUNTY, UTAH  
LEASE NO. U-010954-A


Dear Mr. Forsman:

Enclosed are the original and two (2) copies of the Application for Permit to Drill and associated attachments for the referenced well.

If further information is required regarding this matter, please contact this office.

Sincerely,

ENRON OIL & GAS COMPANY



George R. McBride  
Sr. Production Foreman

### Attachments

cc: State Division of Oil, Gas & Mining  
D. Weaver/T. Miller  
D. Zlomke  
Suzanne Saldivar - Houston  
File

RECEIVED

MAR 18 1992

DIVISION OF  
OIL GAS & MINING

/lw  
NBU342-35EAPD

# ENRON

## OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

RECEIVED

MAR 04 1992

DIVISION OF  
OIL GAS & MINING

February 21, 1992

Bureau of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: NOTICE OF STAKING  
NATURAL BUTTES UNIT 342-35E  
Sec. 35, T9S, R22E  
Uintah County, Utah  
Lease No. U-010954-A


43-047-30010

Dear Mr. Forsman:

Attached is a Notice of Staking on the subject well.

If you require further information, please contact this office.

Very truly yours,  
ENRON OIL & GAS COMPANY



George McBride  
Sr. Production Foreman

Attachment

cc: ~~Division of Oil Gas & Mining~~  
Doug Weaver/Toni Miller  
Darrell Zlomke  
File

/lw  
NOSLTR

|  |                                   |                 |   |
|--|-----------------------------------|-----------------|---|
| NOTICE OF STAKING<br>(Not to be used in place of<br>Application to Drill Form 9-331-C)   |                                   | RMOGA<br>5/5/82 | 5. Lease Number<br>U-010954-A   |
| 1. Oil Well      Gas Well X      Other   |                                   |                 | 6. If Indian, Allottee or Tribe Name<br>Federal                                   |
| 2. Name of Operator<br>Enron Oil & Gas Company   |                                   |                 | 7. Unit Agreement Name<br>Natural Buttes Unit                                     |
| 3. Address of Operator or Agent<br>P. O. Box 1815, Vernal, Utah 84078  |                                   |                 | 8. Farm or Lease Name<br>Natural Buttes Unit                                      |
| 4. Surface Location of Well<br>(Governmental 1/4 or 1/4 1/4)<br><br>918' FNL & 2563' FEL NW/NE   |                                   |                 | 9. Well No.<br>342-35E  |
| Attach: Topographical or other acceptable map<br>Showing location, access road, and lease boundaries   |                                   |                 | 10. Field or Wildcat Name<br>NBU/Wasatch  |
| 14. Formation Objective(s)<br>Wasatch  | 15. Estimated Well Depth<br>7400' |                 | 11. Sec., T., R., M., or<br>Blk and Survey or Area<br>Sec. 35, T9S, R22E          |
| 16. To Be Completed by Operator Prior to Onsite<br>a. Location must staked - Completed<br>b. Access Road Flagged - Completed<br>c. Sketch and/or map of location, showing road, pad dimensions, reserve pit, cuts, and fills<br>(To be provided at onsite) |                                   |                 | 12. County or Parish    13. State<br>Uintah                                  Utah |
| 17. To Be Considered By Operators Prior to Onsite<br>a. H2S Potential - NA<br>b. Private Surface Ownership - NA<br>c. Cultural Resources (Archaeology) - Completed<br>d. Federal Right of Way  |                                   |                 |   |
| 18. Additional Information   |                                   |                 |   |
| 19. Signed <i>Luisa L. White</i> Title Sr. Admin. Clerk  |                                   | Date 02/21/92   |   |

**RECEIVED**

MAR 04 1992

DIVISION OF  
OIL GAS & MINING



TOPOGRAPHIC  
MAP "B"  
SCALE: 1" = 2000'  
DATE 2-12-92 MDA



ENRON OIL & GAS CO.  
NBU #342-35E  
SECTION 35, T9S, R22E, S.L.B.&M.

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPlicate  
1 COPY TO BUREAU  
1 COPY TO STATE

Form Approved  
Budget No. 42-00-013  
Estimate No. 20 100

**APPLICATION FOR PERMIT TO DRILL DEEPEN OR PLUG BACK**

U-010954-A

1. TYPE OF WELL: DRILL  DEEPEN  PLUG BACK

2. TYPE OF WELL:  CAP WELL  OTHER  SINGLE  MULTIPLE

3. NAME OF OPERATOR: **Enron Oil & Gas Company**

4. ADDRESS OF OPERATOR: **P.O. Box 1815, Vernal, Utah 84078**

5. NAME OF FEDERAL LEAD: **NATURAL BUTTES UNIT**

6. NAME OF STATE LEAD: **NATURAL BUTTES UNIT**

7. WELL NO.: **342-35E**

8. LOCATION OF WELL (Show location clearly and in accordance with any State requirements):  
**2563' FEL & 918' FNL NW/NE**  
At proposed prod hole:

9. FIELD AND POOL OR WILDCAT: **NBU/Wasatch 630**

10. COUNTY, T. & R. OR BLS AND SURVEY OR AREA: **Sec. 35, T9S, R22E**

11. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE:  
**22 Miles Southeast of Ouray, Utah**

12. COUNTY OF FILING: **Uintah** 13. STATE: **Utah**

14. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OF LEASE LINE FT: **918'±**

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL DRILLING COMPLETELY OR APPLIC. FOR ON THIS LEASE FT: **1134'±**

16. NO. OF ACRES IN LEASE: **600**

17. PROPOSED DEPTH: **7300' WSTC**

18. NO. OF ACRES ASSIGNED TO THIS WELL: **80**

19. ROTARY OR CABLE TOOL: **Rotary**

20. ELEVATIONS (Show whether DF, RT, GR, etc.): **5124' GR**

21. APPROX DATE WORK WILL START: **May 15, 1992**

**PROPOSED CASING AND CEMENTING PROGRAM**

| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER FOOT | SETTING DEPTH | QUANTITY OF CEMENT  |
|--------------|----------------|-----------------|---------------|---|
| 12 1/4"      | 9 5/8"         | 32.3#           | 240'          | 125 sx Class "G" + 2% CaCl2 + 1/4 #/sx celloflake. 50/50 Pozmix + 2% gel + 10% salt to 400' above all zone of interest (+ 10% excess). Light cement (11 PPG±) + LCM to 200' above oil shale or fresh water intervals (+ 5% excess). |
| 7 7/8"       | 4 1/2"         | 11.6#           | 7300'         |   |

**RECEIVED**

**MAR 18 1992**

**DIVISION OF  
OIL GAS & MINING**

- SEE ATTACHMENTS FOR:
- 8 Point Plan
  - Drilling Program
  - BOP Schematic
  - Surface Use and Operating Plan
  - Location Plat
  - Location Layout
  - Topographic Maps "A", "B", and "C"

Enron Oil & Gas Company will be the designated operator of the subject well under Nation Wide Bond #81307603.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout prevention program, if any.

SIGNED: *Linda L. Wall* TITLE: Sr. Admin. Clerk DATE: 3/5/92

(This space for Federal or State office use)

PERMIT NO. 43-047-302010 APPROVAL DATE: \_\_\_\_\_

APPROVED BY: \_\_\_\_\_ TITLE: \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

**APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING**

DATE: 3-25-92  
BY: *[Signature]*  
WELL SPACING: 649-2-3

**\*See Instructions On Reverse Side**



# ENRON OIL & GAS CO.

T9S, R22E, S.L.B.&M.

Well location, NBU #342-35E, located as shown in the NW 1/4 NE 1/4 of Section 35, T9S, R22E, S.L.B.&M. Uintah County, Utah.

## BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NE QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



### CERTIFICATION

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR  
 NO. 5709  
**ROBERT L. KAY**  
 REGISTERED LAND SURVEYOR  
 REGISTRATION NO. 5709  
 STATE OF UTAH

**UINTAH ENGINEERING & LAND SURVEYING**  
 P. O. BOX 1758 - 85 SOUTH - 200 EAST  
 VERNAL, UTAH - 84078

|                        |                             |
|------------------------|-----------------------------|
| SCALE<br>1" = 1000'    | DATE<br>2-12-92             |
| PARTY<br>G.S. J.F. MDA | REFERENCES<br>G.L.O. PLAT   |
| WEATHER<br>COLD        | FILE<br>ENRON OIL & GAS CO. |

▲ = SECTION CORNERS LOCATED. (Bross Caps)

EIGHT POINT PLAN

NATURAL BUTTES UNIT 342-35E

SECTION 35, T9S, R22E

UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS & WATER ZONES:

| FORMATIONS      | DEPTH  | TYPE ZONES      | MAXIMUM PRESSURE |
|-----------------|--------|-----------------|------------------|
| Green River     |        |                 |                  |
| Oil Shale       | 1,265  |                 |                  |
| "H" Marker      | 2,945' |                 |                  |
| "J" Marker      | 3,580' |                 |                  |
| Base "M" Marker | 4,115' |                 |                  |
| Wasatch         |        |                 |                  |
| Peters Point    | 4,512  | Gas             | 2,000 PSI        |
| Chapita Wells   | 5,042  | Gas             | 2,300 PSI        |
| Buck Canyon     | 5,602  | Gas             | 2,500 PSI        |
| Island          | 6,525  | Gas             | 2,900 PSI        |
| EST. TD         | 7,300' | Anticipated BHP | 3,300 PSI        |

All depths are based on estimated KB elevation 5,092'. Maximum pressure estimates are based on bottom hole pressures measured on offset or near vicinity wells to the subject well.

3. PRESSURE CONTROL EQUIPMENT: BOP Schematic Diagram attached.

4. CASING PROGRAM:

| <u>HOLE SIZE</u> | <u>INTERVAL</u> | <u>LENGTH</u> | <u>SIZE</u> | <u>WEIGHT</u> | <u>GRADE</u> | <u>MINIMUM SAFETY FACTOR</u> |              |                |          |
|------------------|-----------------|---------------|-------------|---------------|--------------|------------------------------|--------------|----------------|----------|
|                  |                 |               |             |               |              | <u>COLLAPSE</u>              | <u>BURST</u> | <u>TENSILE</u> |          |
| 12 1/4"          | 0' -240'        | 240'          | 9 5/8"      | 32.3#         | H-40         | ST&C                         | 1400 PSI     | 2270 PSI       | 254,000# |
| 7 7/8"           | 0' -7300'       | 7300'         | 4 1/2"      | 11.6#         | J-55         | LT&C                         | 4960 PSI     | 5350 PSI       | 154,000# |

All casing to be used will be new or inspected.

EIGHT POINT PLAN

NATURAL BUTTES UNIT 342-35E

PAGE NO. 2

5. MUD PROGRAM:

INTERVAL

0' - 240'  
240' - 4000'  
4000' - 6500'  
6500' - TD

MUD TYPE

Air  
Air/Mist & Aerated Water  
Aerated 3% KCl water or KCl substitute.  
Gel/polyacrylamide polymer w/LCM  
sweeps. Utilize air as necessary to  
minimize mud loss and prevent  
excessive water influx.

Severe lost circulation probable from 1000' to 3000'.  
Sufficient mud inventory will be maintained on location during drilling to  
handle any adverse conditions that may arise.

6. EVALUATION PROGRAM:

Logs: Dual Laterolog/GR From base of surface casing to TD.  
FDC-CNL/GR/Caliper TD to 2900'.  
0-150 GR, 2.68 FDC, 0-100 Linear 2" DLL.

Cores: None Programmed.  
DST' : None Programmed.

Completion: To be submitted at a later date.

7. ABNORMAL CONDITIONS:

None anticipated.

8. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

Attachment: BOP Schematic Diagram

**RECEIVED**

MAR 18 1992

CONDITIONS OF APPROVAL  
FOR THE SURFACE USE PROGRAM OF THE  
APPLICATION FOR PERMIT TO DRILL

DIVISION OF  
OIL GAS & MINING

Company/Operator: Enron Oil & Gas Company  
Well Name & Number: Natural Buttes Unit 342-35E  
Lease Number: U-010954-A  
Location: 2563' FEL & 918' FNL NW/NE Sec. 35 T. 9S R. 22E  
Surface Ownership: Federal Lands - BLM

**NOTIFICATION REQUIREMENTS**

- Location Construction - forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and related Equipment Tests - twenty-four (24) hours prior to running casing and tests.
- First Production Notice - within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

## THIRTEEN POINT SURFACE USE PROGRAM

### 1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing road.
- B. The proposed well site is located approximately 22 Miles Southeast of Ouray, Utah - See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

### 2. PLANNED ACCESS ROAD

- A. The access road will be 0.6 mile in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/18 foot running surface.
- C. Maximum grade on access road will be 8%.
- D. No turn outs will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges or major cuts & fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards or fences will be required or encountered.

New or reconstructed roads will be centerline - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossing shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

No Right-of-Way applications will be required.

As operator Enron Oil & Gas Company shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION

- A. Water wells - None.
- B. Abandoned wells - None
- C. Temporarily abandoned wells - None
- D. Disposal wells - None
- E. Drilling wells - None
- F. Producing wells - Eleven - See attached TOPO Map "C" for location of producing wells.
- G. Shut in wells - None
- H. Injection wells - None

4. LOCATION OF EXISTING/AND OR PROPOSED FACILITIES

A. ON WELL PAD

- 1. Tank batteries - None
- 2. Production facilities will be set on location if well is successfully completed for production. Facilities will consist of well head & valves, separator, dehy, 210 BBl condensate tank, meter house and attaching piping. See attached facility diagram.
- 3. Oil gathering lines - None
- 4. A 3 1/2" gathering line will be buried from dehy to southeast edge of location.
- 5. Injection lines - None
- 6. Disposal lines - None
- 7. Surface pits - None

B. OFF WELL PAD

- 1. Proposed location of attendant off pad gas flowlines shall be flagged prior to archaeological clearance.
- 2. A 4 1/2" OD steel above ground natural gas pipeline will be laid approximately 1400'± from proposed location to a point in the SW/NE of Sec. 22, T9S, R22E where it will tie into CIGE's existing line. Proposed pipeline crosses BLM administered lands within the Chapita Wells Unit, thus no Right-of-Way grant will be required. See attached Exhibit A showing pipeline route.
- 3. Proposed gas gathering pipeline will be a 4 1/2" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the southeast side of location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate rental or other financial obligation as determined by the authorized officer.

**5. LOCATION & TYPE OF WATER SUPPLY**

- A. Water supply will be from Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.s' water source in the SW/SW Sec. 35, T9S, R22E, Uintah County, Utah (State water right #49-1501).
- B. Water will be hauled by Target Trucking Inc.
- C. No water well will be drilled on lease.

**6. SOURCE OF CONSTRUCTION MATERIAL**

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of location.
- B. All construction material will come from Federal Land.
- C. No mineral materials will be required.

**7. METHODS OF HANDLING WASTE DISPOSAL**

**A. METHODS AND LOCATION**

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at an approved waste disposal facility.
- 4. Produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. During the 90 days period, an application for approval of a permanent disposal method and location, together with the required water analysis, will be submitted for the AO's approval
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on drilling rig to avoid leakage of oil to pit.

- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in reserve pit or be removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to reserve pit will be avoided by flaring them off in flare pit at time of recovery.

Burning will not be allowed. all trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge. The reserve pit will be lined.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. ANCILLARY FACILITIES

- A. No airstrips or camps are planned for this well.

9. WELL SITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills & cross sections.  
B. Refer to attached well site plat for rig layout and soil material stockpile location as approve on On-site.  
C. Refer to attached well site plat for rig orientation parking areas, and access road.

The reserve pit will be located on the northwest side of location.

The flare pit will be located downwind of the prevailing wind direction on the northwest side of location a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil will be stored on the northwest corner.

Access to the well pad will be from the north.

- NA Diversion ditch(es) shall be construct on the \_\_\_\_\_ side of the location (above/below) the cut slope, draining to the \_\_\_\_\_
- NA Soil compacted earthen berm(s) shall be placed on the \_\_\_\_\_ side(s) of the location between the \_\_\_\_\_
- NA The drainage(s) shall be diverted around the side(s) of the well pad location.
- NA The reserve pit and/or pad locations shall be constructed long and narrow for topographic reasons \_\_\_\_\_.

The NW corner of the location will be rounded off to prevent fill dirt from spilling over edge of hill top. The east side of location will also be moved in 15' at stake no. 1 to minimize the fill. Where access road meets main road, the alternate route to the west will be constructed.

#### **FENCING REQUIREMENTS**

All pits will be fenced according to the following minimum standards:

- A. 39 inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total eight of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16'.
- E. All wire shall be stretched by using a stretching device before is be attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

#### **10. PLANS FOR RESTORATION OF SURFACE**

##### **A. PRODUCING LOCATION**

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed

within 12 months from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc., will be removed. Contact appropriate surface management agency for required seed mixture.

B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP

Access road: Federal  
Location: Federal

12. OTHER INFORMATION

- A. Enron Oil & Gas Company will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:

-whether the materials appear eligible for the National Register of historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used.

-a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

-if the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guideline for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator Enron Oil & Gas Company will control noxious weeds along Right-of-Ways for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds will be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

- C. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for for stacking and storing drilling rigs.)

**Additional Surface Stipulations**

NA No construction or drilling activities shall be conducted between \_\_\_\_\_ and \_\_\_\_\_ because of \_\_\_\_\_

NA No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.

NA No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.

NA There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).

NA No cottonwood trees will be removed or damaged.

NA Pond will be constructed according to BLM specifications approximately \_\_\_\_\_ ft. \_\_\_\_\_ of the location, as flagged on onsite.

**LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION**

Enron Oil and Gas Company  
P.O. Box 1815  
Vernal, Utah 84078  
George McBride  
Telephone: (801) 789-0790

Enron Oil and Gas Company  
P.O. Box 250  
Big Piney, Wyoming  
Jim Schaefer  
Telephone: (307) 276-3331

All lease/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. Enron Oil & Gas Company is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.


A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

**Certification:**

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in the Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed here in will be performed by ENRON OIL & GAS COMPANY and its contractors and sub-contractors in conformity with this Plan and the terms and conditions under which it is approved.

3/6/92  
DATE

  
\_\_\_\_\_  
GEORGE R. MCBRIDE  
SR PRODUCTION FOREMAN


## 2000 PSIG BOP DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 3000 PSIG RATED.  
CASING FLANGE IS 11" 3000 PSIG RATED.  
BOPE 11" 2000 PSIG


### TESTING PROCEDURE:

1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.
2. Blind & Pipe rams will be tested to rated working pressure, 2000 psig.
3. Annular preventor will be tested to 50% of working pressure, 1500 psig.
4. Casing will be tested to 0.22 psi/ft. or 1500 psig. Not to exceed 70% of burst strength, whichever is greater.
5. All lines subject to well pressure will be pressure tested to the same pressure as blind & pipe rams.
6. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 2000 psig BOPE specifications.

H:\000\BOP\TAH.DTA



NATURAL BUTTES 342-35E  
 SECTION 35, T9S, R22E  
 UINTAH COUNTY, UTAH  
 FEDERAL LEASE # U-010954-A



**DRILLING PROGRAM**

Date: February 5, 1992

REVISION NO. & DATE: \_\_\_\_\_

PROSPECT: NATURAL BUTTES UNIT LEASE: U-010954A

WELL NAME & NUMBER: Natural Buttes Unit 342-35E

WELL CLASSIFICATION: DW-GAS ANTICIPATED PRODUCTION: OIL \_\_\_\_\_ GAS X OTHER \_\_\_\_\_  
TGS X

LOCATION CALL: 918' FNL & 2563' FWL (NE NW)  
Section 35, T9S, R21E  
Uintah County, Utah

ELEVATION: 5080' GL, 5092' KB (estimated)

DIRECTION LIMITATIONS: Maximum deviation for the hole will be 6° w/no more  
than a 1°/100' dogleg severity. See page number 4 for distance between  
surveys.

TYPE RIG: Land Rotary APPROVED DEPTH: 7300' PERMIT DEPTH: 7300'

CONDUCTOR NEEDED? No If yes, size & how set: \_\_\_\_\_

CRITERIA FOR DETERMINING CASING SEAT FOR CRITICAL STRINGS: WOC overnight  
before cutting off surface casing to weld on head.

CENTRALIZERS (DEPTH & TYPE):  
Surface - One 5-10' above shoe & top of first, second & fourth joint.  
Production - One @ middle of 1st jt & every third collar to 4500'±.

WELL NAME: Natural Buttes Unit 342-35E

## STAGE COLLARS, BASKETS, OTHER SPECIAL EQUIPMENT:

Surface - Guide shoeProduction - Guide shoe and differential fill float collar with top plug.Marker joints @ 3000' $\pm$  and 5000' $\pm$ .PUMPING RATES/SPECIAL INSTRUCTIONS: Circulate casing two hours prior to cementing. Reciprocate casing.LOGGING PROGRAM: DLL/GR from TD to base of surface casing.

FDC/CNL/GR/caliper from TD to 100' above Green River "H" Marker.

Continue caliper to desired top of cement.

CORES: None are anticipated.SAMPLES: Collect 30' samples from below surface casing to 4100' $\pm$ . Collect 10' samples from 4100' $\pm$  to TD.FORMATION TESTS: None are anticipated.MUD LOGGING: (Includes services & depth): From 4100' $\pm$  to TD.DETECTION & CONTROL EQUIPMENT: 10" 2 000 psig BOP with blind and pipe rams. 10" Annular Preventor. 10" rotating head. Test manifold & BOP's to 3000 psig. annular preventor to 1500 psig, surface casing to 1500 psig. Use certified pressure testing service company and leave a copy of the test chart in the doghouse until rig down.COMPLETION PROGRAM: To be submitted at a later date.OTHER SERVICES: None are anticipated.

WELL NAME: Natural Buttes Unit 342-35E

**FORMATION TOPS & DEPTHS (TENTATIVE)**

**FORMATION NAME & TYPE    ESTIMATED DEPTH (EL)    DATUM    THICKNESS & REMARKS**

See attached Prognosis.

X-MAS TREE: 10" 3000# weld on casing head, 6" 5000# x 10" 3000# tubing  
spool, 2-1/16" 5000# master valves.

**MUD PROGRAM**

| DEPTH INTERVAL | MUD WEIGHT | VIS   | WL (cc) | TYPE OF MUD  |
|----------------|------------|-------|---------|--|
| 0' to 240'     |            |       |         | Air  |
| 240' to 4000'  |            |       |         | Air/Mist & Aerated Water   |
| 4000' to 6500' |            |       |         | Aerated 3% KCl water or KCl substitute.  |
| 6500' to TD    | 8.5-9.2    | 32-45 | 10-15   | Gel/polyacrylamide polymer w/LCM sweeps. Utilize air as necessary to minimize mud loss and prevent excessive water influx. |

**DRILLING HAZARDS & SPECIAL INSTRUCTIONS**

Lost circulation from 1500' to 3000'+. Underbalanced circulation system will require rotating head. Potential gas kicks in Green River and Wasatch. Potential shale swelling/sloughing problems. Meter air & add foamer to maximize consistency of returns & maintain stable pit levels. Utilize air below 6500' as dictated by severity of lost circulation. Increase viscosity to 45 sec./qt. 12 hrs prior to projected TD.

**CEMENT PROGRAM**

| HOLE SIZE | CASING SIZE | DEPTH | CEMENT PROCEDURE   |
|-----------|-------------|-------|--|
| 12 1/2"   | 9"          | 240'  | Cement w/125 sx Class "G" cement + 2% CaCl <sub>2</sub> + 1/2#/sx celloflake. Circulate gelled water ahead of slurry.  |
| 7 7/8"    | 4 1/2"      | 7300' | Cover interval from TD to 4200'± w/50/50 Pozmix + 2% gel + 10% salt. Volume to be calculated from caliper log annular volume to 4200' plus 10% excess.<br><br>Cover interval from 4200'± to depth specified in conditions of approval with light cement plus specified additives. Volume to be calculated from caliper log annular volume from 4200'± to applicable upper depth plus 5% excess.<br><br>Circulate casing 2 hrs before cementing. Reciprocate casing during cementing. Pump 20 bbls fresh water ahead of slurry. |

**CASING PROGRAM**

| SIZE   | INTERVAL |       |        | WEIGHT |       |        | MINIMUM SAFETY FACTOR |              |                |
|--------|----------|-------|--------|--------|-------|--------|-----------------------|--------------|----------------|
|        | FROM     | TO    | LENGTH | #/FT.  | GRADE | THREAD | COLLAPSE (psig)       | BURST (psig) | TENSILE (psig) |
| 9-5/8" | 0'       | 240'  | 240'   | 32.3#  | H-40  | ST&C   | 1400                  | 2270         | 254,000        |
| 4-1/2" | 0'       | 7300' | 7300'  | 11.6#  | J-55  | LT&C   | 4960                  | 5350         | 154,000        |

**SURVEY SCHEDULE**

| DEPTH      | DISTANCE BETWEEN SURVEYS | MAX DEVIATIONS FROM VERTICAL | MAXIMUM CHANGE DEGREES/100' |
|------------|--------------------------|------------------------------|-----------------------------|
| 0' to 240' | 240'                     | 1 degree                     | 1 degree                    |
| 240' to TD | 500'<br>(or as needed)   | 6 degrees                    | 1 degree                    |

PREPARED BY: Jim R. Schaefer, Production Engineer

APPROVED BY: Dennis J. Brasel, Drilling Superintendent

APPROVED BY: Darrell E. Zlonke, District Manager




**EXHIBIT "A"**  
**GAS SALES PIPELINE**

SCALE: 1" = 2000'  
 DATE 2-12-92 MDA





**ENRON OIL & GAS CO.**

NBU #342-35E  
 SECTION 35, T9S, R22E, S.L.B.&M.




ENRON OIL & GAS CO.  
 LOCATION LAYOUT FOR  
 NBU #342-35E  
 SECTION 35, T9S, R22E, S.L.B.&M.


**NOTE:**  
 Flare Pit is to be located  
 a min. of 30' from the  
 Reserve Pit & a min. of  
 100' from the Well Head.



SCALE: 1" = 50'  
 DATE: 2-12-92  
 Drawn By: MDA




TYP. LOCATION LAYOUT  
 TYP. CROSS SECTIONS



**APPROXIMATE YARDAGES**

|                        |                        |   |                  |
|------------------------|------------------------|---|------------------|
| (6") Topsoil Stripping | = 1,100 Cu. Yds.       | EXCESS MATERIAL AFTER 5% COMPACTION     | = 1,730 Cu. Yds. |
| Remaining Location     | = 5,220 Cu. Yds.       | Topsoil & Pit Backfill (1/2 Pit Vol.)   | = 1,720 Cu. Yds. |
| <b>TOTAL CUT</b>       | <b>= 6,320 CU.YDS.</b> | EXCESS UNBALANCE (After Rehabilitation) | = 10 Cu. Yds.    |
| <b>FILL</b>            | <b>= 4,360 CU.YDS.</b> |   |                  |

Elev. Ungraded Ground at Location Stake = 5126.0'  
 Elev. Graded Ground at Location Stake = 5123.7'




TOPOGRAPHIC  
MAP "A"

DATE 2-12-92 MDA



**ENRON OIL & GAS CO.**

NBU #342-35E  
SECTION 35, T9S, R22E, S.L.B.&M.



TOPOGRAPHIC  
MAP "B"

SCALE: 1" = 2000'  
DATE 2-12-92 MDA



**ENRON OIL & GAS CO.**

NBU #342-35E  
SECTION 35, T9S, R22E, S.L.B.&M.



**Proposed Location:**  
**NBU #342-35E**

**LEGEND:**

- ◊ = Water Wells
- ◆ = Abandoned Wells
- ◐ = Temporarily Abandoned Wells
- ⊘ = Disposal Wells
- = Drilling Wells
- = Producing Wells
- ◐ = Shut-in Wells



**ENRON OIL & GAS CO.**

NBU #342-35E  
 SECTION 35, T9S, R22E, S.L.B.&M.  
**TOP O MAP "C"**

DATE: 2-12-92 MDA

OPERATOR Enron Oil Co N-0401 DATE 3-10-90

WELL NAME NBW 340-35E

SECTION NWNE 35 T 9S R 00E COUNTY Uintah

43-047-30010  
API NUMBER

Natural (1)  
TYPE OF LEASE

CHECK OFF:

PLAT.

BOND

NEAREST WELL

LEASE

FIELD SLBM

POTASH OR OIL SHALE

PROCESSING COMMENTS:

Included in fifth supplemental POD 6-31-91  
Water Permit 49-1501 target ducking  
Oil shale area

APPROVAL LETTER:

R615-2-3

R615-2-3

Natural Buttes  
UNIT

R515-3-2

N/A  
CAUSE NO. & DATE

R615-3-3

CONTINGENT CONDITIONS:

1- Oil shale area



# State of Utah

DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Norman H. Bangerter  
Governor

Dee C. Hansen  
Executive Director

Dianne R. Nielson, Ph.D.  
Division Director

355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203  
801-538-5340

March 25, 1992

Enron Oil and Gas Company  
P. O. Box 1815  
Vernal, Utah 84078

Gentlemen:

Re: NBU 342-35E Well, 918 feet from the north line, 2563 feet from the east line, NW1/4 NE1/4, Section 35, Township 9 South, Range 22 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 649-2-3 (formerly R. 615-2-3), and Utah R. 649-3-4 (formerly R. 615-3-4), approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq. (formerly R. 615-1 et seq.), Oil and Gas Conservation General Rules.
2. Notification within 24 hours after drilling operations commence.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.


Page 2  
Enron Oil and Gas Company  
NBU 342-35E  
March 25, 1992

6. Compliance with the requirements of Utah Admin. R. 649-3-20 (formerly R. 615-3-20), Gas Flaring or Venting, if the well is completed for production.

Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site should be submitted to the local health department. These drilling operations and any subsequent well operations should be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801)538-6159.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32212.

Sincerely,



R.J. Firth  
Associate Director, Oil and Gas

ots  
Enclosures  
cc: Bureau of Land Management  
J.L. Thompson  
WO11

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPLICATE\*  
(Other instruction  
reverse side)

Form approved.  
Budget Bureau No. 1004-0136  
Expires August 31, 1984

**APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK**

4 LEASE DESIGNATION AND SERIAL NO.

U-010954-A

5 IF INDIAN ALLOTTEE OR TRIBE NAME

1a TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

b TYPE OF WELL

ON WELL  GAS WELL  OTHER

SINGLE ZONE  MULTIPLE ZONE

2 NAME OF OPERATOR

Enron Oil & Gas Company

3 ADDRESS OF OPERATOR

P.O. Box 1815, Vernal, Utah 84078

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface:  
2563' FEL & 918' FNL NW/NE  
At proposed prod. zone

*B-047-32212*

14 DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

22 Miles Southeast of Ouray, Utah

15 DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. 918' ±  
(Also to deepest drig. unit line, if any)

16 NO OF ACRES IN LEASE

600

17 NO. OF ACRES ASSIGNED TO THIS WELL

80

18 DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL DRILLING COMPLETED OR APPLIED FOR ON THIS LEASE, FT.

1134' ±

19 PROPOSED DEPTH

7300'

20 ROTARY OR CABLE TOOLS

Rotary

21 ELEVATIONS (Show whether DF, RT, GR, etc.)

5124' GR

22 APPROX. DATE WORK WILL START\*

May 15, 1992

**PROPOSED CASING AND CEMENTING PROGRAM**

| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER FOOT | SETTING DEPTH | QUANTITY OF CEMENT  |
|--------------|----------------|-----------------|---------------|---|
| 12 1/4"      | 9 5/8"         | 32.3#           | 240'          | 125 sx Class "G" + 2% CaCl2 + 1/2 #/sx celloflake. 50/50 Pozmix + 2% gel + 10% salt to 400' above all zone of interest (+ 10% excess). Light cement (11 PPG±) + LCM to 100' above oil shale or fresh water intervals (+ 5% excess). |
| 7 7/8"       | 4 1/2"         | 11.6#           | 7300'         |   |

SEE ATTACHMENTS FOR:

- 8 Point Plan
- Drilling Program
- BOP Schematic
- Surface Use and Operating Plan
- Location Plat
- Location Layout
- Topographic Maps "A", "B", and "C"

MAR 1992  
RECEIVED

**RECEIVED**

APR 02 1992

DIVISION OF

**OIL GAS & MINING**

Enron Oil & Gas Company will be the designated operator of the subject well under Nation Wide Bond #813-7603.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

SIGNED *Linda J. Wallace* TITLE Sr. Admin. Clerk DATE 3/5/92

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

APPROVED BY *Thomas B. Clancy* TITLE ASSISTANT DISTRICT MANAGER MINERALS DATE MAR 31 1992

CONDITIONS OF APPROVAL, IF ANY:

**NOTICE OF APPROVAL**

**CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY**

\*See Instructions On Reverse Side

18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*DIV OGM 4*

**RECEIVED**

APR 02 1992

**CONDITIONS OF APPROVAL  
APPLICATION FOR PERMIT TO DRILL**

**DIVISION OF  
OIL GAS & MINING**

Company/Operator: Enron Oil & Gas Company

Well Name & Number: NBU 342-35E

Lease Number: U-010954-A

Location: NWNE Sec. 35 T. 9S R. 22E

Surface Ownership: Federal Lands administered by BLM

**NOTIFICATION REQUIREMENTS**

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill.

## CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

### A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones  
Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.  
  
All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.
2. Pressure Control Equipment  
  
The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.  
  
Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.  
  
The special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to if air is used as the principle drilling medium, i.e., if the rig mud pumps are not being utilized while drilling.
3. Casing Program and Auxiliary Equipment  
  
Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.  
  
As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at  $\pm$  2,220 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.
4. Mud Program and Circulating Medium  
  
Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.  
  
No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) shall be utilized to determine the top of cement (TOC) and bond quality for the production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or

other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All

wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka      (801) 781-1190  
Petroleum Engineer

Ed Forsman              (801) 789-7077  
Petroleum Engineer

BLM FAX Machine      (801) 789-3634

## **EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES**

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: ENRON 43-047-32212

WELL NAME: NBU 342-35E

Section 35 Township 9S Range 22E County UINTAH

Drilling Contractor VECO

Rig # 5

SPUDED: Date 5-4-92

Time 3:30 PM

How DRY HOLE

Drilling will commence \_\_\_\_\_

Reported by STEVE W/LEON ROSS

Telephone # 722-4469

Date 5-4-92 SIGNED CAK

# ENRON

## Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

May 13, 1992

Mr. Ed Forsman  
Bureau Of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: NATURAL BUTTES UNIT 342-35E  
LEASE: U-010954-A  
NWNE, SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice of spudding of the referenced well.

If further information is required, please contact this office.

Sincerely,

ENRON OIL & GAS COMPANY

*C.C. Parsons*  
C.C. Parsons  
District Manager

kc

cc: UOGCC  
D. Weaver  
T. Miller  
Vernal Office  
File

RECEIVED

MAY 15 1992

DIVISION OF  
OIL GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires September 30, 1990

**SUNDRY NOTICE AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT --" for such proposals  
**SUBMIT IN TRIPLICATE**

|   |  |   |
|---|--|---|
| 1. Type of Well<br>Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>        |  | 5. Lease Designation and Serial No.<br><b>U-010954-A</b>                |
| 2. Name of Operator<br><b>ENRON OIL &amp; GAS COMPANY</b>   |  | 6. If Indian, Allottee or Tribe Name                                    |
| 3. Address and Telephone No.<br><b>P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331</b>   |  | 7. If Unit or C.A., Agreement Designation<br><b>NATURAL BUTTES UNIT</b> |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br><b>2563' FEL - 918' FNL (NW/NE)<br/>SECTION 35, T9S, R22E</b> |  | 8. Well Name and No.<br><b>NATURAL BUTTES UNIT 342-35E</b>              |
|   |  | 9. API Well No.<br><b>43-047-32212</b>                                  |
|   |  | 10. Field and Pool or Exploratory Area<br><b>NATURAL BUTTES/WASATCH</b> |
|   |  | 11. COUNTY STATE<br><b>UINTAH, UTAH</b>                                 |

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                    | TYPE OF ACTION  |
|---|---|
| <input type="checkbox"/> NOTICE OF INTENT             | <input type="checkbox"/> ABANDONMENT                      |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT | <input type="checkbox"/> RECOMPLETION                     |
| <input type="checkbox"/> FINAL ABANDONMENT NOTICE     | <input type="checkbox"/> PLUGGING BACK                    |
|   | <input type="checkbox"/> CASING REPAIR                    |
|   | <input type="checkbox"/> ALTERING CASING                  |
|   | <input checked="" type="checkbox"/> OTHER <b>SPODDING</b> |
|   | <input type="checkbox"/> CHANGE OF PLANS                  |
|   | <input type="checkbox"/> NEW CONSTRUCTION                 |
|   | <input type="checkbox"/> NON-ROUTINE FRACTURING           |
|   | <input type="checkbox"/> WATER SHUT-OFF                   |
|   | <input type="checkbox"/> CONVERSION TO INJECTION          |

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company spudded 12-1/4" surface hole at the subject location on 5-5-92.  
The contractor was Leon Ross Drilling & Construction, Inc. Ed Forsman, of the Vernal BLM District office was notified of spud by the telephone on 5-5-92.

**RECEIVED**  
MAY 15 1992  
DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

SIGNED Katy Carlson TITLE Regulatory Analyst DATE 5-13-92

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

# ENRON

## Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

May 26, 1992

Mr. Ed Forsman  
Bureau Of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078


RE: NATURAL BUTTES UNIT 342-35E  
LEASE: U-010954-A  
NWNE, SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice of water encountered while drilling the subject well.

If further information is required, please contact this office.

Sincerely,

  
C.C. Parsons  
District Manager

kc

cc: UOGCC  
D. Weaver  
T. Miller  
Vernal Office  
File

RECEIVED

MAY 29 1992

DIVISION OF  
OIL GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires September 30, 1990

**SUNDRY NOTICE AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT --" for such proposals  
**SUBMIT IN TRIPLICATE**

|   |  |   |
|---|--|---|
| 1. Type of Well<br>Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>        |  | 5. Lease Designation and Serial No.<br><b>U-010954-A</b>                |
| 2. Name of Operator<br><b>ENRON OIL &amp; GAS COMPANY</b>   |  | 6. If Indian, Allottee or Tribe Name                                    |
| 3. Address and Telephone No.<br><b>P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331</b>   |  | 7. If Unit or C.A., Agreement Designation<br><b>NATURAL BUTTES UNIT</b> |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br><b>2563' FEL - 918' FNL (NW/NE)<br/>SECTION 35, T9S, R22E</b> |  | 8. Well Name and No.<br><b>NATURAL BUTTES UNIT 342-35E</b>              |
|   |  | 9. API Well No.<br><b>43-047-32212</b>                                  |
|   |  | 10. Field and Pool or Exploratory Area<br><b>NATURAL BUTTES/WASATCH</b> |
|   |  | 11. COUNTY STATE<br><b>UINTAH, UTAH</b>                                 |

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                    | TYPE OF ACTION   |
|---|--|
| <input type="checkbox"/> NOTICE OF INTENT             | <input type="checkbox"/> ABANDONMENT                               |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT | <input type="checkbox"/> RECOMPLETION                              |
| <input type="checkbox"/> FINAL ABANDONMENT NOTICE     | <input type="checkbox"/> PLUGGING BACK                             |
|   | <input type="checkbox"/> CASING REPAIR                             |
|   | <input type="checkbox"/> ALTERING CASING                           |
|   | <input checked="" type="checkbox"/> OTHER <b>WATER ENCOUNTERED</b> |
|   | <input type="checkbox"/> CHANGE OF PLANS                           |
|   | <input type="checkbox"/> NEW CONSTRUCTION                          |
|   | <input type="checkbox"/> NON-ROUTINE FRACTURING                    |
|   | <input type="checkbox"/> WATER SHUT-OFF                            |
|   | <input type="checkbox"/> CONVERSION TO INJECTION                   |

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and none pertinent to this work).

Water was encountered while drilling the subject well at a depth of 1465' KB in the Green River formation.  
Please find attached a copy of the Report of Water Encountered During Drilling (Form 7).

**RECEIVED**

MAY 29 1992

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

SIGNED \_\_\_\_\_ TITLE **Regulatory Analyst** DATE **5-26-92**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

**RECEIVED**

MAY 29 1992

REPORT OF WATER ENCOUNTERED DURING DRILLING - FORM 7 (1/89)

DIVISION OF  
OIL GAS & MINING

1. Well name and number: Natural Bites Unit 342-35E  
API number: 43-047-32212

2. Well location: QQ NE/4NW section 35 township 9S range 21E county Uintah

3. Well operator: Enron Oil & Gas Company  
Address: P. O. Box 250 phone: (307) 276-3331  
Big Piney, Wyoming 83113

4. Drilling contractor: Vaco Drilling, Inc.  
Address: Box 1705 phone: 303-242-6912  
Grand Junction, Col. 81502

5. Water encountered (continue on reverse side if necessary)

| Depth |    | Volume<br>(flow rate or head)   | Quality<br>(fresh or salty) |
|-------|----|---|-----------------------------|
| from  | to |   |                             |
| 1465  | —  | Water encountered while air/mist drilling. Insufficient head to flow to surface without surjection. | Salty                       |
|       |    |   |                             |
|       |    |   |                             |
|       |    |   |                             |
|       |    |   |                             |
|       |    |   |                             |
|       |    |   |                             |
|       |    |   |                             |

6. Formation tops: Green River Oil shale 1265  
"H" marker 2945

If any analysis has been made of the water encountered, please attach a copy of the report to this form.

I certify that this report is true and complete to the best of my knowledge.

Name: [Signature] Signature: [Signature]  
Title: Sr. Prod. Engineer Date: 5/26/92

Comments:

# ENRON

## OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

July 7, 1992

Bureau of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: Natural Buttes Unit 342-35E  
Sec. 35, T9S, R22E  
Uintah County, Utah


Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices requesting approval for water disposal method.

If you have any questions or need additional information, please contact this office.

Very truly yours,  
ENRON OIL & GAS COMPANY



George R. McBride  
Sr. Production Foreman

cc: ~~Division of Oil Gas & Mining~~  
Big Piney Office  
Doug Weaver/Toni Miller  
Suzanne Saldivar - Houston  
Diane Cross - Houston  
File

/lwSundry

**RECEIVED**

JUL 09 1992

DIVISION OF  
OIL GAS & MINING

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPlicate  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT-" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.  
**U-010954-A**  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

1. OIL WELL  GAS WELL  OTHER

7. UNIT AGREEMENT NAME  
**NATURAL BUTTES UNIT**

2. NAME OF OPERATOR  
**ENRON OIL & GAS COMPANY**

8. FARM OR LEASE NAME  
**NATURAL BUTTES UNIT**

3. ADDRESS OF OPERATOR  
**P.O. BOX 1815, VERNAL, UTAH 84078**

9. WELL NO.  
**342-35E**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface  
**2563' FEL & 918' FNL NW/NE**

10. FIELD AND POOL OR WILDCAT  
**NBU/WASATCH**

11. SEC., T., R., M., OR BLK. AND SURVEY OF AREA  
**SEC. 35, T9S, R22E**

14. PERMIT NO.  
**43-047-32212**

15. ELEVATIONS (show whether DF, RY, GR, etc.)  
**5124' GR**

12. COUNTY OR PARISH  
**UINTAH**

13. STATE  
**UTAH**

**Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data**

**NOTICE OF INTENTION TO:**

|                     |                          |                      |                                     |
|---------------------|--------------------------|----------------------|-------------------------------------|
| TEST WATER SHUT-OFF | <input type="checkbox"/> | PULL OR ALTER CASING | <input type="checkbox"/>            |
| FRACTURE TREAT      | <input type="checkbox"/> | MULTIPLE COMPLETE    | <input type="checkbox"/>            |
| SHOOT OR ACIDIZE    | <input type="checkbox"/> | ABANDON*             | <input type="checkbox"/>            |
| REPAIR WELL         | <input type="checkbox"/> | CHANGE PLANS         | <input checked="" type="checkbox"/> |

**SUBSEQUENT REPORT OF:**

|                       |                          |                 |                          |
|-----------------------|--------------------------|-----------------|--------------------------|
| WATER SHUT-OFF        | <input type="checkbox"/> | REPAIRING WELL  | <input type="checkbox"/> |
| FRACTURE TREATMENT    | <input type="checkbox"/> | ALTERING CASING | <input type="checkbox"/> |
| SHOOTING OR ACIDIZING | <input type="checkbox"/> | ABANDONMENT*    | <input type="checkbox"/> |

(Other) **WATER DISPOSAL METHOD**

(NOTE: Report results of multiple completion on Well Completion of Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

*Enron Oil and Gas Company requests approval to dispose of produced water from the subject well as follows:*

1. Store in above ground tank.
2. Haul by truck to State approved disposal - Ace Disposal, Inc.

**Accepted by the State of Utah Division of Oil, Gas and Mining**

Date: 7-14-92  
By: [Signature]

**RECEIVED**

**JUL 09 1992**

**DIVISION OF OIL GAS & MINING**

18. I hereby certify that the foregoing is true and correct

SIGNED Linda S. Wallace

TITLE *Sr. Admin. Clerk*

DATE

*7/7/92*

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

# ENRON

## Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

July 7, 1992

Mr. Ed Forsman  
Bureau Of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078


RE: FIRST SALES  
NATURAL BUTTES UNIT 342-35E  
LEASE: U-010954A  
NWNE, SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice describing the First Sales of the subject well.

If further information is required, please contact this office.

Sincerely,

  
C.C. Parsons  
District Manager

kc

cc: UOGCC  
D. Weaver  
T. Miller  
J. Tigner - 2043  
D. Cross - 2370  
Vernal Office  
File

**RECEIVED**

JUL 13 1992

DIVISION OF  
OIL GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires September 30, 1990

**SUNDRY NOTICE AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT --" for such proposals  
**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil Well       Gas Well       Other

2. Name of Operator

**ENRON OIL & GAS COMPANY**

3. Address and Telephone No.

**P.O. BOX 250, BIG PINEY, WY 83113      (307) 276-3331**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**2563' FEL - 918' FNL (NW/NE)  
SECTION 35, T9S, R22E**

5. Lease Designation and Serial No.

**U-010954-A**

6. If Indian, Allottee or Tribe Name

7. If Unit or C.A., Agreement Designation

**NATURAL BUTTES UNIT**

8. Well Name and No.

**NATURAL BUTTES UNIT 342-35E**

9. API Well No.

**43-047-32212**

10. Field and Pool or Exploratory Area

**NATURAL BUTTES/WASATCH**

11. COUNTY STATE

**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                    | TYPE OF ACTION   |
|---|--|
| <input type="checkbox"/> NOTICE OF INTENT             | <input type="checkbox"/> ABANDONMENT                         |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT | <input type="checkbox"/> RECOMPLETION                        |
| <input type="checkbox"/> FINAL ABANDONMENT NOTICE     | <input type="checkbox"/> PLUGGING BACK                       |
|   | <input type="checkbox"/> CASING REPAIR                       |
|   | <input type="checkbox"/> ALTERING CASING                     |
|   | <input checked="" type="checkbox"/> OTHER <b>FIRST SALES</b> |
|   | <input type="checkbox"/> CHANGE OF PLANS                     |
|   | <input type="checkbox"/> NEW CONSTRUCTION                    |
|   | <input type="checkbox"/> NON-ROUTINE FRACTURING              |
|   | <input type="checkbox"/> WATER SHUT-OFF                      |
|   | <input type="checkbox"/> CONVERSION TO INJECTION             |

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

**FIRST SALES: 7/6/92, 1559 MCFD, 12/64th choke, TP 1982 psig, CP 2125 psig.**

**RECEIVED**

**JUL 13 1992**

**DIVISION OF  
OIL GAS & MINING**

14. I hereby certify that the foregoing is true and correct

SIGNED *Daly Carlson* TITLE Regulatory Analyst

DATE 7-7-92

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

# ENRON

## Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

July 17, 1992

Mr. Ed Forsman  
Bureau Of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: COMPLETION REPORTS  
CHAPITA WELLS UNIT 306-27  
LEASE: U-0285-A  
NENE, SEC. 27, T9S, R22E  
NATURAL BUTTES UNIT 342-35E  
LEASE: U-010954-A  
NWNE, SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached, the Well Completion Reports describing the completion of the subject wells.

If further information is required, please contact this office.

Sincerely,

  
C.C. Parsons  
District Manager

kc

cc: UOGCC  
D. Weaver  
T. Miller  
J. Tigner - 2043  
D. Cross - 2370  
Vernal Office  
File

RECEIVED

JUL 20 1992

DIVISION OF  
LAND MANAGEMENT

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE

(See cover in-  
structions on  
reverse side)

Form approved.  
Budget Bureau No. 42-R355.5.

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG \***

1a. TYPE OF WELL: OIL WELL  GAS WELL  DRY  OTHER

1b. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. SERV.  OTHER

2. NAME OF OPERATOR  
ENRON OIL & GAS COMPANY

3. ADDRESS OF OPERATOR  
P.O. BOX 250, BIG PINEY, WYOMING 83113

4. LOCATION OF WELL (Report location clearly and in accordance with any State laws, regulations, or orders.)  
At surface 2563' FEL - 918' FNL (NW/NE)  
At top prod. interval reported below SAME  
At total depth SAME

14. PERMIT NO. 43-047-32212      DATE ISSUED 3-25-92

15. DATE SPUDDED 5-5-92      16. DATE T.D. REACHED 6-4-92      17. DATE COMPL. (Ready to produce) 7-6-92

18. ELEVATIONS (DF, REF. PT. OR ETC.) 5136' KB

20. TOTAL DEPTH, MD & TVD 7300'      21. PLUG, BACK T.D., MD & TVD 7256'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
5606' - 6828' WASATCH/ISLAND

26. TYPE ELECTRIC AND OTHER LOGS RUN  
DUAL LATERALS, COMP. DEPTH DUAL SPREAD NEUTRON  
DIL-GR-FDC-CNL-GR-Caliper-CBL-VDL-GR-CCL 6-17-92

27. WAS WELL CORRED NO

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD                   | AMOUNT CULLED |
|-------------|-----------------|----------------|-----------|------------------------------------|---------------|
| 9-5/8"      | 32.3# H-40      | 231.35' KB     | 12-1/4"   | 125sx Class "G" cement             | NONE          |
| 4-1/2"      | 10.5# J-55      | 7303.03' KB    | 7-7/8"    | 350sx Lite & 650sx<br>50-50 Pozmix | NONE          |

29. LINER RECORD

| SIZE   | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) |
|--------|----------|-------------|---------------|-------------|
| 2-3/8" |          |             |               |             |

30. TUBING RECORD

| SIZE   | DEPTH SET (MD) | PACKER SET (MD) |
|--------|----------------|-----------------|
| 2-3/8" | 6844.67' KB    |                 |

31. PERFORATION RECORD (Interval, size and number)  
ISLAND 6701-05', 6725-37' All w/2 SPF  
6797-6811' & 6814-28'  
CHAPITA WELLS 5703-08' & 5730-51'  
BUCK CANYON 5657-72', 5637-43' & 5606-28'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED   |
|---------------------|--|
| 6701-6828'          | 28,480 gals borate X-linked,<br>2% KCl water & 125,000 lbs 20/40<br>sand. Maximum pressure 4700<br>psig. (COVER) |

33. PRODUCTION

DATE FIRST PRODUCTION 7-6-92      PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FLOWING

WELL STATUS (Producing or shut-in) PRODUCING

| DATE OF TEST | HOURS TESTED | CHOKED SIZE | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF.  | WATER—BBL. | GAS-OIL RATIO |
|--------------|--------------|-------------|-------------------------|----------|-----------|------------|---------------|
| 7-16-92      | 24           | 12/64th     | →                       | 0 BO     | 1622 MCFD | 18 BW      |               |
|              |              |             |                         | 0 BO     | 1622 MCFD | 18 BW      |               |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)  
SOLD — QUESTAR

TEST WITNESSED BY TOM HUFFORD

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED Taly Carlson      TITLE REGULATORY ANALYST      DATE 7-17-92

\*(See Instructions and Spaces for Additional Data on Reverse Side)

**RECEIVED**

JUL 20 1992

DIVISION OF  
OIL & GAS MINING

5. LEASE DESIGNATION AND SERIAL NO.  
U 010954A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
NATURAL BUTTES UNIT

8. FARM OR LEASE NAME  
NATURAL BUTTES UNIT

9. WELL NO.  
342-35E

10. FIELD AND POOL, OR WILDCAT  
NATURAL BUTTES/WASATCH

11. SEC. T. R. M., OR BLOCK AND SURVEY OR AREA  
SECTION 35, T9S, R22E

12. COUNTY OR PARISH  
UINTAH

13. STATE  
UTAH

18. ELEV. CENSUS READ  
5124' PREP. BGL.

25. WAS DIRECTIONAL SURVEY MADE  
NO

26. WAS WELL CORRED  
NO

REPRODUCTION



|          |        |
|----------|--------|
| Routing: |        |
| 1- LCR   | 7-1-92 |
| 2- DRS   | 7-1-92 |
| 3- VLC   | ✓      |
| 4- RJF   | ✓      |
| 5- RWM   | ✓      |
| 6- ADA   | ✓      |

Attach all documentation received by the division regarding this change.  
Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold)       Designation of Agent  
 Designation of Operator             Operator Name Change Only

\*DATE OF COMPLETION  
7-6-92

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-6-92)

TO (new operator) COASTAL OIL & GAS CORP.  
 (address) PO BOX 749  
DENVER, CO 80201-0749  
 phone (303) 572-1121  
 account no. N 0230(X)

FROM (former operator) ENRON OIL & GAS CO.  
 (address) PO BOX 1815  
VERNAL, UT 84078  
LINDA WALL  
 phone (801) 789-0790  
 account no. N 0401

Well(s) (attach additional page if needed):

\*NATURAL BUTTES UNIT

|                               |                          |                      |  |                             |
|-------------------------------|--------------------------|----------------------|--|-----------------------------|
| Name: <u>NBU 342-35E/WSTC</u> | API: <u>43-047-32212</u> | Entity: <u>02900</u> | Sec <u>35</u> Twp <u>9S</u> Rng <u>22E</u> | Lease Type: <u>U010954A</u> |
| Name: _____                   | API: _____               | Entity: _____        | Sec _____ Twp _____ Rng _____              | Lease Type: _____           |
| Name: _____                   | API: _____               | Entity: _____        | Sec _____ Twp _____ Rng _____              | Lease Type: _____           |
| Name: _____                   | API: _____               | Entity: _____        | Sec _____ Twp _____ Rng _____              | Lease Type: _____           |
| Name: _____                   | API: _____               | Entity: _____        | Sec _____ Twp _____ Rng _____              | Lease Type: _____           |
| Name: _____                   | API: _____               | Entity: _____        | Sec _____ Twp _____ Rng _____              | Lease Type: _____           |

OPERATOR CHANGE DOCUMENTATION

- CP 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- NA 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). \* See Unit Agreement
- NA 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_\_ If yes, show company file number: \_\_\_\_\_.
- NA 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below. \* See Unit Agreement
- CP 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (7-31-92)
- CP 6. Cardex file has been updated for each well listed above. (7-31-92)
- CP 7. Well file labels have been updated for each well listed above. (7-31-92)
- CP 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (7-31-92)
- CP 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) yes (If entity assignments were changed, attach copies of Form 6, Entity Action Form). 99999 to 02900
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date \_\_\_\_\_ 19\_\_\_\_. If yes, division response was made by letter dated \_\_\_\_\_ 19\_\_\_\_.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated \_\_\_\_\_ 19\_\_\_\_, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases.

MICROFILMING

- 1. All attachments to this form have been microfilmed. Date: August 5 1992

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE

(See instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R555.5

5. LEASE REGISTRATION AND SERIAL NO.

U 010954A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NATURAL BUTTES UNIT

8. FARM OR LEASE NAME

NATURAL BUTTES UNIT

9. WELL NO.

342-35E

10. FIELD AND POOL, OR WILDCAT

NATURAL BUTTES/WASATCH

11. SEC. T. R. M., OR BLOCK AND SURVEY OR AREA

SECTION 35, T9S, R22E

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG \***

1a. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_

b. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  FLUG BACK  DIFF. RESRV.

2. NAME OF OPERATOR  
ENRON OIL & GAS COMPANY

3. ADDRESS OF OPERATOR  
P.O. BOX 250, BIG PINEY, WYOMING 83113

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)  
At surface 2563' FEL - 918' FNL (NW/NE)  
At top prod. interval reported below SAME  
At total depth SAME

**RECEIVED**  
AUG 06 1992  
DIVISION OF  
OIL GAS & MINING

14. PERMIT NO. 43-047-32212      DATE ISSUED 3-25-92

15. DATE SPUDDED 5-5-92      16. DATE T.D. REACHED 6-4-92      17. DATE COMPL. (Ready to prod.) 7-6-92      18. ELEVATIONS (DF, RES, RT, OR, ETC.)\* 5136' KB      19. ELEV. CASINGHEAD 5124' PREP. EGL.

20. TOTAL DEPTH, MD & TVD 7300'      21. FLUG BACK T.D., MD & TVD 7256'      22. IF MULTIPLE COMPL., HOW MANY\* \_\_\_\_\_      23. INTERVALS DRILLED BY ROTARY

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)\*  
5606' - 6828' WASATCH/ISLAND

26. TYPE ELECTRIC AND OTHER LOGS RUN  
DIL-GR-FDC-CNL-GR-Caliper-CBL-VDL-GR-CCL

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD                   | AMOUNT FULLED |
|-------------|-----------------|----------------|-----------|------------------------------------|---------------|
| 9-5/8"      | 32.3# H-40      | 231.35' KB     | 12-1/4"   | 125sx Class "G" cement             | NONE          |
| 4-1/2"      | 10.5# J-55      | 7303.03' KB    | 7-7/8"    | 350sx Lite & 650sx<br>59-50 Pozmix | NONE          |

29. LINER RECORD      30. TUBING RECORD

| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) | SIZE   | DEPTH SET (MD) | PAGES: SET (MD) |
|------|----------|-------------|---------------|-------------|--------|----------------|-----------------|
|      |          |             |               |             | 2-3/8" | 6844.67' KB    |                 |

31. PERFORATION RECORD (Interval, size and number)  
ISLAND 6701-05', 6725-37' All w/2 SPF  
6797-6811' & 6814-28'  
CHAPITA WELLS 5703-08' & 5730-51'  
BUCK CANYON 5657-72', 5637-43' & 5606-28'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED  |
|---------------------|---|
| 6701-6828'          | 28,480 gals borate X-linked<br>2% KCl water & 125,000# sand.<br>Maximum pressure 4700 psig. |

33. PRODUCTION

| DATE FIRST PRODUCTION | PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) | WELL STATUS (Producing or shut-in) |
|-----------------------|---|------------------------------------|
| 7-6-92                | FLOWING   | PRODUCING                          |

| DATE OF TEST | HOURS TESTED | CHUCK SIZE | PROD'N. FOR TEST PERIOD | OIL--BBL. | GAS--MCF. | WATER--BBL. | GAS-OIL RATIO |
|--------------|--------------|------------|-------------------------|-----------|-----------|-------------|---------------|
| 7-16-92      | 24           | 12/64th    | →                       | 0 BO      | 1622 MCFD | 18 BW       |               |

| FLOW, TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE | OIL--BBL. | GAS--MCF. | WATER--BBL. | OIL GRAVITY-API (CORR.) |
|---------------------|-----------------|-------------------------|-----------|-----------|-------------|-------------------------|
| 1325 psig           | 1525 psig       | →                       | 0 BO      | 1622 MCFD | 18 BW       |                         |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)  
SOLD - QUESTAR

TEST WITNESSED BY  
TOM HUFFORD

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED Eddy Carlson TITLE REGULATORY ANALYST DATE 7-17-92

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

**37. SUMMARY OF POROUS ZONES:**

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING

DEPTH INTERVAL TESTED, CURSION USED, TIME TOOL-OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

| FORMATION | TOP   |                   | DESCRIPTION, CONTENTS, ETC. | BOTTOM |                   | GEOLOGIC MARKERS |             |                   |
|-----------|-------|-------------------|-----------------------------|--------|-------------------|------------------|-------------|-------------------|
|           | DEPTH | TRUS. VERT. DEPTH |                             | DEPTH  | TRUS. VERT. DEPTH | NAME             | MEAS. DEPTH | TRUS. VERT. DEPTH |
|           |       |                   |                             |        |                   | GREEN RIVER      | 4159'       | + 977             |
|           |       |                   |                             |        |                   | BASE "M" MARKER  | 4423'       | + 713             |
|           |       |                   |                             |        |                   | "N" LIMESTONE    |             |                   |
|           |       |                   |                             |        |                   | WASATCH          | 4533'       | + 603             |
|           |       |                   |                             |        |                   | PETER'S POINT    | 5063'       | + 78              |
|           |       |                   |                             |        |                   | CHAPITA WELLS    | 5623'       | - 487             |
|           |       |                   |                             |        |                   | BUCK CANYON      | 6346'       | -1410             |
|           |       |                   |                             |        |                   | ISLAND           |             |                   |

**ENRON**  
**Oil & Gas Company**

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

March 26, 1993

RECEIVED

MAR 31 1993

Mr. Ed Forsman  
Bureau of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

DIVISION OF  
OIL GAS & MINING

RE: RECOMPLETION  
NATURAL BUTTES UNIT 342-35E  
LEASE: U-010954A  
NW/NE, SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH

Mr. Forsman:

Please find attached a Sundry Notice describing the proposed recompletion of the subject well.

If you have any questions or require additional information regarding this matter, please contact this office.

Sincerely,

  
C.C. Parsons  
Division Operations Manager

JLS

cc: UOG&M  
D. Weaver  
A.C. Morris  
J. Tigner - EB 2043  
Vernal Office  
File

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires September 30, 1990

**SUNDRY NOTICE AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT --" for such proposals

**SUBMIT IN TRIPLICATE**

|   |  |   |
|---|--|---|
| 1. Type of Well<br>Oil <input type="checkbox"/> WELL Gas <input checked="" type="checkbox"/> Well <input type="checkbox"/> WIW                |  | 5. Lease Designation and Serial No.<br><b>U-010954A</b>                 |
| 2. Name of Operator<br><b>ENRON OIL &amp; GAS COMPANY</b>   |  | 6. If Indian, Allottee or Tribe Name                                    |
| 3. Address and Telephone No.<br><b>P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331</b>   |  | 7. If Unit or C.A., Agreement Designation<br><b>NATURAL BUTTES UNIT</b> |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br><b>2563' FEL - 918' FNL (NW/NE)</b><br><b>SECTION 35, T9S, R22E</b> |  | 8. Well Name and No.<br><b>NATURAL BUTTES UNIT 342-35E</b>              |
| 12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA   |  | 9. API Well No.<br><b>43-047-32212</b>                                  |
| TYPE OF SUBMISSION  |  | 10. Field and Pool or Exploratory Area<br><b>NATURAL BUTTES/WASATCH</b> |
| TYPE OF ACTION  |  | 11. COUNTY STATE<br><b>UINTAH UTAH</b>                                  |

|  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT | <input type="checkbox"/> ABANDONMENT             | <input type="checkbox"/> CHANGE OF PLANS         |
| <input type="checkbox"/> SUBSEQUENT REPORT           | <input checked="" type="checkbox"/> RECOMPLETION | <input type="checkbox"/> NEW CONSTRUCTION        |
| <input type="checkbox"/> FINAL ABANDONMENT NOTICE    | <input type="checkbox"/> PLUGGING BACK           | <input type="checkbox"/> NON-ROUTINE FRACTURING  |
|  | <input type="checkbox"/> CASING REPAIR           | <input type="checkbox"/> WATER SHUT-OFF          |
|  | <input type="checkbox"/> ALTERING CASING         | <input type="checkbox"/> CONVERSION TO INJECTION |
|  | <input type="checkbox"/> OTHER                   |  |

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company proposes to recomplete the C13, B1 and B3 Zones in the Chapita Wells and Buck Canyon intervals of the Wasatch Formation as follows:

1. Set BVBP @ 5685' KB.
2. Fracture stimulate perforations 5606-72' w/37,500 gals borate x-linked, gelled 2% KCl water, 136,500# 20/40 sand & 16,000# 16/30 Sandtrol LC resin coated sand. MP 4500 psig.
3. Retrieve BP @ 5685' KB.
4. Land tubing @ 6845' KB (original depth).
5. Return well to production.

**RECEIVED**

MAR 31 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.  
SIGNED Jennifer Schmidt TITLE Engineering Clerk DATE 03/25/93

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

**ENRON**  
**Oil & Gas Company**

P.O. Box 250 Big Piney, Wyoming 83113 (307) 278-3331

**RECEIVED**

APR 26 1993

April 22, 1993

DIVISION OF  
OIL GAS & MINING

Mr. Ed Forsman  
Bureau of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: SUNDRY NOTICE OF WORKOVER  
NATURAL BUTTES 342-35E  
LEASE: U-010954A  
NW/NE, SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH

Mr. Forsman:

Please find attached an amended Sundry Notice for the referenced well.

If you have any questions or require additional information regarding this matter, please contact this office.

Sincerely,



C.C. Parsons  
Division Operations Manager

JRS/jls

cc: UOG&M  
D. Weaver  
A.C. Morris  
J. Tigner - EB 2043  
Vernal Office  
File

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135  
Expires September 30, 1990

SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT --" for such proposals  
**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil WELL     Gas Well     Other

2. Name of Operator  
**ENRON OIL & GAS COMPANY**

3. Address and Telephone No.  
**P.O. BOX 250, BIG PINEY, WY 83113 (307) 276-3331**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**2563' FEL - 918' FNL (NW/NE)**  
**SECTION 35, T9S, R22E**

5. Lease Designation and Serial No.  
**U-010954A**

6. If Indian, Allottee or Tribe Name

7. If Unit or C.A., Agreement Designation  
**NATURAL BUTTES UNIT**

8. Well Name and No.  
**NATURAL BUTTES UNIT 342-35E**

9. API Well No.  
**43-047-32212**

10. Field and Pool or Exploratory Area  
**NATURAL BUTTES/WASATCH**

11. COUNTY STATE  
**UINTAH UTAH**

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                     |
|--|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT | <input type="checkbox"/> ABANDONMENT               |
| <input type="checkbox"/> SUBSEQUENT REPORT           | <input type="checkbox"/> RECOMPLETION              |
| <input type="checkbox"/> FINAL ABANDONMENT NOTICE    | <input type="checkbox"/> PLUGGING BACK             |
|  | <input type="checkbox"/> CASING REPAIR             |
|  | <input type="checkbox"/> ALTERING CASING           |
|  | <input checked="" type="checkbox"/> OTHER WORKOVER |
|  | <input type="checkbox"/> CHANGE OF PLANS           |
|  | <input type="checkbox"/> NEW CONSTRUCTION          |
|  | <input type="checkbox"/> NON-ROUTINE FRACTURING    |
|  | <input type="checkbox"/> WATER SHUT-OFF            |
|  | <input type="checkbox"/> CONVERSION TO INJECTION   |

(Note: Report results of multiple completion on Well Completions or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company proposes to workover the C13, B1 and B3 Zones in the Chapita Wells and Buck Canyon intervals of the Wasatch Formation as follows:

1. Set BVBP @ 5685' KB.
2. Fracture stimulate perforations 5606-72' w/37,500 gals borate x-linked, gelled 2% KCl water, 136,500# 20/40 sand & 16,000# 16/30 Sandtrol LC resin coated sand. MP 4500 psig.
3. Retrieve BP @ 5685' KB.
4. Land tubing @ 6845' KB (original depth).
5. Return well to production.

**RECEIVED**

APR 26 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.

SIGNED Jennifer Schmid TITLE Engineering Clerk

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

DATE 04/22/93  
ACCEPTED BY THE STATE

OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE: 4/25/93

BY: [Signature]

**UTAH DIVISION OF OIL, GAS AND MINING  
EQUIPMENT INVENTORY**

Operator: ENRON OIL & GAS COMPANY Lease: State:        Federal: Y  
 Indian:        Fee:       

Well Name: NBU 342-35E API Number: 43-047-32212  
 Section: 35 Township: 9S Range: 22E County: UINTAH Field:  
NATURAL BUTTES  
 Well Status: PGW Well Type: Oil:        Gas: YES

PRODUCTION LEASE EQUIPMENT: YES CENTRAL BATTERY:       

YES Well head        Boiler(s)        Compressor        Separator(s)  
YES Dehydrator(s) (3) Shed(s)        Line Heater(s) YES  
 Heated Separator  
       VRU        Heater Treater(s)

**PUMPS:**

       Triplex        Chemical        Centrifugal

**LIFT METHOD:**

       Pumpjack        Hydraulic        Submersible        Flowing

**GAS EQUIPMENT:**

YES Gas Meters        Purchase Meter YES Sales Meter

**TANKS:**

NUMBER

SIZE

|               |                     |               |                    |
|---------------|---------------------|---------------|--------------------|
| <u>      </u> | Oil Storage Tank(s) | <u>      </u> | <u>      </u>      |
|               |                     |               | BBLs               |
| <u>      </u> | Water Tank(s)       | <u>      </u> | <u>      </u>      |
|               |                     |               | BBLs               |
| <u>      </u> | Power Water Tank    | <u>      </u> | <u>      </u>      |
|               |                     |               | BBLs               |
| <u>YES</u>    | Condensate Tank(s)  | <u>1-210</u>  | <u>BARREL TANK</u> |
|               |                     |               | BBLs               |
| <u>      </u> | Propane Tank        | <u>      </u> | <u>      </u>      |

REMARKS: HEATED SEPARATOR W/SHED, DEHYDRATOR W/SHED, GAS SALES METER W/SHED.



Location central battery: Qtr/Qtr:        Section:        Township:         
 Range:       

Inspector: DENNIS INGRAM Date: 6/3/93

NBU 342-35E

Sec 35 T9 S0 R32E

Bully 8-19-97



meter run




dehy drator



production unit



well head



bermed.  
condensate  
tank



**ENRON**  
OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

September 1, 1993

**RECEIVED**

SEP 03 1993

DIVISION OF  
OIL, GAS & MINING

Bureau of Land Management  
Vernal District  
170 South 500 East  
Vernal, Utah 84078

RE: NATURAL BUTTES UNIT 342-35E  
SEC. 35, T9S, R22E  
UINTAH COUNTY, UTAH  
LEASE NO. U-010954A


Attn: Ed Forsman:

Dear Mr. Forsman:

Please find attached 3 (three) Sundry Notices requesting approval for water disposal method.

If you have any questions or need additional information, please contact this office.

Very truly yours,  
ENRON OIL & GAS COMPANY



George R. McBride  
Sr. Production Foreman

cc: Division of Oil Gas & Mining  
Curt Parsons  
Doug Weaver/Toni Miller  
Diane Cross - Houston EB-2370  
File

/lwSundry

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.  
U-010954A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
NATURAL BUTTES UNIT

8. Well Name and No.  
NBU 342-35E

9. API Well No.  
43-047-32212

10. Field and Pool, or Exploratory Area  
CW/WASATCH

11. County or Parish, State  
UINTAH, UTAH

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
ENRON OIL & GAS COMPANY

3. Address and Telephone No.  
P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
2563' FEL & 918' FNL NW/NE  
SEC. 35, T9S, R22E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                | TYPE OF ACTION                                    |
|---|---|
| <input type="checkbox"/> Notice of Intent         | <input type="checkbox"/> Abandonment              |
| <input type="checkbox"/> Subsequent Report        | <input type="checkbox"/> Recompletion             |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Plugging Back            |
|   | <input type="checkbox"/> Casing Repair            |
|   | <input type="checkbox"/> Altering Casing          |
|   | <input type="checkbox"/> Other _____              |
|   | <input type="checkbox"/> Change of Plans          |
|   | <input type="checkbox"/> New Construction         |
|   | <input type="checkbox"/> Non-Routine Fracturing   |
|   | <input type="checkbox"/> Water Shut-Off           |
|   | <input type="checkbox"/> Conversion to Injection  |
|   | <input checked="" type="checkbox"/> Dispose Water |

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Enron Oil & Gas Company requests approval to dispose of produced water from the subject well as follows:

1. Store in above ground tank.
2. Transport by truck to Enron Oil & Gas Company's Natural Buttes 21-20 SWD Plant.

Accepted by \_\_\_\_\_ the State  
of Utah Division of  
Oil, Gas and Mining  
Date: 9-13-93  
By: [Signature]

**RECEIVED**  
SEP 03 1993  
DIVISION OF  
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Linda L. Wall Title Sr. Admin. Clerk Date 9/1/93

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any: Federal Approval of this Action is Necessary

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SEP 30 1994

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993  
Lease Designation and Serial No.

**SUNDRY NOTICES AND REPORTS ON WELLS OF OIL, GAS & MINING**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT" - for such proposals

See attached list.

**SUBMIT IN TRIPLICATE**

|  |  |  |
|--|--|--|
| 1. Type of Well<br><input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other |  | 5. If Indian, Alottee or Tribe Name<br>N/A                     |
| 2. Name of Operator<br>Coastal Oil & Gas Corporation   |  | 7. If Unit or CA, Agreement Designation<br>Natural Buttes Unit |
| 3. Address and Telephone No.<br>P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476  |  | 8. Well Name and No.<br>See attached list.                     |
| 4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)<br>See attached list.                                     |  | 9. API Well No. 43047-32212<br>See attached list.              |
|  |  | 10. Field and Pool, Or Exploratory Area<br>Natural Buttes      |
|  |  | 11. County or Parish, State<br>Uintah, UT                      |

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                   | TYPE OF ACTION  |
|--|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Abandonment  |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Recompletion   |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Plugging Back  |
|  | <input type="checkbox"/> Casing Repair  |
|  | <input type="checkbox"/> Altering Casing                                      |
|  | <input checked="" type="checkbox"/> Other <u>Install gas compression unit</u> |
|  | <input type="checkbox"/> Change of Plans                                      |
|  | <input type="checkbox"/> New Construction                                     |
|  | <input type="checkbox"/> Non-Routine Fracturing                               |
|  | <input type="checkbox"/> Water Shut-Off                                       |
|  | <input type="checkbox"/> Conversion to injection                              |
|  | <input type="checkbox"/> Dispose Water  |

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)\*

The operator proposes to install a 720 horsepower compressor to lower the gas line pressure of 16 Coastal Oil & Gas wells and 8 Enron wells. Lowering the gas pressure would add to the reserves of the 24 affected wells. Because of inefficient flow characteristics due to water production, a lower flow line pressure would assist in unloading water from the wellbore.

Please see attached map displayed affected wells.

14. I hereby certify that the foregoing is true and correct


Signed Bonnie Johnston Title Environmental Analyst Date 09/27/94

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

| WELL NAME           | FOOTAGES              | WELL LOCATION             | LEASE DESIGNATION<br>AND SERIAL NO. | API WELL NO. |
|---------------------|-----------------------|---------------------------|-------------------------------------|--------------|
| CIGE 8-35-9-22      | 1044' FSL & 2488' FEL | Sect. 35, T9S-R22E        | U-010954-A                          | 43-047-30427 |
| CIGE 9-36-9-22      | 2090' FSL & 1852' FEL | Sect. 36, T9S-R22E        | ML-22650                            | 43-047-30419 |
| CIGE 10-2-10-22     | 2421' FSL & 1652' FEL | Sect. 2, T10S-R22E        | ML-22651                            | 43-047-30425 |
| CIGE 31             | 1587' FNL & 1195' FWL | Sect. 1, T10S-R22E        | U-011336                            | 43-047-30511 |
| CIGE 62D-36-9-22    | 2340' FSL & 1085' FWL | NW/SW Sect. 36, T9S-R22E  | ML-22650                            | 43-047-30885 |
| CIGE 67A-2-10-22    | 210' FNL & 874' FEL   | NE/NE Sect. 2, T10s-R22E  | ML-22651                            | 43-047-30866 |
| CIGE 68D-35-9-22    | 2084' FSL & 676' FWL  | Sect. 35, T9S-R22E        | U-10954-A                           | 43-047-30951 |
| CIGE 89D-34-9-22    | 2183' FNL & 597' FEL  | SE/NE Sect.34, T9S-R22E   | U-0149077                           | 43-047-31146 |
| CIGE 105D-1-10-22   | 842' FNL & 2095' FWL  | Sect. 1, T10S-R22E        | U-011336                            | 43-047-31758 |
| CIGE 118-35-9-22    | 2116' FSL & 615' FEL  | SW/NW Sect. 35, T9S-R22E  | UTU-010954A                         | 43-047-32025 |
| CIGE 144-2-10-22    | 1501' FNL & 1719' FEL | SW/NE Sect. 2, T10S-R22E  | ML-22651                            | 43-047-32022 |
| CIGE 147-36-9-22    | 1121 FSL & 2328' FWL  | SE/SW Sect. 36, T9S-R22E  | ML-22650                            | 43-047-32020 |
| CIGE 153-35-9-22    | 921' FSL & 1795' FEL  | Sect. 35, T9S-R22E        | UTU-010954A                         | 43-047-32067 |
| CIGE 161-2-10-22    | 297' FSL & 1033' FEL  | SE/SE Sect. 2, T10S-R22E  | ML-22651                            | 43-047-32168 |
| CIGE 162-36-9-22    | 1224' FSL & 618' FEL  | SE/SE Sect. 36, T9S-R22E  | ML-22650                            | 43-047-32164 |
| NBU 38N2            | 1752' FWL & 1768' FSL | NW/SW Sect. 13, T10S-R22E | U-06512 ST                          | 43-047-30536 |
| 4-35B               | 2037' FNL & 2539' FWL | SE/NW Sect. 35, T9S-R22E  | U-010954-A                          | 43-047-30273 |
| 5-36                | 1023' FNL & 958' FWL  | NW/NW Sect. 36, T9S-R22E  | ML-22650                            | 43-047-30272 |
| 31-12B              | 565' FNL & 756' FWL   | NW/NW Sect. 12, T10S-R22E | U-01197-A-ST                        | 43-047-30385 |
| 213-36              | 579' FNL & 659' FEL   | NE/NE Sect. 36, T9S-R22E  | ML-22650                            | 43-047-31268 |
| 318-36              | 1869' FNL & 1482' FEL | SW/NE Sect. 36, T9S-R22E  | ML-22650                            | 43-047-32204 |
| 331-35              | 1531' FNL & 1153' FEL | SE/NE Sect. 35, T9S-R22E  | U-010954-A                          | 43-047-32147 |
| 342-35 <sup>E</sup> | 918' FNL & 2563' FEL  | NW/NE Sect. 35, T9S-R22E  | U-010954-A                          | 43-047-32212 |
| 343-36              | 1448' FNL & 1823" FWL | SE/NW Sect. 36, T9S-R22E  | ML-22650                            | 43-047-32205 |



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:  
Exhibit "A"

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL OIL WELL  GAS WELL  OTHER \_\_\_\_\_

2. NAME OF OPERATOR:  
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR: PHONE NUMBER:  
8 South 1200 East CITY Vernal STATE Utah ZIP 84078 435-789-4433

4. LOCATION OF WELL  
FOOTAGES AT SURFACE: COUNTY:  
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION  | TYPE OF ACTION  |   |   |
|---|---|---|---|
| <input type="checkbox"/> NOTICE OF INTENT<br>(Submit in Duplicate)<br>Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE                        | <input type="checkbox"/> DEEPEN                           | <input type="checkbox"/> REPERFORATE CURRENT FORMATION        |
|   | <input type="checkbox"/> ALTER CASING                   | <input type="checkbox"/> FRACTURE TREAT                   | <input type="checkbox"/> SIDETRACK TO REPAIR WELL             |
|   | <input type="checkbox"/> CASING REPAIR                  | <input type="checkbox"/> NEW CONSTRUCTION                 | <input type="checkbox"/> TEMPORARILY ABANDON                  |
|   | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS       | <input type="checkbox"/> OPERATOR CHANGE                  | <input type="checkbox"/> TUBING REPAIR                        |
|   | <input type="checkbox"/> CHANGE TUBING                  | <input type="checkbox"/> PLUG AND ABANDON                 | <input type="checkbox"/> VENT OR FLARE                        |
| <input type="checkbox"/> SUBSEQUENT REPORT<br>(Submit Original Form Only)<br>Date of work completion: _____   | <input type="checkbox"/> CHANGE WELL NAME               | <input type="checkbox"/> PLUG BACK                        | <input type="checkbox"/> WATER DISPOSAL                       |
|   | <input type="checkbox"/> CHANGE WELL STATUS             | <input type="checkbox"/> PRODUCTION (START/RESUME)        | <input type="checkbox"/> WATER SHUT-OFF                       |
|   | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE         | <input checked="" type="checkbox"/> OTHER: <u>Name Change</u> |
|   | <input type="checkbox"/> CONVERT WELL TYPE              | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION |   |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T. Elzner TITLE Vice President

SIGNATURE [Signature] DATE 06-15-01

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T. Elzner TITLE Vice President

SIGNATURE [Signature] DATE 06-15-01

This space for State use only

RECEIVED

JUN 19 2001

DIVISION OF  
OIL, GAS AND MINING

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

MAR 9 2001

DIVISION OF  
OIL, GAS AND MINING



*Harriet Smith Windsor*  
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall
Vice President

Attest:

Margaret E. Roark
Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

JUL 12 2001

DIVISION OF  
OIL, GAS AND MINING

In Reply Refer To:  
3106  
UTSL-065841  
(UT-924)

JUL 10 2001

### NOTICE

El Paso Production Oil & Gas Company : Oil and Gas  
Nine Greenway Plaza :  
Houston TX 77046-0095 :

#### Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta  
Acting Chief, Branch of  
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office  
Vernal Field Office  
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217  
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114  
Teresa Thompson (UT-922)  
Joe Incardine (UT-921)

Exhibit of Leases

|               |             |             |           |
|---------------|-------------|-------------|-----------|
| UTUSL-065841A | UTU-47172   | UTU-74415   | UTU-53860 |
| UTU-28652     | UTU-50687   | UTU-74416   | UTU-66401 |
| UTU-37943     | UTU-52298   | UTU-75091   | UTU-67868 |
| UTU-44089     | UTU-0109054 | UTU-75096   | UTU-65389 |
| UTU-44090A    | UTU-0143511 | UTU-75097   | UTU-77084 |
| UTU-61263     | UTU-0143512 | UTU-75673   | UTU-61430 |
| UTU-00343     | UTU-38401   | UTU-76259   | UTU-72633 |
| UTU-02651     | UTU-38411   | UTU-76260   | UTU-72650 |
| UTU-02651B    | UTU-38418   | UTU-76261   | UTU-49692 |
| UTU-0142175   | UTU-38419   | UTU-76493   | UTU-57894 |
| UTU-70235     | UTU-38420   | UTU-76495   | UTU-76829 |
| UTU-70406     | UTU-38421   | UTU-76503   | UTU-76830 |
| UTU-74954     | UTU-38423   | UTU-78228   | UTU-76831 |
| UTU-75132     | UTU-38424   | UTU-78714   |           |
| UTU-75699     | UTU-38425   | UTU-78727   |           |
| UTU-76242     | UTU-38426   | UTU-78734   |           |
| UTU-78032     | UTU-38427   | UTU-79012   |           |
| UTU-4377      | UTU-38428   | UTU-79011   |           |
| UTU-4378      | UTU-53861   | UTU-71694   |           |
| UTU-7386      | UTU-58097   | UTU-00576   |           |
| UTU-8344A     | UTU-64376   | UTU-00647   |           |
| UTU-8345      | UTU-65222   | UTU-01470D  |           |
| UTU-8347      | UTU-65223   | UTU-0136484 |           |
| UTU-8621      | UTU-66746   | UTU-8344    |           |
| UTU-14646     | UTU-67178   | UTU-8346    |           |
| UTU-15855     | UTU-67549   | UTU-8648    |           |
| UTU-25880     | UTU-72028   | UTU-28212   |           |
| UTU-28213     | UTU-72632   | UTU-30289   |           |
| UTU-29535     | UTU-73009   | UTU-31260   |           |
| UTU-29797     | UTU-73010   | UTU-33433   |           |
| UTU-31736     | UTU-73013   | UTU-34711   |           |
| UTU-34350     | UTU-73175   | UTU-46699   |           |
| UTU-34705     | UTU-73434   | UTU-78852   |           |
| UTU-37116     | UTU-73435   | UTU-78853   |           |
| UTU-37355     | UTU-73444   | UTU-78854   |           |
| UTU-37573     | UTU-73450   | UTU-075939  |           |
| UTU-38261     | UTU-73900   | UTU-0149767 |           |
| UTU-39223     | UTU-74409   | UTU-2078    |           |
| UTU-40729     | UTU-74410   | UTU-44426   |           |
| UTU-40736     | UTU-74413   | UTU-49530   |           |
| UTU-42469     | UTU-74414   | UTU-51026   |           |

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

|        |   |        |
|--------|---|--------|
| 1. GLH |   | 4-KAS  |
| 2. CDW | ✓ | 5-LP ✓ |
| 3. JLT |   | 6-FILE |

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

**X** Merger

The operator of the well(s) listed below has changed, effective: **3-09-2001**

|                                    |
|------------------------------------|
| <b>FROM:</b> (Old Operator):       |
| COASTAL OIL & GAS CORPORATION      |
| Address: 9 GREENWAY PLAZA STE 2721 |
|                                    |
| HOUSTON, TX 77046-0995             |
| Phone: 1-(713)-418-4635            |
| Account N0230                      |

|   |
|---|
| <b>TO:</b> ( New Operator):                 |
| EL PASO PRODUCTION OIL & GAS COMPANY        |
| Address: 9 GREENWAY PLAZA STE 2721 RM 2975B |
|   |
| HOUSTON, TX 77046-0995                      |
| Phone: 1-(832)-676-4721                     |
| Account N1845                               |

**CA No.**

**Unit: NATURAL BUTTES**

**WELL(S)**

| NAME                | API NO       | ENTITY NO | SEC TWN RNG | LEASE TYPE | WELL TYPE | WELL STATUS |
|---------------------|--------------|-----------|-------------|------------|-----------|-------------|
| NBU 342-35E         | 43-047-32212 | 2900      | 35-09S-22E  | FEDERAL    | GW        | P           |
| CIGE 186-35-9-22    | 43-047-32590 | 2900      | 35-09S-22E  | FEDERAL    | GW        | TA          |
| CIGE 193-35-9-22    | 43-047-32973 | 2900      | 35-09S-22E  | FEDERAL    | GW        | P           |
| NBU CIGE 35-1-10-20 | 43-047-30494 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| CIGE 134-1-10-20    | 43-047-31989 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| CIGE 165-1-10-20    | 43-047-32114 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| CIGE 177-1-10-20    | 43-047-32322 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| NBU 358-1E          | 43-047-32388 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| CIGE 229-1-10-20    | 43-047-33006 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| NBU 497-1E          | 43-047-33123 | 2900      | 01-10S-20E  | FEDERAL    | GW        | P           |
| NBU 63-12B          | 43-047-30466 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 72N-3           | 43-047-31088 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 162             | 43-047-32066 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 168             | 43-047-32117 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 169             | 43-047-32118 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 295             | 43-047-32939 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 523-12E         | 43-047-33685 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 516-12E         | 43-047-33696 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 524-12E         | 43-047-33701 | 2900      | 12-10S-20E  | FEDERAL    | GW        | P           |
| NBU 26-13B          | 43-047-30364 | 2900      | 13-10S-20E  | FEDERAL    | GW        | P           |

**OPERATOR CHANGES DOCUMENTATION**

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
- Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

5. If **NO**, the operator was contacted contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

---

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 08/01/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/01/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

---

**STATE BOND VERIFICATION:**

1. State well(s) covered by Bond No.: N/A

---

**FEDERAL BOND VERIFICATION:**

1. Federal well(s) covered by Bond No.: WY 2793

---

**FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

---

**FILMING:**

1. All attachments to this form have been **MICROFILMED** on: \_\_\_\_\_

---

**FILING:**

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: \_\_\_\_\_

---

**COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".**

---

---

---

---

---



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF  
OIL, GAS AND MINING

In Reply Refer To:  
3106  
UTU-25566 et al  
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas  
410 Seventeenth Street, #2300 :  
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405  
UTU-20895  
UTU-25566  
UTU-43156  
UTU-49518  
UTU-49519  
UTU-49522  
UTU-49523



Robert Lopez  
Chief, Branch of  
Minerals Adjudication

cc: Moab Field Office  
Vernal Field Office  
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217  
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114  
Teresa Thompson (UT-922)  
Joe Incardine (UT-921)



# United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:  
Real Estate Services

Carroll A. Wilson  
Principal Landman  
Westport Oil and Gas Company, L.P.  
1368 South 1200 East  
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

**ACTING**

Enclosure

# memorandum

Branch of Real Estate Services  
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to  
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES  
Ute Energy & Mineral Resources Department: Executive Director  
chrono



JAN. 17. 2003 3:34PM

PORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436  
Telephone: 303 573 5404 Fax: 303 573 5609

**February 1, 2002**

Department of the Interior  
Bureau of Land Management  
2850 Youngfield Street  
Lakewood, CO 80215-7093  
Attention: Ms. Martha Maxwell

**RE: BLM Bond CO-1203  
BLM Nationwide Bond 158626364  
Surety - Continental Casualty Company  
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.  
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.  
Assumption Rider - Westport Oil and Gas Company, L.P.**

**Dear Ms. Maxwell:**

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

**Two (2) Assumption Riders, fully executed originals.  
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.  
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.  
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.**

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,  
Westport Oil and Gas Company, L.P.

*Debby J. Black*  
Debby J. Black  
Engineer Technician

Encl:



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.  
Attn: Gary D. Williamson  
1670 Broadway, Suite 2800  
Denver, Colorado 80202

Re: Natural Buttes Unit  
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File - Natural Buttes Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

|  |
|--|
| 5. LEASE DESIGNATION AND SERIAL NUMBER.        |
| 6. IF INDIAN, ALLOTTEE OR TRIBE NAME.          |
| 7. UNIT or CA AGREEMENT NAME.                  |
| 8. WELL NAME and NUMBER:<br><b>Exhibit "A"</b> |
| 9. API NUMBER:                                 |
| 10. FIELD AND POOL, OR WILDCAT:                |

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

|   |  |
|---|--|
| 1. TYPE OF WELL<br>OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____  |  |
| 2. NAME OF OPERATOR:<br><b>El Paso Production Oil &amp; Gas Company</b>   |  |
| 3. ADDRESS OF OPERATOR:<br><b>9 Greenway Plaza</b> <small>CITY</small> <b>Houston</b> <small>STATE</small> <b>TX</b> <small>ZIP</small> <b>77064-0995</b> | PHONE NUMBER:<br><b>(832) 676-5933</b> |

|  |                      |                    |
|--|----------------------|--------------------|
| 4. LOCATION OF WELL                          | FOOTAGES AT SURFACE: | COUNTY:            |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: |                      | STATE: <b>UTAH</b> |

| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA                                      |   |   |  |
|--|---|---|--|
| TYPE OF SUBMISSION   | TYPE OF ACTION  |   |  |
| <input type="checkbox"/> NOTICE OF INTENT<br>(Submit in Duplicate)<br><br>Approximate date work will start:<br>_____ | <input type="checkbox"/> ACIDIZE                        | <input type="checkbox"/> DEEPEN                           | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
|  | <input type="checkbox"/> ALTER CASING                   | <input type="checkbox"/> FRACTURE TREAT                   | <input type="checkbox"/> SIDETRACK TO REPAIR WELL      |
| <input type="checkbox"/> SUBSEQUENT REPORT<br>(Submit Original Form Only)<br><br>Date of work completion:<br>_____   | <input type="checkbox"/> CASING REPAIR                  | <input type="checkbox"/> NEW CONSTRUCTION                 | <input type="checkbox"/> TEMPORARILY ABANDON           |
|  | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS       | <input checked="" type="checkbox"/> OPERATOR CHANGE       | <input type="checkbox"/> TUBING REPAIR                 |
|  | <input type="checkbox"/> CHANGE TUBING                  | <input type="checkbox"/> PLUG AND ABANDON                 | <input type="checkbox"/> VENT OR FLARE                 |
|  | <input type="checkbox"/> CHANGE WELL NAME               | <input type="checkbox"/> PLUG BACK                        | <input type="checkbox"/> WATER DISPOSAL                |
|  | <input type="checkbox"/> CHANGE WELL STATUS             | <input type="checkbox"/> PRODUCTION (START/RESUME)        | <input type="checkbox"/> WATER SHUT-OFF                |
|  | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE         | <input type="checkbox"/> OTHER: _____                  |
|  | <input type="checkbox"/> CONVERT WELL TYPE              | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION |  |


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # \_\_\_\_\_

State Surety Bond No. RLB0005236  
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By:   
Jon R. Nelsen, Attorney-in-Fact

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

|   |       |                            |
|---|-------|----------------------------|
| WESTPORT OIL AND GAS COMPANY, L.P.  | TITLE | Agent and Attorney-in-Fact |
| NAME (PLEASE PRINT) <b>David R. Dix</b>   | DATE  | <b>12/17/02</b>            |
| SIGNATURE  |       |                            |

(This space for State use only)

Form 3160-5  
(August 1999)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS  
Do not use this form for proposals to drill or reenter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

5. Lease Serial No.  
**SEE ATTACHED EXHIBIT "A"**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**SEE ATTACHED EXHIBIT "A"**

9. API Well No.  
**SEE ATTACHED EXHIBIT "A"**

10. Field and Pool, or Exploratory Area

11. County or Parish, State  
**UINTAH COUNTY, UT**

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY, L.P.**

3a. Address  
**P.O. BOX 1148 VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435) 781-7023**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**SEE ATTACHED EXHIBIT "A"**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION                                | TYPE OF ACTION   |
|---|--|
| <input type="checkbox"/> Notice of Intent         | <input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off    |
| <input type="checkbox"/> Subsequent Report        | <input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity     |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other |
|   | <input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon                                   |
|   | <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal                                       |

**SUCCESSOR OF OPERATOR**

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED  
MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

**CHERYL CAMERON**

Title

**OPERATIONS**

Signature

Date

**March 4, 2003**

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

**OPERATOR CHANGE WORKSHEET**

|         |
|---------|
| 1. GLH  |
| 2. CDW/ |
| 3. FILE |

**X Change of Operator (Well Sold)**

Designation of Agent/Operator

Operator Name Change

Merger

|  |                               |
|--|-------------------------------|
| The operator of the well(s) listed below has changed, effective: <b>12-17-02</b> |                               |
| <b>FROM: (Old Operator):</b>   | <b>TO: (New Operator):</b>    |
| EL PASO PRODUCTION OIL & GAS COMPANY   | WESTPORT OIL & GAS COMPANY LP |
| Address: 9 GREENWAY PLAZA  | Address: P O BOX 1148         |
| HOUSTON, TX 77064-0995   | VERNAL, UT 84078              |
| Phone: 1-(832)-676-5933  | Phone: 1-(435)-781-7023       |
| Account No. N1845  | Account No. N2115             |

**CA No. Unit: NATURAL BUTTES**

| <b>WELL(S)</b>        |                |              |              |               |              |                |
|-----------------------|----------------|--------------|--------------|---------------|--------------|----------------|
| NAME                  | SEC TWN<br>RNG | API NO       | ENTITY<br>NO | LEASE<br>TYPE | WELL<br>TYPE | WELL<br>STATUS |
| NBU CIGE 89D-32-9-22J | 34-09S-22E     | 43-047-31146 | 2900         | FEDERAL       | GW           | P              |
| NBU 80V               | 34-09S-22E     | 43-047-31240 | 2900         | FEDERAL       | GW           | P              |
| CIGE 117-34-9-22      | 34-09S-22E     | 43-047-31928 | 2900         | FEDERAL       | GW           | P              |
| NBU 187               | 34-09S-22E     | 43-047-32230 | 2900         | FEDERAL       | GW           | P              |
| CIGE 164-34-9-22      | 34-09S-22E     | 43-047-32353 | 2900         | FEDERAL       | GW           | P              |
| NBU 237               | 34-09S-22E     | 43-047-32916 | 2900         | FEDERAL       | GW           | PA             |
| NBU 16                | 34-09S-22E     | 43-047-30209 | 2900         | FEDERAL       | GW           | PA             |
| NBU 4-35B             | 35-09S-22E     | 43-047-30273 | 2900         | FEDERAL       | GW           | P              |
| CIGE 8-35-9-22        | 35-09S-22E     | 43-047-30427 | 2900         | FEDERAL       | GW           | P              |
| NBU CIGE 68D-35-9-22P | 35-09S-22E     | 43-047-30951 | 2900         | FEDERAL       | GW           | P              |
| CIGE 118-35-9-22      | 35-09S-22E     | 43-047-32025 | 2900         | FEDERAL       | GW           | P              |
| CIGE 153-35-9-22      | 35-09S-22E     | 43-047-32067 | 2900         | FEDERAL       | GW           | P              |
| NBU 331-35E           | 35-09S-22E     | 43-047-32147 | 2900         | FEDERAL       | GW           | P              |
| NBU 342-35E           | 35-09S-22E     | 43-047-32212 | 2900         | FEDERAL       | GW           | P              |
| CIGE 193-35-9-22      | 35-09S-22E     | 43-047-32973 | 2900         | FEDERAL       | GW           | P              |
| CIGE 186-35-9-22      | 35-09S-22E     | 43-047-32590 | 2900         | FEDERAL       | GW           | TA             |
| NBU 216-35            | 35-09S-22E     | 43-047-31284 | 2900         | FEDERAL       | GW           | PA             |
| CIGE 162-36-9-22      | 36-09S-22E     | 43-047-32164 | 2900         | STATE         | GW           | P              |
| NBU 5-36B             | 36-09S-22E     | 43-047-30272 | 2900         | STATE         | GW           | P              |
| NBU CIGE 9-36-9-22    | 36-09S-22E     | 43-047-30419 | 2900         | STATE         | GW           | P              |

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 03/18/2003
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/18/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: RLB 0005236

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: 158626364

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: RLB 0005239

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS:**

---

---

---

---

---

---

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

|                |
|----------------|
| <b>ROUTING</b> |
| 1. DJJ         |
| 2. CDW         |

**X Change of Operator (Well Sold)**

Operator Name Change/Merger

|   |  |                 |
|---|--|-----------------|
| The operator of the well(s) listed below has changed, effective:  |  | <b>1/6/2006</b> |
| <b>FROM:</b> (Old Operator):<br>N2115-Westport Oil & Gas Co., LP<br>1368 South 1200 East<br>Vernal, UT 84078<br>Phone: 1-(435) 781-7024 | <b>TO:</b> ( New Operator):<br>N2995-Kerr-McGee Oil & Gas Onshore, LP<br>1368 South 1200 East<br>Vernal, UT 84078<br>Phone: 1-(435) 781-7024 |                 |

| WELL NAME | CA No. | Unit: | NATURAL BUTTES UNIT |        |           |            |           |             |
|-----------|--------|-------|---------------------|--------|-----------|------------|-----------|-------------|
|           | SEC    | TWN   | RNG                 | API NO | ENTITY NO | LEASE TYPE | WELL TYPE | WELL STATUS |

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- b. If **NO**, the operator was contacted on:
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok
- 6. Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- 7. Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- 8. Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- 9. Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: \_\_\_\_\_
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

**COMMENTS:**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**KERR-McGEE OIL & GAS ONSHORE LP**

3a. Address  
**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435) 781-7024**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**SEE ATTACHED**

5. Lease Serial No.  
**MULTIPLE LEASES**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**MUTIPLE WELLS**

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION                                    | TYPE OF ACTION                                |   |  |   |
|---|---|---|--|---|
| <input type="checkbox"/> Notice of Intent             | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off                             |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity                             |
| <input type="checkbox"/> Final Abandonment Notice     | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other <b>CHANGE OF OPERATOR</b> |
|   | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       |   |
|   | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input type="checkbox"/> Water Disposal            |   |

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006. KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

**RECEIVED**  
**MAY 10 2006**

*BLM BOND = C01203*  
*BIA BOND = RLB0005239*

**APPROVED 5/16/06**

DIV. OF OIL, GAS & MINING

*Earlene Russell*  
**Division of Oil, Gas and Mining**  
**Earlene Russell, Engineering Technician**

14. I hereby certify that the foregoing is true and correct

|  |                                  |
|--|----------------------------------|
| Name (Printed/Typed)<br><b>RANDY BAYNE</b> | Title<br><b>DRILLING MANAGER</b> |
| Signature<br><i>Randy Bayne</i>            | Date<br><b>May 9, 2006</b>       |

**THIS SPACE FOR FEDERAL OR STATE USE**

|   |        |      |
|---|--------|------|
| Approved by   | Title  | Date |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | Office |      |

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY L.P.**

3a. Address  
**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435) 781-7024**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**SEE ATTACHED**

5. Lease Serial No.  
**MULTIPLE LEASES**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**MUTIPLE WELLS**

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                    | TYPE OF ACTION                                |   |   |
|---|---|---|---|
| <input type="checkbox"/> Notice of Intent             | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input type="checkbox"/> Production (Start/Resume)                  |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation                                |
| <input type="checkbox"/> Final Abandonment Notice     | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                                 |
|   | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon                        |
|   | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input type="checkbox"/> Water Disposal                             |
|   |   |   | <input type="checkbox"/> Water Shut-Off                             |
|   |   |   | <input type="checkbox"/> Well Integrity                             |
|   |   |   | <input checked="" type="checkbox"/> Other <b>CHANGE OF OPERATOR</b> |

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

**APPROVED** 5/16/06  
*Earlene Russell*  
 Division of Oil, Gas and Mining  
 Earlene Russell, Engineering Technician

RECEIVED  
 MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

|   |  |
|---|--|
| Name (Printed/Typed)<br><b>BRAD LANEY</b> | Title<br><b>ENGINEERING SPECIALIST</b> |
| Signature                                 | Date<br><b>May 9, 2006</b>             |

THIS SPACE FOR FEDERAL OR STATE USE

|   |        |                       |
|---|--------|-----------------------|
| Approved by<br><i>Brad Laney</i>  | Title  | Date<br><b>5-9-06</b> |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | Office |                       |

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



## United States Department of the Interior

BUREAU OF LAND MANAGEMENT  
Colorado State Office  
2850 Youngfield Street  
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)  
3106  
COC017387 et. al.

March 23, 2006

### NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :  
1999 Broadway, Suite 3700 : Oil & Gas  
Denver, CO 80202 :

#### Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell  
Martha L. Maxwell  
Land Law Examiner  
Fluid Minerals Adjudication

**Attachment:**

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



# United States Department of the Interior



BUREAU OF LAND MANAGEMENT  
Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov>

IN REPLY REFER TO:  
3106  
(UT-922)

March 27, 2006

## Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of  
Fluid Minerals

## Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225  
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114  
Teresa Thompson  
Joe Incardine  
Connie Seare  
Dave Mascarenas  
Susan Bauman

RECEIVED

MAR 28 2006

DIV. OF OIL, GAS & MINERAL

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: July 31, 2010

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
Multiple Leases

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE** – Other instructions on page 2.

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
EOG Resources, Inc

3a. Address  
1060 EAST HIGHWAY 40, VERNAL, UT 84078

3b. Phone No. (include area code)  
435-781-9145

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
See Attached

7. If Unit of CA/Agreement, Name and/or No.  
Natural Buttes

8. Well Name and No.  
Multiple Wells

9. API Well No.  
See Attached

10. Field and Pool or Exploratory Area  
Natural Buttes

11. Country or Parish, State  
Utah, Utah

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                |   |  |   |
|--|---|---|--|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off                             |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity                             |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other <u>Change of Operator</u> |
|  | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       |   |
|  | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input type="checkbox"/> Water Disposal            |   |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. has assigned all of its right, title and interest in the wells described in the attached list ("the Subject Wells") to Kerr-McGee Oil & Gas Onshore LP and will relinquish and transfer operatorship of all of the Subject Wells to Kerr-McGee Oil & Gas Onshore LP on January 1, 2010.

As of January 1, 2010, Kerr-McGee Oil & Gas Onshore LP will be considered to be the operator of each of the Subject Wells and will be responsible under the terms and conditions of the applicable lease for the operations conducted upon the leased lands. Bond coverage is provided under Kerr-McGee Oil & Gas Onshore LP's Nationwide BLM Bond No. WYB-000291.

Kerr-McGee Oil & Gas Onshore LP  
1099 18th Street, Suite 1800  
Denver, CO 80202-1918

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
For Record Only *ER 1/31/2010*

By: Michael A. Nixon Date: 12/17/2009  
Michael A. Nixon  
Agent and Attorney-in-Fact

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)  
J. Michael Schween

Title Agent and Attorney-in-Fact

Signature [Signature] Date 12/17/2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

RECEIVED

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date **DEC 24 2009**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office **DIV. OF OIL, GAS & MINING**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

| Lease #     | API #      | Well Name   | Footages            | Legal Description         |
|-------------|------------|-------------|---------------------|---------------------------|
| UTUO2270A   | 4304730261 | NBU 1-07B   | 1975' FNL 1850' FWL | T10S-R21E-07-SESW         |
| UTUO144868  | 4304730262 | NBU 2-15B   | 1630' FSL 2125' FEL | T09S-R20E-15-NWSE         |
| ML22651     | 4304730267 | NBU 3-02B   | 1819' FNL 716' FWL  | T10S-R22E-02-SWNW         |
| UTUO10954A  | 4304730273 | NBU 4-35B   | 2037' FNL 2539' FWL | T09S-R22E-35-SESW         |
| ML22650     | 4304730272 | NBU 5-36B   | 1023' FNL 958' FWL  | T09S-R22E-36-NWNW         |
| UTUO1791    | 4304730278 | NBU 7-09B   | 330' FSL 1600' FWL  | T10S-R21E-09-SESW         |
| UTUO1207 ST | 4304730274 | NBU 10-29B  | 1100' FSL 1540' FEL | T09S-R22E-29-SWSE         |
| UTUO1791    | 4304730294 | NBU 13-08B  | 1600' FSL 1300' FEL | T10S-R21E-08-NESE         |
| UTUO581     | 4304730296 | NBU 15-29B  | 821' FNL 687' FWL   | T09S-R21E-29-NWNW         |
| UTUO1791    | 4304730316 | NBU 16-06B  | 330' FSL 900' FEL   | T10S-R21E-06-SESE         |
| UTUO2270A   | 4304730317 | NBU 17-18B  | 1014' FSL 2067' FEL | T10S-R21E-18-SWSE         |
| UTUO144869  | 4304730328 | NBU 19-21B  | 2015' FNL 646' FEL  | T09S-R20E-21-SENE         |
| UTUO575     | 4304730363 | NBU 25-20B  | 1905' FNL 627' FWL  | T09S-R21E-20-SWNW         |
| UTU4485     | 4304730364 | NBU 26-13B  | 600' FSL 661' FEL   | T10S-R20E-13-SESE         |
| UTUO1393B   | 4304730367 | NBU 28-04B  | 529' FNL 2145' FWL  | T10S-R21E-04-NENW         |
| UTUO1393B   | 4304730368 | NBU 29-05B  | 398' FSL 888' FWL   | T10S-R21E-05-SESE         |
| UTUO575     | 4304730380 | NBU 30-18B  | 1895' FSL 685' FEL  | T09S-R21E-18-NESE         |
| ML01197A    | 4304730385 | NBU 31-12B  | 565' FNL 756' FWL   | T10S-R22E-12-NWNW         |
| UTU461      | 4304730396 | NBU 33-17B  | 683' FSL 739' FWL   | T09S-R22E-17-SWSW         |
| UTUO575     | 4304730404 | NBU 34-17B  | 210' FNL 710' FEL   | T09S-R21E-17-NENE         |
| UTUO149767  | 4304730397 | NBU 35-08B  | 1830' FNL 660' FWL  | T09S-R21E-8-SWNW          |
| UTUO144878B | 4304730470 | NBU 49-12B  | 551' FSL 1901' FEL  | T09S-R20E-12-SWSE         |
| UTUO140225  | 4304730473 | NBU 52-01B  | 659' FSL 658' FEL   | T09S-R21E-01-SESE         |
| UTUO141315  | 4304730474 | NBU 53-03B  | 495' FSL 601' FWL   | T09S-R21E-03-SWSW         |
| ML21510     | 4304730475 | NBU 54-02B  | 660' FSL 660' FWL   | T09S-R21E-02-SWSW         |
| UTUO1193    | 4304730464 | NBU 57-12B  | 676' FSL 1976' FEL  | T09S-R21E-12-SWSE         |
| UTUO1198B   | 4304730463 | NBU 58-23B  | 1634' FNL 2366' FEL | T10S-R22E-23-SWNE         |
| UTUO37167   | 4304730477 | NBU 62-35B  | 760' FNL 2252' FEL  | T10S-R22E-35-NWNE         |
| UTU10186    | 4304730466 | NBU 63-12B  | 1364' FNL 1358' FEL | T10S-R20E-12-SWNE         |
| UTUO37167   | 4304730577 | NBU 70-34B  | 1859' FSL 2249' FWL | T10S-R22E-34-NESW         |
| UTU4476     | 4304730578 | NBU 71-26B  | 1877' FNL 528' FEL  | T10S-R20E-26-SENE         |
| UTUO141315  | 4304731150 | NBU 202-03  | 898' FSL 1580' FEL  | T09S-R21E-03-SWSE         |
| UTUO1791    | 4304731238 | NBU 205-08  | 1432' FSL 1267' FWL | T10S-R21E-08-NWSW         |
| UTUO1791    | 4304731165 | NBU 206-09  | 1789' FNL 1546' FWL | T10S-R21E-09-SESW         |
| UTUO1393B   | 4304731177 | NBU 207-04  | 1366' FSL 1445' FWL | T10S-R21E-04-NESW         |
| UTUO149076  | 4304731153 | NBU 210-24  | 1000' FSL 1000' FWL | T09S-R21E-24-SWSW         |
| UTUO284     | 4304731156 | NBU 211-20  | 916' FSL 822' FEL   | T09S-R22E-20-SESE         |
| UTUO284     | 4304731267 | NBU 212-19  | 289' FSL 798' FWL   | T09S-R22E-19-SWSW         |
| UTU22650    | 4304731268 | NBU 213-36J | 597' FNL 659' FEL   | T09S-R22E-36-NENE         |
| ML22651     | 4304731282 | NBU 217-02  | 2045' FSL 766' FWL  | T10S-R22E-02-NWSW         |
| UTUO2270A   | 4304731310 | NBU 218-17  | 2600' FNL 1500' FWL | T10S-R21E-17-SESW         |
| UTUO149076  | 4304731308 | NBU 219-24  | 1300' FNL 500' FWL  | T09S-R21E-24-NWNW         |
| UTUO149076  | 4304732131 | NBU 301-24E | 700' FSL 2450' FEL  | T09S-R21E-24-SWSE         |
| UTUO1791    | 4304732010 | NBU 302-09E | 1899' FSL 912' FWL  | T10S-R21E-09-NWSW         |
| UTUO575     | 4304732130 | NBU 304-18E | 782' FSL 1783' FEL  | T09S-R21E-18-SWSE         |
| UTUO149767  | 4304732135 | NBU 305-07E | 670' FNL 1950' FWL  | T09S-R21E-07-NENW         |
| UTUO581     | 4304732282 | NBU 306-18E | 1604' FSL 2797' FWL | T09S-R21E-18-NESW         |
| UTUO1791    | 4304732014 | NBU 307-06E | 1979' FSL 2000' FEL | T10S-R21E-06-NWSE         |
| UTUO284     | 4304732202 | NBU 308-20E | 1503' FSL 954' FWL  | T09S-R22E-20-NWSW         |
| UTUO575     | 4304732283 | NBU 309-20E | 930' FNL 667' FEL   | T09S-R21E-20-NENE         |
| UTUO149075  | 4304732203 | NBU 311-23E | 1101' FSL 1978' FEL | T09S-R21E-23-SWSE         |
| UTUO581     | 4304732378 | NBU 313-29E | 1000' FNL 660' FEL  | T09S-R21E-29-NENE         |
| UTUO141315  | 4304732271 | NBU 314-03E | 1045' FSL 2584' FWL | T09S-R21E-03-SESW         |
| UTUO575     | 4304732381 | NBU 316-17E | 1935' FNL 1067' FWL | T09S-R21E-17-SWNW         |
| UTUO144868B | 4304732362 | NBU 317-12E | 867' FNL 701' FEL   | T09S-R20E-12-NENE         |
| UTUO2270A   | 4304737511 | NBU 319-17E | 807' FNL 990' FWL   | T10S-R21E-17-NWNW         |
| UTUO1188    | 4304732379 | NBU 321-10E | 940' FSL 2508' FWL  | T09S-R21E-10-SESW         |
| UTUO575B    | 4304732376 | NBU 325-08E | 832' FSL 669' FWL   | T09S-R21E-08-SWSW         |
| UTUO1393B   | 4304733697 | NBU 326-04E | 1906' FNL 695' FWL  | T10S-R21E-04-SWNW         |
| UTUO1393B   | 4304739303 | NBU 327-05E | 1117' FNL 942' FEL  | T10S-R21E-05-NENE (LOT 1) |
| UTU4485     | 4304732386 | NBU 328-13E | 1766' FSL 1944' FWL | T10S-R20E-13-NESW         |
| UTUO1207 ST | 4304732229 | NBU 329-29E | 2490' FNL 949' FEL  | T09S-R22E-29-SENE         |

RECEIVED

DEC 24 2009

DIV. OF OIL, GAS & MINING

| Lease #      | API #      | Well Name    | Footages            | Legal Description         |
|--------------|------------|--------------|---------------------|---------------------------|
| UTUO10954A   | 4304732147 | NBU 331-35E  | 1531' FNL 1153' FEL | T09S-R22E-35-SENE         |
| UTUO1791     | 4304732148 | NBU 332-08E  | 955' FSL 2508' FEL  | T10S-R21E-08-SWSE         |
| ML21510      | 4304732518 | NBU 333-02E  | 1951' FSL 2245' FWL | T09S-R21E-02-NESW         |
| UTUO149075   | 4304732265 | NBU 335-23E  | 1419' FNL 828' FEL  | T09S-R21E-23-SENE         |
| UTUO149076   | 4304732264 | NBU 336-24E  | 2024' FNL 1958' FWL | T09S-R21E-24-SENW         |
| UTUO284      | 4304732281 | NBU 339-19E  | 1890' FSL 674' FWL  | T09S-R22E-19-NWSW         |
| UTUO284B     | 4304732327 | NBU 340-20E  | 1326' FSL 2569' FEL | T09S-R22E-20-NWSE         |
| UTUO1207 ST  | 4304733055 | NBU 341-29E  | 307' FSL 898' FEL   | T09S-R22E-29-SESE         |
| UTUO10954A   | 4304732212 | NBU 342-35E  | 918' FNL 2563' FEL  | T09S-R22E-35-NWNE         |
| UTUO1393B    | 4304739338 | NBU 346-05E  | 2233' FSL 676' FEL  | T10S-R21E-05-NESE         |
| UTUO575B     | 4304732326 | NBU 349-07E  | 1641' FNL 1036' FWL | T09S-R21E-07-SWNW         |
| UTUO1188     | 4304732519 | NBU 352-10E  | 1806' FSL 842' FWL  | T09S-R21E-10-NWSW         |
| UTUO581      | 4304732383 | NBU 356-29E  | 1600' FNL 1980' FEL | T09S-R21E-29-SWNE         |
| UTUO2270A    | 4304732388 | NBU 358-01E  | 736' FSL 1941' FEL  | T10S-R20E-01-SWSE         |
| UTU4485      | 4304750032 | NBU 359-13E  | 661' FSL 2149' FEL  | T10S-R20E-13-SWSE         |
| UTU4485      | 4304732387 | NBU 360-13E  | 1998' FSL 775' FWL  | T10S-R20E-13-NWSW         |
| ML21510      | 4304733782 | NBU 379-02E  | 1967' FSL 898' FWL  | T09S-R21E-02-NWSW         |
| UTUO575      | 4304733064 | NBU 382-18E  | 2030' FSL 2172' FEL | T09S-R21E-18-NWSE         |
| UTUO149075   | 4304735889 | NBU 384-23E  | 491' FSL 929' FEL   | T09S-R21E-23-SESE         |
| UTUO149076   | 4304733056 | NBU 386-24E  | 450' FSL 1850' FWL  | T09S-R21E-24-SESW         |
| UTUO284      | 4304733057 | NBU 388-19E  | 382' FSL 1847' FWL  | T09S-R22E-19-SESW         |
| UTUO1207 ST  | 4304733049 | NBU 389-29E  | 2226' FSL 2166' FEL | T09S-R22E-29-NWSE         |
| UTUO1393B    | 4304732835 | NBU 390-04E  | 2577' FSL 1951' FWL | T10S-R21E-04-NESW         |
| UTUO1393B    | 4304732988 | NBU 391-05E  | 1215' FSL 2090' FEL | T10S-R21E-05-SWSE         |
| UTUO1791     | 4304733783 | NBU 392-06E  | 1926' FSL 611' FEL  | T10S-R21E-06-NESE         |
| UTU4485      | 4304733071 | NBU 393-13E  | 1850' FSL 2141' FEL | T10S-R20E-13-NWSE         |
| UTU4485      | 4304733072 | NBU 394-13E  | 725' FSL 2027' FWL  | T10S-R20E-13-SESW         |
| UTUO1188     | 4304732544 | NBU 400-11E  | 1983' FSL 1321' FWL | T09S-R21E-11-NESW         |
| UTUO581      | 4304734216 | NBU 421-29E  | 1985 FNL, 972 FEL   | T09S-R21E-29-SENE         |
| UTUO581      | 4304733698 | NBU 422-29E  | 1980' FNL 785' FWL  | T09S-R21E-29-SWNW         |
| UTUO581      | 4304734206 | NBU 423-30E  | 1980' FSL 660' FEL  | T09S-R21E-30-NESE         |
| ML3142       | 4304733699 | NBU 424-32E  | 744' FNL 773' FEL   | T09S-R21E-32-NENE         |
| UTUO2270A    | 4304740049 | NBU 428-07E  | 660' FSL 855' FWL   | T10S-R21E-07-SWSW (Lot 4) |
| UTUO1791     | 4304733069 | NBU 431-09E  | 2599' FNL 662' FWL  | T10S-R21E-09-SWNW         |
| UTUO2270A    | 4304738536 | NBU 434-17E  | 1799' FNL 2176' FWL | T10S-R21E-17-SENW         |
| UTUO2270A    | 4304738376 | NBU 435-17E  | 1837' FNL 571' FWL  | T10S-R21E-17-SWNW         |
| UTUO2270A    | 4304734195 | NBU 436-18E  | 1644' FSL 748' FEL  | T10S-R21E-18-NESE         |
| UTUO2270A    | 4304735499 | NBU 437-18E  | 322' FSL 748' FEL   | T10S-R21E-18-SESE         |
| ML22792      | 4304737534 | NBU 438-19E  | 661' FNL 1941' FEL  | T10S-R21E-19-NWNE         |
| ML22792      | 4304737535 | NBU 439-19E  | 2111' FNL 1980' FWL | T10S-R21E-19-SWNE         |
| UTUO10953    | 4304736279 | NBU 451-01E  | 1965' FSL 2132' FWL | T10S-R22E-01-NESW         |
| ML22651      | 4304736053 | NBU 456-02E  | 493' FNL 1080' FWL  | T10S-R22E-02-NWNW (Lot 4) |
| UTUO141315   | 4304733063 | NBU 481-03E  | 1490' FSL 556' FEL  | T09S-R21E-03-NESE         |
| UTUO581      | 4304733065 | NBU 483-19E  | 1850' FSL 1980' FWL | T09S-R21E-19-NESW         |
| UTUO575      | 4304733784 | NBU 484-20E  | 350' FNL 823' FWL   | T09S-R21E-20-NWNW         |
| UTUO2270A    | 4304739897 | NBU 486-07E  | 1895 FSL' 1834' FWL | T10S-R21E-07-NESW         |
| UTUO575B     | 4304733121 | NBU 489-07E  | 763' FSL 733' FWL   | T09S-R21E-07-SWSW (Lot 4) |
| UTUO2270A    | 4304733123 | NBU 497-01E  | 2091' FSL 894' FEL  | T10S-R20E-01-NESE         |
| UTUO577A     | 4304733140 | NBU 506-23E  | 720' FNL 1818' FWL  | T09S-R20E-23-NENW         |
| UTUO1791     | 4304733124 | NBU 508-08E  | 915' FSL 355' FEL   | T10S-R21E-08-SESE         |
| UTUO1197A ST | 4304739283 | NBU 513-12EX | 1850' FNL 2133' FWL | T10S-R22E-12-SENW         |
| UTUO2270A    | 4304733696 | NBU 516-12E  | 1950' FSL 1786' FEL | T10S-R20E-12-NWSE         |
| UTUO141315   | 4304733779 | NBU 519-03E  | 1749' FSL 798' FWL  | T09S-R21E-03-NWSW         |
| UTUO575B     | 4304733780 | NBU 521-08E  | 2250' FSL 900' FWL  | T09S-R21E-08-NWSW         |
| UTUO1188     | 4304733781 | NBU 522-10E  | 732' FSL 841' FEL   | T09S-R21E-10-SESE         |
| UTUO2270A    | 4304733685 | NBU 523-12E  | 660' FSL 660' FEL   | T10S-R20E-12-SESE         |
| UTUO2270A    | 4304733701 | NBU 524-12E  | 841' FSL 1795' FEL  | T10S-R20E-12-SWSE         |
| UTUO2270A    | 4304739722 | NBU 529-07E  | 704' FNL 762' FWL   | T10S-R21E-07-NWNW         |
| UTUO581      | 4304734639 | NBU 534-18E  | 1885' FSL 115' FWL  | T09S-R21E-18-NWSW         |
| UTUO2270A    | 4304735200 | NBU 535-17E  | 1893' FSL 580' FWL  | T10S-R21E-17-NWSW         |
| ML22791      | 4304735252 | NBU 536-18E  | 734' FSL 2293' FWL  | T10S-R21E-18-SESW         |
| UTUO2270A    | 4304735253 | NBU 537-18E  | 1880' FSL 1830' FEL | T10S-R21E-18-NWSE         |

RECEIVED

DEC 24 2009

| Lease #      | API #      | Well Name   | Footages            | Legal Description |
|--------------|------------|-------------|---------------------|-------------------|
| UTUO284      | 4304735886 | NBU 538-19E | 1937' FSL 1833' FWL | T09S-R22E-19-NESW |
| UTUO149076   | 4304735887 | NBU 539-24E | 1870' FSL 477' FEL  | T09S-R21E-24-NESE |
| UTUO10953    | 4304736280 | NBU 546-01E | 2036' FSL 699' FWL  | T10S-R22E-01-NWSW |
| UTUO10953    | 4304736278 | NBU 547-01E | 749' FSL 598' FWL   | T10S-R22E-01-SWSW |
| UTU474       | 4304737687 | NBU 553-28E | 767' FNL 753' FWL   | T10S-R22E-28-NWNW |
| UTU474       | 4304737686 | NBU 554-28E | 2023' FNL 465' FWL  | T10S-R22E-28-SWNW |
| ML22791      | 4304737685 | NBU 555-18E | 1984' FSL 1790' FWL | T10S-R21E-18-NESW |
| ML22791      | 4304737514 | NBU 556-18E | 1800' FSL 870' FWL  | T10S-R21E-18-NWSW |
| ML22791      | 4304737513 | NBU 557-18E | 852' FSL 661' FWL   | T10S-R21E-18-SWSW |
| UTUO2270A    | 4304737510 | NBU 558-17E | 748' FSL 611' FWL   | T10S-R21E-17-SWSW |
| UTUO2278C    | 4304737509 | NBU 559-17E | 467' FSL 2065' FWL  | T10S-R21E-17-SESW |
| UTUO2278     | 4304737508 | NBU 560-17E | 1946' FSL 1896' FWL | T10S-R21E-17-NESW |
| UTUO2278     | 4304737512 | NBU 561-17E | 857' FSL 1988' FEL  | T10S-R21E-17-SWSE |
| ML22792      | 4304737536 | NBU 562-19E | 859' FNL 859' FEL   | T10S-R21E-19-NENE |
| ML22792      | 4304737537 | NBU 563-19E | 1982' FSL 1878' FEL | T10S-R21E-19-NWSE |
| UTU4476      | 4304738962 | NBU 564-26E | 665' FNL 1945' FWL  | T10S-R20E-26-NENW |
| ML22793      | 4304737533 | NBU 565-30E | 1865' FNL 1786' FEL | T10S-R21E-30-SWNE |
| UTUO2270A    | 4304738375 | NBU 566-17E | 538' FNL 1806' FWL  | T10S-R21E-17-NENW |
| UTUO1791     | 4304738535 | NBU 567-17E | 690' FNL 1988' FEL  | T10S-R21E-17-NWNE |
| UTUO1791     | 4304738537 | NBU 568-17E | 850' FNL 807' FEL   | T10S-R21E-17-NENE |
| UTUO1791     | 4304738534 | NBU 569-17E | 2009' FNL 1809' FEL | T10S-R21E-17-SWNE |
| UTUO1791     | 4304738529 | NBU 570-17E | 2031' FNL 672' FEL  | T10S-R21E-17-SENE |
| UTUO2278     | 4304738377 | NBU 571-17E | 1964' FSL 1831' FEL | T10S-R21E-17-NWSE |
| UTUO2278     | 4304738374 | NBU 572-17E | 1810' FSL 739' FEL  | T10S-R21E-17-NESE |
| UTUO2278     | 4304738510 | NBU 573-17E | 813' FSL 481' FEL   | T10S-R21E-17-SESE |
| ML22650      | 4304739308 | NBU 602-36E | 1723' FNL 719' FWL  | T09S-R22E-36-SWNW |
| UTUO1393B    | 4304739305 | NBU 614-05E | 716' FNL 1967' FEL  | T10S-R21E-05-NWNE |
| UTUO1393B    | 4304739655 | NBU 615-05E | 2384' FNL 1015' FEL | T10S-R21E-05-SENE |
| UTUO1393B    | 4304739337 | NBU 617-04E | 933' FNL 745' FWL   | T10S-R21E-04-NWNW |
| UTUO1393B    | 4304739336 | NBU 618-04E | 998' FSL 661' FWL   | T10S-R21E-04-SWSW |
| UTUO1393B    | 4304739414 | NBU 625-04E | 1937' FNL 1722' FWL | T10S-R21E-04-SENW |
| UO01197A ST  | 4304739192 | NBU 632-12E | 860' FNL 2032' FWL  | T10S-R22E-12-NENW |
| UO01197A ST  | 4304739193 | NBU 633-12E | 789' FNL 2179' FEL  | T10S-R22E-12-NWNE |
| UO01197A ST  | 4304739190 | NBU 635-12E | 1808' FNL 1754' FEL | T10S-R22E-12-SWNE |
| UTUO1197A ST | 4304739191 | NBU 636-12E | 1824' FNL 461' FEL  | T10S-R22E-12-SENE |
| UTUO8512 ST  | 4304750016 | NBU 638-13E | 1926' FNL 2504' FWL | T10S-R22E-13-SENW |
| UTUO8512 ST  | 4304750019 | NBU 639-13E | 859' FNL 1902' FEL  | T10S-R22E-13-NWNE |
| UTUO8512 ST  | 4304750014 | NBU 640-13E | 1619' FNL 1639' FEL | T10S-R22E-13-SWNE |
| UTUO8512A ST | 4304750058 | NBU 641-13E | 990' FNL 1184' FEL  | T10S-R22E-13-NENE |
| UTUO8512 ST  | 4304750013 | NBU 642-13E | 1949' FNL 858' FEL  | T10S-R22E-13-SENE |
| UTUO2270A    | 4304739957 | NBU 653-07E | 660' FNL 1980' FWL  | T10S-R21E-07-NENW |
| UTUO2270A    | 4304739956 | NBU 654-07E | 1913' FNL 522' FWL  | T10S-R21E-07-SWNW |
| UTUO2270A    | 4304739860 | NBU 655-07E | 1926' FSL 750' FWL  | T10S-R21E-07-NWSW |
| UTUO1791     | 4304739856 | NBU 658-01E | 2177' FNL 1784' FEL | T10S-R20E-01-SWNE |
| UTUO2270A    | 4304739858 | NBU 660-12E | 661' FNL 691' FEL   | T10S-R20E-12-NENE |
| ML22790      | 4304750011 | NBU 661-24E | 1734' FSL 661' FWL  | T10S-R20E-24-NWSW |
| ML22790      | 4304750017 | NBU 662-24E | 809' FSL 807' FWL   | T10S-R20E-24-SWSW |
| ML22790      | 4304750010 | NBU 663-24E | 810' FSL 1979' FWL  | T10S-R20E-24-SESW |
| ML22790      | 4304739867 | NBU 664-24E | 1810' FNL 1781' FEL | T10S-R20E-24-NWSE |
| ML22790      | 4304750018 | NBU 665-24E | 1950' FSL 660' FEL  | T10S-R20E-24-NESE |
| ML22790      | 4304750057 | NBU 666-24E | 1043' FSL 1722' FEL | T10S-R20E-24-SWSE |
| ML22790      | 4304750012 | NBU 667-24E | 660' FSL 660' FEL   | T10S-R20E-24-SESE |
| UTUO2270A    | 4304739901 | NBU 668-12E | 859' FNL 1915' FEL  | T10S-R20E-12-NWNE |
| UO1207 ST    | 4304740084 | NBU 670-29E | 2018' FSL 859' FEL  | T09S-R22E-29-NESE |
| UO1207 ST    | 4304750027 | NBU 691-29E | 680' FNL 797' FEL   | T09S-R22E-29-NENE |
| ML3140.5     | 4304738330 | NBU 760-36E | 1320' FNL 1320' FEL | T09S-R20E-36-NENE |
| UTU4476      | 4304738632 | NBU 762-26E | 1506' FNL 1449' FEL | T10S-R20E-26-SWNE |
| ML22792      | 4304738332 | NBU 763-19E | 1258' FSL 1388' FEL | T10S-R21E-19-SWSE |
| ML3142       | 4304738331 | NBU 764-32E | 875' FNL 667' FWL   | T09S-R21E-32-NWNW |
| UTUO1791     | 4304738633 | NBU 765-09E | 1000' FSL 1640' FWL | T10S-R21E-09-SESW |

RECEIVED

DEC 24 2009

DIV. OF OIL, GAS & MINING

|  |   |
|--|---|
| <b>STATE OF UTAH</b><br>DEPARTMENT OF NATURAL RESOURCES<br>DIVISION OF OIL, GAS, AND MINING  | <b>FORM 9</b><br><br><b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b><br>U-010954A                                    |
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br><br>Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | <b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b><br><br><b>7. UNIT or CA AGREEMENT NAME:</b><br>NATURAL BUTTES          |
| <b>1. TYPE OF WELL</b><br>Gas Well   | <b>8. WELL NAME and NUMBER:</b><br>NBU 342-35E  |
| <b>2. NAME OF OPERATOR:</b><br>KERR-MCGEE OIL & GAS ONSHORE, L.P.  | <b>9. API NUMBER:</b><br>43047322120000   |
| <b>3. ADDRESS OF OPERATOR:</b><br>P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779  | <b>PHONE NUMBER:</b><br>720 929-6007 Ext  |
| <b>4. LOCATION OF WELL</b><br><b>FOOTAGES AT SURFACE:</b><br>0918 FNL 2563 FEL<br><b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b><br>Qtr/Qtr: NWNE Section: 35 Township: 09.0S Range: 22.0E Meridian: S  | <b>9. FIELD and POOL or WILDCAT:</b><br>NATURAL BUTTES<br><br><b>COUNTY:</b><br>UINTAH<br><br><b>STATE:</b><br>UTAH |

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION  | TYPE OF ACTION  |   |   |
|---|---|---|---|
| <input type="checkbox"/> <b>NOTICE OF INTENT</b><br>Approximate date work will start:                 | <input type="checkbox"/> ACIDIZE                                      | <input type="checkbox"/> ALTER CASING                   | <input type="checkbox"/> CASING REPAIR                  |
| <input checked="" type="checkbox"/> <b>SUBSEQUENT REPORT</b><br>Date of Work Completion:<br>6/17/2010 | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS                     | <input type="checkbox"/> CHANGE TUBING                  | <input type="checkbox"/> CHANGE WELL NAME               |
| <input type="checkbox"/> <b>SPUD REPORT</b><br>Date of Spud:  | <input type="checkbox"/> CHANGE WELL STATUS                           | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> CONVERT WELL TYPE              |
| <input type="checkbox"/> <b>DRILLING REPORT</b><br>Report Date:                                       | <input type="checkbox"/> DEEPEN                                       | <input type="checkbox"/> FRACTURE TREAT                 | <input type="checkbox"/> NEW CONSTRUCTION               |
|   | <input type="checkbox"/> OPERATOR CHANGE                              | <input type="checkbox"/> PLUG AND ABANDON               | <input type="checkbox"/> PLUG BACK                      |
|   | <input checked="" type="checkbox"/> <b>PRODUCTION START OR RESUME</b> | <input type="checkbox"/> RECLAMATION OF WELL SITE       | <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION |
|   | <input type="checkbox"/> REPERFORATE CURRENT FORMATION                | <input type="checkbox"/> SIDETRACK TO REPAIR WELL       | <input type="checkbox"/> TEMPORARY ABANDON              |
|   | <input type="checkbox"/> TUBING REPAIR                                | <input type="checkbox"/> VENT OR FLARE                  | <input type="checkbox"/> WATER DISPOSAL                 |
|   | <input type="checkbox"/> WATER SHUTOFF                                | <input type="checkbox"/> SI TA STATUS EXTENSION         | <input type="checkbox"/> APD EXTENSION                  |
|   | <input type="checkbox"/> WILDCAT WELL DETERMINATION                   | <input type="checkbox"/> OTHER                          | OTHER: _____  |

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.**

THIS WELL RETURNED TO PRODUCTION ON 6/17/2010.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining**

**FOR RECORD ONLY**

June 29, 2010

|  |                                     |                                    |
|--|-------------------------------------|------------------------------------|
| <b>NAME (PLEASE PRINT)</b><br>Andy Lytle | <b>PHONE NUMBER</b><br>720 929-6100 | <b>TITLE</b><br>Regulatory Analyst |
| <b>SIGNATURE</b><br>N/A                  |                                     | <b>DATE</b><br>6/28/2010           |

|  |   |
|--|---|
| <b>STATE OF UTAH</b><br>DEPARTMENT OF NATURAL RESOURCES<br>DIVISION OF OIL, GAS, AND MINING  | <b>FORM 9</b><br><br><b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b><br>U-010954A                                    |
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br><br>Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | <b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b><br><br><b>7. UNIT or CA AGREEMENT NAME:</b><br>NATURAL BUTTES          |
| <b>1. TYPE OF WELL</b><br>Gas Well   | <b>8. WELL NAME and NUMBER:</b><br>NBU 342-35E  |
| <b>2. NAME OF OPERATOR:</b><br>KERR-MCGEE OIL & GAS ONSHORE, L.P.  | <b>9. API NUMBER:</b><br>43047322120000   |
| <b>3. ADDRESS OF OPERATOR:</b><br>P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779  | <b>PHONE NUMBER:</b><br>720 929-6007 Ext  |
| <b>4. LOCATION OF WELL</b><br><b>FOOTAGES AT SURFACE:</b><br>0918 FNL 2563 FEL<br><b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b><br>Qtr/Qtr: NWNE Section: 35 Township: 09.0S Range: 22.0E Meridian: S  | <b>9. FIELD and POOL or WILDCAT:</b><br>NATURAL BUTTES<br><br><b>COUNTY:</b><br>UINTAH<br><br><b>STATE:</b><br>UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION   | TYPE OF ACTION   |   |   |
|--|--|---|---|
| <input type="checkbox"/> NOTICE OF INTENT<br>Approximate date work will start:                 | <input type="checkbox"/> ACIDIZE                               | <input type="checkbox"/> ALTER CASING                   | <input type="checkbox"/> CASING REPAIR                  |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT<br>Date of Work Completion:<br>11/9/2010 | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS              | <input type="checkbox"/> CHANGE TUBING                  | <input type="checkbox"/> CHANGE WELL NAME               |
| <input type="checkbox"/> SPUD REPORT<br>Date of Spud:  | <input type="checkbox"/> CHANGE WELL STATUS                    | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> CONVERT WELL TYPE              |
| <input type="checkbox"/> DRILLING REPORT<br>Report Date:                                       | <input type="checkbox"/> DEEPEN                                | <input type="checkbox"/> FRACTURE TREAT                 | <input type="checkbox"/> NEW CONSTRUCTION               |
|  | <input type="checkbox"/> OPERATOR CHANGE                       | <input type="checkbox"/> PLUG AND ABANDON               | <input type="checkbox"/> PLUG BACK                      |
|  | <input checked="" type="checkbox"/> PRODUCTION START OR RESUME | <input type="checkbox"/> RECLAMATION OF WELL SITE       | <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION |
|  | <input type="checkbox"/> REPERFORATE CURRENT FORMATION         | <input type="checkbox"/> SIDETRACK TO REPAIR WELL       | <input type="checkbox"/> TEMPORARY ABANDON              |
|  | <input type="checkbox"/> TUBING REPAIR                         | <input type="checkbox"/> VENT OR FLARE                  | <input type="checkbox"/> WATER DISPOSAL                 |
|  | <input type="checkbox"/> WATER SHUTOFF                         | <input type="checkbox"/> SI TA STATUS EXTENSION         | <input type="checkbox"/> APD EXTENSION                  |
|  | <input type="checkbox"/> WILDCAT WELL DETERMINATION            | <input type="checkbox"/> OTHER                          | OTHER: <input style="width: 100px;" type="text"/>       |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This well location has returned to production on November 9, 2010 from a shut-in status.

**Accepted by the**  
**Utah Division of**  
**Oil, Gas and Mining**  
**FOR RECORD ONLY**  
 November 15, 2010

|   |                                     |                                       |
|---|-------------------------------------|---------------------------------------|
| <b>NAME (PLEASE PRINT)</b><br>Gina Becker | <b>PHONE NUMBER</b><br>720 929-6086 | <b>TITLE</b><br>Regulatory Analyst II |
| <b>SIGNATURE</b><br>N/A                   |                                     | <b>DATE</b><br>11/12/2010             |

|   |   |   |
|---|---|---|
| <b>STATE OF UTAH</b><br>DEPARTMENT OF NATURAL RESOURCES<br>DIVISION OF OIL, GAS, AND MINING   |   | <b>FORM 9</b>   |
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  |   | <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b><br>U-010954A |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.  |   | <b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>                |
|   |   | <b>7. UNIT or CA AGREEMENT NAME:</b><br>NATURAL BUTTES      |
| <b>1. TYPE OF WELL</b><br>Gas Well  | <b>8. WELL NAME and NUMBER:</b><br>NBU 342-35E  |   |
| <b>2. NAME OF OPERATOR:</b><br>KERR-MCGEE OIL & GAS ONSHORE, L.P.   | <b>9. API NUMBER:</b><br>43047322120000   |   |
| <b>3. ADDRESS OF OPERATOR:</b><br>P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779   | <b>PHONE NUMBER:</b><br>720 929-6515 Ext  | <b>9. FIELD and POOL or WILDCAT:</b><br>NATURAL BUTTES      |
| <b>4. LOCATION OF WELL FOOTAGES AT SURFACE:</b><br>0918 FNL 2563 FEL<br><b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b><br>Qtr/Qtr: NWNE Section: 35 Township: 09.0S Range: 22.0E Meridian: S   | <b>COUNTY:</b><br>UINTAH  |   |
|   | <b>STATE:</b><br>UTAH   |   |
| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA   |   |   |
| <b>TYPE OF SUBMISSION</b>   | <b>TYPE OF ACTION</b>   |   |
| <input type="checkbox"/> NOTICE OF INTENT<br>Approximate date work will start:<br><br><input checked="" type="checkbox"/> SUBSEQUENT REPORT<br>Date of Work Completion:<br>3/15/2011<br><br><input type="checkbox"/> SPUD REPORT<br>Date of Spud:<br><br><input type="checkbox"/> DRILLING REPORT<br>Report Date:   | <input type="checkbox"/> ACIDIZE<br><input type="checkbox"/> CHANGE TO PREVIOUS PLANS<br><input type="checkbox"/> CHANGE WELL STATUS<br><input type="checkbox"/> DEEPEN<br><input type="checkbox"/> OPERATOR CHANGE<br><input checked="" type="checkbox"/> PRODUCTION START OR RESUME<br><input type="checkbox"/> REPERFORATE CURRENT FORMATION<br><input type="checkbox"/> TUBING REPAIR<br><input type="checkbox"/> WATER SHUTOFF<br><input type="checkbox"/> WILDCAT WELL DETERMINATION<br><input type="checkbox"/> ALTER CASING<br><input type="checkbox"/> CHANGE TUBING<br><input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS<br><input type="checkbox"/> FRACTURE TREAT<br><input type="checkbox"/> PLUG AND ABANDON<br><input type="checkbox"/> RECLAMATION OF WELL SITE<br><input type="checkbox"/> SIDETRACK TO REPAIR WELL<br><input type="checkbox"/> VENT OR FLARE<br><input type="checkbox"/> SI TA STATUS EXTENSION<br><input type="checkbox"/> OTHER |   |
| <input type="checkbox"/> CASING REPAIR<br><input type="checkbox"/> CHANGE WELL NAME<br><input type="checkbox"/> CONVERT WELL TYPE<br><input type="checkbox"/> NEW CONSTRUCTION<br><input type="checkbox"/> PLUG BACK<br><input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION<br><input type="checkbox"/> TEMPORARY ABANDON<br><input type="checkbox"/> WATER DISPOSAL<br><input type="checkbox"/> APD EXTENSION<br>OTHER: <input style="width: 100px;" type="text"/> |   |   |
| 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  |   |   |
| This well returned to production on 03/15/2011.   |   |   |
| <b>Accepted by the<br/>Utah Division of<br/>Oil, Gas and Mining<br/>FOR RECORD ONLY</b>   |   |   |
| <b>NAME (PLEASE PRINT)</b><br>Andy Lytle  | <b>PHONE NUMBER</b><br>720 929-6100   | <b>TITLE</b><br>Regulatory Analyst                          |
| <b>SIGNATURE</b><br>N/A   | <b>DATE</b><br>3/23/2011  |   |