

7-10-92

CNG Producing
Company

OIL COMPANY

December 19, 1991

RECEIVED

DEC 20 1991

Mr. Ed Forsman
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

DIVISION OF
OIL GAS & MINING

RE: Archeological - Environmental Reports for River Bend Unit
RBU 8-2F, RBU 5-17E, RBU 3-3E, RBU 15-10E, RBU 1-20E, RBU 13-23E,
RBU 5-24E, RBU 15-13E, RBU 14-18F, RBU 1-25E, RBU 7-15E, RBU 8-18F,
RBU 3-16F, and RBU 13-10F

Dear Ed:

Enclosed please find archeological reports for the above captioned wells. Shirley Finn is on vacation and I wasn't sure if she had sent you copies of these reports before she left, so I sent them again in case she did not. Better safe than sorry as the saying goes.

If there is anything I can do from my end to make the processing of these applications easier, please do not hesitate to let me know. I realize that you must be swamped with applications this time of the year with everyone trying to spend their budget money.

If you have any questions or need any further information, please feel free to contact me at (504) 593-7260 or our project engineer, David Linger, at (504) 593-7779. Have a safe and happy holiday!


Sincerely,

Susan M Hebert

Susan M. Hebert
Regulatory Reports Asst. II

Enclosure

cc: Tammy Searing
Utah Board of Oil, Gas & Mining




T. 10 South
R. 20 East

Meridian: Salt Lake B. & M.

Quad:

Big Pack Mtn.
NW, Utah
7.5 minute-USGS



Project: CNG-91-11
Series: Uinta Basin
Date: 12-5-91

Cultural Resource Survey
of Proposed Ute Tribal
Units 3-16F and 13-10F
in the Willow Creek Area

Legend:

- Well Location 
- Survey Area 
- Access Route 



2.64" = 1 mile

Report Acceptable Yes No

Mitigation Acceptable Yes No

Comments: _____

Summary Report of
Inspection for Cultural Resources

W I L D H O R S E B E N C H L O C A T I O N S

1. Report Title

CNG PRODUCTION - UNITS 3-3E, 15-10E, 15-13E, 7-15E,
1-20E, 13-23E, 5-24E, 1-25E, 8-2F, 5-17F, 8-18F, 14-18F

2. Development Company _____

1 2 6 1 9 9 1 UT-91-54937

3. Report Date 4. Antiquities Permit No. _____

5. Responsible Institution A E R C C N G - 9 1 - 1 0 Uintah
County _____

6. Fieldwork

	1 0 S	1 9 E	3	1 0	1 3	1 5
Location:	TWN	RNG	Section.
7. Resource	1 0 S	1 9 E	2 0	2 3	2 4	2 5
Area	TWN	RNG	Section.
.B.C.	1 0 S	2 0 E	2	1 7	1 8	
	TWN	RNG	Section.

8. Description of Examination Procedures: The archeologist, F.R. Hauck, and field assistant Lance Harding intensively examined these units and the proposed access routes by walking a series of 10 to 20 meter-wide transects. Ten acre parcels were examined around the following locations: (see page 2)

9. Linear Miles Surveyed 1 . 7

and/or

Definable Acres Surveyed

and/or

Legally Undefinable Acres Surveyed 7 0

10. Inventory Type I

R = Reconnaissance
I = Intensive
S = Statistical Sample

11. Description of Findings: Two cultural resource sites were identified during the survey. These sites include 42UN 1951 and 42UN 1952 (see page 2)

12. Number Sites Found 2 (No sites = 0)

13. Collection: Y (Y = Yes, N = No)

14. Actual/Potential National Register Properties Affected: The National Register of Historic Places (NRHP) has been consulted and no registered properties will be affected by the proposed development (see pg. 2)

15. Literature Search Location/ Date: Utah SHPO 11-14-91
Vernal District Office Records 11-20-91

16. Conclusion/ Recommendations: AERC recommends that a cultural resource clearance be granted to CNG Producing Company for these proposed developments based on the following stipulations: (see page 2).

17. Signature of Administrator & Field Supervisor

Administrator *[Signature]*

Field Supervisor *[Signature]*

UT 8100-3 (2/85)



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P.O. Box 853 Bountiful, Utah 84010
Tel: (801) 292-7061, 292-9668

December 4, 1991

Subject: CULTURAL RESOURCE EVALUATIONS OF PROPOSED
WELL LOCATIONS IN THE WILD HORSE BENCH -
COTTONWOOD WASH LOCALITIES OF UINTAH COUNTY,
UTAH

Project: CNG PRODUCTION CO. -- 1991 Development
Program for Units 8-2F, 5-17F, 3-3E, 15-10E, 1-
20E, 13-23E, 5-24E, 15-13E, 14-18F, 1-25E, 7-
15E, and 8-18F

Project No.: CNG-91-10

Permit No.: Dept. of Interior -- UT-91-54937

Utah State Project No.: UT-91-AF-778b

To: Mr. Darwin Kulland, CNG Producing Company, P.O. Box 1360,
Roosevelt, Utah 84066

Mr. David Little, District Manager, Bureau of Land
Management, 170 South 500 East, Vernal, Utah 84078

Info: Antiquities Section, Division of State History, 300 Rio
Grande, Salt Lake City, Utah 84101

RECEIVED

DEC 20 1991

DIVISION OF
OIL GAS & MINING

3-3E, 15-10E, 7-15E, 1-20E, -25E, 8-18F, AND 14-18F. An alternative access route was examined into Unit 8-2F which was examined by AERC several months ago and reported October 29, 1991 (cf., UT-91-AF-636bs). The following locations and access routes were originally evaluated by AERC several years ago, their newly staked pads and access routes were revisited during this project to insure that they were still located within the surveyed areas: 13-23E (cf., UT-88-AF-194bs), 15-13E (cf., UT-86-AF-827b), 5-24E (cf., UT-86-AF-209b), 5-15F (cf., AERC Paper No. 18 -- MAPCO Sample Unit 166 [Norman and Hauck Final Report on the Mapco River Bend Cultural Mitigation Study, dated June 1980]).

11. continued:

Site Descriptions: Site 42UN 1951 consists of a lithic scatter that is partially exposed in the south facing slope and terrace directly above the drainage channel. This site measures ca. 30 x 40 meters in size and contains a wide assortment of lithic types in a moderate density. The site is primarily a core reduction locus where localized slate, green mudstone, brown chert, quartzite cobbles and white-red, brown, or clear cherts were reduced. The number of secondary flakes on this site indicate biface preparation also occurred. Only three tools observed, two choppers and a biface fragment. No features observed.

Site 42UN 1952 consists of a buried open occupation that is identifiable primarily by the presence of oxidized sandstone fragments which have been partially exposed in dune matrices. This site measures ca. 50 x 150 meters in size and is found in three distinct units. Unit A is on the sandy bluff that has been undercut by the channel and measures ca. 20 x 30 meters and contains intrusive sandstone and slate. Some of the sandstone fragments exhibit oxidization. Unit B is a 10 x 15 meter dispersed scatter of oxidized sandstone and shale fragments on the site's western periphery and the south base on the ledge. Unit C is a 10 x 20 meter dispersed scatter of oxidized sandstone fragments and two oxidized cobbles (one is a mano) on the site's eastern periphery at the base of the ledge about 40 meters west of the road. Units B and C appear to be mostly buried in sand deposits resulting from the decomposition of the ledge that marks the northern periphery of this site. No evidence of cultural material was observed along the ledge base between Units B and C. No diagnostic artifacts or intact features observed.

14. continued:

Site 42UN 1951 is outside the pad area. The access route passes ca. 25 meters SE and outside of the site's southeastern periphery.

Site 42UN 1952 is well outside the development zone and could only be disturbed by secondary activities, e.g., vandalism. Secondary destruction is not anticipated however, since this site is not readily identifiable.

16. continued:

1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the locations examined as referenced in this report, and to the existing roadways and/or evaluated access routes. This restriction is especially pertinent to the development and use of the access route into Unit 14-18F.

2. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.

3. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P.O. Box 853 Bountiful, Utah 84010
Tel: (801) 292-7061, 292-9668

December 4, 1991

Subject: CULTURAL RESOURCE EVALUATIONS OF TWO PROPOSED
UTE TRIBAL WELL LOCATIONS IN THE WILLOW CREEK
CANYON LOCALITY OF UINTAH COUNTY, UTAH

Project: CNG PRODUCING COMPANY -- 1991 Development
Program - Units 3-16F and 13-10F

Project No.: CNG-91-11

Permit No.: Dept. of Interior -- UT-91-54937

Utah State Project No.: UT-91-AF-779i

To: Mr. Darwin Kulland, CNG Producing Company, P.O. Box 1360,
Roosevelt, Utah 84066

Mr. Roland McCook, Bureau of Indian Affairs,
P.O. Box 190, Fort Duchesne, Utah 84026

Mr. Jay MountainLion, Ute Indian Tribe, Energy &
Minerals Dept., P.O. Box 190, Fort Duchesne,
Utah 84026

Info: Antiquities Section, Division of State History, 300 Rio
Grande, Salt Lake City, Utah 84101

RECEIVED

DEC 20 1991

DIVISION OF
OIL GAS & MINING

GENERAL INFORMATION:

On November 19, 1991, F. Richard Hauck and Lance Harding of AERC conducted cultural resource evaluations of two proposed well locations for CNG Production of Roosevelt, Utah. This project is on Ute Tribal lands in the Willow Creek locality of Uintah County. Mr. Jay MountainLion of the Energy & Minerals Department accompanied the evaluations.

The proposed well units are as follows:

Ute Tribal Unit No. 13-10F

Unit No. 13-10F is located in the SW 1/4 of Section 10, Township 10 South, Range 20 East, Salt Lake Base & Meridian. This location is immediately adjacent to the existing roadway in Willow Creek.

Ute Tribal Unit No. 3-16F

Unit No. 3-16F is located in the NW 1/4 of Section 16, Township 10 South, Range 20 East, Salt Lake Base & Meridian. This location is accessible via a .2 mile-long access route from the existing roadway.

The project areas are at the 4800 and 5000 foot elevations above sea level. These units are situated in the Atriplex community. The Atriplex community is dominated by Atriplex spp., Chrysothamnus nauseosus, and Sarcobatus vermiculatus.

FILE SEARCH: A records search was conducted on 11-14-91 at the Antiquities Section of the Utah State Division of History in Salt Lake City. This search provided information that no previously recorded cultural resources are situated in the immediate development areas. No known National Register sites are situated in the project area.

RESEARCH METHODS: To conduct the current evaluation, the archaeologists walked a series of 10 to 15 meter wide transects across the potential well locations including buffer zones around each periphery. These intensive surveys included about three acres at each location.

Double 20 meter-wide transects were walked along the staked access route associated with Unit 3-16F.

RESULTS: No historic or prehistoric activity areas or isolated artifacts were found in association with the two proposed well locations or the access route into Unit 3-16F.

CONCLUSION AND RECOMMENDATIONS: The proposed development of the two units will have no adverse effect on the existing cultural resource sites in their general vicinities with compliance to the recommendations provided in this report. AERC recommends that a cultural resource clearance be granted to CNG Production relative to the development and production of these proposed well locations based upon adherence to the following stipulations:

1. all vehicular traffic, personnel movement, and construction should be confined to the surfaces examined as referenced in this report, and to the existing roadways and/or evaluated access routes;

2. all personnel should refrain from collecting artifacts and from disturbing any cultural resources in the area; and

3. the authorized official should be consulted should cultural remains from subsurface deposits be exposed during the development program or if the need arises to relocate or otherwise alter the location of the construction area.



F. Richard Hauck, Ph.D.
President and Principal
Investigator

**CNG Producing
Company**

A CNG COMPANY

CNG Tower
1450 Poydras Street
New Orleans, LA 70112-6017
(504) 593-7001

September 14, 1992

RECEIVED

SEP 16 1992

DIVISION OF
OIL GAS & MINING

Mr. Ed Forsman
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

RE: River Bend Unit
RBU 3-16F Sec. 16-T10S-R20E

Dear Ed:

Enclosed please find Original and two copies of the subject application. Attachment to this application includes the following:

Attachment No. 1	Location
Attachment No. 2	Certification Statement
Attachment No. 3	BOP Stack Schematic
Attachment No. 4	Drilling Plan
Attachment No. 5	13 Point Surface Use Plan
Attachment No. 6	Access Route
Attachment No. 7	Water Permit

CNG Producing Company is requesting all information be held confidential.

It would be appreciated if this permit could be expedited since drilling is planned to begin in October, 1992.

If you have any questions or need any further information, please feel free to contact me at (504) 593-7260 or our project engineer, David Linger, at (504) 593-7779. Thank you for your continued cooperation.

Sincerely,

Susan M. Hebert
Susan M. Hebert
Regulatory Reports Asst. II

cc: ~~Terry Searing~~ - Utah Board of Oil, Gas & Mining
Tomasina Appah - Bureau of Indian Affairs

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MAN APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals

SUBMIT IN TRIPLICATE

NOT RECEIVED

SEP 16 1992

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Variance in casing	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

Under Onshore Order #2, casing and cementing requirements, it states " All casing, except the conductor casing, shall be new or reconditioned and tested used casing that meets or exceeds API standards for new casing" the 8 5/8" 24# H-40 surface casing designed for this well and other wells in the River Bend Unit meets all of the above criteria for the order. The 8 5/8" casing is a limited service pipe which means it does not meet API standards. However, the pipe is new and was Hydro statically tested to 2,700 PSI which equals API standards for 8 5/8" 24# K-55 casing.

We respectfully submit this sundry and attached letter from the company the pipe was purchased from.

If any additional information is needed, please advise.

CONFIDENTIAL

14. I hereby certify that the forgoing is true and correct

Signed David L. Linger Title Senior Drilling Engineer Date September 14, 1992

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SELF-CERTIFICATION STATEMENT

Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:


*Please be advised that CNG Producing Company is considered to be the operator of Well No. 3-16F NE 1/4 of NW 1/4 Section 16, Township 10, Range 20E; Lease ML-3393-A Uintah County, Utah; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by American Casualty Company of Reading, PA, Bond #524 7050.

CONFIDENTIAL

R S Gloger HHR


R. S. Gloger
Drilling Manager

BOP STACK



CONFIDENTIAL

CHOKE MANIFOLD



DRILLING PLAN
APPROVAL OF OPERATIONS

Attachment for Permit to Drill

Name of Operator: CNG PRODUCING COMPANY
Address: CNG TOWER - 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000

WELL LOCATION: Well No. 3-16F

Uintah, Utah

1. **GEOLOGIC SURFACE FORMATION**

Uintah

2. **ESTIMATE IMPORTANT GEOLOGIC MARKERS**

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	4100'
Green River Tongue	4450'
Wasatch	4600'
Chapita Wells	5250'
Uteland Buttes	6350'

3. **ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS**

<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
Wasatch Tongue	4100'	Oil Zone
Chapita Wells	5250'	Gas Zone
Uteland Buttes	6350'	Gas Zone

CONFIDENTIAL

4. **PROPOSED CASING PROGRAM**

8-5/8", 24#/ft, H-40, 0'-350' - Cemented to Surface
5", 17#/ft, N-80 & K-55, 0'- 7300' - Cemented to Surface

5. **OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL**

BOP stack has a 3000 psi working pressure. BOP will be pressure tested to 2,700 psi before drilling casing cement plug. Pipe rams will be operated daily and blind rams as possible.

6. The well is to be drilled with a KCL mud system maintaining a weight of approximately 9#/gal.

7. AUXILIARY EQUIPMENT TO BE USED

- 1. Kelly Cock.
- 2. Full opening valve on floor with DP connection for use when Kelly is not in string.

8. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

A mud logger will be used from 3,500' to TD. Possible DST in Wasatch Tongue. The logging program will include Dual Lateral/GR log TD to Surface, Density/Neutron - TD - 3,500' possible dipmeter and rotary cores over selected intervals.

9. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

No normal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H₂S gas. The anticipated bottom hole pressure is 2,610 PSI.

10. WATER SUPPLY

A. Water to be used for drilling will be hauled from CNG's OSC #1 well located in Section 17-T10S-R20E. Application #54801 User's Claim - Code #49, Serial #801.

B. No pipelines are anticipated. Hauling will be on the road(s) shown in Attachment No. 3.

C. No water well is anticipated to be drilled at this time.

11. CEMENT SYSTEMS

CONFIDENTIAL

SURFACE

+/-224 sks 25:75 Poz G cement, 2% S-I CaCl₂, .25#/sk D-29 Flake

PRODUCTION

Lead Slurry - 195 sk DS Hi-Lift, 3% D-44 Salt, 10#/sk D-42 Kolite, .25#/sk D-29 Celloflake.

Tail Slurry - 335 sk RFC 10-0 (thixotropic).

12. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: October, 1992

Duration: 20 Days

SURFACE CASING CEMENT PROGRAM

Set 8 5/8" casing in 12 1/4" open hole cement to surface. Volume calculated using 75% excess.

SPACER:

Pump 20 BBLS lightly gelled water followed by 5 BBLS fresh H₂O ahead of cement to water wet the well bore after air drilling. Displace with fresh water.

CEMENT SYSTEM

± - 224 SK 25:75 Poz G "Tail-In" Cement, 2% S-1 CaCl₂, .25#/sk D-29 Celloflake.

Weight	15.40 lb/gal
Yield	1.11 ft ³ /sk
Water	4.71 gal/sk

Thickening Time at 118° 1:42min.

Compressive Strength at 80°	8 hrs. 750 psi
	16 hrs. 1800 psi
	24 hrs. 2400 psi

CONFIDENTIAL

CASING HARDWARE:

- 1 Cement Guide Shoe
- 1 Insert Float
- 3 Centralizers
- 1 Stop Ring
- 1 Thread Lock
- 1 Top Wood Plug

NOTE - DS will at no charge (unless used), in addition to the casing cement, have 100 sk of cement, CaCl₂ for 2% by volume, and 80' to 100' of 1" tubing on location for top out job should cement not be returned to surface.

LONGSTRING CEMENT

Set 5 1/2" casing in a 7 7/8" open hole.
Lead cement slurry to fill from 750' above top pay zone to surface.
Tail cement slurry to fill from TD to 750' above the pay zone.
Both volumes are calculated using 15% excess.

SPACER:

(DAP Mud System) 20 BBL CW-100 (Sodium Silicate); 20 BBL Water
(KCL Mud System) 10 BBL water

Displace with 3% KCL water using .2% L-55 Clay Stabilizer in the first 50 bbl of displacement.

CEMENT SYSTEMS

Lead Slurry

± - 195 sk DS Hi-Lift, 3% D-44 Salt, 10#/sk D-42 Kolite, .25#/sk D-29 Celloflake.

Weight	10.80 lb/gal
Yield	3.91 ft ³ /sk
Water	24.40 gal/sk

Thickening Time at 180°	4hrs +
Compressive Strengths in 24 hrs.	375 psi
Fluid Loss	240 cc/30 min.

CONFIDENTIAL

Tail Slurry

± - 335 sk RFC 10-0 (thixotropic).

Weight	14.20 lb/gal
Yield	1.61 ft ³ /sk
Water	7.91 gal/sk

Thickening Time at 165 deg. BHCT	min.
Compressive Strength in 12 hrs.	845 psi
24 hrs.	1470 psi

FOR

LOCATION River Bend Unit

PAGE


SUBJECT Air Service Equipment Placement

DATE

BY Linger

Requirements:

- ① Bloop Line Length - min 100' from Wellhead
- ② AIR SERVICE PACKAGE PLACEMENT
 - ① AS FAR FROM CATWALK AS POSSIBLE & ALLOW CLEAR PASSAGE FOR TRUCKS. ALLOW FOR MAX ANGLE FROM Bloop Line



120° From Bloop Line 100° From Bloop Line

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

Revised November 1990

Date NOS Received: _____

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator: CNG PRODUCING COMPANY

Well Name & Number: RBU 3-16F

Lease Number: ML-3393-A

Location: NE/4 of NW/4 Sec. 16 T. 10S R. 20E

Surface Ownership: Ute Tribe

NOTIFICATION REQUIREMENTS

- Location Construction - forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

CONFIDENTIAL

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirement to Accompany APD

1. Existing Roads - describe the following and provide a legible map, labeled and showing:
 - a. Proposed wellsite as staked and access route to location, including distances from point where access route exists establish roads. (Actual staking should include tow directional reference stakes.)
 - b. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
 - c. Access road(s) to location color-coded or labeled.
 - d. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)

2. Planned Access Roads--describe the following and provide a map of suitable scale indicating all necessary access roads (permanent and temporary) to be constructed or reconstructed, showing:
 - a. Length - 400'
 - b. Width - 30 foot right-of-way with 18 foot running surface maximum.
 - c. Maximum grades - 8%
 - d. Turnouts - _____
 - e. Drainage design - Bar Pits
 - f. Location and size of culverts and/or bridges, and brief description of any major cuts and fills - None
 - g. Surfacing material (source) - Native
 - h. Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities - None

CONFIDENTIAL

(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

___ Right-of-Way Application needed.

___ The operator/lessee or his/her successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or gas operation.

3. Location of Existing Wells - describe the following and provide a map or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:

- a. Water wells - OSC #1
- b. Abandoned wells - None
- c. Temporarily abandoned wells - None
- d. Disposal wells - None
- e. Drilling wells - None
- f. Producing wells - RBU 3-17FX, RBU 1-17F, RBU 9-17F, RBU 11-17F, RBU 13-17F, RBU 1-20F, RBU 7-21F, RBU 4-22F, RBU 11-15F, RBU 8-16F, RBU 16-16F, RBU 11-16F, RBU 13-10F, 23-6830, 6600, 32-6758, 3-11500, 14-6480, 19-6600, 22-6550
- g. Shut-in wells - None
- h. Injection wells - None

CONFIDENTIAL

4. Location of Existing and/or Proposed Facilities

a. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):

- (1) Tank batteries
- (2) Production facilities
- (3) Oil gathering lines
- (4) Gas gathering lines
- (5) Injection lines
- (6) Disposal lines
- (7) Surface pits (separate application per NTL-2B requirements)

(Indicate if any of the above lines are buried.)

b. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the District Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)

- (1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.
- (2) Dimensions of facilities
- (3) Construction methods and materials
- (4) Protective measures and devices to protect livestock and wildlife

Note: Operator has option of submitting information under 4A and B, after well is completed for production, by applying for approval of subsequent operations.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank batteries will be placed on the North side

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is Desert Tan.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

- a. Show location and type of water supply, either by 1/4, 1/4 section on a map or by written description OSC #1 Sec. 17-T10S-R20E
- b. State method of transporting water, and show any roads or pipelines needed.
- c. If water well is to be drilled on lease, so state. _____

*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

- a. Show information either on map or by written description - _____
- b. Identify if from Federal or Indian (tribal or allotted) land.
- c. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.

*If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.

*A mineral materials application (is/is not) required.

7. Methods of Handling Waste Disposal

CONFIDENTIAL

- a. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
 - (1) Cuttings - bury in pit
 - (2) Sewage - haul to sewer lagoon
 - (3) Garbage (trash) and other waste material - haul to disposal
 - (4) Salts - not used
 - (5) Chemicals - non-toxic only; evaporate in pits
- b. Provide a plan for eventual disposal of drilling fluids and any produced oil or water recovered during testing operations. _____

*Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered lands:

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

The reserve pit (shall/shall not) be lined with 12 mil plastic liner to be long enough to go under pits.

"If a plastic nylon reinforced liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O."

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.)

~~CONFIDENTIAL~~

___ To protect the environment.

If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by Part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.

X To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or allow discharge of liquids.

___ Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. Ancillary Facilities

Camp facilities or airstrips will not be allowed unless otherwise approved.

9. Well Site Layout--provide a plat (not less than 1" = 50') showing:

- a. Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography.
- b. Location of mud tanks, reserve, and flare pits, pipe racks, living facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.)
- c. Rig orientation, parking areas, and access roads, etc.

The reserve pit will be located on the : Southeast corner

The flare pit will be located downwind of the prevailing wind direction on the South side

a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil (first four inches) will be stored on the: Divided between east and west end

Access to the well pad will be from the: West

 Diversion ditch(es) shall be constructed on the CONFIDENTIAL side of the location (above / below) the cut slope, draining to the _____.

 Soil compacted earthen berm(s) shall be placed on the _____ side(s) of the location around the _____.

 The drainage(s) shall be diverted around the _____ side(s) of the well pad location.

 The reserve pit and/or pad location shall be constructed long and narrow for topographic reasons _____.

 X The northeast corner of the well pad will be rounded off to avoid the wash.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a. 39-inch net wire shall be used with at least one stand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

- b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
- c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times when pit is shrunk for production pit.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. Plans for Restoration of Surface

CONFIDENTIAL

a. Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 6 months from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.

Contact appropriate surface management agency for required seed mixture.

b. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) re-establishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

11. Surface Ownership:

Access Road: Ute Tribe

Location: Ute Tribe

"If the access road and/or location involves private or state agency owned surface, a copy of the surface owners agreement is required prior to approval of the APD."

CONFIDENTIAL

12. Other Additional Information

a. The Operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to :

-whether the materials appear eligible for the National Register of Historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

-a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible to mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- b. The operator will control noxious weeds along right-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- c. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

CONFIDENTIAL

On BIA administered land:

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, subcontractors, vendors and their employees or agents may not disturb salable timber (including firewood) without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights are owned by another entity, an approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by operators on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted.

All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

Additional Surface Stipulations

___ No construction or drilling activities shall be conducted between _____ and _____ because of _____

___ No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.

___ No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.

___ There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).

___ No cottonwood trees will be removed or damaged. *CONFIDENTIAL*

X A silt catchment dam and basin will be constructed according to BLM specifications approximately _____ ft. northwest of the location, where flagged.

13. Lessee's or Operators Representative and Certification

Representative

Name: _____

Address: _____

Phone No: _____

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.


The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty-eight (48) hours prior to construction activities.

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and, that the work associated with the operations proposed here will be performed by _____ CNG Producing Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

September 14, 1992
Date

 David L. Linger
Senior Drilling Engineer
Name and Title

Onsite Date: January 7, 1992





CONFIDENTIAL

Participants on Joint Inspection

<u>Greg Darlington</u>	<u>Environmental Tech.</u>
<u>Dale Hanberg</u>	<u>Range Conservationist</u>
<u>Alvin Ignocio</u>	<u>Oil & Gas Tech.</u>
<u>Darwin Kulland</u>	<u>Manager Production - CNG</u>
<u>B. Stubbs</u>	<u>Dirt Contractor</u>
<u>F. Murray</u>	<u>Dirt Contractor</u>
<u>H. Jackson</u>	<u>Dirt Contractor</u>
<u>Craig Overmuller</u>	<u>Dirt Contractor</u>

**CNG PRODUCING CO
WELL LAYOUT PLAT
RBU 3-16F**

Located in the NE¼ of the NW¼ of
Section 16, T10S, R20E, S.1.B. & M.



APPROXIMATE QUANTITIES

CUT: 5530 yd³ (includes pit)
FILL: 1360 yd³





JERRY D. ALLRED & ASSOCIATES
Surveying & Engineering Consultants

121 North Center Street
P.O. Drawer C
DUCHESNE, UTAH 84021
(801) 738-5352

26 Nov '91

79-128-178





USE BOUNDARY DESCRIPTION

Beginning at a point which is South 32°19'54" West 724.49 feet from the North Quarter Corner of Section 16, Township 10 South, Range 20 East of the Salt Lake Base and Meridian:
 Thence South 25°52'25" East 200.00 feet;
 Thence South 64°07'35" West 340.00 feet;
 Thence North 25°52'25" West 200.00 feet;
 Thence North 64°07'35" West 340.00 feet to the Point of Beginning, containing 2.19 acres.

ACCESS ROAD DESCRIPTION

A 30 feet wide right-of-way over part of Section 16, Township 10 South, Range 20 East of the Salt Lake Base and Meridian, the centerline of said right-of-way being described as follows:
 Beginning at a point which is South 77°00'02" East 1777.84 feet from the Northwest Corner of said Section 16, said point being on the South line of an existing road;
 Thence South 37°31'55" East 147.10 feet;
 Thence South 26°52'53" East 221.54 feet;
 Thence South 54°43'48" East 48.21 feet to the RBU 3-16F Well Location, being 416.85 feet in length and containing 0.29 acres.


SURVEYOR'S AFFIDAVIT

STATE OF UTAH
 COUNTY OF DUCHESNE

Jerry D. Allred, being first duly sworn, deposes and states that he is the Registered Land Surveyor, for CNG PRODUCING COMPANY; that the survey was made by him (or under his direction), that he has examined the field notes of the survey for a well location and road right-of-way as described and shown on this plat; that this plat was prepared under his direction from said field notes; and that said right-of-way, 30 feet in width and 0.08 miles in length, beginning at Sta 0+00 and ending at 4+16.85 and a well location containing 0.29 acres, is accurately located on this plat.



SCALE: 1" = 200'



Subscribed and sworn to before me this _____ day of _____ 1991.

Jerry D. Allred
 Registered Land Surveyor

Notary Public. _____

My commission expires _____

26 Nov '91 79-128-178

**PLAT OF SURVEY FOR
 WELL LOCATION AND ACCESS ROAD**

CNG PRODUCING CO.

RBU 3-16F

**SECTION 16, TOWNSHIP 10 SOUTH, RANGE 20 EAST
 SALT LAKE BASE AND MERIDIAN**


APPLICANT'S CERTIFICATE

I, _____, do hereby certify that I am the _____ for CNG PRODUCING COMPANY, hereinafter designated the applicant; that Jerry D. Allred who subscribed the forgoing affidavit, is employed by the applicant as a Registered Land Surveyor, and that he was directed by the applicant to survey the location of a well location access road right-of-way and to prepare this map; that the location of said right-of-way, being a total of 0.08 miles in length, and a well location containing 0.29 acres, is accurately represented on this map; that such survey as represented on this map has been adopted by the applicant as the definite location of the right-of-way thereby shown; and that the map has been prepared to be filed with the Secretary of the Interior or his duly authorized representative as part of the application for said right-of-way to be granted to the applicant, its successors and assigns, with the right to construct, maintain, and repair improvements, thereon and thereafter, for such purposes, and with the further right in the applicant, its successors and assigns, to transfer this right-of-way by assignment, grant, or otherwise.

APPLICANT



JERRY D. ALLRED & ASSOCIATES
 Surveying & Engineering Consultants
 121 North Center Street
 P.O. Drawer C
 DUCHESNE, UTAH 84021
 (801) 738-5352



LEGEND

-  1992 DRILLED WELLS
-  1992 DRILLING LOCATION
-  1992 ALTERNATE LOCATIONS
-  INDIAN RESERVATION BOUNDARY
-  PARTICIPATING AREAS A & B

CNG PRODUCING COMPANY
RIVER BEND UNIT
 Uintah County, Utah
1992 PLAN OF DEVELOPMENT
PARTICIPATING AREAS LAND PLAT
 ZG2:\C300,26JRBU8\IIPD.DGN

NOTE: The information on the following blanks should be free from explanatory matter, but when necessary, a complete supplementary statement should be shown on the following page under the heading "Explanatory."

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah.

1. Irrigation Domestic Stockwatering Municipal Power Mining Other Uses

2. The name of the applicant is VAPCO Inc. Production Co.

3. The Post Office address of the applicant is P.O. Box 1360, Roosevelt, Utah 84066

4. The quantity of water to be appropriated 015 second-feet and/or _____ acre-feet

5. The water is to be used for Oil Well Drilling from January 1 to December 1
(Major Purpose) (Month) (Day) (Month) (Day)

other use period _____ from _____ to _____
(Minor Purpose) (Month) (Day) (Month) (Day)

and stored each year (if stored) from January 1 to December 1
(Month) (Day) (Month) (Day)

6. The drainage area to which the direct source of supply belongs is _____
(Leave blank)

7. The direct source of supply is Underground water from Green River Formation
(Name of stream or other source)

which is tributary to _____ tributary to _____

*Note.—Where water is to be diverted from a well, a tunnel, or drain, the source should be designated as "Underground Water" in the first space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate in the first space, giving its name, if named, and in the remaining spaces, designate the stream channels to which it is tributary, even though the water may not evaporate, or be diverted before reaching said channels. If water from a spring flows in a natural surface channel before being diverted, the direct source should be designated as a stream and not a spring.

8. The point of diversion from the source is in Utah County, situated at a point _____

Center SE of NW Section 17 T10 S R20 E
3. 1900' W. 1/4 NW 1/4
8 miles S. Camp

*Note.—The point of diversion must be located definitely by course and distance or by giving the distances north or south, and east or west with reference to a United States land survey corner or United States natural monument, if within a distance of six miles of either, or of a greater distance, to some prominent and permanent natural object. No application will be received for filing in which the point of diversion is not defined definitely.

9. The diverting and carrying works will consist of A 7 5/8" well and 2500' deep

10. If water is to be stored, give capacity of reservoir in acre-feet 1 height of dam 5
area inundated in acres 1/4 legal subdivision of area inundated SE of NW
Sec 17 T10 S R20 E

11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows:

12. Is the land owned by the applicant? Yes _____ No X Total _____ Acres
If "No," explain on page 2.

13. Is this water to be used supplementally with other water rights? Yes _____ No X
If "yes," identify other water rights on page 2.

14. If application is for power purposes, describe type of plant, size and rated capacity. _____

15. If application is for mining, the water will be used in _____ Mining District at the _____ mine, where the following ores are mined _____

16. If application is for stockwatering purposes, number and kind of stock watered 1000
head of sheep

17. If application is for domestic purposes, number of persons _____ or families _____

18. If application is for municipal purposes, name of municipality _____

19. If application is for other uses, include general description of proposed uses Drilling Riverhead
this well by MAPCO. T9 + 10 S R19 + 20 E

20. Give place of use by legal subdivision of the United States Land Survey for all uses described in paragraphs 14 to 19, incl. _____

21. The use of water as set forth in this application will consume 0020.015 second feet and/or acre-feet of water and 0022.015 second feet and/or acre feet will be returned to the natural stream or source at a point described as follows: _____

The land is leased to the Federal Government and has their approval.

The B.L.M. will water for wild life

[Lined area for additional text]

(Use page 4 if additional explanatory is needed.)

The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purpose herein described

Darwin Kulland Jr. M.C.
Signature of Applicant

*If applicant is a corporation or other organization, signature must be the name of such corporation or organization by its proper officer, or in the name of the partnership by one of the partners, and the names of the other partners shall be listed. If a corporation or partnership, the affidavit below need not be filled in. If there is more than one applicant, a power of attorney, authorizing one to act for all, should accompany the Application.

DECLARATION OF CITIZENSHIP


STATE OF UTAH
County of Wasatch

On the 16 day of June 1980, personally appeared before me, a notary public for the State of Utah, the above applicant who, on oath, declared that he is a citizen of the United States.

My commission expires:
Aug 17, 1982

(SEAL)

[Signature]
Notary Public



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
CNG PRODUCING COMPANY

3. ADDRESS OF OPERATOR
CNG Tower, 1450 Poydras St., New Orleans, LA 70112-6000

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface
2,167' FWL & 787' FNL of Sec. 16-T10S-R20E
At proposed prod. zone
Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
10 Miles SW of Ouray

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line if any) 787'

16. NO. OF ACRES IN LEASE
40

17. NO. OF ACRES ASSIGNED TO THIS WELL
160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE 2,420'

19. PROPOSED DEPTH
7,300'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4,984' GR

22. APPROX. DATE WORK WILL START
October, 1992

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24#	+/- 350	Cement to Surface
7 7/8"	5 1/2"	17#	+/- 7,300	Cement Calc to Surface

1. Drill a 12 1/4" hole with an air rig to +/- 350', run 8 5/8", H-40 casing and cement to surface.
2. NU and pressure test BOP stack prior to drilling out below surface pipe.
3. Operate pipe rams daily and blind rams as possible.
4. Drill a 7 7/8" hole to 7,300' with a salt water mud system. Coring is possible. DST's will be run as needed to evaluate unexpected shows.
5. Run logs, set 5 1/2", 17#, N-80 & K-55 casing as dictated by drilling shows, tests and logs. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Wasatch, Chapita Wells & Uteland Buttes.
7. All zones indicating potential for economically recoverable reserves will be tested in a normal, prudent manner.
8. In the event of lost circulation, air or air assisted mud will be utilized.

FORMATION TOPS	DEPTHS
Wasatch	4,600'
Chapita Wells	5,250'
Uteland Buttes	6,350'

CNG Producing respectfully request that all information concerning this well be held confidential.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true verticle depth. Give blowout preventer program, if any.

SIGNED David L. Linger

TITLE Senior Drilling Engineer APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING DATE 09/16/92

(This space for Federal or State office use)
PERMIT NO. 43-047-30350 APPROVAL DATE _____
APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY: _____

DATE: 9/18/92
BY: JAY [Signature]
WELL SPACING: 649-2-5

*See Instructions On Reverse Side

RECEIVED
SEP 16 1992
DIVISION OF OIL GAS & MINING

CONFIDENTIAL

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

OPERATOR: CNG PRODUCING COMPANY
WELL NAME: RBU 3-16F

OPERATOR ACCT NO: N- 0605

API NO. ASSIGNED: 43-047-30350

LEASE TYPE: STA LEASE NO: ML-3393-A
LOCATION: NENW 16 - T10S - R20E UINTAH COUNTY
FIELD: NATURAL BUTTES FIELD CODE: 630

RECEIVED AND/OR REVIEWED:

Plat
 Bond
(Number State)
 Potash (Y/N)
 Oil shale (Y/N)
 Water permit
(Number included in file)
 RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: Rulu Bend
 R649-3-2. General.
 R649-3-3. Exception.
 Drilling Unit.
Board Cause no: _____
Date: _____

COMMENTS: Included in amended 90 POD approved 9-10-90
not to be drilled within 500' of unit boundaries without
prior BOM approval.


STIPULATIONS:

cc: State Lands

CONFIDENTIAL
PERIOD
EXPIRED
ON 6-9-94

**CNG PRODUCING CO.
WELL LOCATION PLAT
RBU 3-16F**

LOCATED IN THE NE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF
SECTION 16, T10S, R20E, S.L.B.&M.



SCALE: 1"=1000'

LEGEND & NOTES

- ◆ Original monuments found and used by this survey.


The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. map.

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

Jerry D. Allred

 Jerry D. Allred, Registered Land Surveyor, Cert. No. 3817 (Utah)



JERRY D. ALLRED & ASSOCIATES
 Surveying & Engineering Consultants

121 North Center Street
 P.O. Drawer C
 DUCHESNE, UTAH 84021
 (801) 738-5352

26 Nov '91

79-128-178



Norman H. Bangerter
Governor
Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

September 18, 1992

CNG Producing Company
CNG Tower, 1450 Poydras Street
New Orleans, Louisiana 70112-6000

Gentlemen:

Re: RBU 3-16F Well, 787 feet from the north line, 2167 feet from the west line, NE 1/4 NW 1/4, Section 16, Township 10 South, Range 20 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 649-2-3, Application of Rules to Unit Agreements and R. 649-3-4, Permitting of Wells to be Drilled, Deepened or Plugged-Back, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
2. Notification within 24 hours after drilling operations commence.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.

Page 2
CNG Producing Company
RBU 3-16F Well
September 18, 1992

6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

Trash and sanitary waste should be properly contained and transported to approved disposal locations, not retained in or disposed of in pits on location or downhole. Prior to the commencement of drilling operations, the operator should consult the local/county sanitarian and/or the Department of Environmental Quality, Division of Drinking Water/Sanitation, regarding appropriate disposal of sanitary waste.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32352.

Sincerely,



R.J. Eirth
Associate Director, Oil and Gas

ldc
Enclosures
cc: Bureau of Land Management
State Lands and Forestry
J.L. Thompson
WO11

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

LEASE DESIGNATION AND SERIAL NO. ML-3393-A

1a. TYPE OF WORK DRILL [X] DEEPEN [] PLUG BACK []

6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe

b. TYPE OF WELL OIL WELL [] GAS WELL [X] OTHER [] SINGLE ZONE [] MULTIPLE ZONE []

7. UNIT AGREEMENT NAME River Bend Unit

2. NAME OF OPERATOR CNG PRODUCING COMPANY

8. FARM OR LEASE NAME RBU

3. ADDRESS OF OPERATOR CNG Tower, 1450 Poydras St., New Orleans, LA

9. WELL NO. 3-16F

4. LOCATION OF WELL (Report location clearly and in accordance with any State Requirements) At surface 2,167' FWL & 787' FNL of Sec. 16-T10S-R20E At proposed prod. zone Same

RECEIVED OCT 05 1992

10. FIELD AND POOL, OR WILDCAT

11. SECS., T., R., M., OR BLK. AND SURVEY OR AREA 16-T10S-R20E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE 10 Miles SW of Ouray

DIVISION OF OIL GAS & MINING

12. COUNTY OR PARISH 13. STATE Uintah Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line if any) 787'

16. NO. OF ACRES IN LEASE 40

17. NO. OF ACRES ASSIGNED TO THIS WELL 160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE 2,420'

19. PROPOSED DEPTH 7,300'

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4,984' GR

22. APPROX. DATE WORK WILL START October, 1992

23. PROPOSED CASING AND CEMENTING PROGRAM

Table with 5 columns: SIZE OF HOLE, SIZE OF CASING, WEIGHT PER FOOT, SETTING DEPTH, QUANTITY OF CEMENT. Rows include 12 1/4" hole with 8 5/8" casing and 7 7/8" hole with 5 1/2" casing.

- 1. Drill a 12 1/4" hole with an air rig to +/-350', run 8 5/8", H-40 casing and cement to surface.
2. NU and pressure test BOP stack prior to drilling out below surface pipe.
3. Operate pipe rams daily and blind rams as possible.
4. Drill a 7 7/8" hole to 7,300' with a salt water mud system. Coring is possible. DST's will be run as needed to evaluate unexpected shows.
5. Run logs, set 5 1/2", 17#, N-80 & K-55 casing as dictated by drilling shows, tests and logs. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Wasatch, Chapita Wells & Uteland Buttes.
7. All zones indicating potential for economically recoverable reserves will be tested in a normal prudent manner.
8. In the event of lost circulation, air or air assisted mud will be utilized.

RECEIVED SEP 16 1992

CONFIDENTIAL

FORMATION TOPS DEPTHS Wasatch 4,600' Chapita Wells 5,250' Uteland Buttes 6,350'

CNG Producing respectfully request that all information concerning this well be held confidential.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true verticle depth Give blowout preventer program, if any.

24. SIGNED David L. Linger TITLE Senior Drilling Engineer DATE 09/14/92

(This space for Federal or State office use) PERMIT NO. APPROVAL DATE APPROVED BY TITLE DATE OCT 1 1992 CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

ACCEPTED BY BLM FOR UNIT PURPOSES ONLY

SEP 11 1992

RECEIVED

SEP 11 1992

Serial No. H62-92-187

GRANT OF EASEMENT FOR RIGHT-OF-WAY

KNOW ALL MEN BY THESE PRESENTS:

That the UNITED STATES OF AMERICA, as trustee for the UTE INDIAN TRIBE acting by and through the Superintendent of the Uintah and Ouray Agency, as "Grantor", under authority contained in 209 DM 8 (39 F.R. 32166), 10 BIAM 3 (34 F.R. 637), 230 DM 3 (20 F.R. 992), and Sec. 2.11 (34 F.R. 11109), pursuant and subject to the provisions of the Act of February 5, 1943 Stat. 17, (25 U.S.C. 323-328), and Part 169, Title 25, Code of Federal Regulations, in consideration of: Eleven Thousand Nine Hundred, Forty Dollars, \$11,940.00 the receipt of which is acknowledged and does hereby grant to: CNG Producing Company P.O. Box 1360 Roosevelt, Utah 84066 its successors and assigns, hereinafter referred to as "Grantee", an easement for right-of-way : 422 feet in length, (with 2200' of EXISTING ROAD) 30' width located in NE, NW, Section 16, T. 10AS.,R. 20E.,SLB&M., for the following purposes namely: The construction, maintenance, repair, inspection, protection, operation and removal of an Access Road and Drillsite to RBU 3-16F location together with the necessary appurtenances thereto, on, over and across the land embraced within the right-of-way located in Uintah County, Utah.

TO HAVE AND TO HOLD said easement and right-of-way unto the Grantee and unto its successors and assigns, together with the right of ingress and egress for the purpose described above for which said easement is granted. This easement is subject to any prior existing right or adverse claim and is for a 20 year period beginning September 10, 1992, so long as said easement shall actually be used for the purposes above specified. Consideration may be increased at five (5) year intervals if necessary to reflect then existing market prices. This right-of-way shall be terminable in whole or in part by the grantor for any of the following causes upon 30 days' written notice and failure of the Grantee within said notice period to correct the basis of termination. (25 CFR 169:20)

- A. Failure to comply with any term or condition of the grant or the applicable regulations.
- B. A nonuse of the right-of-way for a consecutive two-year period for the purpose for which it was granted.
- C. An abandonment of the right-of-way.
- D. Failure of the Grantee, upon completion of construction, to file with the Grantor an Affidavit of Completion Pursuant to 25 CFR 169.16.

The conditions of this easement shall extend to and be binding upon and shall inure to the benefit of the successors and assigns of the Grantee. It has been determined that approval of this document is not such a major federal action significantly affecting the quality of the human environment as to require the preparation of an environmental impact statement under Section 102 (2) (c) of the National Environmental Policy Act of 1969 (42 U.S.C. 4332) (2) (c).

IN WITNESS WHEREOF, Grantor has executed this Grant of Easement this 10th day of September 1992.

UNITED STATES OF AMERICA

By: [Signature]
Superintendent
U.S. Department of the Interior
Uintah and Ouray Agency
Fort Duchesne, UT 84026

ds

memorandum

SEP 10 1992

DATE:

REPLY TO: Superintendent, Uintah & Ouray Agency
ATTN OF:SUBJECT: Concurrence letter for CNG Producing Company **RBU376F**
H62-92-187, NE,NW Section 16, T10S.,R.20E., Uintah County,
UtahTO: Bureau of Land Management, Vernal District Office
Attn: Paul Andrews, Area ManagerBased on available information on September 9, 1992, we have cleared the proposed locations in the following areas of environmental impact.

YES	<u>XX</u>	NO	___	Listed Threatened or Endangered Species
YES	<u>XX</u>	NO	___	Critical Wildlife Habitat
YES	<u>XX</u>	NO	___	Archeological or Cultural Resources
YES	___	NO	___	Air Quality Aspects (to be used only if project is in or adjacent to a Class I Area of Attainment)
YES	___	NO	___	Other (If Necessary)

REMARKS: The necessary surface protection and rehabilitation requirements are as per approved APD.

Per ENVIRONMENTAL ANALYSIS REPORT (copy attached)
#6 MITIGATION STIPULATIONS:

Strict adherence to the mitigations stipulations is required.



**SITE SPECIFIC
ENVIRONMENTAL ANALYSIS**

1.0 PROPOSED ACTION

CNG Producing Company is proposing to drill a gas well

2.0 ALTERNATIVE ACTIONS

- A. ALTERNATIVE CONSIDERED: The proposed action is the preferred alternative.
- B. NO ACTION: Under the no action alternative the proposed action would not be implemented.
- C. OTHER: _____
-
-

3.0 PERMITTEE/LOCATION

- A. Permittee GNG Producing Company
- B. Date January 7, 1992
- C. Well number RBU - 3-16F
- D. Right-of-way _____
- E. Site location NENW Section 16 T 10S R 20E Meridian SLB&M

4.0 SITE SPECIFIC SURVEY

A. SITE DESCRIPTION

1. Elevation (feet) 4984
2. Annual precipitation (inches) 4-8
3. Topography Rolling Hills
4. Soil texture (0 to 6") Cobbly Loam
5. Estimated infiltration rate:
Slow _____ Moderate x High _____

B. VEGETATION

1. Habitat Type:
x Semi-desert shrub _____ Upland Pinion/Juniper
_____ Upland shrub _____ Mountain
Other: _____
-
2. Percent Ground Cover 30 %

2. Vegetation: (Estimated % composition)

a. Grasses: <u>30</u> %	
_____ Western wheatgrass	<u>10</u> Indian ricegrass
_____ Needle-and-thread grass	_____ Three-awn
_____ Idaho fescue	_____ Wire grass
_____ Prairie junegrass	_____ Bluebunch wheatgrass
_____ Tall wheatgrass	_____ Slender wheatgrass
_____ Great Basin wildrye	<u>18</u> Galleta
_____ Kentucky bluegrass	_____ Orchard grass
_____ Thickspike wheatgrass	<u>2</u> Squirrel tail
_____ Blue gramma	_____ Bluegrasses
_____ Brome grasses	_____ Dropseed
_____ Annuals	_____

b. Forbs: <u>10</u> %	
_____ Russian thistle	_____ Lupine
_____ Globemallow	_____ Lamb's quarter
_____ Kochia	_____ Giant whitetop
_____ Astragalus	<u>8</u> Annuals
_____ Indian paintbrush	
<u>2</u> Halogeton	
_____ Ragweed	

c. Shrubs: <u>60</u> %	
_____ Fourwing saltbush	_____ Snowberry
_____ Black sagebrush	<u>2</u> Pricklypear
_____ Rabbitbrush	_____ Greasewood
_____ Mountain mahogany	<u>20</u> Shadscale
_____ Serviceberry	<u>13</u> Horsebrush
_____ Bitterbrush	<u>10</u> Nuttall saltbush
_____ Big sagebrush	_____ Spiny Horsebrush
<u>15</u> Yellow Brush	_____ Shadscale
	_____ Other

d. Trees: _____ %	
_____ Pinion	_____ Douglas fir
_____ Juniper	_____ Lodgepole pine
_____ Cottonwood	_____ Engleman spruce
_____ Russian olive	_____
_____ Tamarix	_____
_____ Ponderosa	_____

4. Observed Threatened & Endangered species: None
5. Potential For Threatened & Endangered species: _____
x Slight _____ Moderate _____ High
6. If moderate or high describe: _____

7. Observed Noxious Weeds: 1) None 2) _____
3) _____ 4) _____

C. AFFECTED ENVIRONMENTAL

Initial survey:

1. Surface damages as a result of the initial survey:
_____ yes x no

2. If answer to (1) is yes describe: _____

4.1 WILDLIFE

A. POTENTIAL SITE UTILIZATION

- | | | |
|-----------------------|--------------------------|-----------------------------|
| 1. Big Game | 2. Small Game | 3. Raptor/Bird |
| <u> </u> Deer | <u> x </u> Rabbit | <u> x </u> Bald eagle |
| <u> </u> Elk | <u> </u> Pheasant | <u> x </u> Golden eagle |
| <u> </u> Moose | <u> x </u> Dove | <u> </u> Ferringious hawk |
| <u> </u> Bear | <u> </u> Sage grouse | <u> </u> Swanson hawk |
| <u> x </u> Antelope | <u> </u> Ruffed grouse | <u> x </u> Redtail hawk |
| <u> </u> | <u> </u> Blue grouse | <u> </u> Perigrin falcon |
| <u> </u> | <u> </u> Chuckar | <u> </u> Prairie falcon |
| <u> </u> | <u> </u> partridge | <u> x </u> Songbird |
| <u> </u> | | <u> x </u> Kestral |
| <u> </u> | | <u> x </u> Owl |
-
- | | |
|---------------------|------------------------|
| 4. Other | 5. Non-Game Wildlife |
| <u> x </u> Horses | <u> x </u> Reptile |
| <u> x </u> Cattle | <u> </u> Prairie dog |
| <u> x </u> Sheep | <u> x </u> Rodent |
| <u> </u> | <u> x </u> Coyote |
| <u> </u> | <u> x </u> Fox |

6. Threatened & Endangered Species

a. Observed Threatened & Endangered species:
1) None 2) _____ 3) _____

b. Potential for Threatened & Endangered species:
_____ Slight x Moderate _____ High

c. If moderate or high, describe: Bald eagles use this area during the winter months.

D. WILDLIFE/THREATENED & ENDANGERED SPECIES

- | | | |
|--|-------------------|------------------|
| 1. Decreased wildlife habitat/grazing | <u> x </u> Yes | <u> </u> No |
| 2. Potential increase in wildlife disturbance and poaching | <u> </u> Yes | <u> x </u> No |
| 3. Potential impacts to Threatened Endangered species: | <u> </u> Yes | <u> x </u> No |
| 4. Potential threat to critical wildlife habitat | <u> </u> Yes | <u> x </u> No |
- a. If answer to (4) is yes, describe: _____
-
-

6.0 MITIGATION STIPULATIONS

A. VEGETATION/LANDSCAPE

1. Landscape disturbance cannot be effectively mitigated at this time. However, before the site is abandoned the company will be required to restore the well pad, access roads, and pipeline rights-of-way to near their original state. The disturbed area will be reseeded with desirable perennial vegetation and the seed will be covered with a weed free organic mulch.
2. Noxious weeds will be controlled on all well sites and rights-of-way. If noxious weeds spread from the well sites or rights-of-way, the company will also be responsible for their control.

B. SOILS/RANGE/WATERSHEDS

1. Soil erosion will be mitigated by reseeded all disturbed areas and by installing the following practices:

a. Diversion ditches	<u> </u> Yes	<u> x </u> No	<u> </u> feet
b. Dikes	<u> </u> Yes	<u> x </u> No	<u> </u> feet
c. Desilting ponds	<u> x </u> Yes	<u> </u> No	<u> 1 </u> number
d. Drop structure	<u> </u> Yes	<u> x </u> No	<u> </u> number
e. Gully plugs	<u> </u> Yes	<u> x </u> No	<u> </u> number
f. High water crossing	<u> </u> Yes	<u> x </u> No	<u> </u> number
g. Culverts	<u> </u> Yes	<u> x </u> No	<u> </u> number
h. Water bars	<u> </u> Yes	<u> x </u> No	<u> </u> number
i. Fencing	<u> x </u> Yes	<u> </u> No	<u> 22 </u> rods
j. Cattleguards	<u> </u> Yes	<u> x </u> No	<u> </u> number
k. Other, describe:	<u>Top soil will be stock piled between station 3&4 and between 7&8 as shown on the well layout plat. Corner #2 will be rounded. A desilting pond will be constructed in the drainage about 100 feet north of station #2 as shown on layout plat.</u>		

2. Salt and pollution loading of the soil and geological formations will be mitigated by requiring the oil company to:

a. Line reserve pits with impervious synthetic liners
impervious synthetic liners yes no

b. Use a closed drilling system yes no
1. Reason(s): _____

c. Use a closed production system yes no
1. Reason(s): _____

d. Use an unlined emergency pit yes no
1. Use a synthetic liner yes no
2. Use a man made container yes no
3. Reason(s): _____

e. Production water, oil, and other by-products will not be applied to roads or well pads for the control of dust or weeds. Indiscriminate dumping of oil field by-products on tribal lands will not be allowed.

3. When the well is plugged and/or abandoned the gravel and road base hauled in to construct the well pad and access roads will be:

a. Hauled off yes no
b. Incorporated into the soil yes no

4. Soil compaction of the well pads and roads will be mitigated by ripping (minimum depth 24").

C. WILDLIFE/VEGETATION/THREATENED & ENDANGERED SPECIES

1. Upon Identification of Threatened & Endangered species, the following measures will be applied: N/A

2. Modifications to surface use will be implemented to protect the specific wildlife species encountered.

D. CULTURAL RESOURCES

All well sites, access roads, and pipeline rights-of-way will be cleared by a qualified archaeologist/paleontologist so that cultural sites will be avoided or salvaged.

7.0 UNAVOIDABLE ADVERSE IMPACTS

A. SURFACE ALTERATIONS

None of the adverse impacts listed in 5.0 above can be avoided in a practical manner except those which are mitigated in item 6.0 above and those specified in BLM's 13 point surface use plan.

B. RELATIONSHIP BETWEEN SHORT-TERM USE OF THE ENVIRONMENT VS LONG TERM PRODUCTIVITY.

1. Short Term: (Estimated 20 years) A total loss of production on the land and the associated environmental impacts will continue to influence the surrounding area for the productive life of the well.
2. Long Term: Standard policies provide for rehabilitation of the well sites and access roads. After the land is rehabilitated, it is not expected to return to its original productive capability. Normally, there will be a permanent scar left on the landscape.

C. IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT

Oil and Gas are non-renewable resources, once they have been removed they can never be replaced.

8.0 CUMULATIVE IMPACTS

A. FULL DEVELOPMENT

Each additional well drilled for development increases the soil erosion potential, reduces wildlife habitat and grazing, increases potential soil and geologic pollution resulting from salt loading, reduces the soil's potential to recover, and increases the potential of water pollution from produced waters and hydro-carbons. Therefore, strict conformance with the mitigation measures and recommendations in this document is emphasized to minimize the adverse environmental impacts.

9.0 NEPA COMPLIANCE

A. RESEARCH/DOCUMENTATION

Based on available information, January 7, 1992, the proposed location in the following areas of Environmental Impacts have been cleared:

<u> x </u>	Yes	<u> </u>	No	Listed Threatened & Endangered species
<u> x </u>	Yes	<u> </u>	No	Critical wildlife habitat
<u> x </u>	Yes	<u> </u>	No	Historical and cultural resources

10.0 REMARKS

A. SURFACE PROTECTION/REHABILITATION

All essential surface protection and rehabilitation requirements are specified above.

11.0 RECOMMENDATIONS

A. APPROVAL/DISAPPROVAL

We recommend approval x disapproval of the proposed action as outlined in item 1.0 above.

[Signature]
 Representative - BIA Land Operations,
 Uintah and Ouray Agency

12.0 REVIEWING OFFICIAL

A. CONCURRENCE


We concur with the approval ✓ disapproval of the proposed action as outlined in item 1.0 above.

[Signature]
 Environmental Coordinator,
 Uintah and Ouray Agency

13.0 DECLARATION

A. APPROVAL

It has been determined that the proposed action is not a federal action significantly affecting the quality of the environment as it would require the preparation of an environmental impact statement in accordance with Section 102 (2) (c) of the National Environmental Policy Act of 1969 (42 USC 4331) (2) (C).





Superintendent,
Uintah and Ouray Agency

14.0 CONSULTATION

A. REPRESENTATIVES/ORGANIZATION

1. Floyd R. Murray - F&G Construction
2. Brent R. Stubbs - Stubbs & Stubbs
3. Craig Obermuller - Craigs Roustabout
4. Craig Darlington - Bureau of Land Management
5. Dale Hanberg - Bureau of Indian Affairs
6. Alvin Ignacio - UTEM
7. Darwin Kulland - CNG
8. _____
9. _____
10. _____



NOTES:

1. Embankment slopes & dimensions shall be as shown on the Work Summary Chart
2. Cut spillway to be constructed where no adequate natural spillway exists

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
DIVISION OF ENGINEERING SYSTEMS DENVER SERVICE CENTER

TYPICAL
MINOR RETENTION DAM

DESIGNED *Donald M. [Signature]*
REVIEWED *[Signature]*
APPROVED *[Signature]*

DRAWN P.W. Twist J.D. Sedillo SCALE NONE

DATE MARCH 9, 1984 SHEET OF

DRAWING NO. 02294-2

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FOIA APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.

SUBMIT IN TRIPLICATE

RECEIVED

NOV 30 1992

DIVISION OF
OIL GAS & MINING

- 5. Lease Designation and Serial No.
ML-3393-A
- 6. If Indian, Allottee or Tribe Name
Ute Tribe
- 7. If Unit or CA, Agreement Designation
River Bend Unit
- 8. Well Name and No.
3-16F
- 9. API Well No.
43-047-32352
- 10. Field and Pool, or Exploratory Area
Island
- 11. County or Parish, State
Uintah, Utah

- 1. Type of Well
 Oil Well Gas Well Other
- 2. Name of Operator
CNG PRODUCING COMPANY
- 3. Address and Telephone No.
CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000
- 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other - Spud Notice

- Change of Plans
 - New Construction
 - Non-Routine Fracturing
 - Water Shut-Off
 - Conversion to Injection
 - Dispose Water
- (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

This is to notify you that the RBU 3-16F was spudded by Leon Ross Drilling on 11/18/92 at 10:00 AM.

They drilled 395' of 12 1/4" hole and ran 12 jts of 8 5/8" 24# H-40 casing, with guide shoe, insert baffle, and set at 387.18'.

Cemented by Dowell with 224 sks Class "G" with 2% CaCl and 1/4#/sk Celloseal. Displaced casing with 21 bbls fresh water. Did not bump plug. Circulate 9 bbls cement to surface. Cement did not fall back.

14. I hereby certify that the forgoing is true and correct

Signed David L. Linger Title Senior Drilling Engineer Date November 24, 1992
David L. Linger

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

ENTITY ACTION FORM - FORM 6

ADDRESS CNG Tower

1450 Poydras Street

New Orleans, LA 70112-6000

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	99999	07050	43-047-32352	RBU 3-16F	NE NW	16	10S	20E	Uintah	11/18/92	
WELL 1 COMMENTS: This well is located within River Bend Unit on BLM land. <i>Entity added 12-3-92. fcp</i>											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS											

RECEIVED
NOV 30 1992

ACTION CODES (See instruction on back of form)

- A - establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

Susan U. Hebest DIVISION OF OIL GAS & MINING
Signature
Regulatory Reports Assistant II November 24, 1992
Title Date

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals to

SUBMIT IN TRIPLICATE

RECEIVED
DEC 07 1992

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

November 25 - December 3, 1992

Rig up rig and nipple up BOPs. Rig up diverter lines. Rig up test lines and test rams. Test lines and valves to 3000 PSI. Test Hydril and casing to 1500 PSI. Small leak. Pick up cup tester and trip in hole picking up 6" drill collars. Trip in hole with cup tester to 332'. Test casing to 1500 PSI. Pull out of hole with drill collars. Rig up flare lines and pit pump. Service rig. Pick up new bit and finish picking up drill collars. Tag cement at 342'. Drilling cement at 342'. Drilling float collar. Drilling cement at 344' one foot below shoe. Drilling new formation. Survey at 495'. Drilling. Survey at 1,012'. Drilling. Changed out rotating head. Drilling. Survey at 1,507'. Drilling. Survey at 2,032'. Drilling. Survey at 2,503'. Drilling. Survey at 3,029'. Drilling. Service rig. Check BOPs. Drilling. Survey at 3,523'. Drilling. Survey at 4,015'. Drilling. Service rig - check BOPs. Drilling. Survey at 4,511'. Trip out of hole for wireline tool. Pulled 28 stands to wireline. Drilling. Survey at 5,037'. Drilling. Service rig - check BOPs. Drilling. Survey at 5,528'. Drilling. TD at 5,660'. Mud wt. 8.5 PPG.

14. I hereby certify that the forgoing is true and correct

Signed Susan Hebert Title Regulatory Reports Asst. Date December 3, 1992
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals

SUBMIT IN TRIPLICATE

RECEIVED
DEC 14 1992

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	2. Name of Operator CNG PRODUCING COMPANY	3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T105-R20E	5. Lease Designation and Serial No. ML-3393-A	6. If Indian, Allottee or Tribe Name Ute Tribe	7. If Unit or CA, Agreement Designation River Bend Unit	8. Well Name and No. 3-16F	9. API Well No. 43-047-32352	10. Field and Pool, or Exploratory Area Island	11. County or Parish, State Uintah, Utah
--	--	---	--	--	---	--	-------------------------------	---------------------------------	---	---

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

December 5 - December 11, 1992

Drilling. Pull out of hole with bit. Changed out bit. Check BOPs. Trip in hole with first stand of drill collar. Well started flowing slow. Finish trip in hole with bottom hole assembly. Install rotating head. Break circulation at 4,684'. Trip in hole. Drilling. Survey at 5,800'. Drilling. Survey at 6,395'. Drilling. Service rig - check BOPs. Drilling. Pull out of hole with 13 stands found wash out lay down same. Trip in hole to 6,622'. Drilling. Rotating head unlatched, repaired and relatched same. Drilling. Survey at 6,837'. Drilling. Working on yellow dog pump. Drilling. Short trip 15 stands. Circulate and condition mud. Pull out of hole for logs. Rig up logging crew. Attempt to change measurement from meter to feet with computer. No results. Changed out wireline head. Pick up tools. Trip in hole below rotary, lower tool, shorted out upper tools. Lay down all tools and pick up new tools. Run GR/Caliper/CDL/DSN/DLL to 7,400' and log up to 3,000'. Rig down Halliburton Logging Service. No problems, running logs to bottom. Pick up bit with no jets with float in string and trip in hole to 6,200'. Fill drill pipe and circulate and condition mud with 90% returns. Laying down drill pipe. Rig up casing crews and lay down machine Run 145 jts 17# N-80 casing to a TD of 6,176'. Circulate casing. Rig up Dowell and cement with 330 sks HiLift, 8% D-20, .1% D-79, 3% D-44, 10#/sk D-42, 643 10-0 RFC, 1.2% D-46, .25% D-112, and 25#/sk D-29. Set casing slips with 115,000#. Nipple down BOPs. Released rig on 12/08/92.

14. I hereby certify that the forgoing is true and correct

Signed Susan Hebert Title Regulatory Reports Asst. II Date December 11, 1992
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

**CNG Producing
Company**

A **CNG COMPANY**

CNG Tower
1450 Poydras Street
New Orleans LA 70112-6000
(504) 593-7000

February 24, 1993

Mr. David Little
District Manager
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

RECEIVED

FEB 26 1993

DIVISION OF
OIL GAS & MINING

RE: Application for Disposal of Produced Water NTL-2B

Dear Mr. Little:

Pursuant to NTL-2B Revised August 1, 1978, CNG Producing Company hereby makes applications under Section 1, Exception No. 4. This request is for a 30' x 30' pit adjacent to gas separator in which production water is collected. The wells make less than five (5) bbls per day. The evaporation rate for the area is four (4) feet per year and the percolation rate of the soil is approximately 1" per day.

Some of the pits are unlined, (except with native clay), when they are not located next to drainage. These pits have also been tested for water loss. The pits that showed water loss are lined with native clay and a .12 mil liner.

<u>Well Name</u>	<u>Lease Number</u>	<u>Well Location</u>	<u>Section, Township & Range</u>
1. RBU 10-2F	ML-10716	NW SE	2-T10S-R20E
2. RBU 3-3E	U-013765	NE NW	3-T10S-R19E
3. RBU 5-3E	U-03505	SW NW	3-T10S-R19E
4. RBU 9-3E	U-035316	NE SE	3-T10S-R19E
5. RBU 3-10EX	U-035316	NE NW	10-T10S-R19E
6. RBU 5-10F	U-7206	SW NW	10-T10S-R20E
7. RBU 7-10E	U-13792	SW NE	10-T10S-R19E
8. RBU 9-10F	U-7206	NE SE	10-T10S-R20E
9. RBU 13-10F	BIA 14-20-H62-2645	SW SW	10-T10S-R20E
10. RBU 2-11F	U-01790	NW NE	11-T10S-R20E
11. RBU 3-11F	U-7206	NE NW	11-T10S-R20E
12. RBU 7-14E	U-013792	SW NE	14-T10S-R19E
13. RBU 9-14F	U-013793-A	NE SE	14-T10S-R20E
14. RBU 11-14F	U-013793-A	NE SW	14-T10S-R20E
15. RBU 13-14F	U-013793	SW SW	14-T10S-R20E
16. RBU 15-14E	U-013792	SW SE	14-T10S-R19E
17. RBU 15-14F	U-013793-A	SW SE	14-T10S-R20E
18. RBU 15-15E	U-013766	SW SE	15-T10S-R19E
19. RBU 3-16F	ML-3393-A	NE NW	16-T10S-R20E
20. RBU 7-16E	ML-13214	SW NE	16-T10S-R19E
21. RBU 13-16E	ML-13214	SW SW	16-T10S-R19E
22. RBU 15-16E	ML-13214	SW SE	16-T10S-R19E
23. RBU 5-17F	U-013769-C	SW NW	17-T10S-R20E
24. RBU 7-17F	U-013769-C	SW NE	17-T10S-R20E
25. RBU 9-17E	U-013766	NE SE	17-T10S-R19E
26. RBU 9-17F	U-013769-C	NE SE	17-T10S-R20E
27. RBU 13-17F	U-013769-C	SW SW	17-T10S-R20E
28. RBU 3-19FX	U-013769-A	NE NW	19-T10S-R20E
29. RBU 5-19F	U-013769-A	SW NW	19-T10S-R20E
30. RBU 3-20F	U-013793-A	NE NW	20-T10S-R20E

43-047-2252

Mr. David Little, District Manager
Bureau of Land Management

Page 2
February 24, 1993

<u>Well Name</u>	<u>Lease Number</u>	<u>Well location</u>	<u>Section, Township & Range</u>
31. RBU 15-20F	U-0143520-A	SW SE	20-T10S-R20E
32. RBU 3-21F	U-013793-A	NE NW	21-T10S-R20E
33. RBU 7-21E	U-013766	SW NE	21-T10S-R19E
34. RBU 9-21F	U-014520-A	NE SE	21-T10S-R20E
35. RBU 11-21F	U-0143520-A	NE SW	21-T10S-R20E
36. RBU 13-21F	U-01435	SW SW	21-T10S-R20E
37. RBU 15-21F	U-0143520-A	SW SE	21-T10S-R20E
38. RBU 13-22E	U-013792	SW SW	22-T10S-R19E
39. RBU 14-22F	U-0143519	SE SW	22-T10S-R20E
40. RBU 15-22E	U-013792	SW SE	22-T10S-R19E
41. RBU 2-23F	U-013793-A	NW NE	23-T10S-R20E
42. RBU 4-23F	U-013793-A	NW NE	23-T10S-R20E
43. RBU 5-23E	U-013766	SW NW	23-T10S-R20E
44. RBU 9-24E	U-013794	NE SE	24-T10S-R19E
45. RBU 11-35B	U-017713	NE SW	35-T9S-R19E

Exact location of the pits have been submitted with the site security diagram. All wells are located within the River Bend Unit except for RBU 9-17E, RBU 7-21E, RBU 13-22E, RBU 15-22E, and RBU 11-35B which are located outside the unit.

If you have any questions or need any further information, please feel free to contact either myself at (504) 593-7260 or our project engineer, Scot Childress, at (504) 593-7574. Thank you for your cooperation.

Sincerely,

Susan M. Hebert
Susan M. Hebert
Regulatory Reports Asst. II

Enclosure

cc: ✓ Utah Board of Oil, Gas & Mining
Yvonne Abadie
Scot Childress
Brian Coffin
Darwin Kulland
Jim Nicas
RBU Well files

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Well Designation and Serial Number

ML-3393-A

7. Indian Allottee or Tribe Name

8. Unit or Communization Agreement

River Bend Unit

9. Well Name and Number

RBU 3-16F

10. API Well Number

43-047-32352

11. Field and Pool, or Wildcat

River Bend

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new well, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT - for such proposals

1. Type of Well

Oil Well Gas Well Other (specify)

2. Name of Operator

CNG Producing Company

3. Address of Operator

1450 Poydras St., New Orleans, LA 70112-6000

4. Telephone Number

(504) 593-7260

5. Location of Well

Footage : 787' FNL & 2,167' FWL
QQ, SEC., T., R., M.: NE NW of Sec. 16-T10S-R20E

County : Uintah

State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

Abandonment New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Recompletion
 Conversion to Injection Shoot or Acidize
 Fracture Treat Vent or Flare
 Multiple Completion Water Shut-Off
 Other _____

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

Abandonment * New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Shoot or Acidize
 Conversion to Injection Vent or Flare
 Fracture Treat Water Shut-Off
 Other Annual Status Report

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STATUS OF WELL

Suspended Drilling

EXPLANATION FOR STATUS OF WELL

Waiting on completion rig

FUTURE PLANS

Will bring well on line after well is completed and pipeline is ready

RECEIVED

MAR 01 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature

Scott Childress
W. Scott Childress

Title

Supervisor, Prod. Engineering

Date

January 29, 1993

(State Use Only)

STATE OF UTAH
 DIVISION OF OIL, GAS AND MINING
 OIL AND GAS INSPECTION RECORD

OPERATOR: C.N.G. PRODUCING LEASE: ML-3393-A
 WELL NAME: RBU 3-16F API: 43-047-32352
 SEC/TWP/RNG: 16 10.0 S 20.0 E CONTRACTOR:
 COUNTY: UINTAH FIELD NAME: NATURAL BUTTES

DRILLING/COMPLETION/WORKOVER:

- APD	- WELL SIGN	- HOUSEKEEPING	- BOPE
- SAFETY	- POLLUTION CNTL	- SURFACE USE	- PITS
- OPERATIONS	- OTHER		

SHUT-IN Y / TA - :
 Y WELL SIGN Y HOUSEKEEPING Y EQUIPMENT * Y SAFETY
 - OTHER

ABANDONED:

- MARKER	- HOUSEKEEPING	- REHAB	- OTHER
----------	----------------	---------	---------

PRODUCTION:

- WELL SIGN	- HOUSEKEEPING	- EQUIPMENT *	- FACILITIES *
- METERING *	- POLLUTION CNTL	- PITS	- DISPOSAL
- SECURITY	- SAFETY	- OTHER	

GAS DISPOSITION:

- VENTED/FLARED	- SOLD	- LEASE USE
-----------------	--------	-------------

LEGEND: Y = YES/SATISFACTORY N = NO/UNSATISFACTORY A = NOT APPLICABLE

*FACILITIES INSPECTED:

LOCATION, WELLHEAD, TREE NOT INSTALLED YET.

REMARKS:

SHUT IN GAS WELL-NOT LEASE EQUIPMENT. FENCED RESERVE PIT W/APPROX. 1743 BBLs OF FLUID.

ACTION:

INSPECTOR: DENNIS INGRAM

DATE: 02/01/93

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

February 24 - February 26, 1993

Rig up rig and equipment. Rig up Schlumberger. Run GR/CCL from 6,064' to 4,500'. Run in hole with 4" casing gun loaded with 2 SPF. Perforate Zone #1 (5,748-58' & 5,792-5,806'). No pressure increase. Rig down wireline truck. Run in hole with mule shoe collar, 1 jt, seating nipple, and 179 jts. Land tubing with seating nipple at 5,625' and tubing at 5,658'. Nipple down BOP. Nipple up tree. Rig down rig.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date February 26, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

BUDGET BUREAU NO. 1004-0135

RES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

Lease Designation and Serial No.
ML-3393-A

If Indian, Allottee or Tribe Name
Ute Tribe

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

7. If Unit or CA, Agreement Designation
River Bend Unit

2. Name of Operator
CNG PRODUCING COMPANY

8. Well Name and No.
3-16F

3. Address and Telephone No.
CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000

9. API Well No.
43-047-32352

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E

10. Field and Pool, or Exploratory Area
Island

11. County or Parish, State
Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

March 2 - March 5, 1993

Rig up Halliburton triple entry. Establish injection with 2,051 gallons of PAD. Zone #1 (5,748-5,758' & 5,792-5,806') broke at 2640 PSI. Treated Zone #1 with 74,950 gallons of fluid with 213,000 lbs of 20/40 frac sand. Average treating pressure - 3200 PSI. Open tubing to pit on 24/64 choke. Flowing tubing to pit on 24/64 choke with 30 PSI on tubing returning steady 1" stream of water. Flowing tubing to pit on 24/64 choke with 800 PSI on tubing and 950 PSI on casing, returning gas at the rate of 2,944 MCF/D. Returning light mist of water. Left tubing flowing to pit on 24/64 choke.

RECEIVED

MAR 0 8 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date March 5, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

BUDGET BUREAU NO. 1004-0135

EXPIRES: MARCH 31, 1993

5. Lease Designation and Serial No.
ML-3393-A

6. If Indian, Allottee or Tribe Name

Ute Tribe

7. If Unit or CA, Agreement Designation
River Bend Unit

8. Well Name and No.
3-16F

9. API Well No.
43-047-32352

10. Field and Pool, or Exploratory Area
Island

11. County or Parish, State
Uintah, Utah

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED
MAR 15 1993

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
CNG PRODUCING COMPANY

3. Address and Telephone No.
CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E

DIVISION OF

OIL GAS & MINING

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent

Subsequent Report

Final Abandonment Notice

Abandonment

Recompletion

Plugging Back

Casing Repair

Altering Casing

Other - Weekly Report

Change of Plans

New Construction

Non-Routine Fracturing

Water Shut-Off

Conversion to Injection

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

March 6 - March 12, 1993

Flowing tubing to pit on 24/64 choke with 600 PSI on tubing and 800 PSI on casing returning gas at the rate of 2,209 MCF/D will burn. Left tubing flowing to pit. Installed 18/64 choke. Well had 1400 PSI on tubing and 1000 PSI on casing. Open tubing to pit on 18/64 choke. Flowing tubing to pit on 18/64 choke with 750 PSI on tubing and 1000 PSI on casing returning gas at the rate of 1,553 MCF/D, will burn. Put tubing flowing on 24/64 choke. Flowing tubing to pit on 24/64 choke with 400 PSI on tubing and 500 PSI on casing returning gas at the rate of 1,472 MCF/D, will burn dry.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date March 12, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RES: MARCH 31, 1993

5. Lease Designation and Serial No.
ML-3393-A

6. If Indian, Allottee or Tribe Name

Ute Tribe

7. If Unit or GA, Agreement Designation
River Bend Unit

8. Well Name and No.
3-16F

9. API Well No.
43-047-32352

10. Field and Pool, or Exploratory Area
Island

11. County or Parish, State
Uintah, Utah

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
CNG PRODUCING COMPANY

3. Address and Telephone No.
CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

March 13 - March 19, 1993

Well had 1600 PSI on tubing and 1700 PSI on casing. Rig up pump line. Control well with 170 bbls 2% KCL. Nipple down tree. Nipple up BOP. Rig up equipment. Lay down 5 jts tubing. Pull out of hole with 174 jts. Too muddy to get Schlumberger in to perforate.

RECEIVED

MAR 22 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date March 19, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

BUDGET BUREAU NO. 1004-0135
DATES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or GA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

March 20 - March 26, 1993

Bleed off pressure. Pump 100 bbls KCL water. Rig up Schlumberger. Run in hole with wireline and set bridge plug at 5,700'. Trip out of hole with wireline. Pressure test casing to 3500 PSI. Pick up perforation gun. Trip in hole. Perforate Zone #2 (5,597-5,614') with 2 SPF. Trip out of hole. Lay down perforation gun. Rig down Schlumberger. Pick up mule shoe collar, 1 jt, seating nipple and 173 jts and blast jt. Nipple down BOP. Nipple up tree. Rig down wireline truck. Rig up Halliburton triple entry. Break zone #2 (5,597-5,614') with 2,000 gallons PAD. Zone broke at 3,650 PSI. Treated zone with 54,921 gallons of fluid with 151,100 lbs of 20/40 frac sand. Average treating pressure 2900 PSI. Open tubing to piston 24/64 choke.

RECEIVED

MAR 29 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date March 26, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


*See Instructions on Reverse Side

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
RES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals



SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	APR 05 1993	5. Lease Designation and Serial No. ML-3393-A
2. Name of Operator CNG PRODUCING COMPANY	DIVISION OF OIL GAS & MINING	6. If Indian, Allottee or Tribe Name Ute Tribe
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000		7. If Unit or CA, Agreement Designation River Bend Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E		8. Well Name and No. 3-16F
		9. API Well No. 43-047-32352
		10. Field and Pool, or Exploratory Area Island
		11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

March 27 - April 2, 1993

Flowing tubing to pit on 24/64 choke with 350 PSI on tubing and 700 PSI on casing returning gas at the rate of 1,288 MCF/D, will burn, returning mist of water. Flowing tubing to pit on 24/64 choke with 200 PSI on tubing and 400 PSI on casing returning gas at the rate of 736 MCF/D with fine mist of water. Open tubing to pit on 24/64 choke. Flowing tubing to pit on 24/64 choke. Choke froze off with 1500 PSI on tubing and 1550 PSI on casing. Thaw out choke. Left tubing flowing to pit. Flowing tubing to pit on 24/64 choke with 250 PSI on tubing and 450 PSI on casing returning gas at the rate of 920 MCF/D. Will burn dry.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date April 2, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMITS TO DRILL" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED
APR 12 1993

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

April 3 - April 8, 1993

Rig up rig and equipment. Control well with 140 bbls 2% KCL water. Nipple down tree. Nipple up BOP. Pull out of hole with 150 jts. Rig up Schlumberger wireline truck. Run in hole with bridge plug. Set bridge plug at 5,150'. Pull out of hole. Pressure test to 3500 PSI. Tested OK. Run in hole with 4" casing gun loaded with 2 SPF. Perforate Zone #3 (4,844-50', 4,956-66', 4,974-80' & 4,992-5,004'). No pressure increase. Rig down wireline truck. Run in hole with 2 3/8" mule shoe collar, 1 jt, seating nipple, 149 jts, blast jt and tubing hanger. Nipple down BOP. Nipple up tree. Seating nipple set at 4,711' and tubing at 4,744'. Rig down rig and equipment.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date April 8, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

April 14 - April 16, 1993

Rig up Halliburton triple entry to treat Zone #3. Establish injection rate. Zone broke at 3700 PSI. Treated Zone #3 (4,844-50', 4,956-66', 5,975-80' & 4,992-5,004') with 71,651 gallons of fluid and 212,300 lbs of 20/40 frac sand. Average treating pressure 3300 PSI. Open tubing to pit on 24/64 choke. Well had 750 PSI on tubing and 600 PSI on casing flowing on 24/64 choke making a light mist.

RECEIVED

APR 20 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan Hebert Title Regulatory Reports Asst. II Date April 16, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

April 17 - April 23, 1993

Well had 650 PSI on tubing and 900 PSI on casing flowing dry on 24/64 choke. Changed choke to 18/64. Well had 800 PSI on tubing and 1000 PSI on casing flowing on 18/64 choke. Well cleaned up dry.

RECEIVED

APR 26 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date April 23, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and wilfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

BUDGET BUREAU NO. 1004-0135

EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals

SUBMIT IN TRIPLICATE

RECEIVED
MAY 11 19935. Lease Designation and Serial No.
ML-3393-A

6. If Indian, Allottee or Tribe Name

Ute Tribe

7. If Unit or CA, Agreement Designation
River Bend Unit8. Well Name and No.
3-16F9. API Well No.
43-047-3235210. Field and Pool, or Exploratory Area
Island11. County or Parish, State
Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

 Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Other - Weekly Report Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

May 4 - May 7, 1993

Rig up rig and equipment. Well had 700 PSI on casing and 850 PSI on tubing. Rig up pump lines. Pump 150 bbls 2% KCL water to control well. Nipple down tree. Nipple up BOP. Rig up floor and tongs. Pull out of hole with 149 jts 2 3/8" tubing, seating nipple, 1 jt and mule shoe collar. Run in hole with retrieving head, 6' pup jt, 1 jt tubing, seating nipple, and 159 jts tubing. Tag sand at 5,054'. Rig up drilling head. Broke circulation. Clean out sand from 5,054' to 5,150'. Circulate clean. Release bridge plug. Pull out of hole with 161 jts. Lay down bridge plug. Unable to release bridge plug from retrieving head. Run in hole with bridge plug retrieving head, 2 3/8" 6' pup jt, 1 jt, seating nipple, and 176 jts tubing. Tag sand at 5,590'. Rig up drilling head. Clean out sand from 5,590-5,570'. Circulate hole clean. Released bridge plug. Pull out of hole with 181 jts tubing. Lay down bridge plug. Run in hole with 2 3/8" mule shoe collar, 1 jt tubing, seating nipple and 180 jts. Pull up 5 jts to check for sand to 5,883'. No sand. Pull out of hole. Lay down 5 jts. Land tubing with hanger. Set tubing with seating nipple at 5,689' and tubing at 5,722'. Nipple down BOP. Nipple up tree.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date May 7, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. ML-3393-A
2. Name of Operator CNG PRODUCING COMPANY	6. If Indian, Allottee or Tribe Name Ute Tribe
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	7. If Unit or CA, Agreement Designation River Bend Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	8. Well Name and No. 3-16F
	9. API Well No. 43-047-32352
	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

May 8 - May 14, 1993

Well had 0 PSI. Rig up swab. Made 11 runs. First run at 600'. Last run at 800'. Swab back 60 bbls. Well started flowing. Left tubing flowing to pit without choke for 1 1/2 hrs. Installed 24/64 choke. Well had 225 PSI on tubing and 425 PSI on casing. Left well flowing to pit unable to rig down due to wind. Flowing tubing to pit on 24/64 choke with 750 PSI on tubing and 1150 PSI on casing returning mist of water and gas at the rate of 2,760 MCF/D. Will burn. Flowing tubing to pit on 24/64 choke with 750 PSI on tubing and 1100 PSI on casing returning gas at the rate of 2,760 MCF/D. Rig down rig and equipment.

RECEIVED

MAY 17 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date May 14, 1993
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
ELECTRICAL BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. ML-3393-A
2. Name of Operator CNG PRODUCING COMPANY	6. If Indian, Allottee or Tribe Name Ute Tribe
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	7. If Unit or GA, Agreement Designation River Bend Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	8. Well Name and No. 3-16F
	9. API Well No. 43-047-32352
	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Initial Production	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

*Well was placed on initial production on May 25, 1993 at 11:15 AM.

Note: Verbal notification of initial production telephoned into BLM by Sue Hebert, CNG. Information given to Sally Gardner, BLM on May 26, 1993, 9:20 AM.

RECEIVED

JUN 01 1993

14. I hereby certify that the forgoing is true and correct

DIVISION OF
OIL GAS & MINING
May 26, 1993

Signed Susan M. Hebert Title Regulatory Reports Asst. Date _____
Susan M. Hebert

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

CNG Tower
1450 Poydras Street
New Orleans, LA 70112-6000
(504) 593-7000

RECEIVED

JUN 07 1993

June 3, 1993

Mr. Ed Forsman
U.S. Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

DIVISION OF
OIL, GAS & MINING

RE: Well Recompletion Reports
RBU 8-13E SE NE of Sec. 13-T10S-R19E
RBU 3-16F NE NW of Sec. 16-T10S-R20E
RBU 3-21F NE NW of Sec. 21-T10S-R20E
RBU 14-22F SE SW of Sec. 22-T10S-R20E
RBU 4-23F NW NW of Sec. 23-T10S-R20E

Dear Ed:

Enclosed please find the original and two copies of the above referenced reports.

CNG Producing Company is requesting all information be held confidential.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Scot Childress at (504) 593-7574.

Sincerely,

Susan M. Hebert

Susan M. Hebert
Regulatory Reports Asst. II

Enclosure

cc: Ms. Tammy Searing - Utah Department of Oil, Gas & Mining
Y. Abadie
S. Childress
B. Coffin
C. Collins
V. Corpening
D. Daly
D. Kulland
R. Mueller
J. Nicas
RBU Well Files
RBU Well Book
PG&E Resource Company

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE (See other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0137 Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL [] GAS WELL [] DRY [X] Other []
1b. TYPE OF COMPLETION: NEW WORK DEEP- PLUG DIFF. WELL [X] OVER [] EN [] BACK [] RESVR. [] Other []

5. LEASE DESIGNATION AND SERIAL NO. ML-3393-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe
7. UNIT AGREEMENT NAME River Bend Unit
8. FARM OR LEASE NAME RBU

2. NAME OF OPERATOR CNG Producing Company


9. WELL NO. 3-16F

3. ADDRESS OF OPERATOR CNG Tower - 1450 Poydras St., New Orleans, LA 70112-6000

10. FIELD AND POOL, OR WILDCAT Island

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E
At top prod. interval reported below
At total depth

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA NE of NW of 16-T10S-R20E



14. PERMIT NO. 43-047-32352
DATE ISSUED 09/18/92

12. COUNTY OR PARISH Uintah
13. STATE Utah

15. DATE SPUNDED 11/18/92
16. DATE I.D. REACHED 12/06/92
17. DATE COMPLETED (Ready to prod.) 05/09/93
18. ELEVATION (OF RKB, RT, GR, ETC.)* 4,984' GR

19. ELEV. CASING HEAD

20. TOTAL DEPTH MD & TVD 7,400'
21. PLUG, BACK T.D. MD & TVD 6,100'
22. IF MULTIPLE COMPL., HOW MANY* 3 Zones
23. INTERVALS DRILLED BY Rotary

24. ROTARY TOOLS CABLE TOOLS Rotary

24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)* 5,748-5,816', 5,585-5,618', 4,985-5,006', 4,842-4,850' - Wasatch

25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN DLL, Den-Neu, Gamma Ray, Caliper mud log 1-20-93

27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

Table with columns: CASING SIZE, WEIGHT, LB./FT., DEPTH SET (MD), HOLE SIZE, CEMENTING RECORD, AMOUNT PULLED. Includes data for 8 5/8" and 5 1/2" casing.

29. LINER RECORD

Table with columns: SIZE, TOP (MD), BOTTOM (MD), SACKS CEMENT*, SCREEN (MD), SIZE, DEPTH SET (MD), PACKER SET (MD). Includes data for 2 3/8" tubing.

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)
Zone #1 - 5,748-58' & 5,192-5,806'
Zone #2 - 5,597-5,614'
Zone #3 - 4,844-50', 4,956-65', 4,974-80' & 4,992-5,004'
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
Zone #1 - 213,000 lbs of 20/40 Frac Sand
Zone #2 - 151,000 lbs of 20/40 Frac Sand
Zone #3 - 212,300 lbs of 20/40 Frac Sand

33. PRODUCTION

Table with columns: DATE FIRST PRODUCTION, PRODUCTION MET, WELL STATUS, DATE OF TEST, HOURS TESTED, CHOKER SIZE, PROD'N FOR TEST PERIOD, OIL-BBL., GAS-MCF., WATER-BBL., GAS-OIL RATIO, FLOW. TUBING PRESS., CASING PRESSURE, CALCULATED 24 HR RATE, OIL-BBL., GAS-MCF., WATER-BBL., OIL GRAVITY-APT (CORR.).

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold
TEST WITNESSED BY Mitch Hall

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.
SIGNED W. Scot Childress TITLE Supervisor, Prod. Eng. DATE June 2, 1993

* (See Instruction and Spaces for Additional Data on Reverse Side)
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries)

S6. GEOLOGICAL MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Wasatch	5,748'	5,816'	sandstone, wh-gy, vfgr-fgr, sbang-sbrnd, sm frosting, calcareous	Wasatch Tongue	4,118'	4,118'
Wasatch	5,585'	5,618'	aa	Green River Tongue	4,452'	4,452'
Wasatch	4,955'	5,006'	aa	Wasatch	4,598'	4,598'
Wasatch	4,842'	4,850'	aa	Chapita Wells	5,328'	5,328'
				Uteland Buttes	6,352'	6,352'

**CNG Producing
Company**

CNG Tower
1450 Poydras Street
New Orleans, LA 70112-6000
(504) 593-7000



A **CNG** COMPANY

March 8, 1996

**Mr. Wayne Bankert
U.S. Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078**

**RE: Subsequent Report for
Plunger Lift Installations**

Dear Wayne:

Enclosed please find sundry notices for various RBU wells that have just completed plunger lift operations. These sundries are being filed in triplicate.

Should you have any questions, please feel free to contact either myself, at (504) 593-7260, or the our project engineer, Scot Childress at (504) 593-7574.

Sincerely,

Susan H. Sachitana
Susan H. Sachitana
Coordinator, Regulatory Reports

Enclosure

cc: **Frank Matthews - Utah Department of Oil, Gas & Mining**
N. Decker
M. Hall
S. Childress
RBU Well Files

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
BUDGET BUREAU NO. 1004-0135
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-16F
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32352
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Plunger Lift	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

Installed plunger lift equipment on above well. Well on plunger.

14. I hereby certify that the forgoing is true and correct

Signed *Scot Childress* Title Supervisor, Production Engineering Date 03/08/96
Scot Childress

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996


SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. ML-3393-A
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name UTE TRIBE
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-8000	3b. Phone No. (include area code) (504) 563-7000	7. If Unit or CA Agreement, Name and/or No. RIVERBEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 787' FNL & 2,167' FWL of Sec. 16-T10S-R20E		8. Well Name and No. 3-16F
		9. API Well No. 43-047-32352
		10. Field and Pool, or Exploratory Area ISLAND
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporary Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	



13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

SUMMARY OF OPERATIONS FOR RBU 3-16F

Rig up wireline truck to tubing. Run in hole and pull plunger spring and stop. Tried to unload well. Blew well 30 minutes to pit with just a little gas coming up tubing with no loss of pressure on casing. Run in hole with 1.75 OD box. Could not get through seating nipple at 5,688'. Run in hole with 1.51 OD box. Could not get below 5,712'. Sand or scale has bottom joint of tubing plugged. Pull out of hole. Rig down wireline truck. Put tubing and casing on production. Bled pressure off to 0 PSI on tubing and 200 PSI on casing. Nipple down tree. Nipple up BOP. Pump 50 bbls 2% down casing. Pull out of hole with 10 stands. Casing started flowing. Bled pressure down on casing. Pull out of hole with 181 jts tubing. Had a lot of scale in bottom 2 jts of tubing. Lay down 2 jts. Pick up 2 more jts. Run in hole with mule shoe collar, 1 jt, seating nipple, and 180 jts tubing. Land tubing. Nipple down BOP. Nipple up tree. End of tubing at 5,722' with seating nipple at 5,691'. Begin swabbing. Made 18 runs. Swabbed back approximately 72 bbls. Well started flowing. Put tubing to pit flowing on 18/64 choke to unload water. Put well to unit with 200 PSI on tubing and 500 PSI on casing.

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title COORDINATOR, REGULATORY REPORTS
Signature <i>Susan H. Sachitana</i>	Date 970103

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NO tax credit - 6/97

Amended tax credit 1/98

ONG PRODUCING COMPANY

RIVERBEND UNIT 3-16F

COMPLETED: 5/9/93

SEC: 16, T: 10S R: 20E

WORKED OVER:

API: 43-047-32352

DATE: January 3, 1997

PRESENT

PROPOSED

SALES - 5/25/93
BHP - 2082 psi @ 5898'
TUBING - 2-3/8" 4.7# N-80 8rd EUE

8 5/8", 24# K-55 @ 385'
Cmt'd w/ 250 sxs "G".

NOTE: Unless Stated All Depths
are Measured.

NOT DRAWN TO SCALE.

Zone #3

4844' - 4850'; 4956' - 5966'; 4974' - 4980';
4992' - 5004' @ 2 spf
Frac - 213M # of 20/40 sd.; 1705 BF - Borate
Test - 1555 M/D @ 800 psi FTP

Zone #2

5597' - 5614' @ 2 spf
Frac - 151M # of 20/40 sd.; 1187 BF - Borate
Test - 736 M/D @ 200 psi FTP

SN

SN @ 5674'

EOT @ 5722'

Zone #1

5748' - 5758'; 5792' - 5806' @ 2 spf
Frac - 213M # of 20/40 sd.; 1660 BF - Borate
Test - 1472 M/D @ 400 psi FTP

PBTD @ 6100'

5-1/2" 17# N-80 @ 6176'. Cmt'd w/ 2681 sxs RFC & 50/50.

TOTAL DEPTH: 7400' MD



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3100
U-01470-A et al
(UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. : Oil and Gas Leases
1450 Poydras Street :
New Orleans, LA 70112-6000 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JUN 05 2000

DIVISION OF
OIL, GAS AND MINERAL

cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Irene Anderson (UT-932)
Teresa Thompson (UT-931)
LaVerne Steah (UT-942)

From: Dawnyell Gallien
To: Jim Thompson
Date: 6/22/00 2:38PM
Subject: Re: bond

Hello Jim,

We actually just approved a release of CNG's statewide bond in the amount of \$80,000 (bond # 158 419 330). CNG changed it name to Dominion Exploration and Production, Inc. and supplied us with a new statewide bond of \$80,000 (bond # 76S63050361, Travelers Casualty and Surety Company of America as surety)

Hope this helps

Dawnyell

STATE OF UTAH
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well : OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER:	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name:
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name:
4. Location of Well Footages: QQ, Sec. T., R., M.:	8. Well Name and Number: VARIOUS
	9. API Well Number
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Other _____	<input type="checkbox"/> Abandon* <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input checked="" type="checkbox"/> Other <u>OPERATOR NAME CHANGE FOR WELLS</u>
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recomplete <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off
Approximate date work will start _____	Date of work completion _____
	Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	*Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.



John R. Lewis
Sr. Vice-President - CNG Producing Company

RECEIVED

JUN 29 2000

DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature:  Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

John R. Lewis

(This space for State use only)

Dominion Exploration & Production, Inc.
1450 Poydras Street, New Orleans, LA 70112-6000
Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson
Utah Board of Oil Gas & Mining
1594 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitana
Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED

JUN 29 2000

**DIVISION OF
OIL, GAS AND MINING**



State of Utah
DEPARTMENT OF COMMERCE
Division of Corporations & Commercial Code

552894
CO 106990
File Number

Table with 2 columns: Corporation Type and Fee. Includes Foreign Profit Corporation (\$35.00), Foreign Non-Profit Corporation (\$35.00), Foreign Limited Partnership (\$25.00), and Foreign Limited Liability Company (\$35.00).

Application To Amend The
CERTIFICATE OF AUTHORITY OR
REGISTRATION of

CNG Producing Company
Business Entity Name

Delaware
Name of Home State

I. AMENDING THE BUSINESS NAME

The business name is changed to: Dominion Exploration & Production, Inc.
The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

(The corporation shall use its name as set forth on #1, unless this name is not available)

NOTE: If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- [X] The name of the corporation is changing its name in Utah to the new name of the corporation in the home state.
[] The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE

The businesses period of duration is changed to:

III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION

The corporation's state or country of incorporation/registration is changed to:

IV. Other:
(Limited Partnership changing General Partners, Limited Companies changing Members or Managers, Change of statement who is managing, etc.)
Use an attached sheet if needed.

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

Signature: [Handwritten Signature] Title: Vice President & Corporate Secretary Date: April 20 2000

State of Utah
Department of Commerce
Division of Corporations and Commercial Code

I hereby certify that the foregoing has been filed and approved on this 25 day of April 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner: [Signature] Date: 4/24/00



W. JENSEN
Director

Date: 04/25/2000
Receipt Number: 22156
Amount Paid: \$60.00

STATE OF UTAH
DIVISION OF CORPORATIONS
AND COMMERCIAL CODE
160 East 300 South / Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Web Site: http://www.commerce.state.ut.us

FILED

APR 25 2000

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
AMY THORPE - USA 1	4303731283	DOMINION EXPLORATION & PR	LA	BLM
KENNETH TAYLOR - USA 1	4303731284	DOMINION EXPLORATION & PR	LA	BLM
TRUDI FED 2-17	4303731453	DOMINION EXPLORATION & PR	PA	BLM
MAJOR MARTIN FED 1	4303731479	DOMINION EXPLORATION & PR	PA	BLM
OSC #3	4304730104	DOMINION EXPLORATION & PR	PA	BLM
OSC #5-2	4304730129	DOMINION EXPLORATION & PR	PR	STATE
NATURAL #1-2	4304730153	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-21E	4304730414	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-36B	4304730583	DOMINION EXPLORATION & PR	DA	STATE
FEDERAL #1-26A	4304730716	DOMINION EXPLORATION & PR	PA	BLM
FEDERAL #6-30B	4304730733	DOMINION EXPLORATION & PR	PA	BLM
BARTON FEDERAL #1-26	4304731179	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-2D	4304731190	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-2D	4304731353	DOMINION EXPLORATION & PR	PR	STATE
HILL CREEK FEDERAL #1-29	4304731522	DOMINION EXPLORATION & PR	PR	BLM
RBU #10X-15E	4304731551	DOMINION EXPLORATION & PR	PA	BLM
HILL CREEK STATE #1-32	4304731560	DOMINION EXPLORATION & PR	UNK	STATE
HILL CREEK FEDERAL #1-27	4304731675	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-31B	4304731765	DOMINION EXPLORATION & PR	LA	BLM
STATE #4-36E	4304731777	DOMINION EXPLORATION & PR	PR	STATE
SADDLE TREE DRAW 4-31	4304731780	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 16-31	4304731781	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 13-34	4304731782	DOMINION EXPLORATION & PR	LA	BLM
STATE #12-36E	4304731784	DOMINION EXPLORATION & PR	LA	STATE
RBU #3-10D	4304731832	DOMINION EXPLORATION & PR	PA	BLM
RBU #16-19C	4304731841	DOMINION EXPLORATION & PR	DA	BLM
EVANS FEDERAL #3-25	4304731878	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #41-26	4304731879	DOMINION EXPLORATION & PR	PR	BLM
STATE #11-36E	4304732019	DOMINION EXPLORATION & PR	PR	STATE
RBU #7-13E	4304732051	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-18F	4304732104	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-15F	4304732109	DOMINION EXPLORATION & PR	LA	BIA
RBU #7-15F	4304732111	DOMINION EXPLORATION & PR	LA	BIA
RBU #7-23E	4304732125	DOMINION EXPLORATION & PR	LA	BLM
RBU #6-19F	4304732126	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-17F	4304732127	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-10E	4304732139	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-15F	4304732140	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-3E	4304732152	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-24E	4304732154	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-17F	4304732165	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-13E	4304732167	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-19FX	4304732216	DOMINION EXPLORATION & PR	LA	BLM
STATE 2-32B	4304732221	DOMINION EXPLORATION & PR	PR	STATE
STATE #5-36B	4304732224	DOMINION EXPLORATION & PR	PR	STATE
FEDERAL #13-26B	4304732237	DOMINION EXPLORATION & PR	PR	BLM
STATE #9-36B	4304732249	DOMINION EXPLORATION & PR	PR	STATE
RBU #11-21F	4304732262	DOMINION EXPLORATION & PR	LA	BLM
RBU #4-15F	4304732269	DOMINION EXPLORATION & PR	PA	BIA
RBU #1-3E	4304732272	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-9E	4304732273	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-10E	4304732291	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-23E	4304732294	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-19F2	4304732311	DOMINION EXPLORATION & PR	LA	BLM
RBU #12-2F	4304732316	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-20E	4304732332	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-34B	4304732334	DOMINION EXPLORATION & PR	PA	BLM
RBU #9-20E	4304732335	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-19F	4304732360	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-23F	4304732361	DOMINION EXPLORATION & PR	LA	BLM
EVANS FEDERAL #12-25A	4304732394	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #32-26	4304732395	DOMINION EXPLORATION & PR	PR	BLM
STATE #2-36E	4304732404	DOMINION EXPLORATION & PR	LA	STATE
STATE #9-36E	4304732405	DOMINION EXPLORATION & PR	LA	STATE

RECEIVED

JUN 29 2000

DIVISION OF

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
EVANS FEDERAL #32-25	4304732406	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-25B	4304732445	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-25B	4304732453	DOMINION EXPLORATION & PR	LA	BLM
RBU #11-25B	4304732482	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-14EO	4304732507	DOMINION EXPLORATION & PR	LA	BLM
RBU #8-23EO	4304732508	DOMINION EXPLORATION & PR	LA	BLM
RBU #8-14EO	4304732514	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-13EO	4304732599	DOMINION EXPLORATION & PR	LA	BLM
RBU #9-23EO	4304732601	DOMINION EXPLORATION & PR	LA	BLM
STATE #2-36E	4304732979	DOMINION EXPLORATION & PR	PR	STATE
STATE #2-36E	4304732979	DOMINION EXPLORATION & PR	PR	STATE
STATE #1-36E	4304733181	DOMINION EXPLORATION & PR	PR	STATE
RBU #1-16F	4304733360	DOMINION EXPLORATION & PR	DR	STATE
RBU #5-3F	4304733361	DOMINION EXPLORATION & PR	FUT	BLM
RBU #5-16F	4304733363	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-23F	4304733367	DOMINION EXPLORATION & PR	DR	BLM
EVANS FEDERAL #15-26E	4304733508	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #9-26E	4304733509	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #10-25E	4304733510	DOMINION EXPLORATION & PR	FUT	BLM
EVANS FEDERAL #14-25E	4304733511	DOMINION EXPLORATION & PR	FUT	BLM
FEDERAL #13-30B	4304733581	DOMINION EXPLORATION & PR	FUT	BLM
STATE #13-36A	4304733598	DOMINION EXPLORATION & PR	FUT	STATE
RBU #1-1D	4304733599	DOMINION EXPLORATION & PR	FUT	BLM
OSC #1-17	430472030800S1	DOMINION EXPLORATION & PR	SIEC	BLM
OSC #2	430473008700S1	DOMINION EXPLORATION & PR	PR	BLM
OSC #4	430473011300S1	DOMINION EXPLORATION & PR	TA	BLM
OSC #4A-30	430473012200S1	DOMINION EXPLORATION & PR	SIEC	BLM
OSC #7-15E	430473021100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-16E	430473026000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-18F	430473026600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-13E	430473037400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-15F	430473037500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-21F	430473037600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-19F	430473040500S1	DOMINION EXPLORATION & PR	PR	BLM
FEDERAL #7-25B	430473040600S01	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-10E	430473040800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-11D	430473040900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-14E	430473041000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-23E	430473041100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-16F	430473041200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-17F	430473058400S1	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-11F	430473058500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-16D	4304730608	DOMINION EXPLORATION & PR	PA	BLM
FEDERAL #7-25A	430473062400S01	DOMINION EXPLORATION & PR	PA	BLM
RBU #11-3F	430473068900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-22E	430473069800S1	DOMINION EXPLORATION & PR	PA	BLM
RBU #4-11D	430473071800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-23F	4304730719	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-3E	430473072000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-24E	430473075900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-2F	430473076000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-10F	430473076100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-20F	430473076200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-22F	430473076800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-14F	430473082500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #2-11D	430473082600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-3F	430473088700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-15E	430473091500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-14E	430473092600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-22E	430473092700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-23E	430473097000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #4-19F	430473097100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-11F	430473097300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-10E	430473104600S1	DOMINION EXPLORATION & PR	PR	BLM

PGW

STATE
STATE
STATE
STATE

BLM

BLM

BLM

BLM

BLM

(BIA)

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
RBU #11-21F	430473231500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-22E	430473231700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-19FX	430473232800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #2-11F	430473233100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-11F	430473234700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-16F	430473235200S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #2-23F	430473239100S1	DOMINION EXPLORATION & PR	PR	BLM

OPERATOR CHANGE WORKSHEET

	4-KAS ✓
2-CDW ✓	5-SP ✓
3-JLT	6-FILE

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold) Designation of Agent
X Operator Name Change Only Merger

The operator of the well(s) listed below has changed, effective: 4-12-00

TO:(New Operator) DOMINION EXPL & PROD INC.
 Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000
 Phone: 1-(504)-593-7000
 Account No. N1095

FROM:(Old Operator) CNG PRODUCING COMPANY
 Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000
 Phone: 1-(504)-593-7000
 Account No. N0605

WELL(S):	CA Nos.	or	RIVER BEND	Unit
Name: <u>RBU 6-2D</u>	API: <u>43-047-31190</u>	Entity: <u>7075</u>	<u>S 02 T 10S R 18E</u>	Lease: <u>ML-26968</u>
Name: <u>RBU 16-2D</u>	API: <u>43-047-31353</u>	Entity: <u>7091</u>	<u>S 02 T 10S R 18E</u>	Lease: <u>ML-132-15A</u>
Name: <u>RBU 12-2F</u>	API: <u>43-047-32316</u>	Entity: <u>99998</u>	<u>S 02 T 10S R 20E</u>	Lease: <u>ML-10716</u>
Name: <u>RBU 11-16E</u>	API: <u>43-047-30260</u>	Entity: <u>7050</u>	<u>S 16 T 10S R 20E</u>	Lease: <u>ML-3393</u>
Name: <u>RBU 11-16F</u>	API: <u>43-047-30412</u>	Entity: <u>7050</u>	<u>S 16 T 10S R 19E</u>	Lease: <u>ML-13214</u>
Name: <u>RBU 8-16D</u>	API: <u>43-047-30608</u>	Entity: <u>99998</u>	<u>S 16 T 10S R 18 E</u>	Lease: <u>ML-13216</u>
Name: <u>RBU 11-2F</u>	API: <u>43-047-30760</u>	Entity: <u>9966</u>	<u>S 02 T 10S R 20E</u>	Lease: <u>ML-10716</u>
Name: <u>RBU 3-16F</u>	API: <u>43-047-32352</u>	Entity: <u>7050</u>	<u>S 16 T 10S R 20E</u>	Lease: <u>ML-3393-A</u>

OPERATOR CHANGE DOCUMENTATION

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00.
- YES 4. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? **Yes/No** If yes, the company file number is SEE ATTACHED. If no, Division letter was mailed to the new operator on _____.
- N/A 5. **Federal and Indian Lease Wells.** The BLM or the BIA has approved the merger, **name change** or operator change for all wells listed above involving Federal or Indian leases on _____.
- N/A 6. **Federal and Indian Units.** The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on _____.
- N/A 7. **Federal and Indian Communitization Agreements ("CA").** The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on _____.

N/A 8. **Underground Injection Control ("UIC") Program.** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.

YES 9. Changes have been entered in the **Oil and Gas Information System** for each well listed on 7-18-00.

YES 10. Changes have been included on the **Monthly Operator Change letter** on 7-18-00.

STATE BOND VERIFICATION

YES 1. State Well(s) covered by Bond No. 76S63050361.

FEE WELLS - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION

N/A 1. (R649-3-1) The **NEW** operator of any fee lease well(s) listed above has furnished a proper bond.

N/A 2. A **copy of this form** has been placed in the **new and former operator's bond files** on _____.

N/A 3. The **FORMER** operator has requested a release of liability from their bond as of today's date _____? If yes, Division response was made to this request by letter dated _____. (see bond file).

N/A 4. (R649-2-10) The **Former** operator of any Fee lease wells listed above has been contacted and informed by letter dated _____, of their responsibility to notify all interest owners of this change.

N/A 5. Bond information added to **RBDMS** on _____.

N/A 6. Fee wells attached to bond in **RBDMS** on _____.

FILMING

____ 1. All attachments to this form have been **microfilmed** on 2-23-01.

FILING

____ 1. **Originals/Copies** of all attachments pertaining to each individual well have been filed in each **well file**.

____ 2. The **original of this form** has been filed in the operator file and a copy in the old operator file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
ML-3393-A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
RIVER BEND UNIT

8. Well Name and No.
RBU 3-16F

9. API Well No.
43-047-32352

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
DOMINION EXPL. & PROD., INC.

3a. Address
**CNG TOWER, 1450 POYDRAS STREET
NEW ORLEANS, LA 70112**

3b. Phone No. (include area code)
281/873-3692

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
787' FNL & 2167' FWL OF SEC. 16-T10S-R20E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>RIG UP</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>PRODUCTION LINES</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

RIG UP ALL PRODUCTION LINES TO TANK AND DISPOSE OF WATER FROM BOTTOM TANK TO 16-19F.

COPY SENT TO OPERATOR
Date: 10-6-00
Initials: CHD

RECEIVED
OIL, GAS AND MINERAL
DIVISION

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)
DIANN FLOWERS

Title **REGULATORY REPORTS ADMINSTRATOR**

Signature *Diann Flowers*

Date **09/26/00**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title
Office

Accepted by the
Utah Dept. of
Oil, Gas and Minerals
FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
ML-3393-A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
RIVER BEND UNIT

8. Well Name and No.
RBU 3-16F

9. API Well No.
43-047-32352

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
DOMINION EXPL. & PROD., INC.

3a. Address
**CNG TOWER, 1450 POYDRAS STREET
NEW ORLEANS, LA 70112**

3b. Phone No. (include area code)
281/873-3692

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
787' FNL & 2167' FWL OF SEC. 16-T10S-R20E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input checked="" type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>RIG UP</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>PRODUCTION LINES</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Coompleted Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

RIG UP ALL PRODUCTION LINES TO PRODUCTION TANKS. PULL WATER FROM BOTTOM OF PRODUCTION TANK AND DISPOSE AT THE RBU 16-19F.

COPY SENT TO OPERATOR
Date: 10-6-00
Initials: CHD

RECEIVED
OCT 10 2000
BUREAU OF LAND MANAGEMENT
CL, WASHINGTON, DC

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)
DIANN FLOWERS

Title
REGULATORY REPORTS ADMINSTRATOR

Signature *Diann Flowers*

Date
09/26/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Accepted by the
**Utah Division of
Oil, Gas and Energy**

Approved by _____ Title _____
Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. ML-3393-A
2. Name of Operator DOMINION EXPL. & PROD., INC.		6. If Indian, Allottee or Tribe Name
3a. Address CNG TOWER, 1450 POYDRAS STREET NEW ORLEANS, LA 70112	3b. Phone No. (include area code) 281/873-3692	7. If Unit or CA/Agreement, Name and/or No. RIVER BEND UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 787' FNL & 2167' FWL OF SEC. 16-T10S-R20E		8. Well Name and No. RBU 3-16F
		9. API Well No. 43-047-32352
		10. Field and Pool, or Exploratory Area NATURAL BUTTES
		11. County or Parish, State UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input checked="" type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other COVER PITS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

COMPLETELY COVER PITS.

COPY SENT TO OPERATOR
Date: 10-6-00
By: CHD

RECEIVED
OCT 10 2000
DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) DIANN FLOWERS	Title REGULATORY REPORTS ADMINSTRATOR
Signature <i>Diann Flowers</i>	Date 09/26/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Title FOR RECORD ONLY
	Office

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

FROM: (Old Operator): N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134 Phone: 1 (405) 749-1300	TO: (New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102 Phone: 1 (817) 870-2800
--	--

CA No.		Unit:			RIVER BEND			
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- a. Is the new operator registered in the State of Utah: Business Number: 5655506-0143
- b. If **NO**, the operator was contacted on: _____
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: _____
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/27/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
- Bond information entered in RBDMS on: 9/27/2007
- Fee/State wells attached to bond in RBDMS on: 9/27/2007
- Injection Projects to new operator in RBDMS on: 9/27/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000138
- Indian well(s) covered by Bond Number: n/a
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
- b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: SEE ATTACHED
2. NAME OF OPERATOR: XTO Energy Inc. N2615		9. API NUMBER: SEE ATTACHED
3. ADDRESS OF OPERATOR: 810 Houston Street CITY: Fort Worth STATE: TX ZIP: 76102		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc. **N1095**
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

James D. Abercrombie (405) 749-1300
James D. Abercrombie
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) <u>Edwin S. Ryan, Jr.</u>	TITLE <u>Sr. Vice President - Land Administration</u>
SIGNATURE <i>Edwin S. Ryan, Jr.</i>	DATE <u>7/31/2007</u>

(This space for State use only)

APPROVED 9127107
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
AUG 06 2007
DIV. OF OIL, GAS & MINING

(5/2000)

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304730759	RBU 11-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304730762	RBU 6-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A	
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S	
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P	
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731160	RBU 3-15E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731196	RBU 3-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792	7050	Federal	GW	P	
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731369	RBU 3-13E	NENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B	7050	Federal	GW	P	
4304731605	RBU 9-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731606	RBU 3-22E	NENW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731615	RBU 4-22F	NWNW	22	100S	200E	U-0143521-A	7050	Federal	GW	S	
4304731652	RBU 6-17E	SWNW	17	100S	190E	U-03535	7050	Federal	GW	P	
4304731715	RBU 5-13E	SWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731717	RBU 13-13E	SWSW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731739	RBU 9-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P	
4304732033	RBU 13-14E	SWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732037	RBU 11-3E	NESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732038	RBU 6-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A	
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P	
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732103	RBU 15-17F	SWSE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732105	RBU 13-19F	SWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732107	RBU 1-21E	NENE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732128	RBU 9-21E	NESE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732129	RBU 9-17E	NESE	17	100S	190E	U-03505	7050	Federal	GW	P	
4304732133	RBU 13-14F	SWSW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732134	RBU 9-11F	NESE	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732138	RBU 5-21F	SWNW	21	100S	200E	U-013793	7050	Federal	GW	P	
4304732146	RBU 1-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P	
4304732149	RBU 8-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732153	RBU 13-23E	SWSW	23	100S	190E	U-13766	7050	Federal	GW	P	
4304732154	RBU 5-24E	SWNW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732156	RBU 5-14F	SWNW	14	100S	200E	U-013793A	7050	Federal	GW	P	
4304732166	RBU 7-15E	SWNE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732167	RBU 15-13E	SWSE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732189	RBU 13-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P	
4304732190	RBU 15-10E	SWSE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732191	RBU 3-17FX	NENW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732197	RBU 13-15E	SWSW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732198	RBU 7-22E	SWNE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732199	RBU 5-23E	SWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732201	RBU 13-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	S	
4304732211	RBU 15-15E	SWSE	15	100S	190E	U-013766	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304732213	RBW 5-19F	SWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732217	RBW 9-17F	NESE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732219	RBW 15-14E	SWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732220	RBW 5-3E	SWNW	03	100S	190E	U-03505	7050	Federal	GW	P	
4304732228	RBW 9-3E	NESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304732239	RBW 7-14E	SWNE	14	100S	190E	U-103792	7050	Federal	GW	P	
4304732240	RBW 9-14F	NESE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732242	RBW 5-22E	SWNW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732263	RBW 8-13E	SENE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732266	RBW 9-21F	NESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732267	RBW 5-10F	SWNW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732268	RBW 9-10F	NESE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732269	RBW 4-15F	NWNW	15	100S	200E	INDIAN	7050	Indian	GW	PA	
4304732270	RBW 14-22F	SESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304732276	RBW 5-21E	SWNW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732289	RBW 7-10E	SWNE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732290	RBW 5-17F	SWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732293	RBW 3-3E	NENW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732295	RBW 13-22E	SWSW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732301	RBW 7-21E	SWNE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732309	RBW 15-21F	SWSE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732310	RBW 15-20F	SWSE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732312	RBW 9-24E	NESE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732313	RBW 3-20F	NENW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732315	RBW 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732317	RBW 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732328	RBW 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732331	RBW 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732347	RBW 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732391	RBW 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S	
4304732392	RBW 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732396	RBW 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732407	RBW 15-14F	SWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732408	RBW 4-23F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732415	RBW 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316	7050	Federal	GW	P	
4304732483	RBW 5-24EO	SWNW	24	100S	190E	U-013794	11719	Federal	OW	S	
4304732512	RBW 8-11F	SENE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732844	RBW 15-15F	SWSE	15	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304732899	RBW 3-14F	NENW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732900	RBW 8-23F	SENE	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732901	RBW 12-23F	NWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732902	RBW 1-15F	NENE	15	100S	200E	U-7260	7050	Federal	GW	S	
4304732903	RBW 3-15F	NENW	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732904	RBW 9-15F	NESE	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732934	RBW 3-10F	NENW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732969	RBW 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304732971	RBU 15-16F	SWSE	16	100S	200E	U-7206	7050	Federal	GW	S	
4304732972	RBU 1-21F	NENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732989	RBU 13-10E	SWSW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732990	RBU 13-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304732991	RBU 6-19F	SENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733033	RBU 7-23E	NWNE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733034	RBU 9-18F	NESE	18	100S	200E	U-013794	7050	Federal	GW	P	
4304733035	RBU 14-19F	SESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733087	RBU 6-23F	SENW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733088	RBU 1-10F	NENE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733089	RBU 8-22F	SENE	22	100S	200E	U-0143521	7050	Federal	GW	P	
4304733090	RBU 11-22F	NESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304733091	RBU 16-22F	SESE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733156	RBU 4-14E	NWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733157	RBU 7-19F	SWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733158	RBU 7-20F	SWNE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733159	RBU 7-24E	SWNE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733160	RBU 8-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304733161	RBU 16-10E	SESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733194	RBU 2-14E	NWNE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733272	RBU 13-3F	SWSW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733361	RBU 5-3F	SWNW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733362	RBU 15-10F	SWSE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733363	RBU 5-16F	SWNW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304733365	RBU 12-14E	NWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733366	RBU 5-18F	SWNW	18	100S	200E	U-013769	7050	Federal	GW	P	
4304733367	RBU 10-23F	NWSE	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733368	RBU 14-23F	SESW	23	100S	200E	U-01470-A	7050	Federal	GW	S	
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P	
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304734670	RBU 8-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734671	RBU 4-24E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734701	RBU 12-11F	SENW	11	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304734702	RBU 2-15E	NWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734703	RBU 4-17F	NWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734745	RBU 10-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734749	RBU 7-18F	SWNE	18	100S	200E	U-013769	7050	Federal	GW	P
4304734750	RBU 12-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBU 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734812	RBU 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBU 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBU 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBU 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBU 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBU 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBU 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBU 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBU 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBU 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBU 6-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBU 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBU 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBU 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBU 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBU 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBU 8-19F	SENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734946	RBU 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBU 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBU 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBU 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBU 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBU 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBU 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBU 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBU 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBU 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBU 14-10E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734976	RBU 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBU 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBU 6-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBU 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBU 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBU 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBU 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBU 2-20F	NWNE	20	100S	200E	U-03505	7050	Federal	GW	P
4304734987	RBU 9-20E	SWNW	21	100S	190E	U-03505	7050	Federal	GW	P
4304734989	RBU 7-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304734990	RBU 8-20E	SWNW	21	100S	190E	U-03505	14164	Federal	GW	P
4304735041	RBU 16-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304735042	RBV 12-22E	NWSW	22	100S	190E	U-013792	14165	Federal	GW	P
4304735058	RBV 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBV 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBV 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBV 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBV 6-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBV 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBV 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBV 2-3E	NWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304735088	RBV 6-3E	SESW	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBV 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBV 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBV 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBV 6-21F	SESW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBV 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBV 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBV 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBV 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBV 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBV 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBV 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBV 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBV 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBV 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBV 11-23F	SESW	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBV 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304735640	RBV 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBV 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304735645	RBV 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736200	RBV 8-17E	SWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736201	RBV 15-17EX	SWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736293	RBV 2-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	P
4304736294	RBV 6-10E	NENW	10	100S	190E	U-013792	7050	Federal	GW	P
4304736296	RBV 6-21E	SESW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736297	RBV 10-22E	NWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304736318	RBV 14-22E	SESW	22	100S	190E	U-013792	7050	Federal	GW	P
4304736427	RBV 9-15E	NESE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304736428	RBV 2-17E	NWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736429	RBV 1-17E	NENE	17	100S	190E	U-013766	7050	Federal	GW	DRL
4304736432	RBV 3-19F2	NWNW	19	100S	200E	U-013769-A	15234	Federal	GW	P
4304736433	RBV 14-17F	SESW	17	100S	200E	U-03505	7050	Federal	GW	P
4304736434	RBV 2-19F	NWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304736435	RBV 5-19FX	SWNW	19	100S	200E	U-013769-A	15855	Federal	GW	P
4304736436	RBV 4-20F	NWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304736605	RBV 16-14F	SESE	14	100S	200E	U-013793A	7050	Federal	GW	P
4304736608	RBV 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P	
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL	
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P	
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL	
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P	
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P	
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P	
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P	
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S	
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P	
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL	
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P	
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL	
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL	
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL	
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL	
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL	
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL	
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792	7050	Federal	GW	DRL	
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	DRL	
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SENW	02	100S	200E	ML-10716	11377	State	OW	PA
4304730260	RBU 11-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	S
4304730583	RBU 11-36B	NESW	36	090S	190E	ML-22541	99998	State	NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998	State	NA	PA
4304730760	RBU 11-2F	NESW	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716	7050	State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SESW	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NESW	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304735348	RBU 13-16F	NWNW	21	100S	200E	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

Dominion Exploration & Production, Inc.
Attn: James D. Abercrombie
14000 Quail Springs Parkway, #600
Oklahoma City, OK 73134-2600

August 10, 2007

Re: River Bend Unit
Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED
AUG 16 2007
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-3393A
2. NAME OF OPERATOR: XTO ENERGY INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NA
3. ADDRESS OF OPERATOR: 382 CR 3100 CITY AZTEC STATE NM ZIP 87410		7. UNIT or CA AGREEMENT NAME: RIVERBEND UNIT
4. LOCATION OF WELL FOOTAGES AT SURFACE: 787' FNL & 2176' FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 16 10S 20E S		8. WELL NAME and NUMBER: RBU 3-16F
PHONE NUMBER: (505) 333-3100		9. API NUMBER: 4304732352
COUNTY: UINTAH		10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES; WASATCH
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 1/9/2008	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: CLEANOUT
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

SITP 25 psig, SICP 500 psig. MIRu WLS. Tst gas @ WH, 12-24 PPM H2S. Hold safety mtg. BD & KW w/55 bbls 10# brine water. ND WH; NU BOP. PU & TIH w/5 jts 2-3/8" tbg. Tgd fill @5872' FS. PBD @ 6100'. TOH w/120 jts 2-3/8" tbg. EOT @ 2161'. SWI & SDFN. H2S Safety Serv on loc. SITP 300 psig, SICP 300 psig. BD & KW w/35 bbls 10# brine wtr. TOH w/66 jts 2-3/8" SN, 1 jt 1-3/8" tbg & mule shoe col. Med sc BU on exterior of tbg fr/5217'-EOT @ 5722' & hvy sc BU inside btm jt. Smpl sent in for analy. TIH w/4-3/4" bit, 5-1/2" csg scr & 182 jts 2-3/8" tbg. Tgd fill @ 5722' FS. RU pwr swivel & AFU. Estb circ. Co sc fr/5722'-PBD @ 6100'. Pmp 10 bbls 2% KCl wtr sweep & circ cln. RD pwr swivel & AFU. BD & KW w/30 bbls 2% KCl wtr. TOH w/14 jts tbg. EOT 5659'. SWI & SDFN. H2S SITP 50 psig, SICP 200 psig. BD well. TOH w/180 jts 2-3/8" tbg. LD bit & csg scr. KW w/30 bbls 2% KCl wtr. TIH w/prod tbg str. LD on hgr as follows: 181 jts N80, 4.7#, EUE, 8rd tbg, 2-3/8" SN & mule shoe col. KW w/20 bbls 2% KCl wtr as TIH. SN @ 5720', EOT @ 5721'. WA perms fr/4844'-5806' & PBD @ 6100'. RU swb tls & RIH w/XTO's 1.90 tg broach to SN. POH & LD broach. ND BOP, NU WH. MIRU Multi-Chem. Trtd tbg w/50 gals 15% HCl, 15 gals mutual solvent & flshd w/1 BW. Trtd TCA for sc BU w/450 gals 15% HCl, 65 gals mutual solvent & flshd w/1 BW. RDMO Multi-chem. SWIFBU & SWFWE. SITP 400 psig, SICP 400 psig. BD tbg. Dropped BHES & chased to Sn w/sandline. Ru swb tls. BFL @ 4000' FS. S. 0 BO, 12 BLW, 5 runs, 3 hrs, FFL @ 4000' FS. KO well flowing. F. 0 BO, 3 BLW, 1" ck, 2 hrs. FTP 60 psig, SICP 350 psig, Dropped plunger & RWTP. 1/15/2008: RDMO WLS. SDFN.

NAME (PLEASE PRINT) HOLLY C. PERKINS	TITLE REGULATORY COMPLIANCE TECH
SIGNATURE <i>Holly C. Perkins</i>	DATE 4/8/2008

(This space for State use only)

RECEIVED
APR 15 2008
DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: ML-3393-A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: RBU 3-16F
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047323520000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410	PHONE NUMBER: 505 333-3159 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0787 FNL 2167 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 16 Township: 10.0S Range: 20.0E Meridian: S	9. FIELD and POOL or WILDCAT: NATURAL BUTTES COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 6/12/2010	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: ACID TREATMENT

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 XTO Energy Inc. performed an acid treatment on this well per the attached summary report.

Accepted by the
 Utah Division of
 Oil, Gas and Mining
FOR RECORD ONLY
 June 10, 2010

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A		DATE 6/15/2010

EXECUTIVE SUMMARY REPORT

5/1/2010 - 6/15/2010
Report run on 6/15/2010 at 12:20 PM

Riverbend Unit 03-16F

Section 16-10S-20E, Uintah, Utah, Roosevelt

- 6/7/2010 MIRU Production Logging Services SLU. RU & RIH w/fishing tls. Fish plngr & stage tl from 3,318' & plngr & BHBS from SN @ 5,720'. LD fishing tls. RDMO Production Logging Services SLU. SWI.
- 6/8/2010 ===== Riverbend Unit 03-16F =====
MIRU FracTech Services. NU to tbg. PT line, gd tst. Pmp 250 gal 15% HCL acid & 25 bbl 2% kcl flush. ND from tbg. NU to csg. PT line, gd tst. Pmp 500 gal 15% HCL acid & pmp 55 bbl 2% kcl flush. ND from csg. SWI. RDMO FracTech Services. Suspend report, waiting on swab.
- 6/9/2010 ===== Riverbend Unit 03-16F =====
MIRU D&S Swabbing SWU. RU & RIH w/swb tls. BD tbg. BFL @ 5,100' FS, 0 BO, 22 BW, 22 runs, 10 hrs, FFL @ 5,400' FS. SWI SDFN.
- 6/10/2010 ===== Riverbend Unit 03-16F =====
D&S Swabbing SWU. RU & RIH w/swb tls. BD tbg. BFL @ 4,800' FS, 0 BO, 20 BW, 20 runs, 10 hrs, FFL @ 5,100' FS. SWI SDFN.
- 6/11/2010 ===== Riverbend Unit 03-16F =====
D&S Swabbing SWU. RU & RIH w/swb tls. BD tbg. BFL @ 5,100' FS, 0 BO, 18 BW, 18 runs, 10 hrs, FFL @ 5,600' FS. SWI SDFN.
- 6/12/2010 ===== Riverbend Unit 03-16F =====
D&S Swabbing SWU. RU & RIH w/swb tls. BD tbg. BFL @ 4,700' FS, 0 BO, 6 BW, 12 runs, 7 hrs, FFL @ 5,200' FS. KO well flwg. RWTP @ 1:00 p.m. RDMO D&S Swabbing SWU. Final rpt. Start test data.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: ML-3393-A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well		8. WELL NAME and NUMBER: RBU 3-16F
2. NAME OF OPERATOR: XTO ENERGY INC		9. API NUMBER: 43047323520000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410		9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0787 FNL 2167 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 16 Township: 10.0S Range: 20.0E Meridian: S		PHONE NUMBER: 505 333-3159 Ext
5. COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input checked="" type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 8/31/2011	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION	
<input type="checkbox"/> DRILLING REPORT Report Date:	OTHER: <input type="text" value="CLEAN OUT"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy Inc. performed an acid treatment & a clean out on this well per the attached summary report.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 9/22/2011	

Riverbend Unit 03-16F

8/19/2011: MIRU. Bd well. ND WH. NU BOP. Unlnd hngr. Tbg pld over 10k for 20'. TOH w/ 181jts, 4.7#, N-80 EUE tbg, SN, mls clr. Found BHBS, & Plngr parts @ SN. Hvy ext & intr. scale fr/ 5550' - 5700'. PU & TIH w/ 4.75" bit, 5.5"scr, & 96 jts 2-3/8", 4.7#, N-80. EUE 8rd tbg, EOT @ 2976'. SWI & SDFWE.

8/22/2011: TIH w/ 4.75" bit, 5.5"scr, & 187jts 2-3/8", 4.7#, N-80. EUE 8rd tbg, Tg SBU @ 5800'. wrkd thru 5,800'/5,815'. TIH w/ 198 jt's tbg. Tg 30' fill @ 6070'. RU pwr swvl & AFU. Brk circ. CO to PBSD @ 6,100'. C & C cln. TOH w/ 50 jt's tbg SWI & SDFN. EOT @ 4650'.

8/23/2011: TOH w/ 148 jts 2-3/8", 4.7#, N-80. EUE 8rd tbg. Ld. 5.5"scr, & 4.75" bit. TIH w/ 2 3/8" MSC, Sn, 181 jt's 2-3/8", 4.7#, N-80, EUE tbg. Ld on hngr, EOT @ 5,717'. SN @ 5,716'. MIRU Frac Tech Ac pmpr. PT surf lines to 2,500 psig. Pmp 500 gls 15% HCL w/ add's dwn tbg. Soak 1 hr. Flsd tbg w/ 22 bls TFW. Pmp 500 gls 15% HCL w/ add's dwn TCA. Flsd w/ 20 bls TFW. RIH w/ 1.901" broach to SN @ 5,716', no tigh spts. LD broach. Drp SV & PT tbg w/ 20 bls TFW to 2,000 psig 30 mins, Tstd Gd. RIH w/ SI & retr SV. ND BOP, NU WH. SWI & SDFN.

8/24/2011: RU & RIH w/swb tls. BFL @ 4,500' FS. S, 0 BO, 57 BLW, 22 runs, 9 hrs. Smpl taken every hr. Black gas cut wtr, Hvy solids, tr of O. PH 6. FFL @ 5,300 FS. SICP 150 psig. SWI & SDFN.

8/25/2011: Drp BHBSw/SV. RIH w/ snkr brs to SN @ 5717'. RU & RIH w/swb tls. BFL @ 5,000' FS. S, 0 BO, 22 BLW, 12 runs, 7 hrs. Black gas cut wtr, No solids, tr of O. FFL @ 5,300 FS. SICP 120 psig. RDMO. SWIFPBU & SDFN. Susp rpts pending SWU.

8/29/2011: MIRU SWU. SN @ 5,175'. Bd tbg. RU & RIH w/swb tls. BFL @ 4,000' FS. S 0 BO, 24 BW. 12 runs, 6 hrs. FFL @ 4,100' FS. SITP 0 psig, SICP 230 psig. SWI, SDFN.

8/30/2011: RU & RIH w/swb tls. BFL @ 4,100' FS. S 0 BO, 17 BW. 17 runs, 10 hrs. FFL @ 4,500' FS. SITP 0 psig, SICP 200 psig. SWI, SDFN.

8/31/2011: RU & RIH w/swb tls. BFL @ 4,300' FS. S 0 BO, 10 BW. 10 runs 6 hrs. FFL @ 4,600' FS. KO well flwg. SITP 150 psig, SICP 190 psig. RWTP @ 12:00pm, 8/31/11. RDMO SWU. FR for acid treatment.

=====**Riverbend Unit 03-16F**=====

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 15
 AMENDED REPORT
 Original Filing Date: 11/15/2011

DESIGNATION OF WORKOVER OR RECOMPLETION

1. Name of Operator XTO ENERGY INC				2. Utah Account Number N2615		5. Well Name and Number RBU 3-16F	
3. Address of Operator 382 Road 3100		City Aztec	State NM	Zip 87410	4. Phone Number 505 333-3159		6. API Number 4304732352
9. Location of Well Footage: 0787 FNL 2167 FWL County: UINTAH QQ, Sec, Twnp, Rnge: NENW 16 100S 200E State: UTAH						7. Field Name NATURAL BUTTES	
						8. Field Code Number 630	

COMPLETE ALL SECTIONS. ATTACH ADDITIONAL SHEETS IF NEEDED.

10. TYPE OF WORK (Check all that apply) <input checked="" type="checkbox"/> Production enhancement <input type="checkbox"/> Recompletion <input type="checkbox"/> Convert to injection <input type="checkbox"/> Repair well	11. WORK PERIOD Date work commenced: 8/1/2011 76 Days From Date work completed: 8/31/2011 Completion
--	---

12. THE FOLLOWING EXPENSES FOR OPERATIONS ARE SUBMITTED FOR DESIGNATION AS WORKOVER OR RECOMPLETION EXPENSES:

	Expenses	Approved By State
a. Location preparation and cleanup	1129.18	1129.18
b. Move-in, rig-up, and rig-down (including trucking)	4458.00	4458.00
c. Rig charges (including fuel)	18568.25	18568.25
d. Drill pipe or other working string	0.00	0.00
e. Water and chemicals for circulating fluid (including water hauling)	2439.94	2439.94
f. Equipment purchase	0.00	0.00
g. Equipment rental	2719.78	2719.78
h. Cementing	0.00	0.00
i. Perforating	0.00	0.00
j. Acidizing	6513.37	6513.37
k. Fracture stimulation	0.00	0.00
l. Logging services	0.00	0.00
m. Supervision and overhead	0.00	0.00
n. Other (itemize)		
SLICKLINE UNIT	1150.00	1150.00
AIRFOAM UNIT	3327.05	3327.05
SWABBING UNIT	5451.00	5451.00
0	0.00	0.00
o. Total submitted expenses	45756.57	
p. Total approved expenses (State use only)		45756.57

13. LIST CONTRACTORS PROVIDING SERVICES VALUED AT MORE THAN \$3,000.

Contractor	Location (City, State)	Services Provided
KEY ENERGY SERVICES INC	DALLAS TX	WORKOVER RIG
FRAC TECH SERVICES LTD	VERNAL UT	ACIDIZING
WEATHERFORD	HOUSTON TX	AIR FOAM UNIT
DandS SWABBING INC	ROOSEVELT UT	SWABBING

14. LIST WORKING INTEREST OWNERS WHO TAKE PRODUCT IN KIND AND ARE AUTHORIZED TO SHARE IN THE TAX CREDIT.

Name	Address	Utah Account No.	Percent of Interest
NONE			

I hereby certify that this report is true and complete to the best of my knowledge.

NAME (PLEASE PRINT) Dolena Johnson	TITLE Regulatory Compliance T	PHONE 505 333-3164
SIGNATURE Dolena Johnson	DATE November 15, 2011	E-MAIL Dee_Johnson@xtoener

RECEIVED
 SEP 26 2011 *bm*
 REGULATORY COMPLIANCE

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: ML-3393-A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: RBU 3-16F	
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047323520000	
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM, 87410	PHONE NUMBER: 505 333-3159 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0787 FNL 2167 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 16 Township: 10.0S Range: 20.0E Meridian: S	COUNTY: Uintah	
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input checked="" type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 8/31/2011	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: <input type="text" value="CLEAN OUT"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. performed an acid treatment & a clean out on this well per the attached summary report.

Accepted by the
 Utah Division of
 Oil, Gas and Mining
FOR RECORD ONLY

TAX CREDIT COPY

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 9/22/2011	

Riverbend Unit 03-16F

8/19/2011: MIRU. Bd well. ND WH. NU BOP. Unlnd hngr. Tbg pld over 10k for 20'. TOH w/ 181jts, 4.7#, N-80 EUE tbg, SN, mls clr. Found BHBS, & Plngr parts @ SN. Hvy ext & intr. scale fr/ 5550' - 5700'. PU & TIH w/ 4.75" bit, 5.5"scr, & 96 jts 2-3/8", 4.7#, N-80. EUE 8rd tbg, EOT @ 2976'. SWI & SDFWE.

8/22/2011: TIH w/ 4.75" bit, 5.5"scr, & 187jts 2-3/8", 4.7#, N-80. EUE 8rd tbg, Tg SBU @ 5800'. wrkd thru 5,800'/5,815'. TIH w/ 198 jt's tbg. Tg 30' fill @ 6070'. RU pwr swvl & AFU. Brk circ. CO to PBTB @ 6,100'. C & C cln. TOH w/ 50 jt's tbg SWI & SDFN. EOT @ 4650'.

8/23/2011: TOH w/ 148 jts 2-3/8", 4.7#, N-80. EUE 8rd tbg. Ld. 5.5"scr, & 4.75" bit. TIH w/ 2 3/8" MSC, Sn, 181 jt's 2-3/8", 4.7#, N-80, EUE tbg. Ld on hngr, EOT @ 5,717'. SN @ 5,716'. MIRU Frac Tech Ac pmpr. PT surf lines to 2,500 psig. Pmp 500 gls 15% HCL w/ add's dwn tbg. Soak 1 hr. Flsd tbg w/ 22 bls TFW. Pmp 500 gls 15% HCL w/ add's dwn TCA. Flsd w/ 20 bls TFW. RIH w/ 1.901" broach to SN @ 5,716', no tigh spts. LD broach. Drp SV & PT tbg w/ 20 bls TFW to 2,000 psig 30 mins, Tstd Gd. RIH w/ SI & retr SV. ND BOP, NU WH. SWI & SDFN.

8/24/2011: RU & RIH w/swb tls. BFL @ 4,500' FS. S, 0 BO, 57 BLW, 22 runs, 9 hrs. Smpl taken every hr. Black gas cut wtr, Hvy solids, tr of O. PH 6. FFL @ 5,300 FS. SICP 150 psig. SWI & SDFN.

8/25/2011: Drp BHBSw/SV. RIH w/ snkr brs to SN @ 5717'. RU & RIH w/swb tls. BFL @ 5,000' FS. S, 0 BO, 22 BLW, 12 runs, 7 hrs. Black gas cut wtr, No solids, tr of O. FFL @ 5,300 FS. SICP 120 psig. RDMO. SWIFPBU & SDFN. Susp rpts pending SWU.

8/29/2011: MIRU SWU. SN @ 5,175'. Bd tbg. RU & RIH w/swb tls. BFL @ 4,000' FS. S 0 BO, 24 BW. 12 runs, 6 hrs. FFL @ 4,100' FS. SITP 0 psig, SICP 230 psig. SWI, SDFN.

8/30/2011: RU & RIH w/swb tls. BFL @ 4,100' FS. S 0 BO, 17 BW. 17 runs, 10 hrs. FFL @ 4,500' FS. SITP 0 psig, SICP 200 psig. SWI, SDFN.

8/31/2011: RU & RIH w/swb tls. BFL @ 4,300' FS. S 0 BO, 10 BW. 10 runs 6 hrs. FFL @ 4,600' FS. KO well flwg. SITP 150 psig, SICP 190 psig. RWTP @ 12:00pm, 8/31/11. RDMO SWU. FR for acid treatment.

=====Riverbend Unit 03-16F=====