

CNG Producing  
Company

November 25, 1992

Mr. Ed Forsman  
Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078

RE: River Bend Unit  
RBU 3-10EX Sec. 10-T10S-R19E

Dear Ed:

Enclosed please find original and two copies of the subject application. This well is to skid 30' N69W from the original RBU 3-10E well. Location disturbance will be as minimal as possible in order to move the rig. Attachment to this application includes the following:


Attachment No. 1	Location
Attachment No. 2	Certification Statement
Attachment No. 3	BOP Stack Schematic
Attachment No. 4	Drilling Plan
Attachment No. 5	13 Point Surface Use Plan
Attachment No. 6	Access Route
Attachment No. 7	Water Permit

**CNG Producing Company is requesting all information be held confidential.**

It would be appreciated if this permit could be expedited since drilling is planned to begin in December, 1992.

If you have any questions or need any further information, please feel free to contact Sue Hebert at (504) 593-7260 or myself at (504) 593-7779. Thank you for your continued cooperation.

Sincerely,



David L. Linger  
Senior Drilling Engineer

cc: Tammy Searing - Utah Board of Oil, Gas & Mining

**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instruction  
on reverse side)

Form approved.  
Budget Bureau No. 1004-0136  
Expires August 31, 1985

**APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK**

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
**CNG PRODUCING COMPANY**

3. ADDRESS OF OPERATOR  
**CNG Tower, 1450 Poydras St., New Orleans, LA 70112-6000**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At surface **1,848' FWL & 260.3' FNL of Sec. 10-T10S-R19E**  
 At proposed prod. zone - Same

5. LEASE DESIGNATION AND SERIAL NO.  
**U-035216**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
**River Bend Unit**

8. FARM OR LEASE NAME  
**REU**

9. WELL NO.  
**3-10EX**

10. FIELD AND POOL, OR WILDCAT  
**Island Natural Buttes**

11. SECS., T., R., M., OR BLK.  
 AND SURVEY OR AREA  
**10-T10S-R19E (NE NW)**

12. COUNTY OR PARISH 13. STATE  
**Utah Utah**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
**10 Miles SW of Ouray**

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.  
 (Also to nearest drlg. unit line if c **3,328'**)

16. NO. OF ACRES IN LEASE **362.27**

17. NO. OF ACRES ASSIGNED TO THIS WELL **80**

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEA **1,746'**

19. PROPOSED DEPTH **8,100'**

20. ROTARY OR CABLE TOOLS  
**Rotary**

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**4,947' GR**

22. APPROX. DATE WORK WILL START  
**December, 1992**

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	+/- 80'	Cement to Surface
12 1/4"	8 5/8"	24#	+/- 2,000'	Cement to Surface
7 7/8"	5 1/2"	17#	+/- 8,100'	Cement to Surface

1. Drill a 17 1/2" hole with an air rig to +/-80', run 13 3/8", 48#/ft, H-40 casing and cement to surface.
2. MIRO Circle L Rig 7.
3. Nipple up rotating head on 13 3/8" casing and drill 12 1/4" hole to 2,000' with a KCL aerated mud system.
4. Run 8 5/8" 24#/ft K-55 casing to 2,000' and cement to surface.
5. Wait on cement 8 hours.
6. Nipple up and pressure test BOP stack prior to drilling out below surface pipe.
7. Drill a 7 7/8" hole to 8,100' with a salt water mud system. No cores are planned. DST's will be run as needed to evaluate unexpected shows.
8. Run logs, set 5 1/2", 17#, N-80 casing as dictated by drilling shows, test, and logs. Casing program may be modified to provide added burst strength if needed for frac program.
6. Primary zones of interest are the Wasatch, Chapita Wells & Uteland Buttes.
7. All zones indicating potential for economically recoverable reserves will be tested in a normal, prudent manner.
8. In the event circulation is lost, air or air assisted mud will be utilized.

FORMATION TOPS	DEPTHS
Wasatch Tongue	4,350'
Chapita Wells	5,600'
Uteland Buttes	6,700'

CNG Producing respectfully request that all information concerning this well be held confidential.  
 IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present production zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface geology and vertical depth give blowout preventer program, if any.

24. SIGNED David L. Linger TITLE Senior, Drilling Engineer

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING  
 RECEIVED NOV 27 1992

PERMIT NO. 43-047-30415 APPROVAL DATE 12-9-92  
 APPROVED BY [Signature] DATE 12-9-92


WELL SPACING: 649-2-3

\*See Instructions On Reverse Side  
 Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or report, or knowingly to furnish any false, fictitious or fraudulent information in any material, writing or communication, in any matter within the jurisdiction of any such department or agency, when such statement or report, or such information, is required to be true or correct by law or regulation.

# CNG PRODUCING CO. WELL LOCATION PLAT RBU 3X-10E

LOCATED IN THE NE $\frac{1}{4}$  OF THE NW $\frac{1}{4}$  OF  
SECTION 10, T10S, R19E, S.L.B.&M.

S 89°38' W 40.29 CHS. (G.L.O.) S 89°38' W 2659.63' (Basis)



## LEGEND & NOTES

- ◆ Original corner monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. quadrangle map.

## SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY PERFORMED BY ME, DURING WHICH THE SHOWN MONUMENTS WERE FOUND OR ESTABLISHED.

*Jerry D. Allred*  
JERRY D. ALLRED, REGISTERED LAND SURVEYOR, CERT. NO. 3817 (UTAH)

JERRY D. ALLRED & ASSOCIATES  
Surveying & Engineering Consultants

121 North Center Street  
P.O. Drawer C  
Duchesne, Utah 84021  
(801) 228-5262

**CNG Producing  
Company**A **CNG** COMPANY

CNG Tower  
1457 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

December 8, 1992

Ms. Tammy Searing  
Utah Board of Oil, Gas & Mining  
Suite 350, 3 Triad Center  
Salt Lake City, UT 84180-1203

RE: Revised Survey Plat  
RBU 3-10EX  
Section 10-T10S-R19E

Dear Tammy:


Enclosed please an amended survey plat for the above referenced well. This wells was skid from 1,876' FWL & 271' FNL of Sec. 10-T10S-R19E to 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E. Please attach this survey plat to the application that was previously mailed on November 26, 1992.

The Drilling Engineer overseeing this operation is David L. Linger at (504) 593-7779.

CNG Producing Company is requesting information on this well be held as confidential in accordance with R615-2-11.

Should you have any questions or need any further information, please feel free to contact me at (504) 593-7260.

Sincerely,



Susan M. Hebert  
Regulatory Reports Asst. II


Enclosure

cc: Mr. Ed Forsman - Bureau of Land Management

**CNG PRODUCING CO.  
WELL LOCATION PLAT  
RBU 3-10E**

LOCATED IN THE NE $\frac{1}{4}$  OF THE NW $\frac{1}{4}$  OF  
SECTION 10, T10S, R19E, S.L.B.&M.

S 89° 38' W 40.29 CHS. (G.L.O.) S 89° 38' W 2659.63' (Basis)



**RECEIVED**  
NOV 27 1992  
DIVISION OF  
OIL GAS & MINING


**LEGEND & NOTES**

- ◆ Original corner monuments found and used by this survey.
- The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. quadrangle map.

**SURVEYOR'S CERTIFICATE**

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY PERFORMED BY ME, DURING WHICH THE SHOWN MONUMENTS WERE FOUND OR ESTABLISHED.

*Jerry D. Allred*  
JERRY D. ALLRED, REGISTERED LAND SURVEYOR, CERT. NO. 3817 (UTAH)



**JERRY D. ALLRED & ASSOCIATES**  
Surveying & Engineering Consultants

121 North Center Street  
P.O. Drawer C  
DUGESNE, UTAH 84021

**SELF-CERTIFICATION STATEMENT**

Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

\*Please be advised that CNG Producing Company is considered to be the operator of Well No. 3-10EX NE 1/4 of NW 1/4 Section 10, Township 10S, Range 19E; Lease U-035316; Uintah County, Utah; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by American Casualty Company of Reading, PA, Bond #524 7050.

*R. S. Gloger*

---


R. S. Gloger  
Drilling Manager

**RECEIVED**


NOV 27 1992

DIVISION OF  
OIL GAS & MINING

BOP STACK



CHOKER MANIFOLD



**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

DRILLING PLAN  
APPROVAL OF OPERATIONS

November 25, 1992

Attachment for Permit to Drill

Name of Operator: CNG PRODUCING COMPANY  
Address: CNG TOWER - 1450 POYDRAS STREET  
NEW ORLEANS, LA 70112-6000

WELL LOCATION: Well No. 3-10EX

Uintah, Utah

1. GEOLOGIC SURFACE FORMATION

Uintah

2. ESTIMATE IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	4,350'
Green River Tongue	4,700'
Wasatch	4,850'
Chapita Wells	5,600'
Uteland Buttes	6,700'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	<u>Remarks</u>
Wasatch Tongue	4,350'	Oil Zone
Chapita Wells	5,600'	Gas Zone
Uteland Buttes	6,700'	Gas Zone

4. PROPOSED CASING PROGRAM

13 3/8", 48#/ft, H-40, 0-80' - Cemented to Surface  
8 5/8", 24#/ft, K-55, 0'-2,000' - Cemented to Surface  
5", 17#/ft, N-80, 0'- 8100' - Cemented to Surface

5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

BOP stack has a 3000 psi working pressure. BOP will be pressure tested to 2,700 psi before drilling casing cement plug. Pipe rams will be operated daily and blind rams as possible.

6. The well is to be drilled with a KCL mud system maintaining a weight of approximately 9#/gal.

**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

7. AUXILIARY EQUIPMENT TO BE USED

1. Kelly Cock.
2. Full opening valve on floor with DP connection for use when Kelly is not in string.

8. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

A mud logger will be used from 3,500' to TD. Possible DST in Wasatch Tongue. The logging program will include Dual Lateral/GR log TD to Surface, Density/Neutron - TD - 3,500' possible dipmeter and rotary cores over selected intervals.

9. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

No normal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H<sub>2</sub>S gas. The anticipated bottom hole pressure is 2,610 PSI.

10. WATER SUPPLY

- A. Water to be used for drilling will be hauled from CNG's OSC #1 well located in SEction 17-T10S-R20E. Application #54801 User's Claim - Code #49, Serial #801.
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Attachment No. 3.
- C. No water well is anticipated to be drilled at this time.

11. CEMENT SYSTEMS

CONDUCTOR

+/-90 sks 25:75 Poz G cement, 2% S-I CaCl<sub>2</sub>, .25#/sk D-29 Flake

SURFACE

Lead Slurry - 800 sk 50/50 Poz G cement, 2% gel, 10% salt,  
.25#/sk D-29 Flake mixed at 14.1 PPG, yield - 1.27 ft<sup>3</sup>/sk

Tail Slurry - 250 sks Class G with 2% S-I CaCl<sub>2</sub>, .25#/sk D-29 Flake mixed  
at 15.8 PPG, yield 1.15 ft<sup>3</sup>/sk

PRODUCTION

Lead Slurry - 195 sks DS HiLift, 3% D-44 Salt, 10#/sk D-42 Kolite,  
.25#/sk D-29 Celloflake

Tail Slurry - 355 sks RFC 10-0 (thixotropic)

12. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: December, 1992  
Duration: 20 Days

**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

## CONDUCTOR CASING CEMENT PROGRAM

Set 13 3/8" casing in 17 1/2" open hole cement to surface. Volume calculated using 75% excess.

### SPACER:

Pump 20 bbls lightly gelled water followed by 5 bbls fresh H<sub>2</sub>O ahead of cement to water wet the well bore after air drilling. Displace with fresh water.

### CEMENT SYSTEM

+/- 90 sks 25:75 Poz G "Tail-In" Cement, 2% S-1 CaCl<sub>2</sub>, .25#/sk D-29 Celloflake.

Weight	15.40 lb/gal
Yield	1.11 ft <sup>3</sup> /sk
Water	4.71 gal/sk

Thickening Time at 80° 1.42 min

Compressive strength at 80°  
8 hrs 750 PSI  
16 hrs 1800 PSI  
24 hrs 2400 PSI

### CASING HARDWARE

- 1 Cement Guide Shoe
- 1 Insert Float
- 2 Centralizers
- 1 Stop Ring
- 1 Thread Lock
- 1 Top Wood Plug

NOTE DS will at no charge (unless used), in addition to the casing cement, have 100 sks of cement, CaCl<sub>2</sub> for 2% volume, and 80' to 100' of 1" tubing on location for top out job should cement not be returned to surface.

**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

SURFACE CASING CEMENT PROGRAM

Set 8 5/8" casing in 12 1/4" open hole cement to surface. Volume calculated using 75% excess.

SPACER:

Pump 20 bbls lightly gelled water followed by 5 bbls fresh H<sub>2</sub>O ahead of cement to water wet the well bore after air drilling. Displace with fresh water.

CEMENT SYSTEM

LEAD +/- 800 sks 50/50 Poz, 2% gel, 10% Salt, .25#/sk D-29 Flake

Weight	14.1 PPG
Yield	1.27 ft <sup>3</sup> /sk
Water	5.6 GPS

TAIL +/- 224 sks Class G "Tail-In" Cement, 2% Cacl<sub>2</sub>, .25#/sk D-29 Celloflake.

Weight	15.8 PPG
Yield	1.15 ft <sup>3</sup> /sk
Water	4.97 gal/sk

Thickening Time at 118° 2 hours 15 minutes

Compressive Strength at 80°  
12 hrs 2,000 PSI  
24 hrs 3,800 PSI

CASING HARDWARE

- 1 Cement Guide Shoe
- 1 Insert Float
- 4 Centralizers
- 1 Stop Ring
- 1 Thread Lock
- 1 Top Wood Plug
- 2 Cement Baskets

NOTE DS will no charge (unless used), in addition to the casing cement have 100 sks of cement, Cacl<sub>2</sub> for 2% by volume, and 80' to 100' of 1" tubing on location for top out job should cement not be returned to surface.

RECEIVED

NOV 27 1992

DIVISION OF

## LONGSTRING CEMENT

Set 5 1/2" casing in a 7 7/8" open hole.

Lead cement slurry to fill from 750' above top pay zone to surface.

Tail cement slurry to fill from TD to 750' above the pay zone.

Both volumes are calculated using 15% excess.

### SPACER:

(DAP Mud System) 20 BBL CW-100 (Sodium Silicate); 20 BBL Water

(KCL Mud System) 10 BBL water

Displace with 3% KCL water using .2% L-55 Clay Stabilizer in the first 50 bbl of displacement.

## CEMENT SYSTEMS

### Lead Slurry

± - 195 sk DS Hi-Lift, 3% D-44 Salt, 10#/sk D-42 Kolite, .25#/sk D-29 Celloflake.

Weight	10.80 lb/gal
Yield	3.91 ft <sup>3</sup> /sk
Water	24.40 gal/sk

Thickening Time at 180°	4hrs +
Compressive Strengths in 24 hrs.	375 psi
Fluid Loss	240 cc/30 min.

### Tail Slurry

± - 335 sk RFC 10-0 (thixotropic).

Weight	14.20 lb/gal
Yield	1.61 ft <sup>3</sup> /sk
Water	7.91 gal/sk

Thickening Time at 165 deg. BHCT	min.
Compressive Strength in 12 hrs.	845 psi
24 hrs.	1470 psi

**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL, GAS & MINING

Revised November 1990

Date NOS Received: \_\_\_\_\_

CONDITIONS OF APPROVAL  
FOR THE SURFACE USE PROGRAM OF THE  
APPLICATION FOR PERMIT TO DRILL

Company/Operator: CNG PRODUCING COMPANY

Well Name & Number: RBU 3-10E

Lease Number: U-035316

Location: NE/4 NW/4 Sec. 10 T. 10S R. 19E

Surface Ownership: Bureau of Land Management

NOTIFICATION REQUIREMENTS

- Location Construction - forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and - twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related - twenty-four (24) hours prior to initiating pressure equipment tests.
- First Production - within five (5) business days after new well begins. Notice or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

**RECEIVED**

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirement to Accompany APD

1. Existing Roads - describe the following and provide a legible map, labeled and showing:
  - a. Proposed wellsite as staked and access route to location, including distances from point where access route exists establish roads. (Actual staking should include tow directional reference stakes.)
  - b. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
  - c. Access road(s) to location color-coded or labeled.
  - d. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)
2. Planned Access Roads--describe the following and provide a map of suitable scale indicating all necessary access roads (permanent and temporary) to be constructed or reconstructed, showing:
  - a. Length - 2,680'
  - b. Width - 30 foot right-of-way with 18 foot running surface maximum.
  - c. Maximum grades - 8%
  - d. Turnouts - \_\_\_\_\_
  - e. Drainage design - Bar Pits
  - f. Location and size of culverts and/or bridges, and brief description of any major cuts and fills - None
  - g. Surfacing material (source) - Native
  - h. Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities - None  
(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

RECEIVED

NOV 27 1992

DIVISION OF OIL GAS & MINING

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

\_\_\_ Right-of-Way Application needed.

Not needed

---

---

\_\_\_ The operator/lessee or his/her successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or gas operation.

3. Location of Existing Wells - describe the following and provide a map or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:

- a. Water wells - None
- b. Abandoned wells - None
- c. Temporarily abandoned wells - None
- d. Disposal wells - None
- e. Drilling wells - None
- f. Producing wells - RBU 8-4E, RBU 16-3E, RBU 11-3E, RBU 11-5E, RBU 1-10E, RBU 9-10E, RBU 15-10E, RBU 5-10E, RBU 7-15E  
Outside Unit: #17, #9 and #11
- g. Shut-in wells - None
- h. Injection wells - None

4. Location of Existing and/or Proposed Facilities

a. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):

- (1) Tank batteries
- (2) Production facilities
- (3) Oil gathering lines
- (4) Gas gathering lines
- (5) Injection lines
- (6) Disposal lines
- (7) Surface pits (separate application per NTL-2B requirements)

(Indicate if any of the above lines are buried.)

RECEIVED

NOV 27 1992

DIVISION OF  
OIL, GAS & MINING

6. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the District Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)

- (1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.
- (2) Dimensions of facilities
- (3) Construction methods and materials
- (4) Protective measures and devices to protect livestock and wildlife

Note: Operator has option of submitting information under 4A and B, after well is completed for production, by applying for approval of subsequent operations.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank batteries will be placed on the North side

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H. (Occupational Safety and Health Act) will be excluded.

The required paint color is Desert Tan

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

RECEIVED

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

5. Location and Type of Water Supply

- a. Show location and type of water supply, either by 1/4, 1/4 section on a map or by written description OSC #1 in Sec. 17-T10S-R20E.
- b. State method of transporting water, and show any roads or pipelines needed.
- c. If water well is to be drilled on lease, so state. \_\_\_\_\_  
\*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

- a. Show information either on map or by written description - \_\_\_\_\_
- b. Identify if from Federal or Indian (tribal or allotted) land.
- c. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.

\*If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.

\*A mineral materials application (is/is not) required.

7. Methods of Handling Waste Disposal

- a. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
  - (1) Cuttings - bury in pit
  - (2) Sewage - haul to sewer lagoon
  - (3) Garbage (trash) and other waste material - haul to disposal
  - (4) Salts - not used
  - (5) Chemicals - non-toxic only; evaporate in pits
- b. Provide a plan for eventual disposal of drilling fluids and any produced oil or water recovered during testing operations. \_\_\_\_\_

\*Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered lands:

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

RECEIVED

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

The reserve pit (shall/shall not) be lined if necessary to conserve water.

"If a plastic nylon reinforced liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O."

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.)

     To protect the environment.

If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by Part II, Standards of Quality for Waters of the State Wastewater Disposal Regulations, State of Utah Division of Health the contents and liner will be removed and disposed of at an authorized disposal site.

  X   To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or allow discharge of liquids.

     Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

RECEIVED

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

8. Ancillary Facilities

Camp facilities or airstrips will not be allowed unless otherwise approved.

9. Well Site Layout--provide a plat (not less than 1" = 50') showing:

a. Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography.

b. Location of mud tanks, reserve, and flare pits, pipe racks, living facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.)

c. Rig orientation, parking ares, and access roads, etc.

The reserve pit will be located on the : Southeast corner

The flare pit will be located downwind of the prevailing wind direction on the South side  
a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil (first four inches) will be stored on the: southwest end of location

Access to the well pad will be from the: West

Diversion ditch(es) shall be constructed on the \_\_\_\_\_ side of the location (above / below) the cut slope, draining to the \_\_\_\_\_

Soil compacted earthen berm(s) shall be placed on the \_\_\_\_\_ side(s) of the location around the \_\_\_\_\_

The drainage(s) shall be diverted around the \_\_\_\_\_ side(s) of the well pad location.

The reserve pit and/or pad location shall be constructed long and narrow for topographic reasons \_\_\_\_\_

The #8 corner of the well pad will be rounded off to avoid the wash

RECEIVED

NOV 27 1992

DIVISION OF OIL GAS & MINING

Fencing Requirements

All pits will be fenced according to the following minimum standards:

a. 39-inch net wire shall be used with at least one stand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

- b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
- c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times when pit is shrunk for production pit.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. Plans for Restoration of Surface

a. Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 6 months from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.

RECEIVED

NOV 27 1992

DIVISION OF  
OIL GAS & MINING

Contact appropriate surface management agency for required seed mixture.

b. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) re-establishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

11. Surface Ownership:

Access Road: Bureau of Land Management

Location: \_\_\_\_\_

"If the access road and/or location involves private or state agency owned surface, a copy of the surface owners agreement is required prior to approval of the APD."

12. Other Additional Information

- a. The Operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials and contact the authorized officer (AO). Within five working days the AO will inform the operator as to :

-whether the materials appear eligible for the National Register of Historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

-a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

RECEIVED

NOV 27 1992

DIVISION OF  
OIL, GAS & MINING

All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

Additional Surface Stipulations

No construction or drilling activities shall be conducted between \_\_\_\_\_ and \_\_\_\_\_ because of \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.

No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.

There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).

No cottonwood trees will be removed or damaged.

Two silt catchment dams and basin will be constructed according to BLM specifications approximately 800 ft. north of the location, where flagged, and dam above location.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

13. Lessee's or Operators Representative and Certification

Representative

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone No: \_\_\_\_\_

RECEIVED

NOV 27 1992

DIVISION OF  
OIL GAS & MINING







NOV 27 1992  
 DIVISION OF  
 LOCATION

**CNG PRODUCING CO  
 WELL LAYOUT PLAT  
 RBU 3-10E & 3-10EX**

**RECEIVED**

Located in the NE 1/4 of the NW 1/4 of Section 10, T10S, R19E, S.L.B. 1M.




**APPROXIMATE QUANTITIES**  
 CUT: 9500 yds<sup>3</sup> (includes pit)  
 FILL: 2000 yds<sup>3</sup>

**JERRY D. ALLRED & ASSOCIATES**  
 Surveying & Engineering Consultants  
 121 North Center Street  
 P.O. Box 100  
 DUCHESNE, UTAH 84001  
 (801) 736-5302

23 May '92 79-128-256



LEGEND	
D	= Oil Line
G	= Gas Line
W	= Water Line
R	= Relief Line (Pressure)
C	= Condensate Line
V	= Vent Line
D	= Drain Line
M	= Gas Meter
P	= Pump
BP	= Back Pressure Valve
SWS	= Sealed When Shipping
SUS	= Sealed Unless Shipping
T	= Heat Traced Line
H	= Heater
BL	= Buried Line
	= Valve
	= Check Valve
SC	= Sealed Closed Valve
NC	= Normally Closed
BD	= Blowdown Line




BUREAU OF LAND MANAGEMENT  
 NOV 27 1969  
 DIVISION OF OIL GAS & MINING

The site security plan is on file in CNGP's district office located at 1400 N. State St., Roosevelt, Utah. It can be inspected during office hours, from 6:30 AM thru 3:30 PM, Monday thru Friday..

# CNG PRODUCING COMPANY

Well: **RBU3-10E** RIVER BEND FIELD, UINTA COUNTY not to scale

SDR/RBL/FLOW/SEP TYPICAL FLOW DIAGRAM date: / /



**LEGEND**

- 1992 DRILLED WELLS
- 1992 DRILLING LOCATION
- 1992 ALTERNATE LOCATIONS
- INDIAN RESERVATION BOUNDARY
- PARTICIPATING AREAS A & B

**CNG PRODUCING COMPANY**  
**RIVER BEND UNIT**  
 UTAH COUNTY, UTAH  
**1992 PLAN OF DEVELOPMENT**  
**PARTICIPATING AREAS LAND PLAT**

ZG2I300,261RBU8xIPD.DGN

NOTE:—The information given in the following blanks should be free from explanatory matter, but when necessary, supplementary statements should be made on the following page under the heading "Explanatory."

For the purpose of acquiring the right to use a portion of the unappropriated water of the Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to Engineer, based upon the following showing of facts, submitted in accordance with the require the Laws of Utah.

1. Irrigation  Domestic  Stockwatering  Municipal  Power  Mining  Other
2. The name of the applicant is MAPCO, Inc. Production Co.
3. The Post Office address of the applicant is P.O. Box 1360 Roosevelt, Utah 84066
4. The quantity of water to be appropriated, 015 second-feet and/or \_\_\_\_\_
5. The water is to be used for Oil Well Drilling from January 1 to December  
(Major Purpose) (Month) (Day) (Month)  
 other use period \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_  
(Minor Purpose) (Month) (Day) (Month)  
 and stored each year (if stored) from January 1 to December  
(Month) (Day) (Month)
6. The drainage area to which the direct source of supply belongs is \_\_\_\_\_  
(Leave Blank)
7. The direct source of supply is\* Underground water from Green River Formation  
(Name of stream or other source)  
 which is tributary to \_\_\_\_\_, tributary to \_\_\_\_\_

\*Note.—Where water is to be diverted from a well, a tunnel, or drain, the source should be designated as "Underground" first space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate space, giving its name, if named, and in the remaining spaces, designate the stream channels to which it is tributary, even though may sink, evaporate, or be diverted before reaching said channels. If water from a spring flows in a natural surface channel diverted, the direct source should be designated as a stream and not a spring.

8. The point of diversion from the source is in Utah County, situated at  
Center SE of NW Section 17 T10 S R20 E  
3.1900' W. 660' N. 1/4 cor.  
8 miles S. Gary

\*Note.—The point of diversion must be located definitely by course and distance or by giving the distances north or south west with reference to a United States land survey corner or United States mineral monument, if within a distance of six miles or at a greater distance, to some prominent and permanent natural object. No application will be received for filling in which diversion is not defined definitely.

9. The diverting and carrying works will consist of A 7 5/8" well and 2500' deep
10. If water is to be stored, give capacity of reservoir in acre-feet 1 height of dam \_\_\_\_\_  
 area inundated in acres 1/4 legal subdivision of area inundated SE of N  
Sec 17 T10 S R20 E
11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows \_\_\_\_\_

12. Is the land owned by the applicant? Yes \_\_\_\_\_ No X If "No," explain on page 2.
13. Is this water to be used supplementally with other water rights? Yes \_\_\_\_\_ No X  
 If "yes," identify other water rights on page 2.
14. If application is for power purposes, describe type of plant, size and rated capacity. \_\_\_\_\_
15. If application is for mining, the water will be used in \_\_\_\_\_ Mining in the \_\_\_\_\_ mine, where the following ores are mined \_\_\_\_\_
16. If application is for stockwatering purposes, number and kind of stock watered 1000  
head of sheep.
17. If application is for domestic purposes, number of persons \_\_\_\_\_, or families \_\_\_\_\_
18. If application is for municipal purposes, name of municipality \_\_\_\_\_
19. If application is for other uses, include general description of proposed uses Drilling of Unit well by MAPCO. T9 + 10 S R19 + 20 E
20. Give place of use by legal subdivision of the United States Land Survey for all uses described graphs 14 to 19, incl. \_\_\_\_\_

21. The use of water as set forth in this application will consume 0000.015 second feet of water and 0000.015 second feet and/ or acre feet will be returned stream or source at a point described as follows: \_\_\_\_\_

RECEIVED

NOV 27 1992

DIVISION OF OIL GAS & MINING

The following additional facts are set forth in order to define more clearly the full purpose of the proposed application:

The land is leased from the Federal Government and administered by the Bureau of Land Management and has their approval

The B.L.M. will use the excess water for wild life + stock watering

(Use page 4 if additional explanatory is needed.)

The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purpose herein described

*Darwin Kulland for Maple*  
Signature of Applicant

\*If applicant is a corporation or other organization, signature must be the name of such corporation or organization by its proper officer, or in the name of the partnership by one of the partners, and the names of the other partners shall be listed. If a corporation or partnership, the affidavit below need not be filled in. If there is more than one applicant, a power of attorney, authorizing one to act for all, should accompany the Application.

DECLARATION OF CITIZENSHIP

RECEIVED

NOV 27 1992

STATE OF UTAH  
County of Wasatch } ss

On the 16 day of July 1992, personally appeared before me, a notary public for the State of Utah, the above applicant who, on oath, declared that he is an alien or has declared his intention to become such a citizen.

My commission expires:  
Aug 9, 1997

(SEAL)

*[Signature]*  
Notary Public

DIVISION OF

WORKSHEET  
APPLICATION FOR PERMIT TO DRILL

DATE RECEIVED: 11/27/92

OPERATOR: CNG PRODUCING COMPANY  
WELL NAME: RBU 3-10EX (RIG SKID)

OPERATOR ACCT NO: N- 0605

API NO. ASSIGNED: 43-047-30415

LEASE TYPE: FED LEASE NO: D-035316  
LOCATION: NENW 10 - T10S - R19E UINTEA COUNTY  
FIELD: NATURAL BUTTES FIELD CODE: 630

RECEIVED AND/OR REVIEWED:

Plat  
 Bond  
(Number federal)  
 Potash (Y/N) (N)  
 Oil shale (Y/N) (N)  
 Water permit  
(Number included in file)  
 RDCC Review (Y/N) (N)  
(Date: \_\_\_\_\_)

LOCATION AND SITING:

R649-2-3. Unit: Rulu Bend  
\_\_\_\_ R649-3-2. General.  
\_\_\_\_ R649-3-3. Exception.  
\_\_\_\_ Drilling Unit.  
\_\_\_\_ Board Cause no: \_\_\_\_\_  
\_\_\_\_ Date: \_\_\_\_\_

COMMENTS: BPM appealing under original PSD on  
pat at Natural BPM.  
Rig skid from 43-047-30291 RBU 3-10E.

STIPULATIONS: \_\_\_\_\_

cc: Uintah county assessor

CONFIDENTIAL  
PERIOD  
EXPIRED  
ON 10-5-94



# State of Utah

DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Norman H. Bangerter  
Governor

Dee C. Hansen  
Executive Director

Dianne R. Nielson, Ph.D.  
Division Director

355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203  
801-538-5340

December 9, 1992

CNG Producing Company  
CNG Tower, 1450 Poydras Street  
New Orleans, Louisiana 70112-6000

Gentlemen:

Re: RBU 3-10EX Well, 261 feet from the north line, 1848 feet from the west line, NE 1/4 NW 1/4, Section 10, Township 10 South, Range 19 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 649-2-3, Application of Rules to Unit Agreements and R. 649-3-4, Permitting of Wells to be Drilled, Deepened or Plugged-Back, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
2. Notification within 24 hours after drilling operations commence.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.

Page 2  
CNG Producing Company  
RBU 3-10EX Well  
December 9, 1992

6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

Trash and sanitary waste should be properly contained and transported to approved disposal locations, not retained in or disposed of in pits on location or downhole. Prior to the commencement of drilling operations, the operator should consult the local/county sanitarian and/or the Department of Environmental Quality, Division of Drinking Water/Sanitation, regarding appropriate disposal of sanitary waste.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32415.

Sincerely,



R. J. Firth  
Associate Director, Oil and Gas

ldc  
Enclosures  
cc: Bureau of Land Management  
      Uintah County Assessor  
      J.L. Thompson  
WO11

**CNG Producing  
Company**

A **CNG** COMPANY

CNG Tower  
1450 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

**December 8, 1992**

**RECEIVED**

**DEC 11 1992**

**Ms. Tammy Searing  
Utah Board of Oil, Gas & Mining  
Suite 350, 3 Triad Center  
Salt Lake City, UT 84180-1203**

**DIVISION OF  
OIL GAS & MINING**

**RE: Revised Survey Plat  
RBU 3-10EX  
Section 10-T10S-R19E**

*43-047-32415*

**Dear Tammy:**

Enclosed please an amended survey plat for the above referenced well. This wells was skid from 1,876' FWL & 271' FNL of Sec. 10-T10S-R19E to 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E. Please attach this survey plat to the application that was previously mailed on November 26, 1992.

The Drilling Engineer overseeing this operation is David L. Linger at (504) 593-7779.

CNG Producing Company is requesting information on this well be held as confidential in accordance with R615-2-11.

Should you have any questions or need any further information, please feel free to contact me at (504) 593-7260.

Sincerely,

*Susan M. Hebert*

Susan M. Hebert  
Regulatory Reports Asst. II


Enclosure

cc: Mr. Ed Forsman - Bureau of Land Management

# CNG PRODUCING CO. WELL LOCATION PLAT RBU 3X-10E

LOCATED IN THE NE $\frac{1}{4}$  OF THE NW $\frac{1}{4}$  OF  
SECTION 10, T10S, R19E, S.L.B.&M.

S 89° 38' W 40.29 CHS. (G.L.O.) S 89° 38' W 2659.63' (Basis)



N 0° 28' W 80.50 CHS. (G.L.O.)



SCALE: 1" = 1000'

## LEGEND & NOTES


- ◆ Original corner monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. quadrangle map.

## SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY PERFORMED BY ME, DURING WHICH THE SHOWN MONUMENTS WERE FOUND OR ESTABLISHED.

*Jerry D. Allred*  
 \_\_\_\_\_  
 JERRY D. ALLRED, REGISTERED LAND SURVEYOR, CERT. NO. 3817 (UTAH)



**JERRY D. ALLRED & ASSOCIATES**  
 Surveying & Engineering Consultants

121 North Center Street  
 P.O. Drawer C  
 DUCHESNE, UTAH 84021  
 (801) 738-5352

Rev. 7 Dec '92  
 22 May '92

79-128-256

**ENTITY ACTION FORM - FORM 6**

ADDRESS CNG Tower

1450 Poydras Street

New Orleans, LA 70112-6000

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	99999	07050	43-047-32415	RBU 3-10EX	NE NW	10	10S	19E	Uintah	12/12/92	
WELL 1 COMMENTS: This well is located within River Bend Unit on BLM land. <i>Entity added 12-16-92. fca</i>											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

**ACTION CODES (See instruction on back of form)**

- A - establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

**RECEIVED**

DEC 16 1992

*Susan M. Hebert*  
Signature

Regulatory Reports Asst. II  
Title

December 14, 1992  
Date

NOTE: Use COMMENT section to explain why each Action Code was selected.

DIVISION OF  
OIL GAS & MINING

Phone No. (504) 593-7260





CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company CNG Producing Company Well No. RBU 3-10EX

Location NENW, Section 10, T10S, R19E Lease No. U - 035316

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for a 3M system for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at  $\pm$  2,010 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to  $\pm$  1,810 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka (801) 781-1190  
Petroleum Engineer

Ed Forsman (801) 789-7077  
Petroleum Engineer

BLM FAX Machine (801) 789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

### Additional Surface Stipulations

Critical soil erosion conditions are present in Section 10. In order to minimize watershed damage during wet and muddy conditions, the authorized officer may prohibit surface disturbing activities. This limitation does not apply to maintenance and operation of producing wells.

A silt catchment dam and basin will be constructed according to BLM specifications approximately 800 feet north of the location, where flagged, and another pond south of the location to keep runoff off location and limit erosion of reserve pit bank. If blasting is required for construction, the pit will be lined to insure that the pit does not leak, break, or allow discharge. If a liner is used, it will be at least 12 mil thickness. If the construction of the pit does not require blasting, the operator may choose to line the pit to conserve water and drilling fluids.

The additional pit constructed should also be lined when the present pit is enlarged for this project.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPROVED  
BUDGET BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.  
U-035316

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-10EX
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32415
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Spud Notice	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

This is to notify you that the RBU 3-10EX was spudded by Ross Drilling, Inc. on December 12, 1992.

Drilled 17 1/2" surface hole to 80'. Set 13 3/8" casing at 78'.

Cemented to surface with 2 yards of ready mix cement.

**RECEIVED**

JAN 04 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed David L. Linger Title Senior Drilling Engineer Date December 30, 1992

David L. Linger

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
BUDGET BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1993

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	JAN 0 4 1993	5. Lease Designation and Serial No. U-035316
2. Name of Operator CNG PRODUCING COMPANY	DIVISION OF	6. If Indian, Allottee or Tribe Name
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	OIL GAS & MINING	7. If Unit or CA, Agreement Designation River Bend Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E		8. Well Name and No. 3-10EX
		9. API Well No. 43-047-32415
		10. Field and Pool, or Exploratory Area Island
		11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

December 24 - December 31, 1992

Rig up rig. Install riser and flange. Install 13 5/8" rotating head. Thaw out reserve pit, pump line, & pumps. Pick up bit. Tag cement at 72'. Drill cement. Drill 12 1/4" hole. Repair pump #2. Tighten liner. Drilling. Service rig. Drilling. Survey at 484'. Drilling. Service rig. Drilling. Survey at 1,038'. Drilling. Circulate to kill air. Trip for new bit. Wash 60' to bottom. Drilling. Survey at 1,304'. Drilling. Service rig. Drilling. Trip out of hole with bit. Trip in hole with new bit. Wash and ream to bottom. Drilling. Circulate with soap. Drilling. Transfer fluid - kill air. Mud wt. 8.5 PPG. TD at 1,784'.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date December 31, 1992  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

*Conf*

**RECEIVED**

JAN 07 1993

DIVISION OF OIL GAS & MINING

- 1. Well name and number: RBU 3-10EX  
 API number: 43-047-32415
- 2. Well location: QQ NE NW section 10 township 10S range 19E county Uintah
- 3. Well operator: CNG Producing Company  
 Address: CNG Tower - 1450 Poydras Street phone: (504) 593-7000  
New Orleans, LA 70112-6000
- 4. Drilling contractor: Circle L Drilling Company  
 Address: 8265 1500 East phone: (801) 781-2069  
Vernal, UT 64078

5. Water encountered (continue on reverse side if necessary)

Depth		Volume (flow rate or head)	Quality (fresh or salty)
from	to		
2,800'	2,820'	100 BPH	Fresh

- 6. Formation tops: Wasatch Tongue 4,350'
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

If an analysis has been made of the water encountered, please attach a copy of the report to this form.

I certify that this report is true and complete to the best of my knowledge.

Name David L. Linger Signature *[Signature]*  
 Title Senior Drilling Engineer Date January 5, 1993

Comments:

This water flow was encountered while drilling with 260 GPM pump rate and 800 CFM air rate. The approximate fluid weight at the time this water flow was encountered is equal to a 4.5 PPG mud weight equivalent.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
BUDGET BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS  
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-10EX
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32415
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

January 1 - January 8, 1993

Circulate. Trip out of hole with bit. Trip in hole with new bit. Drilling. Twist off at 986'. Circulate. Trip out of hole. Left 1/2 of pin in hole. Pick up 7 5/8" overshot with 6" spiral grapple. Trip in hole. Latch fish. Pulled off at 50,000#. Pull out of hole. Pick up 5 7/8" grapple. Trip in hole. Could not latch fish. Pull out of hole. Pick up 6 1/8" grapple. Trip in hole. Latch fish. Work free with 80,000#. Trip out of hole. Lay down overshot. Trip in hole. Wash 30' to bottom. Circulate on junk. Trip out of hole. Trip in hole with 11 1/2" magnet. Wash 1,638-1,830'. Wash on junk. Pull out of hole. Trip out of hole. Lay down magnet. Recovered broken pin. Trip in hole with new bit. Wash 30' to bottom. Drilling. Circulate. Trip out of hole. Lay down 17 jts drill pipe and 8 drill collars. Run 46 jts 8 5/8" casing. Circulate. Pump 50 bbls LCM. No returns. Cement with 800 sks 50/50 Poz, 2% Gel, 10% shot, .25#/sk flake followed by 224 sks Class G, 2% CaCl2 and .25#/sk flake. Bump plug with 400 PSI. No returns. Floats held ok. Set 25 sks with 3/4" @ 120' Class G, 2% CaCl2, set 75 sks with 3/4" @ 170' and set 100 sks with 3/4" at 120'. Tag cement at 40'. Set 50 sks with 3/4" at 40'. Circulate to surface. Wait on cement. Well on 11" 30,000# well head. Nipple up BOPs. Test BOPs, kelly valve, floor valve, and manifold to 3000 PSI. Test Hydril and casing to 1500 PSI. Pick up 34 drill collars. Trip in hole. Pick up 6 jts. Lay down 4 bent jts. Drill float and shoe. Drilling new formation. Rig service - check BOPs. Drilling. Survey - line parted. Trip out of hole. Found survey tool. Piece of grapple. Trip in hole. Drilling. Survey at 2,137'. Drilling. Survey at 2,228'. Drilling. Survey. Drilling. Survey at 2,835'. Drilling. Rig service - check BOPs. Drilling. Survey at 3,330'. Drilling. Survey at 3,886'. Drilling. Rig service - check BOPs. Drilling. Work tight hole on connection. Drilling. Survey at 4,414'. Drilling. Circulate and survey. Drilling. Service rig - check BOPs. Drilling. Work the hole. Pull 10 stands free. Wash to bottom. Drilling. Gas increased to 7200 units. Circulate gas and water. Drilling. Survey at 5,468'. Rig service - check BOPs. Circulate and pump 50 sks salt pill. Trip out of hole. Lost nose cone of bit. Pick up 7" magnet, junk basket. Trip in hole with magnet. Circulate out gas. Fish for nose cone. Trip out of hole. Recovered cone. Lay down junk basket and magnet. Pick up new bit. Trip in hole with bit. Wash and ream 90' to bottom. Mud wt. 9.3 PPG. TD at 5,510'

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date January 8, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTBUDGET BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1992

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-10EX
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32415
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

January 9 - January 15, 1993

Drilling. Rig service - check BOPs. Drilling. Survey at 5,964'. Drilling. Rig service - check BOPs. Drilling. Survey at 6,487'. Drilling. Rig service - check BOPs. Drilling. Survey at 7,015'. Drilling. Rig service. Drilling. Circulate and condition mud for logs. Short trip. Trip out of hole. Rig service. Short trip. Trip in hole. Circulate and condition mud for logs. Trip out of hole. Rig up Halliburton logging. Trip in hole. Log with Halliburton, DLL, GR, CDL/DSN, CAL. Rig down Halliburton. Trip in hole with drill pipe open ended. Circulate at 4,045'. Trip in hole to 6,800'. Circulate. Trip out of hole with bit. Circulate and condition to run casing. Lay down drill pipe. Run 5 1/2" casing. Run 177 jts 5 1/2" casing. Rig up Dowell. Wash 30' to bottom. Set at 7,630'. Cement with 260 sks HiLift, 3% D-44, 10#/sk D-42, 1/4#/sk D-29 & .2% D-46 followed by 860 sks 10-0 RFC. Lost circulation with 20 bbls left to displace. Plug bumped - floats held. Set slips with 140,000 lbs. Pick up stack and cut off casing. Clean pits. Released rig on 1/14/93.

**RECEIVED**

JAN 19 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan Hebert Title Regulatory Reports Asst. II Date January 15, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

**CNG Producing  
Company**

A **CNG** COMPANY

CNG Tower  
1450 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

February 24, 1993

Mr. David Little  
District Manager  
Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078

**RECEIVED**

FEB 26 1993

DIVISION OF  
OIL GAS & MINING

RE: Application for Disposal of Produced Water NTL-2B

Dear Mr. Little:

Pursuant to NTL-2B Revised August 1, 1978, CNG Producing Company hereby makes applications under Section 1, Exception No. 4. This request is for a 30' x 30' pit adjacent to gas separator in which production water is collected. The wells make less than five (5) bbls per day. The evaporation rate for the area is four (4) feet per year and the percolation rate of the soil is approximately 1" per day.

Some of the pits are unlined, (except with native clay), when they are not located next to drainage. These pits have also been tested for water loss. The pits that showed water loss are lined with native clay and a .12 mil liner.

<u>Well Name</u>	<u>Lease Number</u>	<u>Well Location</u>	<u>Section, Township &amp; Range</u>
1. RBU 10-2F	ML-10716	NW SE	2-T10S-R20E
2. RBU 3-3E	U-013765	NE NW	3-T10S-R19E
3. RBU 5-3E	U-03505	SW NW	3-T10S-R19E
4. RBU 9-3E	U-035316	NE SE	3-T10S-R19E
5. RBU 3-10EX	U-035316	NE NW	10-T10S-R19E
6. RBU 5-10F	U-7206	SW NW	10-T10S-R20E
7. RBU 7-10E	U-13792	SW NE	10-T10S-R19E
8. RBU 9-10F	U-7206	NE SE	10-T10S-R20E
9. RBU 13-10F	BIA 14-20-H62-2645	SW SW	10-T10S-R20E
10. RBU 2-11F	U-01790	NW NE	11-T10S-R20E
11. RBU 3-11F	U-7206	NE NW	11-T10S-R20E
12. RBU 7-14E	U-013792	SW NE	14-T10S-R19E
13. RBU 9-14F	U-013793-A	NE SE	14-T10S-R20E
14. RBU 11-14F	U-013793-A	NE SW	14-T10S-R20E
15. RBU 13-14F	U-013793	SW SW	14-T10S-R20E
16. RBU 15-14E	U-013792	SW SE	14-T10S-R19E
17. RBU 15-14F	U-013793-A	SW SE	14-T10S-R20E
18. RBU 15-15E	U-013766	SW SE	15-T10S-R19E
19. RBU 3-16F	ML-3393-A	NE NW	16-T10S-R20E
20. RBU 7-16E	ML-13214	SW NE	16-T10S-R19E
21. RBU 13-16E	ML-13214	SW SW	16-T10S-R19E
22. RBU 15-16E	ML-13214	SW SE	16-T10S-R19E
23. RBU 5-17F	U-013769-C	SW NW	17-T10S-R20E
24. RBU 7-17F	U-013769-C	SW NE	17-T10S-R20E
25. RBU 9-17E	U-013766	NE SE	17-T10S-R19E
26. RBU 9-17F	U-013769-C	NE SE	17-T10S-R20E
27. RBU 13-17F	U-013769-C	SW SW	17-T10S-R20E
28. RBU 3-19FX	U-013769-A	NE NW	19-T10S-R20E
29. RBU 5-19F	U-013769-A	SW NW	19-T10S-R20E
30. RBU 3-20F	U-013793-A	NE NW	20-T10S-R20E

43-047-32415

Mr. David Little, District Manager  
Bureau of Land Management

Page 2  
February 24, 1993

<u>Well Name</u>	<u>Lease Number</u>	<u>Well location</u>	<u>Section, Township &amp; Range</u>
31. RBU 15-20F	U-0143520-A	SW SE	20-T10S-R20E
32. RBU 3-21F	U-013793-A	NE NW	21-T10S-R20E
33. RBU 7-21E	U-013766	SW NE	21-T10S-R19E
34. RBU 9-21F	U-014520-A	NE SE	21-T10S-R20E
35. RBU 11-21F	U-0143520-A	NE SW	21-T10S-R20E
36. RBU 13-21F	U-01435	SW SW	21-T10S-R20E
37. RBU 15-21F	U-0143520-A	SW SE	21-T10S-R20E
38. RBU 13-22E	U-013792	SW SW	22-T10S-R19E
39. RBU 14-22F	U-0143519	SE SW	22-T10S-R20E
40. RBU 15-22E	U-013792	SW SE	22-T10S-R19E
41. RBU 2-23F	U-013793-A	NW NE	23-T10S-R20E
42. RBU 4-23F	U-013793-A	NW NE	23-T10S-R20E
43. RBU 5-23E	U-013766	SW NW	23-T10S-R20E
44. RBU 9-24E	U-013794	NE SE	24-T10S-R19E
45. RBU 11-35B	U-017713	NE SW	35-T9S-R19E

Exact location of the pits have been submitted with the site security diagram. All wells are located within the River Bend Unit except for RBU 9-17E, RBU 7-21E, RBU 13-22E, RBU 15-22E, and RBU 11-35B which are located outside the unit.

If you have any questions or need any further information, please feel free to contact either myself at (504) 593-7260 or our project engineer, Scot Childress, at (504) 593-7574. Thank you for your cooperation.

Sincerely,

*Susan M. Hebert*  
Susan M. Hebert  
Regulatory Reports Asst. II

Enclosure

cc: ✓ Utah Board of Oil, Gas & Mining  
Yvonne Abadie  
Scot Childress  
Brian Coffin  
Darwin Kulland  
Jim Nicas  
RBU Well files

DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING6. Case Designation and Serial Number  
U-035316

7. Indian Allottee or Tribe Name

8. Unit or Communization Agreement

River Bend Unit

9. Well Name and Number

RBU 3-10EX

10. API Well Number

43-047-32415

11. Field and Pool, or Wildcat

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new well, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT - for such proposals

1. Type of Well

 Oil Well  Gas Well  Other (specify)

2. Name of Operator

CNG Producing Company

3. Address of Operator

1450 Poydras St., New Orleans, LA 70112-6000

4. Telephone Number

(504) 593-7260

5. Location of Well

Footage : 1,848' FWL & 261' FEL  
QQ, SEC., T., R., M.: NE NW of Sec. 10-T10S-R19E

County : Uintah

State : UTAH

## 12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT  
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other	

Approximate Date Work Will Start \_\_\_\_\_

SUBSEQUENT REPORT  
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other	<u>Annual Status Report</u>

Date of Work Completion \_\_\_\_\_

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

\* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STATUS OF WELL

Suspended Drilling

EXPLANATION FOR STATUS OF WELL

Waiting on completion rig

FUTURE PLANS

Will bring well on line after well is completed and pipeline is ready

RECEIVED

MAR 01 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name &amp; Signature

*Scott Childress*

Title

Supervisor, Prod. Engineering

Date

January 29, 1993

W. Scott Childress

(State Use Only)

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.  
U-035316

6. If Indian, Allottee or Tribe Name

## SUBMIT IN TRIPLICATE

## 1. Type of Well

 Oil Well  Gas Well  Other7. If Unit or CA, Agreement Designation  
River Bend Unit

## 2. Name of Operator

CNG PRODUCING COMPANY

8. Well Name and No.

3-10EX

## 3. Address and Telephone No.

CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000

9. API Well No.

43-047-32415

## 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Surface - 1,848' FWL &amp; 261' FNL of Sec. 10-T10S-R19E

10. Field and Pool, or Exploratory Area  
Island

11. County or Parish, State

Uintah, Utah

## CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

## TYPE OF ACTION

 Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Other - Weekly Report Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

T3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

**February 27 - March 5, 1993**

Rig up rig and equipment. Rig up Halliburton Logging Services and run GR/CCL from 7,521' to 4,500'. Run in hole with 4" casing gun loaded with 2 SPF. Perforate Zone #1 (6,720-40' &amp; 6,830-28'). No pressure increase. Rig down wireline truck. Run in hole with mule shoe collar, 1 jt, seating nipple, and 209 jts tubing. Land tubing at 6,609' with seating nipple at 6,576'. Rig down BOP. Rig up tree. Rig down rig.

RECEIVED

MAR 06 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date March 5, 1993

Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for proposals

SUBMIT IN TRIPLICATE

**RECEIVED**  
MAR 15 1993

5. Lease Designation and Serial No.

U-035316

6. If Indian, Allottee or Tribe Name

1. Type of Well  
 Oil Well  Gas Well  Other

MAR 15 1993

7. If Unit or CA, Agreement Designation  
River Bend Unit

2. Name of Operator  
CNG PRODUCING COMPANY

DIVISION OF

8. Well Name and No.  
3-10EX

3. Address and Telephone No.  
CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000

OIL GAS & MINING

9. API Well No.  
43-047-32415

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E

10. Field and Pool, or Exploratory Area  
Island

11. County or Parish, State  
Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent

Abandonment

Change of Plans

Recompletion

New Construction

Subsequent Report

Plugging Back

Non-Routine Fracturing

Casing Repair

Water Shut-Off

Final Abandonment Notice

Altering Casing

Conversion to Injection

Other - Weekly Report

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

March 6 - March 12, 1993

Rig up Halliburton triple entry. Establish injection rate with 2,000 gallons of PAD. Zone #1 (6,720-40' & 6,830-38') broke at 3400 PSI. Treated Zone #1 with 56,516 gallons of fluid and 150,600 lbs of 20/40 frac sand. Average treating pressure - 3250 PSI. Open tubing to pit on 24/64 choke. Flowing tubing to pit on 18/64 choke with 100 PSI on tubing and 600 PSI on casing returning gas at the rate of 207 MCF/D. Flowed tubing on 24/64 choke. Flowing tubing to pit on 18/64 choke with 200 PSI on tubing and 525 PSI on casing returning gas at the rate of 414 MCF/D, will burn. Install 24/64 choke. Left tubing flowing to pit. Flowing tubing to pit on 24/64 choke with 175 PSI on tubing and 400 PSI on casing returning gas at the rate of 644 MCF/D, will burn.

14. I hereby certify that the forgoing is true and correct

Signed Susan Hebert Title Regulatory Reports Asst. II Date March 12, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-10EX
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32415
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

**March 24 - March 26, 1993**

Rig up rig and equipment. Bled pressure off to 600 PSI. Control well with 180 bbls 2% KCL water. Nipple down tree. Nipple up BOP. Pull out of hole with 2 3/8" tubing. Lay down 14 jts. Stood 196 jts in derrick. Bled off pressure to pit. Rig up Halliburton Logging wireline truck. Run in hole with bridge plug set at 6,370'. Pull out of hole with wireline. Rig up pump lines. Tested plug to 3500 PSI. Held. Bled off pressure. Run in hole with 4" casing gun loaded with 2 SPF. Perforate Zone #2 (6,282-6,300'). No pressure. Pull out of hole with gun. Run in hole with 2 3/8" mule shoe collar, 1 jt, seating nipple and 195 jts tubing. Land tubing with blast jt and tubing hanger. Set seating nipple at 6,139' and tubing at 6,172'. Nipple down BOP. Nipple up tree. Rig down rig & equipment.

**RECEIVED**

MAR 29 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date March 26, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

BUDGET BUREAU NO. 1004-0135  
EFFECTIVE DATE: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry into a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL OR DEEPEN OR REENTRY INTO A DIFFERENT RESERVOIR."

**RECEIVED**  
APR 05 1993

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	APR 05 1993	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	DIVISION OF OIL GAS & MINING	8. Well Name and No. 3-10EX
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000		9. API Well No. 43-047-32415
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E		10. Field and Pool, or Exploratory Area Island
		11. County or Parish, State Utah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

**March 27 - April 2, 1993**

Rig up Halliburton triple entry. Establish injection rate with 2,000 gallons of PAD. Zone broke at 3280 PSI. Treated Zone #2 (6,282-6,300') with 43,123 gallons of fluid and 121,600 lbs of 20/40 frac sand. Average treating pressure 2300 PSI. Open tubing to pit on 24/64 choke. Flowing tubing to put on 24/64 choke with 675 PSI on tubing and 425 PSI on casing returning gas at the rate of 2,485 MCF/D, returning mist of water. Flowing tubing to pit on 24/64 choke with 325 PSI on tubing and 450 PSI on casing returning gas at the rate of 1,196 MCF/D. Will burn. Install 18/64 choke.

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date April 2, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.  
U-035316

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE

- |  |  |
|--|--|
| 1. Type of Well<br><input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other | 7. If Unit or CA, Agreement Designation<br>River Bend Unit |
| 2. Name of Operator<br>CNG PRODUCING COMPANY   | 8. Well Name and No.<br>3-10EX                             |
| 3. Address and Telephone No.<br>CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000                                      | 9. API Well No.<br>43-047-32415                            |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br>Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E   | 10. Field and Pool, or Exploratory Area<br>Island          |
|  | 11. County or Parish, State<br>Uintah, Utah                |

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Weekly Report	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

May 1 - May 7, 1993

Well had 850 PSI on tubing and 500 PSI on casing. Rig up pump line to well. Control well with 160 bbls 2% KCL water. Nipple down tree. Nipple up BOP. Rig up floor and equipment. Pull out of hole with 195 jts 2 3/8" tubing, seating nipple, 1 jt and mule shoe collar. Run in hole with bridge plug retrieving head, 1 jt, seating nipple and 199 jts. Tag sand at 6,293'. Rig up drilling head. Broke circulation. Clean out sand from 6,293 to 6,370'. Circulate hole clean. Release bridge plug. Pull out of hole with 203 jts tubing. Lay down bridge plug. Run in hole with 203 jts tubing. Lay down bridge plug. Run in hole with mule shoe collar, 1 jt, seating nipple and 132 jts tubing. Well had 0 PSI. Continue to trip in hole with 2 3/8" tubing. Run in hole with 88 jts. No sand down tubing to 6,932'. Pull out of hole. Lay down 7 jts. Land tubing with hanger. Set tubing with seating nipple at 6,671' and tubing at 6,704'. Rig down equipment. Nipple down BOP. Nipple up tree. Rig up swab equipment. Made 3 runs. First run at 700'. Last run at 1,200'. Recovered 14 bbls. Well started flowing. Flowed tubing to pit without choke for 1 1/2 hrs. Installed 24/64 choke. Rig down rig. Flowing tubing to pit on 24/64 choke with 500 PSI on tubing and 675 PSI on casing. Returning gas at the rate of 1,841 MCF/D. Will burn dry.

**RECEIVED**

MAY 11 1993

DIVISION OF

Oil, Gas & Mining

14. I hereby certify that the foregoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. II Date May 7, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
BUDGET BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation River Bend Unit
2. Name of Operator CNG PRODUCING COMPANY	8. Well Name and No. 3-10EX
3. Address and Telephone No. CNG Tower - 1450 Poydras Street, New Orleans, LA 70112-6000	9. API Well No. 43-047-32415
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Surface - 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E	10. Field and Pool, or Exploratory Area Island
	11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Initial Production	<input type="checkbox"/> Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

Well was placed on initial production on May-13, 1993 at 12:40 PM.

Note: Verbal notification of initial production telephoned into BLM by Sue Hebert, CNG. Information given to Sally Gardner, BLM on May 14, 1993, 9:00 AM.

RECEIVED

MAY 17 1993

DIVISION OF  
OIL & GAS OPERATIONS

14. I hereby certify that the forgoing is true and correct

Signed Susan M. Hebert Title Regulatory Reports Asst. Date May 14, 1993  
Susan M. Hebert

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

CNG Tower  
1450 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

May 19, 1993

RECEIVED

MAY 24 1993

Mr. Ed Forsman  
U.S. Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078

DIVISION OF  
OIL GAS & MINING

RE: Well Recompletion Reports  
RBU 5-3E SW NW of Sec. 3-T10S-R19E  
RBU 3-10EX NE NW of Sec. 10-T10S-R19E  
Federal 7-15E SW NW of Sec. 15-T10S-R19E


Dear Ed:

Enclosed please find the original and two copies of the above referenced reports.

CNG Producing Company is requesting all information be held confidential.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Scot Childress at (504) 593-7574.

Sincerely,



Susan M. Hebert  
Regulatory Reports Asst. II

Enclosure

cc: Ms. Tammy Searing - Utah Department of Oil, Gas & Mining  
Y. Abadie  
S. Childress  
B. Coffin  
C. Collins  
V. Corpening  
D. Daly  
D. Kulland  
R. Mueller  
J. Nicas  
RBU Well Files  
RBU Well Book  
PG&E Resource Company

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE (See other instructions on reverse side)

Budget Bureau No. 1004-0137 Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

1a. TYPE OF WELL: OIL WELL, GAS WELL, DRY, Other
1b. TYPE OF COMPLETION: NEW WORK, DEEP-EN, PLUG BACK, DIFF. RESVR., Other
2. NAME OF OPERATOR: CNG Producing Company

RECEIVED MAY 24 1993

5. LEASE DESIGNATION AND SERIAL NO. U-035316
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME River Bend Unit
8. FARM OR LEASE NAME RBU
9. WELL NO. 3-10EX
10. FIELD AND POOL, OR WILDCA Island
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA NE of NW of 10-T10S-R19E

3. ADDRESS OF OPERATOR: CNG Tower - 1450 Poydras St., New Orleans, LA 70112-6000
4. LOCATION OF WELL: At surface 1,848' FWL & 261' FNL of Sec. 10-T10S-R19E

12. COUNTY OR PARISH Uintah
13. STATE Utah
19. ELEV. CASING HEAD

14. PERMIT NO. 43-047-32415
DATE ISSUED 12/09/92
15. DATE SPUDDED 12/12/92
16. DATE T.D. REACHED 01/13/93
17. DATE COM. (Ready to prod.) 05/05/93
18. ELEVATION (DF, RKB, RT, GR, ETC.) 4,947' GR

20. TOTAL DEPTH MD & TVD 7,630'
21. PLUG, BACK T.D. MD & TVD 7,521'
22. IF MULTIPLE COMPL., HOW MANY? 2 Zones

23. INTERVALS DRILLED BY Surface to TD
24. PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD) 6,830-36', 6,716-32' & 6,282-6,300' - Wasatch

25. TYPE ELECTRIC AND OTHER LOGS RUN DLL, Den-Neu, GR, Cal mud LOG 2-26-93

25. WAS DIRECTIONAL SURVEY MADE No
27. WAS WELL CORED No

CONFIDENTIAL

28. CASING RECORD (Report all strings set in well)

Table with columns: CASING SIZE, WEIGHT, LB./FT., DEPTH SET (MD), HOLE SIZE, CEMENTING RECORD, AMOUNT PULLED. Includes data for 13 3/8", 8 5/8", and 5 1/2" casing.

29. LINER RECORD and 30. TUBING RECORD. Includes columns for SIZE, TOP (MD), BOTTOM (MD), SACKS CEMENT, SCREEN (MD), SIZE, DEPTH SET (MD), PACKER SET (MD).

31. PERFORATION RECORD (Interval, size and number) and 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. Includes Zone #1 and Zone #2 data.

CONFIDENTIAL

33. PRODUCTION. Includes columns for DATE FIRST PRODUCTION, PRODUCTION MET, WELL STATUS, DATE OF TEST, HOURS TESTED, CHOKE SIZE, PROD'N FOR TEST PERIOD, OIL-BBL., GAS-MCF., WATER-BBL., GAS-OIL RATIO.

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold
TEST WITNESSED BY Mitch Hall

35. LIST OF ATTACHMENTS
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED W. Scot Childress TITLE Supervisor, Prod. Eng. DATE May 19, 1993

(See Instruction and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES. (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries).


58. GEOLOGICAL MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Wasatch	6,830'	6,836'	sdst; wh-gy, vfgf-fgr, calcareous, sbang-sbrmd	Wasatch Tongue	6,312'	6,312'
Wasatch	6,716'	6,732'	aa	Green River Tongue	4,694'	4,694'
Wasatch	6,282'	6,300'	aa	Wasatch	4,848'	4,848'
				Chapita Wells	5,582'	5,582'
				Uteland Buttes	6,622'	6,622'

CNG Tower  
1450 Poydras Street  
New Orleans, LA 70112-6000  
(504) 593-7000

**November 6, 1995**

**Mr. Wayne Bankert  
U.S. Dept. of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, UT 84078**



**RE: Subsequent Report for  
Plunger Lift Installations**

**Dear Wayne:**

Prior to our conversation of last week it was not apparent that a Subsequent Sundry Notice must be filed for plunger lift installation on our wells. We have gone back through our files and would like to submit notice that plunger lift installations were completed on several RBU wells. Enclosed please find Sundry Notices for these wells.

We will be installing plunger lifts on several more RBU wells in the near future. As these operations are completed I will send in subsequent reports on those wells also.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Scot Childress at (504) 593-7574.

Sincerely,

*Susan H. Sachitana*  
Susan H. Sachitana  
Coordinator, Regulatory Reports

Enclosure

cc: **Frank Matthews - Utah Department of Oil, Gas & Mining**  
N. Decker  
M. Hall  
S. Childress  
RBU Well Files


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
BUDGET BUREAU NO. 1004-0135  
EXPIRES: MARCH 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE



5. Lease Designation and Serial No. U-035316

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation River Bend Unit

8. Well Name and No. 3-10EX

9. API Well No. 43-047-32415

10. Field and Pool, or Exploratory Area Island

11. County or Parish, State Uintah, Utah

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Plunger Lift	<input type="checkbox"/> Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)\*

Installed plunger lift equipment on above well. Well on plunger.

14. I hereby certify that the forgoing is true and correct

Signed Scot Childress Title Supervisor, Production Eng. Date November 2, 1995

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

In Reply Refer To:  
3100  
U-01470-A et al  
(UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, inc. : Oil and Gas Leases  
1450 Poydras Street :  
New Orleans, LA 70112-6000 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

**/s/ Robert Lopez**

Robert Lopez  
Chief, Branch of  
Minerals Adjudication

Enclosure  
Exhibit of Leases

**RECEIVED**

JUN 05 2000

DIVISION OF  
OIL, GAS AND MINERAL

cc: Wyoming State Office  
New Mexico State Office  
Moab Field Office  
Vernal Field Office  
MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217  
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801  
Irene Anderson (UT-932)  
Teresa Thompson (UT-931)  
LaVerne Steah (UT-942)

STATE OF UTAH  
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.  
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER: _____	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name: _____
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name: _____
4. Location of Well Footages: QQ, Sec, T., R., M.: _____	8. Well Name and Number: VARIOUS
	9. API Well Number _____
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Other _____	<input type="checkbox"/> Abandon* <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input checked="" type="checkbox"/> Other <u>OPERATOR NAME CHANGE FOR WELLS</u>
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recomplete <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off
Approximate date work will start _____	Date of work completion _____
	Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	*Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)


Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.

  
John R. Lewis  
Sr. Vice-President - CNG Producing Company

**RECEIVED**

JUN 29 2000

DIVISION OF  
OIL, GAS AND MINING

13. Name & Signature:  Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

(This space for State use only)

**Dominion Exploration & Production, Inc.**  
1450 Poydras Street, New Orleans, LA 70112-6000  
Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson  
Utah Board of Oil Gas & Mining  
1594 West North Temple  
Suite 1210  
Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitana  
Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

**RECEIVED**

**JUN 29 2000**

**DIVISION OF  
OIL, GAS AND MINING**

552894  
CO 106990  
File Number



**State of Utah**  
DEPARTMENT OF COMMERCE  
Division of Corporations & Commercial Code

**Application To Amend The  
CERTIFICATE OF AUTHORITY OR  
REGISTRATION of**

Check Appropriate Box		
<input checked="" type="checkbox"/>	Foreign Profit Corporation	\$35.00
<input type="checkbox"/>	Foreign Non-Profit Corporation	\$35.00
<input type="checkbox"/>	Foreign Limited Partnership	\$25.00
<input type="checkbox"/>	Foreign Limited Liability Company	\$35.00

CNG Producing Company  
Business Entity Name

Delaware  
Name of Home State

**I. AMENDING THE BUSINESS NAME**

The business name is changed to: Dominion Exploration & Production, Inc.

The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

(The corporation shall use its name as set forth on it, unless this name is not available)

**NOTE:** If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- The name of the corporation is changing its name in Utah to the new name of the corporation in the home state.
- The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

**II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE**

The business period of duration is changed to: \_\_\_\_\_

**III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION**

The corporation's state or country of incorporation/registration is changed to: \_\_\_\_\_

**IV. Other:** \_\_\_\_\_

(Limited Partnership changing General Partners, Limited Companies changing Members or Managers, Change of statement who is managing, etc.)  
Use an attached sheet if needed.

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

[Signature]  
Signature

Vice President & Corporate Secretary  
Title

April 20 2000  
Date

State of Utah  
Department of Commerce  
Division of Corporations and Commercial Code

I hereby certify that the foregoing has been filed and approved on this 25 day of April, 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner [Signature] Date 2/1/00



[Signature]  
DIRECTOR

Date: 04/25/2000

Receipt Number: 22156

Amount Paid: \$50.00

STATE OF UTAH  
DIVISION OF CORPORATIONS  
AND COMMERCIAL CODE  
160 East 300 South / Box 146705  
Salt Lake City, UT 84114-6705  
Service Center: (801) 530-4849  
Web Site: <http://www.commerce.state.ut.us>

**FILED**

**APR 25 2000**

**EXHIBIT A**  
**OIL & GAS LEASES AFFECTED BY THE NAME CHANGE**

U-01470-A	U-017713	U-46825
U-01790	U-035316	U-62232
U-02896-A	U-037164	UTU-66743
U-03505	U-0143519	UTU-68108
U-03576	U-0143520-A	UTU-68388
U-013429-A	U-0143521-A	UTU-68625
U-013765	U-0147541	UTU-69166
U-013766	U-0147541-A	UTU-73011
U-013767	U-3405	UTU-73433
U-013769	U-7206	UTU-76499
U-013769-A	U-9803	UTU-76500
U-013769-B	U-10291	UTU-76717
U-013769-C	U-16544	UTU-76718
U-013792	U-19266	
U-013793	U-28203	U-60759 (CA)
U-013793-A	U-29784	U-60940 (CA)
U-013794	U-30693	UTU-77360 (CA)
U-013818-A	U-37246	U-63054X (River Bend)
U-013820	U-39221	UTU-73218X
U-013821-A	U-43156	(West Willow Creek Unit)

api	well_name	well_status_main	lease_num
4304732111	RBU 7-15F	LA	14-20-H62-2645
4304732189	RBU 13-10F	P	14-20-H62-2645
4304730768	RBU 7-22F	P	14-20-H62-2646
4304732109	RBU 15-15F	LA	14-20-H62-2646
4304732844	RBU 15-15F	P	14-20-H62-2646
4304732269	RBU 4-15F	PA	INDIAN
4304733360	RBU 1-16F	DRL	ML-3393
4304731980	STATE 2-36E	LA	ML-42175
4304731801	RIVER BEND U 2-10D	S	U-013429-A
4304731551	RBU 10X-15E	PA	U-013760
4304731716	RIVER BEND U 7-13E	LA	U-013765
4304731718	RBU 15-13E	LA	U-013765
4304732600	RBU 1-21EO	P	U-013766
4304733033	RBU 7-23E	P	U-013766
4304733160	RBU 8-15E	P	U-013766
4304733272	RBU 13-3F	P	U-013767
4304733366	RBU 5-18F	P	U-013769
4304732991	RBU 6-19F	P	U-013769-A
4304733157	RBU 7-19F	P	U-013769-A
4304732454	RBU 9-14EO	P	U-013792
4304732514	RBU 8-14EO	LA	U-013792
4304732678	RBU 13-22EO	LA	U-013792
4304732989	RBU 13-10E	P	U-013792
4304733156	RBU 4-14E	P	U-013792
4304733161	RBU 16-10E	P	U-013792
4304733194	RBU 2-14E	P	U-013792
4304733365	RBU 12-14E	P	U-013792
4304732990	RBU 13-18F2	P	U-013793
4304732396	RBU 3-21F	P	U-013793-A
4304732407	RBU 15-14F	P	U-013793-A
4304732408	RBU 4-23F	P	U-013793-A
4304732899	RBU 3-14F	P	U-013793-A
4304732900	RBU 8-23F	P	U-013793-A
4304732972	RBU 1-21F	P	U-013793-A
4304733087	RBU 6-23F	P	U-013793-A
4304733158	RBU 7-20F	P	U-013793-A
4304733424	RBU 5-20F	P	U-013793-A
4304732392	RBU 11-14F	P	U-013793A
4304731719	RBU 5-24E	LA	U-013794
4304732483	RBU 5-24EO	P	U-013794
4304733034	RBU 9-18F	P	U-013794
4304733159	RBU 7-24E	P	U-013794
4304731352	RBU 16-3D	P	U-013820
4304733599	RBU 1-1D	APD	U-013820
4304733090	RBU 11-22F	P	U-0143519
4304733089	RBU 8-22F	P	U-0143521
4304732901	RBU 12-23F	P	U-01470-A
4304733091	RBU 16-22F	P	U-01470-A
4304733368	RBU 14-23F	P	U-01470-A
4304731138	RBU 11-34B	P	U-017713
4304731724	RBU 11-35B	S	U-017713
4304732094	RBU 13-35B	P	U-017713
4304732222	RBU 15-35B	S	U-017713
4304730585	RBU 7-11F	P	U-01790
4304732512	RBU 8-11F	P	U-01790
4304731739	RBU 9-9E	P	U-03505
4304732415	RBU 3-10EX (RIG SKID)	P	U-035316
4304733035	RBU 14-19F	P	U-13769-A
4304731881	APACHE 12-25	S	U-3405
4304732417	FEDERAL 3-25B	P	U-39221
4304731782	SADDLE TREE DRAW 13-34	LA	U-57598
4304732934	RBU 3-10F	P	U-7206
4304732969	RBU 11-10F	P	U-7206
4304732970	RBU 12-15F	P	U-7206
4304732971	RBU 15-16F	P	U-7206

**OPERATOR CHANGE WORKSHEET**

<del>1-KAS</del>	4-KAS
2-CDW	5-SP ✓
3-JLT	6-FILE

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold)                      Designation of Agent  
**X Operator Name Change Only**                      Merger

The operator of the well(s) listed below has changed, effective: 4-12-00

**TO:**(New Operator) DOMINION EXPL & PROD INC.  
 Address: 1450 POYDRAS STREET  
NEW ORLEANS, LA 70112-6000  
 Phone: 1-(504)-593-7000  
 Account No. N1095

**FROM:**(Old Operator) CNG PRODUCING COMPANY  
 Address: 1450 POYDRAS STREET  
NEW ORLEANS, LA 70112-6000  
 Phone: 1-(504)-593-7000  
 Account No. N0605

WELL(S):	CA Nos.	or	RIVER BEND	Unit
Name: <u>RBU 1-21F</u>	API: <u>43-047-32972</u>	Entity: <u>7050</u>	S 21 T 10S R 20E	Lease: <u>U-013793-A</u>
Name: <u>RBU 6-23F</u>	API: <u>43-047-33087</u>	Entity: <u>7050</u>	S 23 T 10S R 20E	Lease: <u>U-013793-A</u>
Name: <u>RBU 5-20F</u>	API: <u>43-047-33424</u>	Entity: <u>7050</u>	S 20 T 10S R 20E	Lease: <u>U-013793-A</u>
Name: <u>RBU 11-14F</u>	API: <u>43-047-32392</u>	Entity: <u>7050</u>	S 14 T 10S R 20E	Lease: <u>U-013793-A</u>
Name: <u>RBU 9-18F</u>	API: <u>43-047-33034</u>	Entity: <u>7050</u>	S 18 T 10S R 20E	Lease: <u>U-013794</u>
Name: <u>RBU 7-24E</u>	API: <u>43-047-33159</u>	Entity: <u>7050</u>	S 24 T 10S R 19E	Lease: <u>U-013794</u>
Name: <u>RBU 16-3D</u>	API: <u>43-047-31352</u>	Entity: <u>7070</u>	S 03 T 10S R 18E	Lease: <u>U-013820</u>
Name: <u>RBU 11-22F</u>	API: <u>43-047-33090</u>	Entity: <u>7050</u>	S 22 T 10S R 20E	Lease: <u>U-0143519</u>
Name: <u>RBU 8-22F</u>	API: <u>43-047-33089</u>	Entity: <u>7050</u>	S 22 T 10S R 20E	Lease: <u>U-0143521</u>
Name: <u>RBU 12-23F</u>	API: <u>43-047-32901</u>	Entity: <u>7050</u>	S 23 T 10S R 20E	Lease: <u>U-01470-A</u>
Name: <u>RBU 16-22F</u>	API: <u>43-047-33091</u>	Entity: <u>7050</u>	S 22 T 10S R 20E	Lease: <u>U-01470-A</u>
Name: <u>RBU 14-23F</u>	API: <u>43-047-33368</u>	Entity: <u>7050</u>	S 23 T 10S R 20E	Lease: <u>U-01470-A</u>
Name: <u>RBU 8-11F</u>	API: <u>43-047-32512</u>	Entity: <u>7050</u>	S 11 T 10S R 20E	Lease: <u>U-01790</u>
Name: <u>RBU 9-9E</u>	API: <u>43-047-31739</u>	Entity: <u>7050</u>	S 09 T 10S R 19E	Lease: <u>U-03505</u>
Name: <u>RBU 3-10EX</u>	API: <u>43-047-32415</u>	Entity: <u>7050</u>	S 10 T 10S R 19E	Lease: <u>U-035316</u>
Name: <u>RBU 14-19F</u>	API: <u>43-047-33035</u>	Entity: <u>7050</u>	S 19 T 10S R 20E	Lease: <u>U-13769-A</u>
Name: <u>RBU 3-10F</u>	API: <u>43-047-32934</u>	Entity: <u>7050</u>	S 10 T 10S R 20E	Lease: <u>U-7206</u>
Name: <u>RBU 11-10F</u>	API: <u>43-047-32969</u>	Entity: <u>7050</u>	S 10 T 10S R 20E	Lease: <u>U-7206</u>
Name: <u>RBU 12-15F</u>	API: <u>43-047-32970</u>	Entity: <u>7050</u>	S 15 T 10S R 20E	Lease: <u>U-7206</u>
Name: <u>RBU 15-16F</u>	API: <u>43-047-32971</u>	Entity: <u>7050</u>	S 16 T 10S R 20E	Lease: <u>U-7206</u>

**OPERATOR CHANGE DOCUMENTATION**

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00.
- YES 4. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? **Yes/No** If yes, the company file number is SEE ATTACHED. If no, Division letter was mailed to the new operator on \_\_\_\_\_.

- YES 5. **Federal and Indian Lease Wells.** The BLM or the BIA has approved the merger, name change or operator change for all wells listed above involving Federal or Indian leases on 6-2-00.
- N/A 6. **Federal and Indian Units.** The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on \_\_\_\_\_.
- N/A 7. **Federal and Indian Communitization Agreements ("CA").** The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on \_\_\_\_\_.
- N/A 8. **Underground Injection Control ("UIC") Program.** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
- YES 9. Changes have been entered in the **Oil and Gas Information System** for each well listed on 8-1-00.
- YES 10. Changes have been included on the **Monthly Operator Change letter** on 8-1-00.

---

### STATE BOND VERIFICATION

- N/A 1. State Well(s) covered by Bond No. \_\_\_\_\_.

---

### FEE WELLS - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION

- N/A 1. (R649-3-1) The **NEW** operator of any fee lease well(s) listed above has furnished a proper bond.
- N/A 2. A copy of this form has been placed in the **new and former operator's bond files** on \_\_\_\_\_.
- N/A 3. The **FORMER** operator has requested a release of liability from their bond as of today's date \_\_\_\_\_? If yes, Division response was made to this request by letter dated \_\_\_\_\_. (see bond file).
- N/A 4. (R649-2-10) The **Former** operator of any Fee lease wells listed above has been contacted and informed by letter dated \_\_\_\_\_, of their responsibility to notify all interest owners of this change.
- N/A 5. Bond information added to **RBDMS** on \_\_\_\_\_.
- N/A 6. Fee wells attached to bond in **RBDMS** on \_\_\_\_\_.

---

### FILMING

- \_\_\_\_ 1. All attachments to this form have been **microfilmed** on 2.23.01.

---

### FILING

- \_\_\_\_ 1. **Originals/Copies** of all attachments pertaining to each individual well have been filed in each **well file**.
- \_\_\_\_ 2. The **original of this form** has been filed in the operator file and a copy in the old operator file.

---

### COMMENTS

---

---

---

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**READ INSTRUCTIONS - Other instructions on reverse side**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. <b>UT-013792</b>
2. Name of Operator <b>DOMINION EXPLORATION &amp; PRODUCTION, INC.</b>		6. If Indian, Allottee or Tribe Name
3a. Address <b>16945 NORTHCHASE DRIVE, SUITE 1750 HOUSTON, TEXAS 77060</b>		7. If Unit or CA/Agreement, Name and/or No. <b>RIVERBEND UNIT</b>
3b. Phone No. (include area code) <b>281/873-3692</b>		8. Well Name and No. <b>RBU 3-10EX</b>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>1848' FWL &amp; 261' FNL NE NW SEC. 10, T10S, R19E</b>		9. API Well No. <b>43-047-32415</b>
		10. Field and Pool, or Exploratory Area <b>NATURAL BUTTES</b>
		11. County or Parish, State <b>UINTAH COUNTY, UTAH</b>

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input checked="" type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Run dump line</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>&amp; cover reserve pit</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Coompleted Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Dominion requests permission to install a 2" blow line at the production tank and run a 1" dump line to the production tank in order to pull off water from the bottom of the tank. All water will be hauled off location and disposed of at the RBU 16-19F disposal well.

Dominion also requests permission to cover the reserve pit. The pit area will be recontoured to the approximate natural contours and will be completely dry before any work takes place. The area will also be reseeded using the appropriate mixture for this area.

Federal Approval Of This  
Action Is Necessary

Accepted by the  
Utah Division of  
Oil, Gas and Mining

**RECEIVED**

MAR 15 2001

COPIES TO OIL & GAS DIVISION  
Date: 3-20-01  
Initial: CVD

Date: 3-20-01  
By: R. A. M. K.

DIVISION OF  
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) <b>DIANN FLOWERS</b>	Title <b>REGULATORY SPECIALIST</b>
Signature <i>Diann Flowers</i>	Date <b>MARCH 15, 2001</b>

**FOR OFFICE USE**

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.**

*Support INTRPL to other Instructions on reverse side*

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
 Dominion Exploration & Production, Inc.

3a. Address                      Suite 600  
 14000 Quail Springs Parkway, OKC, OK 73134

3b. Phone No. (include area code)  
 (405) 749-5263

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
 261' FNL & 1848' FWL, Sec. 10-10S-19E

5. Lease Serial No.  
 U-013792

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
 RBU 3-10EX

9. API Well No.  
 43-047-32415

10. Field and Pool, or Exploratory Area  
 Natural Buttes

11. County or Parish, State  
 Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

1/12/05 thru 1/14/05 Perf intervals 3, 7468 - 7486, 3 spf, 54 holes. Interval 4, 7265 - 7273, 6 spf, 48 holes. Interval 5 5788 - 5798, 5 spf, 50 holes. 1/17/05 frac interval 3 w/40,530# 20/40 Ottawa sd., w/261.9 mscf of N2 and 505 bbls of YF120ST. 1/18/05 frac interval 4 w/21,550# 20/40 Ottawa sd., w/130.2 mscf of N2 and 265 bbls of YF120ST. 1/20/05 frac interval 5 w/30,077# 20/40 Ottawa sd., w/100 bbls N2 and 342 bbls of YF120ST. Well back on line 1/23/05.

RECEIVED  
 FEB 22 2005  
 DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)                      Title  
 Carla Christian                                      Regulatory Specialist

Signature                      *Carla Christian*                      Date                      2/15/2005

APPROVED BY

Approved by                      Title                      Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

**X - Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

<b>FROM: (Old Operator):</b> N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134  Phone: 1 (405) 749-1300	<b>TO: ( New Operator):</b> N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102  Phone: 1 (817) 870-2800
--	--

CA No.		Unit:		RIVER BEND				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- 4a. Is the new operator registered in the State of Utah: \_\_\_\_\_ Business Number: 5655506-0143
- 4b. If **NO**, the operator was contacted on: \_\_\_\_\_
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a
- 5c. Reports current for Production/Disposition & Sundries on: ok
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
7. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: \_\_\_\_\_
8. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 9/27/2007
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
3. Bond information entered in RBDMS on: 9/27/2007
4. Fee/State wells attached to bond in RBDMS on: 9/27/2007
5. Injection Projects to new operator in RBDMS on: 9/27/2007
6. Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

**BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: UTB000138
2. Indian well(s) covered by Bond Number: n/a
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
- 3b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008

The Division sent response by letter on:

**LEASE INTEREST OWNER NOTIFICATION:**

4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

**COMMENTS:**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: XTO Energy Inc. <i>N2615</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		8. WELL NAME and NUMBER: SEE ATTACHED
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: SEE ATTACHED
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc. *N1095*  
14000 Quail Springs Parkway, Suite 600  
Oklahoma City, OK 73134

*James D. Abercrombie* (405) 749-1300  
James D. Abercrombie  
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) Edwin S. Ryan, Jr. TITLE Sr. Vice President - Land Administration  
SIGNATURE *Edwin S. Ryan, Jr.* DATE 7/31/2007

(This space for State use only)

**APPROVED** 9127107  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

**RECEIVED**  
**AUG 06 2007**  
DIV. OF OIL, GAS & MINING

## N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

## RIVER BEND UNIT

api	well name	qtr	qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304730759	RBU 11-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304730762	RBU 6-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P	
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A	
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S	
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P	
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731160	RBU 3-15E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731196	RBU 3-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792	7050	Federal	GW	P	
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304731369	RBU 3-13E	NENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B	7050	Federal	GW	P	
4304731605	RBU 9-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731606	RBU 3-22E	NENW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304731615	RBU 4-22F	NWNW	22	100S	200E	U-0143521-A	7050	Federal	GW	S	
4304731652	RBU 6-17E	SWNW	17	100S	190E	U-03535	7050	Federal	GW	P	
4304731715	RBU 5-13E	SWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731717	RBU 13-13E	SWSW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304731739	RBU 9-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P	
4304732033	RBU 13-14E	SWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732037	RBU 11-3E	NESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732038	RBU 6-18F	SENW	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A	
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P	
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732103	RBU 15-17F	SWSE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732105	RBU 13-19F	SWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732107	RBU 1-21E	NENE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732128	RBU 9-21E	NESE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732129	RBU 9-17E	NESE	17	100S	190E	U-03505	7050	Federal	GW	P	
4304732133	RBU 13-14F	SWSW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732134	RBU 9-11F	NESE	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732138	RBU 5-21F	SWNW	21	100S	200E	U-013793	7050	Federal	GW	P	
4304732146	RBU 1-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P	
4304732149	RBU 8-18F	SENE	18	100S	200E	U-013769	7050	Federal	GW	P	
4304732153	RBU 13-23E	SWSW	23	100S	190E	U-13766	7050	Federal	GW	P	
4304732154	RBU 5-24E	SWNW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732156	RBU 5-14F	SWNW	14	100S	200E	U-013793A	7050	Federal	GW	P	
4304732166	RBU 7-15E	SWNE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732167	RBU 15-13E	SWSE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732189	RBU 13-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P	
4304732190	RBU 15-10E	SWSE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732191	RBU 3-17FX	NENW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732197	RBU 13-15E	SWSW	15	100S	190E	U-013766	7050	Federal	GW	P	
4304732198	RBU 7-22E	SWNE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732199	RBU 5-23E	SWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304732201	RBU 13-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	S	
4304732211	RBU 15-15E	SWSE	15	100S	190E	U-013766	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr	qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304732213	RBU 5-19F	SWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732217	RBU 9-17F	NESE	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732219	RBU 15-14E	SWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304732220	RBU 5-3E	SWNW	03	100S	190E	U-03505	7050	Federal	GW	P	
4304732228	RBU 9-3E	NESE	03	100S	190E	U-035316	7050	Federal	GW	P	
4304732239	RBU 7-14E	SWNE	14	100S	190E	U-103792	7050	Federal	GW	P	
4304732240	RBU 9-14F	NESE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732242	RBU 5-22E	SWNW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732263	RBU 8-13E	SENE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304732266	RBU 9-21F	NESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732267	RBU 5-10F	SWNW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732268	RBU 9-10F	NESE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732269	RBU 4-15F	NWNW	15	100S	200E	INDIAN	7050	Indian	GW	PA	
4304732270	RBU 14-22F	SESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304732276	RBU 5-21E	SWNW	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732289	RBU 7-10E	SWNE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732290	RBU 5-17F	SWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P	
4304732293	RBU 3-3E	NENW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304732295	RBU 13-22E	SWSW	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732301	RBU 7-21E	SWNE	21	100S	190E	U-013766	7050	Federal	GW	P	
4304732309	RBU 15-21F	SWSE	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732310	RBU 15-20F	SWSE	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732312	RBU 9-24E	NESE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304732313	RBU 3-20F	NENW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732315	RBU 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304732317	RBU 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P	
4304732328	RBU 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304732331	RBU 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732347	RBU 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P	
4304732391	RBU 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S	
4304732392	RBU 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732396	RBU 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732407	RBU 15-14F	SWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732408	RBU 4-23F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732415	RBU 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316	7050	Federal	GW	P	
4304732483	RBU 5-24EO	SWNW	24	100S	190E	U-013794	11719	Federal	OW	S	
4304732512	RBU 8-11F	SENE	11	100S	200E	U-01790	7050	Federal	GW	P	
4304732844	RBU 15-15F	SWSE	15	100S	200E	14-20-H62-2646	7050	Indian	GW	P	
4304732899	RBU 3-14F	NENW	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732900	RBU 8-23F	SENE	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732901	RBU 12-23F	NWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304732902	RBU 1-15F	NENE	15	100S	200E	U-7260	7050	Federal	GW	S	
4304732903	RBU 3-15F	NENW	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732904	RBU 9-15F	NESE	15	100S	200E	U-7260	7050	Federal	GW	P	
4304732934	RBU 3-10F	NENW	10	100S	200E	U-7206	7050	Federal	GW	P	
4304732969	RBU 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	tpw	rng	lease num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15	100S	200E	U-7206	7050	Federal	GW	P	
4304732971	RBU 15-16F	SWSE	16	100S	200E	U-7206	7050	Federal	GW	S	
4304732972	RBU 1-21F	NENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304732989	RBU 13-10E	SWSW	10	100S	190E	U-013792	7050	Federal	GW	P	
4304732990	RBU 13-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304732991	RBU 6-19F	SENW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733033	RBU 7-23E	NWNE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733034	RBU 9-18F	NESE	18	100S	200E	U-013794	7050	Federal	GW	P	
4304733035	RBU 14-19F	SESW	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733087	RBU 6-23F	SENW	23	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733088	RBU 1-10F	NENE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733089	RBU 8-22F	SENE	22	100S	200E	U-0143521	7050	Federal	GW	P	
4304733090	RBU 11-22F	NESW	22	100S	200E	U-0143519	7050	Federal	GW	P	
4304733091	RBU 16-22F	SESE	22	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733156	RBU 4-14E	NWNW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733157	RBU 7-19F	SWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P	
4304733158	RBU 7-20F	SWNE	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733159	RBU 7-24E	SWNE	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733160	RBU 8-15E	SENE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304733161	RBU 16-10E	SESE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733194	RBU 2-14E	NWNE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733272	RBU 13-3F	SWSW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733361	RBU 5-3F	SWNW	03	100S	200E	U-013767	7050	Federal	GW	P	
4304733362	RBU 15-10F	SWSE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304733363	RBU 5-16F	SWNW	16	100S	200E	U-7206	7050	Federal	GW	P	
4304733365	RBU 12-14E	NWSW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733366	RBU 5-18F	SWNW	18	100S	200E	U-013769	7050	Federal	GW	P	
4304733367	RBU 10-23F	NWSE	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304733368	RBU 14-23F	SESW	23	100S	200E	U-01470-A	7050	Federal	GW	S	
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P	
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P	
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P	
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P	
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P	
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P	
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P	
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P	
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P	
4304734670	RBU 8-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734671	RBU 4-24E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P	
4304734701	RBU 12-11F	SENW	11	100S	200E	U-7206	7050	Federal	GW	P	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304734702	RBW 2-15E	NWNE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734703	RBW 4-17F	NWNW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734745	RBW 10-20F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734749	RBW 7-18F	SWNE	18	100S	200E	U-013769	7050	Federal	GW	P
4304734750	RBW 12-10F	SWSW	10	100S	200E	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBW 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734812	RBW 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBW 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBW 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBW 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBW 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBW 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBW 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBW 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBW 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBW 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBW 6-22E	SENW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBW 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBW 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBW 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBW 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBW 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBW 8-19F	SENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734946	RBW 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBW 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBW 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBW 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBW 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBW 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBW 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBW 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBW 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBW 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBW 14-10E	NENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734976	RBW 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBW 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBW 6-15E	SENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBW 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBW 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBW 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBW 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBW 2-20F	NWNE	20	100S	200E	U-03505	7050	Federal	GW	P
4304734987	RBW 9-20E	SWNW	21	100S	190E	U-03505	7050	Federal	GW	P
4304734989	RBW 7-20E	NENE	20	100S	190E	U-03505	7050	Federal	GW	P
4304734990	RBW 8-20E	SWNW	21	100S	190E	U-03505	14164	Federal	GW	P
4304735041	RBW 16-23E	SWSE	23	100S	190E	U-013766	7050	Federal	GW	P

## N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

## RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304735042	RBU 12-22E	NWSW	22	100S	190E	U-013792	14165	Federal	GW	P
4304735058	RBU 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBU 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBU 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBU 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBU 6-24E	SENW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBU 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBU 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBU 2-3E	NWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304735088	RBU 6-3E	SENW	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBU 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBU 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBU 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBU 6-21F	SENW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBU 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBU 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBU 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBU 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBU 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBU 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBU 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBU 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBU 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBU 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBU 11-23F	SENW	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBU 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304735640	RBU 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBU 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304735645	RBU 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736200	RBU 8-17E	SWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736201	RBU 15-17EX	SWSE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736293	RBU 2-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	P
4304736294	RBU 6-10E	NENW	10	100S	190E	U-013792	7050	Federal	GW	P
4304736296	RBU 6-21E	SENW	21	100S	190E	U-013766	7050	Federal	GW	P
4304736297	RBU 10-22E	NWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304736318	RBU 14-22E	SESW	22	100S	190E	U-013792	7050	Federal	GW	P
4304736427	RBU 9-15E	NESE	15	100S	190E	U-013766	7050	Federal	GW	DRL
4304736428	RBU 2-17E	NWNE	17	100S	190E	U-013766	7050	Federal	GW	P
4304736429	RBU 1-17E	NENE	17	100S	190E	U-013766	7050	Federal	GW	DRL
4304736432	RBU 3-19F2	NWNW	19	100S	200E	U-013769-A	15234	Federal	GW	P
4304736433	RBU 14-17F	SESW	17	100S	200E	U-03505	7050	Federal	GW	P
4304736434	RBU 2-19F	NWNE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304736435	RBU 5-19FX	SWNW	19	100S	200E	U-013769-A	15855	Federal	GW	P
4304736436	RBU 4-20F	NWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304736605	RBU 16-14F	SESE	14	100S	200E	U-013793A	7050	Federal	GW	P
4304736608	RBU 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr	qtr	sec	tpw	rng	lease num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03	100S	190E	U-013765	7050	Federal	GW	P	
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P	
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P	
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL	
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P	
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P	
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P	
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL	
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P	
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P	
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P	
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P	
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P	
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S	
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P	
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL	
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P	
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P	
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL	
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL	
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL	
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL	
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL	
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL	
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P	
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL	
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792	7050	Federal	GW	DRL	
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	DRL	
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL	

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	tpw	rng	lease_num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SEnw	02	100S	200E	ML-10716	11377	State	OW	PA
4304730260	RBU 11-16E	NEsw	16	100S	190E	ML-13214	7050	State	GW	S
4304730583	RBU 11-36B	NEsw	36	090S	190E	ML-22541	99998	State	NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998	State	NA	PA
4304730760	RBU 11-2F	NEsw	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716	7050	State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SEsw	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NEsw	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NEsw	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304735348	RBU 13-16F	NWNW	21	100S	200E	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

Dominion Exploration & Production, Inc.  
Attn: James D. Abercrombie  
14000 Quail Springs Parkway, #600  
Oklahoma City, OK 73134-2600

August 10, 2007

Re: River Bend Unit  
Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

*/s/ Greg J. Noble*

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

RECEIVED  
AUG 16 2007  
DIV. OF OIL, GAS & MINING

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-035316
		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>
<b>1. TYPE OF WELL</b> Gas Well	<b>7. UNIT or CA AGREEMENT NAME:</b> RIVER BEND	
<b>2. NAME OF OPERATOR:</b> XTO ENERGY INC	<b>8. WELL NAME and NUMBER:</b> RBU 3-10EX (RIG SKID)	
<b>3. ADDRESS OF OPERATOR:</b> PO Box 6501 , Englewood, CO, 80155	<b>PHONE NUMBER:</b> 303 397-3727 Ext	<b>9. API NUMBER:</b> 43047324150000
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0261 FNL 1848 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NENW Section: 10 Township: 10.0S Range: 19.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> NATURAL BUTTES	
	<b>COUNTY:</b> UINTAH	
	<b>STATE:</b> UTAH	

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input checked="" type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 5/24/2013	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. has performed an acid treatment on this well per the following: 5/21/2013: MIRU acid crew. Pmpd 750 gal 15% HCl ac dwn csg w/40 bbl wtr flush. RDMO ac crew. SWI & SDFPBU. 5/23/2013: MIRU SWU. Swab. SWI & SDFN. 5/24/2013: Swab. Dropd plngr. RDMO SWU. RWTP.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY  
June 19, 2013**

<b>NAME (PLEASE PRINT)</b> Barbara Nicol	<b>PHONE NUMBER</b> 303-397-3736	<b>TITLE</b> Regulatory Compliance Tech
<b>SIGNATURE</b> N/A	<b>DATE</b> 6/4/2013	