



June 15, 1993

Utah Division of Oil, Gas & Mining
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Attn: Tammi Searing

Re: PG & E Resources Company
#15-24B Federal
SW SE Sec. 24, T9S - R19E
Uintah County, Utah

Dear Tammi,

Enclosed please find three copies of the Application for Permit to Drill on the above mentioned well, along with the required drilling program and the surface use plan which was filed with the Bureau of Land Management in Vernal, Utah.

Please note that a copy of the Application to Appropriate Water is attached.

Due to rig availability in the immediate area, your early approval of the enclosed application would be greatly appreciated. Please forward the approved copies to Jim LaFevers, PG & E Resources Company at the address shown on the A.P.D. Thanks for your assistance in this matter.

Sincerely,

PERMITCO INC.

Lisa L. Smith
Consultant for:
PG & E Resources Company

Enc.

cc: PG & E Resources Company - Dallas, TX
PG & E Resources Company - Vernal, UT

RECEIVED

JUN 16 1993

DIVISION OF
OIL, GAS & MINING

Permitco Incorporated
A Petroleum Permitting Company

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

CONFIDENTIAL - TIGHT HOLE

5. Lease Designation and Serial No.
UTU-68625

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work
DRILL [X] DEEPEN [] PLUG BACK []

6. If Indian, Allottee or Tribe Name
N/A

b. Type of Well
Oil Well [X] Gas Well [] Other []
Single Zone [X] Multiple Zone []

7. Unit Agreement Name
N/A

2. Name of Operator
214/750-3800 6688 N. Central Expressway, Suite 1000
PG & E Resources Company Dallas, TX 75206

8. Farm or Lease Name
Federal

3. Address of Operator
303/452-8888 13585 Jackson Drive
Permitco Inc. - Agent Denver, CO 80241

9. Well No.
#15-24B

4. Location of Well (Report location clearly and in accordance with any State requirements.*)
At surface 491' FSL and 1397' FEL (Exception location)
At proposed prod. zone SW SE Sec. 24

10. Field and Pool, or Widcat
Natural Buttes 630

11. Sec., T., R., M., OR Blk.
and Survey or Area

Sec. 24, T9S - R19E

14. Distance in miles and direction from nearest town or post office*
7.2 miles southwest of Ouray, UT

JUN 16 1993

12. County or Parrish
13. State
Uintah Utah

15. Distance from proposed* location to nearest property or lease line, ft.
(Also to nearest drlg. line, if any)
50'

16. No. of acres in lease
1667.76

17. No. of acres assigned to this well
40

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.
Approx. 2500'

19. Proposed depth
5425'

20. Rotary or cable tools
Rotary

21. Elevations (Show whether DF, RT, GR, etc.)
4721' GR

22. Approx. date work will start*

Upon approval of this application

Table with 5 columns: Size of Hole, Size of Casing, Weight per Foot, Setting Depth, Quantity of Cement. Rows include 12-1/4" casing, 9-5/8" casing, 36# weight, 400' depth, 170 sx or suffic to circ to surf.

zones of interest.

PG & E Resources Company proposes to drill a well to 5425' to test the Green River formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

See Onshore Order No. 1 attached.

Bond coverage for this well is provided under Bond No. 8063-38-07 and 8057-26-00.

This location was staked at non-standard footages in accordance with the rules and regulations of the State of Utah, Division of Oil Gas and Mining, due to an endangered species of cactus, and paleontology. PG & E Resources Company is the lessee of all of Section 24, T9S - R19E. We therefore, request administrative approval of this exception location.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Signed [Signature]

Consultant for:

Title PG & E Resources Co. Date 06/15/93

(This space for Federal or State office use)

Permit No. 43-047-30400 Approval Date

Approved by

Conditions of approval, if any:

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 6-18-93 BY: [Signature] WELL SPACING: 649-3-3

*See Instructions On Reverse Side

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **214/750-3800 6688 N. Central Expressway, Suite 1000**
PG & E RESOURCES COMPANY Dallas, TX 75206

3. Address and Telephone No. **303/452-8888 13585 Jackson Drive**
PERMITCO INC. - Agent Denver, CO 80241

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)
340' FSL and 2050' FEL (Original Location)
491' FSL and 1397' FEL (New Location)

5. Lease Designation and Serial No.
UTU-68625

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
N/A

8. Well Name and No.
Federal #15-24B

9. API Well No.

10. Field and Pool, or Exploratory Area
Natural Buttes 630

11. County or Parish, State
Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Move well location.
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracuring
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The A.P.D. for the original well location was submitted to your office on May 12, 1993. This location had been staked in order to avoid an endangered species of cactus and to avoid paleontology in the area.

Unfortunately, this location fell at non-standard spacing in accordance with the rules and regulations of the State of Utah, Division of Oil, Gas & Mining and PG & E was unable to obtain an exception to spacing from an off-set operator. Therefore, the location has been moved to the revised footages shown above. Attached please find copies of the revised survey plat, wellpad diagram and Maps A and B.

If you should have any questions regarding the subject matter, please contact Mr. Jim LaFevers at 214/750-3800.

RECEIVED
JUN 16 1993
DIVISION OF
OIL GAS & MINING

cc: **State of Utah - Division of Oil, Gas & Mining
PG & E Resources Company - Dallas, TX
PG & E Resources Company - Vernal, UT**


14. I hereby certify that the foregoing is true and correct
 Signed *David G. Smith* Title **PG & E Resources Company** Date **06/15/93**

(This space for Federal or State office use)
 Approved by _____ Title _____ Date _____
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

***See Instruction on Reverse Side**

T9S, R19E, S.L.B.&M.




PG&E RESOURCES COMPANY

Well location, #15-24B FEDERAL, located as shown in the SW 1/4 SE 1/4 of Section 24, T9S, R19E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK 9EAM 1964 LOCATED IN THE SE 1/4 OF SECTION 13, T9S, R19E, S.L.B.&M. TAKEN FROM THE OURAY QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4658 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert J. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO. 5709
STATE OF UTAH

REVISED: 6-4-93 J.L.G.
REVISED: 5-4-93 J.L.G.

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(801) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED. (Brass Caps)

SCALE 1" = 1000'	DATE SURVEYED: 4-12-93	DATE DRAWN: 4-20-93
PARTY L.D.T. G.S. R.E.H.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE PG&E RESOURCES	

June 1, 1992

Bureau of Land Management

RE: Designation of Agent Authority


 Gentlemen:

Please be advised that Permitco, Inc. is hereby delegated authority to act as Agent on behalf of PG&E Resources Company and is authorized to execute any County, State and Federal permit applications and other related regulatory documents.

This authority is to remain in effect until further notification.

Should you have any questions regarding this issue, please contact the undersigned.

Sincerely,



Jim LaFevers
Regulatory Affairs Supervisor

JL\ap

wp51\jl\design.agt

CONFIDENTIAL - TIGHT HOLE

ONSHORE OIL & GAS ORDER NO. 1

**Approval of Operations on Onshore
Federal and Indian Oil & Gas Leases**

**#15-24B FEDERAL
340' FSL and 2050' FEL
SW SE Sec. 24, T9S - R19E
Uintah County, Utah**

Prepared For:

P G & E RESOURCES COMPANY

By:

**PERMITCO INC.
13585 Jackson Drive
Denver, Colorado 80241
303/452-8888**

RECEIVED

JUN 16 1993

**DIVISION OF
OIL, GAS & MINING**

Copies Sent To:

- 3 - BLM - Vernal, Utah**
- 1 - Utah Division of Oil, Gas & Mining - SLC, UT**
- 3 - PG & E Resources - Dallas, TX**
- 1 - PG & E Resources - Vernal, Utah**



Permitco Incorporated
A Petroleum Permitting Company

TABLE OF CONTENTS
#15-24B Federal

DRILLING PROGRAM

Page No.

1.	Formation Tops	1
2.	Anticipated Depth of Oil, Gas & Water	1-2
3.	Blow Out Preventor Requirements	2-3
4.	Casing and Cement Program	4
5.	Mud Program	7
6.	Testing, Logging and Coring	7-8
7.	Abnormal Pressures & H ₂ S Gas	9
8.	Other Information & Notification Requirements	9-11

SURFACE USE PLAN

1.	Existing Roads	1-2
2.	Access Roads to be Constructed or Reconstructed	2-3
3.	Location of Wells Within 1-Mile	3
4.	Proposed Production Facilities	4
5.	Water Supply	5
6.	Construction Materials	5
7.	Waste Disposal	5-6
8.	Ancillary Facilities	6
9.	Wellsite Layout	6-8
10.	Reclamation	8
11.	Surface/Mineral Ownership	9
12.	Other Information	9-11
13.	Certification	11

ONSHORE OIL & GAS ORDER NO. 1
Approval of Operations on Onshore
Federal and Indian Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Subsea</u>
Uinta	Surface	
Green River	905'	+3825'
B Marker	3650'	+1080'
Douglas Creek	4110'	+ 620'
D Marker	4340'	+ 390'
E Marker	4510'	+ 220'
E ₂ Marker	4620'	+ 110'
F Marker	4840'	- 110'
Basal Ls.	5180'	- 440'
Wasatch	5315'	- 585'
T.D.	5425'	(110' into Wasatch)

2. The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil	E ₂ Marker	4620'
Oil	F Marker	4840'
Water	N/A	
Other Mineral Zones	N/A	



All fresh water prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

3. PG & E's minimum specifications for pressure control equipment are as follows:

Ram Type: 10" Hydraulic double with annular, 3000 psi w.p.

Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 70 percent of internal yield pressure of casing. Pressure shall be maintained for at least 10 minutes or until requirements of test are met, whichever is longer. If a test plug is utilized, no bleed-off pressure is acceptable. For a test not utilizing a test plug, if a decline in pressure of more than 10 percent in 30 minutes occurs, the test shall be considered to have failed. Valve on casing head below test plug shall be open during test of BOP stack.

Annular type preventers (if used) shall be tested to 50 percent of rated working pressure. Pressure shall be maintained at least 10 minutes or until provisions of test are met, whichever is longer.

As a minimum, the above test shall be performed:

- a. when initially installed;
- b. whenever any seal subject to test pressure is broken
- c. following related repairs; and
- d. at 30-day intervals

Valves shall be tested from working pressure side during BOPE tests with all down stream valves open.

When testing the kill line valve(s) the check valve shall be held open or the ball removed.

Annular preventers shall be functionally operated at least weekly.



Pipe and blind rams shall be activated each trip, however, this function need not be performed more than once a day.

A BOPE pit level drill shall be conducted weekly for each drilling crew.

Pressure tests shall apply to all related well control equipment.

All of the above described tests and/or drills shall be recorded in the drilling log.

BOP systems shall be consistent with API RP53. Pressure tests will be conducted before drilling out from under casing strings which have been set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection will be recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have the BLM representative on location during pressure testing.

- a. The size and rating of the BOP stack is shown on the attached diagram. Although a rig has not been chosen to drill this well, most of the equipment for this depth of hole in the area use a 10", 3000 psi working pressure blowout preventor.
- b. A choke line and a kill line are to be properly installed. The kill line is not to be used as a fill-up line.
- c. The accumulator system shall have a pressure capacity to provide for repeated operation of hydraulic preventers.
- d. Drill string safety valve(s), to fit all tools in the drill string, are to be maintained on the rig floor while drilling operations are in progress.

4. a. The proposed casing and cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium other than cement shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat opposite a competent formation which will contain the maximum pressure to which it will be exposed during normal drilling operations. Determination of casing setting depth shall be based on all relevant factors, including; presence/absence of hydrocarbons; fracture gradients; usable water zones; formation pressures; lost circulation zones; other minerals; or other unusual characteristics. All indications of usable water shall be reported.
- b. Casing design shall assume formation pressure gradients of 0.44 to 0.50 psi per foot for exploratory wells (lacking better data).
- c. Casing design shall assume fracture gradients from 0.70 to 1.00 psi per foot for exploratory wells (lacking better data)
- d. Casing collars shall have a minimum clearance of 0.422 inches of all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.
- e. All waiting on cement times shall be adequate to achieve a minimum of 500 psi compressive strength at the casing shoe prior to drilling out.
- f. All casing except the conductor casing, shall be new or reconditioned and tested used casing that meets or exceeds API standards for new casing.
- g. The surface casing shall be cemented back to surface either during the primary cement job or by remedial cementing.
- h. All indications of usable water shall be reported to the authorized officer prior to running the next string of casing or before plugging orders are requested, whichever occurs first.



- i. Surface casing shall have centralizers on every fourth joint of casing starting with the shoe joint and up to the bottom of the cellar.
- j. Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable preflush fluid, inner string cement method, etc. shall be utilized to help isolate the cement from contamination by the mud fluid being displaced ahead of the cement slurry.
- k. All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or 1500 psi, whichever is greater, but not to exceed 70 percent of the minimum internal yield. If pressure declines more than 10 percent in 30 minutes, corrective action shall be taken.
- l. On all exploratory wells, and on that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.

m. The proposed casing program will be as follows:

<u>Purpose</u>	<u>Depth</u>	<u>Hole Size</u>	<u>O.D.</u>	<u>Weight</u>	<u>Grade</u>	<u>Type</u>	<u>New or Used</u>
Surface	0-400'	12-1/4"	9-5/8"	36#	K-55	ST&C	New
Produc.	0-5425'	7-7/8"	5-1/2"	14#	J-55	ST&C	New

n. Casing design subject to revision based on geologic conditions encountered.

o. The cement program will be as follows:

<u>Surface</u>	<u>Type and Amount</u>
0-400'	+ 170 sx Class "A" Cement or sufficient volume to circulate to surface.

Production

Type and Amount

Approx. 500 cubic feet of 50/50 Poz Mix, 14.1 ppg, 1.26 yield or sufficient to cover zones of interest (from T.D. to approx. 2425'.

- p. Anticipated cement tops will be reported as to depth; not the expected number of sacks of cement to be used. The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.
- q. After cementing but before commencing any test, the casing string shall stand cemented until the cement has reached a compressive strength of at least 500 psi at the shoe. WOC time shall be recorded in the driller's log.
- r. The following reports shall be filed with the District Manager within 30 days after the work is completed.
 - 1. Progress reports, Form 3160-5 (formerly 9-331) "Sundry Notices and Reports on Wells", must include complete information concerning:
 - a. Setting of each string of casing, showing the size, grade, weight of casing set, hole size, setting depth, amounts and type of cement used, whether cement circulated or the top of the cement behind the casing, depth of cementing tools used, casing test method and results, and the date work was done. Show the spud date on the first reports submitted.
 - b. Temperature or bond logs must be submitted for each well where the casing cement was not circulated to the surface.
- s. Auxiliary equipment to be used is as follows:
 - 1. Kelly cock
 - 2. No bit float is deemed necessary.



3. A sub with a full opening valve.

5. a. The proposed circulating mediums to be employed in drilling are as follows:

<u>Interval</u>	<u>Mud Type</u>	<u>Mud Wt.</u>	<u>Visc.</u>	<u>F/L</u>	<u>PH</u>
0-5425'	Water/Gel-Lime	8.4-8.6	27-36	N/C	N/C

There will be sufficient mud on location to control a blowout should one occur.

A mud test shall be performed every 24 hours after mudding up to determine, as applicable: density, viscosity, gel strength, static filtration loss, and Ph.

b. Mud monitoring equipment to be used is as follows:

1. Periodic checks will be made each tour of the mud system. The mud level will be checked visually.

c. No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

6. The anticipated type and amount of testing, logging and coring are as follows:

a. Drill stem tests will be run as warranted after log evaluation. (Straddle test).

If DST's are run, the following requirements will be adhered to:

Initial opening of drill stem test tools shall be restricted to daylight hours unless specific approval to start during other hours is obtained from the authorized officer. However, DST's may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized



and if adequate lighting is available (i.e. lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping shall not begin before daylight, unless prior approval is obtained from the authorized officer. Closed chamber DSTs may be accomplished day or night.

A DST that flows to the surface with evidence of hydrocarbons shall be either reversed out of the testing string under controlled surface conditions. This would involve provided some means for reverse circulation.

Separation equipment required for the anticipated recovery shall be properly installed before a test starts.

All engines within 100 feet of the wellbore that are required to "run" during the test shall have spark arresters or water cooled exhausts.

- b. The logging program will consist of a Dual Laterolog (2" and 5") from T.D. to base of surface casing. A CDL-DSN-GR-CAL-GR (5") will be run from T.D. to base of surface casing.
- c. One conventional core is anticipated in the Lower E₂ sand (4760-4830') to consist of up to 120' of cored interval.
- d. Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).
- e. The anticipated completion program is as follows:
Perforate zones of interest and frac hydrocarbon bearing zones. Flow to tanks.



7.
 - a. The expected bottom hole pressure is 1900 psi.
 - b. No hydrogen sulfide gas is anticipated.

8.
 - a. Drilling will commence immediately upon approval of this application.
 - b. It is anticipated that the drilling of this well will take approximately 7 days.
 - c. The BLM in Vernal, Utah shall be notified of anticipated date of location construction commencement and of anticipated spud date.
 - d. No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.
 - e. The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.
 - f. In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed with the Vernal BLM District Office, 170 South 500 East, Vernal, UT 84078.
 - g. Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.
 - h. If a replacement rig is contemplated for completion operations, a "Sundry Notice" Form 3160-5 to that effect will be filed, for prior approval of the AO,

and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.


- i. Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communications, not later than 5 days following the date on which the well is placed on production.
- j. Pursuant to NTL-2B, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.
- k. Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.
- l. A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3 and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.
- m. A first production conference will be scheduled within 15 days after receipt of the first production notice.
- n. No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the SO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface

restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

- o. Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.



FIGURE NO. 3-A
THREE PREVENTER HOOKUP
CLASS III
(MEETS 43 CFR, PART 3160, 3M SPECIFICATIONS)



ONSHORE OIL & GAS ORDER NO. 1

Thirteen Point Surface Use Plan

The onsite inspection for the above mentioned well was conducted on Friday, March 23, 1993. Weather conditions were dry and windy. Present at the onsite inspection were the following individuals:

Greg Darlington	Natural Resource Protection	BLM
Carl Wright	Natural Resource Specialist	BLM
Bill Stroh	Wildlife Biologist	BLM
Harry Barber	Wildlife Biologist	BLM
Robert Kay	Surveyor	UELS
Lisa Smith	Permitting Consultant	Permitco Inc.

1. Existing Roads

- a. The proposed well site is located approximately 7.2 miles southwest of Ouray, Utah.
- b. Directions to the location from Ouray, Utah are as follows:

From Ouray proceed south on the Seep Ridge Road (County Road) for approximately 2.6 miles. Turn right and proceed southwesterly on an existing oilfield road for 3.1 miles to a fork in the road. Turn left and proceed south for 1.4 miles. Turn left onto the new access road and proceed 0.1 miles to the location.

- c. For location of access roads within a 2-Mile radius, see Maps A & B.
- d. Improvement to the existing access will not be necessary.
- e. All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

- f. Existing roads and newly constructed roads on surface under the jurisdiction of any Surface Managing Agency shall be maintained in accordance with the standards of the SMA.

2. Planned Access Roads

- a. There will be approximately 0.1 miles of new access road to be constructed. The new road will be crowned and ditched with a running surface of 18 feet and a maximum disturbed width of 30 feet. Appropriate water control will be installed to control erosion.
- b. The maximum grade will be approximately 6%.
- c. No turnouts are planned.
- d. No culverts and/or bridges will be required, however, appropriate drain dips or water turnouts will be installed as necessary to control erosion.
- e. The access road was centerline flagged at the time of staking.
- f. Surfacing material may be necessary depending on weather conditions.
- g. No cattleguards will be necessary.
- h. Surface disturbance and vehicular travel will be limited to the approved location and approved access route. Any additional area needed will be approved in advance.
- i. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).
- j. The road will be constructed/upgraded to meet the standards of the anticipated traffic flow and all weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowing



and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

- k. A road right of way application will not be required as the new access is within the lease boundaries.

3. Location of Existing Wells Within a 1-Mile Radius of the Proposed Location.
(See Map #B).

- a. Water wells - none
- b. Injection wells - none
- c. Producing wells - three
- d. Drilling wells - one (Completing)
- e. Shut-in wells - none
- f. Temporarily abandoned wells - none
- g. Disposal wells - none
- h. Dry Holes - none

4. Location of Tank Batteries and Production Facilities.

- a. All permanent structures (onsite for six months or longer) constructed or installed (including oil well pump jacks) will be painted Desert Tan (10YR6/3). All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The required paint color is Desert Brown.
- b. If storage facilities/tank batteries are constructed on this lease, the facility/battery or the wellpad shall be surrounded by a containment dike of sufficient capacity to contain at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.
- c. A Sundry Notice will be submitted showing placement of all production facilities prior to construction.
- d. If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.
- e. Any necessary pits will be properly fenced to prevent any wildlife entry.
- f. All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.
- g. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the District Manager.
- h. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic.
- i. The road will be maintained in a safe useable condition.



5. Location and Type of Water Supply

- a. All water needed for drilling purposes will be obtained from a pond located S 1320' W 1320' from NE corner of Sec. 32, T6S - R20E. (Permit No. T-66556.
- b. Water will be hauled to location over the roads marked on Maps A and B.
- c. No water well is to be drilled on this lease.
- d. A copy of the approved water permit is attached.

6. Source of Construction Material

- a. Surface and subsoil materials in the immediate area will be utilized.
- b. Any gravel used will be obtained from a commercial source.
- c. The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2.3. Construction material will not be located on lease.
- d. No construction materials will be removed from Federal land.

7. Methods of Handling Waste Disposal

- a. The reserve pit will be constructed so as not to leak, break, or allow discharge.
- b. A reserve pit liner has been required by the Bureau of Land Management. If a plastic liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O.

- c. Burning will not be allowed. All trash will be contained in a trash cage and its contents removed at the end of drilling operations and hauled to an approved disposal sight.
- d. After first production, produced waste water will be confined to a unlined pit or storage tank for a period not to exceed ninety (90) days. During the 90-day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.
- e. Drill cuttings are to be contained and buried in the reserve pit.
- f. Any salts and/or chemicals which are an integral part of the drilling system will be disposed of in the same manner as the drilling fluid.
- g. A chemical porta-toilet will be furnished with the drilling rig.
- h. The produced fluids will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas salt water or other produced fluids will be cleaned up and removed.

8. Ancillary Facilities

There are no airstrips, camps, or other facilities planned during the drilling of the proposed well.

9. Well Site Layout

- a. The reserve pit will be located on the northwest side of the location.
- b. The flare pit will be located downwind of the prevailing wind direction on the northeast side, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.



- c. The stockpiled topsoil (first six inches) will be stored along the north and west sides of the reserve pit and the northeast end of the location as shown on the attached rig layout.
- d. Access to the wellpad will be from the west as shown on the attached rig layout.
- e. See Location Layout for orientation of rig, cross section of drill pad and cuts and fills.
- f. The location of mud tanks; reserve pit, trash cage; pipe racks; living facilities and soil stockpiles will be shown on the Location Layout.
- g. During construction, all brush will be removed from the wellpad and access road and stockpiled separately from the topsoil.
- h. All pits will be fenced according to the following minimum standards:
 - 1. 39 inch net wire shall be used with at least one strand or barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
 - 2. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
 - 3. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
 - 4. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
 - 5. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.



- i. The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until cleanup.

10. Plans for Restoration of Surface

Producing Location

- a. Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash and junk not required for production.
- b. Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.
- c. If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.
- d. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed and all cans, barrels, pipe, etc., will be removed.
- e. The appropriate surface management agency should be contact for required seed mixture.

Dry Hole

- f. At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attached the appropriate surface rehabilitation conditions of approval.

11. Surface Ownership

Access Roads - All roads are County maintained or are on Indian or BLM lands.

Wellpad - The well pad is located on lands owned by the BLM.

12. Other Information

- a. A Class III archeological survey was conducted by Sagebrush Archeological Consultants. A copy of this report is attached.
- b. The operator is responsible for informing all persons in the areas who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

-whether the materials appear eligible for the National Register of Historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

-a time frame for the AO to complete and expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate. If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.



- c. The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- d. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure.
- e. A silt catchment dam and basin will be installed if requested by the BLM.
- f. All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.
- g. A complete copy of the approved APD shall be on location during construction of the location and drilling activities.
- h. This permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.
- i. The operator or his contractor shall contact the BLM Offices at 801/789-1362 48 hours prior to construction activities.
- j. The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

ONSHORE ORDER NO. 1
PG & E Resources Company
#15-24B Federal
340' FSL and 2050' FEL
SW SE Sec. 24, T9S - R19E
Uintah County, Utah

CONFIDENTIAL - TIGHT HOLE

SURFACE USE PLAN
Page 11

13. Lessee's or Operator's Representative and Certification

Permit Matters

PERMITCO INC.

Lisa L. Smith
13585 Jackson Drive
Denver, CO 80241
303/452-8888

Drilling & Completion Matters

PG & E Resources Company
6688 N. Central Expressway
Suite 1000
Dallas, TX 75225
Gary Whetstone - 214/750-3800
Jim LaFevers - 214/750-3800

Certification


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by PG & E Resources Company and its contractors and subcontractors in conformity with the plan and the terms and conditions under which it is approved.

This statement is subject to the provisions of 18.U.S.C. 1001 for the filing of a false statement.

May 12, 1993
Date:



Lisa L. Smith - PERMITCO INC.
Authorized Agent for:
PG & E Resources Company



**Proposed Location:
#15-24B FEDERAL**

**PROPOSED ACCESS
ROAD 0.3 Mi. ±**

1.4 Mi. ±


3.1 Mi. ±

2.6 Mi. ±

**TOPOGRAPHIC
MAP "A"**
REVISED: 6-5-93 J.L.G.
DATE: 4-20-93 R.E.H



PG&E RESOURCES COMPANY
#15-24B FEDERAL
SECTION 24, T9S, R19E, S.L.B.&M.
491' FSL 1397' FEL



REVISED: 6-5-93 J.L.G.
 TOPOGRAPHIC
 MAP "B"
 SCALE: 1" = 2000'
 DATE: 4-20-93 R.E.H




PG&E RESOURCES COMPANY

#15-24B FEDERAL
 SECTION 24, T9S, R19E, S.L.B.&M.
 491' FSL 1397' FEL



PG&E RESOURCES COMPANY

LOCATION LAYOUT FOR


#15-24B FEDERAL
SECTION 24, T9S, R19E, S.L.B.&M.
491' FSL 1397' FEL




SCALE: 1" = 50'
DATE: 6-6-93
Drawn By: J.R.S.




STA. 3+00



STA. 1+50




STA. 0+42



STA. 0+00

TYP. LOCATION LAYOUT
TYP. CROSS SECTIONS



APPROXIMATE YARDAGES

CUT (6") Topsoil Stripping = 900 Cu. Yds.	EXCESS MATERIAL AFTER 5% COMPACTION = 1,890 Cu. Yds.
Remaining Location = 5,160 Cu. Yds.	Topsoil & Pit Backfill (1/2 Pit Vol.) = 1,890 Cu. Yds.
TOTAL CUT = 6,060 CU.YDS.	EXCESS UNBALANCE (After Rehabilitation) = 0 Cu. Yds.
FILL = 3,960 CU.YDS.	

Elev. Ungraded Ground at Location Stake = 4721.4'

Elev. Graded Ground at Location Stake = 4719.1'

There are no federal stipulations at this time.



Permitco Incorporated
A Petroleum Permitting Company

**A CULTURAL RESOURCES SURVEY OF AN ALTERNATE LOCATION FOR
PG&E WELL 15-24B FEDERAL
AND ITS ACCESS ROAD, UINTAH COUNTY, UTAH**

by

Heather M. Weymouth
Archaeologist

Prepared for:

PG&E Resources Company
85 South 200 East
Vernal, Utah 84078

Prepared by:

Sagebrush Archaeological Consultants
3670 Quincy Avenue, Suite 203
Ogden, Utah 84403

Under Authority of Cultural Resources Use Permit No. 92-UT-54630

and

Utah State Antiquities Permit No. U-93-SJ-145b

Archaeological Report No. 589

May 3, 1993

INTRODUCTION

In April 1993, Permitco of Denver, Colorado and PG&E Resources Company (PG&E) of Dallas, Texas requested that Sagebrush Archaeological Consultants (Sagebrush) conduct a cultural resources survey of an alternative location for proposed PG&E well 15-24B Federal and its access road in Uintah County, Utah. The discovery of an endangered species of cactus growing on the proposed well pad necessitated the relocation of the well site.

The alternative well location is located in T. 9S., R. 19E., S. 24 SW $\frac{1}{4}$ SE $\frac{1}{4}$. Footages for the well location are as follows: 340' FSL, 2050' FEL. The well location and access road lies on land controlled by the Bureau of Land Management (BLM) located entirely within S. 24. The project area lies on the USGS 7.5' Quadrangle Ouray, Utah (1964)(Figure 1). The project was carried out by the author on April 30, 1993 under authority of Cultural Resources Use Permit No. 92-UT-54630 and Utah State Antiquities Permit No. U-93-SJ-145b.

A file search for previously recorded cultural resources sites and paleontological localities near the project area was conducted by Sheri L. Murray at the Division of State History, Utah State Historical Society, and at the Utah State Historical Society Library, Salt Lake City on April 8, 1993 to determine if any cultural resources projects had been conducted or sites recorded in the project area. An additional file search was conducted by the author on April 8, 1993 at the Bureau of Land Management, Vernal District Office prior to conducting the fieldwork.

Nine previous cultural resources projects and a number of paleontological localities have been previously recorded in the vicinity of the current project area:

In 1979, two cultural resources surveys were completed near the current project area. The University of Utah inventoried areas for the Riverbend Gathering System (Simms 1979) and Archeological Environmental Research Corporation (AERC) surveyed two nearby pipeline routes (Hauck 1979). There were no cultural resources found in the vicinity of the current project area on either survey.

In 1979 and 1980 AERC inventoried a number of rectangular sample survey units for Mapco (Hauck and Norman 1980). Many of these units were located in S. 24 and adjacent sections. Seven sites were located in and near the project area during this survey including; 42Un828, 829, 831, 835, 836, 846 and 859. Following is a brief description of each of these sites:

Site 42Un828: a small prehistoric non-diagnostic lithic scatter with a temporary camp and surface quarry area. It has non-diagnostic lithics only.

Site 42Un829: a small prehistoric lithic scatter located on a point of a hill near Willow Creek. Only non-diagnostic lithics were found on the site.

Site 42Un831: a small ethnohistoric and historic petroglyph site located near Willow Creek.

Site 42Un835: a small petroglyph panel located on a cliff near Willow Creek.

Site 42Un836: a small lithic scatter on a ridge with quartzite knife blade or lance point, biface chopper-cobblestone, biface scraper of mudstone, primary flakes, pounding and grinding stone.




Figure 1. Location of alternate location surveyed for PG & E Resources Well Federal #15-24B with access road. Taken from USGS 7.5' Quadrangle Ouray, Utah (1964).

Site 42Un846: historic site with three intact log structures and corral, probably representing a former homestead. Historic artifacts present suggest occupation from late 19th century to 1920 or 1930.

Site 42Un859: a surface prehistoric cobble quarry site which extends along the west bank of the Green River. There were no diagnostic tools or cultural depth on the site.

In 1980 Utah Archaeological Research Corporation (UTARC) conducted a survey of a Northwest Pipeline route (Christensen 1980). Two sites, 42Un966 and 967, were found in nearby Sections 23 and 24:

Site 42Un966: a small lithic scatter with primary and secondary flakes of chalcedony and quartzite and a chert core and quartzite chopper. There were no associated diagnostic artifacts or features on the site.

Site 42Un967: a panel of petroglyphs found on a south facing rock outcrop. It is called Omar's Panel and includes Ute drawings of cattle, horses, Indians, flags, shields, deer, bears, letter and human figures.

In 1982, the Bureau of Land Management (BLM) completed a survey for the Squaw Bottom Firewood Sale and found site 42Un1217. Site 42Un1217 consists of four different petroglyph panels located on rock faces along the east side of the Green River.

In 1992, Sagebrush surveyed four separate PG&E well pad localities and their access roads near the current project area (M. Polk 1992a, 1992b; A. Polk 1992a, 1992b). Two paleontological localities, one isolated artifact and no additional cultural resources were found during these surveys. The first paleontological locality, 42UN637V, consisted of possible mammal bones and scattered turtle shell fragments in the area surveyed for PG&E well #11-24B Federal. The second paleontological locality, 42UN641V, was a scatter of weathered turtle shell and two articulating fragments of a possible mammal bone found in the area surveyed for PG&E well #7-24B Federal. A single isolated artifact, a small trough metate, was located in the area surveyed for PG&E well #3-25B Federal.

The National Register of Historic Places (NRHP) was consulted prior to the commencement of fieldwork for the present project. No NRHP sites were found located in the vicinity of the current project area.

ENVIRONMENT

The well pads and access roads lie on dissected tablelands south of Ouray between Willow Creek and the Green River. The area is characterized by low eroding bedrock outcrops of sandstone and siltstone. The areas surveyed for each of the separate well locations lie partially on and adjacent to these large sandstone bedrock outcrops. Soils in the area are sandy silts with variable densities of lag gravel deposits. The elevation of the area ranges from approximately 4700 to 4760 feet a.s.l. Vegetation in the area covers approximately 20 percent of the surface and is predominately shadscale community species. Noted species include shadscale, saltbush, Indian potato, horsebrush, Bud sagebrush, Desert trumpet, rabbitbrush, bunchgrass, mustard, Evening primrose, ricegrass, greasewood and buckwheat.

The nearest permanent water source is Willow Creek which is located approximately one mile to the east. Natural disturbance in the area is primarily from sheetwash erosion. The only cultural disturbance is the existing PG&E well pad #1-26B and an oil field road which passes through the center of Section 24 just west of the proposed alternate location for well#15-24B.

METHODOLOGY

The survey area covered during this project consists of one 10 acre parcel of land centered on the proposed well head and an access road corridor connecting the well location to the existing road. The well pad was inventoried by the author in parallel transects spaced no more than 15 meters apart. The access road, which totals 0.25 miles in length, was walked in two parallel transects spaced 10 meters apart to cover a corridor width of 100 feet (30 meters). The area surveyed on this project (including both the well pad and access road) totaled 13 acres.

In addition to the author's work, Alden Hamblin, paleontologist with the Utah State Fieldhouse of Natural History in Vernal, also walked the well pad and access road in order to evaluate the paleontological resources of the project area.

RESULTS

No cultural resources sites were identified within the project area. However, a number of weathered Eocene age turtle shell fossils (Figure 2) were found on the access road and well pad.

The paleontological site represents a broad scatter of Eocene turtle shell fossils. Because of the relatively large number of fossils found in the area, a local paleontologist, Mr. Alden Hamblin, was asked to evaluate the significance of the site. He determined that the turtle shell fossils were generally weathered and that most appear to lack context. However, a gray-green fossil bearing layer is intermittently visible near the newly proposed pad location. According to recommendations made by Mr. Hamblin the pad was situated so as to have minimal impact upon this fossil bearing layer. A report from Mr. Hamblin and a paleontological locality form for these finds are attached as an appendix.

RECOMMENDATIONS

Due to the absence of significant archaeological resources and no historical resources cultural resources clearance is recommended for this location. Mr. Hamblin's recommendation was that well site construction be allowed to proceed.

This investigation was conducted with techniques which are considered to be adequate for evaluating cultural and paleontological resources which could be adversely affected by the project. However, should such resources be discovered during construction, a report should be made immediately to the BLM District Archaeologist, Vernal District Office, Vernal, Utah.





Figure 2. Location of paleontological locality #42UN801V and proposed alternate location for PG & E Resources Well Federal #15-24B with access road. Taken from USGS 7.5' Quadrangle Ouray, Utah (1964).

REFERENCES CITED

Christensen, Diana

1980 *Archaeological Reconnaissance of Pipelines near Willow Creek, Central Uintah County, Utah*. Utah Archaeological Resources Corporation (UTARC). Spanish Fork, Utah.

Hauck, F. R.

1979 *Archaeological Survey of Two Proposed Routes in the Willow Creek and Sheep Wash Localities*. Archaeological Environmental Research Corporation (AERC). Bountiful, Utah.

Hauck, F. R. and V. Garth Norman

1980 *MAPCO River Bend Sample Survey Units in the Willow Creek Locality of Uintah County, Utah*. Archaeological Environmental Research Corporation (AERC). Bountiful, Utah.

Polk, Ann S.

1992a A Cultural Resources Survey of PG&E Well #3-25B Federal and Access Road, Uintah County, Utah. Sagebrush Archaeological Consultants, *Archaeological Report No. 572*. Ogden.

Polk, Ann S.

1992b A Cultural Resources Survey of PG&E Well #11-24B Federal and Access Road, Uintah County, Utah. Sagebrush Archaeological Consultants, *Archaeological Report No. 514*. Ogden.

Polk, Michael R.

1992a A Cultural Resources Survey of PG&E Well #1-26B Federal and Access Road, Uintah County, Utah. Sagebrush Archaeological Consultants, *Archaeological Report No. 531*. Ogden.

1992b A Cultural Resources Survey of PG&E Well #7-24B Federal and Access Road, Uintah County, Utah. Sagebrush Archaeological Consultants, *Archaeological Report No. 530*. Ogden.

Simms, Steven R.

1979 *A Cultural Resource Inventory of the Riverbend Gathering System*. University of Utah Reports of Investigations. Salt Lake City.

APPENDIX

PG & E

15-24B FED

SECTION 24, T9S, R19E, SLB&M

PALEONTOLOGY REPORT ON

NEW WELL LOCATION

BY

ALDEN H. HAMBLIN
PALEONTOLOGIST
235 EAST MAIN
VERNAL, UTAH 84078

FOR

SAGEBRUSH ARCHAEOLOGICAL CONSULTANTS
3670 QUINCY AVENUE SUITE 203
OGDEN, UTAH 84403

APRIL 30, 1993

RESULTS OF A PALEONTOLOGY SURVEY AT PG&E 15-24B FED - NEW WELL LOCATION

Paleontological material found-

The original well location had to be moved because a cactus was found on that location. The original location was off the southeast end of an east-west ridge. The new location is located at a lower elevation on a small flat area southwest of the original location. A gray-green layer of clay capped by a thin layer of brown sandstone forms a semicircular rise around the north and east sides of the flat area where the new location is to be. The gray-green layer contains a number of fossil turtle shell fragments, some of them grouped and representing individual turtles.


The flat area has a few scattered turtle shell fragments most of which probably eroded out of the surrounding gray-green layer. No groupings of shell were seen in this area. The shell fragments that are there seem to be fairly weathered.

Recommendations-

The new location was positioned on the flat area such as to avoid cutting into the main fossil bearing layer surrounding it. It is always possible that something significant might be encountered when working anywhere in the Uinta Formation. However, it is felt that putting the location on this flat area will have the least impact on the fossil material in the area. If any significant fossil bone material does turn up in location construction a paleontologist should be call in to evaluate it.

No other recommendations are made for the well location.

PALEONTOLOGY LOCALITY Data Sheet		Page 1 of 1																	
		State Local. No. 42UN801V																	
		Agency No.																	
		Temp. No PG&E 15-24B FED (amended)																	
1. Type of locality		Invertebrate		Plant		Vertebrate		X		Trace		Other _____							
2. Formation: UINTA				Horizon: "B"				Geologic Age: LATE EOCENE											
3. Description of Geology and Topography: Mostly brown clay and mudstone with layers of brown to light brown sandstone, but some greenish-grey layers. The well location is on the southeast side of a small butte. South of this butte is a sandy area underlain by a sandstone bed. Southeast off the butte is a flat area which drains to the south and is surrounded on the west, north, and east by a semicircular raised area.																			
4. Location of Outcrop: Five miles south and three miles west of Ouray, Utah.																			
5. Map Ref.		USGS Quad		OURAY, UTAH				Scale		7.5 Min		Edition		1964					
		of SW1/4		of SE1/4		of Sectn		24 T		9S R		19E Meridn		SLB					
6. State: UTAH		County: UINTAH				BLM/FS District: VERNAL, UT/BOOKCLIFFS													
7. Specimens Collected and Field Accession No. None																			
8. Repository:																			
9. Specimens Observed and Disposition: There are scattered turtle shell fragments on the flat southwest of the small butte. At the southeast foot of the butte is a greenish-grey layer with turtle shell eroding out. This layer continues around the semicircle described above with several groupings of turtle shell eroding out of it. The well location is located above and north of the area (semicircular area). It has an occasional turtle shell fragment which seems to be eroding out of the layer north of the well location. On top of the butte, at the eastern edge, is a large piece (2 x 7 inch) piece of mammal limb bone and a few other small fragments. It is highly weathered.																			
10. Owner:		Private		State		BLM		X		US FS		NPS		IND		MIL		OTHR	
11. Recommendations for Further Work or Mitigation: The proposed access road to the well location was relocated so that it entered the general area from the southwest rather than directly from the west. It then passes south of the location past the semicircular rise and on to the location from the southeast. This is where the least amount of fossil turtle material was exposed. The position of the location was adjusted to best fit the fossil material in the surrounding area. (The well location was moved April 30th to the flat southwest of the original site because of a cactus. This new location was approved for construction. It contained a few scattered turtle shell fragments which appear to have washed in from the layer above which forms the semicircle.)																			
12. Type of Map Made by Recorder: See attached map with this form.																			
13. Disposition of Photo Negatives: Several photos were taken by the archaeologist, Heather Weymouth and by Alden Hamblin.																			
14. Published References: Hamblin, A. H., 1991, Paleontology report for the Natural Buttes Gas field, EA study area.																			
15. Remarks:																			
16. Sensitivity:		Critical		Significant				Important		X		Insignificant							
17. Recorded by: A. H. Hamblin/H. Weymouth								Date: April 9, 1993											



Location of paleontological locality #42UN801V and proposed alternate location for PG & E Resources Well Federal #15-24B with access road. Taken from USGS 7.5' Quadrangle Ouray, Utah (1964).

A Wastewater Permit Application will be filed with the Uintah Basin District Health Department in Vernal once the drilling contractor has been determined.



FILING FOR WATER IN THE STATE OF UTAH

Rec. by _____

Fee Rec. _____

Receipt # _____

Microfilmed _____

Roll # _____

APPLICATION TO APPROPRIATE WATER

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of Title 73, Chapter 3 of the Utah Code Annotated 1953, as amended.

WATER RIGHT NUMBER: 43 - 10370

TEMPORARY APPLICATION NUMBER: T66556

1. OWNERSHIP INFORMATION:

LAND OWNED? No

A. NAME: Jim Nebeker Trucking Co.
ADDRESS: Route 2 Box 2060, Roosevelt, UT 84066

B. PRIORITY DATE: October 27, 1992

FILING DATE: October 27, 1992

2. SOURCE INFORMATION:

A. QUANTITY OF WATER: 10.0 acre-feet

B. DIRECT SOURCE: Existing pond

COUNTY: Duchesne

C. POINT OF DIVERSION -- SURFACE:

(1) S 1320 feet W 1320 feet from NE corner, Section 32, T 6S, R 20E, SLBM

DIVERT WORKS: Pump into tank trucks

SOURCE: Existing pond

3. WATER USE INFORMATION:

OIL EXPLORATION: from Nov 1 to Oct 31. Drilling and completion of wells Fed 13-24B and 15-24B for P.G. & E.

4. PLACE OF USE: (which includes all or part of the following legal subdivisions:)

BASE TOWN	RANG	SEC	NORTH-EAST				NORTH-WEST				SOUTH-WEST				SOUTH-EAST					
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
SL	9S	19E	24				■ ■ ■					■ ■ ■			X		■ ■ ■			X

5. EXPLANATORY:

The applicant has a letter of permission from William Brown (Water Right No. 43-9707) to access his property and haul water from his pond for the purpose of oil field use in the South Ouray oil and gas field.

5. SIGNATURE OF APPLICANT(S):

The applicant(s) hereby acknowledge(s) that he/she/they are citizen(s) of the United States of America or intend(s) to become such a citizen(s). The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purposes herein described. The undersigned hereby acknowledges that even though he/she/they may have been assisted in the preparation of the above-numbered application through the courtesy of the employees of the Division of Water Rights, all responsibility for the accuracy of information contained herein, at the time of filing, rests with the applicant(s).



Signature of Applicant(s)

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

DATE RECEIVED: 06/16/93

OPERATOR: PG & E RESOURCES COMPANY
WELL NAME: FEDERAL 15-24B

OPERATOR ACCT NO: N- 0595

API NO. ASSIGNED: 43 - 047 - 30400

LEASE TYPE: FED

LEASE NO: UTU 68605

LOCATION: SWSE 24 - T09S - R19E

UINTAH COUNTY

FIELD: NATURAL BUTTES (630)

FIELD CODE: 630

RECEIVED AND/OR REVIEWED:

- Plat
- Bond
(Number federal)
- Potash (Y/N)
- Oil shale (Y/N)
- Water permit
(Number 43-10370 T66556)
- RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

- R649-2-3. Unit: _____
- R649-3-2. General.
- R649-3-3. Exception.
- Drilling Unit.
- Board Cause no: _____
- Date: _____

COMMENTS:

Exception location requested.
Three addl wells permitted in sec. 24.

STIPULATIONS:

cc: Uintah county assessor

CONFIDENTIAL
PERIOD
EXPIRED
ON 9-12-94



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

June 18, 1993

PG & E Resources Company
6688 N. Central Expressway, Suite 1000
Dallas, Texas 75206

Gentlemen:

Re: Federal #15-24B Well, 491' FSL, 1397' FEL, SW SE, Sec. 24, T. 9 S, R. 19 E, Uintah County, Utah

Pursuant to Utah Admin. R. 649-3-3, Exception to Location and Siting of Wells and Utah Admin. R. 649-3-4, Permitting of Wells to be Drilled, Deepened or Plugged-Back, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
2. Notification within 24 hours after drilling operations commence.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.
6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.



Page 2
PG & E Resources Company
Federal #15-24B Well
June 18, 1993

Trash and sanitary waste should be properly contained and transported to approved disposal locations, not retained in or disposed of in pits on location or downhole. Prior to the commencement of drilling operations, the operator should consult the local/county sanitarian and/or the Department of Environmental Quality, Division of Drinking Water/Sanitation, regarding appropriate disposal of sanitary waste.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32420.

Sincerely,



R.J. Firth
Associate Director, Oil and Gas

ldc
Enclosures
cc: Bureau of Land Management
 Uintah County Assessor
 J.L. Thompson
WO11

CONFIDENTIAL - TIGHT HOLE
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK **DRILL** **DEEPEN** **PLUG BACK**
1b. TYPE OF WELL
OIL **GAS** **SINGLE** **MULTIPLE**
WELL **WELL** **OTHER** **ZONE** **ZONE**

5. LEASE DESIGNATION AND SERIAL NO.
UTU-68625
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
N/A
8. FARM OR LEASE NAME
Federal

2. NAME OF OPERATOR **214/750-3800** **6688 N. Central Expressway,**
PG & E Resources Company **Suite 1000 Dallas, TX 75206**
3. ADDRESS OF OPERATOR **303/452-8888** **13585 Jackson Drive**
PERMITCO INC. - Agent **Denver, CO 80241**

9. WELL NO.
#15-24B
10. FIELD AND POOL OR WILDCAT
Natural Buttes 630

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
At Surface **491' ~~340'~~ FSL and 2050' FEL** **43-047-32420**
At proposed Prod. Zone **SW SE Sec. 24** **RECEIVED**

11. SEC., T., R., M., OR BLK.
AND SURVEY OR AREA
Sec. 24, T9S - R19E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
7.2 miles southwest of Ouray, UT **MAY 14 1993**

12. COUNTY OR PARISH
Uintah 13. STATE
Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
340'

16. NO. OF ACRES IN LEASE
1667.76

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT.
Approx. 2500'

19. PROPOSED DEPTH
5425'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4702' GR

22. APPROX. DATE WORK WILL START*
Upon approval of this application

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	400'	170 sx or suffic to circ to surf.
7-7/8"	5-1/2"	14#	5425'	500 cubic feet or sufficient to

cover zones of interest.

PG & E Resources Company proposes to drill a well to 5425' to test the Green River formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

RECEIVED

See Onshore Order No. 1 attached.

MAY 14 1993

Please be advised that PG & E Resources Company is considered to be the Operator of the above mentioned well. PG & E Resources Company agrees to be responsible under the terms and conditons of the lease for the operations conducted upon the lease lands.

RECEIVED

Bond coverage for this well is provided by Bond No. U-187011. The principal is PG & E Resources Company via surety consent as provided for in 43 CFR 3104.2.

DIVISION OF OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program.

24. SIGNED *[Signature]* CONSULTANT FOR: PG & E Resources Co. TITLE PG & E Resources Co. DATE 05/12/93

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY *[Signature]* TITLE ASSISTANT DISTRICT MANAGER MINERALS DATE JUN 30 1993

NOTICE OF APPROVAL

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any persn knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any mater within its jurisdiction.

CONDITIONS OF APPROVAL TO OPERATOR'S COPY

Dio OGM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

93BC 81-0

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator **214/750-3800** **6688 N. Central Expressway, Suite 1000**
PG & E RESOURCES COMPANY **Dallas, TX 75206**
3. Address and Telephone No. **303/452-8888** **13585 Jackson Drive**
PERMITCO INC. - Agent **Denver, CO 80241**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)
340' FSL and 2050' FEL (Original Location)
491' FSL and 1397' FEL (New Location)

5. Lease Designation and Serial No.

UTU-68625

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

Federal #15-24B

9. API Well No.

10. Field and Pool, or Exploratory Area

Natural Buttes 630

11. County or Parish, State

Uintah County, Utah

12. **CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Move well location.
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The A.P.D. for the original well location was submitted to your office on May 12, 1993. This location had been staked in order to avoid an endangered species of cactus and to avoid paleontology in the area.

Unfortunately, this location fell at non-standard spacing in accordance with the rules and regulations of the State of Utah, Division of Oil, Gas & Mining and PG & E was unable to obtain an exception to spacing from an off-set operator. Therefore, the location has been moved to the revised footages shown above. Attached please find copies of the revised survey plat, wellpad diagram and Maps A and B.

If you should have any questions regarding the subject matter, please contact Mr. Jim LaFevers at 214-750-3800

cc: State of Utah - Division of Oil, Gas & Mining
PG & E Resources Company - Dallas, TX
PG & E Resources Company - Vernal, UT

VERNAL DIST.
ENG. **214-750-3800**
GEOL. _____
E.S. **BXT**
PET. _____
A.M. _____

RECEIVED
RECEIVED JUL 06 1993
JUN 16 1993
DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed *Bill G. Smith* Title PG & E Resources Company Date 06/15/93

(This space for Federal or State office use)

Approved by *Edwin G. Johnson* Title Assistant District Manager Minerals Date JUN 30 1993

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NOTICE OF APPROVAL

*See Instruction on Reverse Side

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

RECEIVED

JUL 06 1993

DIVISION OF
OIL, GAS & MINING

WELL LOCATION INFORMATION

Company/Operator: PG & E Resources Company

API Number: 43-047-32420

Well Name & Number: 15-24B

Lease Number: U-68625

Location: SWSE Sec. 24 T. 9S R. 19E

Surface Ownership: Federal Lands administered by BLM

Date NOS Received: April 8, 1993

Date APD Received: May 14, 1993

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

DRILLING PROGRAM

1. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for a 3 M system.

2. Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at \pm 417 ft.

3. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

A cement bond log (CBL) will be run from the production casing shoe to \pm 217 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

SURFACE USE PLAN OF OPERATIONS
Conditions of Approval (COAs)

Additional Surface Conditions of Approval

In order to avoid and minimize impacts to threatened cactus species *sclerocactus glaucus*, it is recommended that all vehicular traffic on midlevel benches in the area be restricted to existing or cleared proposed access roads.

A silt catchment dam and basin will be constructed according to BLM specifications south of the access road at approximately 2200' FEL 100' FSL where flagged. This is about 200' south of the access and 800' west of the centerstake.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: PG&E 43-047-32420

WELL NAME: FEDERAL 15-24B

Section 24 Township 9S Range 19E County UINTAH

Drilling Contractor EXETER

Rig # 7

SPUDDED: Date 7/7/93

Time

How ROTARY

Drilling will commence

Reported by JAKE NEVES

Telephone # 1-828-7244

Date 7/7/93 SIGNED FRM



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

August 2, 1993

Ava Hurst
PG&E Resources Company
6688 North Central Expressway #1000
Dallas, Texas 75206-3922

Dear Ms. Hurst:

Re: Request for Completed Entity Action Form - Federal 15-24B
SWSE Sec. 24, T. 9S, R. 19E - Uintah County, Utah

This is written to remind you that all well operators are responsible for sending an Entity Action Form to the Division of Oil, Gas and Mining within five working days of spudding a new well. This office was notified that your company spudded the Federal 15-24B, API Number 43-047-32420, on July 7, 1993. At this time, we have not received an Entity Action Form for this well.

Please review the instructions on the back of the enclosed form. Make sure you choose the proper Action Code to show whether the well will be a single well with its own sales facilities (Code A), a well being added to an existing group of wells having the same tank battery and common division of royalty interest (Code B - show existing Entity Number to which well should be added), or a well being drilled in the participating area of a properly designated unit (Code B). Complete the form and return it to us by August 10, 1993.

Your attention to this matter is appreciated. If we can be of assistance to you, please feel free to call Lisha Cordova at the above number.

Sincerely,

Don Staley
Administrative Supervisor

Enclosure
cc: R. J. Firth
✓file



August 10, 1993



State of Utah
Department of Natural Resources
Division of Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Attention: Mr. Don Staley

RE: Entity Action Form 6
Federal 13-24B
Federal 7-24B
Federal 15-24B
Uintah County, Utah

Gentlemen:

In reference to your letters of August 2, 1993, attached is a completed "Entity Action Form" for the referenced wells.

If you need further information or have any questions, please contact the undersigned at (214) 706-3640.


Very truly yours,

Cindy R. Keister
Sr. Regulatory Analyst

CRK/ck

Attachment

cc: Regulatory Files
Central Files



ENTITY ACTION FORM - FORM 6

ADDRESS 6688 N. Central Expwy., Suite 1000
Dallas, TX 75206

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	11507	43-047-32418	Federal 13-24B	SWSW	24	9S	19E	Uintah	6-16-93 06/11/93	06/11/93

WELL 1 COMMENTS: New Well
Entities added 8-12-93. Jee

	99999	11508	43-047-32227	Federal 7-24B	SWNE	24	9S	19E	Uintah	6-25-93 06/27/93	06/27/93
--	-------	-------	--------------	---------------	------	----	----	-----	--------	---------------------	----------

WELL 2 COMMENTS: Dry Hole / New Drill

A	99999	11509	⁰⁴⁷ 43- 007 -32420	Federal 15-24B	SWSE	24	9S	19E	Uintah	7-7-93 07/06/93	07/06/93
---	-------	-------	---	----------------	------	----	----	-----	--------	--------------------	----------

WELL 3 COMMENTS: New Well

--	--	--	--	--	--	--	--	--	--	--	--


WELL 4 COMMENTS:

--	--	--	--	--	--	--	--	--	--	--	--

WELL 5 COMMENTS:

- ACTION CODES** (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity.
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.




Cindy Keister
Signature

Sr. Regulatory Analyst 08/09/93
Title Date

Phone No. 214) 750-3800

PG&E RESOURCES COMPANY
FEDERAL 15-24B 43-047-32420
SEC 24 T9S R19E

North



ENTRANCE

August 23, 1993



1511
AUG 26 1993
DIVISION OF
OIL, GAS & MINING

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

RE: Federal 15-24B
Section 24-T9S-R19E
Uintah County, Utah

Gentlemen:

Attached is an original and one (1) copy of Form 3160-4 "Well Completion or Recompletion Report and Log" for the referenced well.

If you have any questions or need further information, please contact the undersigned at 214/706-3640.

Very truly yours,

Cindy R. Keister
Sr. Regulatory Analyst

CRK/ck

Attachments

cc: Utah Department of Natural Resources
Regulatory File
Central Files

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

UTU-68625

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NA

7. UNIT AGREEMENT NAME

NA

8. FARM OR LEASE NAME

Federal

9. WELL NO.

15-24B

10. FIELD AND POOL, OR WILDCAT

Green River

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 24, T9S-R19E

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other _____

2. NAME OF OPERATOR
PG&E Resources Company

3. ADDRESS OF OPERATOR
6688 N. Central Expwy., Suite 1000, Dallas, TX 75206

4. LOCATION OF (Report location clearly and in accordance with any State requirements)*
At surface 491' FSL & 1397' FEL SW/4 SE/4 Sec. 24
At top prod. interval reported below Same
At total depth Same

CONFIDENTIAL

14. PERMIT NO. 43-047-32420 DATE ISSUED 06/30/93 12. COUNTY OR PARISH Uintah 13. STATE Utah

15. DATE SPUDDED 7/5/93 16. DATE T.D. REACHED 7/18/93 17. DATE COMPL. (Ready to prod.) 8/12/93 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4734' RKB 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 5260' 21. PLUG, BACK T.D., MD & TVD 5193' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY → ROTARY TOOLS X CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)* 4766' - 4807' Green River 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN DLL/SDN/SDL/GR/Cal/CBL/GR/CCL 8-6-93 27. WAS WELL CORED Yes

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36	400'	12-1/4"	230sx Class V	0
5-1/2"	17	5260'	7-7/8"	430sx Halliburton HiFill Standard + 470sx 50/50 poz	0

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	4715'	NA

31. PERFORATION RECORD (Interval, size and number)			32. ACID, SHOT, FRACTURE, CEMENT	
INTERVAL	SIZE	NUMBER	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4766' - 4792'	0.39"	27 Holes	4766' - 4807'	2500 gals 15% HCl + 48 balls
4803' - 4807'	0.39"	5 Holes		70182 gals Viking 1 3.5 galled KCl wr. + 188000# sand

33.* PRODUCTION
DATE FIRST PRODUCTION 08/13/93 PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) Pumping WELL STATUS (Producing or shut-in) Producing

DATE OF TEST 08/18/93 HOURS TESTED 24 CHOKE SIZE NA PROD'N. FOR OIL--BBL. TEST PERIOD → 40 GAS--MCF. 34 WATER--BBL. 48 GAS-OIL RATIO 850
FLOW. TUBING PRESS. NA CASING PRESSURE 98 CALCULATED 24-HOUR RATE → OIL--BBL. 40 GAS--MCF. 34 WATER--BBL. 48 OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented TEST WITNESSED BY Randy Miller

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED Cindy Keeth TITLE Sr. Regulatory Analyst DATE 08/23/1993

*(See Instructions and Spaces For Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Green River	4766'	4807'	Oil & natural gas	Green River		1020'
				Douglas Creek Marker		4084'
				Basal Lime		5134'

RECEIVED
 JUN 26 1993
 DIVISION OF
 OIL, GAS & MINING



October 26, 1993

RECEIVED

OCT 28 1993

DIVISION OF
OIL, GAS & MINING

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

Attention: Mr. Ed Forsman

RE: Federal 15-24B
Section 24-T9S-R19E
Uintah County, Utah

Dear Mr. Forsman:

Attached is an original and two (2) copies of Form 3160-5 "Sundry Notices and Reports on Wells" for the referenced well. PG&E is requesting an extension to vent gas an additional 90 days.

If you have any questions or need further information, please contact the undersigned at 214/706-3640.

Very truly yours,

Cindy R. Keister
Sr. Regulatory Analyst

CRK/ck

Attachments

cc: Utah Division of Oil Gas & Mining
Regulatory File
Central Files

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

PG&E Resources Company

3. Address and Telephone No.

6688 N. Central Expwy., Suite 1000, Dallas, TX 75206

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

491' FSL & 1397' FEL
SW/4 SE/4 Sec. 24, T9S-R19E

RECEIVED

OCT 28 1993

DIVISION OF
OIL, GAS & MINING

5. Lease Designation and Serial No.

U-68625

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

NA

8. Well Name and No.

Federal 15-24B

9. API Well No.

43-047-32420

10. Field and Pool, or Exploratory Area

Natural Buttes 630

11. County or Parish, State

Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other Vent Gas
- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log from.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

In accordance with NTL-4A, PG&E Resources Company hereby requests an extension to vent an additional 90 days. PG&E is currently evaluating options to install a gas gathering system to connect to Questar or the possibility of re-injecting the produced gas.

14. I hereby certify that the foregoing is true and correct

Signed Cindy B. Reister Title Sr. Regulatory Analyst Date 10/26/1993

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

PRODUCTION DEPT
 PG&E RESOURCES COMPANY
 6688 N CENTRAL EXP #1000
 DALLAS TX 75206-3922

UTAH ACCOUNT NUMBER: N0595

REPORT PERIOD (MONTH/YEAR): 8 / 94

AMENDED REPORT (Highlight Changes)

Well Name API Number Entity Location	Producing Zone	Well Status	Days Oper	Production Volumes		
				OIL(BBL)	GAS(MCF)	WATER(BBL)
✓ FEDERAL 7-24B 4304732227 11508 09S 19E 24		✓		UTU 68625	(w. willow creek u?)	
✓ FEDERAL 15-24B 4304732420 11509 09S 19E 24	GRRV			UTU 68625	(west willow creek unit)	
✓ FEDERAL 5-24B 4304732447 11585 09S 19E 24	GRRV			UTU 68625	(west willow creek unit)	
✓ Blue Diamond 13-13B 4304732457 99999 9S 19E 13	Oil.	✓		FEE	* 10-6-94 Bond updated. (w. willow creek?)	
✓ State 15-14B 4304732450 99999 9S 19E 24	"			ML 45243	(w. willow creek)	
✓ Federal 7-19B 4304732479 11632 9S 19E 19	"			UTU 65218		
✓ Federal 2-19 4304732477 99999 9S 19E 19	"			U 65218		
✓ State 31-32 4304732500 11645 8S 18E 32	GRRV			ML 22058		
✓ Federal 41-29 4304732495 11646 9S 18E 29	GRRV			U 19267		
✓ Federal 13-20 4301331445 99999 9S 17E 20	"			U 13905	(Rec'd 10-21-99)	
✓ Federal 44-18 4304732498 99999 9S 17E 18	"			U 16544		
✓ Federal 22-8H 4301331457 11675 9S 17E 8	"			U 10760	"	
✓ Federal 14-9H 4301331459 11677 9S 17E 9	"			U 50750		
✓ Federal 21-9H 4301331458 11676 9S 17E 9	"			U 50750		
✓ Federal 21-8H 4301331460 99999 9S 17E 8	"			U 10760		
✓ State 42-32 4304732473 99999 8S 18E 32	"			ML 22058		
COMMENTS: ✓ Federal 23-29 4304732556 99999 9S 18E 29	"			U 19267		
TOTALS						

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

Bureau of Land Management
Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

3100
U-01470A
(UT-923)

NOV 29 1994

CERTIFIED MAIL---Return Receipt Requested

DECISION

DALEN Resources Oil & Gas Co. :
6688 N. Central Expwy., #1000 : Oil and Gas
Dallas, Texas 75206 : U-01470A et al

Corporate Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of PG&E Resources Company to DALEN Resources Oil & Gas Co. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this decision. If additional documentation for changes of operator are required by our field offices, you will be contacted by them.

A rider to the Nationwide Bond No. U1870111 (BLM Bond No. WY2554) has been filed in the Wyoming State Office, in order to change the name of the principal on the bond. It has been examined and found to be satisfactory by that office.

/s/ ROBERT LOPEZ

Chief, Minerals
Adjudication Section

Enclosure
Exhibit

bc: Moab District Office w/encl.
Vernal District Office w/encl.
MMS-Data Management Division, Denv
UT-922 (Teresa Thompson) w/encl.

Post-It™ brand fax transmittal memo 7671		# of pages	2
To	LISHA CARDOUR	From	CHRIS MERRITT
Co.	STATE OF UTAH	Co.	BLM
Dept.	OIL & GAS	Phone #	539-4109
Fax #	359-3940	Fax #	539-4260

CMerritt:dab 11/25/94 (U01470A)

List of Leases Affected

U-01470A	U-6632	UTU-65615	UTU-68631
U-01790	U-6634	UTU-66004	UTU-69024
U-02896A	U-7206	UTU-66027	UTU-69166
U-03505	U-10291	UTU-66033	UTU-69482
U-03576	U-10760	UTU-66184	UTU-69744
U-013429A	U-11385	UTU-66185	UTU-72104
U-013765	U-12942	UTU-66187	UTU-73087
U-013766	U-13905	UTU-66193	UTU-73089
U-013767	U-14236	UTU-66484	UTU-73433
U-013769	U-15392	UTU-66743	UTU-73512
U-013769A	U-16172	UTU-67168	U-47453 ROW
U-013769B	U-16535	UTU-67841	U-49204 ROW
U-013769C	U-16539	UTU-67857	U-49205 ROW
U-013792	U-16544	UTU-67996	U-49223 ROW
U-013793	U-17036	UTU-67997	U-49236 ROW
U-013793A	U-17424	UTU-68108	U-49243 ROW
U-013794	U-19267	UTU-68109	U-50487 ROW
U-013818A	U-30096	UTU-68316	U-50488 ROW
U-013820	U-39221	UTU-68328	U-50497 ROW
U-013821A	U-39713	UTU-68330	U-50806 ROW
U-017713	U-39714	UTU-68338	U-50809 ROW
U-035316	U-40026	UTU-68346	U-50825 ROW
U-037164	U-46825	UTU-68347	U-50833 ROW
U-0141644	U-47171	UTU-68348	U-53910 ROW
U-0143519	U-49092	UTU-68388	U-54803 ROW
U-0143520A	U-50750	UTU-68402	U-61946 ROW
U-0143521A	U-52765	UTU-68544	U-63969 ROW
U-0147541	U-55626	UTU-68548	UTU-69111 ROW
U-0147541A	U-58546	UTU-68619	
U-2838	U-61052	UTU-68624	
U-6610	U-61189	UTU-68625	
U-6612	U-62657	UTU-68626	
U-6615	UTU-65218	UTU-68627	

U-034217A *Confirmed BLM/SL
11-29-94. Jc

UTAH WELLS

8/24/94

WELL NAME	LOCATION	SEC-TWNSHIP-RANGE	COUNTY	LEASE NUMBER	API NO.
✓ NGC #31-15 (PA'd 10/88)	NW/4 NE/4	15-14S-24E	Unitah	U-10133	43-047-30974
✓ Federal #42-23 (PA'd 9/90)	SE/4 NE/4	23-14S-24E	Unitah	U-10133	43-047-30976
✓ Federal #23-23 (PA'd 8/90)	NE/4 SW/4	23-9S-17E	Unitah	U-17785	43-047-31169
✓ Federal #32-29	SW/4 NE/4	29-9S-18E	Unitah	U-19267	43-047-31175
✓ Federal #33-18-J	NW/4 SE/4	18-9S-19E	Unitah	U-16544	43-047-31200
✓ State #2-32-B	NW/4 NE/4	32-9S-19E	Unitah	ML-45172	43-047-32221
✓ Federal #11-24-B	NE/4 SW/4	24-9S-19E	Unitah	UTU-68625	43-047-32223
✓ State #5-36-B	SW/4 NW/4	36-9S-19E	Unitah	ML-45173	43-047-32224
✓ State #9-36-A	NE/4 SE/4	36-9S-18E	Unitah	ML-45171	43-047-32225
✓ Federal #7-24-B	SW/4 NE/4	24-9S-19E	Unitah	U-68625	43-047-32227
✓ Federal #13-26-B	SW/4 SW/4	26-9S-19E	Unitah	UTU-68626	43-047-32237
✓ Federal #11-31-C (PA'd 2/94)	NE/4 SW/4	31-9S-20E	Unitah	UTU-68631	43-047-32244
✓ Federal #1-26-B	NE/4 NE/4	26-9S-19E	Unitah	UTU-68625	43-047-32248
✓ State #9-36-B	NE/4 SE/4	36-9S-19E	Unitah	ML-45173	43-047-32249
✓ Federal #13-24-B	SW/4 SW/4	24-9S-19E	Unitah	UTU-68625	43-047-32418
✓ Federal #15-24-B	SW/4 SE/4	24-9S-19E	Unitah	UTU-68625	43-047-32420
✓ State #15-14-B	SW/4 NW/4	24-9S-19E	Unitah	ML-45243	43-047-32450
✓ Federal #5-24-B	SW/4 NW/4	24-9S-19E	Unitah	UTU-68625	43-047-32447
✓ Blue Diamond #13-13-B	SW/4 SW/4	13-9S-19E	Unitah	Fee	43-047-32457
✓ Federal #7-19-B	SW/4 NE/4	19-9S-19E	Unitah	UTU-65218	43-047-32479
✓ State #31-32	NW/4 NE/4	32-8S-18E	Unitah	ML-22058	43-047-32500
✓ Federal #2-19	NW/4 NE/4	19-9S-19E	Unitah	U-65218	43-047-32497
✓ Federal #41-29	NE/4 NE/4	29-9S-18E	Unitah	U-19267	43-047-32495
✓ Federal #44-18	SE/4 SE/4	18-9S-19E	Unitah	U-16544	43-047-32498

DALEN Resources
Oil & Gas Co.



October 5, 1994

OCT 11

Lisha Romero
State Oil & Gas Office
3 Triad Center
Salt Lake City, Utah 84180-1203

Re: Company Name Change

Dear Ms. Romero:

PG&E Resources Company changed its name to DALEN Resources Oil & Gas Co. We are requesting a blanket change for all of PG&E Resources Company's properties to:

DALEN Resources Oil & Gas Co.
6688 N. Central Expressway, Suite 1000
Dallas, Texas 75206-3922

This change is effective October 1, 1994 for all records and reports filed in all districts throughout the state of Utah. I have included a listing of our Utah properties.

Also enclosed is a copy of the Certificate of the Secretary of State of Delaware regarding the name change to DALEN Resources Oil & Gas Co.

If you have any questions regarding this matter, please contact me at (214) 706-3678.

Sincerely,

A handwritten signature in cursive script that reads "Jim Johnson".

Jim Johnson
Regulatory Analyst

JJ/sw
Enclosures

cc: Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

State of Delaware
Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"PG&E RESOURCES OFFSHORE COMPANY", A DELAWARE CORPORATION, WITH AND INTO "PG&E RESOURCES COMPANY" UNDER THE NAME OF "DALEN RESOURCES OIL & GAS CO.", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE NINETEENTH DAY OF SEPTEMBER, A.D. 1994, AT 1:30 O'CLOCK P.M.

A CERTIFIED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS FOR RECORDING.



A handwritten signature in cursive script, reading "Edward J. Freel".

Edward J. Freel, Secretary of State

2261176 8100M

944175519

AUTHENTICATION:

7242629

DATE:

09-19-94

**CERTIFICATE OF OWNERSHIP
AND MERGER**

MERGING

**PG&E Resources Offshore Company
a Delaware corporation**

INTO

**PG&E Resources Company
a Delaware corporation**

**(Pursuant to Section 253 of the General Corporation
Law of the State of Delaware)**

PG&E Resources Company, a corporation duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware ("Resources"), does hereby certify:

FIRST: That Resources and PG&E Resources Offshore Company ("Offshore") are corporations duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

SECOND: That Resources owns all of the outstanding shares of the capital stock of Offshore.

THIRD: That the board of directors of Resources adopted the following resolutions by unanimous written consent on September 16, 1994, and that such resolutions have not been rescinded and are in full force and effect on the date hereof:

"RESOLVED, that PG&E Resources Offshore Company, a Delaware corporation ("Offshore"), which is a wholly-owned subsidiary of Resources, merge with and into Resources pursuant to Section 253 of the General Corporation Law of the State of Delaware (the "Merger"), effective as of 9:00 A.M., Wilmington, Delaware time, on October 1, 1994, and that Resources assume all of the obligations of Offshore at such time;

RESOLVED, that upon the effective time of the Merger the name of the surviving corporation shall be changed to "DALEN Resources Oil & Gas Co."; and

RESOLVED, that the President or any Vice President of Resources are hereby authorized and empowered to file with the Secretary of State of the State of Delaware a certificate of ownership and merger to effect the Merger and the name change of the surviving corporation, and the appropriate officers of Resources are hereby authorized to incur the necessary expenses therefor and to take, or cause to be taken, all such further action and to execute and deliver

or cause to be executed and delivered, in the name of and on behalf of Resources, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of Resources (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer)."

FOURTH: This Certificate shall not be effective upon its filing date, but shall become effective at 9:00 A.M., Wilmington, Delaware time, on October 1, 1994 (the "Effective Date").

FIFTH: Upon the Effective Date, the name of the surviving corporation shall be changed to "DALEN Resources Oil & Gas Co."

IT WITNESS WHEREOF, Resources has caused this Certificate to be signed by its duly authorized officer this 19th day of September 1994.

PG&E RESOURCES COMPANY

By Joseph T. Williams
Name: Joseph T. Williams
Title: President


DALEN Resources
Oil & Gas Co.



October 31, 1994

Kent E. Johnson
Vice President
Exploration/Development

STATE OF UTAH NATURAL RESOURCES
OIL & GAS MINING
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
Attn: Gil Hunt



Re: Name Change
PG&E Resources Company

Gentlemen:

Effective October 1, 1994, PG&E Resources Company (PG&ER) changed its name to **DALEN** Resources Oil & Gas Co. As a result of this action, all activities previously conducted in the name of PG&E Resources Company will subsequently be conducted by **DALEN** Resources Oil & Gas Co.. No changes in ownership, personnel, office address, telephone numbers, or business practices were caused by this name change.

Please revise your records by replacing PG&E Resources Company or PG&E Resources Offshore Company with **DALEN** Resources Oil & Gas Co.

Very truly yours,

A handwritten signature in cursive script that reads "John R. Wingert".

John R. Wingert
Exploration Manager
Northern Division

JRW:lkd

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1	EC/GIL
2	LWP 7-PL
3	DP 28-SJ
4	VLC 9-FILE
5	RJF
6	LWP

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 10-1-94)

TO (new operator)	DALEN RESOURCES OIL & GAS CO.	FROM (former operator)	PG&E RESOURCES COMPANY
(address)	6688 N CENTRAL EXP STE 1000	(address)	6688 N CENTRAL EXP STE 1000
	DALLAS TX 75206-3922		DALLAS TX 75206-3922
phone (214)	750-3800	phone (214)	750-3800
account no.	N3300 (11-29-94)	account no.	N 0595

Well(s) (attach additional page if needed):

	*WELLS DRAW (GRRV) UNIT
	*WEST WILLOW CREEK UNIT
Name: **SEE ATTACHED**	API: <u>047-32420</u> Entity: _____ Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____ Entity: _____ Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____ Entity: _____ Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____ Entity: _____ Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____ Entity: _____ Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____ Entity: _____ Sec _____ Twp _____ Rng _____ Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 10-3-94)*
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 10-3-94)*
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: # FN001519. "Dalen Resources Corp." eff. 6-15-94.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(11-29-94)*
- See 6. Cardex file has been updated for each well listed above. *12-7-94*
- See 7. Well file labels have been updated for each well listed above. *12-8-94*
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(11-29-94)*
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) Surety U1870145/80,000 "Rider to Dater" rec'd 10-3-94.
*Trust Land/Ed "Rider" Appr. 10-5-94 # U2164274/80,000.

- Yes* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new ^{Upon compl. of routing.} and former operators' bond files.
- Yes* / *N/A* 3. The former operator has requested a release of liability from their bond (yes/no) _____. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- DTD* 2. Copies of documents have been sent to State Lands for changes involving State leases. *2/8/94 to Ed Bonn*

FILMING

- 1. All attachments to this form have been microfilmed. Date: December 15 1994.

FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

941108 Bsm/LSY Not Appr. yet!

941125 " Appr. 'd.

**ENSERCH
EXPLORATION** INC

4849 Greenville Ave., Suite 1200
Dallas, Texas 75206-4186
214/369-7893

January 11, 1996

Bureau of Land Management
Utah State Office
324 South State
Salt Lake City, UT 84111

Attention: Mr. Chris Merritt


RE: Operator Name Change

Dear Mr. Merritt:

DALEN Resources Oil & Gas Co. has been merged into Enserch Exploration, Inc. effective January 1, 1996. Attached is a list of the properties that were operated by DALEN Resources and a copy of the Certificate of Merger from the Secretary of the State of Texas. Please change the operator name on these properties. Enserch Exploration, Inc. operates under Nationwide Bond No. 203826, BLM assigned No. MT-0680.

If you have any questions or need further information, please contact the undersigned at (214) 987-6363.

Very truly yours,



Cindy R. Keister
Regulatory Compliance Specialist

CRK/ck

Attachments

cc: Vernal BLM Office w/attachments

United States Department of the Interior
BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

FEB 12 1996

IN REPLY REFER TO:
3100
U-01470A et al
UT-923

FEB 09 1996

NOTICE

Enserch Exploration, Inc. : Oil and Gas
4849 Greenville Ave., Suite 1200 : U-01470A et al
Dallas, Texas 75206-4186 :

Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of DALEN Resources Oil & Gas Co. into Enserch Exploration, Inc. with Enserch Exploration, Inc. being the surviving entity.

For our purposes, the merger is recognized effective December 31, 1995 (Secretary of State's approval date).

The oil and gas lease files identified on the enclosed exhibit have been noted as to the merger. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field offices, you will be contacted by them.

If you identify other leases in which the merging entity maintains an interest, please contact this office and we will appropriately document those files with a copy of this notice.

By recognition of the merger, the principal/obligor is automatically changed by operation of law from DALEN Resources Oil & Gas Co. to Enserch Exploration, Inc. on Bond No. U1870111 (BLM Bond No. WY2554). This is a nationwide bond held in the Wyoming State Office. Enserch Exploration, Inc. has a nationwide bond, No. 203826 (BLM Bond No. MT0680) on file in the Montana State Office. Only one of the bonds is required to cover liabilities for lease obligations. However, both bonds will remain in effect until the principal/obligor advises the appropriate BLM State Office which bond it wishes to maintain and which bond it wishes to have the period of liability terminated. A rider, assuming any and all liabilities of the bond you wish to terminate must be submitted for approval to the appropriate BLM State Office. If you have any questions concerning the bonding, please contact Irene Anderson at (801) 539-4108.

/s/ ROBERT LOPEZ

Chief, Branch of Mineral
Leasing Adjudication

Enclosure

1. Exhibit (1p)

bc: State of Utah, Division of Oil, Gas & Mining, Attn: Lisha Cordova,
3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1204
MMS-Data Management Division, MS 3113, P.O. Box 5860, Denver, CO 80217
Moab District Office
Vernal District Office
Teresa Thompson (UT-920)
Irene Anderson (UT-923)

Exhibit of Leases

U-01470A	U-0143521A	U-52765	UTU-68328
U-01790	U-0147541	U-55626	UTU-68330
U-02896A	U-0147541A	U-58546	UTU-68338
U-03505	U-2838	U-61052	UTU-68346
U-03576	U-7206	U-61189	UTU-68347
U-013429A	U-10291	U-62657	UTU-68348
U-013765	U-10760	UTU-65218	UTU-68388
U-013766	U-11385	UTU-65472	UTU-68402
U-013767	U-13905	UTU-65615	UTU-68544
U-013769	U-14236	UTU-65949	UTU-68548
U-013769A	U-15392	UTU-66004	UTU-68619
U-013769B	U-16535	UTU-66027	UTU-68624
U-013769C	U-16539	UTU-66033	UTU-68625
U-013792	U-16544	UTU-66184	UTU-68626
U-013793	U-17036	UTU-66185	UTU-68627
U-013793A	U-17424	UTU-66193	UTU-68631
U-013794	U-19267	UTU-66484	UTU-69024
U-013818A	U-30096	UTU-66743	UTU-69166
U-013820	U-39221	UTU-67168	UTU-69482
U-013821A	U-39713	UTU-67841	UTU-72104
U-017713	U-39714	UTU-67857	UTU-73087
U-035316	U-40026	UTU-67996	UTU-73089
U-037164	U-47171	UTU-67997	UTU-73433
U-0141644	U-49092	UTU-68108	UTU-73512
U-0143519	U-50750	UTU-68109	UTU-74805
U-0143520A	U-51081	UTU-68316	UTU-74806
U-034217A	U-07978	UTU-72108	UTU-74872

Wells Draw Unit (UTU-72613A)
West Willow Creek Unit (UTU-73218X)
Pleasant Valley Unit (UTU-74477X)



The State of Texas

SECRETARY OF STATE CERTIFICATE OF MERGER


The undersigned, as Secretary of State of Texas, hereby certifies that the attached Articles of Merger of

DALEN CORPORATION
a Delaware no permit corporation
with
ENSERCH EXPLORATION, INC.
a Texas corporation

have been received in this office and are found to conform to law. ACCORDINGLY, the undersigned, as Secretary of State, and by virtue of the authority vested in the Secretary by law, hereby issues this Certificate of Merger.

Dated December 19, 1995.

Effective December 31, 1995 04:55 PM



Antonio O. Garza, Jr.

Antonio O. Garza, Jr.
Secretary of State

ARTICLES OF MERGER OF
DALEN Corporation
INTO
Enserch Exploration, Inc.

FILED
In the Office of the
Secretary of State of Texas
DEC 19 1995
Corporations Section

Pursuant to the provisions of Article 5.16 of the Texas Business Corporation Act, Enserch Exploration, Inc., a corporation organized under the laws of the State of Texas ("Parent Corporation"), and owning at least ninety percent of the shares of DALEN Corporation, a corporation organized under the laws of the State of Delaware ("Subsidiary Corporation"), hereby executes the following Articles of Merger:

1. The name of the Parent Corporation is Enserch Exploration, Inc. The name of the Subsidiary Corporation is DALEN Corporation. Enserch Exploration, Inc. is incorporated in Texas, and DALEN Corporation is incorporated in Delaware.

2. The following is a copy of resolutions of the Board of Directors of Enserch Exploration, Inc. or Parent Corporation ("Enserch") adopted on December 5, 1995:

"WHEREAS Section 5.16 of the Texas Business Corporation Act permits short-form mergers if the subsidiary is a foreign corporation and the parent is a Texas corporation, provided that this procedure is permitted by the laws of the foreign corporation's jurisdiction of incorporation and

"WHEREAS Section 253 of the General Corporation Law of Delaware provides for short-form mergers between a domestic subsidiary corporation and a foreign parent corporation,

"RESOLVED, That DALEN Corporation, a Delaware corporation ("DALEN"), which is a wholly-owned subsidiary of Enserch, merge with and into Enserch Exploration, Inc. pursuant to Section 5.16 of the Texas Business Corporation Act (the 'Merger'), effective as of 4:55 P.M., Dallas, Texas time, on December 31, 1995, and that Enserch Exploration, Inc. assume all of the obligations of DALEN at such time; and

"FURTHER RESOLVED, That the proper officers of this Company are hereby authorized and empowered to file with the Secretary of State of the State of Texas Articles of Merger and with the Secretary of State of Delaware a Certificate of Ownership and Merger to effect the Merger of DALEN into this Company and to take, or cause to be taken, all such further action and to execute and deliver or cause to be executed and delivered, in the name of and on behalf of this Company, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of this Company (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer)."

3. The number of outstanding shares of each class of the Subsidiary Corporation and the number of shares of each class owned by the surviving Parent Corporation is:

Company	Class	No. of Shares Outstanding	No. of Shares Owned by Parent Corporation
Subsidiary Corporation	Common	100	100

4. The laws of Delaware, the jurisdiction under which Subsidiary Corporation is organized, permit such a merger.

Dated this 12th day of December, 1995.

ENSERCH EXPLORATION, INC.

By: J. W. Pinkerton
 Name: J. W. Pinkerton
 Title: Vice President and Controller,
 Chief Accounting Officer



The State of Texas

SECRETARY OF STATE

I, ANTONIO O. GARZA, JR., Secretary of State of Texas, DO HEREBY CERTIFY that Articles of Merger of **ENSERCH EXPLORATION, INC.** (Charter No. 1323890-00), a **TEXAS** corporation, and **DALEN CORPORATION**, a **DELAWARE** (No Permit) corporation, were filed in this office on **DECEMBER 19, 1995**, for which a certificate of merger was issued; and that according to the terms of the merger the surviving corporation is **ENSERCH EXPLORATION, INC.**, a **TEXAS** corporation.

IN TESTIMONY WHEREOF, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in the City of Austin, on December 19, 1995.



Antonio O. Garza, Jr.

Antonio O. Garza, Jr.
Secretary of State

MAC

UTAH WELLS
ENSERCH EXPLORATION, INC.

1/11/96

UNIT	WELL		LSE NO.	API NO.	QTR	SEC.	TWN	RANGE	COUNTY
**	Federal	21- 9H	U-50750	✓43-013-31458	NE NW	9	9S	17E	Duchesne
**	Federal	22- 9H	U-50750	✓43-013-31049	SE NW	9	9S	17E	Duchesne
**	Federal	23- 9H	U-50750	✓43-013-31206	NE SW	9	9S	17E	Duchesne
**	Federal	24- 9H	U-50750	✓43-013-30682	SE SW	9	9S	17E	Duchesne
**	Federal	33- 9H	U-61052	✓43-013-31108	NW SE	9	9S	17E	Duchesne
	Federal	19- 1	U-13905	✓43-013-30563	NW NW	19	9S	17E	Duchesne
	Govt. Fowler	20- 1	U-13905	✓43-013-30563	NW NW	20	9S	17E	Duchesne
	Federal	41- 30H	U-11385	✓43-013-30601	NE NE	30	9S	17E	Duchesne
	Federal	21- 15H	U-11385	✓43-013-30614	NE NW	15	9S	17E	Duchesne
***	Federal	3- 24B	UTU-68625	✓43-047-32671	NE NW	24	9S	19E	Uintah
***	Federal	5- 24B	UTU-68625	✓43-047-32447	SW NW	24	9S	19E	Uintah
***	Federal	11- 24B	UTU-68625	✓43-047-32223	NE SW	24	9S	19E	Uintah
***	Federal	13- 24B	UTU-68625	✓43-047-32418	SW SW	24	9S	19E	Uintah
***	Federal	15- 24B	UTU-68625	✓43-047-32420	SW SE	24	9S	19E	Uintah
***	Federal	3- 25B	UTU-	✓43-047-32417		25	9S	19E	Uintah
***	Federal	7- 25B	UTU-	✓43-047-30406		25	9S	19E	Uintah
✓***	Federal	1- 26B	UTU-68625	43-047-32248	NE NE	26	9S	19E	Uintah
***	Federal	13- 26B	UTU-68625	✓43-047-32237	SW SW	26	9S	19E	Uintah
	Federal	41- 29I	U-19267	✓43-047-32495	NE NE	29	9S	18E	Uintah
	Federal	33- 18J	U-16544	✓43-047-31200	NW SE	18	9S	19E	Uintah
	Federal	24- 34D	U-58546	✓43-047-31637	SE SW	34	8S	18E	Uintah
	State	2- 32B	ML-45172	✓43-047-32221	NW NE	32	9S	18E	Uintah
	State	5- 36B	ML-45173	✓43-047-32224	SW NW	36	9S	19E	Uintah
	State	9- 36A	ML-45171	✓43-047-32225	NE SE	36	9S	19E	Uintah
	State	9- 36B	ML-45173	✓43-047-32249	NE SE	36	9S	19E	Uintah
	State	31- 32D	ML-22058	✓43-047-32479	NW NE	32	8S	18E	Uintah
	State	1-16	ML-46694	✓43-013-15582	SW SW	16	9S	17E	Duchesne

30587

610

32500

50W

- * Wells Draw Unit BLM Unit No. UTU72613A
- ** Pleasant Valley Unit BLM Unit No. UTU74477X
- *** West Willow Creek Unit BLM Unit No. UTU73218X

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

(MERGER)

Routing:

1-LEC / OFF
2-DTS/ST-FILM
3-VLD/ST-FILE
4-RJF
5-LEF
6-SJ

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-96)

TO (new operator)	<u>ENSERCH EXPLORATION INC</u>	FROM (former operator)	<u>DALEN RESOURCES OIL & GAS</u>
(address)	<u>4849 GREENVILLE AVE STE 1200</u>	(address)	<u>6688 N CENTRAL EXP #1000</u>
	<u>DALLAS TX 75206</u>		<u>DALLAS TX 75206-3922</u>
	<u>CINDY KEISTER</u>		<u>CINDY KEISTER</u>
	phone <u>(214) 987-6353</u>		phone <u>(214) 987-6353</u>
	account no. <u>N4940 (1-29-96)</u>		account no. <u>N3300</u>

Well(s) (attach additional page if needed):

Name: ** SEE ATTACHED **	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 1-22-96)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 1-22-96)*
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: #171513. (ref. 1-4-95)
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(2-12-96)*
6. Cardex file has been updated for each well listed above. *(2-12-96)*
7. Well file labels have been updated for each well listed above. *(2-12-96)*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(2-12-96)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- LC* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (~~Fee wells only~~) *Trust lands / bond & lease update in progress!*

- LC* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A* 2. A copy of this form has been placed in the new and former operators' bond files.
- N/A* 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. *DCS 2/15/96*
- N/A* 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- VDP* 1. All attachments to this form have been microfilmed. Date: March 14 1996.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

960212 Blm / SL Apprv. eff. 12-31-95.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

DEBYE YADON
 ENSERCH EXPLORATION INC
 6688 N CENTRAL EXP #1000
 DALLAS TX 75206-3922

UTAH ACCOUNT NUMBER: N4940

REPORT PERIOD (MONTH/YEAR): 9 / 96

AMENDED REPORT (Highlight Changes)

Well Name				Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location	OIL(BBL)				GAS(MCF)	WATER(BBL)	
→ FEDERAL 15-24B ←									
4304732420	11509	09S 19E 24		GRRV					
FEDERAL 5-24B									
4304732447	11585	09S 19E 24		GRRV					
STATE 31-32									
4304732500	11645	08S 18E 32		GRRV					
FEDERAL 41-29									
4304732495	11646	09S 18E 29		GRRV					
FEDERAL 21-9H									
4301331458	11676	09S 17E 9		GRRV					
FEDERAL 14-9H									
4301331459	11677	09S 17E 9		GRRV					
FEDERAL 21-8H									
4301331460	11687	09S 17E 8		GRRV					
FEDERAL 3-24B									
4304732671	11854	09S 19E 24		GRRV					
Federal 1-26B									
4304732248	11380	9S 19E 26		WSTC / G1W					
TOTALS									

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: _____

Name and Signature: _____ Telephone Number: _____

OPERATOR CNG PRODUCING

OPERATOR ACCT. NO. N 0605

ADDRESS _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D	9040	12029	43-047-30406	RBU 7-25B		25	9S	19E	UINTAH		10-3-96

WELL 1 COMMENTS: ***PER OPERATOR; GROUP WELLS TOGETHER UNDER A COMMON ENTITY NUMBER FOR REPORTING PURPOSES. (WEST WILLOW CREEK UNIT)**

D	11375	12029	43-047-32223	FEDERAL 11-24B		24	9S	19E	UINTAH		10-3-96
---	-------	-------	--------------	----------------	--	----	----	-----	--------	--	---------

WELL 2 COMMENTS:

D	11465	12029	43-047-32417	FEDERAL 3-25B		25	9S	19E	UINTAH		10-3-96
---	-------	-------	--------------	---------------	--	----	----	-----	--------	--	---------

WELL 3 COMMENTS:

D	11507	12029	43-047-32418	FEDERAL 13-24B		24	9S	19E	UINTAH		10-3-96
---	-------	-------	--------------	----------------	--	----	----	-----	--------	--	---------

WELL 4 COMMENTS:

D	11509	12029	43-047-32420	FEDERAL 15-24B		24	9S	19E	UINTAH		10-3-96
---	-------	-------	--------------	----------------	--	----	----	-----	--------	--	---------

WELL 5 COMMENTS:

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

L. CORDOVA (DOGM)

Signature

ADMIN. ANALYST

Title

11-7-

Date

Phone No. ()



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-931

October 3, 1996

CNG Producing Company
1450 Poydras Street
New Orleans, Louisiana 70112-6000

Re: West Willow Creek Unit
Uintah County, Utah

Gentlemen:

On October 2, 1996, we received an indenture dated September 24, 1996, whereby Enserch Exploration, Inc. resigned as Unit Operator and CNG Producing Company was designated as Successor Unit Operator for the West Willow Creek Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the West Willow Creek Unit Agreement. The instrument is hereby approved effective October 3, 1996.

Your nationwide (Wyoming) oil and gas bond No. 1898 will be used to cover all operations within the West Willow Creek Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.


Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Group Leader, Mineral Resources Group

Enclosure

bcc: District Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - West Willow Creek Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron



WELL STATUS REPORTS
UTAH STATE OFFICE

INSPECTION ITEM	API NO.	WELL NUMBER	QTQT	SEC	TWN	RNG	WELL STATUS	LEASE NAME	OPERATOR
** INSPECTION ITEM UTU73218A		WEST WILLOW CREEK GR A							
UTU73218A	430473224800S1	1-26B	NENE	26	9S	19E	GIW	UTU68625	ENSERCH EXPLORATION INC
UTU73218A	430473222300S1	11-24B	NESW	24	9S	19E	POW	UTU68625	ENSERCH EXPLORATION INC
UTU73218A	430473241800S1	13-24B	SWSW	24	9S	19E	OSI	UTU68625	ENSERCH EXPLORATION INC
UTU73218A	430473242000S1	15-24B	SWSE	24	9S	19E	POW	UTU68625	ENSERCH EXPLORATION INC
UTU73218A	430473267100S1	3-24B	NENW	24	9S	19E	POW	UTU68625	ENSERCH EXPLORATION INC
UTU73218A	430473241700S1	3-25B	NENW	25	9S	19E	POW	UTU39221	ENSERCH EXPLORATION INC
UTU73218A	430473244700S1	5-24B	SWNW	24	9S	19E	POW	UTU68625	ENSERCH EXPLORATION INC
UTU73218A	430473040600S1	7-25	SWNE	25	9S	19E	POW	UTU39221	ENSERCH EXPLORATION INC

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. -

SUBMIT IN TRIPLICATE


1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. U-68625
2. Name of Operator Enserch Exploration, Inc.	6. If Indian, Allottee or Tribe Name NA
3. Address and Telephone No. 6688 N. Central Expwy., Suite 1000, Dallas, TX 75206	7. If Unit or CA, Agreement Designation West Willow Creek Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 491' FSL & 1397' FEL SW/4 SE/4 Sec. 24, T9S-R19E	8. Well Name and No. Federal #15-24B
	9. API Well No. 43-047-32420
	10. Field and Pool, or Exploratory Area West Willow Creek
	11. County or Parish, State Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water <small>(Note: Report results of multiple completion on Well)</small>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Enserch Exploration, Inc. has sold its interest in the Federal #15-24B to CNG Producing Company and relinquishes operations effective September 7, 1996. CNG Producing Company operates under BLM Nationwide Bond No. WY-1898.



14. I hereby certify that the foregoing is true and correct
Signed [Signature] Title Production Analyst Date 10/15/1996
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

CC: Utah DOGM

**CNG Producing
Company**

A **CNG** COMPANY

CNG Tower
1450 Poydras Street
New Orleans, LA 70112-6000
(504) 593-7000

October 30, 1996

Ms. Lisha Cordova
Utah Board of Oil Gas & Mining
355 West North Temple
3 Triad Center - Suite 350
Salt Lake City, Utah 84180-1203

RE: Transfer of Operator for
West Willow Creek

Dear Ms. Cordova:

Attached please find a Sundry Notice Report requesting Change of Operator to CNG Producing Company for each of the following wells within the West Willow Creek Unit:

WWC 3-24B	Sec. 24-T9S-R19E	WWC 15-24B	Sec. 24-T9S-R19E
WWC 5-24B	Sec. 24-T9S-R19E	WWC 3-25B	Sec. 25-T9S-R19E
WWC 11-24B	Sec. 24-T9S-R19E	WWC 7-25B	Sec. 25-T9S-R19E
WWC 13-24B	Sec. 24-T9S-R19E	WWC 1-26B	Sec. 26-T9S-R19E

Also attached are Sundry Notices for the remaining wells outside the unit participating area:

FED 33-18J	Sec. 18-T9S-R19E	STATE 5-36B	Sec. 36-T9S-R19E
FED 13-26B	Sec. 26-T9S-R19E	STATE 9-36A	Sec. 36-T9S-R18E
STATE 2-32B	Sec. 32-T9S-R19E	STATE 9-36B	Sec. 36-T9S-R19E


These reports are being filed in triplicate for your convenience. If you have any questions or need further information, please contact me at (504) 593-7260. Thank you for your cooperation in this matter.

Sincerely,

Susan H. Sachitana

Susan H. Sachitana
Coordinator, Regulatory Reports

cc: Wayne Bankart - BLM
Ed Amrock
Ann Burnside
Scot Childress
Brian Coffin
Virginia Corpening
Nelda Decker
Well History Files



Form 3160-5
(NOVEMBER 1994)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-88625
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (Include area code) (504) 593-7000	7. If Unit or CAI Agreement, Name and/or No. WEST WILLOW CREEK
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 491' FSL & 1,397' FEL of Sec. 24-T9S-R19E		8. Well Name and No. 15-24B
		9. API Well No. 43-047-32420
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

CNG Producing Company has purchased the working interest in the above referenced well from Enserch Exploration, Inc. effective 9/7/96. CNG Producing Company request at this time to be named operator of this well effective 9/7/96.

14. Thereby certify that the foregoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title COORDINATOR, REGULATORY REPORTS
Signature <i>Susan H. Sachitana</i>	Date 961030

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET

Routing	
1-LEC ✓	6-1-EC ✓
2-GLH ✓	7-KDR ✓
3-DPS ✓	8-SJ ✓
4-VLD ✓	9-FILE ✓
5-RJF ✓	

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed, effective: 10-3-96

TO: (new operator) CNG PRODUCING
 (address) CNG TOWER-1450 POYDRAS ST
NEW ORLEANS LA 70112-6000

FROM: (old operator) ENSERCH EXPLORATION INC
 (address) 6688 N CENTRAL EXP #1000
DALLAS TX 75206-3922

Phone: (504)593-7622
 Account no. N0605

Phone: (214)692-4440
 Account no. N4940

WELL(S) attach additional page if needed: **WEST WILLOW CREEK UNIT**
****GIW**

Name: FEDERAL 1-26B/WSTC	API: 43-047-32248	Entity: 11380	S 26	T 9S	R 19E	Lease: UTU68625
Name: FEDERAL 11-24B/GRRV	API: 43-047-32223	Entity: 11375	S 24	T 9S	R 19E	Lease: UTU68625
Name: FEDERAL 13-24B/GRRV	API: 43-047-32418	Entity: 11507	S 24	T 9S	R 19E	Lease: UTU68625
Name: FEDERAL 15-24B/GRRV	API: 43-047-32420	Entity: 11509	S 24	T 9S	R 19E	Lease: UTU68625
Name: FEDERAL 3-24B/GRRV	API: 43-047-32671	Entity: 11854	S 24	T 9S	R 19E	Lease: UTU68625
Name: FEDERAL 3-25B/WSTC	API: 43-047-32417	Entity: 11465	S 25	T 9S	R 19E	Lease: U39221
Name: FEDERAL 5-24B/GRRV	API: 43-047-32447	Entity: 11585	S 24	T 9S	R 19E	Lease: UTU68625
RBU 7-25B/GRRV	43-047-30406	9040	25	9S	19E	UTU39221

OPERATOR CHANGE DOCUMENTATION

- Luc 1. (r649-8-10) Sundry or other legal documentation has been received from the FORMER operator (attach to this form). (Rec'd 10-18-96)
- Luc 2. (r649-8-10) Sundry or other legal documentation has been received from the NEW operator (Attach to this form). (Req. 10-7-96) (Req. 10-29-96) (Rec'd 10-31-96)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is the company registered with the state? (yes/no) _____ If yes, show company file number: _____
- Luc 4. FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of Federal and Indian well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below.
- Luc 5. Changes have been entered in the Oil and Gas Information System (3270) for each well listed above. (11-7-96) * UIC - Quattro i. DBASE
- Luc 6. Cardex file has been updated for each well listed above. (11-7-96)
- Luc 7. Well file labels have been updated for each well listed above. (11-7-96)
- Luc 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. (11-7-96)
- Luc 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes 1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) yes If entity assignments were changed, attach copies of Form 6, Entity Action Form.
- Yes 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.

BOND VERIFICATION - (FEE WELLS ONLY)

- N/A 1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
- Yes 2. A copy of this form has been placed in the new and former operator's bond files.
- ___ 3. The FORMER operator has requested a release of liability from their bond (yes/no) _____, as of today's date _____. If yes, division response was made to this request by letter dated _____.

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

- N/A 1. Copies of documents have been sent on _____ to _____ at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
- 2/5
11/13/96

FILMING

- Yes 1. All attachments to this form have been microfilmed. Today's date: 12-20-96.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form, and the original attachments are now being filed in the Operator Change file.

COMMENTS

961009 Bfm / SL Appr. eff. 10-3-96.
961107 Rec'd UIC FE.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instruction on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-68625
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. WEST WILLOW CREEK
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 491' FSL & 1,397' FEL of Sec. 24-T9S-R19E		8. Well Name and No. FEDERAL 15-24B
		9. API Well No. 43-047-32420
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other REPORT OF OPERATIONS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

SUMMARY OF OPERATIONS (NOVEMBER 11, 1999 - NOVEMBER 19, 1999)

Well pumping. Shut-in well and remove horse head. Rig up hot oil truck and pump 20 bbls 2% KCL water down casing. Unseat pump and flush rods with 33.41 bbls condensate and chase with 10 bbls. water. Pull out of hole with rod string and old pump. Circulate down tubing with 120 bbls water. Nipple down wellhead. Release tubing anchor. Nipple up BOP and pull out of hole with 152 jts. 2-7/8" tubing. 'Rig up Schlumberger. Pick up and run in hole with 4" gun. Could not get below 4,765'. Pull out of hole. Lay down gun. Rig down Schlumberger. Rig up pump and tank. Pick up and run in hole with 4.75" bit, bit sub, 4.75" casing scrapper 151 jts. 2-7/8" tubing and tag at 4,795'. Rig up drill equipment. Broke rev. circulation. Drill and circulate to 4,845'. Circulate well clean. Rig down drill equipment. Pull out of hole with 152 jts. 2-7/8" tubing. 'Change out BOP. Rig up Schlumberger. Pick up and run in hole with 4" gun and reperforate interval #1 (4,766'-4,792', 4,803'-48,07', with 4 SPF. Pull out of hole. Rig down Schlumberger. Pick up and run in hole with 2 jts. 2-7/8" tubing, Arrow 5-1/2" HD packer and 148 jts. 2-7/8" tubing and set packer at 4,654' with 25,000# comp. End of tubing at 4,720'. 'Rig up BJ Services. Pressure test surface line to 5,000 PSI. Held OK. Pump 1,500 gals. and flush with 35 bbls of 2% KCL water. Average treating pressure 2,800 PSI. Shut-in well. Let soak 24 hrs. Rig up BJ Services and test lines to 5000 PSI. Held OK. Pump 37 bbls acid, (15% HCL plus additives) flush with 30 bbls 2% KCL water. Average pump pressure 4,000 PSI at 4 bbls/min. Shut down 2,450 PSI, 5 minutes 1,320 PSI, 10 minutes, 1,180 PSI, 15 minutes 1,110 PSI. Opened well to tank and flowed back 13 bbls water. Rig down BJ. Rig up swab equipment. Made 8 runs. Swabbed back 40 bbls. Detected H2S in gas. Ordered out air packs. Left well open to flat tank. Total 53 bbls recovered. 'Pick up and run in hole with 2-1/2 x 1-1/2 x 19.5' RHAC pump (#CNG52) '9 1-1/2 wt. bars, 95 3/4" rods (slick), 85 7/8" rods w/g, and 2 2', 1 4', 1 8' x 7/8 pony rods. Rig up new polish rod 1-1/2 x 22'. Fill hole with 3 bbls 2% KCL water and stroke test pump to 600 PSI. Tested OK. Rig down rig and equipment. Move off and put well on production.

14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title REGULATORY REPORTS ADMINISTRATOR
Signature <i>Susan Sachitana</i>	Date 20000107

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED
JAN 10 2000

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED
OMB No. 1004-0135
EXPIRES: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS JAN 28 2000
Do not use this form for proposals to drill or to deepen or re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.
SUBMIT IN TRIPLICATE - Other instruction on reverse side

**DIVISION OF
OIL, GAS AND MINING**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-68625
2. Name of Operator CNG PRODUCING COMPANY		6. If Indian, Allottee or Tribe Name
3a. Address 1450 POYDRAS ST, NEW ORLEANS, LA 70112-6000	3b. Phone No. (include area code) (504) 593-7000	7. If Unit or CA/ Agreement, Name and/or No. WEST WILLOW CREEK
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 491' FSL & 1,397' FEL of Sec. 24-T9S-R19E		8. Well Name and No. FEDERAL 15-24B <i>WT-1718848</i>
		9. API Well No. 43-047-32420
		10. Field and Pool, or Exploratory Area NATURAL BUTTES 630
		11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other REPORT OF OPERATIONS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandonment	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation have been completed, and the operator has determined that the site is ready for final inspection.)

SUMMARY OF OPERATIONS (NOVEMBER 11, 1999 - NOVEMBER 19, 1999)

Well pumping. Shut-in well and remove horse head. Rig up hot oil truck and pump 20 bbls 2% KCL water down casing. Unseat pump and flush rods with 33.41 bbls condensate and chase with 10 bbls. water. Pull out of hole with rod string and old pump. Circulate down tubing with 120 bbls water. Nipple down wellhead. Release tubing anchor. Nipple up BOP and pull out of hole with 152 jts. 2-7/8" tubing. 'Rig up Schlumberger. Pick up and run in hole with 4" gun. Could not get below 4,765'. Pull out of hole. Lay down gun. Rig down Schlumberger. Rig up pump and tank. Pick up and run in hole with 4.75" bit, bit sub, 4.75" casing scrapper 151 jts. 2-7/8" tubing and tag at 4,795'. Rig up drill equipment. Broke rev. circulation. Drill and circulate to 4,845'. Circulate well clean. Rig down drill equipment. Pull out of hole with 152 jts. 2-7/8" tubing. 'Change out BOP. Rig up Schlumberger. Pick up and run in hole with 4" gun and reperforate interval #1 (4,766'-4,792', 4,803'-48,07', with 4 SPF. Pull out of hole. Rig down Schlumberger. Pick up and run in hole with 2 jts. 2-7/8" tubing, Arrow 5-1/2" HD packer and 148 jts. 2-7/8" tubing and set packer at 4,654' with 25,000# comp. End of tubing at 4,720'. 'Rig up BJ Services. Pressure test surface line to 5,000 PSI. Held OK. Pump 1,500 gals. and flush with 35 bbls of 2% KCL water. Average treating pressure 2,800 PSI. Shut-in well. Let soak 24 hrs. Rig up BJ Services and test lines to 5000 PSI. Held OK. Pump 37 bbls acid, (15% HCL plus additives) flush with 30 bbls 2% KCL water. Average pump pressure 4,000 PSI at 4 bbls/min. Shut down 2,450 PSI, 5 minutes 1,320 PSI, 10 minutes, 1,180 PSI, 15 minutes 1,110 PSI. Opened well to tank and flowed back 13 bbls water. Rig down BJ. Rig up swab equipment. Made 8 runs. Swabbed back 40 bbls. Detected H2S in gas. Ordered out air packs. Left well open to flat tank. Total 53 bbls recovered. 'Pick up and run in hole with 2-1/2 x 1-1/2 x 19.5' RHAC pump (#CNG52) '9 1-1/2 wt. bars, 95 3/4" rods (slick), 85 7/8" rods w/g, and 2 2', 1 4', 1 8' x 7/8 pony rods. Rig up new polish rod 1-1/2 x 22'. Fill hole with 3 bbls 2% KCL water and stroke test pump to 600 PSI. Tested OK. Rig down rig and equipment. Move off and put well on production.

14. I hereby certify that the forgoing is true and correct Name (Printed/Typed) SUSAN H. SACHITANA	Title REGULATORY REPORTS ADMINISTRATOR
Signature <i>Susan Sachitana</i>	Date 20000107

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious fraudulent statements or representations as to any matter within its jurisdiction.

*WTC
2-24-00
RSM*



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3100
U-01470-A et al
(UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. : Oil and Gas Leases
1450 Poydras Street :
New Orleans, LA 70112-6000 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JUN 05 2000

DIVISION OF
OIL, GAS AND MINERAL

cc: Wyoming State Office
New Mexico State Office
Moab Field Office
Vernal Field Office
MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Irene Anderson (UT-932)
Teresa Thompson (UT-931)
LaVerne Steah (UT-942)

STATE OF UTAH
DIVISION OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well : OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER:	5. Lease Designation and Serial Number: VARIOUS
2. Name of Operator: DOMINION EXPLORATION & PRODUCTION, INC.	6. If Indian, Allottee or Tribe Name:
3. Address and Telephone Number: 1460 Poydras Street, New Orleans, LA 70112-6000 (504) 593-7260	7. Unit Agreement Name:
4. Location of Well Footages: QQ, Sec, T., R., M.:	8. Well Name and Number: VARIOUS
	9. API Well Number
	10. Field and Pool, or Wildcat: Natural Buttes 630
	County: UINTAH State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (SUBMIT IN DUPLICATE)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon	<input type="checkbox"/> Abandon*
<input type="checkbox"/> Repair Casing	<input type="checkbox"/> Repair Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Convert to Injection
<input type="checkbox"/> Fracture Treat or Acidize	<input type="checkbox"/> Fracture Treat or Acidize
<input type="checkbox"/> Multiple Completion	<input checked="" type="checkbox"/> Other OPERATOR NAME CHANGE FOR WELLS
<input type="checkbox"/> Other	
<input type="checkbox"/> New Construction	<input type="checkbox"/> New Construction
<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Recomplete	<input type="checkbox"/> Reperforate
<input type="checkbox"/> Reperforate	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Water Shut-Off	

Approximate date work will start _____

Date of work completion _____

Report results of Multiple Completion and Recompletion to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

*Must be accompanied by a cement verification report.


12. DESCRIBE PROPOSED OR COMPLETION OPERATIONS (Clearly State all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that effective April 12, 2000, CNG Producing Company has changed its name to Dominion Exploration & Production, Inc. and would like to transfer the well permits into the name of Dominion Exploration & Production, Inc. Our new bond has been filed and is pending approval with the State of Utah. The bond number is 76S 63050 361.


John R. Lewis
Sr. Vice-President - CNG Producing Company

RECEIVED
JUN 29 2000
DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature:  Title: Sr. Vice-President - Dominion Expl. & Prod., Inc. Date: June 26, 2000

(This space for State use only)

Dominion Exploration & Production, Inc.
1450 Poydras Street, New Orleans, LA 70112-6000
Phone: 504-593-7000



June 27, 2000

Mr. Jimmy Thompson
Utah Board of Oil Gas & Mining
1594 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachitana
Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED

JUN 29 2000

**DIVISION OF
OIL, GAS AND MINING**



State of Utah DEPARTMENT OF COMMERCE Division of Corporations & Commercial Code

552894 CO 106990 File Number

Table with 2 columns: Check Appropriate Box, Fee Amount. Rows include Foreign Profit Corporation (\$35.00), Foreign Non-Profit Corporation (\$35.00), Foreign Limited Partnership (\$25.00), Foreign Limited Liability Company (\$35.00).

Application To Amend The CERTIFICATE OF AUTHORITY OR REGISTRATION of

CNG Producing Company Business Entity Name

Delaware Name of Home State

I. AMENDING THE BUSINESS NAME

The business name is changed to: Dominion Exploration & Production, Inc. The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.

NOTE: If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.

Check the following:

- [X] The name of the corporation is changing its name in Utah to the new name of the corporation in the home state. [] The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.

II. AMENDING THE DURATION OF THE BUSINESS EXISTENCE

The businesses period of duration is changed to:

III. AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION

The corporation's state or country of incorporation/registration is changed to:

IV. Other: (Limited Partnership changing General Partners, Limited Companies changing Members or Managers, Change of statement who is managing, etc.) Use an attached sheet if needed.

Under penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, to the best of my knowledge and belief, true and correct.

Signature: [Handwritten Signature] Title: Vice President & Corporate Secretary Date: April 20 2000

State of Utah Department of Commerce Division of Corporations and Commercial Code

I hereby certify that the foregoing has been filed and approved on this 25 day of April 2000 in the office of this Division and hereby issue this Certificate thereof.

Examiner: [Signature] Date: 4/25/00



Date: 04/25/2000 Receipt Number: 22156 Amount Paid: \$50.00

STATE OF UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE 160 East 300 South / Box 146705 Salt Lake City, UT 84114-6705 Service Center: (801) 530-4849 Web Site: http://www.commerce.state.ut.us

FILED

APR 25 2000

EXHIBIT A
OIL & GAS LEASES AFFECTED BY THE NAME CHANGE

U-01470-A	U-017713	U-46825
U-01790	U-035316	U-62232
U-02896-A	U-037164	UTU-66743
U-03505	U-0143519	UTU-68108
U-03576	U-0143520-A	UTU-68388
U-013429-A	U-0143521-A	UTU-68625
U-013765	U-0147541	UTU-69166
U-013766	U-0147541-A	UTU-73011
U-013767	U-3405	UTU-73433
U-013769	U-7206	UTU-76499
U-013769-A	U-9803	UTU-76500
U-013769-B	U-10291	UTU-76717
U-013769-C	U-16544	UTU-76718
U-013792	U-19266	
U-013793	U-28203	U-60759 (CA)
U-013793-A	U-29784	U-60940 (CA)
U-013794	U-30693	UTU-77360 (CA)
U-013818-A	U-37246	U-63054X (River Bend)
U-013820	U-39221	UTU-73218X
U-013821-A	U-43156	(West Willow Creek Unit)

4304733088 RBU 1-10F	P	U-7206
4304733362 RBU 15-10F	P	U-7206
4304732902 RBU 1-15F	P	U-7260
4304732903 RBU 3-15F	P	U-7260
4304732904 RBU 9-15F	P	U-7260
4304732515 RBU 1-25E	P	U-73011
4304730406 RBU 7-25B	P	UTU-39221
4304732418 FEDERAL 13-24B	S	UTU-68625
4304732420 FEDERAL 15-24B	P	UTU-68625
4304732447 FEDERAL 5-24B	P	UTU-68625
4304732671 FEDERAL 3-24B	P	UTU-68625

(76 row(s) affected)

OPERATOR CHANGE WORKSHEET

_____	4-KAS ✓
2-CDW ✓	5-SI ✓
3-JLT	6-FILE

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold) Designation of Agent
X Operator Name Change Only Merger

The operator of the well(s) listed below has changed, effective: 4-12-00

TO:(New Operator) DOMINION EXPL & PROD INC.
 Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000

 Phone: 1-(504)-593-7000
 Account No. N1095

FROM:(Old Operator) CNG PRODUCING COMPANY
 Address: 1450 POYDRAS STREET
NEW ORLEANS, LA 70112-6000

 Phone: 1-(504)-593-7000
 Account No. N0605

WELL(S):	CA Nos.	or	WEST WILLOW CREEK	Unit
Name: <u>RBU 7-25B</u>	API: <u>43-047-30406</u>	Entity: <u>12029</u>	S <u>25</u> T <u>09S</u> R <u>19E</u>	Lease: <u>U-39221</u>
Name: <u>FEDERAL 13-24B</u>	API: <u>43-047-32418</u>	Entity: <u>12029</u>	S <u>24</u> T <u>09S</u> R <u>19E</u>	Lease: <u>U-68625</u>
Name: <u>FEDERAL 15-24B</u>	API: <u>43-047-32420</u>	Entity: <u>12029</u>	S <u>24</u> T <u>09S</u> R <u>19E</u>	Lease: <u>U-68625</u>
Name: <u>FEDERAL 5-24B</u>	API: <u>43-047-32447</u>	Entity: <u>12029</u>	S <u>24</u> T <u>09S</u> R <u>19E</u>	Lease: <u>U-68625</u>
Name: <u>FEDERAL 3-24B</u>	API: <u>43-047-32671</u>	Entity: <u>12029</u>	S <u>24</u> T <u>09S</u> R <u>19E</u>	Lease: <u>U-68625</u>
Name: <u>FEDERAL 3-25B</u>	API: <u>43-047-32417</u>	Entity: <u>12029</u>	S <u>25</u> T <u>09S</u> R <u>19E</u>	Lease: <u>U-39221</u>

OPERATOR CHANGE DOCUMENTATION

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the **NEW** operator on 6-29-00.
- YES 4. The new company has been looked up in the **Department of Commerce, Division of Corporations Database** if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? **Yes/No** If yes, the company file number is SEE ATTACHED. If no, Division letter was mailed to the new operator on _____.
- YES 5. **Federal and Indian Lease Wells.** The BLM or the BIA has approved the merger, **name change** or operator change for all wells listed above involving Federal or Indian leases on 6-2-00.
- N/A 6. **Federal and Indian Units.** The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on _____.
- N/A 7. **Federal and Indian Communitization Agreements ("CA").** The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on _____.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-68108

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Federal 15-24B

9. API Well No.
43-047-32420

10. Field and Pool, or Exploratory Area
Natural Buttes

11. County or Parish, State
Utah, UT

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Dominion Exploration & Production, Inc.

3a. Address
14000 Quail Springs Pkwy, Ste 600, OKC, OK 73134

3b. Phone No. (include area code)
(405) 749-5237

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
491' FNL & 1397' FEL, Sec. 24-9S-19E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input type="checkbox"/> Other

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Dominion requests permission to P&A the Federal 15-24B per the attached procedure.

COPIES SENT TO OPERATOR
DATE: 3/23/07
INITIALS: RM

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Barbara Lester** Title **Regulatory Specialist**

Signature *Barbara Lester* Date **3/9/2007**

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 3/22/07
By: D. K. [Signature]

Federal Approval Of This
Action Is Necessary

RECEIVED
MAR 14 2007
DIV. OF OIL, GAS & MINING

**Plug & Abandon Procedure
Federal 15-24B**

1,397' FEL & 491' FNL, Sec. 24, T-9-S, R-19-E
Uintah Co., Utah
API# 43-047-32420, KB: 4,734'

State of Utah Approval _____

1. Obtain verbal approval from BLM engineer, Matt Baker in Vernal, UT @ 435-781-4400 to commence P&A operations. Note details of verbal approval on daily report.
2. Blow down tbg. & tbg.-csg. annulus. MIRU WOR. ND wellhead. POOH w/ rods & pump. NU BOPE. Unset TA & POOH standing back 2-7/8" tbg.
3. Run 5-½", 17#, tubing-set CIBP on 2-7/8" tbg, set CIBP @ 4,700', pressure test tbg. to 1000 psi, rotate out of CIBP, pull EOT 2' off bottom.
4. RU cementing equipment, fill hole via tbg. w/ minimum 9.0 ppg non-corrosive fluid, press test csg. & CIBP to 200 psi, mix and pump 6 sx. cement (Class G - 1.15 ft³/sx) to spot 50' cement plug from 4,650' – 4,700', pull setting tool above cement plug, reverse circulate to clean tbg. POOH LD tbg to 3,200'.
5. Spot 25 sx. Class "G" cmt, 200' plug from 3,000' – 3,200'. PU, reverse circulate to clean tbg. POOH SB 1,250' of tbg & LD remainder.
6. RU W/L unit, RIH & perf. 4 sqz. holes @ 1,250'. RD W/L unit.
7. PU RIH 5-1/2" cmt. ret. Set cmt ret @ 1,125'. Sqz below ret w/ 40 sx. Sting out & cap ret w/ 25 sx. To set cmt. plug inside & outside of 5-1/2" csg from 1,025' – 1,250'. POOH SB 400' of 2-7/8" tbg. , LD remainder.
8. RU W/L unit. RIH & perf. 4 sqz.. holes @ 450'. RD W/L unit.
9. PU RIH 5-1/2" cmt. ret. Set cmt. ret @ 400'. Sqz below ret. w/ 110 sx. circulating cmt. to surf. Sting out & fill 5-1/2" to surf w/ 50sx. Class "G" cmt
10. Cut off casing, top off if necessary, install dryhole marker per State of Utah specs. Clean and restore location.

Dominion Exploration & Production

WELL: Federal 15-24B	SPUD DATE: 7/5/1993	LEASE: 18848
COUNTY: Uintah	RR DATE: 7/20/1993	FIELD: Natural Buttes
STATE: UT	COMP DATE: 8/12/1993	LOCATION: Sec: 24, T - 9-S, R - 19-E
API #: 43-047-32420	DEPI WI: 100%	FORMATION: Green River
TD: 5,260'	PBTD: 5,193'	ELEVATION: 4,734' KB

9-5/8", 36#, K-55, ST&C @ 400'

CASING RECORD

SURFACE CASING									
O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.	BIT SZ.	SX CMT.	TOP CMT.
9-5/8"	36#	K-55	ST&C	0'	400'		12-1/4"	230	SURF

PRODUCTION CASING

O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.	BIT SZ.	SX CMT.	TOP CMT.
5-1/2"	17.00#	N-80	LT&C	0'	5,260'		7-7/8"	900	3,100' CBL

2-1/2" x 1-1/2" x 19.5' RHAC Pump
1-1/2" WT BARS, 95-3/4" Rods,
85-7/8" Rods

TUBING

O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.	BIT SZ.
2-7/8"	6.5#	J-55	8RD	0'	4,822'	148	

PERFORATION RECORD

DATE	TOP	BOTTOM	SPF	ZONE	STATUS
08/01/93	4,766'	4,792'	4	1	Open
08/01/93	4,803'	4,807'	4	1	Open
09/30/93	4,766'	4,792'	?	1	Open
09/30/93	4,803'	4,807'	?	1	Open
11/13/99	4,766'	4,792'	4	1	Open
11/13/99	4,803'	4,807'	4	1	Open

TOC @ 3,100' CBL

WELL HISTORY

07/05/93	Spud Well
08/01/93	Frac interval #1, 4,766'-4,807', w/ 188,000, 20/40, 1711BF
08/09/93	Ran pump & Roo string
08/10/93	Set 228 PU.
08/13/93	Put well on rod pump.
09/30/93	Re-Frac interval #1, 4,766'-4,807', w/ 226,000, 16/30, 1760BF
10/07/93	Put well back on rod pump.
06/10/97	Change pump
11/13/99	Re-frac 4,766'-4,807'
11/16/99	Acidized w/ 37 BBLS 15% HCl.
11/18/99	Put well back on rod pump.

anchor @ 4,692'

4,766'-4,792' (Green River)

4,803'-4,807' (Green River)

EOT @ 4,822'

5-1/2", 17#, N-80 LT&C @ 5,260'

TD: 5,260'

TUBULAR GOODS PERFORMANCE

Material	ID (in)	Drift (in)	Collapse* (psi)	Burst* (psi)	Tensile (lbs)
9-5/8", 36#, K-55, ST&C	8.921	8.765	2,020	3,520	423,000
5-1/2", 17#, N-80, LT&C	4.892	4.767	6,280	7,740	348,000
2-7/8", 6.5#, N-80 EUE	2.441	2.347	11,160	10,570	144,960

* Safety factor not included.

CAPACITIES

Tubular Cap.	(bbl/ft)	(cft/ft)
9-5/8" Casing	.07730	0.4340
5-1/2" Casing	.02320	0.1305
2-7/8" Tubing	.00579	0.0325

Engineer: **Mark Timmons**
Office#: 405-749-3420
Fax#: 405-749-3494

Prepared By: **Kristin Hodge**
Date: 3/5/2007

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

7/1/2007

FROM: (Old Operator): N1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134 Phone: 1 (405) 749-1300	TO: (New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102 Phone: 1 (817) 870-2800
--	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST									

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/6/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/6/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/6/2007
- a. Is the new operator registered in the State of Utah: Business Number: 5655506-0143
- b. If **NO**, the operator was contacted on: _____
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: _____
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/27/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/27/2007
- Bond information entered in RBDMS on: 9/27/2007
- Fee/State wells attached to bond in RBDMS on: 9/27/2007
- Injection Projects to new operator in RBDMS on: 9/27/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: 9/27/2007

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000138
- Indian well(s) covered by Bond Number: n/a
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 104312762
- b. The **FORMER** operator has requested a release of liability from their bond on: 1/23/2008
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: XTO Energy Inc. <i>N2615</i>		8. WELL NAME and NUMBER: SEE ATTACHED
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102		9. API NUMBER: SEE ATTACHED
		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:

Dominion Exploration & Production, Inc. *N1095*
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

James D. Abercrombie (405) 749-1300
James D. Abercrombie
Sr. Vice President, General Manager - Western Business Unit

Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.

NAME (PLEASE PRINT) <u>Edwin S. Ryan, Jr.</u>	TITLE <u>Sr. Vice President - Land Administration</u>
SIGNATURE <i>Edwin S. Ryan, Jr.</i>	DATE <u>7/31/2007</u>

(This space for State use only)

APPROVED 9127107
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
AUG 06 2007
DIV. OF OIL, GAS & MINING

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

WEST WILLOW CREEK UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304730406	RBU 7-25B	SWNE	25	090S	190E	UTU-39221	12029	Federal	OW	S
4304732223	FEDERAL 11-24B	NESW	24	090S	190E	UTU-68625	12029	Federal	OW	P
4304732248	FEDERAL 1-26B	NENE	26	090S	190E	UTU-68625	12029	Federal	GW	P
4304732417	FEDERAL 3-25B	NENW	25	090S	190E	U-39221	12029	Federal	OW	P
4304732418	FEDERAL 13-24B	SWSW	24	090S	190E	UTU-68625	12029	Federal	OW	P
4304732420	FEDERAL 15-24B	SWSE	24	090S	190E	UTU-68625	12029	Federal	OW	P
4304732447	FEDERAL 5-24B	SWNW	24	090S	190E	UTU-68625	12029	Federal	OW	P
4304732671	FEDERAL 3-24B	NENW	24	090S	190E	UTU-68625	12029	Federal	OW	S



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

XTO Energy Inc.
Attn: Carl Stroud
810 Houston Street
Fort Worth, TX 76102-6298

October 6, 2008

Re: West Willow Creek Unit
Uintah County, Utah

Dear Mr. Stroud:

On October 3, 2008, we received an indenture dated September 25, 2008, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the West Willow Creek Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective October 6, 2008. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the West Willow Creek Unit Agreement.

Your Statewide Oil and Gas Bond No. UTB000138 will be used to cover all operations within the West Willow Creek Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Becky J. Hammond

Becky J. Hammond
Chief, Branch of Fluid Minerals

Enclosure

RECEIVED

OCT 09 2008

DIV. OF OIL, GAS & MINING

Effective Date: 1/1/2016

FORMER OPERATOR: XTO ENERGY INC PO BOX 6501 ENGLEWOOD CO 80155	NEW OPERATOR: FINLEY RESOURCES INC PO BOX 2200 FORT WORTH TX 76113
CA Number(s):	Unit(s): West Willioo Creek

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
FEDERAL 11-24B	24	090S	190E	4304732223	12029	Federal	Federal	OW	PA
FEDERAL 13-26B	26	090S	190E	4304732237	11370	Federal	Federal	GW	PA
FEDERAL 1-26B	26	090S	190E	4304732248	12029	Federal	Federal	GW	P
FEDERAL 3-25B	25	090S	190E	4304732417	12029	Federal	Federal	OW	P
FEDERAL 13-24B	24	090S	190E	4304732418	12029	Federal	Federal	OW	P
FEDERAL 15-24B	24	090S	190E	4304732420	12029	Federal	Federal	OW	PA
FEDERAL 5-24B	24	090S	190E	4304732447	12029	Federal	Federal	OW	P
FEDERAL 3-24B	24	090S	190E	4304732671	12029	Federal	Federal	OW	S

OPERATOR CHANGES DOCUMENTATION:

- Sundry or legal documentation was received from the **FORMER** operator on: 1/12/2016
- Sundry or legal documentation was received from the **NEW** operator on: 1/12/2016
- New operator Division of Corporations Business Number: 7409151-0143

REVIEW:

- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
- Receipt of Acceptance of Drilling Procedures for APD on: N/A
- Reports current for Production/Disposition & Sundries: 1/13/2016
- OPS/SI/TA well(s) reviewed for full cost bonding: N/A
- UIC5 on all disposal/injection/storage well(s) approved on: N/A
- Surface Facility(s) included in operator change: N/A
- Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000305
- Indian well(s) covered by Bond Number: N/A
- State/fee well(s) covered by Bond Number(s): N/A

DATA ENTRY:

- Well(s) update in the **OGIS** on: 1/27/2016
- Entity Number(s) updated in **OGIS** on: 1/27/2016
- Unit(s) operator number update in **OGIS** on: 1/27/2016
- Surface Facilities update in **OGIS** on: N/A
- State/Fee well(s) attached to bond(s) in **RBDMS** on: N/A
- Surface Facilities update in **RBDMS** on: N/A

LEASE INTEREST OWNER NOTIFICATION:

- The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: XTO Energy Inc. <u>N2615</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: PO Box 6501 CITY <u>Englewood</u> STATE <u>CO</u> ZIP <u>80155</u>		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: <u>(303) 397-3727</u>		8. WELL NAME and NUMBER: SEE ATTACHED
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: UINTAH		
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2016</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2016 Finley Resources Inc. will be taking over as operator of the attached wells from XTO Energy.

Finley Resources Inc. (Operator No. N3460)
PO Box 2200
Fort Worth, TX 76113
(817) 336-1924

RLB0011264

KK

1-5-16

Signature
Finley Resources Inc.

Date

RECEIVED
JAN 12 2016
DIV. OF OIL, GAS & MINING

Finley Resources Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond No. UTB000305 and Department of Natural Resources Bond No. RLB0011264.

NAME (PLEASE PRINT) <u>Kelly Kardos</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <u>Kelly Kardos</u>	DATE <u>12/22/2015</u>

(This space for State use only)

APPROVED

JAN 27 2016

DIV. OIL GAS & MINING
BY: Rachael Medina