



MAR 14 1994

March 11, 1994

Utah Division of Oil, Gas & Mining
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Attn: Frank Matthews

Re: Coastal Oil & Gas Corp.
NBU #217
NE SW Sec. 28, T9S - R21E
Uintah County, Utah

Dear Frank,

Enclosed please find three copies of the Application for Permit to Drill on the above mentioned well, along with the required drilling program and the surface use plan which was filed with the Bureau of Land Management in Vernal, Utah.

Please note that the proposed water source is the Uintah #1 water well, Permit No. 49-111.

Please forward the approved copies of this application to the address shown below. Thanks for your assistance in this matter.

Sincerely,

PERMITCO INC.

Lisa L. Smith

Consultant for:

COASTAL OIL & GAS CORPORATION

Enc.

cc: Coastal Oil & Gas

Permitco Incorporated
A Petroleum Permitting Company

13585 Jackson Drive Denver, Colorado 80241 (303) 452-8888

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

5. LEASE DESIGNATION AND SERIAL NO.

U-0576

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Ute Tribe

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK **DRILL** **DEEPEN** **PLUG BACK**

7. UNIT AGREEMENT NAME

Natural Buttes

1b. TYPE OF WELL
OIL WELL GAS WELL
SINGLE ZONE MULTIPLE ZONE

8. FARM OR LEASE NAME

NBU

2. NAME OF OPERATOR **303/573-4476** **600-17th Street, Suite 800 S**
Coastal Oil & Gas Corporation **Denver, CO 80201-0749**

9. WELL NO.

#217

3. ADDRESS OF OPERATOR **303/452-8888** **13585 Jackson Drive**
PERMITCO INC. - Agent **Denver, CO 80241**

10. FIELD AND POOL OR WILDCAT

Natural Buttes

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
At Surface **1978' FSL and 2296' FWL**
At proposed Prod. Zone **NE SW Sec. 28**

11. C. T., R. M., OR BLK

Sec. 28, T9S - R21E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
13.4 miles southeast of Ouray, UT

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
1978'

16. NO. OF ACRES IN LEASE
1480

17. TOTAL ACRES ASSIGNED TO THIS WELL

160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT.
1150'

19. PROPOSED DEPTH
6475'

20. ROTARY OR CABLE TOOLS

Rotary


21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4909' GR

22. APPROX. DATE WORK WILL START*

Upon approval of this application

23. **PROPOSED CASING AND CEMENTING PROGRAM**

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	250'	155 cf or suffic. to circ to surf.
7-7/8"	5-1/2"	17#	6475'	1690 cf to suffic to circ to surf.



Coastal Oil & Gas Corporation proposes to drill a well to 6475' to test the Wasatch formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

See Onshore Order No. 1 attached.

Please be advised that Coastal Oil & Gas Corporation is considered to be the Operator of the above mentioned well. Coastal Oil & Gas Corporation agrees to be responsible under the terms and conditons of the lease for the operations conducted upon the lease lands.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Coastal Oil & Gas Corporation under their Nationwide Bond #CO-0018.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Ken G. Smith* CONSULTANT FOR: Coastal Oil & Gas Corp. TITLE Coastal Oil & Gas Corp. DATE 3/11/94

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

cc: Utah Division of Oil, Gas & Mining

***See Instructions On Reverse Side**


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

T9S, R21E, S.L.B.&M.

COASTAL OIL & GAS CORP.

Well location, NBU #217, located as shown in the NE 1/4 SW 1/4 of Section 28, T9S, R21E, S.L.B.&M. Uintah County, Utah.

N89°58'W - 80.04 (G.L.O.)



▲ = SECTION CORNERS LOCATED.


BASIS OF ELEVATION

BENCH MARK LOCATED IN THE SE 1/4 SW 1/4 OF SECTION 29, T9S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4995 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAID ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.




UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(801) 789-1017

SCALE 1" = 1000'	DATE 2-15-94
PARTY J.F. B.B. D.R.B.	REFERENCES G.L.O. PLAT
WEATHER COOL	FILE COASTAL OIL & GAS CORP.

T9S, R21E, S.L.B.&M.

COASTAL OIL & GAS CORP.

Well location, NBU #217, located as shown in the NE 1/4 SW 1/4 of Section 28, T9S, R21E, S.L.B.&M. Uintah County, Utah.



BASIS OF ELEVATION

BENCH MARK LOCATED IN THE SE 1/4 SW 1/4 OF SECTION 29, T9S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4995 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert L. Gray
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 5709
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (801) 789-1017

SCALE 1" = 1000'	DATE 2-15-94
PARTY J.F. B.B. D.R.B.	REFERENCES G.L.O. PLAT
WEATHER COOL	FILE COASTAL OIL & GAS CORP.


▲ = SECTION CORNERS LOCATED.

T9S, R21E, S.L.B.&M.

COASTAL OIL & GAS CORP.

Well location, NBU #217, located as shown in the NE 1/4 SW 1/4 of Section 28, T9S, R21E, S.L.B.&M. Uintah County, Utah.

N89°58'W - 80.04 (G.L.O.)



N0°03'W (G.L.O.)

2641.24' - (Measured)
N0°03'W G.L.O. (Basis of Bearings)

N0°02'W (G.L.O.)

28

NBU #217
Elev. Ungraded Ground - 4909'

2296'

1978'

Set, Marked Stone;
Uintah County Cap

WEST - 40.00 (G.L.O.)

S89°48'42"W - 2644.73' (Measured)

Set Stone,
UELS Alum. Cap
on 5/8" Rebar

▲ = SECTION CORNERS LOCATED.


BASIS OF ELEVATION

BENCH MARK LOCATED IN THE SE 1/4 SW 1/4 OF SECTION 29, T9S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4995 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(801) 789-1017

SCALE 1" = 1000'	DATE 2-15-94
PARTY J.F. B.B. D.R.B.	REFERENCES G.L.O. PLAT
WEATHER COOL	FILE COASTAL OIL & GAS CORP.

CONFIDENTIAL - TIGHT HOLE

ONSHORE OIL & GAS ORDER NO. 1

**Approval of Operations on Onshore
Federal and Indian Oil & Gas Leases**

**NBU #217
1978' FSL and 2296' FWL
NE SW Sec. 28, T9S - R21E
Uintah County, Utah**

Prepared For:

COASTAL OIL & GAS CORP.

By:

**PERMITCO INC.
13585 Jackson Drive
Denver, Colorado 80241
303/452-8888**

Copies Sent To:

- 4 - BLM - Vernal, Utah**
- 1 - Utah Division of Oil, Gas & Mining - SLC, UT**
- 1 - Coastal Oil & Gas Corp. - Denver, CO**





Coastal
The Energy People

**Bureau of Land Management
170 S. 500 E.
Vernal, UT 84078**

RE: Federal Permitting Services


Gentlemen:

This letter is to inform you that Permitco Inc. is authorized to act as Agent and to sign documents on behalf of Coastal Oil & Gas Corp. when necessary for filing county, state and federal permits including Onshore Order No.1, Right of Way applications, etc.

It should be understood that Permitco is acting as Agent only in those matters stated above and is not responsible for drilling, completion, production or compliance with regulations.

Coastal Oil & Gas Corp. agrees to accept full responsibility for operations conducted in order to drill, complete and produce the above mentioned well.

Sincerely,



**Joseph J. Adamski
Environmental & Regulatory Analyst**

Coastal Oil & Gas Corporation

A SUBSIDIARY OF THE COASTAL CORPORATION
600 17TH STREET STE. 300 S • P O BOX 749 • DENVER CO 80201-0749 • 303 572-1121

Table of Contents
NBU #217

DRILLING PROGRAM

Page No.

1.	Formation Tops	1
2.	Anticipated Depth of Oil, Gas & Water	1
3.	Blow Out Preventor Requirements	2-3
4.	Casing and Cement Program	4-7
5.	Mud Program	7-8
6.	Testing, Logging and Coring	8-9
7.	Abnormal Pressures & H ₂ S Gas	9
8.	Other Information & Notification Requirements	9-12

SURFACE USE PLAN

1.	Existing Roads	1-2
2.	Access Roads to be Constructed or Reconstructed	2-3
3.	Location of Wells Within 1-Mile	4
4.	Proposed Production Facilities	4-5
5.	Water Supply	5-6
6.	Construction Materials	6
7.	Waste Disposal	6-7
8.	Ancillary Facilities	7
9.	Wellsite Layout	7-8
10.	Reclamation	9
11.	Surface/Mineral Ownership	10
12.	Other Information	10-12
13.	Certification	12-13



ONSHORE OIL & GAS ORDER NO. 1
Approval of Operations on Onshore
Federal and Indian Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Subsea</u>
Uinta	Surface	
Green River		
T.D.	6475'	

2. The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil	N/A	
Gas	Green River	
Water	N/A	
Other Mineral Zones	N/A	

All fresh water prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

3. Pressure Control Equipment: (Schematic Attached)

Coastal's minimum specifications for pressure control equipment are as follows:

Ram Type: Hydraulic double with hydril, 2000 psi w.p.

Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 70 percent of internal yield pressure of casing. Pressure shall be maintained for at least 10 minutes or until requirements of test are met, whichever is longer. If a test plug is utilized, no bleed-off pressure is acceptable. For a test not utilizing a test plug, if a decline in pressure of more than 10 percent in 30 minutes occurs, the test shall be considered to have failed. Valve on casing head below test plug shall be open during test of BOP stack.

Annular type preventers (if used) shall be tested to 50 percent of rated working pressure. Pressure shall be maintained at least 10 minutes or until provisions of test are met, whichever is longer.

As a minimum, the above test shall be performed:

- a. when initially installed;
- b. whenever any seal subject to test pressure is broken
- c. following related repairs; and
- d. at 30-day intervals

Valves shall be tested from working pressure side during BOPE tests with all down stream valves open.

When testing the kill line valve(s) the check valve shall be held open or the ball removed.

Annular preventers shall be functionally operated at least weekly.

Pipe and blind rams shall be activated each trip, however, this function need not be performed more than once a day.

DRILLING PROGRAM

Page 3

A BOPE pit level drill shall be conducted weekly for each drilling crew.

Pressure tests shall apply to all related well control equipment.

All of the above described tests and/or drills shall be recorded in the drilling log.

BOP systems shall be consistent with API RP53. Pressure tests will be conducted before drilling out from under casing strings which have been set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection will be recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have the BLM representative on location during pressure testing.

- a. The size and rating of the BOP stack is shown on the attached diagram. Although a rig has not been chosen to drill this well, most of the equipment for this depth of hole in the area use a 2000 psi working pressure blowout preventor.
- b. A choke line and a kill line are to be properly installed. The kill line is not to be used as a fill-up line.
- c. The accumulator system shall have a pressure capacity to provide for repeated operation of hydraulic preventers.
- d. Drill string safety valve(s), to fit all tools in the drill string, are to be maintained on the rig floor while drilling operations are in progress.



DRILLING PROGRAM

Page 4

4. Proposed Casing and Cementing Program:

- a. The proposed casing and cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium other than cement shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat opposite a competent formation which will contain the maximum pressure to which it will be exposed during normal drilling operations. Determination of casing setting depth shall be based on all relevant factors, including; presence/absence of hydrocarbons; fracture gradients; usable water zones; formation pressures; lost circulation zones; other minerals; or other unusual characteristics. All indications of usable water shall be reported.
- b. Casing design shall assume formation pressure gradients of 0.44 to 0.50 psi per foot for exploratory wells (lacking better data).
- c. Casing design shall assume fracture gradients from 0.70 to 1.00 psi per foot for exploratory wells (lacking better data)
- d. Casing collars shall have a minimum clearance of 0.422 inches of all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.
- e. All waiting on cement times shall be adequate to achieve a minimum of 500 psi compressive strength at the casing shoe prior to drilling out.
- f. All casing except the conductor casing, shall be new or reconditioned and tested used casing that meets or exceeds API standards for new casing.
- g. The surface casing shall be cemented back to surface either during the primary cement job or by remedial cementing.



- h. All indications of usable water shall be reported to the authorized officer prior to running the next string of casing or before plugging orders are requested, whichever occurs first.
- i. Surface casing shall have centralizers on every fourth joint of casing starting with the shoe joint and up to the bottom of the cellar.
- j. Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable preflush fluid, inner string cement method, etc. shall be utilized to help isolate the cement from contamination by the mud fluid being displaced ahead of the cement slurry.
- k. All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or 1500 psi, whichever is greater, but not to exceed 70 percent of the minimum internal yield. If pressure declines more than 10 percent in 30 minutes, corrective action shall be taken.
- l. On all exploratory wells, and on that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.

m. The proposed casing program will be as follows:

<u>Purpose</u>	<u>Depth</u>	<u>Hole Size</u>	<u>O.D.</u>	<u>Weight</u>	<u>Grade</u>	<u>Type</u>	<u>New or Used</u>
Surface	0-250'	12-1/4"	8-5/8"	24#	K-55	ST&C	New
Produc.	0-6475'	7-7/8"	5-1/2"	17#	K-55	LT&C	New

n. Casing design subject to revision based on geologic conditions encountered.

- o. The cement program will be as follows:

<u>Surface</u> 0-250'	<u>Type and Amount</u> ± 155 cubic feet Class "G" w/2% CaCl ₂ & 1#/sk floeal. (Cement volume = Annular Volume x 1.5).
<u>Production</u> 0-5975'	<u>Type and Amount</u> <u>Lead:</u> 1560 cubic feet of Premium High-Fill w/1#/sk granulite TR, 0.3% HR-7 & 1#/sk floeal.
5975-6475'	<u>Tail:</u> 130 cubic feet Premium 50/50 Pozmix w/10% salt, 2% gel, 0.4% Halad-40, 0.4% CFR-3, 1#/sk granulite TR, 0.5#/sk floeal.

- p. Anticipated cement tops will be reported as to depth; not the expected number of sacks of cement to be used. The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.
- q. After cementing but before commencing any test, the casing string shall stand cemented until the cement has reached a compressive strength of at least 500 psi at the shoe. WOC time shall be recorded in the driller's log.
- r. The following reports shall be filed with the District Manager within 30 days after the work is completed.
1. Progress reports, Form 3160-5 (formerly 9-331) "Sundry Notices and Reports on Wells", must include complete information concerning:
 - a. Setting of each string of casing, showing the size, grade, weight of casing set, hole size, setting depth, amounts and type of cement used, whether cement circulated or the top of the cement behind the casing, depth of cementing tools used, casing test method and results, and the date work was done. Show the spud date on the first reports submitted.
 - b. Temperature or bond logs must be submitted for each well where the casing cement was not circulated to the surface.



s. Auxiliary equipment to be used is as follows:

1. Kelly cock
2. No bit float is deemed necessary.
3. A sub with a full opening valve.

5. a. The proposed circulating mediums to be employed in drilling are as follows:

<u>Interval</u>	<u>Mud Type</u>	<u>Mud Wt.</u>	<u>Visc.</u>	<u>F/L</u>	<u>PH</u>
0-6475'	Aerated Water	---	---	---	--

Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control during the course of drilling operations.

A mud test shall be performed every 24 hours after mudding up to determine, as applicable: density, viscosity, gel strength, static filtration loss, and Ph.

b. Mud monitoring equipment to be used is as follows:

1. Periodic checks will be made each tour of the mud system. The mud level will be checked visually.

c. No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

d. No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported or disposed of annually in association with the drilling of this well.

DRILLING PROGRAM

Page 8

Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

6. The anticipated type and amount of testing, logging and coring are as follows:

a. No drill stem tests are anticipated, however, if they are run the following requirements will be adhered to:

Initial opening of drill stem test tools shall be restricted to daylight hours unless specific approval to start during other hours is obtained from the authorized officer. However, DST's may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e. lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping shall not begin before daylight, unless prior approval is obtained from the authorized officer. Closed chamber DSTs may be accomplished day or night.

A DST that flows to the surface with evidence of hydrocarbons shall be either reversed out of the testing string under controlled surface conditions. This would involve provided some means for reverse circulation.

Separation equipment required for the anticipated recovery shall be properly installed before a test starts.

All engines within 100 feet of the wellbore that are required to "run" during the test shall have spark arresters or water cooled exhausts.

b. The logging program will consist of a GR and DLL from T.D. to base of surface casing. An FDC-CNL will be run from T.D. to 1300'.

c. No cores are anticipated, however, sidewall cores will be run if warranted.



Permitco Incorporated
A Petroleum Permitting Company

- d. Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).
- e. A frac treatment will be utilized to complete this well. Frac treatment program specifics will be submitted via sundry notice and approval received prior to completion operations commencing. The drillsite, as approved will be of sufficient size to accommodate all completion activities.

7. Abnormal Temperatures or Pressures

- a. No abnormal temperatures or pressures are anticipated. No H₂S has been encountered in or known to exist from previous wells drilled to similar depths in the general area.
- b. Maximum anticipated bottom hole pressure equals approximately 2590 psi (calculated at 0.40 psi/foot) and maximum anticipated surface pressure equals approximately 1425 psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/ft.).

8. Anticipated Starting Dates and Notification of Operations:

- a. Drilling will commence immediately upon approval of this application.
- b. It is anticipated that the drilling of this well will take approximately 8-10 days.



DRILLING PROGRAM

Page 10

- c. The BLM in Vernal, Utah shall be notified of anticipated date of location construction commencement and of anticipated spud date.
- d. No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.
- e. The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.
- f. In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed with the Vernal BLM District Office, 170 South 500 East, Vernal, UT 84078.
- g. Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.
- h. If a replacement rig is contemplated for completion operations, a "Sundry Notice" Form 3160-5 to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.
- i. Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communications, not later than 5 days following the date on which the well is placed on production.



DRILLING PROGRAM

Page 11

- j. Pursuant to Onshore Order No. 7, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.
- k. Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.
- l. A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3 and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.
- m. A first production conference will be scheduled within 15 days after receipt of the first production notice.
- n. No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the SO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

ONSHORE ORDER NO.
Coastal Oil & Gas Corp.
NBU #217
1978' FSL and 2296' FWL
Sec. 28, T9S - R21E
Uintah County, Utah

Lease No. U-0576

DRILLING PROGRAM

Page 12

- o. Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.**



Permitco Incorporated
A Petroleum Permitting Company

ONSHORE OIL & GAS ORDER NO. 1

NOTIFICATION REQUIREMENTS

- Location Construction -** forty-eight (48) hours prior to construction of location and access roads.
- Location Completion -** prior to moving on the drilling rig.
- Spud Notice -** at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing -** twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests -** twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice -** within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

The onsite inspection for this well was conducted on Tuesday, March 8th at approximately 2:00 p.m. Weather conditions were sunny and moderate. In attendance at the onsite inspection were the following individuals:

Byron Tolman	Natural Resource Specialist	Bureau of Land Management
Lisa Smith	Agent for Coastal Oil & Gas	Permitco Inc.
John Kay	Land Surveyor	UELS

1. Existing Roads

- a. The proposed well site is located approximately 13.4 miles southeast of Ouray, Utah.

- b. Directions to the location from Ouray, Utah are as follows:

From Ouray proceed south on the Seep Ridge Road for 6.9 miles. Turn left and proceed southeast and east for 5 miles. Turn left and proceed north for 0.3 miles. Turn right and proceed northeast for 1.2 miles to the location.

- c. For location of access roads within a 2-Mile radius, see Maps A & B.
- d. Improvement to the existing access will not be necessary.
- e. All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.
- f. Existing roads and newly constructed roads on surface under the jurisdiction of any Surface Managing Agency shall be maintained in accordance with the standards of the SMA.

2. Planned Access Roads

- a. Approximately 100 feet of new access will be required. The new access road will be crowned and ditched with a running surface of 18 feet and a maximum disturbed width of 30 feet. Appropriate water control will be installed to control erosion.
- b. Two pipelines will be crossed with the new construction. The first line is a buried line operated by Questar; the second line is a surface line operated by CIGE. Fill material will be placed over both pipelines during construction of the road. Both Questar and CIGE will be contacted for their specific requirements in crossing these lines.
- c. The maximum grade will be approximately 5%.
- d. No turnouts are planned.

- e. One low water crossings may be installed in the new access. There are no major cuts and fills. No culverts and/or bridges will be required.
- f. The access road was centerline flagged at the time of staking.
- g. Surfacing material may be necessary depending on weather conditions.
- h. No cattleguards will be necessary.
- i. Surface disturbance and vehicular travel will be limited to the approved location and approved access route. Any additional area needed will be approved in advance.
- j. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).
- k. The road will be constructed/upgraded to meet the standards of the anticipated traffic flow and all weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowing and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

3. Location of Existing Wells Within a 1-Mile Radius of the Proposed Location.
(See Map #B).

- a. Water wells -none
- b. Injection wells -none
- c. Producing wells - sixteen
- d. Drilling wells - none
- e. Shut-in wells - one
- f. Temporarily abandoned wells - none
- g. Disposal wells -none
- h. Abandoned wells - one
- i. Dry Holes - none

4. Location of Tank Batteries and Production Facilities.

- a. If the well becomes a producing well, it will be equipped with a closed production system. If a drain pit is necessary, it will be applied for in accordance with Onshore Order No. 7.
- b. All permanent structures (onsite for six months or longer) constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five (5) state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The required paint color is Desert Brown, Munsell standard color number 10 YR 6/3.



NBU #217

1978' FSL and 2296' FWL
NE SW Sec. 28, T9S - R21E
Uintah County, Utah

SURFACE USE PLAN

Page 5

- c. If storage facilities/tank batteries are constructed on this lease, the facility/battery or the wellpad shall be surrounded by a containment dike of sufficient capacity to contain at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.
- d. A Sundry Notice will be submitted showing placement of all production facilities prior to construction.
- e. If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.
- f. Any necessary pits will be properly fenced to prevent any wildlife entry.
- g. All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.
- h. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the District Manager.
- i. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic.
- j. The road will be maintained in a safe useable condition.

5. Location and Type of Water Supply

- a. All water needed for drilling purposes will be obtained from the Uintah #1 Water Well, Section 15, T10S - R21E which is operated by Target Trucking, Vernal, Utah. Permit No. 49-111.
- b. Water will be hauled to location over the roads marked on Maps A and B.

- c. No water well is to be drilled on this lease.

6. Source of Construction Material

- a. Surface and subsoil materials in the immediate area will be utilized.
- b. Any gravel used will be obtained from a commercial source.
- c. The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2.3. Construction material will not be located on lease.
- d. No construction materials will be removed from Federal land.

7. Methods of Handling Waste Disposal

- a. The reserve pit will be constructed so as not to leak, break, or allow discharge. The need for a reserve pit liner will be determined during construction. Inspection will be made by the authorized officer.
- b. If a plastic nylon reinforced liner is used, it will be a minimum of 12 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O.
- c. Burning will not be allowed. All trash will be contained in a trash cage and its contents removed at the end of drilling operations and hauled to an approved disposal sight.
- d. After first production, produced waste water will be confined to a unlined pit or storage tank for a period not to exceed ninety (90) days. During the 90-day period, in accordance with Onshore Order No. 7, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted for the AO's approval. Failure

to file an application within the time allowed will be considered an incident of noncompliance.

- e. Drill cuttings are to be contained and buried in the reserve pit.
- f. Any salts and/or chemicals which are an integral part of the drilling system will be disposed of in the same manner as the drilling fluid.
- g. A chemical porta-toilet will be furnished with the drilling rig.
- h. The produced fluids will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas salt water or other produced fluids will be cleaned up and removed.

8. Ancillary Facilities

There are no airstrips, camps, or other facilities planned during the drilling of the proposed well.

9. Well Site Layout

- a. The reserve pit will be located on the north side of the location.
- b. The flare pit will be located downwind of the prevailing wind direction on the southwest side, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.
- c. The stockpiled topsoil (first six inches) will be stored on the south side of the location as shown on the attached rig layout.
- d. Access to the wellpad will be from the northeast as shown on the attached rig layout.
- e. See Location Layout for orientation of rig, cross section of drill pad and cuts and fills.

- f. **The location of mud tanks; reserve pit, trash cage; pipe racks; living facilities and soil stockpiles will be shown on the Location Layout.**
- g. **During construction, all brush will be removed from the wellpad and access road and stockpiled separately from the topsoil.**
- h. **All pits will be fenced according to the following minimum standards:**
 - 1. **39 inch net wire shall be used with at least one strand or barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).**
 - 2. **The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.**
 - 3. **Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.**
 - 4. **Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.**
 - 5. **All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.**
- i. **The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until cleanup.**

10. Plans for Restoration of Surface

Producing Location

- a. Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash and junk not required for production.
- b. Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.
- c. If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.
- d. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed and all cans, barrels, pipe, etc., will be removed.

To prevent surface water(s) from standing (ponding) on the reclaimed reserve pit area, final reclamation of the reserve pit will consist of "mounding" the surface three (3) feet above surrounding ground surface to allow the reclaimed pit area to drain effectively.

- e. The appropriate surface management agency should be contacted for the required seed mixture.

Dry Hole

- f. At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

11. Surface Ownership

Access Roads - All roads are County maintained or managed by the Bureau of Land Management.

Wellpad - The well pad is located on lands owned by the BLM.

12. Other Information

a. **All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice of Lessees. The operator is fully responsible for the actions of this subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.**

b. **A Class III archeological survey was conducted by Metcalf Archeological Consultants. A copy of this report has been submitted directly to the appropriate agencies by Metcalf Archeological Consultants.**

c. **The operator is responsible for informing all persons in the areas who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:**

-whether the materials appear eligible for the National Register of Historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and



-a time frame for the AO to complete and expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate. If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- d. The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- e. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure.
- f. A silt catchment dam will not be required for this location.
- g. A complete copy of the approved APD and ROW grant, if applicable shall be on location during construction of the location and drilling activities.
- h. There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended or abandoned will be identified in accordance with 43 CFR 3162.

- i. "Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- j. This permit will be valid for a period of one year from the date of approval. An extension period may be granted, if requested, prior to the expiration of the original approval period. After permit termination, a new application will be filed for approval for any future operations.
- k. The operator or his contractor shall contact the BLM Offices at 801/789-1362 48 hours prior to construction activities.
- l. The BLM Office shall be notified upon site completion prior to moving on the drilling rig.
- m. In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kencska	Petroleum Engineer	801/781-1190
Ed Forsman	Petroleum Engineer	801/789-7077
BLM Fax Machine		801/789-3634

13. Lessee's or Operator's Representative and Certification

Permit Matters
PERMITCO INC.
Lisa L. Smith
13585 Jackson Drive
Denver, CO 80241
303/452-8888

Drilling & Completion Matters
COASTAL OIL & GAS CORPORATION
600-17th Street, Suite 800 S
Denver, CO 80201-0749
Ned Shifflett - Operations Superintendent
303/573-4455 (office)
Joe Adamski - Environmental Coordinator
303/573-4476 (office)
303/828-3045 (home)

ONSHORE ORDER N
Coastal Oil & Gas Corp.
NBU #217
1978' FSL and 2296' FWL
NE SW Sec. 28, T9S - R21E
Uintah County, Utah

Lease No. U-0576

SURFACE USE PLAN
Page 13

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Coastal Oil & Gas Corp. and its contractors and subcontractors in conformity with the plan and the terms and conditions under which it is approved.


This statement is subject to the provisions of 18.U.S.C. 1001 for the filing of a false statement.

March 11, 1994

Date:

Lisa L. Smith - PERMITCO INC.
Authorized Agent for:
Coastal Oil & Gas Corp.






TOPOGRAPHIC
MAP "A"

DATE: 2-14-94 D.R.B.



COASTAL OIL & GAS CORP.


NBU #217
SECTION 28, T9S, R21E, S.L.B. & M.
2296' FWL 1978' FSL



TOPOGRAPHIC
 MAP "B"
 SCALE: 1" = 2000'
 DATE: 2-14-94 D.R.B.



COASTAL OIL & GAS CORP.
 NBU #217
 SECTION 28, T9S, R21E, S.L.B.& M.
 2296' FWL 1978' FSL



LEGEND:

- ⊕ = Water Wells
- ◆ = Abandoned Wells
- = Temporarily Abandoned Wells
- ⊘ = Disposal Wells
- = Drilling Wells
- = Producing Wells
- ⊕ = Shut-in Wells




COASTAL OIL & GAS CORP.

NBU #217
 SECTION 28, T9S, R21E, S.L.B. & M.
 2296' FWL 1978' FSL

T O P O M A P " C "

DATE: 2-14-94 D.R.B.



TOTAL PIPELINE SLOPE DISTANCE = 120'

TOPOGRAPHIC
MAP "D"

LEGEND

- EXISTING PIPELINE
- +++++ Proposed Pipeline



COASTAL OIL & GAS CORP.

PROPOSED PIPELINE RIGHT-OF-WAY FOR
NBU #217
SECTION 28, T9S, R21E, S.L.B. & M.

DATE: 2-14-94 D.R.B.


COASTAL OIL & GAS CORP.

LOCATION LAYOUT FOR

NBU #217

SECTION 28, T9S, R21E, S.L.B.&M.


1978' FSL 2296' FWL



SCALE: 1" = 50'
DATE: 2-16-94
Drawn By: R.E.H.

NOTE:

Flare Pit is to be located a min. of 100' from the Well Head.



NOTES:

Elev. Ungraded Ground At Loc. Stake = 4908.6'
FINISHED GRADE ELEV. AT LOC. STAKE = 4908.1'

FIGURE #1



COASTAL OIL & GAS CORP.

TYPICAL CROSS SECTIONS FOR


NBU #217

SECTION 28, T9S, R21E, S.L.B.&M.


1978' FSL 2296' FWL




DATE: 2-16-94
Drawn By: R.E.H.




STA. 3+25



STA. 1+50



STA. 0+65



STA. 0+00

NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,080 Cu. Yds.
Remaining Location	= 3,900 Cu. Yds.
TOTAL CUT	= 4,980 CU.YDS.
FILL	= 1,580 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 3320 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 2,430 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 890 Cu. Yds.

FIGURE #2

There are no federal stipulations at this time.



A Class III Archeological Survey has been conducted by Metcalf Archeological Consultants. No significant cultural resources were found and clearance has been recommended. A copy of this report has been submitted to the appropriate agencies by Metcalf Archeological Consultants.



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONFIDENTIAL

5. LEASE DESIGNATION AND SERIAL NO.

U-0576

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Ute Tribe

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

1b. TYPE OF WELL

OIL WELL

GAS WELL

SINGLE ZONE

MULTIPLE ZONE

7. UNIT AGREEMENT NAME

Natural Buttes

8. FARM OR LEASE NAME

NBU

2. NAME OF OPERATOR

303/573-4476

600-17th Street, Suite 800 S

9. WELL NO.

#217

Coastal Oil & Gas Corporation

Denver, CO 80201-0749

3. ADDRESS OF OPERATOR

303/452-8888

13585 Jackson Drive

10. FIELD AND POOL OR WILDCAT

Natural Buttes

PERMITCO INC. - Agent

Denver, CO 80241

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)

At Surface

1978' FSL and 2296' FWL

11. SEC., T., R., M., OR BLK.

AND SURVEY OR AREA

At proposed Prod. Zone

NE SW Sec. 28

Sec. 28, T9S - R21E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

13.4 miles southeast of Ouray, UT

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

1978'

16. NO. OF ACRES IN LEASE

1480

17. NO. OF ACRES ASSIGNED TO THIS WELL

160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT.

1150'

19. PROPOSED DEPTH

6475'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4909' GR

22. APPROX. DATE WORK WILL START*

Upon approval of this application

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	250'	155 cf or suffic. to circ to surf.
7-7/8"	5-1/2"	17#	6475'	1690 cf to suffic to circ to surf.

Coastal Oil & Gas Corporation proposes to drill a well to 6475' to test the Wasatch formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

RECEIVED

MAR 14 1994

See Onshore Order No. 1 attached.

Please be advised that Coastal Oil & Gas Corporation is considered to be the Operator of the above mentioned well. Coastal Oil & Gas Corporation agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Coastal Oil & Gas Corporation under their Nationwide Bond #CO-0018.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Lisa L. Smith*

Consultant for:
TITLE Coastal Oil & Gas Corp.

DATE 3/11/94

(This space for Federal or State office use)

PERMIT NO. 43-047-32480

APPROVAL DATE

acting
TITLE

ASSISTANT DISTRICT
MANAGER

DATE APR 07 1994

APPROVED BY *Eric J. Brown*
CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

cc: Utah Division of Oil, Gas & Mining

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Ut080-4m-055

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Coastal Oil and Gas Corporation

API Number 43-047-32480

Well Name & Number: NBU 217

Lease Number: UTU-0576

Location: NESW Sec. 28 T. 9 S. R. 21 E.

Surface Ownership: BLM

Date NOS Received _____

Date APD Received _____

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

The Vernal District Office shall be notified, at least 24 hours prior to initiating the pressure tests, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany Oil Shale zone, identified at ± 2223 ft.. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

The Vernal District Office shall be notified at least 24 hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to ± 2023 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours prior to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Ed Forsman (801) 789-7077
Petroleum Engineer

Wayne Bankert (801) 789-4170
Petroleum Engineer

BLM FAX Machine (801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- **Unused fracturing fluids or acids**
- **Gas plant cooling tower cleaning wastes**
- **Painting wastes**
- **Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids**
- **Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste**
- **Refinery wastes**
- **Liquid and solid wastes generated by crude oil and tank bottom reclaimers**
- **Used equipment lubrication oils**
- **Waste compressor oil, filters, and blowdown**
- **Used hydraulic fluids**
- **Waste solvents**
- **Waste in transportation pipeline-related pits**
- **Caustic or acid cleaners**
- **Boiler cleaning wastes**
- **Boiler refractory bricks**
- **Incinerator ash**
- **Laboratory wastes**
- **Sanitary wastes**
- **Pesticide wastes**
- **Radioactive tracer wastes**
- **Drums, insulation and miscellaneous solids.**

CONDITIONS OF APPROVAL
SURFACE USE PLAN OF OPERATIONS

The reserve pit will be located on the south side of the location, not on the north as explained in the APD.

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 03/14/94

API NO. ASSIGNED: 43-047-32480

WELL NAME: NBU 217
OPERATOR: COASTAL OIL & GAS CORP (N0230)

PROPOSED LOCATION:
NESW 28 - T09S - R21E
SURFACE: 1978-FSL-2296-FWL
BOTTOM: 1978-FSL-2296-FWL
UINTAH COUNTY
NATURAL BUTTES FIELD (630)

INSPECT LOCATION BY: / /		
TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: FED
LEASE NUMBER: U-0576

RECEIVED AND/OR REVIEWED:

Plat

Bond: Federal State Fee
(Number CO-0018)

Potash (Y/N)

Oil shale (Y/N)

Water permit
(Number 44-111)

RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: UTU 63047X

R649-3-2. General.

R649-3-3. Exception.

Drilling Unit.
Board Cause no: _____
Date: _____

COMMENTS: ~~NOT A STANDARD TO ACRES LOCATION~~
BLM approved 4-7-94 per Pat Sullivan

STIPULATIONS: _____

CONFIDENTIAL
PERIOD
EXPIRED
ON 7-27-95

Uintah County
BLM - Vernal



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

April 7, 1994

Coastal Oil & Gas Corporation
600-17th Street, Suite 800 S
Denver, Colorado 80201-0749

Re: NBU #217 Well, 1978' FSL, 2296' FWL, NE SW, Sec. 28, T. 9 S., R. 21 E., Uintah County, Utah

Gentlemen:

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 649-2-3, Application of Rules to Unit Agreements and R. 649-3-4, Permitting of Wells to be Drilled, Deepened or Plugged-Back, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules.
2. Notification to the Division within 24 hours after drilling operations commence.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or K. Michael Hebertson, Reclamation Specialist, (Home) (801)269-9212.



Page 2
Coastal Oil & Gas Corporation
NBU #217 Well
April 7, 1994

6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.


This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32480.

Sincerely,



R.J. Fifth
Associate Director

ldc
Enclosures
cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office
WO11



April 22, 1994

Utah Division of Oil, Gas & Mining
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203
Attn: Debra Eatchel

Re: Coastal Oil & Gas Corp. &
ANR Production Company
Proposed Drillsites located in
Uintah & Duchesne Counties, Utah

Dear Debra,

As per your telephone conversation with Joe Adamski, please be advised that Coastal/ANR requests that the following wells be held in a Confidential - Tight Hole Status. Your cooperation would be appreciated. The wells are as follows:

1. CIGE #180-16-9-21, SE SW Sec. 16, T9S - R21E, Uintah Co., Utah
2. CIGE #182-7-10-21, SE SE Sec. 7, T10S - R21E, Uintah Co., Utah
3. COG #6-18-9-21 GR, SE NW Sec. 18, T9S - R21E, Uintah Co., Utah
4. COG #8-19-9-21 GR, NE NE Sec. 19, T9S - R21E, Uintah Co., Utah
5. COG #10-30-9-21 GR, SW NE Sec. 30, T9S - R21E, Uintah Co., Utah
6. COG #11-22-9-20 GR, SE NE Sec. 22, T9S - R20E, Uintah Co., Utah
7. NBU #214, NW SW Sec. 27, T9S - R21E, Uintah Co., Utah
8. NBU #215, NW NW Sec. 12, T10S - R21E, Uintah Co., Utah
9. NBU #217, NE SW Sec. 28, T9S - R21E, Uintah Co., Utah
10. Ute #1-27B6, NW/4 Sec. 27, T2S - R6W, Duchesne Co., Utah
11. Ute #1-28B6, NE/4 Sec. 28, T2S - R6W, Duchesne Co., Utah
12. Ute #2-28B6, SE/4 Sec. 28, T2S - R6W, Duchesne Co., Utah
13. Ute #2-21B6, NE/4 Sec. 21, T2S - R6W, Duchesne Co., Utah
14. Ute #2-22B6, SE/4 Sec. 22, T2S - R6W, Duchesne Co., Utah
15. Ute #2-33B6, NE/4 Sec. 33, T2S - R6W, Duchesne Co., Utah

Permitco Incorporated
A Petroleum Permitting Company

April 22, 1994
Utah Division of Oil, Gas & Mining
Page 2

If you should have any questions, please contact Joe Adamski at 303/573-4476.

Sincerely,

PERMITCO INC.



Lisa L. Smith

Consultant for:

Coastal Oil & Gas Corp.

ANR Production Co.

cc: Joe Adamski



Permitco Incorporated
A Petroleum Refining Company

CONFIDENTIAL

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: COASTAL OIL/GAS

WELL NAME: NBU 217

API NO. 43-047-32480

Section 28 Township 9S Range 21E County UINTAH

Drilling Contractor COASTAL DRIL

Rig # 1

SPUDDED: Date 4/26/94

Time _____

How DRY HOLE

Drilling will commence _____

Reported by _____

Telephone # _____


Date 4/27/94 SIGNED MKH

ENTITY ACTION FORM - FORM 6

OPERATOR Coastal Oil & Gas Corporation

ADDRESS P.O. Box 749

Denver, CO 80201-0749



ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION				COUNTY	DATE	EFFECTIVE DATE
					QQ	SC	TP	RG			
A	99999	02900	43-047-32480	NBU #217	NE SW	28	9S	21E	Uintah	5/22/94	5/22/94
WELL 1 COMMENTS: <i>Entity added 5-31-94. fee (Natural Buckles Unit / Wsmurd P.A.)</i>											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

- ACTION CODES (See instructions on back of form)**
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

J.O. Shifflett
Signature
Dist. Drlg. Mgr. 5/23/94
Title Date
Phone No. (303) 573-4476

UTAH DIVISION OF OIL, GAS AND MINING EQUIPMENT INVENTORY

Operator: Coastal Oil & Gas Lease: State: Federal: Indian: Fee:

Well Name: NRU 217 API Number: 43-047-32480

Section: 28 Township: 9S Range: 21E County: Uintah Field: Natural Buttes

Well Status: PGW Well Type: Oil: Gas:

PRODUCTION LEASE EQUIPMENT: CENTRAL BATTERY:

Well head Boiler(s) Compressor Separator(s)
 Dehydrator(s) Shed(s) Line Heater(s) Heated Separator
 VRU Heater Treater(s)

PUMPS:
 Triplex Chemical Centrifugal

LIFT METHOD:
 Pumpjack Hydraulic Submersible Flowing

GAS EQUIPMENT:
 Gas Meters Purchase Meter Sales Meter

TANKS:	NUMBER	SIZE
<u> </u>	Oil Storage Tank(s)	<u> </u> BBLs
<u> </u>	Water Tank(s)	<u> </u> BBLs
<u> </u>	Power Water Tank	<u> </u> BBLs
<input checked="" type="checkbox"/>	Condensate Tank(s)	<u> </u> 100 BBLs
<u> </u>	Propane Tank	<u> </u>

REMARKS: Reserve pit still open and holds 975 barrels water.

Location central battery: Qtr/Qtr: Section: Township: Range:

Inspector: David M. Keck Date: 8/1/94

LOGC

NB

217

42-047-32480


Top soil

Reserve Pit

Wellhead



Methanol Pump




North

Heated separator & Dehydrator

Barton Recorder

Access

Sales Line



100 Bbl. Condensate Tank

Pit

Berm

CONFIDENTIAL
 UNITED STATES DEPARTMENT OF THE INTERIOR
 BUREAU OF LAND MANAGEMENT

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-0576

6. IF INDIAN ALLOTTEE OR TRIBE NAME

Ute Tribe

7. UNIT AGREEMENT NAME

Natural Buttes

8. FARM OR LEASE NAME

NBU

9. WELL NO.

217

10. FIELD AND POOL, OR WILDCAT

Natural Buttes

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

NE/SW Section 28, T9S-R21E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. RESVR. Other OCT 5 1994

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201-0749 (303) 573-4476

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 1978' FSL & 2296' FWL

At top prod. interval reported below Same as above

At total depth

14. PERMIT NO. 43-047-32480 DATE ISSUED 4/7/94

Same as above

15. DATE SPUDDED 4/26/94 16. DATE T.D. REACHED 5/29/94 17. DATE COMPL. (Ready to prod.) 6/27/94 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4908' GL 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 6415' 21. PLUG BACK T.D., MD & TVD 6368' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY → rotary 24. ROTARY TOOLS 25. CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5727' - 6248' Wasatch 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN CAL/LDT/CNT/GR/ARI, Sonic, CBL/CCL/GR 27. WAS WELL CORRED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	251'	12-1/4"	150 sx Type V w/additives	cmt to surf 8 bbls
5-1/2"	17#	6411'	8-3/4"	320 sx Type V Ex Lite, 500 sx Type V HLC	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)		32. ACID SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
INTERVAL (MD)	SIZE	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
Perf'd Wasatch (11 holes) w/4" csg gun @ 1 SPF: 5727', 5880', 5896', 5946', 5958', 5969', 6183', 6188', 6225', 6243', 6248'		5727'-6248'	36 bbls 15% HCl
		5727'-6248'	78,900 gal 35#; 214,20000# 20/40 mesh sand

33.* PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
6/9/94		flowing				producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
6/28/94	24	15.5/64"	→	0	1100	N/A	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
1050#	1250#	→					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) sold TEST WITNESSED BY

35. LIST OF ATTACHMENTS
chronological history

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
 SIGNED Bonnie Johnston TITLE Environmental Analyst DATE 10/3/94

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Wasatch	4852'	4852'

38.

COASTAL OIL & GAS CORPORATION
CHRONOLOGICAL HISTORY

NBU #217

Natural Buttes Field

Uintah County, UT

CoastalDril #1

WI: 100% COGC AFE: 14469

ATD: 6375' SD: 5/22/94

Csg: 8 5/8" @ 263'

DHC(M\$): 181.0

SECTION 28-T9S-R21E

- 4/28/94 251' GL WORT. Spud well w/Leon Ross Drlg @ 11:00 AM 4/26/94. Drlg 12 1/4" hole to 254'. RIH w/6 jts 8 5/8" K-55 24# 8RD ST&C, csg tally ran = 252.37'. Set @ 251' GL. Cmt csg w/Howco w/150 sx Type V cmt w/2% CaCl₂ & 1/4#/sx Flocele. Mix @ 15.6 #/gal, yld 1.18 CF/sx. Displ w/15 1/2 bbls H₂O, circ 8 bbls cmt to pit. CIP @ 3:45 PM 4/27/94. Ran 3 cent & a guide shoe. CC: \$12,147.
- 5/22/94 550' Drlg, spud well @ 1:00 AM 5/22/94. 287' 15 1/2 hrs. RDRT, MI RURT. NU BOPE. Test BOPE to 2000, Hydril & csg to 1500, witnessed by Randy Bywater BLM. PU bit, DC's & rot hd. Tag cmt @ 245', drill cmt & shoe. Drlg, spud @ 1:00 AM 5/22/94. Align stack, rot hd. Drlg. No. 1 dwks mtr dwn, mech on way. Air pkg 8 hrs. Air mist. CC: \$53,287.
- 5/23/94 2040' Drlg. 1490'/22 1/2 hrs. Drlg, svy, change rot hd rubber. Drlg, RS, check BOP's & work Hydril. Drlg, svy. Drlg. Air 24 hrs. Air Mist. Svys: 1 3/4° @ 878', 2° @ 1474'. CC: \$61,558.
- 5/24/94 3360' Drlg. 1320'/22 1/2 hrs. Drlg, svy. Drlg, RS & check BOP's. Drlg, svy. Drlg. Hit H₂O @ 3031'-3036'. X-over to aerated H₂O @ 3088'. Air comp 24 hrs. Aerated H₂O. Svys: 1 1/2° @ 2275', 2° @ 3118'. CC: \$68,617.
- 5/25/94 4120' Drlg. 760'/23 1/2 hrs. Drlg, RS & check BOP's. Drlg. Air comp 2 hrs. DAP H₂O 5# bbl/aerated DAP H₂O. CC: \$75,744.
- 5/26/94 4900' Drlg. 780'/23 hrs. Drlg, svy. Drlg, replace suction valve mud pmp. Drlg. Air comp 4 hrs. 6# DAP H₂O/Aerated DAP H₂O. Svy: 1 1/4° @ 4380'. CC: \$87,422.
- 5/27/94 5310' Drlg. 410'/17 hrs. Drlg, RS. Drop svy, TFNB #2. TIH, brk circ @ 2237'-4208', W&R 45' to btm, no fill. Drlg, circ & svy. Drlg. 6# bbl DAP H₂O. Svy: 3 1/2° @ 5,020', 3° @ 5,200'. CC: \$99,987.
- 5/28/94 5810' Drlg. 500'/23 hrs. Drlg, RS. Drlg, circ & svy. Drlg. Connections tight some 20-30 min. No air. DAP H₂O 6.5# bbl. Svy: 2 1/4° @ 5704'. CC: \$107,543.
- 5/29/94 6390' Drlg. 580'/23 hrs. Drlg, RS. Drlg. Drlg breaks @ 5887-5908' (some gas), 5951-5979', 6190-6198', 6233-6237' & 6249-6253' (gassy). Mudded up 1000 bbls Brine H₂O to use when TD is reached. No air. DAP H₂O 6.5# bbl. CC: \$117,989.
- 5/30/94 6415' Log OH w/Schlumberger, WO new sonic tool. 25'/1 hr. Drlg, TD well @ 7:00 AM 5/29/94. Displ hole w/salt mud. Short trip 25 stds to 4050', good. Circ & cond hole for logs. Drop svy, TOOH for logs, SLM, no correction. WO Schlumberger. RU logging tools, log OH. Run LDT, CNT, GR, ARI, Cal 1st run. Run sonic tool, 2nd run sonic tool failed. WO sonic tool. Loggers TD 6405'. No air. MW 9.7, vis 36, FL 12.8, PV 8, YP 14, solids 0.3%, pH 9.7, CL 180,000, Ca 240, gels 5/7, wall cake 2/32ND. Svy: 2° @ 6366'. CC: \$126,042.
- 5/31/94 6415' RIH w/5 1/2" csg. Run Schlumberger DSI. TIH. Well flwg, bit plugged while circ. TOOH to 2700', bit unplugged, circ. TIH, brk circ 4575' & 6415', 4" fill. Circ out gas. POOH, LD DP & DC. RU csg tools & PU 5 1/2" csg. MW 9.7, vis 36, FL 12.8, PV 8, YP 14, solids 0.3%, pH 9.7, CL 180,000, Ca 240, gels 5/7, wall cake 2/32ND. CC: \$158,131.
- 6/1/94 6415' RDMRT, rig rel @ 2:00 PM 5/31/94. RIH w/147 jts 5 1/2" 17# K-55 8RD LT&C csg, tally ran = 6414.66'. Set @ 6411', FC @ 6368'. RU Howco, circ csg. Cmt 5 1/2" csg w/Howco, pmp 10 bbls superflush. Mix & pmp 320 sx Type V Extreme Lite cmt w/10# Gilsonite, 1/4# Flocele, 2# cap seal. Tail w/500 sx Type V HLC w/10# Gilsonite. Lead 10.1#/gal, 4.59 CF/sx, tail 12.4#/gal, 2.07 CF/sx. Displ w/147 bbls H₂O, bump plug to 1900, 500 over, floats held. Circ 35 bbls, 43 sx cmt to pit. Ran 10 cent, 16 turbolators, CIP @ 11:35 AM 5/31/94. ND BOPE, set csg slips w/105,000, cut off csg. Rel rig @ 2:00 PM 5/31/94. Moving to COG #10-30-9-21 GR. CC: \$218,166. FINAL DRILLING REPORT.

THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

COMPLETION:

Page #1

NBU #217

Natural Buttes Field
Uintah County, UT
WI: 100% COGC AFE: 14470
TD: 6415' PBDT: 6368'
Csg: 8" @ 263', 5½" @ 6411'
Perfs:
CWC(M\$): 437.6 /CC(M\$): 35.2

- 6/02/94 MIRU completion rig.
- 6/04/94 PO: POOH w/tbg. Prep to run CBL. Clean & level location. Set anchors. MIRU Well Tech rig #565. NU BOP. PU & RIH w/4-3/4" mill & 2-3/8" tbg. Tag PBDT @ 6355'. Circ hole w/160 bbls 3% KCl wtr. start POOH w/tbg & mill. SDFN.
DC: \$6,020 TC: \$6,020
- 6/05/94 PO: Prep to SD. Finish POOH w/tbg & mill. RU Cutters WLS. Ran CBL-CCL-GR log from LTD @ 6347' to surf w/1000 PSI ocn csg. Good bond TOC @ surf. RIH w/tbg to 5000'. SDFN.
DC: \$5,730 TC: \$11,750
- 6/06/94 Shut Down for Sunday.
DC: \$ TC: \$11,750
- 6/07/94 PO: SI - Prep to POOH w/tbg. Press test csg to 5000 PSI - ok. Swbd FL dn to 2400', sand line prtd. POOH w/tbg & swb. RU Cutters WLS. Perf 1 SPF w/4" csg gun; 5727, 5880, 5896, 5946, 5958, 5969, 6183, 6188, 6225, 6243, 6248 (11 holes). RIH w/tbg, spot 12 bbls 15% HCl across perfs. PU tbg to 5665'. Brk dn perfs w/24 bbls 15% HCl + 32 BS. Brk dn @ 1800 PSI. Avg IR 9.0 BPM @ 4000 PSI. Balled off to 5000 PSI. Surge off balls, finish flush. ISi 12000 PSI, 15 min 1050 PSI. Flwd back 1 hr., rec 40 BW. Well kicked off. Flwd to pit 2 hrs. SI @ 6:30 PM. Total load 194 bbls.
DC: \$8,450 TC: \$20,200
- 6/08/94 PO: Prep to pull BHP bombs. SITP 1600, SICP 1400. Blw well dn. POOH w/tbg. PU & RIH w/RBP, pkr & BHP bomb, landing assem. Set RBP @ 6293'. Press tst to 2000 PSI - ok. PU & set pkr @ 6207'. RIH & land BHP bombs below pkr. Made 1 swb run from 2500', well kicked off. Flwd to pit 1 hr. FTP 40 PSI, 1" chk, 1.3 MMCFPD w/vry light mist of wtr. SD hole valve @ 5:10 PM.
DC: \$6,340 TC: \$26,540
- 6/09/94 PO: Prep to pull BHP bombs. SITP 1000, SICP 580. Blw tbg dn & load tbg w/KCl wtr. Open dn hole valve. POOH w/BHP bombs. Clock stopped on both bombs (maybe jarred when well was swbd in). Made 1 swb run, well kicked off. Flwd 1 hr, FTP 40 PSI, 1" chk, 1.3 MMCFPD w/vry light mist of wtr. Reran bombs. Closed BH valve @ 1:30 pm.
DC: \$3,050 TC: \$29,590
- 6/10/94 PO: Prep to pull BHP bombs. Opened dn hole valve. POOH w/BHP bombs. Moved RBP up to 6215'. Press test to 2000 PSI, ok. Set pkr @ 6145'. Made 5 swb runs IFL @ 2000'. Rec 20 BW, FFL @ 6100'. Flw 45 MCFPD, dry gas. Landed BHP bombs closed dn hole valve @ 1:10 PM. SITP 0, SICP 350.
DC: \$3,050 TC: \$32,640
- 6/11/94 PO: Prep to test last zone. Open BH valve. POOH w/bombs, bombs failed, torque tbg, tbg was loose. Rls pkr, retorque tbg, reset pkr. Test tbg to 2000 PSI, 15 min 100 PSI, bleed off. Swb well dn. 6 run, 21 bbl, 40 MCF, dry gas. Rerun bombs. SDFN (Zone 6180'-6188'). SITP 0 SICP 325.
DC: \$2,600 TC: \$35,240

**THE COASTAL CORPORATION
PRODUCTION REPORT**

CHRONOLOGICAL HISTORY

COMPLETION:

NBU #217

Natural Buttes Field
 Uintah County, UT
 WI: 100% COGC AFE: 14470
 TD: 6415' PBD: 6368'
 Csg: 8" @ 263', 5 1/2" @ 6411'
 Perfs:
 CWC(M\$): 437.6 /CC(M\$): 342.3

- 6/12/94 PO: Prep to CO dn hole valve. Open dn hole valve. Pull bombs, rod good, more tools RBP @ 5915'. Pkr 5990', test 2000 PSI, ok. Reset pkr 5830'. Swb well dn, 6 runs, 21 bbl, slight blow. Run bombs, load tbg. SDFN. Zone 5880'-5896', flowed 10-15 MCFD.
 DC: \$3,000 TC: \$38,740
- 6/13/94 PO: Tbg slight vacuum, SICP 300, blow csg dn, pull bombs. No current. All suspect valve leaked. POOH w/pkr & dn hole valve, replae both. RIH set pkr @ 5830'. Swb well dn, 6 runs, 21 bbls. Run bombs, shut valve, load tbg. SDFN. Zone 6183'-6188', 250 PSI.
 DC: \$2,300 TC: \$41,040
- 6/14/94 PO: Flwg to pit. SITP sligt vac, SICP 300. Blw csg dn. POO w/bombs. Not test. Suspect dn hole valve leaked. RIH, rlsd RBP. POOH & LD RBP & pkr. RIH w/prod tbg. 176 jts landed @ 5651' w/notched collar on btm. SN 1 jt above & 10' blast jt on top. ND BOP, NU WH. Made 1 swb run. Well kicked off. Left flwg overnight on 20/64" chk. FTP 100 PSI, 20/64" chk, 250 MCFD, 5 BWPD.
 DC: \$29,830 TC: \$70,870
- 6/15/94 PO: NO frac. RDMO Well Tech rig #565. Drop from report until further activity.
 DC: \$350 TC: \$71,220
- 6/16/94 SICP 400, FTP 100, 20/64" chk, 250 MCFPD, light mist wtr. SI @ 9:00 AM.
- 6/22/94 PO: Prep to frac.
- 6/23/94 PO: Prep to frac.
- 6/24/94 PO: Will frac today.
- 6/25/94 PO: Flwg 750 MCFD, 100 BWP, 500 FTP, 650 CP, 20/64" chk.
- 6/26/94 PO: Flwg 1000 MCFD, 50 BWP, 650 FTP, 1040 CP, 20/64" chk.
- 6/27/94 PO: Flw testing after frac. Prep to turn to sales today. Frac Wasatch perfs @ 5727'-6248' w/78,900 gals 35#. Two stage containing 214,2000# 20-40 mesh sand. Ramped 2-6 ppg. Dropped 6 - 7/8" 1.1 56 bals. MTP 4450, ATP 3200. MIR 30 BPM, AIR 27 BPM. ISIP 2200#, 5 min 2080#, 10 min 2060#, 15 min 2040#. 2001 BLWTR. Shut well in for 1.5 hrs, open well to pit @ 10:30 PM on 14/64" chk.

<u>TIME</u>	<u>TBG</u>	<u>CSG</u>	<u>CHK</u>	<u>SAND</u>	<u>H₂O</u>
10:30	1450	1850	14/64	0	7
11:00	1000	1800	14/64	LIGHT	7
12:00	900	1650	14/64	LIGHT	7
1:00	800	1550	14/64	LIGHT	8
2:00	700	1350	20/64	TRACE	8
3:00	550	1100	20/64	0	8
4:00	450	950	20/64	0	8
5:00	350	800	20/64	0	8
6:00	300	750	20/64	0	8
7:00	300	700	20/64	0	7
8:00	400	650	20/64	0	5
9:00	400	600	20/64	0	3
10:00	400	600	20/64	0	3
11:00	400	600	20/64	0	3

PRODUCTION REPORT
CHRONOLOGICAL HISTORY

COMPLETION:

NBU #217
 Natural Buttes Field
 Uintah County, UT
 WI: 100% COGC AFE: 14470
 TD: 6415' PBD: 6355'
 Csg: 8" @ 263', 5½" @ 6411'
 Perfs: 5727'-6248' (Wasatch)
 CWC(M\$): 437.6 /CC(M\$): 342.3

6/27/94 CONTINUED:

<u>TIME</u>	<u>TBG</u>	<u>CSG</u>	<u>CHK</u>	<u>SAND</u>	<u>H₂O</u>
12:00 MID	400	550	14/64	0	3
1:00	400	550	14/64	0	3
2:00	425	600	14/64	0	3
3:00	425	600	14/64	0	3
4:00	450	650	14/64	0	3
5:00	450	650	20/64	0	3
6:00	500	650	20/64	0	3
7:00	550	650	20/64	0	3

*Note: Changed both gauges @ 2 PM, was reading 2000 PSI.

6/28/94 PO: Flwg to sales. 1100 MCFD, FTP 1050 PSI, CP 1250 PSI, LP 303 PSI
 on 15.5/64" chk.
FINAL REPORT.

6/30/94 PO: Well on prod. Run after frac prism log.
 DC: \$6,000

TC: \$126,150

2-7-8

*** T HOLE *** TITE HOLE *** TITEJ HOLE ***

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
FEB - 6 1995
DIV OF OIL, GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT" - for such proposals.

5. Lease Designation and Serial No.
U-0576
6. Allottee or Tribe Name
Ute Tribe

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

7. If Unit or CA, Agreement Designation
Natural Buttes

8. Well Name and No.
NBU #217

2. Name of Operator
Coastal Oil & Gas Corporation

9. AAPI Well No.
43-047-32480

3. Address and Telephone No.
P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476

10. Field and Pool, Or Exploratory Area
Natural Buttes

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)
1978' FSL & 2296' FWL
NE SW Section 28-T9S-R21E

11. County or Parish, State
Uintah County, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>Spud Notice</u>	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

251' GL. Spud well w/Leon Ross Drlg @ 11:00 a.m. on 4/26/94. Drlg 12 1/4" hole to 254'. RIH w/6 jts 8-5/8" K-55 24# 8RD ST&C csg, tally ran = 252.37'. Set @ 251' GL. Cmt csg w/Howco w/150 sx Type V AG cmt w/2% CaCl₂ & 1/4#/sx Flocele. Mix @ 15.6#/gal, yld 1.18 CF/sx. Displace w/15 1/2 bbls H₂O, circ 8 bbls cmt to pit. CIP @ 3:45 p.m. on 4/27/94.

550'. Drlg, spud well @ 1:00 a.m. on 5/22/94.

14. I hereby certify that the foregoing is true and correct

Signed N.O. Shiflett Title District Drilling Manager Date 02/03/95

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

U-0576

6. If Indian, Alottee or Tribe Name

Ute Tribe

7. If Unit or CA, Agreement Designation

Natural Buttes

8. Well Name and No.

NBU #217

9. API Well No.

43-047-32480

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

1978' FSL & 2296' FWL

NE SW Section 28-T9S-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other CO. lower tubing, and
install PLE


Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

The operator proposes to clean out, lower tubing, and install PLE.

Please see the attached procedure for operations to be performed on the subject well.



14. I hereby certify that the foregoing is true and correct

Signed Sheila Bremer
Sheila Bremer

Title Environmental & Safety Analyst

Date 01/10/97

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____
Conditions of approval, if any:

NBU #217-28-9-21
NATURAL BUTTES FIELD
SECTION 28 T9S R21E
WORKOVER PROCEDURES *HMM*

WELL DATA

LOCATION: 1978' FSL 2296' FWL SEC. 28 T9S R21E
ELEVATION: 4908' GR., 4920' KB.
TD: 6415', PBTD 6368' (6/94) WLS(11/96) 6221'
CSG: 8-5/8", 24.0#, K-55 @ 251' w/ 150 SX.
5-1/2", 17.0#, K-55 @ 6411' w/ 820 SX.
TBG: 2-3/8", 4.7#, J-55 @ 5651'
FORMATION(S): WASATCH 5727' - 6248', 11 HOLES (4/94)


PROCEDURE

1. MI & RU pulling unit. Blow down & kill well w/ 3% KCL water. ND WH. NU BOP.
2. MI & RU Air/Foam Unit. Circ. hole w/ 3% KCL water foamed w/ air. Clean out from 6221' (WLS 11/96) to 6368' (PBTD) using air/foam. Circ. hole clean. PU and land tbg @ 6248' (BP @ 6248').
3. ND BOP. NU WH. RD & MO pulling unit and Air/Foam unit.
4. Install PLE. Swab/flow well to clean up. Return the well to sales.

NBU #217-28-9-21
 NATURAL BUTTES FIELD
 SECTION 28 T9S R21E

WELL DATA

LOCATION: 1978' FSL 2296' FWL SEC. 28 T9S R21E
 ELEVATION: 4908' GR., 4920' KB.
 TD: 6415', PBD 6368' (6/94) WLS(11/96) 6221'
 CSG: 8-5/8", 24.0#, K-55 @ 251' w/ 150 SX.
 5-1/2", 17.0#, K-55 @ 6411' w/ 820 SX.
 TBG: 2-3/8", 4.7#, J-55 @ 5651'
 FORMATION(S): WASATCH 5727' - 6248', 11 HOLES (4/94)



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.
U-0576
6. If Indian, Alottee or Tribe Name
Ute Tribe
7. If Unit or CA, Agreement Designation
Natural Buttes
8. Well Name and No.
NBU #217
9. API Well No.
43-047-32480
10. Field and Pool, Or Exploratory Area
Natural Buttes
11. County or Parish, State
Uintah County, UT

SUBMIT IN TRIPLICATE


1. Type of Well
 Oil Well Gas Well Other
2. Name of Operator
Coastal Oil & Gas Corporation
3. Address and Telephone No.
P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)
1978' FSL & 2296' FWL
NE SW Section 28-T9S-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>CO, lower tubing, and</u> install PLE	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Please see the attached chronological history for work performed on the subject well.



14. I hereby certify that the foregoing is true and correct
Signed Bonnie Carson Title Senior Environmental Analyst Date 04/22/97
(This space for Federal or State office use)
APPROVED BY _____ Title _____ Date _____
Conditions of approval, if any:

*See Instruction on Reverse Side

WO tax credit 12/97

02/23/97 Plunger came up six times, then well died. Made 6 swab runs, rec 25 bbls, 75 bbls flowing, IFL 5300', EFL 6300'. Last run, no fluid. SDFN. Total rec 262. Flowing 32 MCF, 20 BW, 120 TP, 550 CP, on 21/64" chk. PL 2 hrs flow.
DC: \$1,321 TC: \$24,109

02/24/97 Flowing 16 MCF, 15 BW, 120 TP, 590 CP, on 21/64" chk. Dump stuck.

02/25/97 Flowing 16 MCF, 15 BW, 0 TP, 675 CP, on 21/64" chk. PL 12 hrs.

02/26/97 Flowing 4 MCF, 15 BW, 250 TP, 460 CP, on 21/64" chk.

02/27/97 250 TP, 460 CP, on 21/64" chk.

02/28/97 Flowing 16 MCF, 10 BW, 210 TP, 750 CP, on 21/64" chk. Slow plunger on AM.

03/01/97 Flowing 25 MCF, 5 BW, 74 TP, 725 CP, on 21/64" chk.

03/02/97 Flowing 16 MCF, 5 BW, 450 TP, 775 CP, on 16/64" chk.

03/03/97 Flowing 11 MCF, 8 BW, 175 TP, 685 CP, on 19/64" chk.

03/04/97 Flowing 13 MCF, 8 BW, 175 TP, 685 CP, on 19/64" chk.

03/05/97 Flowing 13 MCF, 6 BW, 180 TP, 100 CP, on 19/64" chk.

03/06/97 Flowing 12 MCF, 3 BW, 435 TP, 175 CP, on 19/64" chk.

03/07/97 Flowing 46 MCF, 3 BW, 200 TP, 700 CP, on 19/64" chk.

03/08/97 Flowing 16 MCF, 3 BW, 200 TP, 700 CP, on 19/64" chk.

03/09/97 Flowing 72 MCF, 3 BW, 200 TP, 700 CP, on 19/64" chk.

03/10/97 Flowing 20 MCF, 3 BW, 200 TP, 700 CP, on 19/64" chk. **Final Report**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

See Attached Spreadsheet

6. If Indian, Alottee or Tribe Name

See Attached Spreadsheet

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

See Attached Spreadsheet

9. API Well No.

See Attached Spreadsheet

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

See Attached Spreadsheet

43-047-32480

Uintah County, Utah


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>Dispose of Produced Water</u>	<input type="checkbox"/> Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

The Operator requests permission to dispose produced water from the referenced wells into storage tanks on the individual locations. The water will subsequently be hauled by truck to Coastal's NBU #159 salt water disposal well located at NESW, Section 35, T9S-R21E, where the produced water will be injected.



14. I hereby certify that the foregoing is true and correct

Signed Bonnie Carson Title Senior Environmental Analyst Date 07/07/97
Bonnie Carson

(This space for Federal or State office use)

APPROVED BY _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

COASTAL OIL & GAS CORPORATION
Attached hereto Sundry Notices and Reports on Wells dated July 7, 1997

Well Name & No.	API No.	Lease Designation & Serial Number	If Indian, Allottee or Tribe Name	Footages	Qtr/Qtr	Section	Township	Range	Field	County
CIGE #113D-21-9-21	43-047-31944	UTU-0576	Ute	2082' FNL & 1849' FEL	SW/NE	21	9S	21E	Natural Buttes	Uintah
CIGE #123-7-9-21	43-047-32047	UTU-0575B	N/A	1980' FNL & 1980' FEL	SW/NE	7	9S	21E	Natural Buttes	Uintah
CIGE #155-9-21	43-047-32157	UTU-011888	N/A	1613' FNL & 766' FEL	SE/NE	9	9S	21E	Natural Buttes	Uintah
CIGE #46-21-9-21	43-047-30529	U-0576	Ute	1019' FNL & 778' FEL	NE/NE	21	9S	21E	Natural Buttes	Uintah
CIGE #70-20-9-21	43-047-30636	U-0575	Ute	1894' FSL & 804' FEL	NE/SE	20	9S	21E	Natural Buttes	Uintah
CIGE #72-18-9-21	43-47-30634	U-0575	Ute	2049' FNL & 2291' FEL		18	9S	21E	Natural Buttes	Uintah
CIGE #90D-9-9-21J	43-047-31149	U-01188-B	Ute	774' FNL & 1942' FEL		9	9S	21E	Natural Buttes	Uintah
CIGE #91D-15-9-21J	43-47-31151	U-01188	Ute	630' FNL & 1652' FEL	NW/NE	15	9S	21E	Natural Buttes	Uintah
NBU #103	43-047-31956	UTU-0141315	Ute	2026' FNL & 1932' FWL	SE/NW	10	9S	21E	Natural Buttes	Uintah
NBU #111	43-47-31920	U-01194-ST	N/A	1982' FNL & 785' FWL	SW/NW	25	9S	21E	Natural Buttes	Uintah
NBU #120	43-047-31972	UTU-0141315	Ute	891' FNL & 532' FWL	NW/NW	10	9S	21E	Natural Buttes	Uintah
NBU #132	43-047-31938	U-01194	N/A	594' FNL & 850' FWL	NWNW	26	9S	21E	Natural Buttes	Uintah
NBU #142	43-047-32013	UTU-025187	N/A	1652' FSL & 1034' FEL	NE/SE	10	10S	22E	Natural Buttes	Uintah
NBU #143	43-047-32297	U-0141315	Ute	1752' FNL & 1713' FEL	NW/NE	10	9S	21E	Natural Buttes	Uintah
NBU #15	43-047-30204	ML-10170-01	N/A	1805' FWL & 601' FSL		26	9S	21E	Natural Buttes	Uintah
NBU #174	43-47-32193	U-0141315	N/A	454' FNL & 1154' FWL	NW/NW	11	9S	21E	Natural Buttes	Uintah
NBU #20	43-047-30250	U-0576	N/A	1330' FSL & 1330' FWL	SW	28	9S	21E	Natural Buttes	Uintah
NBU #205	43-047-32795	ML-23612	N/A	2110' FNL & 2607' FEL	SW/NE	1	10S	21E	Natural Buttes	Uintah
NBU #213	43-047-32401	U-025187	N/A	908' FNL & 1159' FWL	NW/NW	15	10S	22E	Natural Buttes	Uintah
NBU #217	43-047-32480	U-0576	Ute	1978' FSL & 2296' FWL	NE SW	28	9S	21E	Natural Buttes	Uintah
NBU #26	43-047-30252	U-01194-A-ST	N/A	1320' FSL & 1320' FEL		27	9S	21E	Natural Buttes	Uintah
NBU #31	43-047-30307	U-01197-A	N/A	1640' FWL & 1221' FSL	SW/SW	11	10S	22E	Natural Buttes	Uintah
NBU #39	43-047-30861	U-0132568A	N/A	1019' FWL & 956' FSL	SW/SW	29	10S	22E	Natural Buttes	Uintah
NBU #4	43-047-30056	U-0149075	N/A	757' FEL & 1399' FSL		23	9S	21E	Natural Buttes	Uintah
NBU #99	43-47-31745	U01194-ST	N/A	660' FSL & 660' FWL	SW/SW	25	9S	21E	Natural Buttes	Uintah

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

5. Lease Designation and Serial No.

U-0576

6. If Indian, Alottee or Tribe Name

Ute Tribe

7. If Unit or CA, Agreement Designation

Natural Buttes

8. Well Name and No.

NBU #217

9. API Well No.

43-047-32480

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

1978' FSL & 2296' FWL

NE SW Section 28-T9S-R21E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


TYPE OF ACTION

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Install pump unit & run rods
 Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)

Please see the attached chronological history for work performed on the subject well.



14. I hereby certify that the foregoing is true and correct.

Signed

Bonnie Carson
Bonnie Carson

Title Senior Environmental Analyst

Date

03/20/98

(This space for Federal or State office use)

APPROVED BY

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FOR RECORD ONLY

*See Instruction on Reverse Side

RD Pumping Unit & LD Rods - LOE

08/04/98 Well SI. MIRU. RD horse head & unit. Unseat pmp @ 6238' & LD polish rod, 1-8', 1-6', 1-4', 1-2', & pony sub. POOH & LD 248 - 3/4" EL rods & 1-1/4" dn hole pmp. PU & rls TAC @ 5598'. PU hgr & land tbg. EOT @ 6276', SN @ 6238', & TAC @ 5598'. NU WH flange & valve. RDMO. SWIFD.
DC: \$8,137 TC: \$8,137

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 8 South 1200 East CITY Vernal STATE Utah ZIP 84078		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: Exhibit "A"
PHONE NUMBER: 435-789-4433		9. API NUMBER:
COUNTY:		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

NAME (PLEASE PRINT) Coastal Oil & Gas Corporation		TITLE
John T. Elzner		Vice President
SIGNATURE	DATE	
	06-15-01	
NAME (PLEASE PRINT) El Paso Production Oil & Gas Company		TITLE
John T. Elzner		Vice President
SIGNATURE	DATE	
	06-15-01	

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 4 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall
Vice President

Attest:

Margaret E. Roark
Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

5. If **NO**, the operator was contacted contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 08/01/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/01/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEDERAL BOND VERIFICATION:

1. Federal well(s) covered by Bond No.: WY 2793

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: _____

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".

JAN. 17. 2003 3:34PM

WESTPORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5409

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chronos





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240

FEB 1 0 2003

IN REPLY REFER TO:
Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

A handwritten signature in cursive script, appearing to read "Perry E. Brown".

Director, Office of Trust Responsibilities

ACTING

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER: _____

6. IF INDIAN, ALLOTTEE OR TRIBE NAME: _____

7. UNIT or CA AGREEMENT NAME: _____

8. WELL NAME and NUMBER:
Exhibit "A"

9. API NUMBER: _____

10. FIELD AND POOL, OR WILDCAT: _____

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR:
9 Greenway Plaza CITY: **Houston** STATE: **TX** ZIP: **77064-0995** PHONE NUMBER: **(832) 676-5933**

4. LOCATION OF WELL

FOOTAGES AT SURFACE: _____ COUNTY: _____

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____
State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED
FEB 28 2003
DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.
NAME (PLEASE PRINT) **David R. Dix** TITLE **Agent and Attorney-in-Fact**

SIGNATURE  DATE **12/17/02**

(This space for State use only)

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"
6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

9. API Well No.
SEE ATTACHED EXHIBIT "A"

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

10. Field and Pool, or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other
			SUCCESSOR OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed when testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED
MAR 04 2003

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Signature



Date

March 4, 2003

BUREAU OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

1. GLH
2. CDW ✓
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02	
FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. Unit: NATURAL BUTTES

WELL(S)	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NBU 83J	27-09S-21E	43-047-31235	2900	STATE	GW	P
NBU 26	27-09S-21E	43-047-30252	2900	STATE	GW	P
NBU 57N	27-09S-21E	43-047-30867	2900	STATE	GW	P
NBU 158	27-09S-21E	43-047-31997	2900	STATE	GW	P
NBU 145	27-09S-21E	43-047-31976	2900	STATE	GW	P
NBU 183	27-09S-21E	43-047-32122	2900	STATE	GW	P
NBU 353	27-09S-21E	43-047-33205	2900	STATE	GW	P
NBU 459	27-09S-21E	43-047-34680	2900	FEDERAL	GW	DRL
NBU 308	28-09S-21E	43-047-33413	2900	FEDERAL	GW	P
NBU 362	28-09S-21E	43-047-33774	2900	FEDERAL	GW	P
NBU 363	28-09S-21E	43-047-33775	2900	FEDERAL	GW	PA
NBU 363X	28-09S-21E	43-047-34159	2900	FEDERAL	GW	TA
NBU 217	28-09S-21E	43-047-32480	2900	FEDERAL	GW	S
NBU 20	28-09S-21E	43-047-30250	2900	FEDERAL	GW	P
NBU 56N2	28-09S-21E	43-047-30884	2900	FEDERAL	GW	P
NBU 110	28-09S-21E	43-047-31924	2900	FEDERAL	GW	P
NBU 133	28-09S-21E	43-047-31950	2900	FEDERAL	GW	P
NBU 134	28-09S-21E	43-047-32011	2900	FEDERAL	GW	P
NBU 175	28-09S-21E	43-047-32143	2900	FEDERAL	GW	P
NBU 176	28-09S-21E	43-047-32144	2900	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 03/12/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/12/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
 P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
 (435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 Multiple Wells - see attached

5. Lease Serial No.
 Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
 891008900A

8. Well Name and No.
 Multiple Wells - see attached

9. API Well No.
 Multiple Wells - see attached

10. Field and Pool, or Exploratory Area
 Natural Buttes Unit

11. County or Parish, State
 Uintah County, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached. Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) J.T. Conley Title Operations Manager Date 9-2-2003

Signature *J.T. Conley* Initials *JTC* Date 9-2-2003

SEP 10 2003
DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by _____ Title _____ Date _____

Accepted by the Utah Division of Oil, Gas and Mining Federal Approval of This Action is Necessary

Office _____ Date: 9/16/03

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NBU 163	14-10-21 NENW	UTU0465	891008900A	430473206900S1
NBU 164	3-10-22 NWSE	UTU01191A	891008900A	430473205500S1
NBU 165	3-10-22 NENW	UTU01191	891008900A	430473205700S1
NBU 166	28-9-21 SWSE	U05676	891008900A	430473206500S1
NBU 167	25-9-21 SESW	U01194	891008900A	430473205400S1 ✓
NBU 168	12-10-20 NWSW	UTU4478	891008900A	430473211700S1 ✓
NBU 169	12-10-20 SESW	UTU4478	891008900A	430473211800S1
NBU 170	4-10-22 NWNW	UTU01191A	891008900A	430473216900S1
NBU 171	5-10-22 SENE	UTU01191A	891008900A	430473211500S1
NBU 172	19-9-22 NENE	UTU0284	891008900A	430473219400S1
NBU 173	33-9-22 NWNE	UTU01191A	891008900A	430473211600S1
NBU 174	11-9-21 NWNW	UTU0141315	891008900A	430473219300S1
NBU 175	28-9-21 NENW	U05676	891008900A	430473214300S1
NBU 176	28-9-21 SWNW	U05676	891008900A	430473214400S1
NBU 177	29-9-21 NESE	UTU0581	891008900A	430473211200S1
NBU 178	30-9-21 NWNE	UTU0581	891008900A	430473212100S1
NBU 180	10-10-22 SWSE	UTU025187	891008900A	430473211300S1
NBU 181	9-9-21 SESW	UTU0576	891008900A	430473216100S1
NBU 182	11-9-21 SENW	UTU0141315	891008900A	430473216200S1
NBU 183	27-9-21 SWNW	U01194A	891008900A	430473212200S1 ✓
NBU 184	30-9-22 SESW	U463	891008900A	430473217000S1
NBU 185	3-10-22 SWNE	UTU01191A	891008900A	430473217100S1
NBU 186	30-9-22 SENE	U463	891008900A	430473223300S1
NBU 187	34-9-22 SESW	UTU0149077	891008900A	430473223000S1
NBU 188	10-10-22 SWSW	U01196C	891008900A	430473223400S1
NBU 189	23-9-21 SESW	UTU0149075	891008900A	430473223600S1
NBU 190	26-9-21 NWNE	U01194	891008900A	430473223200S1
NBU 191	15-9-21 SWSW	UTU010950A	891008900A	430473229800S1
NBU 192	22-9-21 NENW	UTU0147566	891008900A	430473229900S1
NBU 193	22-9-21 SWSW	UTU010950A	891008900A	430473230000S1
NBU 194	22-9-21 NESW	UTU010950A	891008900A	430473229600S1
NBU 195	11-9-21 NWNE	UTU0141317	891008900A	430473235500S1
NBU 198	22-9-21 NWSE	UTU010950A	891008900A	430473235700S1
NBU 199	9-9-21 SWSW	UTU0576A	891008900A	430473233700S1
NBU 200	19-9-22 NESE	UTU0284	891008900A	430473235900S1
NBU 201	9-9-21 SWNW	UTU0149767	891008900A	430473236400S1
NBU 202	8-9-21 NENE	UTU0149767	891008900A	430473233800S1
NBU 204	9-10-22 NWNE	UTU01196D	891008900A	430473234200S1
NBU 206	10-10-22 SWNW	U01196C	891008900A	430473234100S1
NBU 207	10-10-22 NENW	UTU89129	891008900A	430473232900S1 ✓
NBU 208	4-10-22 SESE	UTU01191	891008900A	430473234300S1
NBU 209	3-10-22 SWSW	UTU01191	891008900A	430473234500S1
NBU 210	10-10-22 NESW	U01196C	891008900A	430473234000S1
NBU 211	1-10-21 NWSW	U02842B	891008900A	430473233900S1
NBU 212	24-10-20 NENW	UTU4485	891008900A	430473239900S1
NBU 213	15-10-22 NWNW	UTU025187	891008900A	430473240100S1
NBU 214	27-9-21 NWSW	U01194	891008900A	430473246600S1 ✓
NBU 215	12-10-21 NWNW	UTU01190	891008900A	430473247100S1
NBU 216	15-9-21 NESW	UTU010950A	891008900A	430473248700S1
NBU 217	28-9-21 NESW	U05676	891008900A	430473248000S1
NBU 221X	34-9-21 NWNW	U01194A	891008900A	430473254500S1 ✓
NBU 222	11-10-22 SWNE	U01194A	891008900A	430473250900S1 ✓
NBU 223	26-9-21 NENW	U01194	891008900A	430473251700S1 ✓
NBU 224	26-9-21 NESW	U01194	891008900A	430473251600S1 ✓
NBU 228	17-9-21 SWSE	UTU0575	891008900A	430473263600S1
NBU 229	3-10-22 NWNE	UTU01191A	891008900A	430473259400S1
NBU 230A	3-10-22 SENE	UTU01191A	891008900A	430473290800S1
NBU 231	10-10-22 NWNE	U01197	891008900A	430473256100S1 ✓
NBU 236	30-9-22 SWNW	U463	891008900A	430473299400S1
NBU 242	5-10-22 SWSE	UTU01191	891008900A	430473294400S1
NBU 243	6-10-22 NWNW	UTU464	891008900A	430473293000S1
NBU 244	7-10-22 NESE	UTU466	891008900A	430473293100S1

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions: Fill in blue boxes with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name: **Condensate Shrinkage Economics**

Is this job a well pull or production rig job ??? N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/840	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.42	\$/MCF

Production & OPX Detail:

	Before		After		Difference
Oil Production	0.192	BOPD	0.194	BOPD	0.002
Gas Production	0	MCFPD	0	MCFPD	0
Wtr Production	0	BWPD	0	BWPD	0
Horse Power		HP		HP	0
Fuel Gas Burned		MCFPD		MCFPD	0

Project Life:

Life = Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR =

AT Cum Cashflow:

Operating Cashflow = (Discounted @ 10%)

Payout Calculation:

$$\text{Payout} = \frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$$

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = Years or Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.194 Bcpd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.

NBU/Ouray Field

RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED

9. API Well No.
SEE ATTACHED

10. Field and Pool, or Exploratory Area
VARIOUS

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION TO PLACE THE SUBJECT WELL LOCATIONS ON TEMPORARILY ABANDONMENT STATUS, UNTIL SUCH TIME THE WELL LOCATIONS CAN BE PLUGGED AND ABANDON.

PLEASE REFER TO THE ATTACHED LIST OF PROPOSED PLUG AND ABANDONMENTS FOR THE NEXT 5 YEARS.

COPY SENT TO OPERATOR
Date: 8-24-04
Initials: CRD

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 8/20/2004
BY: [Signature]
* See Conditions of Approval (Attached)
Federal Approval Of This Action Is Necessary

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Sheila Uphego

Signature
[Signature]

Title
Regulatory Analyst

Date
May 25, 2004

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

JUN 03 2004

43-049. Proposed 2007 P&A's - 15 Wells

30494	CIGE 035	1-10-20 NESW	UTU-02270A
30542	CIGE 066	23-10-21 SENW	UTU-02278A
30952	CIGE 073D	5-10-22 SWSW	UTU-01191A
30953	CIGE 074D	6-10-22 NWSE	UTU-01195
31915	CIGE 114	34-9-21 NESE	U-01194A
34436	CIGE 282	7-10-22 NENE	ML-23609
30962	KURIP 01-027	1-9-20 NENW	14-20-H62-3004
30848	NBU 043	26-10-20 NWSE	UTU-4476
30534	NBU 047N2	30-10-22 SESW	UTU-0132568A
31250	NBU 087J	3-10-22 NESW	UTU-01191A
31923	NBU 114	5-10-21 SWSW	UTU-01393D
31982	NBU 149	5-10-22 NESE	UTU-01191
31992	NBU 150	9-10-22 SENW	UTU-01196B
32234	NBU 188	10-10-22 SWSW	U-01196C
33692	WONSITS FEDERAL 01-05	5-8-22 LOT 5	UTU-72633

Proposed 2008 P&A's - 11 wells

32401	NBU 213	15-10-22 NWNW	UTU-025187
32480	NBU 217	28-9-21 NESW	U-05678
32944	NBU 242	5-10-22 SWSE	UTU-01191
32917	NBU 253	10-9-21 SWNW	U-0141315
32929	NBU 262	33-9-21 NENE	UTU-0576
33011	NBU 278	30-9-22 SWSW	U-463
32976	NBU 285	3-10-22 NWNW	UTU-01191
32886	NBU 296 GR	24-10-20 NWNE	UTU-4485
33776	NBU 364	29-9-21 SESE	UTU-0581
30838	NBU 58N2	27-10-22 NENW	U-473
31327	NBU 98-V	34-9-21 SWSW	U-01194-A

69 total wells

API #	WELL NAME	S-T-R	LEASE NUMBERS
43-047-			

Proposed 2004 P&A's - 13 Wells

31900	EAST GUSHER 15-1A	15-6-20 NENE	UTU-58007
30423	JACK RABBIT 1-11	11-10-23 SWNE	UTU-38425
32540	SOUTHMAN CANYON 09-03M	9-10-23 SWSW	UTU-37355
32543	SOUTHMAN CANYON 31-01-L	31-9-23 NWSW	UTU-33433
31100	NBU 070N3	3-10-22 SWNW	UTU-01191
30221	NBU 018	10-10-22 SWNE	UTU-025187
20280	WALKER HOLLOW U MCLISH 1	8-7-23 SWSW.	UTU-02651
30011	WALKER HOLLOW U MCLISH 2	8-7-23 SWSE	UTU-02651
30030	WALKER HOLLOW U MCLISH 4	8-7-23 NESW	UTU-02651
31034	WALKER HOLLOW UNIT 6	8-7-23 SESE	UTU-02651
30027	WALKER HOLLOW U MCLISH 3	8-7-23 NESE	UTU-02651
31092	WALKER HOLLOW UNIT J-8	8-7-23 NWSE	UTU-02651
31975	NBU 153	11-10-22 SWNW	U-01197A

Proposed 2005 P&A's - 15 Wells

31833	BASER DRAW 5-1	5-7-22 NWNW	UTU-075939
31834	BASER DRAW 6-1	6-7-22 NWNW	UTU-075939
31859	BASER DRAW FEDERAL 6-2	6-7-22 SWNE	UTU-075939
31304	COORS FEDERAL 14-1D	14-7-21 NWNW	UTU-65223
32009	COORS FEDERAL 2-10HB	10-7-21 NWNW	UTU-6522
30753	DM ICE FRIDAY 34-22	34-8-20 NESE	14-20-H62-2997
32333	FEDERAL 11-1-M	11-6-20 SWSW	UTU-64376
33831	HORSESHOE BEND FED 03-1	3-7-21 NWSE	UTU-0142175
33832	HORSESHOE BEND FED 04-1	4-7-21 NWSE	UTU-66401
33872	HORSESHOE BEND FED 26-3	26-6-21 NWSW	UTU-38401
33667	KENNEDY WASH FED 14-1	14-8-23 NWSW	UTU-71424
30623	SAND RIDGE FED 23-17	17-8-23 NESW	UTU-0143276
31508	STIRRUP FEDERAL 29-2	29-6-21 NWSE	UTU-46699
31634	STIRRUP FEDERAL 29-3	29-6-21 SESE	UTU-78854
30815	WEST WALKER FED. 1-33	33-6-22 NWSW	UTU-38411

Proposed 2006 P&A's - 15 Wells

30524	BITTER CREEK 01-03	3-11-22 SWNE	UTU-29797
30379	CANYON VIEW FEDERAL 1-18	18-10-23 SENW	UTU-38421
30369	CROOKED CYN FED 1-17	17-10-23 NENW	UTU-37355
31778	E BENCH UNIT #1	33-11-22 NWSE	UT-121P
30365	FLAT MESA FED. 1-7	7-10-23 NWSE	UTU-38420
30544	LOOKOUT POINT STATE 1-16	16-10-23 NESE	ML-221886A
30766	LOVE UNIT B2-3	3-11-21 SWSW	UTU-8347
30560	NSO FEDERAL 1-12	12-10-23 NENW	UTU-38423
30558	PETE'S FLAT 1-1	1-10-23 NESE	UTU-40736
30382	SAGE HEN FEDERAL 1-6	6-10-23 NESE	UTU-38419
30383	SAGEBRUSH FEDERAL 1-8	8-10-23 SWNE	UTU-37355
30856	SOUTHMAN CANYON 01-05 FED	5-10-23 SENW	UTU-33433
30632	SOUTHMAN CANYON 4-4	4-10-23 NWSE	UTU-33433
30481	WHITE RIVER 1-14	14-10-23 NENW	UTU-38427
31775	WILLOW CREEK UNIT #1	27-11-20 SENE	UT-128P



State of Utah

Department of
Natural Resources

Division of
Oil, Gas & Mining

ROBERT L. MORGAN
Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT
Governor

OLENE S. WALKER
Lieutenant Governor

CONDITIONS OF APPROVAL TO EXTEND SI/TA OF WELL

Well Name and Number:	Several State and Federal wells
API Number:	See Sundry List
Operator:	Westport Oil and Gas Company L.P.
Reference Document:	Original Sundry dated May 25, 2004, received by DOGM on June 3, 2004

The Division of Oil, Gas and Mining (DOGM) accepts Westport's plan of action to Plug and Abandon sixty-nine wells by year-end 2008. Based upon the plan of action DOGM approves these-sixty-nine (69) wells for extended shut-in until September 1, 2005.

Approval Conditions (Federal Approval necessary on all Federal/Indian wells):

1. If SI/TA is desired beyond the approval date listed above, the operator should submit a request for extended SI/TA at that time. Adherence to the accepted plan of action, wellbore conditions etc. will be taken into consideration.
2. A well monitoring program should be in place to ensure that health, safety and the environment are all protected (wellbore integrity).
3. Any changes in wellbore conditions or integrity; or sustained pressure on casing/casing annuli shall be reported to the Division immediately. A new monitoring program or remedial action may be necessary at that time.

Dustin K. Doucet
Petroleum Engineer

August 20, 2004

Date

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-0576

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
NATURAL BUTTES UNIT

8. Well Name and No.
NBU 217

9. API Well No.
43-047-32480

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NESW SECTION 28-T9S-R21E 1978'FSL & 2296'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION TO PLUG AND ABANDON THE SUBJECT WELL LOCATION. THE SUBJECT WELL LOCATION HAS BEEN TEMPORARILY ABANDON AND SHUT-IN. THE OPERATOR HAS REVIEWED AND CONFIRMED THAT THE PRODUCTIVE ZONES ARE DEPLETED. THE IS NO ADDITIONAL DOWNHOLW POTENTIAL.

PLEASE REFER TO THE ATTACHED PLUG AND ABANDON PROCEDURE.

COPIES TO OPERATOR
Date: 10-12-05
Initials: CHD

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchego	Title Regulatory Analyst
Signature	Date September 29, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Accepted by the Utah Division of Oil, Gas and Mining	Federal Approval Of This Action Is Necessary

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Date: 10/11/05
By: D. Upchego
RECEIVED
OCT 04 2005

DIV. OF OIL, GAS & MINING

NBU 217
 1987' FSL & 2296' FWL
 NESW - Section 28 - T9S - R21E
 Uintah County, UT

KBE: 4921'
 GLE: 4909'
 TD: 6415'
 PBSD: 6355'

API NUMBER: 43-047-32480
 LEASE NUMBER: U-05676
 WI: 100%
 NRI: 81.248040%
 ORRI: 7.59284%
 UNIT/CA #:

CASING: 12.25" hole
 8.625" 24#, K-55 @ 251'
 Cemented with 150 sx. Class G, circulated 8 BC to pit. TOC @ surface.

7.875" hole
 5.5" 17# J-55 @ 6411'
 Cemented with 320 sx. HiFill lead, 500 sx. Type V HLC tail. Circulated 35 BC to pit. TOC @ surface by CBL.

TUBING: 2.375" 4.7# J-55 tubing at 6276', SN at 6238', TAC at 5598'.

Tubular	Drift inches	Collapse psi	Burst Psi	Capacities		
				Gal./ft.	Cuft/ft.	Bbl./ft.
2.375" 4.7# J-55 tbg.	1.901	8100	7700	0.1626	0.02173	0.00387
5.5" 17# J/K-55 csg.	4.892	4910	5320	0.9764	0.1305	0.02324
8.625" 24# J-55 csg	7.972	1370	2950	2.6749	0.3575	0.0636
7.875" borehole				2.5302	0.3382	0.0602
Annular Capacities						
2.375" tbg. X 5.5" 17# csg.				0.7462	0.0997	0.01776

EXISTING PERFORATIONS:

Formation	Date	Top	Bottom	SPF	Status
Wasatch	6/7/1994	5727		1	Open
Wasatch	6/7/1994	5880		1	Open
Wasatch	6/7/1994	5896		1	Open
Wasatch	6/7/1994	5946		1	Open
Wasatch	6/7/1994	5958		1	Open
Wasatch	6/7/1994	5969		1	Open
Wasatch	6/7/1994	6183		1	Open
Wasatch	6/7/1994	6188		1	Open
Wasatch	6/7/1994	6225		1	Open
Wasatch	6/7/1994	6243		1	Open
Wasatch	6/7/1994	6248		1	Open

GEOLOGIC INFORMATION:

Formation	Depth to top, ft.
Uinta	Surface
Green River	1607'
Wasatch	4853'

Tech. Pub. #92 Base of USDW's

USDW Elevation	~2000' MSL
USDW Depth	~2921' KBE

WELL HISTORY:

Completion – June 1994

- TD'd on 5/29/1994.
- Perforated the gross interval 5727' through 6248' with 4" casing gun, acidized with 12 bbl. 15% HCl, balled out at 5000 psi.
- Fractured with 78900 gal. gel (35#/Mgal) containing 214200# 20/40 mesh sand at 27 BPM:

Gal.	Stage	Proppant
12000	Pad	
7000	1 ppg	20/40 sand
7000	2 ppg	20/40 sand
7000	3 ppg	20/40 sand
3500	4 ppg	20/40 sand
3500	6 ppg	20/40/sand
5570	Flush	
- Tested 1100 MCFD, 1050 psi FTP, 1250 psi SICP, 15/64th choke on 6/28/1994.

Workover #1 – February 1997

- Cleaned out to 6880' with coiled tubing.
- RTP

Workover #2 – January 1997

- Cleaned out fill from 6229-PBTD..
- Installed PLE with EOT at 6238', RTP.

Workover #3 – November 1997

- Installed rod pumping equipment, see file for details.

Workover #4 – August 1998

- Pulled and LD rods and pump, see file for details.
- Landed tubing at 6276', SN at 6238', TAC at 5598'

REMARKS:

- **Tw only completion, incorrectly shown as Tw/Kmv on OFM basemap.**
- Very little X-O, appears that four of the five completed sand bodies relied on convergence.
- Frac was tagged with three isotopes, post-frac log suggests reasonably good coverage with all zones being treated. Very poor IP and historical performance regardless.
- **No bypassed sand bodies with production potential, leave on TA list waiting for P&A.**

NBU 217 P&A PROCEDURE

GENERAL

- H₂S MAY BE PRESENT. CHECK FOR H₂S AND TAKE APPROPRIATE PRECAUTIONS.
- CEMENT QUANTITIES BELOW ASSUME NEAT CLASS G, YIELD 1.145 CUFT./SX. IF A DIFFERENT PRODUCT IS USED, WELLSITE PERSONNEL ARE RESPONSIBLE FOR CORRECTING QUANTITIES TO YIELD THE STATED SLURRY VOLUME. WHEN SQUEEZING, INCLUDE 10% EXCESS PER 1000' OF DEPTH.
- BRINE WITH A MINIMUM DENSITY OF AT LEAST 9 PPG MUST BE PLACED BETWEEN ALL PLUGS. 10 PPG IS ASSUMED IN THIS PROCEDURE.
- NOTIFY THE BLM AT 435-781-4400 24 HOURS BEFORE MOVING ON LOCATION.

P&A PROCEDURE

1. MIRU. KILL WELL AS NEEDED. ND WH, NU AND TEST BOPE.
2. TOH WITH TUBING. RU WIRELINE AND MAKE A GAUGE RING RUN TO ~5750.
3. **PLUG #1, PERFORATIONS (TOP PERF @ 5727')**: SET CIBP AT ~5725' AND SPOT 50' (~6 SX. OR ~6.53 CUFT.) CLASS G CEMENT ON TOP. DISPLACE WELL WITH 10 PPG BRINE.
4. **PLUG #2, WASATCH TOP (~4853')**: SPOT A BALANCED CEMENT PLUG FROM ~4753' – ~4953' USING ~23 SX (~26.1 CUFT.) CLASS G CEMENT. DISPLACE WELL WITH 10 PPG BRINE.
5. **PLUG #3, BASE OF USDW'S (~2921')**: SPOT A BALANCED CEMENT PLUG FROM ~2821' – ~3021' USING ~23 SX (~26.1 CUFT.) CLASS G CEMENT. DISPLACE WELL WITH 10 PPG BRINE.
6. **PLUG #4, GREEN RIVER TOP (~1607')**: SPOT A BALANCED CEMENT PLUG FROM ~1507' – ~1707' USING ~23 SX (~26.1 CUFT.) CLASS G CEMENT. DISPLACE WELL WITH 10 PPG BRINE.
7. **PLUG #5, SURFACE:** FILL 5 ½" CASING FROM 300' TO SURFACE WITH ~34 SX (~39.15 CUFT.) OF CLASS G CEMENT.
8. CUT OFF WELLHEAD AND INSTALL MARKER PER BLM GUIDELINES.
9. RDMO. TURN OVER TO OPERATIONS FOR SURFACE REHAB.

ALM – 9/27/05

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		1/6/2006
FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	

WELL NAME	CA No.	Unit:	NATURAL BUTTES UNIT					
	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- b. If **NO**, the operator was contacted on:
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok
- 6. Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- 7. Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- 8. Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- 9. Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006. KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

*BLM BOND = C01203
BIA BOND = RLB0005239*

APPROVED 5/16/06

Earlene Russell
**Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) RANDY BAYNE	Title DRILLING MANAGER
Signature <i>Randy Bayne</i>	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
 Division of Oil, Gas and Mining
 Earlene Russell, Engineering Technician

RECEIVED
 MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) BRAD LANEY	Title ENGINEERING SPECIALIST
Signature	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by <i>Brad Laney</i>	Title	Date 5-9-06
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>

IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

DIV. OF OIL, GAS & MINERAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
UTU-0576

1a. Type of Well Oil Well Gas Dry Other
b. Type of Completion: New Work Over Deepen Plug Back Diff. Resvr.
Other **PLUG AND ABANDON**

6. If Indian, Allottee or Tribe Name

2. Name of Operator
KERR MCGEE OIL & GAS ONSHORE LP

7. Unit or CA Agreement Name and No.
UNIT #891008900A

3. Address **1368 SOUTH 1200 EAST VERNAL, UTAH 84078**
3a. Phone No. (include area code) **(435)-781-7024**

8. Lease Name and Well No.
NBU 217

4. Location of Well (Report locations clearly and in accordance with Federal requirements)*
At surface **NESW 1978'FSL, 2296'FWL**

9. API Well No.
4304732480

At top prod. interval reported below

10. Field and Pool, or Exploratory
NATURAL BUTTES

At total depth

11. Sec., T., R., M., or Block and Survey or Area **SEC 28, T9S, R21E**

14. Date Spudded
15. Date T.D. Reached
16. Date Completed D & A Ready to Prod.
05/10/06

12. County or Parish **UINTAH**
13. State **UTAH**

17. Elevations (DF, RKB, RT, GL)*
4909'GL

18. Total Depth: MD **TVD**
19. Plug Back T.D.: MD **TVD**
20. Depth Bridge Plug Set: MD **TVD**

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
N/A

22. Was well cored? No Yes (Submit copy)
Was DST run? No Yes (Submit copy)
Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) N/A						
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
N/A	

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						P&A
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
			→						P&A

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
			→						

RECEIVED
MAY 26 2006
DIV. OF OIL, GAS & MINING

(See instructions and spaces for additional data on reverse side)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

PLUG AND ABANDON

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth

32. Additional remarks (include plugging procedure):


05/10/2006: MIRU P&A EQUIP. NDWH NUBOP TOH/TBG TIH/CIRC AND SET AT 5675'. ROLL HOLE W/9 PPG FLUID CAP W/10 SX TOH TO 1735' MIX AND PMP 25 SX BALANCE PLUG TOH TO 3021' MIX AND PMP 25 SX BALANCE PLUG TOH TO 1717' MIX AND PMP 25 SX BALANCE PLUG. TOH 318' MIX AND PMP 50 SX GOOD CMT TO SURFACE DIG OUT AND CUT OFF WELL HEAD TOP OFF ANNULAS W/15 SX WELD ON PLATE RDMO. **THE SUBJECT WELL LOCATION WAS PLUG AND ABANDON ON 05/10/2006**

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 5. Core Analysis
- 7. Other:

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) SHEILA UPCHEGO Title REGULATORY ANALYST

Signature  Date 5/18/2006

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-0576

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
UNIT #891008900A

8. Well Name and No.
NBU 217

9. API Well No.
4304732480

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NESW SECTION 28, T9S, R21E 1978'FSL, 2296'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

05/10/2006: MIRU P&A EQUIP. NDWH NUBOP TOH/TBG TIH/CIRC AND SET AT 5675'.
ROLL HOLE W/9 PPG FLUID CAP W/10 SX. TOH 4735' MIX AND PMP 25 SX BALANCE PLUG.
TOH TO 3021' MIX AND PMP 25 SX BALANCE PLUG TOH TO 1717' MIX AND PMP 25 SX
BALANCE PLUG. TOH 318' MIX AND PMP 50 SX GOOD CMT TO SURFACE. DIG OUT AND
CUT OFF WELL HEAD TOP OFF ANNULAS W/15 SX WELD ON PLATE RDMO.

THE SUBJECT WELL WAS PLUG AND ABANDON ON 05/10/2006.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature



Title

Regulatory Analyst

Date

May 18, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

MAY 26 2006

(Instructions on reverse)

DIV. OF OIL, GAS & MINING