

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG _____ ELECTRIC LOGS FIL WATER SANDS _____ LOCATION INSPECTED _____ SUB. REPORT/abd. _____

DATE FILED JANUARY 18, 1995

LAND: FEE & PATENTED _____ STATE LEASE NO. _____ PUBLIC LEASE NO. U-0140740 INDIAN _____

DRILLING APPROVED: FEBRUARY 10, 1995

SPUDDED IN:

COMPLETED: 10-7-95 POW PUT TO PRODUCING: 10-9-95

INITIAL PRODUCTION: 150 BOPD; 70 MCF; 20 BWPD

GRAVITY A.P.I. 29

GOR: 466 SCF/BBL

PRODUCING ZONES: 5198-5216 (GRV)

TOTAL DEPTH: 5370'

WELL ELEVATION: 4701 KB

DATE ABANDONED:

FIELD: GYPSUM HILLS FIELD

UNIT: GYPSUM HILLS UNIT

COUNTY: UINTAH

WELL NO. GYPSUM HILLS #17 API NO. 43-047-32649

LOCATION 665' FSL FT. FROM (N) (S) LINE. 2010' FEL FT. FROM (E) (W) LINE. SW SE 1/4 - 1/4 SEC. 20

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				8S	21E	20	CHEVRON USA PROD CO

QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaita Tongue	Ouray
Green River	Frontier	Phosphoria	Elbert
	Dakota	Park City	McCracken
	Burro Canyon	Rico (Goodridge)	Aneth
	Cedar Mountain	Supai	Simonson Dolomite
	Buckhorn	Wolfcamp	Sevy Dolomite
	JURASSIC	CARBON I FEROUS	North Point
Wasatch	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafael Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akah	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE - CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		

Surface
2086'

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*

Form approved.
Budget Bureau No. 1004-0136
Expires December 31, 1991

(Other instructions on reverse side)
JAN 18 1995
DIV OF OIL, GAS & MINING

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
 DRILL DEEPEN

b. TYPE OF WELL
 OIL WELL GAS-WELL OTHER _____ SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
CHEVRON USA PRODUCTION CO., INC.

3. ADDRESS AND TELEPHONE NO.
11002 EAST, 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-3400

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
 At surface
665' FSL, 2010' FEL, SWSE
 At proposed prod. zone
SAME

5. LEASE DESIGNATION AND SERIAL NO.
U-0140740

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UINTAH-OURAY

7. UNIT AGREEMENT NAME
GYPSUM HILLS

8. FARM OR LEASE NAME, WELL NO.
#17

9. API WELL NO.

10. FIELD AND POOL, OR WILDCAT
**GYPSUM HILLS
GREEN RIVER**

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
SEC. 20-T8S-R21E, SLB&M

12. COUNTY OR PARISH
UINTAH

13. STATE
UTAH

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
6.7 MILES FROM OURAY, UTAH

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) **665'**

16. NO. OF ACRES IN LEASE
800

17. NO. OF ACRES ASSIGNED TO THIS WELL
NA

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. **1340'**

19. PROPOSED DEPTH
5370'

20. ROTARY OR CABLE TOOLS
ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4685' GL

22. APPROX. DATE WORK WILL START*
2/15/95

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" K-55	24#	360	190 SX.
7-7/8"	5-1/2" K-55	15.5#	5370	512 SX.

We propose to develop oil reserves in the Green River Formation at the specified location. Enclosures:

- Certified Plat
- Self Certification Statement
- Thirteen Point Surface Use Plan With Attachments
- Eight Point Drilling Plan With Attachments

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *J. C. Culey* TITLE *Team Leader* DATE *1-12-95*

(This space for Federal or State office use)

PERMIT NO. *43-047-32649*

APPROVAL DATE

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

DATE: *2/10/95*

BY: *M. Matthews*

APPROVED BY _____ TITLE _____

*See Instructions On Reverse Side

WELL SPACING: *8649-23*



CHEVRON U.S.A., INC.

T8S, R21E, S.L.B.&M.

Well location, GYPSUM HILLS UNIT #17, located as shown in the SW 1/4 SE 1/4 of Section 20, T8S, R21E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHEAST CORNER OF SECTION 20, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4754 FEET.



SCALE

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert L. Key
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(801) 789-1017

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.

SCALE 1" = 1000'	DATE SURVEYED: 11-29-94	DATE DRAWN: 12-3-94
PARTY B.B. R.C. C.B.T.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE CHEVRON U.S.A., INC.	

CHEVRON USA PRODUCTION CO.

GYPSUM HILLS UNIT #17
665' FSL, 2010' FEL
SWSE-S20-T8S-R21E
UINTAH COUNTY, UTAH

EIGHT POINT DRILLING PLAN

1. ESTIMATED FORMATION TOPS:

Uinta	Surface
Green River	~2225' to 5370' TD
Oil Shale	~3215-3555'
G1 Lime (objective)	~5205-5216'

2. ESTIMATED DEPTHS OF TOP AND BOTTOM OF WATER, OIL, GAS, OR OTHER MINERAL BEARING FORMATIONS AND PLAN FOR PROTECTION:

Deepest Fresh Water: ~700', Uinta Formation.

Oil Shale: Oil shale is expected between depths of ~3215-3555'.

Oil: Oil is expected in the G1 Lime of the Green River Formation.

Gas: None expected, although minor shows may be encountered below ~2100'.

Protection of oil, gas, water, or other mineral bearing formations:
Protection shall be accomplished by cementing surface casing and production casing back to the surface or to depths sufficient to isolate required formations. Please refer to casing and cement information for protection plans.

3. PRESSURE CONTROL EQUIPMENT:

For drilling 12-1/4" surface hole to 360': No BOP equipment required.

For drilling through 8.625" surface casing to TD:

Maximum anticipated surface pressure <1200 psi.

Pressure control equipment shall be in accordance with BLM minimum standards for 2000 psi equipment.

GHU #17 - EIGHT POINT DRILLING PLAN

A casing head with an 11", 3000 psi flange will be screwed or welded onto the 8.625" surface casing.

BOP stack will consist of a double gate and annular preventor. The double gate will be equipped with pipe rams on bottom and blind rams on top. The choke and kill lines will be connected to outlets between the bottom and top rams, utilizing either the ram body outlets or a drilling spool with side outlets. The BOP stack will be 9" or 11" bore, 2000 or 3000 psi working pressure. The choke and kill lines will be 2" or 3" bore, 2000 or 3000 psi working pressure. Please refer to attached schematics.

Test procedure and frequency shall be in accordance with BLM minimum standards for 2000 psi equipment.

4. SUPPLEMENTAL DRILLING EQUIPMENT AND CASING INFORMATION:

Casing Information:

Casing	Conn.	New/ Used	Stage Tool	Centralizers
8.625"	STC	New	None	10' above shoe, on 1st and 3rd collars
5.5"	STC	New	None	10' above shoe, every other collar to top of pay (~5205')

Cement Information:

8.625" Casing: Oilfield type cement circulated in. Class A single slurry mixed to 15.6 ppg, yield = 1.19 cf/sx. Fill to surface with 225 cf (190 sx). Tail plug used. Allowed to set under pressure.

5.5" Casing: Lead/tail oilfield type cement circulated in.

Tail slurry - 50/50 Class H/pozzolan + 2% gel + additives as required mixed to 14.1 ppg, yield = 1.23 cf/sx; or Class G + 12.5 lb/sx. gilsonite + additives as required mixed to 14.8 ppg, yield = 1.34 cf/sx. Fill to ~4905' (~300' above top of pay) with 105 cf (85 sx. or 78 sx.).

GHU #17 - EIGHT POINT DRILLING PLAN

Lead slurry - Class A + extender + additives mixed to 11.0 ppg, yield = 3.82 cf/sx. Fill to surface using ~1630 cf (~427 sx.).

Tail plug used. Allowed to set under pressure.

Drilling Equipment:

Surface hole will be drilled and surface casing set with a small rotary surface hole rig.

A rotating head may be used while drilling below surface casing for control of gas cut mud.

5. CIRCULATING MEDIUM, MUD TYPE, MINIMUM QUANTITIES OF WEIGHT MATERIAL, AND MONITORING EQUIPMENT:

Surface hole will be drilled with air, air/mist, foam or mud depending on hole conditions. Drilling below surface casing will be with water based drilling fluids consisting primarily of fresh water, bentonite, lignite, caustic, lime, soda ash, and polymers. No chromates will be used. It is not intended to use oil in the mud, however, in the event it is used, oil concentration will be less than 4% by volume. Maximum anticipated mud weight is ~9.5 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used from base of surface casing to TD.

Gas detector will be used from base of surface casing to TD.

6. ANTICIPATED TYPE AND AMOUNT OF TESTING, LOGGING, AND CORING:

Logging:

Mud logging	~360' to TD
Gamma Ray	TD to ~360'
Spontaneous Potential	TD to ~360'
Induction	TD to ~360'
Density/Neutron	TD-3500'
Sonic	TD-360'

GHU #17 - EIGHT POINT DRILLING PLAN

Coring: None planned.

Testing: None planned.

7. EXPECTED BOTTOM HOLE PRESSURE AND ANY ANTICIPATED ABNORMAL PRESSURE, TEMPERATURES, OR OTHER HAZARDS (H₂S, STEAM, ETC.) AND ASSOCIATED CONTINGENCY PLANS:

Normal pressure gradient to TD, although target interval may be slightly pressure depleted. Drill with water or unweighted mud.

Maximum expected BHP @ 5370': ~2330 psi (~0.433 psi/ft.).

Maximum expected BHT @ 5370': ~135° F.

No abnormal hazards are anticipated and no contingency plans are required.

8. OTHER:


None.

CHEVRON DRILLING REFERENCE SERIES
 VOLUME ELEVEN
 WELL CONTROL AND BLOWOUT PREVENTION

D. CLASS III CHOKE MANIFOLD

The Class III choke manifold is suitable for Class III workovers and drilling operations. The Standard Class III choke manifold is shown in Figure 11J.8 below. Specific design features of the Class III manifold include:

1. The manifold is attached to a drilling spool or the top ram preventer side outlet.
2. The minimum internal diameter is 2" (nominal) for outlets, flanges, valves and lines.
3. Includes two steel gate valves in the choke line at the drilling spool outlet. The inside choke line valve may be remotely controlled (HCR).
4. Includes two manually adjustable chokes which are installed on both side of the manifold cross. Steel isolation gate valves are installed between both chokes and the cross, and also downstream of both chokes.
5. Includes a bleed line which runs straight through the cross and is isolated by a steel gate valve.
6. Includes a valve isolated pressure gauge suitable for drilling service which can display the casing pressure within view of the choke operator.
7. Returns through the choke manifold must be divertible through a mud-gas separator and then be routed to either the shale shaker or the reserve pit through a buffer tank or manifold arrangement.
8. If the choke manifold is remote from the wellhead, a third master valve should be installed immediately upstream of the manifold cross.




CHEVRON DRILLING REFERENCE SERIES
VOLUME ELEVEN
WELL CONTROL AND BLOWOUT PREVENTION

D. TYPE "B" KILL LINE — CLASS III, IV , AND V WELLS


The type B kill line described below in Figure 11J.11 is the minimum recommended hookup for installation on all Class III, Class IV and Class V wells. Specific design features of the type B kill line include:

1. The preferred kill line connection to the well is at the drilling spool, however, a preventer side outlet may be used when space restrictions exclude the use of a drilling spool. In all cases, the kill line must be installed below the uppermost blind rams so the well can be pumped into with no pipe in the hole.
2. The arrangement includes two - 2" (nominal) gate valves installed at the drilling spool and an upstream fluid cross. The outside valve may be hydraulically remote controlled.
3. Two pump-in lines should be attached to the fluid cross. The **primary kill line** should be routed to the rig standpipe where it can be manifolded to the rig pumps. The **remote kill line** should be run to a safe location away from the rig or to the rig cementing unit. The remote kill line should have a loose end connection for rigging-up a high pressure pumping unit.
4. Both the primary kill line and the remote kill line must include a 2" check valve which is in working condition while drilling. If a check valve is crippled for testing purposes, the flapper or ball must be re-installed and tested before drilling resumes.
5. The primary kill line must include a pressure gauge which can display the pump-in pressure on the rig floor.
6. Any lines which are installed at the wellhead are designated as "**emergency kill lines**" and should only be used if the primary and remote kill lines are inoperable.



E. CLASS III BLOWOUT PREVENTER STACK:

The Class III preventer stack is designed for drilling or workover operations. It is composed of a single hydraulically operated annular preventer on top, then a blind ram preventer, a drilling spool, and a single pipe ram preventer on bottom. The choke and kill lines are installed onto the drilling spool and must have a minimum internal diameter of 2". All side outlets on the preventers or drilling spool must be flanged, studded, or clamped. An emergency kill line may be installed on the wellhead. A double ram preventer should only be used when space limitations make it necessary to remove the drilling spool. In these instances, the choke manifold should be connected to a flanged outlet between the preventer rams only. In this hookup, the pipe rams are considered master rams only, and cannot be used to routinely circulate out a kick. The Class III blowout preventer stack is shown to the right in Figure 11J.4.



CHEVRON USA PRODUCTION CO.

**GYPSUM HILLS UNIT #17
665' FSL & 2010' FEL
SWSE-S20-T8S-R21E, SLB&M
UINTAH COUNTY, UTAH**

THIRTEEN POINT SURFACE USE PLAN

1. EXISTING ROADS:

A. See Topographic Map A. There are no plans to change, alter or improve upon any existing state or county road.

B. See Topographic Map A. Travel south from Ouray 0.3 miles on State Hwy. 88. Turn left and travel 6.2 miles on the Wonsits Valley oil field road to the proposed access road.

2. ACCESS ROADS TO BE CONSTRUCTED OR RECONSTRUCTED:

See Topographic Maps A and B. The access road and location site are on Ute Tribal lands. A new road of approximately 0.2 miles is proposed for access to location.

3. LOCATION OF EXISTING WELLS WITHIN ONE MILE:

See Topographic Map B.

4. LOCATION OF EXISTING OR PROPOSED FACILITIES IF WELL IS PRODUCTIVE:

A. See Topographic Map C.

B. Rod pumping equipment, a line heater and cathodic protection system will be installed on the location.

C. The permitting process to construct a central gathering system for Gypsum Hills Unit is underway. A heat-traced surface pipeline is planned to connect the proposed well with the gathering system. If appropriate permits for the gathering system have not been obtained prior to completion of the well, production tankage will be installed on location until the gathering system is built.

GHU #17 - THIRTEEN POINT SURFACE USE PLAN

D. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by the BIA.

5. LOCATION AND TYPE OF WATER SUPPLY:

Water from the following sources will be used:

A. Wonsits Valley Federal Unit water supply wells, 1965 Application #36125.

B. Water well in Ouray operated by A-1 Tank and Brine, Permit #43-8496.

C. City water from Ouray provided by and via Ouray Brine's facility in Ouray. No permit.

Transportation of water shall be by tank truck.

6. CONSTRUCTION MATERIALS:

Native dirt and gravel will be used as construction materials.

7. METHODS FOR HANDLING WASTE DISPOSAL:

A. A closed mud system is planned, requiring a trench for the reserve tank.

B. Excess reserve pit fluid will be disposed of via haul-off to a commercial disposal facility.

C. Drill cuttings will be caught and settled in the reserve tank and buried when the trench is backfilled.

D. Commercial service will provide portable toilets and haul-off to a commercial disposal facility.

E. Trash will be stored in trash containers and hauled to commercial or municipal facility for disposal.

F. It is not anticipated that any salt or chemicals will need to be disposed of. If required, disposal will be by commercial disposal facility.

GHU #17 - THIRTEEN POINT SURFACE USE PLAN

G. In the event fluids are produced, any oil will be transferred to existing facilities within Gypsum Hills Unit and sold. Any water will be transferred to WVFU Battery 6 to be injected through the waterflood system.

H. Hazardous chemicals 10,000 lb. of which will most likely be used, produced, stored, transported or disposed of in association with the proposed action of drilling, completing and producing this well: We anticipate that none of the hazardous chemicals in quantities of 10,000 lb. or more will be associated with these operations.

I. Extremely hazardous substances threshold quantities of which will be used, produced, stored, transported or disposed of in association with the proposed action of drilling, completing and producing this well: We anticipate that none of the extremely hazardous substances in threshold quantities per 40 CFR 355 will be associated with these operations.

8. ANCILLARY FACILITIES:

None.

9. WELLSITE LAYOUT:

A. See Figures 1 and 2. A closed mud system is planned

B. Burn pit will not be lined.

C. Access to the well pad will be as shown on Topographic Map B.

10. PLAN FOR RESTORATION OF SURFACE:

A. All surface areas not required for production operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.

B. The topsoil will be evenly distributed over the disturbed areas. Reseeding will be performed as directed by the BIA.

GHU #17 - THIRTEEN POINT SURFACE USE PLAN

C. Pits that would present a hazard to wildlife or livestock will be backfilled when the rig is released and removed.

D. Completion of the well is planned during 1995. Rehabilitation will commence following completion of the well. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as soon as possible.

11. SURFACE OWNERSHIP:

The wellsite, access roads and flowlines are constructed on Ute Tribal land. The operator shall contact the BLM office at (801) 789-1362 and the BIA office at (801) 722-2406 between 24 and 48 hours prior to construction activities.

12. OTHER INFORMATION:

A. The well is located in hilly and sandy terrain. Vegetation consists of sagebrush and natural grasses around the location. The soil is a poorly developed, semi-arid, thin topsoil layer over the Uintah Formation.

B. Surface use activities other than the oil and gas well facilities consist of grazing.

C. There are no occupied dwellings near the wellsite.

GHU #17 - THIRTEEN POINT SURFACE USE PLAN

13. COMPANY REPRESENTATIVE:

Mr. J. T. Conley
11002 East 17500 South
Vernal, UT 84078
(801) 781-4301

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron USA Production Co., Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

1-12-95
Date



J. T. Conley
Red Wash Area Team Leader

United States Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 West
Vernal, UT 84078

SELF-CERTIFICATION STATEMENT

Be advised that Chevron USA Production Company is considered to be the operator of Gypsum Hills Unit #17, SWSE-Sec.20-T8S-R21E, Uintah County, Utah, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by Nationwide Bond #U-89-75-81-34 (Standard Oil Co. of California and its wholly owned subsidiary Chevron USA Production Co., as co-principals) via surety consent as provided for in 43 CFR 3104.2.

Sincerely,



J. T. Conley
Red Wash Area Team Leader



DATE: 1-12-95

CHEVRON USA., INC.

LOCATION LAYOUT FOR

GYP SUM HILLS UNIT #17
SECTION 20, T8S, R21E, S.L.B.&M.

665' FSL 2010' FEL



SCALE: 1" = 50'
DATE: 12-3-94
Drawn By: C.B.T.

NOTE:

FLARE PIT IS TO BE LOCATED A MINIMUM OF 100' FROM THE WELL HEAD.




FIGURE #1

Elev. Ungraded Ground at Location Stake = 4684.6'
Elev. Graded Ground at Location Stake = 4683.6'


UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Yernal, Utah 84078 • (801) 789-1017

CHEVRON USA., INC.

TYPICAL CROSS SECTIONS FOR

GYPNUM HILLS UNIT #17
SECTION 20, T8S, R21E, S.L.B.&M.

665' FSL 2010' FEL



DATE: 12-3-94
Drawn By: C.B.T.








FIGURE #2

APPROXIMATE YARDAGES

CUT	
(12") Topsoil Stripping	= 1,900 Cu. Yds.
Remaining Location	= 1,490 Cu. Yds.
TOTAL CUT	= 3,390 CU.YDS.
FILL	= 240 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 3,140 Cu. Yds.
Topsoil	= 1,900 Cu. Yds.
EXCESS CUT MATERIAL	= 1,240 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017



Proposed Location:
GYPSUM HILLS UNIT #17

SEE TOPO MAP "B"


TOPOGRAPHIC
MAP "A"

DATE: 12-2-94 J.D.S.



CHEVRON U.S.A., INC.


GYPSUM HILLS UNIT #17
SECTION: 20, T8S, R21E, S.L.B.&M.
665' FSL 2010' FEL



TOPOGRAPHIC
 MAP " B "
 SCALE: 1" = 2000'
 DATE: 12-2-94 J.D.S.



CHEVRON U.S.A., INC.
 GYPSUM HILLS UNIT #17
 SECTION 20, T8S, R21E, S.L.B.&M.
 665' FSL 2010' FEL



TOPOGRAPHIC
MAP "C"

LEGEND:

- EXISTING PIPELINE
- Proposed Pipeline



CHEVRON U.S.A., INC.

GYPNUM HILLS UNIT #17
SECTION 20, T8S, R21E, S.L.B.&M.

DATE: 12-6-94 J.D.S.

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/18/95

API NO. ASSIGNED: 43-047-32649

WELL NAME: GYPSUM HILLS #17
OPERATOR: CHEVRON USA PRODUCTION CO (N0210)

PROPOSED LOCATION:
SWSE 20 - T08S - R21E
SURFACE: 0665-FSL-2010-FEL
BOTTOM: 0665-FSL-2010-FEL
UINTAH COUNTY
GYPSUM HILLS FIELD (610)

INSPECT LOCATION BY: / /		
TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: FED
LEASE NUMBER: U-0140740

PROPOSED PRODUCING FORMATION: GRRV

RECEIVED AND/OR REVIEWED:

Y Plat
Y Bond: Federal [Y State [] Fee []
(Number 4-89-75-81-34)
N Potash (Y/N)
N Oil shale (Y/N)
Y Water permit
(Number 43-8996)
N RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: UTU 67951A
 R649-3-2. General.
 R649-3-3. Exception.
 Drilling Unit.
Board Cause no: _____
Date: _____

COMMENTS: _____

STIPULATIONS: _____

T 7 S

CHEVRON USA PRODUCTION CO. T 8 S

GYPSUM HILLS UNIT

SEC. 20, T 8 S, R 21 E UTAH COUNTY. 320 ACRE

SPACING 187-2 EFFECTIVE 20 AUG 1980 WSTC & M


R 20 E

R 21 E

GYPSUM HILLS FIELD

RED WASH FIELD

#19 • #20
#14 •
#15 • #17 • #18





State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

February 10, 1995

Chevron USA Production Company, Inc.
11002 East 17500 South
Vernal, Utah 84078-8526

Re: Gypsum Hills #17 Well, 665' FSL, 2010' FEL, SW SE, Sec. 20, T. 8 S., R. 21 E., Uintah County, Utah

Gentlemen:

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 649-2-3, Application of Rules to Unit Agreements and R. 649-3-4, Permitting of Wells to be Drilled, Deepened or Plugged-Back, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules.
2. Notification to the Division within 24 hours after drilling operations commence.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or K. Michael Hebertson, Reclamation Specialist, (Home) (801)269-9212.



Page 2

Chevron USA Production Company, Inc.


Gypsum Hills #17 Well

February 10, 1995

6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32649.

Sincerely,



R.J. Firth
Associate Director

ldc

Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

WOI1

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPlicate
(Other instructions on reverse side)
MAR 1 - 1995

DIV OF OIL GAS & MINING

Form approved.
Budget Bureau No. 1004-0136
Expires December 31, 1991

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK <p style="text-align: center;">DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/></p>		7. UNIT AGREEMENT NAME <p style="text-align: center;">GYPSUM HILLS</p>	
b. TYPE OF WELL <p>OIL WELL <input checked="" type="checkbox"/> GAS-WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/></p>		8. FARM OR LEASE NAME, WELL NO. <p style="text-align: center;">#17</p>	
2. NAME OF OPERATOR <p>CHEVRON USA PRODUCTION CO., INC.</p>		9. API WELL NO. <p style="text-align: center;"><i>43-047-32649</i></p>	
3. ADDRESS AND TELEPHONE NO. <p>11002 EAST, 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-3400</p>		10. FIELD AND POOL, OR WILDCAT <p style="text-align: center;">GYPSUM HILLS GREEN RIVER</p>	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface <p>665' FSL, 2010' FEL, SWSE</p> At proposed prod. zone <p>SAME</p>		<p style="font-size: 2em; opacity: 0.5;">RECEIVED</p> <p style="font-size: 1.5em; opacity: 0.5;">JAN 18 1995</p>	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* <p>6.7 MILES FROM OURAY, UTAH</p>			
15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 665'	16. NO. OF ACRES IN LEASE <p style="text-align: center;">800</p>	17. NO. OF ACRES ASSIGNED TO THIS WELL <p style="text-align: center;">NA</p>	
18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1340'	19. PROPOSED DEPTH <p style="text-align: center;">5370'</p>	20. ROTARY OR CABLE TOOLS <p style="text-align: center;">ROTARY</p>	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) <p>4685' GL</p>		22. APPROX. DATE WORK WILL START* <p style="text-align: center;">2/15/95</p>	

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" K-55	24#	360	190 SX.
7-7/8"	5-1/2" K-55	15.5#	5370	512 SX.

We propose to develop oil reserves in the Green River Formation at the specified location. Enclosures:

- Certified Plat
- Self Certification Statement
- Thirteen Point Surface Use Plan With Attachments
- Eight Point Drilling Plan With Attachments

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Tom Loden* TITLE Team Leader DATE 1-12-95

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY *Edwin A. ...* TITLE ASSISTANT DISTRICT MANAGER, MINERALS DATE FEB 28 1995

*See Instructions On Reverse Side

Div O&M NOTICE OF APPROVAL

memorandum

RECEIVED

DATE:

FEB 23 1995

FEB 16 1995

REPLY TO ATTN OF: Superintendent, Uintah & Ouray Agency

SUBJECT: Concurrence Letter for CHEVRON U.S.A. Inc.,
Gypsum Hills Units-GHU#14, GHU#15, GHU#16, GHU#17, GHU#18,
GHU#19, GHU#20, GHU#21 & GHU#22 Wellsite locations
 TO: Bureau of Land Management, Vernal District Office
 Attention: Mr. Paul Andrews, Area Manager

The following wellsite locations have been cleared:

- GHU#14 Well, BIA ROW # H62-95-97; NWSW Sec. 20, T8S., R21E., SLB&M
- GHU#15 Well, BIA ROW # H62-95-113; SWSW Sec. 20, T8S., R21E., SLB&M
- GHU#16 Well, BIA ROW # H62-95-100; SESW Sec. 20, T8S., R21E., SLB&M
- GHU#17 Well, BIA ROW # H62-95-101; SWSE Sec. 20, T8S., R21E., SLB&M
- GHU#18 Well, BIA ROW # H62-95-103; SESE Sec. 20, T8S., R21E., SLB&M
- GHU#19 Well, BIA ROW # H62-95-105; SWNW Sec. 20, T8S., R21E., SLB&M
- GHU#20 Well, BIA ROW # H62-95-107; SENW Sec. 20, T8S., R21E., SLB&M
- GHU#21 Well, BIA ROW # H62-95-109, SWSW Sec. 21, T8S., R21E., SLB&M
- GHU#22 Well, BIA ROW # H62-95-111, SWNW Sec. 22, T8S., R21E., SLB&M


Based on available information received on February 15, 1995, we have cleared the proposed location in the following area of environmental impact.

- YES NO Listed threatened or endangered species
- YES NO Critical wildlife habitat
- YES NO Archeological or cultural resources
- YES NO Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)
- YES NO Other (if necessary)

REMARKS: Environmental Analysis-6. MITIGATION STIPULATIONS
Strict conformance to Site Specific Environmental Analysis,
attached hereto is required.

Upon completion of construction, please submit an Affidavit of Completion with accompanying Certification so that we may record all pertinent documents at the BIA Southwest Title Plant in Albuquerque, New Mexico.

If you have any question regarding said right-of-way, you may contact Mr. Charles Cameron, Acting Resources Officer or Norman Cambridge, Realty Specialist at (801) 722-2406 Ext. 52/49.

Sincerely,

 Superintendent.

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Chevron USA Production Co.

Well Name & Number: Gypsum Hills #17

API Number: 43-047-32649

Lease Number: U-0140740

Location: SWSE Sec. 20 T. 8S R. 21E

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

The Vernal District Office shall be notified, at least 24 hours prior to initiating the pressure tests, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

If conductor pipe is set then it will be cemented to surface. If drive pipe is used it will be pulled prior to cementing surface casing.

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the usable water zone identified at ± 1200 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

The Vernal District Office shall be notified at least 24 hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run at a minimum from the production casing shoe to $\pm 1000'$ and shall be utilized to determine the top of cement (TOC) and bond quality for production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data,

geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours prior to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5 (b.9. d.), and shall be submitted to the appropriate District Office within sixty (60) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (b. 4).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Wayne Bankert (801) 789-4170
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

BLM FAX Machine (801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

SURFACE USE PLAN OF OPERATION
Conditions of Approval (COAs)

VEGETATION/LANDSCAPE

Before the site is abandoned, the company will be required to restore the well pad and access road to near their original state. The disturbed area will be reseeded with desirable perennial vegetation.

Although the road rights-of-way will be 30 feet wide, the graded area of the road will be limited in most places to 21 feet between the two outer edges of the barrow pits. Where deep cuts are required for road construction, or where intersections or sharp curves occur the road may be constructed wider than 21 feet so that large pieces of equipment will have enough room to make turns.

Noxious weeds will be controlled on well sites and rights-of-way. If noxious weeds spread from the well sites or rights-of-way onto adjoining land, the company will also be responsible for their control.

SOILS/RANGE/WATERSHEDS

Soil erosion will be mitigated by reseeded all disturbed areas.

Salt and pollution loading of the soil and geological formations will be mitigated by requiring the oil company to have closed drilling and production systems.

Production water, oil, and other by-products will not be applied to roads or well pads for the control of dust or weeds. Indiscriminate dumping of oil field by-products on tribal lands will not be allowed.

CULTURAL RESOURCES


All well sites, access roads, and pipeline rights-of-way have had cultural resource surveys completed by a qualified archaeologist or paleontologist. They have also been cleared through the Phoenix Area Archaeologist as required by Sec. 106 of the Historical and Preservation Act.

All vehicular traffic, personnel movement, construction and restoration operations will be confined to the flagged area examined, as referenced in the cultural resource report, and to the existing rights-of-way.

All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.

The Ute Indian Tribal Department of Energy & Minerals shall be consulted if cultural remains from subsurface deposits are exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

U-0140740

6. If Indian Allottee or Tribe Name

Uintah-Ouray

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. USE "APPLICATION FOR PERMIT -" For such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION CO.

3. Address and Telephone No.

P. O. BOX 4876
HOUSTON, TX 77210
ATTN: MARY COHLMIA
(713) 754-5068

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

665' FSL, 2010' FEL
SW SE Sec. 20-T8S, R21E, SLB&M

7. If Unit or CA, Agreement Designation

Gypsum Hills

8. Well Name and No.

Gypsum Hills #17

9. API Well No.

43-047-32649

10. Field and Pool, or Exploratory Area

Gypsum Hills/Green River

11. County or Parish, State

Uintah Co., Utah

12 CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completions on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

THE PURPOSE OF THIS SUNDRY IS TO REPORT THE SPUD OF THE ABOVE WELL ON APRIL 13, 1995.

3-BLM VERNAL, 2-UTOGC, DRLG, RANGELY

14. I hereby certify that the foregoing is true and correct.

Signed: Mary Cohlma

Title: DRILLING TECHNICAL ASSISTANT

Date: 4/19/95

(This space for Federal or State office use)

Approved by: _____

Title: _____

Date: _____

Conditions of approval, if any:

Title 18 U. S. C. Section 1001 makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR: Chevron USA Production Company
ADDRESS: 11002 East 17500 South
Vernal, Utah 84078-8526 (801)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	99999	5355	43-047-32648	Gypsum Hills Unit #15	SW¼SW¼	S20	T8S	R21E	Uintah	03/20/95	
WELL 1 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit <i>Entities added 4-27-95. Lee</i>											
B	99999	5355	43-047-32649	Gypsum Hills Unit #17	SW¼SE¼	S20	T8S	R21E	Uintah	04/13/95	
WELL 2 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit											
B	99999	5355	43-047-32650	Gypsum Hills Unit #18	SE¼SE¼	S20	T8S	R21E	Uintah	04/12/95	
WELL 3 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit											
B	99999	5265	43-047-32461	WVFU #119	NW¼NW¼	S21	T8S	R21E	Uintah	03/21/95	
WELL 4 COMMENTS: Well will be drilled as a unit well for production as part of the Wonsits Valley Federal Unit											
B	99999	5265	43-047-32462	WVFU #120	NE¼NW¼	S22	T8S	R21E	Uintah	03/23/95	
WELL 5 COMMENTS: Well will be drilled as a unit well for production as part of the Wonsits Valley Federal Unit											

- ACTION CODES** (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

RECEIVED
APR 27 1995

St. Peuley
Signature
Asset Team Leader
Title 4-24-95
Date

Phone No. (801) 781-4300

DIVISION OF
OIL, GAS & MINING

OPERATOR: **Chevron USA Production Company**
 ADDRESS: **11002 East 17500 South**
Vernal, Utah 84078-8526 (801)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	99999	5670	43-047-32629	Red Wash Unit #306	NE%SW%	S23	T7S	R24E	Uintah	03/06/95	

WELL 1 COMMENTS:
 Well drilled as part of the Green River Participating Area within the Red Wash Unit *Entities added 4-27-95. Jc*

B	99999	5670	43-047-32632	Red Wash Unit #307	SW%SW%	S16	T7S	R24E	Uintah	03/07/95	
---	-------	------	--------------	--------------------	--------	-----	-----	------	--------	----------	--

WELL 2 COMMENTS:
 Well drilled as part of the Green River Participating Area within the Red Wash Unit

B	99999	5670	43-047-32627	Red Wash Unit #308	SE%SW%	S28	T7S	R24E	Uintah	03/16/95	
---	-------	------	--------------	--------------------	--------	-----	-----	------	--------	----------	--

WELL 3 COMMENTS:
 Well drilled as part of the Green River Participating Area within the Red Wash Unit

B	99999	5670	43-047-32595	Red Wash Unit #312	SW%NE%	S34	T7S	R24E	Uintah	03/10/95	
---	-------	------	--------------	--------------------	--------	-----	-----	------	--------	----------	--

WELL 4 COMMENTS:
 Well drilled as part of the Green River Participating Area within the Red Wash Unit

B	99999	5670	43-047-32630	Red Wash Unit #313	NE%SW%	S20	T7S	R24E	Uintah	04/07/95	
---	-------	------	--------------	--------------------	--------	-----	-----	------	--------	----------	--

WELL 5 COMMENTS:
 Well drilled as part of the Green River Participating Area within the Red Wash Unit

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

RECEIVED

APR 27 1995

DIVISION OF
 OIL, GAS & MINING

[Signature]
 Signature
Asset Team Leader
 Title
 Date 4-24-95
 Phone No. (801) 781-4300

OPERATOR: **Chevron USA Production Company**
ADDRESS: **11002 East 17500 South**
Vernal, Utah 84078-8526 (801)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	99999	5670	43-047-32626	Red Wash Unit #314	SE¼SW¼	S29	T7S	R24E	Uintah	04/08/95	
WELL 1 COMMENTS: Well drilled as part of the Green River Participating Area within the Red Wash Unit <i>Entitles added 4-27-95. J</i>											
B	99999	5355	43-047-32459	Gypsum Hills Unit #11	NW¼SE¼	S20	T8S	R21E	Uintah	03/19/95	
WELL 2 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit											
B	99999	5355	43-047-32458	Gypsum Hills Unit #12	NE¼SE¼	S19	T8S	R21E	Uintah	03/10/95	
WELL 3 COMMENTS: Well will be drilled as a unit well for injection as part of the Gypsum Hills Secondary Recovery Unit											
B	99999	5355	43-047-32460	Gypsum Hills Unit #13	NE¼SW¼	S21	T8S	R21E	Uintah	04/10/95	
WELL 4 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit											
B	99999	5355	43-047-32647	Gypsum Hills Unit #14	NW¼SW¼	S20	T8S	R21E	Uintah	03/17/95	
WELL 5 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

RECEIVED

APR 27 1995

J. Bealey
Signature

Asset Team Leader 4-24-95
Title Date

Phone No. (801) 781-4300

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: CHEVRON USA

Well Name: GYPSUM HILLS # 17

Api No. 43-047-32649

Section 20 Township 8S Range 21E County UINTAH

Drilling Contractor APOLLO

Rig # 57

SPUDDED: Date 5/22/95 *Spud in Computer 4-13-95*

Time _____

How ROTARY

Drilling will commence _____

Reported by D. HACKFORD-DOGM

Telephone # _____

Date: 5/23/95 Signed: JLT

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**665' 2010' FEL
669' FSL, 667' FWL, SEC. 20, T8S/R21E**

5. Lease Designation and Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name
Uintah-Ouray

7. If Unit or CA, Agreement Designation
Gypsum Hills Unit

8. Well Name and No.
GHU #17

9. API Well No.
43-047-32649

10. Field and Pool, or Exploratory Area
GYPSUM HILLS-GRN. RIVER

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>FIRST PRODUCTION</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Subject well has commenced production effective June 9, 1995.



14. I hereby certify that the foregoing is true and correct.
Signed *Lo Chiley* Title Asset Team Leader Date 6/13/95

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN DUPLICATE
(See instructions on reverse side).

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION

NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other _____

5. LEASE DESIGNATION AND SERIAL NO.
U-0140740

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UINTAH-OURAY

7. UNIT AGREEMENT NAME
GYPSUM HILLS UNIT

8. FARM OR LEASE NAME
GYPSUM HILLS

9. WELL NO.
GHU #17


10. FIELD AND POOL, OR WILDCAT
GYPSUM HILLS-GRN. RIVER

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
SEC. 20, T8S/R21E

2. NAME OF OPERATOR
CHEVRON U.S.A. PRODUCTION COMPANY

3. ADDRESS OF OPERATOR
11002 E. 17500 S., VERNAL, UT 84078-8526

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 665' FSL, 2010' FEL
At top rod. interval reported below
At total depth



14. PERMIT NO. 43-047-32649	DATE ISSUED 2/28/95	12. COUNTY OR PARISH UINTAH	13. STATE UTAH
--------------------------------	------------------------	--------------------------------	-------------------

15. DATE SPUDDED 4/13/95	16. DATE T.D. REACHED 5/27/95	17. DATE COMPL. (Ready to prod.) 6/7/95	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4701' KB	19. ELEV. CASINGHEAD 4685'
-----------------------------	----------------------------------	--------------------------------------------	-----------------------------------------------------	-------------------------------

20. TOTAL DEPTH, MD & TVD 5370'	21. PLUG BACK T.D., MD & TVD 5317'	22. IF MULTIPLE COMPL., HOW MANY* N/A	23. INTERVALS DRILLED BY →	ROTARY TOOLS X	CABLE TOOLS NO
------------------------------------	---------------------------------------	------------------------------------------	-------------------------------	-------------------	-------------------

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
GREEN RIVER FORMATION 5198-5216'

25. WAS DIRECTIONAL SURVEY MADE
NO

26. TYPE ELECTRIC AND OTHER LOGS RUN
DIL, GR, CALIPER, DENSITY, NEUTRON, CBL, CCL 6-6-95

27. WAS WELL CORED
NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
5 1/2"	15.5#	5370'	7 7/8"	360 SX. HI-FILL	
				80 SX. PREMIUM PLUS A-G	
8 5/8"	24#	399'	12 1/4"	190 SX. CLASS G CEMENT	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
N/A					2 7/8"	5288'	N/A

31. PERFORATION RECORD (Interval, size and number)
5198-5216' 4 JSPF

32. DEPTH INTERVAL (MD)	ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
5198-5216'	AMOUNT AND KIND OF MATERIAL USED 28,000 GALS. 28% HCL

33. PRODUCTION

DATE FIRST PRODUCTION 6/9/95	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) ROD PUMP 1 3/4"	WELL STATUS (Producing or shut-in) PRODUCING					
DATE OF TEST 6/27/95	HOURS TESTED 24	CHOKE SIZE N/A	PROD'N FOR TEST PERIOD →	OIL—BBL. 150	GAS—MCF. 70	WATER—BBL. 20	GAS-OIL RATIO 466 SCF/BBL.
FLOW. TUBING PRESS. N/A	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL. 150	GAS—MCF 70	WATER—BBL. 20	OIL GRAVITY-API (CORR.) 29	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
FUEL

TEST WITNESSED BY
ROY DIXON

35. LIST OF ATTACHMENTS
NONE

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED S. McArthur TITLE PETROLEUM ENGINEER DATE 6/27/95

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used; time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
Uinta Green River	Surface 2086'	2086' TD	Oil bearing, no core, No DSTs	Mahogany Shale G1 Lime G1 Sand	3441' 5198' 5218'	

38. GEOLOGIC MARKERS

EQUIPMENT INVENTORY
UTAH DIVISION OF OIL, GAS AND MINING
STATE OF UTAH

Operator: CHEVRON USA INC. Lease: State: Federal: X Indian: Fee:

Well Name: GYPSUM HILLS UNIT #17 API Number: 43-047-32649

Section: 20 Township: 8S Range: 21E County: UINTAH Field: GYPSUM HILLS

Well Status: POW Well Type: Oil: X Gas:

PRODUCTION LEASE EQUIPMENT: (NUMBER)

Boiler(s): Compressor(s): Separator(s): Dehydrator(s):

Shed(s): Line Heater(s): 1 Heated Separator(s): VRU:

Heater Treater(s):

PUMPS:

Triplex: Chemical: 1 Centrifugal: 1

LIFT METHOD:

Pumpjack: X Hydraulic: Submersible: Flowing:

GAS EQUIPMENT: (NUMBER)

Purchase Meter: 0 Sales Meter: 0

TANKS:

NUMBER

SIZE

Oil Storage Tank(s): BBLs

Water Tank(s): BBLs

Power Water Tank: BBLs

Condensate Tank(s): BBLs

Propane Tank:

Central Battery Location: (IF APPLICABLE)

Qtr/Qtr: NE/NE Section: 20 Township: 8S Range: 21E





REMARKS: EMULSION LINE LEAVES LOCATION AND GOES TO CENTRAL BATTERY AT GYPSUM HILLS #3. CASINGHEAD GAS GOES INTO EMULSION LINE. FUEL GAS COMES BACK FROM CENTRAL BATTERY.

Inspector: DAVID W. HACKFORD Date: 7/7/95

Chevron

GHU #17

43-047-32649



Mechanical Integrity Test

Casing or Annulus Pressure Test for Well UT2805-04337

U.S. Environmental Protection Agency
 Underground Injection Control Program, UIC Implementation Section, 8WM-DW
 999 18th Street, Suite 500, Denver, CO 80202-2466
 This form was printed on 08/09/1996.

EPA Witness: N/A Date 11/8/96

Test conducted by: Gudac Bros Inc.

Others present: S.W. Keelut Chevron USA Inc. 11.8.96
Crubly - Inspector - BLM 961108

G H #17 GYPSUM HILLS Chevron U.S.A., Inc.,	<u>43-047-32649</u>	2R UC as of / / SWSE 20 08S 21E Op ID CVR01
Last MIT: No record / / Max Allowed Press psig <u>199</u> Max Reported Press <u>0</u> psig		

Is this a regularly scheduled test? Yes No
 Initial test for permit? Yes No
 Test after well rework? Yes No

Well injecting during test? NO YES _____ BPD

Initial casing/tubing annulus pressure 0 psig
 Does the annulus pressure build back up? Yes No

TUBING PRESSURE			
Initial	psig	psig	psig
<u>0</u>			
End of Test	psig	psig	psig
<u>0</u>			
CASING/TUBING ANNULUS PRESSURE			
Time	Test #1	Test #2	Test #3
0 min	<u>10.50</u> psig	psig	psig
5	<u>10.50</u>		
10	<u>10.50</u>		
15 min	<u>10.50</u>		
20	<u>10.50</u>		
25	<u>10.50</u>		
30 min	<u>10.50</u>		
Result (circle)	<u>Pass</u>	Fail	Pass
		Fail	Pass
			Fail

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
GYPSUM HILLS UNIT

8. Well Name and No.
GYPSUM HILLS UNIT 17

9. API Well No.
43-047-32649

10. Field and Pool, or Exploratory Area
Gypsum Hills Unit - Green River

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No. **Steve McPherson in Red Wash (801) 781-4310**
11002 E. 17500 S. VERNAL, UT 84078-8526 or **Gary Scott in Rangely, CO. (970) 675-3791**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
665' FSL & 2010' FEL (SW SE) SECTION 20, T8S, R21E, SLBM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion or well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

IT IS PROPOSED TO CONVERT THE ABOVE WELL TO INJECTION AS FOLLOWS:

- MIRU. HOT OIL AS NEEDED. TOH AND L/D RODS AND PUMP. ND WH AND NU BOPE. RELEASE TAC AND TOH WITH TUBING.
- CLEAN OUT TO PBTB WITH BIT AND SCRAPER. TOH.
- HYDROTEST TUBING IN HOLE. SET PACKER AT ~ 5150' (<100' ABOVE TOP PERFORATION) AND CONDUCT PRELIMINARY MIT (1000 PSI WITH <10% LOSS IN 30 MINUTES.
- CIRCULATE PACKER FLUID AND FREEZE BLANKET, ND BOPE, NU WH AND CONDUCT FINAL MIT.
- RU WIRELINE AND RUN PRESSURE BOMB TO MID-PERFS TO RECORD STATIC RESERVOIR PRESSURE
- RDMO.



14. I hereby certify that the foregoing is true and correct
Signed *G. D. Scott* Title DRILLING TECHNICIAN Date November 7, 1996

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
GYPSUM HILLS UNIT

8. Well Name and No.
GYPSUM HILLS UNIT 17

9. API Well No.
43-047-32649

10. Field and Pool, or Exploratory Area
Gypsum Hills Unit -Green River

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas

Well Well Other **INJECTION WELL**

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4306

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
665' FSL & 2010' FEL (SW SE) SECTION 20, T8S, R21E, SLBM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Date of Work 11/6 - 11/8 1996.

- MIRU. HOT OIL AS NEEDED. TOH AND L/D RODS AND PUMP. ND WH AND NU BOPE. RELEASE TAC AND TOH WITH TUBING.**
- CLEAN OUT TO PBDT WITH BIT AND SCRAPER. TOH.**
- HYDROTEST TUBING IN HOLE. SET PACKER AT 5135' (<100' ABOVE TOP PERFORATION) AND CONDUCT PRELIMINARY MIT (1000 PSI WITH <10% LOSS IN 30 MINUTES.**
- CIRCULATE PACKER FLUID AND FREEZE BLANKET, ND BOPE, NU WH AND CONDUCT FINAL MIT.**
- RU WIRELINE AND RUN PRESSURE BOMB TO MID-PERFS TO RECORD STATIC RESERVOIR PRESSURE.**
- RDMO.**



14. I hereby certify that the foregoing is true and correct.
Signed DC. Tanner Title COMPUTER SYSTEMS OPERATOR

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Qualified for tax credit - 5/97 *See instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
GYPSUM HILLS UNIT

8. Well Name and No.
GYPSUM HILLS UNIT 17

9. API Well No.
43-047-32649

10. Field and Pool, or Exploratory Area
Gypsum Hills Unit -Green River

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
Well Well Other **INJECTION WELL**

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4306

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
665' FSL & 2010' FEL (SW SE) SECTION 20, T8S, R21E, SLBM


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other <u>NOTIFICATION OF INJECTION DATE</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WELL COMMENCED INJECTION 11/14/1996 AT 11 AM



14. I hereby certify that the foregoing is true and correct.
Signed DC James Title **COMPUTER SYSTEMS OPERATOR** Date **November 14, 1996**

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4306

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
665' FSL & 2010' FEL (SW SE) SECTION 20, T8S, R21E, SLBM

5. Lease Designation and Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
GYPSUM HILLS UNIT

8. Well Name and No.
GYPSUM HILLS UNIT 17

9. API Well No.
43-047-32649

10. Field and Pool, or Exploratory Area
Gypsum Hills Unit -Green River

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other FIRST INJECTION
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL COMMENCED INJECTION ON NOVEMBER 14, 1996.



14. I hereby certify that the foregoing is true and correct.
Signed *D.C. Tanner* Title COMPUTER SYSTEMS OPERATOR Date December 4, 1996

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Gas
 Well Well Other **MULTIPLE WELLS LIST ATTACHED**

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
**GYPNUM HILLS UNIT
 UTU 67951A**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area
Gypsum Hills Unit

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Gypsum Hills Unit.
 The Unit number is UTU 76951A effective April 1, 1991.

The successor operator under the Unit Agreement will be
 Shenandoah Energy Inc.
 475 17th Street, Suite 1000
 Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By: Mitchell L. Solich
 Mitchell L. Solich
 President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
 Signed A. E. Wacker Title Assistant Secretary Date 12/29/1999

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Gypsum Hills (Green River) Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Gypsum Hills (Green River) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Gypsum Hills (Green River) Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Gypsum Hills (Green River) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Gypsum Hills (Green River) Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

SHENANDOAH ENERGY INC.

11002 E. 17500 S.
VERNAL, UT 84078
PHONE: (435) 781-4300
FAX: (435) 781-4329

RW #48 (32-19B)	SWNE-19-7S-23E	43-047-15174
RW #60 (43-30B)	NESE-30-7S-23E	43-047-15184
RW #213 (41-33B)	NENE-33-7S-23E	43-047-20060

WONSITS VALLEY FEDERAL UNIT

WVFU #120	NENW-22-8S-21E	43-047-32462
WVFU#140	NWNW-15-8S-21E	43-047-31707
WVFU #143	NWSE-10-8S-21E	43-047-31808
WVFU #16	NENE-15-8S-21E	43-047-15447
WVFU #21	NENE-16-8S-21E	43-047-15452
WVFU #28-2	NESW-11-8S-21E	43-047-31524
WVFU #31	NENW-14-8S-21E	43-047-15460
WVFU #35	NESW-14-8S-21E	43-047-15463
WVFU #36	NESW-10-8S-21E	43-047-15464
WVFU #40-2	NESE-10-8S-21E	43-047-31798
WVFU #41	NENW-15-8S-21E	43-047-15496
WVFU #50	SWNE-15-8S-21E	43-047-15477
WVFU #59	SWNW-14-8S-21E	43-047-20018
WVFU #60	SWSE-15-8S-21E	43-047-20019
WVFU #67	NESW-15-8S-21E	43-047-20043
WVFU #68	NESE-15-8S-21E	43-047-20047
WVFU #71-2	SWSW-15-8S-21E	43-047-32449
WVFU #73	NESE-16-8S-21E	43-047-20066
WVFU #97	NWSW-11-8S-21E	43-047-30014
WVFU #9	NESE-12-8S-21E	43-047-15440
WVFU #126	NWNE-21-8S-21E	43-047-30796
WVFU #72	SWSW-16-8S-21E	43-047-20058
WVFU #78	NESW-16-8S-21E	43-047-20115

GYPSUM HILLS UNIT

GHU #10	NWSE-21-8S-20E	43-047-32306
GHU #12	NESE-19-8S-21E	43-047-32458
GHU#15	SWSW-20-8S-21E	43-047-32648
GHU#17	SWSE-20-8S-21E	43-047-32649
GHU #3	NENE-20-8S-21E	43-047-20002
GHU #6	NENW-20-8S-21E	43-047-30099
GHU #8-1	SWNE-20-8S-21E	43-047-31932

COSTAS FEDERAL

COSTAS FED #1-20-4B	NESW-20-8S-21E	43-047-31006
COSTAS FED #2-20-3B	NESE-20-8S-21E	
COSTAS FED 33-21-1D	SWNW-21-8S-21E	43-047-31604

BRENNAN BOTTOM UNIT

BRENNAN FED #5	SENW-18-7S-21E	43-047-15420
BRENNAN FED #11	SESW-18-7S-21E	43-047-32772

Well	Lease	API Number	Status	Type
COSTAS FEDERAL 1-20-4B	U-0140740	43-047-31006	A	INJ
COSTAS FEDERAL 2-20-3B	U-0140740	43-047-31066	A	INJ
COSTAS FEDERAL 3-21-1D	U-0804	43-047-31604	A	INJ
GYP SUM HILLS UNIT 10	U-025960	43-047-32306	A	INJ
GYP SUM HILLS UNIT 15	U-0140740	43-047-32648	A	INJ
GYP SUM HILLS UNIT 17	U-0140740	43-047-32649	A	INJ
GYP SUM HILLS UNIT 3	U-0140740	43-047-20002	A	INJ
GYP SUM HILLS UNIT 6	U-0140740	43-047-30099	A	INJ
GYP SUM HILLS UNIT 8-1 (SRU)	U-0140740	43-047-31932	A	INJ
GYP SUM HILLS UNIT 12	U-0140740	43-047-32458	A	INJ
COSTAS FEDERAL 4-21-1C	U-0804	43-047-31826	A	OIL
COSTAS FEDERAL 5-21-2C	U-0804	43-047-31827	A	OIL
GYP SUM HILLS 16	U-0140740	43-047-32675	A	OIL
GYP SUM HILLS UNIT 18	U-014740	43-047-32650	A	OIL
GYP SUM HILLS UNIT 4	U-0140740	43-047-30028	A	OIL
GYP SUM HILLS UNIT 9	U-0140740	43-047-32304	A	OIL
GYP SUM HILLS UNIT 11	U-0140740	43-047-32459	A	OIL
GYP SUM HILLS UNIT 13	U-0140740	43-047-32460	A	OIL
GYP SUM HILLS UNIT 14	U-0140740	43-047-32647	A	OIL
GYP SUM HILLS UNIT 19	U-0140740	43-047-32651	A	OIL
GYP SUM HILLS UNIT 20	U-0140740	43-047-32652	A	OIL
WHITON-FEDERAL 1-19-3C	U-0140740	43-047-31065	A	OIL
STAGECOACH 23-21	U-025960	43-047-31541	A	OIL
GYP SUM HILLS UNIT 21	U-0933	43-047-32692	A	GAS
GYP SUM HILLS 22 WG	U-0804	43-047-32818	A	GAS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other WATER INJECTOR

2. Name of Operator
SHENANDOAH ENERGY, INC

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4306

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
665' FSL & 2010' FEL (SW SE) SECTION 20, T8S, R21E, SLBM

5. Lease Designation and Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
GYPSUM HILLS UNIT

8. Well Name and No.
GYPSUM HILLS UNIT 17

9. API Well No.
43-047-32649

10. Field and Pool, or Exploratory Area
Gypsum Hills Unit - Green River

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input checked="" type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

The following work was done on this well March 9, 2000:

- ACIDIZE WELL TO CLEANUP FORMATION DAMAGE
- PUMP 2000 GALS 15% HCL WITH 150 GALS M Xylene and additives
- Displace with 31 bbls fresh water
- Flowback ~200 bbls load water and acid till clean water
- Place well back on injection.

RECEIVED
MARCH 10 2000
BUREAU OF LAND MANAGEMENT
SALT LAKE CITY, UTAH

14. I hereby certify that the foregoing is true and correct.
Signed D. C. BEAMAN *D. C. Beaman* Title OFFICE MANAGER Date 07/05/00

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: See Attachment
Field or Unit name: _____ API no. _____
Well location: QQ _____ section _____ township _____ range _____ county _____
Effective Date of Transfer: _____

CURRENT OPERATOR

Transfer approved by:

Name R.K. Wackowski Company Chevron Production Co.
Signature [Signature] Address 100 Chevron Rd.
Title Unit Manager Rangely, Colo. 81648
Date 7/28/00 Phone (970) 675-3714
Comments: _____

NEW OPERATOR

Transfer approved by:

Name John Conley Company Shenandoah Energy Inc.
Signature [Signature] Address 11002 E. 17500 S.
Title District Manager Vernal, UT 84078
Date 7-21-00 Phone (435) 781-4300
Comments: _____

(State use only)
Transfer approved by [Signature] Title Tech. Services Manager
Approval Date 8-16-00 *wells dis. for mechanical integrity testing:

* Gypsum Hills unit 12, 10
Costas Federal 2-20-3B

RECEIVED

AUG 9 2000

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH	4-KAS ✓
2. CDW	5-SJM ✓
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000

FROM: (Old Operator):

CHEVRON USA INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

CA No. Unit: GYPSUM HILLS

WELL(S)

NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
GYPSUM HILLS UNIT 12 (WIW)	43-047-32458	5355	19	08S	21E	FEDERAL
COSTAS FEDERAL 1-20-4B (WIW)	43-047-31006	5355	20	08S	21E	FEDERAL
COSTAS FEDERAL 2-20-3B (WIW)	43-047-31066	5355	20	08S	21E	FEDERAL
GYPSUM HILLS UNIT 15 (WIW)	43-047-32648	5355	20	08S	21E	FEDERAL
GYPSUM HILLS UNIT 17 (WIW)	43-047-32649	5355	20	08S	21E	FEDERAL
GYPSUM HILLS UNIT 3 (WIW)	43-047-20002	5355	20	08S	21E	FEDERAL
GYPSUM HILLS UNIT 6 (WIW)	43-047-30099	5251	20	08S	21E	FEDERAL
GYPSUM HILLS UNIT 8-1 (SRU) (WIW)	43-047-31932	5355	21	08S	21E	FEDERAL
COSTAS FEDERAL 3-21-1D (WIW)	43-047-31604	5355	21	08S	21E	FEDERAL
GYPSUM HILLS UNIT 10 (WIW)	43-047-32306	5355	21	08S	21E	FEDERAL

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/15/2000

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE- Other Instructions on reverse side

1. Type of Well:
 Oil Well Gas Well Other **INJECTION**

2. Name of Operator **SHENANDOAH ENERGY INC**
CONTACT: J.T. CONLEY DIVISION MANAGER
EMAIL: jconley@shenandoahenergy.com

3a. Address **11002 EAST 17500 SOUTH**
VERNAL, UT 84078

3b. Phone No. (include area code)
TEL: 435.781.4300 EXT: 301
FAX: 435.781.4329

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 20 T8S R21E SWSE 665FSL 2010FEL

5. Lease Serial No.
U-0140740

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and No.
UTU67951A

8. Lease Name and Well No.
GYPSUM HILLS UNIT 17

9. API Well No.
4304732649

10. Field and Pool, or Exploratory
GYPSUM HILLS

11. County or Parish, State
UINTAH, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input checked="" type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/>	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give the subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with the BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of involved operations. If the operation results in multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Stimulation Workover performed on 03/07/2000
RU and pump 2,000 gals 15% HCl and additives.
Flowback load water until well cleanup.
Place well back on injection.

Name (Printed/Typed) **J.T. Conley** Title **District Manager**

Signature *J.T. Conley* Date **01-06-2001**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

ELECTRONIC SUBMISSION #2266 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE

SHENANDOAH ENERGY INC.

11002 East 17500 South
Vernal, Utah 80478
(435) 781-4300
Fax (435) 781-4329

November 5, 2001

MECHANICAL INTEGRITY TESTS

GHU #17 43-047-32649

**Gypsum Hills Unit
Uintah County, Utah**


**Mr. Al Craver
Underground Injection Control Program
United States Environmental Protection Agency
Region VIII
999 18th Street – Suite 300
Denver, Colorado 80202-2466**

Dear Mr. Craver,
Results of a recent mechanical integrity test for the GHU #17 is enclosed.

<u>Wellname</u>	<u>EPA ID</u>
GHU #17	UT2805-04337

Please advise as to the next MIT due date for this well. If you have any questions regarding the tests, please contact me at (435) 781-4301.

Sincerely,



**J. T. Conley
District Manager**

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY**

cc Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801
Attn. Mr. Gil Hunt

U.S Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

**MECHANICAL INTEGRITY TEST
CASING OR ANNULUS PRESSURE TEST**

U.S. ENVIRONMENTAL PROTECTION AGENCY
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8ENF-T)
999 18TH STREET, SUITE 500, DENVER, CO. 80202-2466

EPA WITNESS: _____ DATE: 11/2/2001 TIME: 10:30 AM PM

TEST CONDUCTED BY: MIKE JOHNSON

OTHERS PRESENT: _____

WELL:	<u>GYPSUM HILLS UNIT # 17</u>	WELL ID. API#-43-047-32649
		<u>EPA ID #-UT2805-04337</u>
FIELD:	<u>GYPSUM HILLS</u>	COMPANY: <u>SHENANDOAH ENERGY INC.</u>
WELL LOCATION:	<u>SW/SE SEC. 20 T8S R21E</u>	ADDRESS: <u>11002 EAST 17500 SOUTH</u>
		<u>VERNAL, UTAH 84078</u>
WELL STATUS:	<u>ACTIVE</u>	

TIME		TEST #1 CASING PRESSURE	TIME	TEST #2 CASING PRESSURE	TIME	TEST #3 CASING PRESSURE
<u>10:30A</u>	0 MIN	<u>1500</u>	_____	_____	_____	_____
<u>10:35A</u>	5	<u>1500</u>	_____	_____	_____	_____
<u>10:40A</u>	10	<u>1500</u>	_____	_____	_____	_____
<u>10:45A</u>	15	<u>1500</u>	_____	_____	_____	_____
<u>10:50A</u>	20	<u>1500</u>	_____	_____	_____	_____
<u>10:55A</u>	25	<u>1500</u>	_____	_____	_____	_____
<u>11:00A</u>	30 MIN	<u>1500</u>	_____	_____	_____	_____
_____	35	_____	_____	_____	_____	_____
_____	40	_____	_____	_____	_____	_____
_____	45	_____	_____	_____	_____	_____
_____	50	_____	_____	_____	_____	_____
_____	55	_____	_____	_____	_____	_____
_____	60 MIN	_____	_____	_____	_____	_____


START TUBING PRESSURE, PSIG 1850

END TUBING PRESSURE, PSIG 1850

RESULTS (CIRCLE) PASS FAIL

SIGNATURE OF EPA WITNESS: _____

MIKE JOHNSON



DATE: 11/2/2001 TIME: 10:30A
WELL ID: ADI # 43-047-32649
EPA ID # VT2805-04337
PERSON CONDUCTING TEST:
Mike Johnson

CHART NO. MC MP-2000-14
METER NA
CHART PUT ON BY
10:30 AM
LOCATION
REMARKS
60 MINUTE CHART

11:00A
HILLS HIT
MIT TEST

50

55

60 0

DATE: 11/2/2001 TIME: 10:30A
 WELL ID: API# 43-047-32649
 EPA ID# VT2805-04337
 PERSON CONDUCTING TEST:
 Mike JOHNSON

45

40

35

30

25

20

5

10

15




CHART NO. NA
 METER NA

MC MP-2000-1H

10:30 AM
 GYPHUM HILLS HT
 60 MINUTE TEST
 CHART

11:00 AM

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Gypsum Hills (Green River) Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Gypsum Hills (Green River) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Gypsum Hills (Green River) Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Gypsum Hills (Green River) Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Gypsum Hills (Green River) Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO, MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number <u>See Attached List</u>	API Number
Location of Well Footage : County : <u>Uintah</u> State : <u>UTAH</u>	Field or Unit Name <u>Gypsum Hills</u> Lease Designation and Number
QQ, Section, Township, Range:	

EFFECTIVE DATE OF TRANSFER: _____

CURRENT OPERATOR

Company: <u>Shenandoah Energy Inc.</u>	Name: <u>John Busch</u>
Address: <u>11002 East 17500 South</u> <u>city Vernal state UT zip 84078</u>	Signature: <u>John Busch</u>
Phone: <u>(435) 781-4300</u>	Title: <u>District Foreman</u>
Comments:	Date: <u>9-02-03</u>

NEW OPERATOR

Company: <u>QEP Uinta Basin, Inc.</u>	Name: <u>John Busch</u>
Address: <u>11002 East 17500 South</u> <u>city Vernal state UT zip 84078</u>	Signature: <u>John Busch</u>
Phone: _____	Title: <u>District Foreman</u>
Comments:	Date: <u>9-02-03</u>

(This space for State use only)

Transfer approved by: [Signature]
Title: Public Services Manager

Approval Date: 9-10-03

Comments: located in Indian Country
EPA primary UIC agency.

RECEIVED
SEP 04 2003
DIV. OF OIL, GAS & MINING

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	Field	Footages
COSTAS FED 1-20-4B	20	080S	210E	4304731006	5355	Federal	WI	A	Gypsum Hills	1981' FSL, 1980' FWL
COSTAS FED 2-20-3B	20	080S	210E	4304731066	5355	Federal	WI	A	Gypsum Hills	1981 FSL, 617 FEL
COSTAS FED 3-21-1D	21	080S	210E	4304731604	5355	Federal	WI	A	Wonsits Valley	1977 FNL, 643 FWL
GYP SUM HILLS 10	21	080S	210E	4304732306	5355	Federal	WI	A	Wonsits Valley	2147 FSL, 2274 FEL
GYP SUM HILLS 12	19	080S	210E	4304732458	5355	Federal	WI	A	Gypsum Hills	2009' FSL, 666' FEL
GYP SUM HILLS 15	20	080S	210E	4304732648	5355	Federal	WI	A	Gypsum Hills	669' FSL, 667' FWL
GYP SUM HILLS 17	20	080S	210E	4304732649	5355	Federal	WI	A	Gypsum Hills	665 FSL, 2010 FEL
GYP SUM HILLS 3	20	080S	210E	4304720002	5355	Federal	WI	A	Gypsum Hills	660' FNL, 660 FEL
GYP SUM HILLS 6	20	080S	210E	4304730099	5251	Federal	WI	A	Gypsum Hills	643' FNL, 1983' FWL
SRU 8-I	20	080S	210E	4304731932	5355	Federal	WI	A	Gypsum Hills	1906 FNL, 1978 FEL

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		2/1/2003
FROM: (Old Operator):		TO: (New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341		N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
BRENNAN BOTTOM UNIT									
BRENNAN FED 5	18	070S	210E	4304715420	5261	Federal	WI	A	
BRENNAN FED 11	18	070S	210E	4304732772	5261	Federal	WI	A	
GLEN BENCH UNIT									
GLEN BENCH ST 12-16	16	080S	220E	4304732583	13727	State	WI	A	
GLEN BENCH ST 6-16	16	080S	220E	4304732549	13727	State	WI	A	
GLEN BENCH ST 7-16	16	080S	220E	4304732582	13727	State	WI	A	
GLEN BENCH U 15-19-8-22	19	080S	220E	4304732756	13727	Federal	WI	A	
GLEN BENCH FED 22-20	20	080S	220E	4304731356	13727	Federal	WI	A	
GYPSUM HILLS UNIT									
GYPSUM HILLS 12	19	080S	210E	4304732458	5355	Federal	WI	A	
COSTAS FED 1-20-4B	20	080S	210E	4304731006	5355	Federal	WI	A	
COSTAS FED 2-20-3B	20	080S	210E	4304731066	5355	Federal	WI	A	
GYPSUM HILLS 15	20	080S	210E	4304732648	5355	Federal	WI	A	
GYPSUM HILLS 17	20	080S	210E	4304732649	5355	Federal	WI	A	
GYPSUM HILLS 3	20	080S	210E	4304720002	5355	Federal	WI	A	
GYPSUM HILLS 6	20	080S	210E	4304730099	5251	Federal	WI	A	
SRU 8-I	20	080S	210E	4304731932	5355	Federal	WI	A	
COSTAS FED 3-21-1D	21	080S	210E	4304731604	5355	Federal	WI	A	
GYPSUM HILLS 10	21	080S	210E	4304732306	5355	Federal	WI	A	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If NO, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/10/2003

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/16/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



QEP Uinta Basin, Inc.
 11002 East 17500 South
 Vernal, UT 84078
 Tel 435 781 4300 • Fax 435 781 4329

S. L. Tomkinson
 Phone: 435-781-4308
 Fax: 435-781-4323
 Email: Stephanie.Tomkinson@questar.com

November 7, 2006

Via Certified Mail: 7005 0390 0004 6658 1871
 Return Receipt Requested

Nathan Wisner (8ENF-UFO)
 UIC Program
 U.S. EPA, Region VIII
 999 18th Street, Suite 300
 Denver, Colorado 80202-2466

RECEIVED
 NOV 13 2006

RE: Mechanical Integrity Test (MIT)
for
GH 17
EPA # UT 2805-04337
API #43-047-32649
SWSE Section 20 T8S R21E

DIV. OF OIL, GAS & MINING

Dear Mr. Wisner:

Enclosed for the subject well is the successful MIT result including the Casing or Annulus Pressure Test form and the pressure test chart. The MIT for this well is a regularly scheduled test.

If you have any questions or require additional information, I can be reached at 435-781-4308.

Sincerely,


 Stephanie L. Tomkinson
 Biologist

Accepted by the
 Utah Division of
 Oil, Gas & Mining
FOR RECORD ONLY

Enclosures: MIT Casing or Annulus Pressure Test Form
 MIT Results Spreadsheet with Pressure Test Chart

cc: Utah Division of Oil Gas and Mining
 1594 West North Temple, Suite 1210
 P.O. Box 145801
 Salt Lake City, Utah 84114-5801

U.S. Department of the Interior
 Bureau of Land Management
 Vernal District Office
 170 South 500 East
 Vernal, Utah 84078

MECHANICAL INTEGRITY TEST CASING OR ANNULUS PRESSURE TEST

U.S. ENVIRONMENTAL PROTECTION AGENCY
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8P-W-GW)
999 18TH STREET, SUITE 300, DENVER, CO. 80202-2466

EPA WITNES: NO DATE: 11/2/2006 TIME: 8:30 AM PM

TEST CONDUCTED BY: Dennis J. Paulson (Questar)

OTHERS PRESENT: KEVIN CARTER (ADVANTAGE OIL FIELD SERVICE)

API NUMBER: 43-047-32649 EPA ID NUMBER: UT2805-04337

WELL NAME: <u>GYPSUM HILLS 17</u>		TYPE: <input checked="" type="checkbox"/> ER <input type="checkbox"/> SWD	STATUS: <input checked="" type="checkbox"/> AC <input type="checkbox"/> TA <input type="checkbox"/> UC	
FIELD: <u>GYPSUM HILLS</u>				
WELL LOCATION: <u>SWSE-20-8S-21E</u>		<input type="checkbox"/> N <input type="checkbox"/> S	<input type="checkbox"/> E <input type="checkbox"/> W	COUNTY: <u>UINTAH</u> STATE: <u>UTAH</u>
OPERATOR: <u>QEP UINTA BASIN INC.</u>				
LAST MIT: <u>2-Nov-01</u>	MAXIMUM ALLOWABLE PRESSURE: <u>2022</u>		PSIG	

IS THIS A REGULAR SCHEDULED TEST? YES NO

INITIAL TEST FOR PERMIT? YES NO

TEST AFTER WELL WORK? YES NO

WELL INJECTING DURING TEST? YES NO IF YES, RATE: 63 BPD

PRE-TEST CASING/TUBING ANNULUS PRESSURE: 0 PSIG

MIT DATA TABLE TUBING	TEST #1 PRESSURE	TEST #2	TEST #3
INITIAL PRESSURE	<u>1902.5</u> PSIG	PSIG	PSIG
END OF TEST PRESSURE	<u>1902.5</u> PSIG	PSIG	PSIG

CASING/TUBING	ANNULUS	TUBING	
0 MINUTES	<u>1152.3 @8:47:31</u> PSIG	<u>1902.5</u> PSIG	
5 MINUTES	<u>1142.0 @8:52:37</u> PSIG	<u>1902.4</u> PSIG	
10 MINUTES	<u>1139.4 @8:57:43</u> PSIG	<u>1902.2</u> PSIG	
15 MINUTES	<u>1137.8 @9:02:49</u> PSIG	<u>1902.4</u> PSIG	
20 MINUTES	<u>1136.8 @9:07:55</u> PSIG	<u>1902.5</u> PSIG	
25 MINUTES	<u>1135.9 @9:12:52</u> PSIG	<u>1902.5</u> PSIG	
30 MINUTES	<u>1135.2 @9:17:58</u> PSIG	<u>1902.5</u> PSIG	
MINUTES	<u>0 @ 9:22:55</u> PSIG	<u>1902.5</u> PSIG	
MINUTES	PSIG	PSIG	
RESULT	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL

DOES THE ANNULUS PRESSURE BUILD BACK UP AFTER THE TEST? YES NO

RECEIVED

NOV 13 2006

DIV. OF OIL, GAS & MINING

3000	PSIG	2404-1	29	MAR	2006	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
2	NOV	2006	8:44:04	1	1	0		55
2	NOV	2006	8:44:13	1	2	0		55
2	NOV	2006	8:44:22	1	3	0		55
2	NOV	2006	8:44:31	1	4	0		55
2	NOV	2006	8:44:40	1	5	0		55
2	NOV	2006	8:44:49	1	6	0		55
2	NOV	2006	8:44:58	1	7	0		55
2	NOV	2006	8:45:07	1	8	83.46		55
2	NOV	2006	8:45:16	1	9	80.39		55
2	NOV	2006	8:45:25	1	10	136.1		55
2	NOV	2006	8:45:34	1	11	231.22		55
2	NOV	2006	8:45:43	1	12	335.4		55
2	NOV	2006	8:45:52	1	13	472.77		55
2	NOV	2006	8:46:01	1	14	567.4		55
2	NOV	2006	8:46:10	1	15	689.7		55
2	NOV	2006	8:46:19	1	16	780.1		55
2	NOV	2006	8:46:28	1	17	859.9		55
2	NOV	2006	8:46:37	1	18	925.5		55
2	NOV	2006	8:46:46	1	19	994.8		55
2	NOV	2006	8:46:55	1	20	1052.5		55
2	NOV	2006	8:47:04	1	21	1109.2		55
2	NOV	2006	8:47:14	1	22	1141.6		55
2	NOV	2006	8:47:23	1	23	1143.5		55
2	NOV	2006	8:47:31	1	24	1152.3	1902.5	54
2	NOV	2006	8:47:40	1	25	1150.6		54
2	NOV	2006	8:47:49	1	26	1147.5		54
2	NOV	2006	8:47:58	1	27	1147.7		54
2	NOV	2006	8:48:07	1	28	1148.2		54
2	NOV	2006	8:48:16	1	29	1147.7		54
2	NOV	2006	8:48:25	1	30	1147.1		54
2	NOV	2006	8:48:34	1	31	1146.7		54
2	NOV	2006	8:48:43	1	32	1146.5		54
2	NOV	2006	8:48:52	1	33	1146.3		54
2	NOV	2006	8:49:01	1	34	1146		54
2	NOV	2006	8:49:10	1	35	1145.8		54
2	NOV	2006	8:49:19	1	36	1145.6		54
2	NOV	2006	8:49:28	1	37	1145.4		54
2	NOV	2006	8:49:37	1	38	1145.1		54
2	NOV	2006	8:49:46	1	39	1144.9		54
2	NOV	2006	8:49:55	1	40	1144.7		54
2	NOV	2006	8:50:04	1	41	1144.5		54
2	NOV	2006	8:50:13	1	42	1144.3		54
2	NOV	2006	8:50:22	1	43	1144.1		54
2	NOV	2006	8:50:31	1	44	1144		54
2	NOV	2006	8:50:40	1	45	1143.8		54
2	NOV	2006	8:50:49	1	46	1143.7		54
2	NOV	2006	8:50:58	1	47	1143.5		54
2	NOV	2006	8:51:08	1	48	1143.4		54
2	NOV	2006	8:51:17	1	49	1143.2		54

3000	PSIG	2404-1	29 MAR		2006	CASING	TUBING	AMBIENT	
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.	
2	NOV	2006	8:51:25		1	50	1143.1	54	
2	NOV	2006	8:51:34		1	51	1143	54	
2	NOV	2006	8:51:43		1	52	1142.8	54	
2	NOV	2006	8:51:52		1	53	1142.7	54	
2	NOV	2006	8:52:01		1	54	1142.6	54	
2	NOV	2006	8:52:10		1	55	1142.4	54	
2	NOV	2006	8:52:19		1	56	1142.3	54	
2	NOV	2006	8:52:28		1	57	1142.2	54	
2	NOV	2006	8:52:37		1	58	1142.1	54	
2	NOV	2006	8:52:46		1	59	1142	1902.4	54
2	NOV	2006	8:52:55		1	60	1142		52
2	NOV	2006	8:53:04		1	61	1141.9		52
2	NOV	2006	8:53:13		1	62	1141.8		52
2	NOV	2006	8:53:22		1	63	1141.7		52
2	NOV	2006	8:53:31		1	64	1141.6		52
2	NOV	2006	8:53:40		1	65	1141.5		52
2	NOV	2006	8:53:49		1	66	1141.4		52
2	NOV	2006	8:53:58		1	67	1141.3		52
2	NOV	2006	8:54:07		1	68	1141.2		52
2	NOV	2006	8:54:16		1	69	1141.1		52
2	NOV	2006	8:54:25		1	70	1141		52
2	NOV	2006	8:54:34		1	71	1140.9		52
2	NOV	2006	8:54:43		1	72	1140.9		52
2	NOV	2006	8:54:52		1	73	1140.8		52
2	NOV	2006	8:55:01		1	74	1140.7		52
2	NOV	2006	8:55:11		1	75	1140.6		52
2	NOV	2006	8:55:20		1	76	1140.5		52
2	NOV	2006	8:55:28		1	77	1140.4		52
2	NOV	2006	8:55:37		1	78	1140.3		52
2	NOV	2006	8:55:46		1	79	1140.3		52
2	NOV	2006	8:55:55		1	80	1140.2		52
2	NOV	2006	8:56:04		1	81	1140.2		52
2	NOV	2006	8:56:13		1	82	1140		52
2	NOV	2006	8:56:22		1	83	1140		52
2	NOV	2006	8:56:31		1	84	1139.9		52
2	NOV	2006	8:56:40		1	85	1139.8		52
2	NOV	2006	8:56:49		1	86	1139.8		52
2	NOV	2006	8:56:58		1	87	1139.7		52
2	NOV	2006	8:57:07		1	88	1139.6		52
2	NOV	2006	8:57:16		1	89	1139.6		52
2	NOV	2006	8:57:25		1	90	1139.5		52
2	NOV	2006	8:57:34		1	91	1139.4		52
2	NOV	2006	8:57:43		1	92	1139.4	1902.2	52
2	NOV	2006	8:57:52		1	93	1139.3		52
2	NOV	2006	8:58:01		1	94	1139.3		52
2	NOV	2006	8:58:10		1	95	1139.2		52
2	NOV	2006	8:58:19		1	96	1139.1		52
2	NOV	2006	8:58:28		1	97	1139.1		52
2	NOV	2006	8:58:37		1	98	1139		52


3000	PSIG	2404-1	29 MAR		2006	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
2	NOV	2006	8:58:46	1	99	1139.2		50
2	NOV	2006	8:58:55	1	100	1139.1		50
2	NOV	2006	8:59:04	1	101	1139		50
2	NOV	2006	8:59:14	1	102	1139		50
2	NOV	2006	8:59:23	1	103	1138.9		50
2	NOV	2006	8:59:31	1	104	1138.9		50
2	NOV	2006	8:59:40	1	105	1138.8		50
2	NOV	2006	8:59:49	1	106	1138.8		50
2	NOV	2006	8:59:58	1	107	1138.7		50
2	NOV	2006	9:00:07	1	108	1138.6		50
2	NOV	2006	9:00:16	1	109	1138.6		50
2	NOV	2006	9:00:25	1	110	1138.6		50
2	NOV	2006	9:00:34	1	111	1138.5		50
2	NOV	2006	9:00:43	1	112	1138.5		50
2	NOV	2006	9:00:52	1	113	1138.4		50
2	NOV	2006	9:01:01	1	114	1138.4		50
2	NOV	2006	9:01:10	1	115	1138.3		50
2	NOV	2006	9:01:19	1	116	1138.3		50
2	NOV	2006	9:01:28	1	117	1138.2		50
2	NOV	2006	9:01:37	1	118	1138.2		50
2	NOV	2006	9:01:46	1	119	1138.1		50
2	NOV	2006	9:01:55	1	120	1138.1		50
2	NOV	2006	9:02:04	1	121	1138.1		50
2	NOV	2006	9:02:13	1	122	1138		50
2	NOV	2006	9:02:22	1	123	1138		50
2	NOV	2006	9:02:31	1	124	1137.9		50
2	NOV	2006	9:02:40	1	125	1137.9		50
2	NOV	2006	9:02:49	1	126	1137.8	1902.4	50
2	NOV	2006	9:02:58	1	127	1137.8		50
2	NOV	2006	9:03:08	1	128	1137.8		50
2	NOV	2006	9:03:17	1	129	1137.7		50
2	NOV	2006	9:03:25	1	130	1137.7		50
2	NOV	2006	9:03:34	1	131	1137.6		50
2	NOV	2006	9:03:43	1	132	1137.6		50
2	NOV	2006	9:03:52	1	133	1137.5		50
2	NOV	2006	9:04:01	1	134	1137.5		50
2	NOV	2006	9:04:10	1	135	1137.5		50
2	NOV	2006	9:04:19	1	136	1137.5		50
2	NOV	2006	9:04:28	1	137	1137.4		50
2	NOV	2006	9:04:37	1	138	1137.4		50
2	NOV	2006	9:04:46	1	139	1137.3		50
2	NOV	2006	9:04:55	1	140	1137.3		50
2	NOV	2006	9:05:04	1	141	1137.3		50
2	NOV	2006	9:05:13	1	142	1137.2		50
2	NOV	2006	9:05:22	1	143	1137.2		50
2	NOV	2006	9:05:31	1	144	1137.2		50
2	NOV	2006	9:05:40	1	145	1137.1		50
2	NOV	2006	9:05:49	1	146	1137.1		50
2	NOV	2006	9:05:58	1	147	1137.1		50

3000	PSIG	2404-1	29	MAR	2006	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
2	NOV	2006	9:06:07		1	148	1137	50
2	NOV	2006	9:06:16		1	149	1137.2	48
2	NOV	2006	9:06:25		1	150	1137.1	48
2	NOV	2006	9:06:34		1	151	1137.1	48
2	NOV	2006	9:06:43		1	152	1137.1	48
2	NOV	2006	9:06:52		1	153	1137	48
2	NOV	2006	9:07:01		1	154	1137	48
2	NOV	2006	9:07:11		1	155	1137	48
2	NOV	2006	9:07:20		1	156	1136.9	48
2	NOV	2006	9:07:28		1	157	1136.9	48
2	NOV	2006	9:07:37		1	158	1136.9	48
2	NOV	2006	9:07:46		1	159	1136.9	48
2	NOV	2006	9:07:55		1	160	1136.8	1902.5
2	NOV	2006	9:08:04		1	161	1136.8	48
2	NOV	2006	9:08:13		1	162	1136.8	48
2	NOV	2006	9:08:22		1	163	1136.7	48
2	NOV	2006	9:08:31		1	164	1136.7	48
2	NOV	2006	9:08:40		1	165	1136.6	48
2	NOV	2006	9:08:49		1	166	1136.6	48
2	NOV	2006	9:08:58		1	167	1136.6	48
2	NOV	2006	9:09:07		1	168	1136.6	48
2	NOV	2006	9:09:16		1	169	1136.5	48
2	NOV	2006	9:09:25		1	170	1136.5	48
2	NOV	2006	9:09:34		1	171	1136.5	48
2	NOV	2006	9:09:43		1	172	1136.4	48
2	NOV	2006	9:09:52		1	173	1136.4	48
2	NOV	2006	9:10:01		1	174	1136.4	48
2	NOV	2006	9:10:10		1	175	1136.3	48
2	NOV	2006	9:10:19		1	176	1136.3	48
2	NOV	2006	9:10:28		1	177	1136.3	48
2	NOV	2006	9:10:37		1	178	1136.3	48
2	NOV	2006	9:10:46		1	179	1136.2	48
2	NOV	2006	9:10:55		1	180	1136.2	48
2	NOV	2006	9:11:04		1	181	1136.2	48
2	NOV	2006	9:11:14		1	182	1136.1	48
2	NOV	2006	9:11:23		1	183	1136.1	48
2	NOV	2006	9:11:31		1	184	1136.1	48
2	NOV	2006	9:11:40		1	185	1136.1	48
2	NOV	2006	9:11:49		1	186	1136	48
2	NOV	2006	9:11:58		1	187	1136	48
2	NOV	2006	9:12:07		1	188	1136	48
2	NOV	2006	9:12:16		1	189	1136	48
2	NOV	2006	9:12:25		1	190	1135.9	48
2	NOV	2006	9:12:34		1	191	1135.9	48
2	NOV	2006	9:12:43		1	192	1135.9	48
2	NOV	2006	9:12:52		1	193	1135.9	1902.5
2	NOV	2006	9:13:01		1	194	1135.8	48
2	NOV	2006	9:13:10		1	195	1135.8	48
2	NOV	2006	9:13:19		1	196	1135.8	48

3000	PSIG	2404-1	29	MAR	2006	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
2	NOV	2006	9:13:28	1	197	1135.7		48
2	NOV	2006	9:13:37	1	198	1135.7		48
2	NOV	2006	9:13:46	1	199	1135.7		48
2	NOV	2006	9:13:55	1	200	1135.7		48
2	NOV	2006	9:14:04	1	201	1135.6		48
2	NOV	2006	9:14:13	1	202	1135.6		48
2	NOV	2006	9:14:22	1	203	1135.6		48
2	NOV	2006	9:14:31	1	204	1135.6		48
2	NOV	2006	9:14:40	1	205	1135.5		48
2	NOV	2006	9:14:49	1	206	1135.5		48
2	NOV	2006	9:14:58	1	207	1135.5		48
2	NOV	2006	9:15:08	1	208	1135.5		48
2	NOV	2006	9:15:17	1	209	1135.4		48
2	NOV	2006	9:15:25	1	210	1135.4		48
2	NOV	2006	9:15:34	1	211	1135.4		48
2	NOV	2006	9:15:43	1	212	1135.4		48
2	NOV	2006	9:15:52	1	213	1135.3		48
2	NOV	2006	9:16:01	1	214	1135.3		48
2	NOV	2006	9:16:10	1	215	1135.3		48
2	NOV	2006	9:16:19	1	216	1135.2		48
2	NOV	2006	9:16:28	1	217	1135.2		48
2	NOV	2006	9:16:37	1	218	1135.2		48
2	NOV	2006	9:16:46	1	219	1135.2		48
2	NOV	2006	9:16:55	1	220	1135.3		46
2	NOV	2006	9:17:04	1	221	1135.3		46
2	NOV	2006	9:17:13	1	222	1135.3		46
2	NOV	2006	9:17:22	1	223	1135.2		46
2	NOV	2006	9:17:31	1	224	1135.2		46
2	NOV	2006	9:17:40	1	225	1135.2		46
2	NOV	2006	9:17:49	1	226	1135.2		46
2	NOV	2006	9:17:58	1	227	1135.2	1902.5	46
2	NOV	2006	9:18:07	1	228	1135.2		46
2	NOV	2006	9:18:16	1	229	1135.1		46
2	NOV	2006	9:18:25	1	230	1135.1		46
2	NOV	2006	9:18:34	1	231	1135.1		46
2	NOV	2006	9:18:43	1	232	1135.1		46
2	NOV	2006	9:18:52	1	233	1135		46
2	NOV	2006	9:19:01	1	234	1135		46
2	NOV	2006	9:19:11	1	235	1135		46
2	NOV	2006	9:19:20	1	236	1135		46
2	NOV	2006	9:19:28	1	237	1135		46
2	NOV	2006	9:19:37	1	238	1134.9		46
2	NOV	2006	9:19:46	1	239	1134.9		46
2	NOV	2006	9:19:55	1	240	1134.9		46
2	NOV	2006	9:20:04	1	241	1134.9		46
2	NOV	2006	9:20:13	1	242	1124.7		46
2	NOV	2006	9:20:22	1	243	1053.1		46
2	NOV	2006	9:20:31	1	244	708.6		46
2	NOV	2006	9:20:40	1	245	73.82		46

GYPSUM HILLS 17
MIT

3000	PSIG	2404-1	29	MAR	2006	CASING	TUBING	AMBIENT
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	PSIG	TEMP.
2	NOV	2006	9:20:49	1	246	0		46
2	NOV	2006	9:20:58	1	247	0		46
2	NOV	2006	9:21:07	1	248	0		46
2	NOV	2006	9:21:16	1	249	0		46
2	NOV	2006	9:21:25	1	250	0		46
2	NOV	2006	9:21:34	1	251	0		46
2	NOV	2006	9:21:43	1	252	0		46
2	NOV	2006	9:21:52	1	253	0		46
2	NOV	2006	9:22:01	1	254	0		46
2	NOV	2006	9:22:10	1	255	0		46
2	NOV	2006	9:22:19	1	256	0		46
2	NOV	2006	9:22:28	1	257	0		46
2	NOV	2006	9:22:37	1	258	0		46
2	NOV	2006	9:22:46	1	259	0		46
2	NOV	2006	9:22:55	1	260	0	1902.5	46
2	NOV	2006	9:23:04	1	261	0		46
2	NOV	2006	9:23:14	1	262	0		46
2	NOV	2006	9:23:23	1	263	0		46
2	NOV	2006	9:23:31	1	264	0		46
2	NOV	2006	9:23:40	1	265	0		46
2	NOV	2006	9:23:49	1	266	0		46
2	NOV	2006	9:23:58	1	267	0		46
2	NOV	2006	9:24:07	1	268	0		46



Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator):
 N2460-QEP Uinta Basin, Inc.
 1050 17th St, Suite 500
 Denver, CO 80265

TO: (New Operator):
 N5085-Questar E&P Company
 1050 17th St, Suite 500
 Denver, CO 80265

Phone: 1 (303) 672-6900

Phone: 1 (303) 672-6900

CA No.

Unit:

GYPSUM HILLS UNIT

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: _____ Business Number: 764611-0143
- (R649-9-2)Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
GYPSUM HILLS UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GYPSUM HILLS 3	GH 3	NENE	20	080S	210E	4304720002	5355	Federal	WI	A
GYPSUM HILLS 4	GH 4	SWSE	19	080S	210E	4304730028	5355	Federal	OW	P
GYPSUM HILLS 6	GH 6	NENW	20	080S	210E	4304730099	5251	Federal	WI	A
COSTAS FED 1-20-4B	GH 1-20	NESW	20	080S	210E	4304731006	5355	Federal	WI	A
WHITON FED 1-19-3C	GH 1-19	SESE	19	080S	210E	4304731065	5355	Federal	OW	P
COSTAS FED 2-20-3B	GH 2-20	NESE	20	080S	210E	4304731066	5355	Federal	WI	A
STAGECOACH FED 23-21	GH 23-21	NWSW	21	080S	210E	4304731541	5355	Federal	OW	P
COSTAS FED 3-21-1D	GH 3-21	SWNW	21	080S	210E	4304731604	5355	Federal	WI	A
COSTAS FED 4-21-1C	GH 4-21	SENE	21	080S	210E	4304731826	5355	Federal	OW	P
COSTAS FED 5-21-2C	GH 5-21	SENE	21	080S	210E	4304731827	5355	Federal	OW	P
SRU 8-I	GH 8-I	SWNE	20	080S	210E	4304731932	5355	Federal	WI	A
GYPSUM HILLS 9	GH 9	SENE	20	080S	210E	4304732304	5355	Federal	OW	P
GYPSUM HILLS 10	GH 10	NWSE	21	080S	210E	4304732306	5355	Federal	WI	A
GYPSUM HILLS 12	GH 12	NESE	19	080S	210E	4304732458	5355	Federal	WI	A
GYPSUM HILLS 11	GH 11	NWSE	20	080S	210E	4304732459	5355	Federal	OW	P
GYPSUM HILLS 13	GH 13	NESW	21	080S	210E	4304732460	5355	Federal	OW	P
GYPSUM HILLS 14	GH 13	NWSW	20	080S	210E	4304732647	5355	Federal	OW	P
GYPSUM HILLS 15	GH 15	SWSW	20	080S	210E	4304732648	5355	Federal	WI	A
GYPSUM HILLS 17	GH 17	SWSE	20	080S	210E	4304732649	5355	Federal	WI	A
GYPSUM HILLS 18	GH 18	SESE	20	080S	210E	4304732650	5355	Federal	OW	P
GYPSUM HILLS 19	GH 19	SWNW	20	080S	210E	4304732651	5355	Federal	OW	P
GYPSUM HILLS 20	GH 20	SENE	20	080S	210E	4304732652	5355	Federal	OW	P
GYPSUM HILLS 16	GH 16	SESW	20	080S	210E	4304732675	5355	Federal	OW	P
GHU 10W-19-8-21	GH 10W-19-8-21	NWSE	19	080S	210E	4304733528	12736	Federal	GW	P
GH 10G-19-8-21	GH 10G-19-8-21	NWSE	19	080S	210E	4304733566	5355	Federal	OW	P
WVFU 11W-17-8-21	WV 11W-17-8-20	NESW	17	080S	210E	4304733912	13228	Federal	GW	P
WV 5W-17-8-21	WV 5W-17-8-21	SWNW	17	080S	210E	4304733954	13332	Federal	GW	P
WV 7W-17-8-21	WV 7W-17-8-21	SWNE	17	080S	210E	4304733956	13330	Federal	GW	P
GH 9W-17-8-21	GH 9W-17-8-21	NESE	17	080S	210E	4304734150	13392	Federal	GW	P
GH 16W-17-8-21	GH 16W-17-8-21	SESE	17	080S	210E	4304734156	13354	Federal	GW	P
WV EXT 10W-17-8-21	WVX 10W-17-8-20	NWSE	17	080S	210E	4304734561	13744	Federal	GW	P
GH EXT 15W-17-8-21	GHX 15W-17-8-20	SWSE	17	080S	210E	4304734562	13674	Federal	GW	P
GYPSUM HILLS 13HG-17-8-21	GHX 13HG-17-8-21	SWSW	17	080S	210E	4304734723	5355	Federal	OW	S
GH 1G-17-8-21	GH 1G-17-8-21	NENE	17	080S	210E	4304734927	5355	Federal	OW	P
WV EXT 2W-17-8-21	WVX 2W-17-8-20	NWNE	17	080S	210E	4304734928	14253	Federal	GW	P
WV EXT 8W-17-8-21	WVX 8W-17-8-20	SENE	17	080S	210E	4304734929	13792	Federal	GW	P
GH 4MU-20-8-21	GH 4MU-20-8-21	NWNW	20	080S	210E	4304735068	14213	Federal	GW	P
GYPSUM HILLS 13MU-20-8-21	GH 13MU-20-8-20	SWSW	20	080S	210E	4304735070	14817	Federal	GW	P
GH 5W-20-8-21	GH 5W-20-8-21	SWNW	20	080S	210E	4304735097	14557	Federal	GW	P
WVX 3MU-17-8-21	WVX 3MU-17-8-21	NENW	17	080S	210E	4304735318	14113	Federal	GW	P
GH 15ML-18-8-21	GH 15ML-18-8-21	SWSE	18	080S	210E	4304735323	15483	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
GYPSUM HILLS UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GH 1ML-19-8-21	GH 1ML-19-8-21	NENE	19	080S	210E	4304735324	14824	Federal	GW	P
GH 16W-19-8-21	GH 16W-19-8-21	SESE	19	080S	210E	4304735325	14823	Federal	GW	DRL
WVX 14MU-17-8-21	WVX 14MU-17-8-21	SESW	17	080S	210E	4304735369	14098	Federal	GW	P
WVX 12MU-17-8-21	WVX 12MU-17-8-21	NWSW	17	080S	210E	4304735370	15108	Federal	GW	P
WVX 8MU-19-8-21	WVX 8MU-19-8-21	SENE	19	080S	210E	4304735372	14241	Federal	GW	P
GH 10ML-18-8-21	GH 10ML-18-8-21	NWSE	18	080S	210E	4304735391	15482	Federal	GW	P
GH 8G-17-8-21	GH 8G-17-8-21	SENE	17	080S	210E	4304737992	5355	Federal	OW	DRL
GH 16G-17-8-21	GH 16G-17-8-21	SESE	17	080S	210E	4304737993	5355	Federal	OW	DRL
WVX 1MU-17-8-21	WVX 1MU-17-8-21	NENE	17	080S	210E	4304738156		Federal	GW	APD
GH 8MU-20-8-21	GH 8-20-8-21	SENE	20	080S	210E	4304738157		Federal	GW	APD
WVX 13MU-17-8-21	WVX 13MU-17-8-21	SWSW	17	080S	210E	4304738188		Federal	GW	APD
WVX 6MU-17-8-21	WVX 6MU-17-8-21	SENE	17	080S	210E	4304738189		Federal	GW	APD
WVX 4MU-17-8-21	WVX 4MU-17-8-21	NWNW	17	080S	210E	4304738190		Federal	GW	APD
WVX 16MU-18-8-21	WVX 16MU-18-8-21	SESE	18	080S	210E	4304738191		Federal	GW	APD
GH 2MU-19-8-21	GH 2MU-19-8-21	NWNE	19	080S	210E	4304738192		Federal	GW	APD
GH 3MU-19-8-21	GH 3MU-19-8-21	NENW	19	080S	210E	4304738250		Federal	GW	APD
GH 4MU-19-8-21	GH 4MU-19-8-21	NWNW	19	080S	210E	4304738264		Federal	GW	APD
GH 5MU-19-8-21	GH 5MU-19-8-21	SWNW	19	080S	210E	4304738265		Federal	GW	APD
GH 6MU-19-8-21	GH 6MU-19-8-21	SENE	19	080S	210E	4304738266		Federal	GW	APD
GH 7MU-19-8-21	GH 7D-19-8-21	SWNE	19	080S	210E	4304738267		Federal	GW	APD
GH 11MU-19-8-21	GH 11MU-19-8-21	NESW	19	080S	210E	4304738268		Federal	GW	APD
GH 12MU-19-8-21	GH 12MU-19-8-21	NWSW	19	080S	210E	4304738269		Federal	GW	APD
GH 15MU-19-8-21	GH 15MU-19-8-21	SWSE	19	080S	210E	4304738270		Federal	GW	APD
GH 14MU-19-8-21	GH 14MU-19-8-21	SESW	19	080S	210E	4304738472		Federal	GW	APD
WVX 1MU-18-8-21	WVX 1MU-18-8-21	NENE	18	080S	210E	4304738659		Federal	GW	APD
WVX 9MU-18-8-21	WVX 9MU-18-8-21	NESE	18	080S	210E	4304738660		Federal	GW	APD
WVX 8MU-18-8-21	GH 8G-18-8-21	SENE	18	080S	210E	4304738661		Federal	GW	APD
GH 6MU-20-8-21	GH 6-20-8-21	SENE	20	080S	210E	4304738662		Federal	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached COUNTY: Uintah		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		9. API NUMBER: attached
		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.


Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list


Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED

APR 13 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.


1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 City: Denver STATE: CO ZIP: 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
PHONE NUMBER: (303) 308-3068		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: Uintah		
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stappberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Gypsum Hills (GR) Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Gypsum Hills (GR) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Gypsum Hills (GR) Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Gypsum Hills (GR) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Gypsum Hills (GR) Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
----------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------

CA No.

Unit:

GYPSUM HILLS (GRRV)

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
		7. UNIT or CA AGREEMENT NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: See attached	
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>	9. API NUMBER: Attached	
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 ^{CITE} Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 672-6900	10. FIELD AND POOL, OR WILDCAT: See attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*
 Utah State Bond Number: ~~965003033~~
 Fee Land Bond Number: ~~965003033~~ } *965010695*
 BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

RECEIVED
JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED 6/30/2009
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
 GYPSUM HILLS (GRRV)
 effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
GH 3	20	080S	210E	4304720002	5355	Federal	WI	A	
GH 6	20	080S	210E	4304730099	5355	Federal	WI	A	
GH 1-20	20	080S	210E	4304731006	5355	Federal	WI	A	
GH 2-20	20	080S	210E	4304731066	5355	Federal	WI	A	
GH 3-21	21	080S	210E	4304731604	5355	Federal	WI	A	
GH 8-I	20	080S	210E	4304731932	5355	Federal	WI	A	
GH 10	21	080S	210E	4304732306	5355	Federal	WI	A	
GH 12	19	080S	210E	4304732458	5355	Federal	WI	A	
GH 15	20	080S	210E	4304732648	5355	Federal	WI	A	
GH 17	20	080S	210E	4304732649	5355	Federal	WI	A	

Bonds: BLM = ESB000024
 BIA = 956010693
 State = 956010695



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Robert L. Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS AND MINING


UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number See Attached List		API Number Attached
Location of Well		Field or Unit Name Attached
Footage : Attached	County :	Lease Designation and Number Attached
QQ, Section, Township, Range:	State : UTAH	

EFFECTIVE DATE OF TRANSFER: 6/14/2010

CURRENT OPERATOR

Company: <u>Questar Exploration and Production Company</u>	Name: <u>Ann Petrik</u>
Address: <u>1050 17th Street, Suite 500</u>	Signature: 
<u>city Denver state CO zip 80265</u>	Title: <u>Engineering Analyst</u>
Phone: <u>(303) 672-6900</u>	Date: <u>6/28/2010</u>
Comments:	

NEW OPERATOR

Company: <u>QEP Energy Company</u>	Name: <u>Ann Petrik</u>
Address: <u>1050 17th Street, Suite 500</u>	Signature: 
<u>city Denver state CO zip 80265</u>	Title: <u>Engineering Analyst</u>
Phone: <u>(303) 672-6900</u>	Date: <u>6/28/2010</u>
Comments:	

(This space for State use only)

Transfer approved by: _____
 Title: _____

Approval Date: _____

Comments:

**Accepted by the
 Utah Division of
 Oil, Gas and Mining**

EPA approved well

Date: 6/29/10
 By: D. [Signature]

RECEIVED
 JUN 28 2010