

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBJECT TO THE PROSTATE
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

RECEIVED
 AUG 04 1995
 DIV. OF OIL, GAS & MINING

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>			4. LEASE DESIGNATION AND SERIAL NO. U-49430		
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
2. NAME OF OPERATOR Wildrose Resources Corporation PH: 303-770-6566			7. UNIT AGREEMENT NAME		
3. ADDRESS OF OPERATOR 4949 South Albion Street, Littleton, CO 80121			8. FARM OR LEASE NAME Federal		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.) At surface 2077' FSL & 696' FEL (NE/SE) At proposed prod. zone Same			9. WELL NO. 43-35		
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 11 miles SE of Myton, Utah			10. FIELD AND POOL, OR WILDCAT Eight Mile Flat North		
16. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 563'		16. NO. OF ACRES IN LEASE 320	17. NO. OF ACRES ASSIGNED TO THIS WELL 40		
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 2400'		19. PROPOSED DEPTH 6200'	20. ROTARY OR CABLE TOOLS Rotary		
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4870' GR			22. APPROX. DATE WORK WILL START* October 1, 1995		

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#, J-55	300'	225 sx
7-7/8"	5-1/2"	15.5#, J-55	6200'	800 sx

- SEE ATTACHED EXHIBITS:
- A - Surveyors Plat
 - E - Access Road Map
 - B - 10 Point Plan
 - F - Production Facilities
 - C - BOP Diagram
 - G - Existing Wells Map
 - D - 13 Point Surface Use Program
 - H - Pit & Pad Layout, Cuts & Fills, Cross Sections, Rig Layout

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Kay Kattenbrock TITLE Vice President DATE August 2, 1995



(This space for Federal or State office use)

PERMIT NO. 43-047-32721 APPROVAL DATE _____
 APPROVED BY [Signature] TITLE Production Engineer DATE 9/18/95
 CONDITIONS OF APPROVAL, IF ANY _____

*See Instructions On Reverse Side

**WILDROSE RESOURCES CORP.
WELL LOCATION PLAT
FEDERAL #43-35**

LOCATED IN THE NE1/4 OF THE SE1/4 OF
SECTION 35, T8S, R18E, S.L.B.&M.




SCALE: 1" = 1000'

LEGEND AND NOTES

- ORIGINAL MONUMENTS FOUND AND USED BY THIS SURVEY.

THE GENERAL LAND OFFICE (G.L.O.) PLAT WAS USED FOR REFERENCE AND CALCULATIONS AS WAS THE U.S.G.S. QUADRANGLE MAP.



25 JULY 1995

83-123-016

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY PERFORMED BY ME, DURING WHICH THE SHOWN MONUMENTS WERE FOUND OR ESTABLISHED.

Jerry D. Allred
 JERRY D. ALLRED, REGISTERED LAND SURVEYOR,
 CERTIFICATE NO. 148951 (UTAH)

Exhibit 'A'

	JERRY D. ALLRED & ASSOCIATES SURVEYING CONSULTANTS
	121 NORTH CENTER STREET P.O. BOX 975
	DUCHESNE, UTAH 84021 (801)-738-5352

EXHIBIT B

WILDROSE RESOURCES CORPORATION
FEDERAL #43-35
LEASE #U-49430
NE/SE SECTION 35, T8S, R18E
UINTAH COUNTY, UTAH

TEN POINT COMPLIANCE PROGRAM OF APPROVAL OF OPERATIONS

1. The Geologic Surface Formation

The surface formation is the Uintah (Tertiary).

2. Estimated Tops of Important Geologic Markers

Green River	1600'
Basil Green River	6000'
Total Depth	6200'

3. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

No water bearing zones are anticipated

Green River 4000' - 6200' Oil

4. The Proposed Casing Program

<u>HOLE</u>	<u>INTERVAL</u>	<u>LENGTH</u>	<u>SIZE(OP)</u>	<u>WEIGHT, GRADE, JOINT</u>	<u>NEW OR USED</u>
12.25"	0 - 300'	300'	8-5/8"	24# K-55 ST&C	New
7-7/8"	0 - 6200'	6200'	5-1/2"	15.50# J-55 ST&C	New

Cement Program -

Surface Casing: 225 sacks Class "G" plus 2% CaCl₂

Production Casing: 200 sacks Lite Cement and 600 sacks Class "G" with additives

5. The Operator's Minimum Specifications for Pressure Control

EXHIBIT "C" is a schematic diagram of the blowout preventer equipment. A 2M system will be used. The blind rams and the pipe

9. Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well. Bottom hole pressure expected is 1500 psi + or -.

No hydrogen sulfide or other hazardous fluids or gases have been found, reported or known to exist at these depths in the area.



10. Anticipated Starting Date and Duration of the Operations.

The anticipated starting date is October 1, 1995. Operations will cover approximately 12 days for drilling and 10 days for completion.

Hazardous Chemicals

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported or disposed of in association with the drilling of this well.

EXHIBIT C
BOP DIAGRAM



NOTE: BOP side outlets may be used in place of drilling spool.

EXHIBIT D

WILDROSE RESOURCES CORPORATION
FEDERAL #43-35
LEASE #U-49430
NE/SE SECTION 35, T8S, R18E, UINTAH COUNTY, UTAH

Thirteen Point Surface Use Program

Multipoint Requirements to Accompany APD

1. Existing Roads

- A. The proposed well site and elevation plat is shown on Exhibit A.
- B. From Fort Duchesne go south 6 miles to bridge. Go across bridge and follow Leland Bench road 10 miles. Take left fork (just before BLM dam). Continue 1/4 mile to location.
- C. See Exhibit E for access roads.
- D. There are no plans for improvement of existing roads. Roads will be maintained in present condition.

2. Planned Access Roads - (Newly Constructed)

- A. Length - 0 miles.
- B. Width - 30' right of way with 18' running surface maximum.
- C. Maximum grades - 2%
- D. Turnouts - N/A
- E. Drainage design - Barrow ditches and water turnouts as required.
- F. Culverts, bridges, cuts and fills - None.
- G. Surfacing material (source) - from location and access road.
- H. Gates, cattle guards and fence cuts - None.

All travel will be confined to existing access road rights of way.

Access roads and surface disturbing activities will conform to

standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all weather road requirements. Construction/ upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right of way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diversion water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

A Right of Way application is not needed.

3. Location of Existing Wells Within a 1 Mile Radius

See Exhibit G

- A. Water wells - none.
- B. Abandoned wells - two.
- C. Temporarily abandoned wells - none.
- D. Disposal wells - none.
- E. Drilling wells - none.
- F. Producing wells - ten.
- G. Shut-in wells - none.
- H. Injection wells - none.

4. Location of Existing and/or Proposed Facilities

- A. On well pad - See Exhibit F for all production facilities to be used if well is completed as a producing oil well.
- B. Off well pad - N/A

If a tank battery is constructed on this lease, the battery or the well pad will be surrounded by a dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank

within the battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank battery will be placed on the SE corner of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rock Mountain Five state Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is desert brown, 10YR.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

- A. Water supply will be from Water Permit #43-1721 (Joe Shields spring).
- B. Water will be trucked across existing roads to location.
- C. No water wells to be drilled on lease.

6. Source of Construction Materials

- A. Native materials on lease will be used.
 - B. From Federal land.
 - C. N/A.
- A minerals material application is not required.

7. Methods for Handling Waste Disposal

- A.
 - 1) Drill cuttings will be buried in the reserve pit.
 - 2) Portable toilets will be provided for sewage.

3) Trash and other waste material will be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

4) Salts - if any will be disposed of.

5) Chemicals - if any will be disposed of.

B. Drilling fluids will be handled in the reserve pit. Any fluids produced during testing operations will be collected in a test tank. If a test tank is not available during drilling, fluids will be handled in the reserve pit. Any oil in the reserve pit will be removed.

Burning will not be allowed. All trash must be contained in trash cage and hauled away to an approved disposal site at the completion of drilling activities.

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

A plastic nylon reinforced liner will be used. The liner will be a minimum of 12 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days. During the 90 day period, in accordance with Onshore Order No. 7, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. Ancillary Facilities

A. Camp facilities or airstrips will not be required.

9. Well Site Layout

A. See Exhibit H.

B. See Exhibit H.

C. See Exhibit H.

The reserve pit will be located on the southeast side of the location.

The flare pit will be located downwind of the prevailing wind

direction on the south side of the location a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

Topsoil - will be stored off the south side of the location.

Access to the well pad will be from the northwest.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

a. 39-inch net wire shall be used with at least one strand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.

c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.

e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

10. Plans for Restoration of Surfaces

A. Producing Location:

Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the

approximate natural contours. The reserve pit will be reclaimed within 120 days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed and all cans, barrels, pipe, etc., will be removed.

The BLM will be contacted for required seed mixture.

B. Dry Hole/ Abandoned Location:

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

11. Surface Ownership

Access Road: Federal
Location: Federal

12. Other Additional Information

A. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

- Whether the materials appear eligible for the National Register of Historic Places;

- The mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

- A time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocated activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

B. The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

C. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

Additional Surface Stipulations

Reclamation of unused disturbed areas on the well pad/access road no longer needed for operations, such as cut slopes, and fill areas will be accomplished by grading, leveling and seeding as recommended by the Authorized Officer.

13. Lessee's or Operators Representative and Certification Representative

Kary J. Kaltenbacher
Wildrose Resources Corporation
4949 South Albion Street
Littleton, CO 80121
Telephone: 303-770-6566

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his sub-contractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty eight (48) hours prior to construction activities.

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

Self-Certification Statement:


Please be advised that Wildrose Resources Corporation is considered to be the operator of Federal Well No. 43-35, NE/4 SE/4 of Section 35, Township 8 South, Range 18 East; Lease Number U-49430; Uintah County, Utah; and is responsible for the operations conducted upon the leased lands. Bond coverage is provided by Statewide Oil and Gas Bond No. 229352, Allied Mutual Insurance Company, approved by the BLM effective October 26, 1987.

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and, that the work associated with the operations proposed here will be performed by Wildrose Resources Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date

8/2/95


Kary J. Kaltenbacher
Vice President

Onsite Date: July 31, 1995


Participants on Joint Inspection

Kary J. Kaltenbacher
Byron Tolman
Jean Sinclair

Wildrose Resources Corporation
BLM
BLM

CONFIDENTIAL STATEMENT

WILDROSE RESOURCES CORPORATION, AS OPERATOR, REQUESTS THAT ALL INFORMATION RELATED TO THIS WELL BE HELD TIGHT FOR THE MAXIMUM PERIOD ALLOWED BY FEDERAL AND STATE REGULATIONS.



Reserve Pit -
Back filled





EXHIBIT F

PRODUCTION FACILITIES

SCALE: 1" = 40'

WILDROSE RESOURCES CORP.
WELL LAYOUT PLAT
FEDERAL #43-35

LOCATED IN THE NE1/4 OF THE SE1/4 OF SECTION 35,
TOWNSHIP 8 SOUTH, RANGE 18 EAST, S.L.B.&M.



APPROXIMATE QUANTITIES

CUT: 6800 CU. YDS. (INCLUDES PIT)
FILL: 1000 CU. YDS.

24 JULY 1995

83-123-016

Exhibit 'H'

	<p>JERRY D. ALLRED & ASSOCIATES SURVEYING AND ENGINEERING CONSULTANTS</p>
	<p>121 NORTH CENTER STREET P.O. BOX 975 DUCHESENE, UTAH 84021 (801) 738-5352</p>

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 08/09/95

API NO. ASSIGNED: 43-047-32721

WELL NAME: FEDERAL 43-35
OPERATOR: WILDROSE RESOURCES CORP (N9660)

PROPOSED LOCATION:
NESE 35 - T08S - R18E
SURFACE: 2077-FSL-0696-FEL
BOTTOM: 2077-FSL-0696-FEL
UINTAH COUNTY
EIGHT MILE FLAT NORTH FIELD (590)

LEASE TYPE: FED
LEASE NUMBER: U - 49430

PROPOSED PRODUCING FORMATION: GRRV

INSPECT LOCATION BY: / /		
TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

Y Plat
Y Bond: Federal[] State[] Fee[]
(Number 229352)
N Potash (Y/N)
H Oil shale (Y/N)
Y Water permit
(Number 43-1721)
N RDCC Review (Y/N)
(Date: _____)


LOCATION AND SITING:

___ R649-2-3. Unit: _____
 R649-3-2. General.
___ R649-3-3. Exception.
___ Drilling Unit.
___ Board Cause no: _____
___ Date: _____

COMMENTS: _____

STIPULATIONS: _____

WILDROSE RESOURCES CORP. EIGHT MILE FLAT NORTH DEVELOPMENT UINTAH COUNTY, STATE SPACING



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS & MINING

DATE: 8/4/95

UTAH DIVISION OF OIL, GAS AND MINING EQUIPMENT INVENTORY

Operator: Wildrose Resources Corp. Lease: State: Federal: Indian: Fee:

Well Name: Federal 43-35 API Number: 43-047-32721

Section: 35 Township: 8S Range: 18E County: Uintah Field: 8 Mile Flat North

Well Status: POW Well Type: Oil: Gas:

PRODUCTION LEASE EQUIPMENT: CENTRAL BATTERY:

Well head Boiler(s) Compressor Separator(s)
 Dehydrator(s) Shed(s) Line Heater(s) Heated Separator
 VRU Heater Treater(s)

PUMPS:
 Triplex Chemical Centrifugal

LIFT METHOD:
 Pumpjack Hydraulic Submersible Flowing

GAS EQUIPMENT:
 0 Gas Meters Purchase Meter Sales Meter

TANKS:	NUMBER	SIZE	BBLS
<u> 2</u> Oil Storage Tank(s)	<u> </u>	<u> 400</u>	<u> </u>
<u> </u> Water Tank(s)	<u> </u>	<u> </u>	<u> </u>
<u> </u> Power Water Tank	<u> </u>	<u> </u>	<u> </u>
<u> </u> Condensate Tank(s)	<u> </u>	<u> </u>	<u> </u>
<u> 1</u> Propane Tank	<u> </u>	<u> </u>	<u> </u>

REMARKS: Oil tanks have burners. Casinghead gas for fuel with propane for backup.


Location central battery: Qtr/Qtr: Section: Township: Range:

Inspector: David W. Huefue Date: 12/15/95

↑
North

/ Access

22-141 50 SHEETS
22-142 100 SHEETS
22-144 200 SHEETS
AMPERE





State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

September 18, 1995

Wildrose Resources Corporation
4949 South Albion Street
Littleton CO 80121

Re: Federal #43-35 Well, 2077' FSL, 696' FEL, NE SE, Sec. 35, T. 8 S., R. 18 E.,
Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-32721.

Sincerely,

R. J. Birth
Associate Director

pjl

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

WAPD



Operator: Wildrose Resources Corporation

Well Name & Number: Federal #43-35

API Number: 43-047-32721

Lease: Federal U-49430

Location: NE SE Sec. 35 T. 8 S. R. 18 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
 Wildrose Resources Corporation PH: 303-770-6566

3. ADDRESS OF OPERATOR
 4949 South Albion Street, Littleton, CO 80121

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 2077' FSL & 696' FEL (NE/SE)
 At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 11 miles SE of Myton, Utah

16. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 563'

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 2400'

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4870' GR

5. LEASE DESIGNATION AND SERIAL NO.
 U-49430

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
 Federal

9. WELL NO.
 43-35

10. FIELD AND POOL, OR WILDCAT
 Eight Mile Flat North

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Section 35, T8S, R18E

12. COUNTY OR PARISH
 Uintah

13. STATE
 Utah

15. NO. OF ACRES IN LEASE 320

17. NO. OF ACRES ASSIGNED TO THIS WELL 40

19. PROPOSED DEPTH 6200'

20. ROTARY OR CABLE TOOLS
 Rotary

22. APPROX. DATE WORK WILL START*
 October 1, 1995

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#, J-55	300'	225 sx
7-7/8"	5-1/2"	15.5#, J-55	6200'	800 sx

- SEE ATTACHED EXHIBITS:
- A - Surveyors Plat
 - B - 10 Point Plan
 - C - BOP Diagram
 - D - 13 Point Surface Use Program
 - E - Access Road Map
 - F - Production Facilities
 - G - Existing Wells Map
 - H - Pit & Pad Layout, Cuts & Fills, Cross Sections, Rig Layout

RECEIVED
 SEP 25 1995
 DIV. OF OIL, GAS & MINING

CONDITIONS OF APPROVAL ATTACHED

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed to plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Kay Kattenbach TITLE Vice President DATE August 2, 1995

(This space for Federal or State office use)

PERMIT NO. 43-047-32721 APPROVAL DATE _____

APPROVED BY [Signature] TITLE ASSISTANT DISTRICT MANAGER MINERALS DATE SEP 19 1995

NOTICE OF APPROVAL

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DOG-M



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office
170 South 500 East
Vernal, Utah 84078-2799

Phone: (801) 781-4400
Fax: (801) 781-4410

IN REPLY REFER TO:

3162.8
UT08438

September 19, 1995

Wildrose Resources Corporation
4949 South Albion Street
Littleton, CO 80121

Attn: Kary J. Kaltenbacher

Re: Confidential Status
Well: Federal 43-35
NESE, Sec. 35, T8S, R18E
Uintah County, Utah
Lease U-49430

Dear Mr. Kaltenbacher:

As you requested, all information for the referenced well will be held confidential. In accordance with 43 CFR 3162.8 of the Code of Federal Regulations, confidential status will be maintained for a period of 12 months, ending September 19, 1996. Upon expiration of the 12-month period, Wildrose Resources Corporation can request that the data be held confidential for an additional 12-month period.

If you have any other questions concerning this matter please contact Ed Forsman of this office at (801) 789-1362.

Sincerely,

Jerry Kenczka
Assistant District Manager
for Minerals

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Wildrose Resources Corporation

Well Name & Number: Federal 43-35

API Number: 43-047-32721

Lease Number: U-49430

Location: NESE Sec. 35 T. 8S R. 18E

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

If conductor pipe is set it shall be cemented to surface. If drive pipe is used it shall be pulled prior to cementing surface casing.

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany Oil Shale, identified at \pm 2354 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

In order to evaluate the Oil Shale potential of this well, the density/neutron or a sonic log will need to be run from TD to the base of the surface casing. A cement bond log (CBL) will be run from the production casing shoe to \pm 2154 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours prior to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Wayne P. Bankert (801) 789-4170
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

BLM FAX Machine (801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: WILDROSE RESOURCES

Well Name: FEDERAL 43-35

Api No. 43-047-32721

Section 35 Township 8S Range 18E County UINTAH

Drilling Contractor _____

Rig # _____

SPUDDED: Date 10/5/95

Time _____

How DRY HOLE

Drilling will commence _____

Reported by _____

Telephone # _____

Date: 10/10/95 Signed: JLT

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

DEC 18 1995

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-49430

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

43-35

10. FIELD AND POOL, OR WILDCAT

8 mile flat North

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 35, T8S, R18E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY DIV. OF OIL, GAS & MINING

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. REVR. Other _____

2. NAME OF OPERATOR
Wildrose Resources Corp.

3. ADDRESS OF OPERATOR
4949 S. Albion St, Littleton, CO 80121

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 2077' FSL & 696 FEL (NE/SE)

At top prod. interval reported below Same

At total depth Same

14. PERMIT NO. 4304732721 DATE ISSUED _____

15. DATE SPUDDED 10/5/95 16. DATE T.D. REACHED 10/14/95 17. DATE COMPL. (Ready to prod.) 11-21-95 DR. KARY KALTENBACHER 18. ELEVATIONS (DF, RKB, RT, OR, ETC.)* 4870' GR 19. ELEV. CASINGHEAD 4870'

20. TOTAL DEPTH, MD & TVD 6100 21. PLUG, BACK T.D., MD & TVD 5656 22. IF MULTIPLE COMPL., HOW MANY* - 23. INTERVALS DRILLED BY - 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4370' - 5376' Green River 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN ARI, LD-CNL, CBL 27. WAS WELL CORRED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24	300	12 1/4	220 SX (to surface)	-
5 1/2	15.5	5700	7 7/8	610 SX	-

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)
N/A				

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 7/8	5398	No

31. PERFORATION RECORD (Interval, size and number)

5370-72	3 holes	} .45"
5375-76	2 holes	
5246-50	5 holes	
5731-35	5 holes	
4370-80	40 holes	

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5731-5372	35800 # 20/40 sand w/ 19750 gal x-link gelled water
4370-4380	56700 # 20/40 sand w/ 16480 gal x-link gelled water

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)
11/22/95	Pumping - Beam	Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
11/26/95	24	-	→	38	10	0	263

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
-	250 psi	→	38	10	0	30°

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Used for Fuel TEST WITNESSED BY E. Wilcken

35. LIST OF ATTACHMENTS
Logs, Daily Reports

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED Kary Kaltenbach TITLE V.P. DATE 12/15/95

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				Green River Douglas Ck. member Wasatch Tongue of Green River	1620'	1620'
					4861'	4861'
					6007'	6007'

well File

DAILY DRILLING REPORT

Operator: Wildrose Resources Corporation
Well: Pariette Federal #43-35
NE SE (2077' FSL & 696' FEL)
Section 35, T 8 S, R 18 E
Uintah County, Utah
Projected TD - 6,100'
Elevation: GR: 4870', KB 4880' estimated

page 1

10/06/95 Day 1: TD-321' WOC. Spudded @ 1 PM 10/5/95. Drld 20' of 17 1/2" hole w/ Bit #1. Drld 12 1/4" hole to 321' w/ Bit #2 w/ air. Circ hole w/ water. Ran 7 jts (290') of 8 5/8" 24# J-55 csg w/ guide shoe, insert float, & 4 centralizers. Set csg @ 300' KB. RU HOWCO. Pumped 20 bbl gel wtr & 10 bbl wtr. Cemented w/ 220 sx standard cement w/ 2% CaCl₂ & 1/4# / sk Flocele. Displaced w/ 16 BW. Bumped plug w/ 550 psi. Had cement water back to surface. Float held.

10/07/95 Day 2: TD-1000' drlg. Drld 679' in 12 1/4 hrs w/ air/foam. NUBOP's. Pressure tstd to 2000 psi. Run Bit #3 SEC 7 7/8 S88CF @ 321'. Surveys: 3/4° @ 55', 3/4° A 1000'.

10/08/95 Day 3: TD-2270' drlg. Drld 1270' in 18 3/4 hrs w/ air/foam. Bit #3 has drld 1949' in 31 hrs. Surveys: 1° @ 1500', 1 1/4° @ 2000', 1 3/4 @ 2450'.

10/09/95 Day 4: TD-3301' drlg. Drld 1031' in 21 1/4 hrs w/ aerated water. Bit #3 has drld 2980' in 22 1/2 hrs. Survey: 2° @ 3000'.

10/10/95 Day 5: TD 3975' drlg. Drld 674' in 22 1/2 hrs w/ aerated water. Bit #3 has drilled 3654' in 64 3/4 hrs. Survey: 2° @ 3500'.

10/11/95 Day 6: TD 4480' drlg. Drld 505' in 16 1/2 hrs w/ 2% KCL water. Pulled bit # 3 @ 4100'. Bit #3 drld 3779' in 66 1/4 hrs. Ran bit #4 HTC 7 7/8" ATJ 44 @ 4100'. Bit #4 has drld 380' in 15 hrs. Survey: 2° @ 4200'.

10/12/95 Day 7: TD 4955' drlg. Drld 475' in 19 hrs w/ 2% KCL & salty water. Bit #4 has drld 855' in 34 hrs. Survey: 2 1/2° @ 4700'.

10/13/95 Day 8: TD-5570' drlg. Drld 615' in 23 hrs w/ 2% KCl & salty wtr. Bit #4 has drld 1470' in 57 hrs. Survey: 2° @ 5200'. Note: Took water flow (35,000 chlorides) @ 3215' while drilling w/ air. Since switching to water, hole is still flowing water at estimated rate of 300 BWP. Will have to kill @ TD.

10/14/96 Day 9: TD-6100'. TOH to log. Drld 530' in 18 1/2 hrs w/ 2% KCl and salty water. Reached TD @ 1:30 AM 10/14/95. Incr mud weight to 9.5 w/ 300 BBL of 10 ppg brine water, to kill water flow. Pulling Bit #4 @ 6100'. Bit #4 drld 2000' in 75 1/2 hrs.

DAILY DRILLING REPORT

Operator: Wildrose Resources Corporation

page 2

Well: Pariette Federal # 43-35

NE SE (2077' FSL & 696' FEL)

Section 35, T 8 S, R 18 E

Uintah County, Utah

Projected TD - 6,100'

Elevation: GR: 4870', KB 4800' estimated

10/15/95 Day 10: PBTD-5656'. Ran logs using Schlumberger as follows:

ARI 6070' - 301'
FDC-CNL 6070' - 4000'

Loggers TD - 6092': Ran 5 1/2 " csg as follows:

Float Shoe

1 jt 5 1/2", 15.5#, J-55, LTC

Float collar

141 jts 5 1/2, 15.5#, J-55, LTC

w/ 10 centralizers. Csg set @ 5700'. Circulated 1 hr. RU HOWCO.

Pumped 10 BBL gel water. Cemented w/ 150 sx Hi-fill cement &

460 sx 50/50 w 2% gel. 10% salt, 0.5% Halad 322. Displaced w/ 136

bbl 2% KCl water. Bumped plug w/ 1400 psi. Float held. Plug down

@ 9:30 AM 10/15/95. Lost returns on last 2 bbl of displacement.

NDBOP's. Set slips. Released rig @ 11 AM 10/15/95. Drop from report pending completion.

DAILY COMPLETION REPORT

Operator: Wildrose Resources Corporation page 1
Well: Pariette Federal #43-35
NE SE (2077' FSL & 696' FEL)
Section 35, T 8 S, R 18 E
Uintah County, Utah

10/20/95 Day 1: MI & RU Gibson Well Service. SIFN.

10/21/95 Day 2: Unload 2 7/8" tbg. PU & ran 4 3/4" bit & scraper on 184 jts 2 7/8" tbg. Tagged @ 5640'. Pulled 1 jt tbg. NUBOP's. Circ bottoms up w/ 40 bbl 2% KCl wtr. Pressure tstd csg & BOP's to 3000 psi. POH w/ bit & scraper. SIFN.

10/22/95 Rig shut down. RU Schlumberger mast truck. Ran CBL from 5620' to 4000' & top of cement @ 2600'. RD Schlumberger.

10/23/95 Rig SD.

10/24/95 Day 3: RU Schlumberger. Perforated Zones #1,2, & 3 w/ 4" csg gun as follows:

- Zone #1: 5370'-72', 5375'-76' (3') 1 JSPF (5 holes)
- Zone #2: 5246'-50' (4') 1 JSPF (5 holes)
- Zone #3: 5131'-35' (5') 1 JSPF (5 holes)

PU & ran HOWCO BVBP & RTTS pkr on 178 jts tbg. Set BP @ 5465'. Pulled 1 std. Set pkr @ 5270'. RU HOWCO. Pressure tstd tbg & pkr to 4000 psi. Released pkr. Circ hole W 117 bbl prepad fluid. Pulled 1 std tbg. Set pkr @ 5330'. Broke Zone #1 w/ 1600 gal prepad fluid & 7 ball sealers. Broke @ 1870 psi @ 2 BPM. Increased to 7 BPM @ 3350 psi. Saw ball action - max pressure of 4200 psi. ISIP=1400 psi. Bled off pressure. Released pkr. Ran 2 stds. Released BP. Pulled 2 stds. Set BP @ 5340'. Set pkr. Tried to test BP - would not hold. POH w/ BP & pkr. Ran new BP & pkr on 174 jts tbg. Set BP @ 5340'. Set pkr. Tstd BP to 3500 psi. Pilled 2 stds tbg. Set pkr @ 5200'. Broke Zone #2 w/ 2100 gal prepad fluid. Broke @ 3300 psi @ 2 BPM. Increased to 6 BPM @ 3950 psi. ISIP=1450 psi. Bled off pressure. Released pkr. Ran 2 stds. Released BP. Pulled 2 stds. Set BP @ 5213'. Set pkr. Tstd BP to 4000 psi. Released pkr. Pulled 2 stds. Set pkr @ 5077'. Broke Zone #3 w/ 2100 gal prepad fluid & 7 ball sealers. Broke @ 1300 psi @ 2 BPM. Increased to 7 BPM @ 3050 psi. Balled out @ 4000 psi. Surged balls. ISIP=1310 psi. Bled off pressure. Released pkr. Ran 2 stds. Released BP. Pulled 53 stds. SIFN.

10/25/95 Day 4: Finished TOH w/ BP & pkr. RU HOWCO to frac down 5 1/2" csg as follows:

<u>VOLUME</u>	<u>EVENT</u>	<u>RATE</u>	<u>ATP</u>
7000 gal	Pad - 40# Pure Gel III	23 BPM	3300 psi
9000 gal	2-6 ppg 20/40 (35# PG) (31,600 #)	25 BPM	3000 psi
3750 gal	6 ppg 20/40 (35# PG) (22,500#)	26 BPM	2700 psi
1150 gal	Flush - 10# gel w/ 2% KCl	27 BPM	screened out
Frac Volumes: 20,900 gel wtr, 54,100# 20/40, (35,800# in formation & 18,300# in csg). 750 BLWTR. SIFN.			

DAILY COMPLETION REPORT

Operator: Wildrose Resources Corporation
Well: Pariette Federal #43-35
NE SE (2077' FSL & 696' FEL)
Section 35, T 8 S, R 18 E
Uintah County, Utah

page 2

10/26/95 Day 5: CP=1100 psi @ 7 AM 10/25/95. Flowed back 5 BLW. CP=0. Ran 41 stds tbg. Tagged sand @ 2510'. Circ sand to 2690'. Well flowing load wtr & sand while circulating. Circ for 1 hr. Ran 41 stds tbg. Well flowing load wtr. Circ 45 min - got some sand up. Ran 3 stds tbg. Tagged sand @ 5376'. Circ out sand to 5580'. Circ for 45 min and hole was clean. Pulled 15 stds tbg. Tbg @ 4650'. RU to swab. FL @ surface. SWBD 102 BLW in 2 1/2 hrs. Final FL @ 2100' w/ trace of oil. SIFN. 643 BLWTR.

10/27/95 Day 6: TP=50, CP=50 @ 7 AM 10/26/95. FL @ 1100'. SWBD 92 BF in 6 hrs. Final FL @ 4400' w/est oil cut of 15%. 560 BLWTR. SIFN.

10/28/95 Day 7: TP=80 @ 7 AM 10/27/95. FL @ 3100'. SWBD 39 BF (est 9 BO & 30 BLW) in 3 hrs. Final FL @ 4500 w/ est oil cut of 50%. Fluid entry last 1/2 hr was 100'. 530 BLWTR. SIFN.

10/29-30/95 Rig SD.

10/30/95 Day 8: CP=200, TP=210 @ 7 AM 10/30/95. Blow down tbg. Made one swab run. FL @ 2000'. Pulled from 3800' - 10 BF est 60% oil. Blew down csg. POH w/ tbg. RU Schlumberger. Perforated Zone #4: 4370'-80' (10') w/ 4 JSPF using 4" csg gun. Ran HOWCO BVBP & RTTS pkr on 148 jts tbg. Set BP @ 4526'. Pulled 1 std tbg. Set pkr @ 4470'. Loaded tbg w/ 15 bbl load wtr. Pressure tstd BP to 2700 psi. Released pressure. Released pkr. Pulled 3 stds tbg. Pkr @ 4290'. SIFN.

10/31/95 Day 9: CP=10, TP=10 @ 7 AM 10/31/95. Ran 2 stds tbg. Pkr @ 4410'. RU HOWCO. Circ hole w/103 bbl prepad fluid. Pulled 2 stds tbg. Set pkr @ 4290'. Broke down Zone #4 w/ 1600 gal prepad fluid. Broke @ 1350 psi @ 3 BPM. Incr to 5 BPM @ 1670 psi. Incr to 7.4 BPM @ 2340 psi. ISIP=1300 psi. Bled off tbg pressure. Released pkr & POH. RU HOWCO to frac down 5 1/2" csg as follows:

<u>VOLUME</u>	<u>EVENT</u>	<u>RATE</u>	<u>ATP</u>
5500 gal	Pad - 40# Pure Gel III	22 BPM	1740 psi
9000 gal	2-8 ppg 20/40 (35# PG)(49,960#)	22 BPM	1500 psi
1980 gal	8 ppg 20/40 (35# PG)(15,840#)	22 BPM	1270 psi
2730 gal	Flush - 10# gel w/ 2% KCl	23 BPM	Screened out

Screened out w/ 1560 gal flush left - max pressure=3800 psi. Frac totals=19,210 gal wtr, 65,800# 20/40 sand (56,700# in formation @ 9100# in csg). ISIP=1720 psi, 5 min=985 psi, 10 min=970 psi, 15 min=940 psi. 598 BLWTR - Zone #4. SIFN.

DAILY COMPLETION REPORT

Operator: Wildrose Resources Corporation
Well: Pariette Federal #43-35
NE SE (2077' FSL & 696' FEL)
Section 35, T 8 S, R 18 E
Uintah County, Utah

page 3

11/02/95 Day 10: CP=700 psi @ 7 AM 11/1/95. Flowed back 20 BLW in 1/2 hr. CP=0. Ran 100 jts tbg. Tagged sand @ 3060'. Circ out sand to 3670' w/ 10 stds tbg. Broke through sand. Circ clean. Ran 12 1/2 stds tbg. Tagged small sand bridge @ 4380' but broke right through. Ran 1 1/2 more stds to 4465'. Did not tag sand. Circ for 1/2 hr. Got some oil & gas up. Pulled 8 stds tbg. Tbg @ 3980'. RU to swab. FL @ surface. SWBD 67 BLW w/ trace oil in 1 1/2 hrs. FL @ 1000'. 511 BLWTR. SIFN.

11/03/95 Day 11: TP=325 psi, CP=200 @ 7 AM 11/2/95. Opened tbg. Flowed 7 BLW w/ some oil in 1/2 hr. TP=0. SWBD 153 BF (est 20 BO & 133 BLW) in 5 hrs. Final FL @ 2850' w/ final oil cut est @ 40%. 371 BLWTR. SIFN.

11/04/95 Day 12: TP=125, CP=125 @ 7 AM 11/3/95. FL @ 900'. SWBD 82 BF (est 41 BO & 41 BLW) in 4 hrs. Final FL @ 3000' (gassy) w/ est final oil cut of 60%. RU Sun Oil Field Service. Ran pressure bomb on Sun's wireline to 4375'. SIFN. 330 BLWTR (Zone 4).

11/05-06/95 Rig SD.

11/07/95 Day 13: TP=225, CP=300 @ 7 AM 11/6/95. Started pulling pressure bomb. When tools got approximately to the bottom of tbg @ 3980', tools stuck. Could not go up or down. Blew down csg. Still stuck. Blew down tbg thru 1/2" valve. RU hot oil truck to csg. Pumped 65 bbl hot load wtr down csg. Started circ up tbg after approx 20 bbl. Tools still stuck @ bottom of tbg. Pumped 45 bbl hot load wtr down tbg. Circ up csg. Worked wireline tools-still stuck. Worked tbg up & down to try to jar tools out end of tbg. Still stuck. SIFN. Will strip out w/ tbg & wireline today.

11/08/95 Day 14: CP=0, TP=0 @ 7 AM 11/7/95. Stripped out of hole w/ tbg & wireline. Pressure bomb stuck in BP retrieving tool. TIH w/ BP retrieving tool on 148 jts tbg. Tagged sand @ 4516'. Circ out sand to BP @ 4526'. Circ for 1/2 hr. Released BP & POH. Ran 1 jt tbg, 4' perforated sub, seating nipple, 37 jts tbg, tbg anchor, 138 jts tbg. SIFN.

DAILY COMPLETION REPORT

Operator: Wildrose Resources Corporation
Well: Pariette Federal #43-35
NE SE (2077' FSL & 696' FEL)
Section 35, T 8 S, R 18 E
Uintah County, Utah

page 4

11/10/95 Day 16: CP=120, TP=40 @ 7 AM 11/9/95. Blew down tbg & csg. Flushed tbg w/ 25 bbl hot load wtr. Ran 2 1/2" X 1 1/2" X 16' RHAC pump, 213 - 3/4" rods, 1-8' & 1-4' X 7/8" pony rods, 1-22' X 1 1/2" polished rod. Filled tbg w/ 10 bbl load wtr. Tstd pump to 500 psi using hot oiler. Long stroked pump to 1000 psi. Bled off pressure. Clamped rods off. Too windy to rig down. SDFN. 885 BLWTR.

11/11/95 Day 17: RD & MO Gibson Well Service. Drop from report pending setting of production equipment. This will take about 2 weeks as Lufkin is 1 week behind on promised pumping unit delivery date.

11/12-17/95 Wait on equipment.

11/17-21/95 Install production equipment. Start up pumping unit @ 3 PM 11/21/95.

11/22/95 Pumped 56 BLW in 16 hrs. 829 BLWTR.

11/23/95 Pumped 54 BO & 34 BLW. CP=130. 795 BLWTR.

11/24/95 Pumped 37 BO & 38 BLW. CP=250. 757 BLWTR.

11/25/95 Pumped 46 BO & 14 BLW. 743 BLWTR. Put on natural gas.

11/26/95 Pumped 38 BO & 32 BLW. CP=250.

OPERATOR Wildrose Resources Corp
ADDRESS 4949 S. Albion St.
Littleton, CO 80121


OPERATOR ACCT. NO. N 9660

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION				COUNTY	SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG			
A	99999	11830	430473221	Federal 43-35	W/SE	35	05	18E	Uintah	10/5/95	
WELL 1 COMMENTS: <p style="text-align: center;"><i>Entity added 10-17-95. JLC</i></p>											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See Instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.



Kary Keltner
Signature
V.P.
Title
10/6/95
Date
Phone No. (303) 770-6566

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		8. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Exhibit
2. NAME OF OPERATOR: Inland Production Company <i>N5160</i>		9. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1401 17th St. #1000 CITY <u>Denver</u> STATE <u>Co</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: _____ QTRQTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: <u>UTAH</u>		6. WELL NAME and NUMBER: See Attached Exhibit
PHONE NUMBER: (303) 893-0102		8. API NUMBER:
10. FIELD AND POOL, OR WILDCAT:		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective 4/15/04, Inland Production Company, as Contract Operator, will take over operations of the attached referenced wells. The previous operator was:

Wildrose Resources Corporation *N9660*
3121 Cherryridge Road
Englewood, Colorado 80110-8007

Effective 4/15/04, Inland Production Company, as Contract Operator, is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0056 issued by Hartford.


Attached is a list of wells included.

Previous Operator Signature: _____

Title: _____

NAME (PLEASE PRINT) Marc MacAluso

TITLE CEO, Wildrose Resources Corporation

SIGNATURE 

DATE 4/15/04

(This space for State use only)

RECEIVED

APR 26 2004

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Exhibit
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, re-enter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Inland Production Company N5160		8. WELL NAME and NUMBER: See Attached Exhibit
3. ADDRESS OF OPERATOR: 1401 17th St. #1000 city Denver STATE Co ZIP 80202 PHONE NUMBER: (303) 893-0102		9. API NUMBER:
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: QUADTR. SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input checked="" type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input type="checkbox"/> OTHER: _____

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 Effective 4/15/04, Inland Production Company, as Contract Operator, will take over operations of the attached referenced wells. The previous operator was:

Wildrose Resources Corporation
3121 Cherryridge Road
Englewood, Colorado 80110-6007

Effective 4/15/04, Inland Production Company, as Contract Operator, is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0058 issued by Hartford.

Attached is a list of wells included.

Current Contract Operator Signature: _____ Title: _____

NAME (PLEASE PRINT) Bill I. Pennington TITLE President, Inland Production Company

SIGNATURE *Bill I. Pennington* DATE 4/15/04

(This space for State use only)

(5/2000)

(See Instructions on Reverse Side)

RECEIVED
APR 26 2004
DIV. OF OIL, GAS & MINING

EXHIBIT "A"
Attached to Sundry Notices

Wildrose Resources Corporation
and
Inland Production Company

N	4304731528	REX LAMB 34-1	WR	4932° GR	2116 FNL 2132 FEL	34	SWNE	040S	010E	UTA	FEE	OW
N	4304731892	REX LAMB 34-2	WR	4932° GR	2018 FNL 1066 FEL	34	SENE	040S	010E	UTA	FEE	OW
N	4301331914	HARBOURTOWN FED 21-33	WR	5128° GR	0613 FNL 1938 FWL	33	NENW	080S	170E	DU	U-71368	OW
N	4301331915	HARBOURTOWN FED 42-33	WR	5128° GR	1954 FNL 0851 FEL	33	SENE	080S	170E	DU	U-71368	OW
N	4301331916	HARBOURTOWN FED 23-34	WR	5088° GR	1943 FNL 2162 FWL	34	NESW	080S	170E	DU	U-71368	OW
N	4301331917	HARBOURTOWN FED 44-34	WR	5063° GL	0835 FSL 0500 FEL	34	SESE	080S	170E	DU	U-71368	OW
N	4304732080	FEDERAL #23-26	WR	4910° KB	2113 FSL 1844 FWL	26	NESW	080S	180E	UTA	U-36442	OW
N	4304732700	FEDERAL 24-26	WR	4913° GR	0660 FSL 1960 FWL	26	SESW	080S	180E	UTA	U-36442	OW
N	4304732720	FEDERAL 13-26	WR	4903° GR	2018 FSL 0832 FWL	26	NWSW	080S	180E	UTA	U-36442	OW
N	4304732731	FEDERAL 12-26	WR	4924° GR	2958 FSL 0470 FWL	26	SWNW	080S	180E	UTA	U-36442	GW
N	4304732847	FEDERAL 34-26	WR	4907° GR	0741 FSL 1957 FEL	26	SWSE	080S	180E	UTA	U-75532	OW
N	4304732732	FEDERAL 43-27	WR	4862° GR	1917 FSL 0559 FEL	27	NESE	080S	180E	UTA	U-36442	OW
N	4304732733	FEDERAL 14-28	WR	4902° GR	0660 FSL 0846 FWL	28	SWSW	080S	180E	UTA	U-51081	OW
N	4304732743	FEDERAL 13-28	WR	4935° GR	2007 FSL 0704 FWL	28	NWSW	080S	180E	UTA	U-36442	OW
N	4304731484	PARIETTE FED 10-29	WR	4890° GR	1843 FSL 2084 FEL	29	NWSE	080S	180E	UTA	U-51081	OW
N	4304731550	W PARIETTE FED 8-29	WR	4892° GR	1978 FNL 2141 FWL	29	SENW	080S	180E	UTA	U-36846	OW
N	4304732079	FEDERAL 44-29	WR	4993° KB	0660 FSL 0660 FEL	29	SESE	080S	180E	UTA	U-51081	OW
N	4304732701	FEDERAL 43-29	WR	4886° GR	1904 FSL 0710 FEL	29	NESE	080S	180E	UTA	U-51081	OW
N	4304732742	FEDERAL 34-29	WR	4917° GR	0712 FSL 1925 FEL	29	SWSE	080S	180E	UTA	U-51081	OW
N	4304732848	PARIETTE FED 32-29	WR	4870° GR	1942 FNL 1786 FEL	29	SWNE	080S	180E	UTA	U-36846	OW
N	4304731118	NGC ST 33-32	WR	4930° GR	1914 FSL 1911 FEL	32	NWSE	080S	180E	UTA	ML-22058	OW
N	4304732077	FEDERAL 12-34	WR	4845° KB	1571 FNL 0375 FWL	34	SWNW	080S	180E	UTA	U-51081	OW
N	4304732702	FEDERAL 42-36	WR	4815° GR	1955 FNL 0463 FEL	33	SENE	080S	180E	UTA	U-51081	OW
N	4304732721	FEDERAL 43-35	WR	4870° GR	2077 FSL 0896 FEL	35	NESE	080S	180E	UTA	U-49430	OW
N	4304731345	GULF STATE 36-13	WR	4831° GR	1860 FSL 0600 FWL	36	NWSW	080S	180E	UTA	ML-22057	OW
N	4304731360	GULF STATE 36-11	WR	4837° GR	0677 FNL 0796 FWL	36	NWNW	080S	180E	UTA	ML-22057	OW
N	4304731864	GULF STATE 36-12	WR	4882° GR	1778 FNL 0782 FWL	36	SWNW	080S	180E	UTA	ML-22057	OW
N	4304731892	GULF STATE 36-22	WR	4923° GR	1860 FNL 1860 FWL	36	SENW	080S	180E	UTA	ML-22057	OW
N	4304732580	UTD STATE 36-K	WR	4809° GR	2120 FSL 1945 FWL	36	NESW	080S	180E	UTA	ML-22057	OW
N	4304732581	UTD STATE 36-M	WR	4744° KB	0848 FSL 0648 FWL	36	SWSW	080S	180E	UTA	ML-22057	OW
N	4304731415	WILDROSE FEDERAL 31-1	WR	4871° GR	2051 FSL 0883 FWL	31	NWSW	080S	190E	UTA	U-30103	OW
N	4301330642	MONUMENT BUTTE 1-3	WR	5158° GR	1946 FSL 0616 FWL	03	NWSW	090S	170E	DU	U-44004	OW
N	4301330810	MONUMENT BUTTE 2-3	WR	5107° GR	1918 FNL 1979 FWL	03	SENW	080S	170E	DU	U-44004	OW
N	4301331760	PINEHURST FEDERAL 3-7	WR	5096° GR	2082 FNL 1999 FEL	03	SWNE	080S	170E	DU	61252	OW
N	4301331761	PINEHURST FEDERAL 3-8	WR	5030° GR	1960 FNL 0660 FEL	03	SENE	090S	170E	DU	61252	OW
N	4301331784	RIVIERA FEDERAL 3-11	WR	5123° GR	2050 FSL 2008 FWL	03	NESW	080S	170E	DU	U-44004	OW
N	4301332183	RIVIERA FED 3-9	WR	5030 GR	1922 FSL 0605 FEL	03	NESE	090S	170E	DU	U-44004	OW
N	4301332184	RIVIERA FED 3-10	WR	5108 GR	2100 FSL 2190 FEL	03	NWSE	090S	170E	DU	U-44004	OW
N	4301331023	FEDERAL 15-1-B	WR	5177° GR	0660 FNL 1983 FEL	15	NWNE	090S	170E	DU	U-44429	OW
N	4304732777	BIRKDALE FED 13-34	WR	5067° GR	1766 FSL 0615 FWL	34	NWSW	080S	180E	UTA	U-68618	OW

END OF EXHIBIT

RECEIVED
APR 26 2004
DIV. OF OIL, GAS & MINING

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		4/15/2004
FROM: (Old Operator):	TO: (New Operator):	
N9660-Wildrose Resources Corporation 3121 Cherryridge Road Englewood, CO 80110-6007 Phone: 1-(303) 761-9965	N5160-Inland Production Company 1401 17th St, Suite 1000 Denver, CO 80202 Phone: 1-(303) 893-0102	

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 43-35	35	080S	180E	4304732721	✓ 11830	Federal	S	OW
WILDROSE FEDERAL 31-1	31	080S	190E	4304731415	✓ 9535	Federal	S	OW
MONUMENT BUTTE 1-3	03	090S	170E	4301330642	✓ 1515	Federal	P	OW
MONUMENT BUTTE 2-3	03	090S	170E	4301330810	✓ 1521	Federal	P	OW
PINEHURST FEDERAL 3-7	03	090S	170E	4301331760	✓ 12108	Federal	P	OW
PINEHURST FEDERAL 3-8	03	090S	170E	4301331761	✓ 12107	Federal	P	OW
RIVIERA FEDERAL 3-11	03	090S	170E	4301331764	✓ 12118	Federal	P	OW
RIVIERA FED 3-9	03	090S	170E	4301332183	✓ 13596	Federal	TA	OW
RIVIERA FED 3-10	03	090S	170E	4301332184	✓ 13597	Federal	TA	OW
FEDERAL 15-1-B	15	090S	170E	4301331023	✓ 10201	Federal	S	OW
BIRKDALE FED 13-34	34	090S	180E	4304732777	✓ 12007	Federal	S	OW
REX LAMB 34-1	34	040S	010E	4304731528	✓ 9690	Fee	S	OW
REX LAMB 34-2	34	040S	010E	4304731692	✓ 9691	Fee	S	OW
NGC ST 33-32	32	080S	180E	4304731116	✓ 6210	State	P	OW
GULF STATE 36-13	36	080S	180E	4304731345	✓ 45	State	P	OW
GULF STATE 36-11	36	080S	180E	4304731350	✓ 40	State	P	OW
GULF STATE 36-12	36	080S	180E	4304731864	✓ 11002	State	S	OW
GULF STATE 36-22	36	080S	180E	4304731892	✓ 11095	State	P	OW
UTD STATE 36-K	36	080S	180E	4304732580	✓ 11752	State	P	OW
UTD STATE 36-M	36	080S	180E	4304732581	✓ 11749	State	S	OW

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/26/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/26/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 12/10/2003
- Is the new operator registered in the State of Utah: YES Business Number: 755627-0143
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: applied for

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC"** The Division has approved UIC Form 5, **Transfer of Authority to Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- 1. Changes entered in the **Oil and Gas Database** on: 4/28/2004
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/28/2004
- 3. Bond information entered in RBDMS on: 4/28/2004
- 4. Fee wells attached to bond in RBDMS on: 4/28/2004
- 5. Injection Projects to new operator in RBDMS on: n/a
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: 4/28/2004

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 4021509 Wildrose

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RN4471290

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 4/28/2004

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410
<http://www.blm.gov/utah/vernal>



IN REPLY REFER TO:

3162.3

UT08300

May 21, 2004

Bill I. Pennington
Inland Production Company
1401 17th Street, Suite 1000
Denver, Colorado 80202

Re: Well No. Federal 43-35
NESE, Sec. 35, T8S, R18E
Uintah County, Utah
Lease No. U-75531

Dear Mr. Pennington:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Inland Production Company is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, BLM Bond No. UT0056, for all operations conducted on the referenced wells on the leased land.

Our records show that a right-of-way, UTU-73646, has been issued for the off lease portion of the pipeline to the subject well. In order for Inland Production Company to obtain the Bureau of Land Management's approval for the use of this right-of-way, you must have this right-of-way assigned over to Inland Production Company. Please contact Cindy McKee at 435-781-4434 for instructions on how to complete the assignment of the right-of-way.

If you have any other questions concerning this matter, please contact Leslie Walker of this office at (435) 781-4497.

Sincerely,

Kirk Fleetwood
Petroleum Engineer

cc: UDOGM
Wildrose Resources Corp.
Great Northern Drilling Co.


RECEIVED
MAY 27 2004
DIV. OF OIL, GAS & MINING

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE



1. Type of Well [X] Oil Well [] Gas well [] Other

2. Name of Operator INLAND PRODUCTION COMPANY

3. Address and Telephone No. 1401 17TH STREET, SUITE 1000, DENVER, CO 80202 (303)893-0102

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No. See Attached Exhibit

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No. See Attached Exhibit

9. API Well No. See Attached Exhibit

10. Field and Pool, or Exploratory Area

11. County or Parish, State Uintah Co., Utah

12 CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

Table with columns: TYPE OF SUBMISSION, TYPE OF ACTION. Includes checkboxes for Notice of Intent, Subsequent Report, Final Abandonment Notice, Abandonment, Recompletion, Plugging Back, Casing repair, Altering Casing, Other Change of Operator, Change of Plans, New Construction, Non-Routine Fracturing, Water Shut-off, Conversion to Injection, Dispose Water.

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Effective 4/15/04, Inland Production Company, as Contract Operator, will take over operations of the attached referenced wells. The previous operator was:

Wildrose Resources Corporation 3121 Cherryridge Road Englewood, Colorado 80110-6007

Effective 4/15/04, Inland Production Company, as Contract Operator, is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0056 issued by Hartford.

I hereby certify that the foregoing is true and correct. (Current Contract Operator)

Signed [Signature] Bill I. Pennington

Title President, Inland Production Company

Date 4/15/04

(This space of Federal or State office use.)

Approved by [Signature]

Title Petroleum Engineer

Date 5/20/04

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

EXHIBIT "A"
Attached to Sundry Notices

Wildrose Resources Corporation
and
Inland Production Company

Unit	API	Well	Comp.	Elev.	Loc.	S	1/4	1/4	Twp	Rng	Co.	Lease	Type
N	4304731528	REX LAMB 34-1	WR	4932* GR	2116 FNL 2132 FEL	34	SWNE	040S	010E	UTA	FEE		OW
N	4304731692	REX LAMB 34-2	WR	4932* GR	2018 FNL 1068 FEL	34	SENE	040S	010E	UTA	FEE		OW
N	4301331914	HARBOURTOWN FED 21-33	WR	5129* GR	0513 FNL 1938 FWL	33	NENW	080S	170E	DU	U-71368		OW
N	4301331915	HARBOURTOWN FED 42-33	WR	5128* GR	1954 FNL 0851 FEL	33	SENE	080S	170E	DU	U-71368		OW
N	4301331916	HARBOURTOWN FED 23-34	WR	5088* GR	1943 FSL 2162 FWL	34	NESW	080S	170E	DU	U-71368		OW
N	4301331917	HARBOURTOWN FED 44-34	WR	5063* GL	0835 FSL 0500 FEL	34	SESE	080S	170E	DU	U-71368		OW
N	4304732080	FEDERAL #23-26	WR	4910* KB	2113 FSL 1844 FWL	26	NESW	080S	180E	UTA	U-36442		OW
N	4304732700	FEDERAL 24-26	WR	4913* GR	0660 FSL 1980 FWL	26	SESW	080S	180E	UTA	U-36442		OW
N	4304732720	FEDERAL 13-26	WR	4905* GR	2018 FSL 0832 FWL	26	NWSW	080S	180E	UTA	U-36442		OW
N	4304732731	FEDERAL 12-26	WR	4924* GR	2956 FSL 0470 FWL	26	SWNW	080S	180E	UTA	U-36442		GW
N	4304732847	FEDERAL 34-26	WR	4907* GR	0741 FSL 1957 FEL	26	SWSE	080S	180E	UTA	U-75532		OW
N	4304732732	FEDERAL 43-27	WR	4862* GR	1917 FSL 0559 FEL	27	NESE	080S	180E	UTA	U-36442		OW
N	4304732733	FEDERAL 14-28	WR	4902* GR	0860 FSL 0846 FWL	28	SWSW	080S	180E	UTA	U-51081		OW
N	4304732743	FEDERAL 13-28	WR	4955* GR	2007 FSL 0704 FWL	28	NWSW	080S	180E	UTA	U-36442		OW
N	4304731464	PARIETTE FED 10-29	WR	4890* GR	1843 FSL 2084 FEL	29	NWSW	080S	180E	UTA	U-51081		OW
N	4304731550	W PARIETTE FED 6-29	WR	4892* GR	1978 FNL 2141 FWL	29	SENW	080S	180E	UTA	U-36846		OW
N	4304732079	FEDERAL 44-29	WR	4993* KB	0660 FSL 0660 FEL	29	SESE	080S	180E	UTA	U-51081		OW
N	4304732701	FEDERAL 43-29	WR	4886* GR	1904 FSL 0710 FEL	29	NESE	080S	180E	UTA	U-51081		OW
N	4304732742	FEDERAL 34-29	WR	4917* GR	0712 FSL 1925 FEL	29	SWSE	080S	180E	UTA	U-51081		OW
N	4304732848	PARIETTE FED 32-29	WR	4870* GR	1942 FNL 1786 FEL	29	SWNE	080S	180E	UTA	U-36846		OW
N	4304731116	NGC ST 33-32	WR	4930* GR	1914 FSL 1911 FEL	32	NWSE	080S	180E	UTA	ML-22058		OW
N	4304732077	FEDERAL 12-34	WR	4845* KB	1571 FNL 0375 FWL	34	SWNW	080S	180E	UTA	U-51081		OW
N	4304732702	FEDERAL 42-35	WR	4815* GR	1955 FNL 0463 FEL	35	SENE	080S	180E	UTA	U-51081		OW
N	4304732721	FEDERAL 43-35	WR	4870* GR	2077 FSL 0696 FEL	35	NESE	080S	180E	UTA	U-49430		OW
N	4304731345	GULF STATE 36-13	WR	4831* GR	1850 FSL 0600 FWL	36	NWSW	080S	180E	UTA	ML-22057		OW
N	4304731350	GULF STATE 36-11	WR	4837* GR	0677 FNL 0796 FWL	36	NWNW	080S	180E	UTA	ML-22057		OW
N	4304731864	GULF STATE 36-12	WR	4882* GR	1778 FNL 0782 FWL	36	SWNW	080S	180E	UTA	ML-22057		OW
N	4304731892	GULF STATE 36-22	WR	4923* GR	1860 FNL 1980 FWL	36	SENW	080S	180E	UTA	ML-22057		OW
N	4304732580	UTD STATE 36-K	WR	4809* GR	2120 FSL 1945 FWL	36	NESW	080S	180E	UTA	ML-22057		OW
N	4304732581	UTD STATE 36-M	WR	4744* KB	0848 FSL 0648 FWL	36	SWSW	080S	180E	UTA	ML-22057		OW
N	4304731415	WILDROSE FEDERAL 31-1	WR	4871* GR	2051 FSL 0683 FWL	31	NWSW	080S	190E	UTA	U-30103		OW
N	4301330642	MONUMENT BUTTE 1-3	WR	5156* GR	1945 FSL 0816 FWL	03	NWSW	090S	170E	DU	U-44004		OW
N	4301330810	MONUMENT BUTTE 2-3	WR	5107* GR	1918 FNL 1979 FWL	03	SENW	090S	170E	DU	U-44004		OW
N	4301331760	PINEHURST FEDERAL 3-7	WR	5096* GR	2062 FNL 1999 FEL	03	SWNE	090S	170E	DU	61252		OW
N	4301331761	PINEHURST FEDERAL 3-8	WR	5030* GR	1980 FNL 0660 FEL	03	SENE	090S	170E	DU	61252		OW
N	4301331764	RIVIERA FEDERAL 3-11	WR	5123* GR	2050 FSL 2008 FWL	03	NESW	090S	170E	DU	U-44004		OW
N	4301332183	RIVIERA FED 3-9	WR	5030 GR	1922 FSL 0605 FEL	03	NESE	090S	170E	DU	U-44004		OW
N	4301332184	RIVIERA FED 3-10	WR	5108 GR	2100 FSL 2190 FEL	03	NWSE	090S	170E	DU	U-44004		OW
N	4301331023	FEDERAL 15-1-B	WR	5177* GR	0660 FNL 1983 FEL	15	NWNE	090S	170E	DU	U-44429		OW
N	4304732777	BIRKDALE FED 13-34	WR	5067* GR	1768 FSL 0615 FWL	34	NWSW	090S	180E	UTA	U-68618		OW

END OF EXHIBIT



United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov>

IN REPLY REFER TO:

3106

(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office

From: Acting Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare



Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas
SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 2/28/2005
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number 61BSBDH2919

2. The FORMER operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		9/1/2004
FROM: (Old Operator): N5160-Inland Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721	TO: (New Operator): N2695-Newfield Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721	

CA No. Unit:

WELL(S)								
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
PARIETTE DRAW FED 10-23	23	080S	170E	4304732672	11824	Federal	D	PA
FEDERAL 24-26	26	080S	180E	4304732700	11808	Federal	OW	P
FEDERAL 13-26	26	080S	180E	4304732720	11832	Federal	OW	P
FEDERAL 43-29	29	080S	180E	4304732701	11816	Federal	OW	P
SUNDANCE ST 5-32	32	080S	180E	4304732685	11781	State	OW	P
FEDERAL 42-35	35	080S	180E	4304732702	11811	Federal	OW	S
FEDERAL 43-35	35	080S	180E	4304732721	11830	Federal	OW	TA
FEDERAL 13-4-9-18	04	090S	180E	4304732653	10971	Federal	OW	S
FEDERAL 11-4-9-18	04	090S	180E	4304732654	10971	Federal	OW	P
BALCRON FED 31-19Y	19	090S	180E	4304732614	11751	Federal	OW	P
BALCRON FED 32-19Y	19	090S	180E	4304732615	11771	Federal	OW	P
BALCRON FED 42-19Y	19	090S	180E	4304732616	11756	Federal	OW	P
BALCRON FED 12-20Y	20	090S	180E	4304732617	11758	Federal	OW	P
BALCRON MON FED 22-20-9-18Y	20	090S	180E	4304732711	11852	Federal	OW	P
BALCRON MON FED 11-20-9-18Y	20	090S	180E	4304732712	11846	Federal	OW	P
MON FED 14-21-9-18Y	21	090S	180E	4304732726	11902	Federal	OW	S
O.K. CORRAL FEDERAL 1-30	30	090S	180E	4304732686	11861	Federal	OW	S

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/2005
- Is the new operator registered in the State of Utah: YES Business Number: 755627-0143
- If **NO**, the operator was contacted on:

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

(62)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PIG BACK DIFF. REVEN. Other _____

2. NAME OF OPERATOR
Wildrose Resources Corp.

3. ADDRESS OF OPERATOR
4949 S. Albion St, Littleton, CO 80121

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface *2077' FSL # 696 FEL (NE/SE)*

At top prod. interval reported below *Same*

At total depth *Same*

14. PERMIT NO. *4304732721* DATE ISSUED _____

5. LEASE DESIGNATION AND SERIAL NO.
U-49430

6. IF INDIAN, ALLOTTEE OR TRIBE NAME _____

7. UNIT AGREEMENT NAME _____

8. FARM OR LEASE NAME
Federal

9. WELL NO.
43-35

10. FIELD AND POOL, OR WILDCAT
8 mile Flat North

11. SEC., T., R., N., OR BLOCK AND SURVEY OR AREA
Sec. 35, T8S, R18E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

15. DATE SPUNDED *10/5/95* 16. DATE T.D. REACHED *10/14/95* 17. DATE COMPL. (Ready to prod.) *11/21/95* 18. ELEVATIONS (OF, RKB, RT, OR, ETC.)* *4870 GR* 19. ELEV. CASINGHEAD *4870'*

20. TOTAL DEPTH, MD & TVD *6100* 21. PLUG, BACK T.D., MD & TVD *5656* 22. IF MULTIPLE COMPL., HOW MANY* *-* 23. INTERVALS DRILLED BY ROTARY TOOLS *10'-TD* CABLE TOOLS *No*

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
4370' - 5376' Green River 25. WAS DIRECTIONAL SURVEY MADE *No*

26. TYPE ELECTRIC AND OTHER LOGS RUN
ARI, LD-CNL, CBL 27. WAS WELL CORDED *No*

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
<i>8 5/8</i>	<i>24</i>	<i>300</i>	<i>10 1/4</i>	<i>220 SX (to surface)</i>	<i>-</i>
<i>5 1/2</i>	<i>15.5</i>	<i>5700</i>	<i>7 7/8</i>	<i>610 SX</i>	<i>-</i>

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)
<i>N/A</i>				

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
<i>2 7/8</i>	<i>5398</i>	<i>No</i>

31. PERFORATION RECORD (Interval, size and number)

<i>5370-72</i>	<i>3 holes</i>
<i>5375-78</i>	<i>2 holes</i>
<i>5246-50</i>	<i>5 holes</i>
<i>5731-35</i>	<i>5 holes</i>
<i>4370-80</i>	<i>40 holes</i>

.45"

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
<i>5131-5372</i>	<i>35800 # 20/40 sand w/ 19750 gal x-link gelled water</i>
<i>4370-4380</i>	<i>56700 # 20/40 sand w/ 16480 gal x-link gelled water</i>

33. PRODUCTION

DATE FIRST PRODUCTION *11/22/95* PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) *Pumping - Beam* WELL STATUS (Producing or shut-in) *Producing*

DATE OF TEST *11/26/95* HOURS TESTED *24* CHOKES SIZE *-* PROD'N. FOR TEST PERIOD *→* OIL—BSL. *38* GAS—MCF. *10* WATER—BSL. *0* GAS-OIL RATIO *263*

FLOW, TUBING PRESS. *-* CASING PRESSURE *250 psi* CALCULATED 24-HOUR RATE *→* OIL—BSL. *38* GAS—MCF. *10* WATER—BSL. *0* OIL GRAVITY-API (CORR.) *30°*

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) *Used for Fuel* TEST WITNESSED BY *E. Wilcken*

35. LIST OF ATTACHMENTS
Logs, Daily Reports

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED *Kerry Kallenberg* TITLE *V.P.* DATE *12/15/95*

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.


GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				Green River	1620'	1620'
				Douglas Ck member	4861'	4861'
				Wasatch Tongue of Green River	6007'	6007'

FEDERAL 43-35
2077' FSL & 696' FEL (NE/SE)
SECTION 35, T8S, R18E
EIGHT MILE FLAT NORTH FIELD
UINTAH COUNTY, UTAH

GL: 4870'

Spud: 10/05/95
Compl: 11/21/95



CURRENT WELLBORE DIAGRAM