

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Chandler & Associates, Inc.

3. ADDRESS OF OPERATOR
 475 Seventeenth St., Suite 1000 Denver, CO. 80202
 303-295-0400

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 2000' FNL 1000' FEL
 At proposed prod. zone 610 305

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 See Topo Map "A"

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 675'

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 500

16. NO. OF ACRES IN LEASE 400

17. NO. OF ACRES ASSIGNED TO THIS WELL 40

19. PROPOSED DEPTH 7150

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4795 GR

22. APPROX. DATE WORK WILL START*
 A.S.A.P.

5. LEASE DESIGNATION AND SERIAL NO.
 ML- 22057

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 Ute Indian Tribe

7. UNIT AGREEMENT NAME
 N/A

8. FARM OR LEASE NAME
 Glen Bench State

9. WELL NO.
 #8A-36-8-21


10. FIELD AND POOL, OR WILDCAT
 Natural Buttes Extension

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec.36, T8S, R21E, S.L.B.&M

12. COUNTY OR PARISH 13. STATE
 Uintah UT

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	9 5/8"	36#	400'	(See attached drilling plan)
7 7/8"	5 1/2"	15.5#	7150'	(See attached drilling plan)



- M.I.R.U.
- Drill to T.D.
- Run 5 1/2" casing if commercial production is indicated.
- If dry hole, well will be plugged and abandoned as instructed by the State.
- Well will be drilled with Air/Air Mist to T.D.

I hereby certify that I am responsible by the terms and conditions of the Lease to conduct Lease Operations. Bond Coverage pursuant to 43 CFR 3104 for Lease Activities is being provided by Chandler & Associates, Inc. in the form of a Nationwide Bond #19619040790.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Tracy D. Henline TITLE Agent for Chandler DATE 1-2-98
 (This space for Federal or State office use)

PERMIT NO. 43-047-33037 APPROVAL DATE _____
 APPROVED BY John R. Baya TITLE Associate Director DATE 2/12/98
 CONDITIONS OF APPROVAL, IF ANY: Utah DOGM

*See Instructions On Reverse Side


T8S, R21E, S.L.B.&M.

CHANDLER & ASSOCIATES, INC.

Well location, GLEN BENCH STATE #8A-36-8-21, located as shown in the SE 1/4 NE 1/4 of Section 36, T8S, R21E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHEAST CORNER OF SECTION 36, T8S, R21E, S.L.B.&M. TAKEN FROM THE RED WASH SW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4731 FEET.




1963 Brass Cap 0.9' High

1966 Brass Cap 0.7' High

1963 Brass Cap, 0.7' High, Pile of Stones

GLEN BENCH STATE #8A-36-8-21
Elev. Ungraded Ground = 4795'

36



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

NO. 161319
ROBERT L. ...
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

T8S
T9S

S89°41'W - 81.06 (G.L.O.)

R 21
R 22
E E

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

UINTAH ENGINEERING & LAND SURVEYING		
85 SOUTH 200 EAST - VERNAL, UTAH 84078		
(435) 789-1017		
SCALE 1" = 1000'	DATE SURVEYED: 11-8-97	DATE DRAWN: 11-13-97
PARTY J.F. J.W. C.B.T.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE CHANDLER & ASSOCIATES, INC.	

**CHANDLER & ASSOCIATES, INC.
DRILLING PLAN FOR THE
GLEN BENCH STATE #8A-36-8-21**

I. DRILLING PLAN:

1. Geological Surface Formation: Uintah
2. Estimated Tops:

<u>Name</u>	<u>Top</u>	<u>Prod. Phase Anticipated</u>
Green River	2088'	
"Kicker" Zone	3215'	Gas/Oil
"X" Marker	3742'	
Wasatch	5375'	Gas/Oil

3. CASING PROGRAM:

	<u>Depth</u>	<u>Hole Size</u>	<u>Csg. Size</u>	<u>Type</u>	<u>Weight</u>
Surface	400'	12-1/4"	9-5/8"	J-55 (ST&C)	36#/ft (new)
Prod.	7150'	7-7/8"	5-1/2"	K-55 (LT&C)	15.5#/ft (new)

4. Operator's Specification for Pressure Control Equipment:

- A. 2,000 psi W.P. Double Gate BOP or Single Gate BOP (Schematic attached).
- B. Functional test daily.
- C. All casing strings shall be pressure-tested (0.2 psi/foot or 1500 psi, whichever is greater) prior to drilling the plug after cementing; test pressure shall not exceed the internal yield pressure of the casing.
- D. All ram-type preventers and related control equipment shall be tested at the rated working pressure of the stack assembly or at 70 percent of the minimum internal yield pressure of the casing, whichever is less. Tests shall be done at the time of installation, prior to drilling out, and weekly. All tests shall be for a period of 15 minutes.

5. Auxiliary Equipment:

- A. Kelly Cock - yes.
- B. Float at the bit - no.
- C. Monitoring equipment on the mud system - visually.
- D. Full opening safety valve on rig floor - yes.
- E. Rotating head - yes.
- F. The blooie line shall be a least 6" in diameter and extend at least 100' from the wellbore into the reserve/blooie pit.
- G. Blooie line ignition shall be provided by a continuous pilot (ignited when drilling below 500').
- H. Compressor shall be tied directly to the blooie line through a manifold.
- I. A mistor with a continuous stream of water shall be installed near the end of the blooie lines for dust suppression.

6. Proposed Circulating Medium:

<u>Depth</u>	<u>Mud Type</u>	<u>Density (lb./gal)</u>	<u>Viscosity</u>	<u>Water Loss</u>
0'- T.D.	AIR/AIR MIST			

7. Testing, Logging, and Coring Program:

- A. Cores - None anticipated.
- B. DST - none anticipated.
- C. Logging - DIL-GR (TD to base of surface casing).
FDC/CNL/GR/Cal (TD to base of surface casing).

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

- D. Formation and Completion Interval: Wasatch/Mesaverde interval, final determination of completion will be made by analysis of logs. Stimulation - Stimulation will be designed for the particular area of interest as encountered.
- E. Frac gradient - approximately .80 psi/ft.

8. Cementing Program:

<u>Casing</u>	<u>Volume</u>	<u>Type & Additives</u>
Surface	215 sx	Class "G" w/2% CaCl ₂ (based on 100% access)
Production	1150 sx*	450 sx "Lite" followed by 700 sx 50/50 poz. mix.

Cement Characteristics:

Class "G" - yeild = 1.18 cu.ft. per. sack
weight = 15.8 lb./gal
strength = 3200 psi in 72 hrs @135 degrees

* Final cement volumes to be calculated from caliper log with an attempt to be made to circulate cement to the surface. A bond log will be run across the zone of interest and across zones as required by the authorized officer to insure protection of natural resources.


Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

9. Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards:

No abnormal temperatures or pressures are anticipated. No H₂S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 1,600 psi (calculated at 0.224 psi/ft) and maximum anticipated surface pressure equals approximately 30 psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/ft).


CHANDLER DRILLING

RIG NO.7



CHANDLER DRILLING

RIG NO.7



**II. SURFACE USE PLAN
CHANDLER & ASSOCIATES, INC.
GLEN BENCH STATE #8A-36-8-21**

1. Existing Road:

- A. Topo Map "A" is the vicinity map, showing the access routes from Vernal, Utah.
- B. Topo Map "B" shows the proposed access road to each individual well. It also shows existing roads in the immediate area.
- C. Occasional maintenance blading and storm repairs will keep roads in good condition.
- D. There shall be no mud blading on the access road. Vehicles may be towed through the mud provided they stay on the roadway.

2. Planned Access Roads:

The proposed access road, will be crowned, ditched, and dipped.

- A. Maximum grade will be 8% or less, unless otherwise stated.
- B. No turnouts will be required.
- C. Road surface material will be that native to the area.
- D. No cattle guard will be required.
- E. The proposed access road was flagged at the time the location was staked.
- F. The area authorized officer will be contacted at least 24 hours prior to commencing construction of the access road and well pad.

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

- G. The back slopes of the proposed access roads will be no steeper than vertical or 1/4:1 in rock; and 2:1, elsewhere.

The operator or his contractor will notify the areas authorized officer at least 48 hours prior to commencement of any work on these locations, roadways, or pipelines.

3. Location of Existing Wells:

See Topo Map "C"

4. Location of Existing and/or Proposed Facilities:

- A. All Petroleum Production Facilities are to be contained within the proposed location sites.
- B. In the event that production of these wells is established, the following will be shown:
1. Proposed location and attendant lines, by flagging, if off well pad.
 2. Dimensions of facilities.
 3. Construction methods and materials.

**Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21**

- C. The area used to contain the proposed production facilities will be built using native materials. If these materials are not acceptable, then other arrangements will be made to acquire them from private sources. These facilities will be constructed using bulldozers, graders, and workman crews to construct and place the proposed facilities.
 - D. All permanent facilities placed on the locations shall be painted a non-reflective color which will blend with the natural environment.
 - E. A dike shall be constructed around the tank battery, of sufficient capacity to adequately contain at least 110 percent of the storage capacity of the largest tank within the dike.
 - F. All buried pipelines shall be covered to a depth of 3 feet except at road crossings where they shall be covered to a depth of 4 feet.
 - G. Construction width of the right-of way/pipeline route shall be restricted to 30 feet of disturbance.
 - H. Pipeline location warning signs shall be installed within 90 days upon completion of construction.
5. Location and Type of Water Supply:

Water will be obtained from a water well located near Ouray, Utah which is owned by A-1 Tank Rental (Permit #43-8496) and transported by Dalbo Trucking Co. along the access roads which are shown on the attached maps.

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

6. Source of Construction Materials:

- A. No construction materials are needed for drilling operations. In the event of production, the small amount of gravel needed for facilities will be hauled in by truck from a local gravel pit over existing access roads from the area. No special access other than for drilling operations and pipeline construction is needed.
- B. All disturbance for this well site is located on Ute Tribal Lands and a Right-of-way has been applied for on the Tribal portion.

All Construction material for these location sites and access roads shall be borrow material accumulated during the construction of the location sites and access roads. No additional construction material from other sources is anticipated at this time, but if it is required, the appropriate actions will be taken to acquire it from private sources.

- C. All well pad surface disturbance area is on Ute Tribal Lands.

7. Methods for Handling Waste Disposal:

- A. Drill cuttings will be buried in the reserve pit when covered.
- B. Drilling fluids will be contained in the reserve pit.
- C. Any hydrocarbon liquids produced while production testing will be contained in a test tank. Any unavoidable spills of oil or other adverse substances or materials will be removed immediately during drilling progress or during completion operations.
- D. Portable chemical toilets will be provided and serviced by a local commercial sanitary service.

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

- E. Garbage and trash will be collected in a trash cage and its contents hauled to a sanitary landfill.

All wastes caused by the construction activities shall be promptly removed and disposed of in a sanitary landfill or as directed by the authorized officer.

- F. Prior to commencement of drilling, the reserve pit will be fenced on three sides using 39-inch net wire with at least one (1) strand of barbed wire. All wire is to be stretched before attaching to corner posts. When drilling activities are completed it will be fenced on the fourth side and allowed to dry (if liquids are present). After drying, the fences will be removed and the pit shall be buried. Reclamation will be undertaken no later than the fall of the year after all drilling activity has ceased.

8. Ancillary Facilities:

No air strips, camps, or other living facilities will be built off the location. Housing and office trailers will be on the location as seen on the location layout.

9. Well Site Layout:

- A. See attached cutsheet.
- B. The areas authorized officer will be contacted at least 24 hours prior to commencing construction of the access road and well pad.
- C. The authorized officer will determine after the location is constructed whether the pit is to be lined, and if so, the type of material to be used.
- D. Topsoil shall be stripped to a depth of 12 inches and stockpiled as shown on the location layout plat. (Windrow around northeast side of pad to obtain a dike situation).
- E. The back slopes of the locations will be no steeper than vertical or 1/4:1 in rock, and 2:1 elsewhere.

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

- F. The upper edges of all cut banks on the access roads and well pads will be rounded.

10. Plans for Restoration:

- A. Immediately upon completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.
- B. Before any dirt work to restore the location takes place, the reserve pit must be completely dry. The reserve pit will be reclaimed within 90 days from the date of well completion.
- C. The area officer shall be notified at least 48 hours prior to commencing reclamation work.
- D. All disturbed areas will be seeded with the a mixture which is found suitable by the Ute Indian Tribe
- E. The seed bed will be prepared by disking, following the natural contour. Drill seed on contour at a depth no greater than ½ inch. In areas that cannot be drilled, the seed will be broadcast at double the seeding rate and harrowed into soil. Certified seed is recommended.
- F. Fall seeding will be completed after September, and prior to prolonged ground frost.

**Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21**

- G. If the well is a producer, access roads will be upgraded and maintained as necessary to prevent soil erosion, and accommodate year round traffic. Areas unnecessary to operations will be reshaped, topsoil distributed, and seed distributed according to the above mixtures. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.
- H. If the well is abandoned or is a dry hole, the access road and location will be restored to approximate the original contours. During reclamation of the site the fill material will be pushed into cuts and up over the backslope. No depressions will be left that would trap water or form ponds. Topsoil will be distributed evenly over the location and seeded according to the above mixture. The access road and the location shall be ripped or disked prior to seeding. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.
- I. Annual or noxious weeds shall be controlled on all disturbed areas. Method of control shall be by an approved mechanical method or an Environmental Protection Agency (EPA) registered herbicide. All herbicide application proposals must be approved. Application of herbicides must be under direct field supervision of an EPA certified pesticide applicator.

11. Other Information:

- A. The area is used by man for the primary purpose of grazing domestic livestock.

All activity shall cease when soils or road surfaces become saturated to a depth of three inches, unless otherwise approved by the Authorized Officer.

If any fossils are discovered during construction, the operator shall cease construction immediately and notify the Authorized Officer so as to determine the significance of the discovery.

**Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21**

- B. A Class III cultural resource inventory has been completed prior to disturbance by a qualified professional Archaeologist.**
- C. The State considers the development of groundwater resources to be necessary and frequently indispensable to effective land management. Therefore, any groundwater intercepted by the party conducting mineral exploration shall be reported to the authorized officer immediately including approximate quantities and a sample in a sealed quart container. The State shall have the first opportunity to file State water rights for the intercepted groundwater. The undersigned may file for water rights only with a written waiver from the State.**
- D. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:**

**whether the materials appear eligible for the National Register of Historic Places;
the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and a time frame for the AO to complete an expedited review under 36 CFR 800-11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.**

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that the required mitigation has been completed, an operator will then be allowed to resume construction.

- E. Less than 10,000 pounds of any chemical(s) from EPA's Consolidated list of Chemicals Subject to Reporting Under Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986, and less than threshold planning quantity (TPQ) of any extremely hazardous substances(s), as defined in 40 CFR, would be used, produced, transported, stored, disposed, or associated with the proposed action.

12. Lessee's or Operator's Representative:

Mr. Terry J. Cox
Vice President of Operations/Production
Chandler & Associates, Inc.
475 Seventeenth Street
Suite 1000
Denver, Colorado 80202
Telephone #(303)295-0400

Chandler & Associates, Inc.
Glen Bench State #8A-36-8-21

13. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite(s) and access route(s); that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by **Chandler & Associates, Inc.**, and its contractors and subcontractors in conformity with the plan and the terms and conditions under which it is approved.

This statement is subject to the provision of 18 U.S.C. 1001 for the filing of a false statement.

Date 1-2-98 
Tracy D. Henline
Agent


CHANDLER & ASSOCIATES, INC.

LOCATION LAYOUT FOR

GLEN BENCH STATE #8A-36-8-21

SECTION 36, T8S, R21E, S.L.B.&M.

2000' FNL 1000' FEL



Proposed Access Road

C-0.4'
El. 90.8'

C-0.3'
El. 90.7'

F-2.5'
El. 87.9'

Sta. 3+25

SCALE: 1" = 50'
DATE: 11-17-97
Drawn By: C.B.T.

Approx. Top of Cut Slope



NOTE:

Flare Pit is to be located a min. of 100' from the Well Head.

C-4.7'
El. 95.1'


El. 93.9'
C-11.5'
(btm. pit)

PIPE RACKS


C-4.2'
El. 94.6'

F-4.3'
El. 86.1'

Sta. 1+50



Reserve Pit Backfill & Spoils Stockpile



RESERVE PITS (8' Deep)
Pit Capacity With 2' of Freeboard is ±4,110 Bbls.

Sta. 0+68

El. 94.6'
C-12.2'
(btm. pit)

El. 94.6'
C-4.2'
Topsoil Stockpile

El. 92.1'
C-1.7'

F-2.6'
El. 87.8'

F-4.7'
El. 85.7'

Sta. 0+00

Approx. Toe of Fill Slope

Elev. Ungraded Ground at Location Stake = 4794.6'

Elev. Graded Ground at Location Stake = 4790.4'


UINTAH ENGINEERING & LAND SURVEYING

85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017





CHANDLER & ASSOCIATES, INC.

TYPICAL CROSS SECTIONS FOR

GLEN BENCH STATE #8A-36-8-21
SECTION 36, T8S, R21E, S.L.B.&M.
2000' FNL 1000' FEL




DATE: 11-17-97
Drawn By: C.B.T.



APPROXIMATE YARDAGES

(12") Topsoil Stripping	=	2,140 Cu. Yds.
Remaining Location	=	3,570 Cu. Yds.
TOTAL CUT	=	5,710 CU.YDS.
FILL	=	2,790 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	=	2,770 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	=	2,770 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	=	0 Cu. Yds.



R 21 E
R 22 E

**PROPOSED LOCATION:
GLEN BENCH
STATE #8A-36-8-21**

SEE TOPO "B"

T8S
T9S

LEGEND:

⊙ PROPOSED LOCATION

CHANDLER & ASSOCIATES, INC.

**GLEN BENCH STATE #8A-36-8-21
SECTION 36, T8S, R21E, S.L.B.&M.
2000' FNL 1000' FEL**




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813
Email: uels@easilink.com



TOPOGRAPHIC MAP **11 13 97**
MONTH DAY YEAR
SCALE: 1: 100,000 DRAWN BY: C.G. REVISED: 00-00-00





**PROPOSED LOCATION:
GLEN BENCH STATE #8A-36-8-21**

PROPOSED ACCESS 0.3 MI. +/-

0.2 MI. +/-

UTE 36 #17

UTE 36 #53

VERNAL 38.6 MI. +/-

LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING ROAD




CHANDLER & ASSOCIATES, INC.

**GLEN BENCH STATE #8A-36-8-21
SECTION 36, T8S, R21E, S.L.B.&M.
2000' FNL 1000' FEL**

UELS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813
Email: uels@easilink.com

TOPOGRAPHIC MAP **11 13 97**
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: C.G. REVISED: 00-00-00 **B**
TOPO



**PROPOSED LOCATION:
GLEN BENCH STATE #8A-36-8-21**

LEGEND:

- ∅ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ♂ WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED


CHANDLER & ASSOCIATES, INC.

**GLEN BENCH STATE #8A-36-8-21
SECTION 36, T8S, R21E, S.L.B.&M.
2000' FNL 1000' FEL**

UELS
Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813
 Email: uels@easilink.com

TOPOGRAPHIC MAP **11 13 97**
 MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: C.G. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 1200' +/-

LEGEND:

- EXISTING PIPELINE
- PROPOSED PIPELINE
- PROPOSED ACCESS

CHANDLER & ASSOCIATES, INC.

**GLEN BENCH STATE #8A-36-8-21
SECTION 36, T8S, R21E, S.L.B.&M.
2000' FNL 1000' FEL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813
Email: uels@casilink.com

TOPOGRAPHIC MAP **11 13 97**
MONTH DAY YEAR
SCALE: 1" = 1000' DRAWN BY: C.G. REVISED: 00-00-00



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/05/98

API NO. ASSIGNED: 43-047-33037

WELL NAME: GLEN BENCH STATE 8A-36-8-21
OPERATOR: CHANDLER & ASSOCIATES (N3320)

PROPOSED LOCATION:
SENE 36 - T08S - R21E
SURFACE: 2000-FNL-1000-FEL
BOTTOM: 2000-FNL-1000-FEL
UINTAH COUNTY
NATURAL BUTTES FIELD (630)

INSPECT LOCATION BY: 01/20/98

TECH REVIEW	Initials	Date
Engineering	SRB	2/12/98
Geology		
Surface		

LEASE TYPE: STA
LEASE NUMBER: ML - 22057

PROPOSED PRODUCING FORMATION: GRRV

RECEIVED AND/OR REVIEWED:


Plat
 Bond: Federal State Fee
(Number 19540790)
 Potash (Y/N)
 Oil shale (Y/N)
 Water permit
(Number 43-8496)
 RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: _____
 R649-3-2. General.
 R649-3-3. Exception.
 Drilling Unit.
Board Cause no: 173-9-5
Date: 8-JAN-91

COMMENTS: Tribal surface - see tribal concurrence dated 2/10/98.
Casing OK, cement OK, BOP OK.

STIPULATIONS:




DIVISION OF OIL, GAS & MINING

OPERATOR: CHANDLER & ASSOCIATES (N3320)

FIELD: NATURAL BUTTES (630)

SEC. TWP. RNG.: SEC. 36, T8S, R21E

COUNTY: UINTAH UAC: CAUSE 173-9-S 8-JAN-91



DATE PREPARED:
8-JAN-1998

Casing - Cementing EvaluationGlen Beach Wells - Chandler & AssociatesWell # BA-36-8-21 & # 6-36-8-21

TD = 7150'

Mud: Air / air mist

Anticipated BHP = 1600 psi

BHP calculated w/ hydrostatic gradient = $(0.433)(7150) = 3096$ psi

I. Production casing: 5 1/2", K-55, 15.5#, LT & C

Collapse strength = 5560 psi

$SF_C = \frac{5560}{3096} = 1.80 \checkmark$ OK

Burst strength = 5700 psi

$SF_B = \frac{5700}{3096} = 1.84 \checkmark$ OK

Tensile strength = 246 K#

wt. of pipe = $(15.5)(7150) = 110.8$ K#

$SF_T = \frac{246}{110.8} = 2.22 \checkmark$ OK

II. Surface casing cement volume: 215 sx, Class G
9 5/8" in 12 1/4" hole @ 400' yield = 1.18 cu. ft. per sack

Annular volume = 0.3132 ft³/ft

$\Rightarrow 0.6264$ (assume 100% excess)

Volume of cement = $\frac{(0.6264)(400)}{1.18} = 212$ sx \checkmark OK

TII. Production casing cement volume: 450 sk lite
 700 sk 50/50 poz.
 5 1/2" in 7 7/8" hole @ 7150'

$$\text{Annular volume} = 0.1733 \text{ ft}^3/\text{ft}$$

$$= 0.3466 \text{ (assume 100\% excess)}$$


[Cement yields not provided, assume 1.54 ft³/sk minimum yield]

$$\text{Height of cement} = \frac{(1150 \text{ sk} \times 1.54)}{0.3466} = 5110'$$

$$\text{Depth of TOL} = 7150 - 5110 = 2040' \checkmark \text{ OK}$$

January 8, 1998

State of Utah
Division of Oil Gas & Mining



Re: Letter of Exception Location

Attn: Mike Hebertson

Dear Mike:

Chandler & Associates, Inc. respectfully submits the following information for an Exception Location on the below mention well location.

The Glen Bench State #8A-36-8-21 located 2000' FNL 1000' FEL of Section 36, T8S, R21E, S.L.B.&M. was moved out of the window due to the topographic relief which is present on the east side of the well pad. We have moved the well to a flat bench which will be suitable to construct. If you have any questions concerning this matter please feel free to call me at (435) 789-1017.

Thank you for your attention to this matter,

Tracy D. Henline
Agent for Chandler & Associates, Inc.



UTE INDIAN TRIBE

UINTAH AND OURAY AGENCY

P.O. Box 190
Fort Duchesne, Utah 84026

February 10, 1998

Mr. Norman Cambridge, Realty Officer
U.S. Department of the Interior
Bureau of Indian Affairs
Uintah and Ouray Agency
Fort Duchesne, Utah 84026

RECEIVED

FEB 10 1998
UINTAH & OURAY
AGENCY

Subject: Application for Permit to Drill and Pipeline Rights-Of-Way

Dear Mr. Cameron,

On November 13, 1997, Chandler & Associates, Inc., was granted Permission to Survey by the Bureau of Indian Affairs, Realty Office, for the following, which is Tribal Surface and Federal Minerals;

1. Glen Bench State 8A-36-8-21, Section 36, SENE, T8, R21E, SLBM
 2. Glen Bench 6-36-8-21, Section 36, NENW, T8S, R21E, SLBM
- Pipeline and Access Road Corridor of 30 feet wide by 1200 feet of rights-of-way.

The following has been addressed to complete the process of Application for Permit to Drill and Rights-Of-Way on behalf of the Ute Indian Tribe.

Cultural Resources Survey. During December 2, 1997, Metcalf Archaeological Consultants, performed cultural resource inventory.

On-site. On December 24, 1997, on-sites were conducted with the following persons in attendance; Jim Simonton, Chandler & Associates, Inc.; Tracy Henline, Uintah Engineering & Land Survey; Dale Hanberg, Bureau of Indian Affairs; unavailable, Bureau of Land Management-Vernal District Office; and Alvin Ignacio, Tribal Technician.

Based upon the reports submitted and the consensus of the on-site personnel, the Ute Tribe Energy and Minerals Department is requiring the following stipulations to apply;

1. The Ute Tribe Energy and Minerals Department is to be notified 48 hours prior to construction, as a Tribal Technician is to routinely monitor construction.
2. The constructed travel width of the access road shall be 18 feet, except in cases of sharp curves and/or intersections.
3. Pipelines ROW will not be bladed or cleared of vegetation, without specific written authorization for Bureau of Indian Affairs and Ute Tribe Energy & Minerals. Pipeline ROW will not be used as Access Roads.
4. The Tribal Technician is to be notified during construction of reserve pits, and also during backfilling of pits. An open drilling system to be used.
4. Chandler & Associates, Incorporated will assure the Ute Tribe that any/all contractors and any sub-contractors has acquired a 1998 Tribal Business License and have "Access Permits" prior to construction.
5. All Chandler & Associates, Incorporated employees and/or authorized personnel (sub-contractors) in the field will have applicable APD's and/or ROW permits/authorizations on their person(s) during all phases of construction.

Letter to Mr. Cameron, BIA-Minerals & Mining

Dated: February 10, 1998

Re: APD for GBU #8A/6, Chandler

Page 2

6. All vehicular traffic, personnel movement, construction/restoration operations should be confined to the areas examine and approved, and to the existing roadways and/or evaluated access routes.

7. All personnel should refrain from collecting artifacts, any paleontological fossils, and from disturbing any significant cultural resources in the area.

8. The personnel from the Ute Tribe Energy and Minerals Department should be consulted should cultural remains from subsurface deposits be exposed or identified during construction.

9. All mitigative stipulations contained in the Bureau of Indian Affairs site specific Environmental Analysis (EA), will be strictly adhered.

10. Upon completion of Application for Permit to Drill and Rights-Of-Way, the Ute Tribe Energy and Minerals Department will be notified by Chandler & Associates, Incorporated Oil & Gas Company, so that a Tribal Technician can verify Affidavit of Completions.

If you should require additional information please feel free to contact this office.

Sincerely,

ENERGY & MINERALS RESOURCE DEPT.



Ferron Secakuku, EMRD Exec. Director

Alvin Ignacio, Oil & Gas Technician

cc: Jim Simonton/Chandler & Associates, Incorporated

APD/ROW file

EMRD chrono file



CHANDLER & ASSOCIATES, INC.

475 17TH ST. SUITE 1000 · DENVER, COLORADO 80202 · 303 295-0400

OIL & GAS EXPLORATION AND PRODUCTION

FAX 303 295-0222

February 10, 1998

Mr. Mike Hebertson
State of Utah
Division of Oil, Gas, and Mining
1594 W., North Temple
Suite 121
Salt Lake City, Utah 84180
VIA FAX 801-359-3940


Re: Ownership Plat
Lease ML-22051
Glen Bench State #6-36-8-22; Glen Bench State #8A-36-8-22
Uintah County, Utah

Dear Mr. Hebertson:

Attached is an Ownership Plat of Section 36, T8S, R22E covering the locations of the referenced Applications for Permit to Drill. If you have any questions, please feel free to give me a call at 303 295 0400.

Respectfully,

Terry J. Cox
Vice President Operations & Engineering



-50%
%
26
0.25% ORRI
0.50% ORRI
Co. - 0.5625% ORRI
2.5625% ORRI
sr - 0.5625% ORRI
.5625% ORRI
-019-00-00
9613

CHEVRON - 38%
ENRON - 50%
Fee

CONOCO - 100%
HBP
Conoco
52 State 35
196
3380'
CONOCO
HBP
81.25% NRI
Fee

CONOCO - 100%
HBP
Conoco
51 Tribal 35
Fee
Fee
Conoco
50 Tribal

C & A, INC - 50%
ENRON - 50%

C & A - 100%
6-13-00
8695-028-00

C & A - 100%
12-08-00
8695-033-00

C & A - 100%
7-11-00
8695-023-00

C & A - 100%
HBP
UT-8695
020-00-00
U-9809

UT-8695-019-00-00
U-9613

C & A, INC - 100%
HBP
Ural Resources 10% ORRI 86.5%
NRI
8L-36
C & A, INC.
8-36-8-21
Tall Station St

UT-8695-021
00-00
ML-22051

CONOCO - 100%
HBP
Fee

CONOCO - 100%

CONOCO - 100%

CONOCO
55A Tribal 30

CONOCO
54 Tribal

CONOCO - 100%
HBP

CONOCO
11BP

Conoco
56 State 6

ENRON O & G - 100
HBP

U-93975

ENRON
1-

UT-8695-026-00-00
U-74495

C & A, INC - 100%
HBP

U-8695-002-00-00
U-9617

15-19

44-19

4-30

22-30

C & A, INC - 100%
HBP

C & A, INC.
100%
HBP
Brown

Open loc.
UT-8695-004-00-00

CONOCO
HBP

Conoco
58 Hall 30

CONOCO
HBP

U-43919
Conoco
55A Tribal 31

8695-036
ML-308

U0810

OPEN

1-19-2C
8-19

13-20
92/43

24-20

C & A, IN
HB

U
U

C & A, I
ENRON
HBP

U

*



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

February 12, 1998

Chandler & Associates, Inc.
475 Seventeenth Street, Suite 1000
Denver, Colorado 80202

Re: Glen Bench State 8A-36-8-21 Well, 2000' FNL, 1000' FEL,
SE NE, Sec. 36, T. 8 S., R. 21 E., Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33037.

Sincerely,

A handwritten signature in cursive script that reads "John R. Baza".

John R. Baza
Associate Director

lwp

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Chandler & Associates, Inc.
Well Name & Number: Glen Bench State 8A-36-8-21
API Number: 43-047-33037
Lease: ML-22057
Location: SE NE Sec. 36 T. 8 S. R. 21 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jim Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact John R. Baza (801)538-5334.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: CHANDLER & ASSOCIATES

Well Name: GLEN BENCH STATE 8-A

Api No. 43-047-33037

Section 36 Township 8S Range 21E County UINTAH

Drilling Contractor _____

Rig # _____

SPUDDED:

Date 2/16/98

Time _____

How DRY HOLE

Drilling will commence _____

Reported by JIM SYMINGTON

Telephone # _____

Date: 2/17/98 Signed: JLT

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

5. LEASE DESIGNATION AND SERIAL NO.
ML-22057
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Indian Tribe
7. UNIT AGREEMENT NAME
N/A
8. FARM OR LEASE NAME
Glen Bench State
9. WELL NO.
8A-36-8-21
10. FIELD AND POOL, OR WILDCAT
Natural Buttes Extension
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec. 36, T8S, R21E
SLB&M

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Chandler & Associates, Inc.

3. ADDRESS OF OPERATOR
475 17th Street, Suite 1000, Denver, CO 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 2000' FNL, 1000' FEL
At top prod. interval reported below
Same
At total depth
Same

14. PERMIT NO. 43-047-33037 DATE ISSUED 2-12-98

12. COUNTY OR PARISH Uintah 13. STATE Utah

15. DATE SPUDDED 2-16-98 16. DATE T.D. REACHED 2-28-98 17. DATE COMPL. (Ready to prod.) 4-6-98 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4795' GR 4810' KB 19. ELEV. CASINHEAD 4799'

20. TOTAL DEPTH, MD & TVD 7160' 21. PLUG, BACK T.D., MD & TVD 7084' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY → 0-TD ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Wasatch - 5442' - 7160' TD 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN 3-17-98 CBL/GR/CCL, CNL/GR, CN/Sonic/GR, IDL/GR, Platform Express 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	415' GL	12-1/4"	225 sx Class G w/2% CaCl ₂	None
5-1/2"	15.5# & 17#	7134' KB	7-7/8"	2 stage w/100 sx Hi-Fill, 775 sx 50/50 Pozmix, 415 sx Halcolite, 130 sx Thixotropic	None

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	6137'	None

31. PERFORATION RECORD (Interval, size and number)

6136' - 6146' @ 2spf (20 holes)	32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
6230' - 6236' @ 2spf (13 holes)	
6401' - 6405' @ 1spf (5 holes)	
6526' - 6534' @ 2spf (15 holes)	
6565' - 6569' @ 2spf (7 holes)	

3690' - 6696' @ 4spf (24 holes)

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6136' - 6146'	Delta X-link 60,000# 20/40
6230-36, 6401-05'	Delta X-link 150,000# 20/40
6526-34, 6565-69'	Delta X-link 200,400# 20/40
6690' - 6696'	Delta X-link 150,600# 20/40

33. PRODUCTION
DATE FIRST PRODUCTION 4-18-98 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing WELL STATUS (Producing or shut-in) Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS/OIL RATIO
5-6-98	24	64/64"	→		1982	5	


FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRV. VOLUME (CORR.)
420 psig	740 psig	→		1982	5	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold TEST WITNESSED BY Jim Simonton

35. LIST OF ATTACHMENTS
Wellbore diagram

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED James A. Simonton TITLE Oil & Gas Supervisor DATE 5-4-98

*(See Instructions and Spaces for Additional Data on Reverse Side)



INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Uinta	Surface	2033'	Sand & shale
Green River	2033'	5436'	Oil Shale, Limestone, Dolomite, Sandstone Siltstone
Wasatch	5436'	TD	Shale

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
"Kicker" Sand	3269'	3269'
"X" Marker	3810'	3810'

DIV. OF OIL, GAS & MINING

MAY 13 1998


RECEIVED

File
GBS 8A-36

CHANDLER & ASSCO.

GLEN BENCH STATE 8A - 36 - 8 - 21

DATE APRIL 4, 1998



	TBG DETAIL	LENGTH	DEPTH
	K.B.		15
A	2 3/8" X 2 3/8" TBG HANGER	0.83	15.83
B	195 - JTS 2 3/8" 4.7# J-55 8rd	6087.27	6103.1
C	2 3/8" F - NIPPEL " 1.81" I.D.	0.79	6103.89
D	1- JT 2 3/8" 4.7# J-55 EUE 8rd	31.23	6135.12
E	2 3/8"+ 45 SEATING NIPPEL	1.1	6136.22
F	2 3/8" NOTCHED COLLAR	0.44	6136.66

SUMMARY

SURFACE CSG = 9 5/8" 36# = @ 400'
 PRODUCTION CSG IS AS FOLLOWS
 TOP JT = 5 1/2" X 17#
 130 JTS = 5 1/2" X 15.5#
 36 JTS = 5 1/2" X 17#

WELL HEAD IS 7 1/16" 5M
TBG HANGER IS CUT FOR 2 3/8" CAMERON BACK PRESSURE VALVE !!!

PERFS @ 6690' 96' WAS FRACED ON 3/16/98 USING HALLIBURTON 25# DELTA - X - LINK GEL WITH 150,600# OF 20/40# SAND DOWN CSG USED FORCED CLOSER ON FRAC .

PERFS @ 6526' - 34' & 6565' - 69' WAS FRACED ON 3/20/98 USING HALIBURTON 25# DELTA - X - LINK GEL WITH 200,400# OF 20/40# SAND DOWN CSG USED FORCED CLOSER ON FRAC.

PERFS @ 6230' - 36' & 6401' - 05' HAD TO BE BROKE DOWN BEFOR FRAC USING @ 500 GAL, OF 7 1/2% HCL ACID & WAS FRACED ON 3/25/98 USING HALLIBURTON 25# DELTA - X - GEL WITH 150,000# OF 20/40# SAND DOWN CSG USING FORCED CLOSER ON FRAC.

PERFS @ 6136' - 46' WAS FRACED ON 3/31/98 USING HALLIBURTON 25# DELTA - X - LINK GEL WITH 60,000# OF 20/40# SAND DOWN CSG USING FORCED CLOSER ON FRAC.

" NOTE SURFACE CSG HAS @ 200 PSI"

PREPARED BY TODD FARLEY
 POOL RIG # 824 CELL 435-722-6757

MAY 29 '98 15:26 FROM CHANDLER - RANGELY TO 1005610013593940
 04/21/98 TUE 09:08 FAX 3034 22 CHANDLER & ASSOC. FROM RANGELY
 APR-21-98 TUE 08:18 AM DIV OIL GAS AND MINING

STATE OF NEBRASKA
 DEPARTMENT OF OIL, GAS AND MINING
 ENTITY ACTION FORM - FORM 6

OPERATOR Chandler & Associates, Inc.
 ADDRESS 475 17th Street, Suite 1000
Denver, CO 80202

OPERATOR ACCT. NO. # 3320

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					TR	SC	TP	RG	COUNTY		
A	12361		32724 43-047-23724	Toll Station 8-36-8-21	SENE	36	8S	21E	Uintah	7-1-96	
WELL 1 COMMENTS: Entity previously added 5-20-98. Lec											
A	99999	12377	43-047-33037	Glen Bench State 8A-36-8-21	SENE	36	8S	21E	Uintah	2-16-98	
WELL 2 COMMENTS: Entity added 5-29-98. Lec											
A	99999	12378	43-047-33038	Glen Bench State 6-36-8-21	SENE	36	8S	21E	Uintah	3-4-98	
WELL 3 COMMENTS: Entity added 5-29-98. Lec											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

5-20-98

Post-It® Fax Note 7671 Date 4-24-98 # of pages 1

To <u>Lisha</u>	From <u>Jane</u>
Co./Dept.	Co. <u>Chandler + Assoc.</u>
Phone # <u>801-538-5296</u>	Phone # <u>970-675-8451</u>
Fax # <u>801-359-3940</u>	Fax # <u>970-675-5154</u>

ACTION CODES (See instructions on back of form)
 A - Establish new entity for new well (single well only)
 B - Add new well to existing entity (group or unit well)
 C - Re-assign well from one existing entity to another existing entity
 D - Re-assign well from one existing entity to a new entity
 E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

RECEIVED
 MAY 29 1998
 DIV OF OIL, GAS & MINING

Jim Simonson jep
 Signature
 Oil & Gas Supervisor 4-24-98
 Title Date
 Phone No. 970-675-8451
 Denver - 303-295-0400

3032950222 PAGE.001 ** TOTAL PAGE.001 ** APR 21 '98 09:16

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number ML-22057
7. Indian Allottee or Tribe Name Ute Indian Tribe
8. Unit or Communitization Agreement N/A
9. Well Name and Number Glen Bench State 8A-36-8-21
10. API Well Number 43-047-33037
11. Field and Pool, or Wildcat Natural Buttes Extension

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
 Use APPLICATION FOR PERMIT -- for such proposals

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) _____	
2. Name of Operator Chandler & Associates, LLC	
3. Address of Operator 475 17th Street, Suite 1000, Denver, CO 80202	4. Telephone Number Rangely 970-675-8451
5. Location of Well Footage : 2000' FNL, 1000' FEL County : Uintah QQ, Sec, T., R., M. : SENE Sec. 36, T8S, R21E State : Utah	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)


<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Site Security Diagram</u>	

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Attached is the site security diagram as required for this location. This diagram will be updated as changes in the facility occur.



14. I hereby certify that the foregoing is true and correct

Name & Signature Jim Simonton *Jim Simonton jsp* Title Oper. Supervisor Date 01/29/99



(State Use Only)

Accepted by the
 Utah Division of
 Oil, Gas and Mining

FOR RECORD ONLY

See Instructions on Reverse Side

CHANDLER & ASSOCIATES, INC.
GLEN BENCH STATE 8A-36-8-21
SE/NE Sec. 36 T8S R21E
2000' FNL 1000' FEL
LEASE # ML-22057
GR: 4795
Natural Buttes Ext.



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT -- for such proposals


1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)		6. Lease Designation and Serial Number
2. Name of Operator <i>Shenandoah Energy Inc.</i>		7. Indian Allottee or Tribe Name
3. Address of Operator <i>475 17th Street, Suite #1000 Denver, Colorado 80202</i>		8. Unit or Communitization Agreement
4. Telephone Number <i>303-295-0400</i>		9. Well Name and Number
5. Location of Well Footage : Please see attached spreadsheet County : QQ, Sec. T., R., M. : State :		10. API Well Number
		11. Field and Pool, or Wildcat

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																																																					
<p>NOTICE OF INTENT (Submit in Duplicate)</p> <table> <tr><td><input type="checkbox"/></td><td>Abandonment</td><td><input type="checkbox"/></td><td>New Construction</td></tr> <tr><td><input type="checkbox"/></td><td>Casing Repair</td><td><input type="checkbox"/></td><td>Pull or Alter Casing</td></tr> <tr><td><input type="checkbox"/></td><td>Change of Plans</td><td><input type="checkbox"/></td><td>Recompletion</td></tr> <tr><td><input type="checkbox"/></td><td>Conversion to Injection</td><td><input type="checkbox"/></td><td>Shoot or Acidize</td></tr> <tr><td><input type="checkbox"/></td><td>Fracture Treat</td><td><input type="checkbox"/></td><td>Vent or Flare</td></tr> <tr><td><input type="checkbox"/></td><td>Multiple Completion</td><td><input type="checkbox"/></td><td>Water Shut-Off</td></tr> <tr><td><input type="checkbox"/></td><td>Other _____</td><td></td><td></td></tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/>	Abandonment	<input type="checkbox"/>	New Construction	<input type="checkbox"/>	Casing Repair	<input type="checkbox"/>	Pull or Alter Casing	<input type="checkbox"/>	Change of Plans	<input type="checkbox"/>	Recompletion	<input type="checkbox"/>	Conversion to Injection	<input type="checkbox"/>	Shoot or Acidize	<input type="checkbox"/>	Fracture Treat	<input type="checkbox"/>	Vent or Flare	<input type="checkbox"/>	Multiple Completion	<input type="checkbox"/>	Water Shut-Off	<input type="checkbox"/>	Other _____			<p>SUBSEQUENT REPORT (Submit Original Form Only)</p> <table> <tr><td><input type="checkbox"/></td><td>Abandonment *</td><td><input type="checkbox"/></td><td>New Construction</td></tr> <tr><td><input type="checkbox"/></td><td>Casing Repair</td><td><input type="checkbox"/></td><td>Pull or Alter Casing</td></tr> <tr><td><input type="checkbox"/></td><td>Change of Plans</td><td><input type="checkbox"/></td><td>Shoot or Acidize</td></tr> <tr><td><input type="checkbox"/></td><td>Conversion to Injection</td><td><input type="checkbox"/></td><td>Vent or Flare</td></tr> <tr><td><input type="checkbox"/></td><td>Fracture Treat</td><td><input type="checkbox"/></td><td>Water Shut-Off</td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Other <u>Change of Operator</u></td><td></td><td></td></tr> </table> <p>Date of Work Completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</p>	<input type="checkbox"/>	Abandonment *	<input type="checkbox"/>	New Construction	<input type="checkbox"/>	Casing Repair	<input type="checkbox"/>	Pull or Alter Casing	<input type="checkbox"/>	Change of Plans	<input type="checkbox"/>	Shoot or Acidize	<input type="checkbox"/>	Conversion to Injection	<input type="checkbox"/>	Vent or Flare	<input type="checkbox"/>	Fracture Treat	<input type="checkbox"/>	Water Shut-Off	<input checked="" type="checkbox"/>	Other <u>Change of Operator</u>		
<input type="checkbox"/>	Abandonment	<input type="checkbox"/>	New Construction																																																		
<input type="checkbox"/>	Casing Repair	<input type="checkbox"/>	Pull or Alter Casing																																																		
<input type="checkbox"/>	Change of Plans	<input type="checkbox"/>	Recompletion																																																		
<input type="checkbox"/>	Conversion to Injection	<input type="checkbox"/>	Shoot or Acidize																																																		
<input type="checkbox"/>	Fracture Treat	<input type="checkbox"/>	Vent or Flare																																																		
<input type="checkbox"/>	Multiple Completion	<input type="checkbox"/>	Water Shut-Off																																																		
<input type="checkbox"/>	Other _____																																																				
<input type="checkbox"/>	Abandonment *	<input type="checkbox"/>	New Construction																																																		
<input type="checkbox"/>	Casing Repair	<input type="checkbox"/>	Pull or Alter Casing																																																		
<input type="checkbox"/>	Change of Plans	<input type="checkbox"/>	Shoot or Acidize																																																		
<input type="checkbox"/>	Conversion to Injection	<input type="checkbox"/>	Vent or Flare																																																		
<input type="checkbox"/>	Fracture Treat	<input type="checkbox"/>	Water Shut-Off																																																		
<input checked="" type="checkbox"/>	Other <u>Change of Operator</u>																																																				

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that effective 1/1/200 Chandler & Associates, Inc has changed its name to Shenandoah Energy Inc. Shenandoah Energy Inc. is responsible under the terms and conditions of the lease for the operation conducted upon the leased lands. Shenandoah Energy Inc. is bonded in the amount of \$80,000.00 to the School and Inst. Trust Lands via a name change rider filed with the State. Continental Casualty Bond # 159261960.

14. I hereby certify that the foregoing is true and correct.

Name & Signature Thomas D. Taylor  Title Production Geologist Date 05/25/2000

(State Use Only)

RECEIVED

MAY 30 2000

DIVISION OF
OIL, GAS AND MINING

SHENANDOAH ENERGY INC.
UTAH OPERATED WELLS

A.P.I. #	ENTITY	WELL NAME	WELL #	LOCATION	FIELD NAME	PROD. ZONE	FORMATION	WELL TYPE	AGREEMENT
43-047-15090-00	04915	WRU	#31-4	SWSE 4, 8S-22E	WHITE RIVER		GREENRIVER	WSW	891003509D
43-047-15081-00	04915	WRU	#16-9	SWSE 9, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	891003509D
43-047-15084-00	04915	WRU	#20-9	NESW 9, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	891003509D
43-047-15087-00	04915	WRU	#25-9	NENE 9, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	891003509D
43-047-31354-00	05170	WRU	#43-16	NENW 16, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	
43-047-31399-00	09915	WRU	#45-16	NENE 16, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	
43-047-32052-00	11468	DESERT SPRINGS FED.	#20-1	NESW 20, 10S-18E	WILDCAT	GRRV	GREEN RIVER	OW	
43-013-32088-00	12497	W. DESERT SPRING	#11-20	NESW 20, 10S-17E	WILDCAT	WSTC	WASATCH	OW	
43-013-32057-00	12497	W. RIVER BEND	#16-17-10-17	SESE 17, 10S-17E	WILDCAT	GRRV	GREEN RIVER	OW	
43-013-31888-00	12497	W. RIVER BEND	#3-12-10-15	NENW 12, 10S-15E	WILDCAT	GRRV	GREEN RIVER	OW	
43-013-32084-00	12497	WILKIN RIDGE	#13-23	SWSW 23, 10S-16E	WILDCAT	WSTC	GREEN RIVER	OW	
43-047-33163-00		DESERT SPRING	#7-30-10-18	SWNE 30, T10S-R18E	APD	WSTC			

RECEIVED

MAY 30 2000

DIVISION OF
OIL, GAS AND MINING

RECEIVED

MAY 30 2000

DIVISION OF
OIL, GAS AND MINING

SHENANDOAH ENERGY INC.
UTAH OPERATED WELLS

A.P.I. #	ENTITY	WELL NAME	WELL #	LOCATION	FIELD NAME	PROD. ZONE	FORMATION	WELL TYPE	AGREEMENT
43-015-30168-00	10684	BUZZARD BENCH FED	#6-3	SENW 3, 19S-7E	BUZZARD BENCH	FRSD	FERRON	GW	8910204190
43-015-30229-00	10670	BUZZARD BENCH FED	#3-24	SESW 3, 19S-7E	BUZZARD BENCH	FRSD	FERRON	GW	8910204190
43-015-30110-00	10685	FERRON FED	#16-20	SESE 20, 17S-8E	BUZZARD BENCH	FRSD	FERRON	OW	
43-015-30257-00	11837	FERRON FEDERAL	#7-12-19-7	SWNE 12, 19S-7E	BUZZARD BENCH	FRSD	UPPER FERRON	GW	
43-015-30000-00		FERRON FEDERAL	#16-9-10-7	SESE 9, 19S-7E	FERRON		FERRON	DRG	
43-015-3025300	11836	FERRON STATE	#4-36	SWNW 36, 18S-7E	BUZZARD BENCH	FRSD	FERRON	GW	
43-015-30222-00	11029	ORANGEVILLE FED	#1-11	NENE 11, 19S-7E	BUZZARD BENCH	FRSD	UPPER FERRON	GW	891020388A
43-015-30221-00	10600	ORANGEVILLE FED	#4-1	NWNW 1, 19S-7E	BUZZARD BENCH	FRSD	UPPER FERRON	GW	
43-015-30102-00	10920	ORANGEVILLE ST	#1-36	SESE 36, 18S-7E	BUZZARD BENCH	FRSD	UPPER FERRON	GW	8910203880
43-015-30179-00	00535	ORANGEVILLE STATE	#10-2	NWSE 2, 19S-7E	BUZZARD BENCH	FRSD	LOWER FERRON	GW	891020388A
43-015-30108-00	10978	ORANGEVILLE UNIT	#16-6	SESE 6, 18S-8E	BUZZARD BENCH	FRSD	FERRON	OW	
43-047-33164-00	12496	DESERT SPRING	#16-19-10-18	SESE 19, 10S-18E	DESERT SPRING	GRRV	GREEN RIVER	OW	
43-047-3316200	12523	DESERT SPRING	#3-29-10-18	NWNE 29, 10S-18E	DESERT SPRING	GRRV	GREEN RIVER	OW	
43-047-32493-00	11630	E COYOTE FEDERAL	#14-4-8-25	SESW 4, 8S-25E	EAST COYOTE FEDERAL	GRRV	GREENRIVER	OW	
43-047-31555-00	09497	ANTELOPE DRAW	#2-17-4C	SESW 17, 8S-22E	GLEN BENCH	GRRV	GREENRIVER	OW	UTU73974X
43-047-31556-00	09498	ANTELOPE DRAW	#3-17-3C	SESE 17, 8S-22E	GLEN BENCH	GRRV	GREENRIVER	OW	UTU73974X
43-047-32476-00	11862	GLEN BENCH	#8-19	SENE 19, 8S-22E	GLEN BENCH	GRRV	GREENRIVER	OW	UTU73974X
43-047-31257-00	11587	GLEN BENCH FED	#44-19	L 20 19, 8S-22W	GLEN BENCH	GRRV	GREEN RIVER	OW	UTU73974X
43-047-31355-00	11588	GLEN BENCH FED	#13-20	NWSW 20, 8S-22E	GLEN BENCH	GRRV	GREENRIVER	OW	UTU73974X
43-047-31356-00	06135	GLEN BENCH FED	#22-20	SENW 20, 8S-22E	GLEN BENCH		GREEN RIVER	WIW	UTU73974X
43-047-31433-00	06196	GLEN BENCH FED	#31-20	NWNE 20, 8S-22E	GLEN BENCH	GRRV	GREENRIVER	OW	UTU73974X
43-047-31008-00	06045	GLEN BENCH FED	#31-30	L 6 30, 8S-22E	GLEN BENCH	GRRV	GREEN RIVER	OW	UTU73974X
43-047-31260-00	06050	GLEN BENCH FED	#22-30	SENW 30, 8S-22E	GLEN BENCH	GRRV	GREEN RIVER	OW	UTU73974X
43-047-32549-00	11716	GLEN BENCH STATE	#6-16	SENW 16, 8S-22E	GLEN BENCH	GRRV	GREENRIVER	OW	UTU73974X
43-047-32582-00	11716	GLEN BENCH STATE	#7-16	SENE 16, 8S-22E	GLEN BENCH		GREENRIVER	WIW	UTU73974X
43-047-32583-00	11732	GLEN BENCH STATE	#12-16	NWSW 16, 8S-22E	GLEN BENCH		GREENRIVER	WIW	UTU73974X
43-047-32756-00	11955	GLEN BENCH UNIT	#15-19-8-22	SWSE 19, 8S-22E	GLEN BENCH		GREEN RIVER	WIW	UTU73974X
43-047-32755-00	12014	GLEN BENCH UNIT	#4-30-8-22	NWNW 30, 8S-22E	GLEN BENCH	GRRV	GREEN RIVER	OW	UTU73974X
43-047-32857-00	12219	GLEN BENCH UNIT	#11-16-8-22	NESW 16, 8S-22E	GLEN BENCH	GRGBS	GREEN RIVER	OW	UTU73974X
43-013-3147700	12248	UTD WALTON	#26-03	NENW 26, 9S-16E	MONUMENT BUTTE	GRRV	GREEN RIVER	OW	
43-047-33252-00	12527	GLEN BENCH STATE	#2-36-8-21	NENW 36, 8S-21E	NATURAL BUTTES	WSTC	WASATCH	GW	
43-047-33037-00	12377	GLEN BENCH STATE	#8A-36-8-21	SWNE 36, 8S-21E	NATURAL BUTTES	WSTC	WASATCH	GW	
43-047-33038-00	12378	GLEN BENCH STATE	#6-36-8-21	SENW 36, 8S-21E	NATURAL BUTTES	WSTC	WASATCH	GW	
43-047-32746-00	11944	SAGE GROUSE FEDERAL	#6-14-8-22	SENW 14, 8S-22E	NATURAL BUTTES	GRRV	GREEN RIVER	GW	
43-047-32724-00	12361	SAGE GROUSE FEDERAL	#8-36-8-21	SENE 36, 8S-21E	NATURAL BUTTES	GRRV	GREEN RIVER	GW	
43-047-3309500	12528	WHITE RIVER UNIT	#13-35-8-22	SWSW 35, 8S-22E	NATURAL BUTTES	WSTC	WASATCH	GW	891003509B
43-047-3306100	12528	WHITE RIVER UNIT	#15-35-8-22	SWSE 35, 8S-22E	NATURAL BUTTES	WSTC	WASATCH	GW	891003509B
43-047-3275400	12003	FLU KNOLLS FED.	#23-3	NESW 3, 10S-18E	UTELAND BUTTE	GRRV	GREEN RIVER	OW	
43-047-15083-00	04915	WHITE RIVER UNIT	#19-9	SWNE 9, 8S-22E	WHITE RIVER		GREENRIVER	WIW	891003509D
43-047-15080-00	04915	WRU	#15-9	NESE 9, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	891003509D
43-047-15085-00	04915	WRU	#24-10	NESW 10, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	891003509D
43-047-15086-00	04915	WRU	#27-10	SWNE 10, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	891003509D
43-047-31561-00	10000	WRU	#47-10	L1 10, 8S-22E	WHITE RIVER	GRRV	GREENRIVER	OW	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3100
U-058 et al
(UT-932)

JUN 5 2000

NOTICE

Shenandoah Operating Company, LLC : Oil and Gas Leases
475 17th Street, Suite 1000 :
Denver, CO 80202 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of Chandler & Associates, LLC to Shenandoah Operating Company, LLC on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

A rider to statewide Surety Bond No. 124 29 03 64 (BLM Bond No. UT0969) changing the name on the bond from Chandler & Associates, LLC to Shenandoah Energy Inc. has been accepted by this office effective January 26, 2000. However, the rider makes no mention of Shenandoah Operating Company, LLC. A rider to the above bond adding the name of Shenandoah Operating Company, LLC needs to be submitted to this office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JUN 06 2000

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

N REPLY REFER TO
UT-931

August 24, 2000

Attn: Scott M. Webb
Shenandoah Energy Inc.
465 17th Street, Suite 1000
Denver, Colorado 80202

Re: Glen Bench Unit
Uintah County, Utah

Gentlemen:

On August 24, 2000, we received an indenture dated August 18, 2000, whereby Shenandoah Operating Company, L.L.C. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Glen Bench Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 24, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Glen Bench Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Glen Bench Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Glen Bench Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:8/24/00

Results of query for MMS Account Number UTU73974X

API Number	Operator	Well Name	Well Status	Lease or CA Number	Inspection Item	Township	Range	Section	Qu
4304731008	CHANDLER & ASSOCIATES LLC	31-30 GLEN BENCH	POW	UTU9617	UTU73974X	8S	22E	30	NW
4304731257	CHANDLER & ASSOCIATES LLC	44-19 GLENBENCH	ABD	UTU9617	UTU73974X	8S	22E	19	SE
4304731260	CHANDLER & ASSOCIATES LLC	22-30 BENCH GLEN	TA	UTU9617	UTU73974X	8S	22E	30	SE
4	CHANDLER & ASSOCIATES LLC	43-18 WHITE RIVER	POW	STATE	UTU73974X	8S	22E	30	NW
4304731355	CHANDLER & ASSOCIATES LLC	13-20 NGC	POW	UTU9617	UTU73974X	8S	22E	20	NW
4304731356	CHANDLER & ASSOCIATES LLC	22-20 NGC	WIW	UTU69001	UTU73974X	8S	22E	20	SE
4304731399	CHANDLER & ASSOCIATES LLC	45-16 WHITE RIVER	POW	STATE	UTU73974X	8S	22E	16	NE
4304731433	CHANDLER & ASSOCIATES LLC	31-20 FEDERAL	POW	UTU69001	UTU73974X	8S	22E	20	NW
4304731555	CHANDLER & ASSOCIATES LLC	2-17-4C ANTELOPE	POW	UTU65276	UTU73974X	8S	22E	17	SE
4304731556	CHANDLER & ASSOCIATES LLC	3-17-3C ANTELOPE	POW	UTU65276	UTU73974X	8S	22E	17	SE
	CHANDLER								

4304732476	& ASSOCIATES LLC	GLEN BENCH 8-19	POW	UTU65404	UTU73974X	8S	22E	19	SEI
4304732549	CHANDLER & ASSOCIATES LLC	GLEN BENCH 6-16	POW	STATE	UTU73974X	8S	22E	16	SEI
4304732582	CHANDLER & ASSOCIATES LLC	GLEN BENCH 7-16	WIW	STATE	UTU73974X	8S	22E	16	SW
4304732583	CHANDLER & ASSOCIATES LLC	GLEN BENCH 12-16	WIW	STATE	UTU73974X	8S	22E	16	NW
4304732718	CHANDLER & ASSOCIATES LLC	GLEN BENCH 8-17	P+A	UTU65276	UTU73974X	8S	22E	17	SEI
4304732755	CHANDLER & ASSOCIATES LLC	4-30-8-22	POW	UTU9617	UTU73974X	8S	22E	30	NW
4304732756	CHANDLER & ASSOCIATES LLC	GLEN BENCH 15-19	POW <i>WIW</i>	UTU9617	UTU73974X	8S	22E	19	SW
4304732857	CHANDLER & ASSOCIATES LLC	GLEN B 11-16-8-22	POW	STATE	UTU73974X	8S	22E	16	NE

DISCLAIMER for online data: No warranty is made by the BLM for use of the data for purposes not intended by the BLM.

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 11/02/2000
4. Is the new operator registered in the State of Utah: YES Business Number: 1467732-0143
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 06/05/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 08/24/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Proj:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/02/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/02/2000
3. Bond information entered in RBDMS on: _____
4. Fee wells attached to bond in RBDMS on: _____

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 159261960

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3.2.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
999 18TH STREET - SUITE 300
DENVER, CO 80202-2466
<http://www.epa.gov/region08>

OCT 4 2001

Ref: 8P-W-GW

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

Mr. Mike Guinn
District Engineer
Inland Production Company
Route 3 - Box 3630
Myton, UT 84502

RE: Limited Authorization to Inject
Odekirk Spring State No. 11-36-8-17
EPA Well Permit No. UT2893-04602
Uintah County, Utah

Dear Mr. Guinn:

The Inland Production Company (Inland) submission of Prior to Commencing Injection documents, on August 7, 2001, did contain all information required to fulfill the Environmental Protection Agency's (EPA) Prior to Commencing Injection requirements, as stated in the above-referenced FINAL WELL-SPECIFIC PERMIT UT2893-04602: Part II, Section C. 1. The August 7, 2001, data submission contained an EPA WELL REWORK RECORD (Form No. 7520-12), a Part I (Internal) Mechanical Integrity Test, and the injection zone pore pressure. All data was reviewed and approved by the EPA on September 21, 2001.

The EPA is hereby authorizing injection into the Odekirk Spring State No. 11-36-8-17, for a limited period of up to one hundred and eighty (180) calendar days, effective upon receipt of this letter, herein referred to as the "Limited Authorized Period".

Because the cement bond log submitted for this well did not show an adequate interval of 80% or greater bond index through the confining zone overlying the Garden Gulch Member, the operator is required to demonstrate Part II (External) Mechanical Integrity (Part II MI) within the 180-day "Limited Authorized Period". The demonstration shall be by temperature survey or other approved test. Approved tests for demonstrating Part II MI include a temperature survey, noise log or oxygen activation log, and Region 8 may also accept results of a radioactive tracer survey under certain circumstances. The "Limited Authorized



Period" allows injection for the purpose of stabilizing the injection formation pressure prior to demonstrating Part II MI, which is necessary because the proposed injection zone is under pressured due to previous oil production from the zone, and the tests rely on stable formation pressure. Results of tests shall be submitted to, and written approval with authority to recommence injection received from, EPA prior to resuming injection following the "Limited Authorized Period". A copy of Region 8 guideline for conducting a temperature survey is enclosed with this letter.

An initial maximum surface injection pressure (MSIP) **not to exceed 1348 psig** was determined, July 16, 2001, for the Odekirk Spring State No. 11-36-8-17. Please note that the maximum pressure used during the temperature survey, or other approved test, becomes the final permitted MSIP, because Part II MI was demonstrated at that pressure. Therefore, it may be advantageous to run a step rate test prior to conducting the temperature survey or other approved test.

Should the operator apply for an increase to the MSIP at any future date, another demonstration of Part II MI must be conducted in addition to the step rate test. The operator must receive prior authorization from the Director in order to inject at pressures greater than the permitted MSIP during the test(s).

If you have any questions in regard to the above action, please contact Dan Jackson at (303) 312-6155. Results from the temperature log, or other Part II MI test, should be mailed directly to the **ATTENTION: DAN JACKSON**, at the letterhead address citing **MAIL CODE: 8P-W-GW** very prominently.

Sincerely,



D. Edwin Hogle
Director
Ground Water Program

enclosure: EPA Guideline No. 37: Part II External MI
EPA Guideline for Temperature Logging

cc w/o enclosures:

Mr. D. Floyd Wopsock
Chairman
Uintah & Ouray Business Committee
Ute Indian Tribe

Ms. Elaine Willie
Environmental Director
Ute Indian Tribe

Mr. David Allison
BIA
Uintah & Ouray Indian Agency

Mr. Gil Hunt
State of Utah Natural Resources
Division of Oil, Gas, and Mining

Mr. Jerry Kenczka
Bureau of Land Management
Vernal District Office

Mr. Nathan Wiser, 8ENF-T



May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460)

well_name	Sec	T	R	api	Quantity	Lease Type
UTAH STATE 1	36	070S	240E	4304715128	5878	State
BRENNAN FED 3	17	070S	210E	4304715419	10750	Federal
FEDERAL 2-29-7-22	29	070S	220E	4304715423	5266	Federal
FS PRINCE GOVT 1	10	070S	240E	4304716199	7035	Federal
KAYE STATE 1-16	16	100S	230E	4304730609	5395	State
LEOTA FED 1	34	070S	210E	4304730879	5420	Federal
GULF BRENNAN FED 8	17	070S	210E	4304731509	5290	Federal
RFC 1	20	070S	210E	4304731805	10952	Federal
EAST COYOTE FED 14-4-8-25	04	080S	250E	4304732493	11630	Federal
F S PRINCE 4	03	070S	240E	4304732677	7035	Federal
GYPSUM HILLS 21	21	080S	210E	4304732692	11819	Federal
TOLL STATION ST 8-36-8-21	36	080S	210E	4304732724	12361	State
SAGE GROUSE FED 6-14-8-22	14	080S	220E	4304732746	11944	Federal
GYPSUM HILLS 22WG	22	080S	210E	4304732818	12336	Federal
GLEN BENCH ST 8A-36-8-21	36	080S	210E	4304733037	12377	State
GLEN BENCH ST 6-36-8-21	36	080S	210E	4304733038	12378	State
SAGE GROUSE 12A-14-8-22	14	080S	220E	4304733177	12524	Federal
OU GB 12W-20-8-22	20	080S	220E	4304733249	13488	Federal
GLEN BENCH ST 2-36-8-21	36	080S	210E	4304733252	12527	State
GBU 15-18-8-22	18	080S	220E	4304733364	12690	Federal
GLEN BENCH FED 3W-17-8-22	17	080S	220E	4304733513	12950	Federal
GLEN BENCH FED 5W-17-8-22	17	080S	220E	4304733514	12873	Federal
WV FED 9W-8-8-22	08	080S	220E	4304733515	13395	Federal
GB FED 9W-18-8-22	18	080S	220E	4304733516	12997	Federal
OU GB 3W-20-8-22	20	080S	220E	4304733526	13514	Federal
GHU 10W-19-8-21	19	080S	210E	4304733528	12736	Federal
GH 1W-32-8-21	32	080S	210E	4304733570	12797	State
GH 3W-32-8-21	32	080S	210E	4304733571	12796	State
GH 5W-32-8-21	32	080S	210E	4304733572	12828	State
GH 7W-32-8-21	32	080S	210E	4304733573	12872	State
GLEN BENCH 12W-30-8-22	30	080S	220E	4304733670	13380	Federal
GH 2W-32-8-21	32	080S	210E	4304733744	13029	State
GH 4W-32-8-21	32	080S	210E	4304733745	13035	State
GH 8W-32-8-21	32	080S	210E	4304733746	13030	State
GB 3W-16-8-22	16	080S	220E	4304733751	13577	State
GB 5W-16-8-22	16	080S	220E	4304733752	13570	State
GH 6W-32-8-21	32	080S	210E	4304733753	13036	State
GB 11W-16-8-22	16	080S	220E	4304733754	13582	State
GH 7W-21-8-21	21	080S	210E	4304733845	13050	Federal
GH 9W-21-8-21	21	080S	210E	4304733846	13074	Federal
GH 11W-21-8-21	21	080S	210E	4304733847	13049	Federal
GH 15W-21-8-21	21	080S	210E	4304733848	13051	Federal
GH 5G-32-8-21	32	080S	210E	4304733866	13037	State
WV 9W-23-8-21	23	080S	210E	4304733909	13160	Federal
GHU 14W-20-8-21	20	080S	210E	4304733915	13073	Federal
GB 1W-36-8-21	36	080S	210E	4304733944	13439	State
GB 4W-30-8-22	30	080S	220E	4304733945	13372	Federal
GB 9W-19-8-22	19	080S	220E	4304733946	13393	Federal
GB 10W-30-8-22	30	080S	220E	4304733947	13389	Federal
GB 12W-19-8-22	19	080S	220E	4304733948	13388	Federal
WV 5W-17-8-21	17	080S	210E	4304733954	13332	Federal
WV 7W-17-8-21	17	080S	210E	4304733956	13330	Federal
GB 9W-25-8-21	25	080S	210E	4304733960	13390	Federal
WV 1W-5-8-22	05	080S	220E	4304733985	13369	Federal
WV 3W-5-8-22	05	080S	220E	4304733987	13321	Federal
WV 7W-5-8-22	05	080S	220E	4304733988	13235	Federal
WV 9W-5-8-22	05	080S	220E	4304733990	13238	Federal
WV 11W-5-8-22	05	080S	220E	4304733992	13239	Federal
WV 13W-5-8-22	05	080S	220E	4304733994	13236	Federal
WV 15W-5-8-22	05	080S	220E	4304733996	13240	Federal
WV 8W-8-8-22	08	080S	220E	4304734005	13220	Federal
WV 14W-8-8-22	08	080S	220E	4304734007	13322	Federal
OU GB 6W-20-8-22	20	080S	220E	4304734018	13518	Federal
GB 5W-30-8-22	30	080S	220E	4304734025	13502	Federal
GB 11W-20-8-22	20	080S	220E	4304734039	13413	Federal

SEI (N4235) to QEP (N2460)

well name	Sec	T	R	api	Entity	Lease Type
OU GB 4W-20-8-22	20	080S	220E	4304734043	13520	Federal
WV 7W-36-7-21	36	070S	210E	4304734065	13334	State
WV 9W-36-7-21	36	070S	210E	4304734066	13331	State
WV 3G-10-8-21	10	080S	210E	4304734106	13241	Federal
WV 15G-3-8-21	03	080S	210E	4304734109	13368	Federal
WV 16G-3-8-21	03	080S	210E	4304734110	13295	Federal
GB 6W-25-8-21	25	080S	210E	4304734121	13440	Fee
GB 7W-25-8-21	25	080S	210E	4304734122	13436	Fee
GH 5W-21-8-21	21	080S	210E	4304734147	13387	Federal
GH 6W-21-8-21	21	080S	210E	4304734148	13371	Federal
GH 8W-21-8-21	21	080S	210E	4304734149	13293	Federal
GH 9W-17-8-21	17	080S	210E	4304734150	13392	Federal
GH 10W-20-8-21	20	080S	210E	4304734151	13328	Federal
GH 10W-21-8-21	21	080S	210E	4304734152	13378	Federal
GH 12W-21-8-21	21	080S	210E	4304734153	13294	Federal
GH 14W-21-8-21	21	080S	210E	4304734154	13292	Federal
GH 16W-17-8-21	17	080S	210E	4304734156	13354	Federal
GH 16W-21-8-21	21	080S	210E	4304734157	13329	Federal
GB 5W-20-8-22	20	080S	220E	4304734209	13414	Federal
WV 6W-22-8-21	22	080S	210E	4304734272	13379	Federal
GH 1W-20-8-21	20	080S	210E	4304734327	13451	Federal
GH 2W-20-8-21	20	080S	210E	4304734328	13527	Federal
GH 3W-20-8-21	20	080S	210E	4304734329	13728	Federal
GH 7W-20-8-21	20	080S	210E	4304734332	13537	Federal
GH 9W-20-8-21	20	080S	210E	4304734333	13411	Federal
GH 11W-20-8-21	20	080S	210E	4304734334	13410	Federal
GH 15W-20-8-21	20	080S	210E	4304734335	13407	Federal
GH 16W-20-8-21	20	080S	210E	4304734336	13501	Federal
WV 12W-23-8-21	23	080S	210E	4304734343	13430	Federal
OU GB 13W-20-8-22	20	080S	220E	4304734348	13495	Federal
OU GB 14W-20-8-22	20	080S	220E	4304734349	13507	Federal
OU GB 11W-29-8-22	29	080S	220E	4304734350	13526	Federal
WV 11G-5-8-22	05	080S	220E	4304734388	13422	Federal
WV 13G-5-8-22	05	080S	220E	4304734389	13738	Federal
WV 15G-5-8-22	05	080S	220E	4304734390	13459	Federal
GB 11W-30-8-22	30	080S	220E	4304734392	13433	Fee
SU BRENNAN W 15W-18-7-22	18	070S	220E	4304734403	13442	Federal
STIRRUP U 16W-5-8-22	05	080S	220E	4304734446	13654	Federal
STIRRUP U 2W-5-8-22	05	080S	220E	4304734455	13700	Federal
WV 10W-5-8-22	05	080S	220E	4304734456	13540	Federal
WV 16W-8-8-22	08	080S	220E	4304734470	13508	Federal
GB 16WX-30-8-22	30	080S	220E	4304734506	13431	Federal
OU GB 1W-19-8-22	19	080S	220E	4304734512	13469	Federal
OU GB 2W-19-8-22	19	080S	220E	4304734513	13461	Federal
OU GB 5W-19-8-22	19	080S	220E	4304734514	13460	Federal
OU GB 7W-19-8-22	19	080S	220E	4304734515	13462	Federal
OU GB 8W-19-8-22	19	080S	220E	4304734516	13489	Federal
OU GB 11W-19-8-22	19	080S	220E	4304734517	13467	Federal
OU GB 16W-19-8-22	19	080S	220E	4304734522	13476	Federal
GB 1W-30-8-22	30	080S	220E	4304734528	13487	Federal
GB 3W-30-8-22	30	080S	220E	4304734529	13493	Federal
GB 6W-30-8-22	30	080S	220E	4304734530	13519	Federal
GB 7W-30-8-22	30	080S	220E	4304734531	13494	Federal
GB 8W-30-8-22	30	080S	220E	4304734532	13483	Federal
GB 9W-30-8-22	30	080S	220E	4304734533	13500	Federal
OU GB 6W-19-8-22	19	080S	220E	4304734534	13475	Federal
OU GB 10W-19-8-22	19	080S	220E	4304734535	13479	Federal
OU GB 13W-19-8-22	19	080S	220E	4304734536	13478	Federal
OU GB 14W-19-8-22	19	080S	220E	4304734537	13484	Federal
OU GB 15W-19-8-22	19	080S	220E	4304734538	13482	Federal
OU GB 12W-17-8-22	17	080S	220E	4304734542	13543	Federal
OU GB 6W-17-8-22	17	080S	220E	4304734543	13536	Federal
OU GB 13W-17-8-22	17	080S	220E	4304734544	13547	Federal
OU GB 6W-29-8-22	29	080S	220E	4304734545	13535	Federal
OU GB 3W-29-8-22	29	080S	220E	4304734546	13509	Federal

SEI (N4235) to QEP (N2460)

well_name	Sec	T	R	api	Entity	Lease Type
OU GB 13W-29-8-22	29	080S	220E	4304734547	13506	Federal
OU GB 4W-29-8-22	29	080S	220E	4304734548	13534	Federal
OU GB 5W-29-8-22	29	080S	220E	4304734549	13505	Federal
OU GB 14W-17-8-22	17	080S	220E	4304734550	13550	Federal
OU GB 11W-17-8-22	17	080S	220E	4304734553	13671	Federal
OU GB 14W-29-8-22	29	080S	220E	4304734554	13528	Federal
OU GB 2W-17-8-22	17	080S	220E	4304734559	13539	Federal
OU GB 7W-17-8-22	17	080S	220E	4304734560	13599	Federal
GH EXT 15W-17-8-21	17	080S	210E	4304734562	13674	Federal
OU GB 16W-18-8-22	18	080S	220E	4304734563	13559	Federal
OU GB 1W-29-8-22	29	080S	220E	4304734573	13562	Federal
OU GB 7W-29-8-22	29	080S	220E	4304734574	13564	Federal
OU GB 8W-29-8-22	29	080S	220E	4304734575	13609	Federal
OU GB 9W-29-8-22	29	080S	220E	4304734576	13551	Federal
OU GB 10W-29-8-22	29	080S	220E	4304734577	13594	Federal
OU GB 15W-29-8-22	29	080S	220E	4304734578	13569	Federal
OU GB 4W-16-8-22	16	080S	220E	4304734598	13579	State
OU GB 2W-20-8-22	20	080S	220E	4304734599	13664	Federal
OU GB 2W-29-8-22	29	080S	220E	4304734600	13691	Federal
OU GB 15W-17-8-22	17	080S	220E	4304734601	13632	Federal
OU GB 16W-17-8-22	17	080S	220E	4304734602	13639	Federal
OU GB 16W-29-8-22	29	080S	220E	4304734603	13610	Federal
OU GB 1W-20-8-22	20	080S	220E	4304734604	13612	Federal
OU GB 12W-16-8-22	16	080S	220E	4304734617	13697	State
OU GB 13W-16-8-22	16	080S	220E	4304734618	13611	State
OU GB 15W-16-8-22	16	080S	220E	4304734622	13595	State
OU GB 1W-17-8-22	17	080S	220E	4304734623	13701	Federal
OU GB 9W-17-8-22	17	080S	220E	4304734624	13663	Federal
OU GB 10W-17-8-22	17	080S	220E	4304734625	13684	Federal
OU GB 9W-20-8-22	20	080S	220E	4304734630	13637	Federal
OU GB 10W-20-8-22	20	080S	220E	4304734631	13682	Federal
OU GB 15W-20-8-22	20	080S	220E	4304734632	13616	Federal
OU WIH 13W-21-8-22	21	080S	220E	4304734646	13745	Federal
OU GB 13W-9-8-22	09	080S	220E	4304734654	13706	Federal
OU GB 2W-16-8-22	16	080S	220E	4304734657	13721	State
OU GB 6W-16-8-22	16	080S	220E	4304734658	13592	State
OU GB 7W-16-8-22	16	080S	220E	4304734659	13747	State
OU GB 14W-21-8-22	21	080S	220E	4304734664	13720	Federal
OU GB 12WX-29-8-22	29	080S	220E	4304734668	13555	Federal
OU WIH 10W-21-8-22	21	080S	220E	4304734681	13662	Federal
OU GB 3W-21-8-22	21	080S	220E	4304734686	13746	Federal
OU GB 16SG-30-8-22	30	080S	220E	4304734688	13593	Federal
OU WIH 7W-21-8-22	21	080S	220E	4304734689	13716	Federal
OU GB 5W-21-8-22	21	080S	220E	4304734690	13770	Federal
OU GB 7W-20-8-22	20	080S	220E	4304734705	13710	Federal
OU SG 10W-15-8-22	15	080S	220E	4304734719	13725	Federal
OU SG 9W-10-8-22	10	080S	220E	4304734783	13722	Federal

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.	:	Oil and Gas
1050 17 th Street Suite 500	:	lease
Denver, Colorado 80265	:	

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO, MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3106
(UT-924)


July 21, 2003

Memorandum

To: Vernal Field Office
From: **ACTING** Chief, Branch of Minerals Adjudication
Subject: Name Change Approval

Attached is an approved copy of the name change from BLM-Eastern States, which is recognized by the Utah State Office. We have updated our records to reflect:

The name change from Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated is effective July 23, 1999. The BLM Bond Number is ESB000024.


Mary Higgins
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Eastern States Letter
2. List of leases

cc: MMS, James Sykes, PO Box 25165, M/S 357 B1, Denver CO 80225
State of Utah, DOGM, Earlene Russell (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

RECEIVED

JUL 29 2003

DIV. OF OIL, GAS & MINING

Exhibit of Leases

UTSL-065342	UTU-0825	UTU-65472	UTU-74971
UTSL-065429	UTU-0826	UTU-65632	UTU-74972
UTSL-066409-A	UTU-0827	UTU-67844	UTU-75079
UTSL-066446	UTU-0828	UTU-68217	UTU-75080
UTSL-066446-A	UTU-0829	UTU-68218	UTU-75081
UTSL-066446-B	UTU-0830	UTU-68219	UTU-75082
UTSL-066791	UTU-0933	UTU-68220	UTU-75083
UTSL-069330	UTU-0971	UTU-68387	UTU-75084
UTSL-070932-A	UTU-0971-A	UTU-68620	UTU-75085
UTSL-071745	UTU-01089	UTU-69001	UTU-75086
UTSL-071963	UTU-02025	UTU-70853	UTU-75087
UTSL-071964	UTU-02030	UTU-70854	UTU-75088
UTSL-071965	UTU-02060	UTU-70855	UTU-75102
	UTU-02148	UTU-70856	UTU-75103
UTU-046	UTU-02149	UTU-71416	UTU-75116
UTU-055	UTU-02510-A	UTU-72066	UTU-75243
UTU-057	UTU-09613	UTU-72109	UTU-75503
UTU-058	UTU-09617	UTU-72118	UTU-75678
UTU-059	UTU-09809	UTU-72598	UTU-75684
UTU-080	UTU-011225-B	UTU-72634	UTU-76278
UTU-081	UTU-011226	UTU-72649	UTU-75760
UTU-082	UTU-011226-B	UTU-73182	UTU-75939
UTU-093	UTU-012457	UTU-73443	UTU-76039
UTU-0116	UTU-012457-A	UTU-73456	UTU-76482
UTU-0558	UTU-018260-A	UTU-73680	UTU-76507
UTU-0559	UTU-022158	UTU-73681	UTU-76508
UTU-0560	UTU-025960	UTU-73684	UTU-76721
UTU-0561	UTU-025962	UTU-73686	UTU-76835
UTU-0562	UTU-025963	UTU-73687	UTU-77063
UTU-0566	UTU-029649	UTU-73698	UTU-77301
UTU-0567	UTU-65471	UTU-73699	UTU-77308
UTU-0568	UTU-65472	UTU-73700	UTU-78021
UTU-0569	UTU-103144	UTU-73710	UTU-78028
UTU-0570	UTU-140740	UTU-73914	UTU-78029
UTU-0571	UTU-14219	UTU-73917	UTU-78214
UTU-0572	UTU-14639	UTU-74401	UTU-78215
UTU-0629	UTU-16551	UTU-74402	UTU-78216
UTU-0802	UTU-28652	UTU-74407	UTU-80636
UTU-0803	UTU-42050	UTU-74408	UTU-80637
UTU0804	UTU-43915	UTU-74419	UTU-80638
UTU0805	UTU-43916	UTU-74493	UTU-80639
UTU0806	UTU-43917	UTU-74494	UTU-80640
UTU0807	UTU-43918	UTU-74495	
UTU0809	UTU-56947	UTU-74496	
UTU0810	UTU-65276	UTU-74836	
UTU-0823	UTU-65404	UTU-74842	
UTU-0824	UTU-65471	UTU-74968	

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/27/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/27/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 965-002-976

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2) Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 6W-25-8-21	GB 6W-25-8-21	SENW	25	080S	210E	4304734121	13440	fee	GW	P
GB 7W-25-8-21	GB 7W-25-8-21	SWNE	25	080S	210E	4304734122	13436	fee	GW	P
GB 11W-30-8-22	OU GB 11W 30 8 22	NESW	30	080S	220E	4304734392	13433	fee	GW	P
UTAH STATE 1	STATE 1	NENE	36	070S	240E	4304715128	5878	State	GW	P
KAYE STATE 1-16	KAYE STATE 1-16	NWNW	16	100S	230E	4304730609	5395	State	GW	P
TOLL STATION ST 8-36-8-21	TOLL STATION ST 8-36-8-21	SENE	36	080S	210E	4304732724	12361	State	GW	S
GLEN BENCH ST 8A-36-8-21	GB 8A 36 8 21	SENE	36	080S	210E	4304733037	12377	State	GW	P
GLEN BENCH ST 6-36-8-21	GB 6 36 8 21	SENW	36	080S	210E	4304733038	12378	State	GW	P
GLEN BENCH ST 2-36-8-21	GB 2 36 8 21	NWNE	36	080S	210E	4304733252	12527	State	GW	P
GH 1W-32-8-21	GH 1W-32-8-21	NENE	32	080S	210E	4304733570	12797	State	GW	P
GH 3W-32-8-21	GH 3W-32-8-21	NENW	32	080S	210E	4304733571	12796	State	GW	P
GH 5W-32-8-21	GH 5W-32-8-21	SWNW	32	080S	210E	4304733572	12828	State	GW	P
GH 7W-32-8-21	GH 7W-32-8-21	SWNE	32	080S	210E	4304733573	12872	State	GW	P
GH 2W-32-8-21	GH 2W-32-8-21	NWNE	32	080S	210E	4304733744	13029	State	GW	P
GH 4W-32-8-21	GH 4W-32-8-21	NWNW	32	080S	210E	4304733745	13035	State	GW	P
GH 8W-32-8-21	GH 8W-32-8-21	SENE	32	080S	210E	4304733746	13030	State	GW	P
GB 3W-16-8-22	OU GB 3W 16 8 22	NENW	16	080S	220E	4304733751	13577	State	GW	P
GB 5W-16-8-22	OU GB 5W 16 8 22	SWNW	16	080S	220E	4304733752	13570	State	GW	P
GH 6W-32-8-21	GH 6W-32-8-21	SENW	32	080S	210E	4304733753	13036	State	GW	P
GB 11W-16-8-22	OU GB 11W 16 8 22	NESW	16	080S	220E	4304733754	13582	State	GW	P
GH 5G-32-8-21	GH 5G-32-8-21	SWNW	32	080S	210E	4304733866	13037	State	OW	P
GB 1W-36-8-21	GB 1W-36-8-21	NENE	36	080S	210E	4304733944	13439	State	GW	P
WV 7W-36-7-21	WV 7W-36-7-21	SWNE	36	070S	210E	4304734065	13334	State	GW	TA
WV 9W-36-7-21	WV 9W-36-7-21	NESE	36	070S	210E	4304734066	13331	State	GW	TA
WV 9W-16-7-21	WV 9W-16-7-21	NESE	16	070S	210E	4304734324		State	GW	LA
OU GB 4W-16-8-22	OU GB 4W-16-8-22	NWNW	16	080S	220E	4304734598	13579	State	GW	P
OU GB 10W-16-8-22	OU GB 10W-16-8-22	NWSE	16	080S	220E	4304734616		State	GW	LA
OU GB 12W-16-8-22	OU GB 12W-16-8-22	NWSW	16	080S	220E	4304734617	13697	State	GW	P
OU GB 13W-16-8-22	OU GB 13W-16-8-22	SWSW	16	080S	220E	4304734618	13611	State	GW	P
GB 14MU-16-8-22	GB 14MU-16-8-22	SESW	16	080S	220E	4304734619	14196	State	GW	P
OU GB 15W-16-8-22	OU GB 15W-16-8-22	SWSE	16	080S	220E	4304734622	13595	State	GW	P
OU GB 16W-16-8-22	OU GB 16W-16-8-22	SESE	16	080S	220E	4304734655	13815	State	GW	P
OU GB 2W-16-8-22	OU GB 2W-16-8-22	NWNE	16	080S	220E	4304734657	13721	State	GW	P
OU GB 6W-16-8-22	OU GB 6W-16-8-22	SENW	16	080S	220E	4304734658	13592	State	GW	P
OU GB 8W-16-8-22	OU GB 8W-16-8-22	SENE	16	080S	220E	4304734660	13769	State	GW	TA
OU GB 9W-16-8-22	OU GB 9W-16-8-22	NESE	16	080S	220E	4304734692		State	GW	LA
OU GB 15G-16-8-22	OU GB 15G-16-8-22	SWSE	16	080S	220E	4304734829	13777	State	OW	S
GB 7MU-36-8-21	GB 7MU-36-8-21	SWNE	36	080S	210E	4304734893	14591	State	GW	P
GB 3W-36-8-21	GB 3W-36-8-21	NENW	36	080S	210E	4304734894	13791	State	GW	P
NC 8M-32-8-22	NC 8M-32-8-22	SENE	32	080S	220E	4304734897		State	GW	LA
NC 3M-32-8-22	NC 3M-32-8-22	NENW	32	080S	220E	4304734899		State	GW	LA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 5W-36-8-21	GB 5W-36-8-21	SWNW	36	080S	210E	4304734925	13808	State	GW	P
GB 4MU-36-8-21	GB 4MU-36-8-21	NWNW	36	080S	210E	4304734926	14589	State	GW	P
NC 11M-32-8-22	NC 11M-32-8-22	NESW	32	080S	220E	4304735040		State	GW	LA
GB 5SG-36-8-21	GB 5SG-36-8-21	SWNW	36	080S	210E	4304735155	14015	State	GW	P
SC 13ML-16-10-23	SC 13ML-16-10-23	SWSW	16	100S	230E	4304735281	14036	State	GW	P
SC 3M-16-10-23	SC 3ML 16 10 23	NENW	16	100S	230E	4304735282	14014	State	GW	P
SC 11ML-16-10-23	SC 11ML-16-10-23	NESW	16	100S	230E	4304735311	14035	State	GW	P
BB E 15G-16-7-21	BBE 15G 16 7 21	SWSE	16	070S	210E	4304735408	14070	State	OW	P
WH 13G-2-7-24	WH 13G-2-7-24	SWSW	02	070S	240E	4304735484	14176	State	GW	TA
FR 9P-36-14-19	FR 9P-36-14-19	NWSW	31	140S	200E	4304735880	14310	State	GW	S
CB 13G-36-6-20	CB 13G-36-6-20	SWSW	36	060S	200E	4304735969		State	OW	LA
WH 2G-2-7-24	WH 2G-2-7-24	NWNE	02	070S	240E	4304736259		State	GW	APD
WH 4G-2-7-24	WH 4G-2-7-24	NWNW	02	070S	240E	4304736261		State	GW	APD
FR 1P-36-14-19	FR 1P-36-14-19	NWNW	31	140S	200E	4304736300	14859	State	GW	S
WK 3ML-2-9-24	WK 3ML-2-9-24	NENW	02	090S	240E	4304736723		State	GW	APD
WK 7ML-2-9-24	WK 7ML-2-9-24	SWNE	02	090S	240E	4304736724		State	GW	APD
SC 5ML-16-10-23	SC 5ML-16-10-23	SWNW	16	100S	230E	4304736877	15125	State	GW	P
SC 12ML-16-10-23	SC 12ML-16-10-23	NWSW	16	100S	230E	4304736878	15053	State	GW	P
SC 14ML-16-10-23	SC 14ML-16-10-23	SESW	16	100S	230E	4304736908	15070	State	GW	P
SC 4ML-16-10-23	SC 4ML-16-10-23	NWNW	16	100S	230E	4304736912	15208	State	GW	P
FR 3P-36-14-19	FR 3P-36-14-19	NWNW	36	140S	190E	4304737376	15736	State	GW	DRL
BBE 9W-16-7-21	BBE 9W-16-7-21	NESE	16	070S	210E	4304737745		State	GW	APD
GB 10ML-16-8-22	GB 10ML-16-8-22	NWSE	16	080S	220E	4304737943		State	GW	APD
GB 9ML-16-8-22	GB 9ML-16-8-22	NESE	16	080S	220E	4304737944	15851	State	GW	DRL
FR 11P-36-14-19	FR 11P-36-14-19	NWSW	36	140S	190E	4304738349		State	GW	DRL
GB 4SG-36-8-21	GB 4SG-36-8-21	NWNW	36	080S	210E	4304738764		State	GW	APD
GB 7SG-36-8-21	GB 7SG-36-8-21	SWNE	36	080S	210E	4304738765		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
PHONE NUMBER: (303) 308-3068		8. WELL NAME and NUMBER: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached COUNTY: Uintah		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver <small>STATE</small> CO <small>ZIP</small> 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
PHONE NUMBER: (303) 308-3068		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: Uintah

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
7. UNIT or CA AGREEMENT NAME: See attached
8. WELL NAME and NUMBER: See attached
9. API NUMBER: Attached
10. FIELD AND POOL, OR WILDCAT: See attached

1 TYPE OF WELL OIL WELL GAS WELL OTHER _____

2 NAME OF OPERATOR:
Questar Exploration and Production Company *N5085*

3. ADDRESS OF OPERATOR:
1050 17th Street, Suite 500 Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 672-6900

4. LOCATION OF WELL
FOOTAGES AT SURFACE: See attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

COUNTY: Attached
STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*
Utah State Bond Number: ~~965003033~~ } *965010695*
Fee Land Bond Number: ~~965003033~~ }
BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst
SIGNATURE *Morgan Anderson* DATE 6/23/2010

(This space for State use only)

RECEIVED
JUN 28 2010

DIV. OF OIL, GAS & MINING

APPROVED 6/30/2009
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
Wr 16G-32-10-17	32	100S	170E	4301350370		State	OW	NEW	C
STATE 1	36	070S	240E	4304715128	5878	State	GW	P	
KAYE STATE 1-16	16	100S	230E	4304730609	5395	State	GW	P	
TOLL STATION ST 8-36-8-21	36	080S	210E	4304732724	12361	State	GW	S	
GB 8A-36-8-21	36	080S	210E	4304733037	12377	State	GW	P	
GB 6-36-8-21	36	080S	210E	4304733038	12378	State	GW	P	
GB 2-36-8-21	36	080S	210E	4304733252	12527	State	GW	P	
GH 1W-32-8-21	32	080S	210E	4304733570	12797	State	GW	P	
GH 3W-32-8-21	32	080S	210E	4304733571	12796	State	GW	P	
GH 5W-32-8-21	32	080S	210E	4304733572	12828	State	GW	P	
GH 7W-32-8-21	32	080S	210E	4304733573	12872	State	GW	P	
GH 2W-32-8-21	32	080S	210E	4304733744	13029	State	GW	P	
GH 4W-32-8-21	32	080S	210E	4304733745	13035	State	GW	P	
GH 8W-32-8-21	32	080S	210E	4304733746	13030	State	GW	P	
OU GB 3W-16-8-22	16	080S	220E	4304733751	13577	State	GW	P	
OU GB 5W-16-8-22	16	080S	220E	4304733752	13570	State	GW	P	
GH 6W-32-8-21	32	080S	210E	4304733753	13036	State	GW	P	
OU GB 11W-16-8-22	16	080S	220E	4304733754	13582	State	GW	P	
GH 5G-32-8-21	32	080S	210E	4304733866	13037	State	OW	P	
GB 1W-36-8-21	36	080S	210E	4304733944	13439	State	GW	P	
WV 2W-2-8-21	02	080S	210E	4304734034	13678	State	GW	P	
GB 6W-25-8-21	25	080S	210E	4304734121	13440	Fee	GW	P	
GB 7W-25-8-21	25	080S	210E	4304734122	13436	Fee	GW	P	
WV 9W-16-7-21	16	070S	210E	4304734324		State	GW	LA	
OU GB 11W-30-8-22	30	080S	220E	4304734392	13433	Fee	GW	P	
OU GB 4W-16-8-22	16	080S	220E	4304734598	13579	State	GW	P	
OU GB 10W-16-8-22	16	080S	220E	4304734616		State	GW	LA	
OU GB 12W-16-8-22	16	080S	220E	4304734617	13697	State	GW	P	
OU GB 13W-16-8-22	16	080S	220E	4304734618	13611	State	GW	P	
GB 14MU-16-8-22	16	080S	220E	4304734619	14196	State	GW	P	
OU GB 15W-16-8-22	16	080S	220E	4304734622	13595	State	GW	P	
OU GB 16W-16-8-22	16	080S	220E	4304734655	13815	State	GW	P	
OU GB 2W-16-8-22	16	080S	220E	4304734657	13721	State	GW	P	
OU GB 6W-16-8-22	16	080S	220E	4304734658	13592	State	GW	P	
OU GB 8W-16-8-22	16	080S	220E	4304734660	13769	State	GW	TA	
OU GB 9W-16-8-22	16	080S	220E	4304734692		State	GW	LA	
OU GB 15G-16-8-22	16	080S	220E	4304734829	13777	State	OW	S	
GB 7MU-36-8-21	36	080S	210E	4304734893	14591	State	GW	P	
GB 3W-36-8-21	36	080S	210E	4304734894	13791	State	GW	P	
NC 8M-32-8-22	32	080S	220E	4304734897		State	GW	LA	
NC 3M-32-8-22	32	080S	220E	4304734899		State	GW	LA	
GB 5W-36-8-21	36	080S	210E	4304734925	13808	State	GW	P	
GB 4MU-36-8-21	36	080S	210E	4304734926	14589	State	GW	P	
NC 11M-32-8-22	32	080S	220E	4304735040		State	GW	LA	
GB 5SG-36-8-21	36	080S	210E	4304735155	14015	State	GW	P	
SC 13ML-16-10-23	16	100S	230E	4304735281	14036	State	GW	P	
SC 3ML-16-10-23	16	100S	230E	4304735282	14014	State	GW	P	
SC 11ML-16-10-23	16	100S	230E	4304735311	14035	State	GW	P	
WH 13G-2-7-24	02	070S	240E	4304735484	14176	State	D	PA	
FR 9P-36-14-19	31	140S	200E	4304735880	14310	State	GW	P	
CB 13G-36-6-20	36	060S	200E	4304735969		State	OW	LA	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
WH 2G-2-7-24	02	070S	240E	4304736259		State	GW	LA	
WH 4G-2-7-24	02	070S	240E	4304736261		State	GW	LA	
FR 1P-36-14-19	31	140S	200E	4304736300	14859	State	GW	P	
WK 3ML-2-9-24	02	090S	240E	4304736723		State	GW	LA	
WK 7ML-2-9-24	02	090S	240E	4304736724		State	GW	LA	
SC 5ML-16-10-23	16	100S	230E	4304736877	15125	State	GW	P	
SC 12ML-16-10-23	16	100S	230E	4304736878	15053	State	GW	P	
SC 14ML-16-10-23	16	100S	230E	4304736908	15070	State	GW	P	
SC 4ML-16-10-23	16	100S	230E	4304736912	15208	State	GW	P	
FR 3P-36-14-19	36	140S	190E	4304737376	15736	State	GW	P	
BZ 12ML-16-8-24	16	080S	240E	4304737670		State	GW	LA	
BZ 10D-16-8-24	16	080S	240E	4304737671	15979	State	GW	S	
BZ 14ML-16-8-24	16	080S	240E	4304737672		State	GW	LA	
BBE 9W-16-7-21	16	070S	210E	4304737745		State	GW	LA	
GB 10ML-16-8-22	16	080S	220E	4304737943		State	GW	LA	
GB 9ML-16-8-22	16	080S	220E	4304737944	15851	State	GW	P	
HR 2MU-2-12-23	02	120S	230E	4304738052		State	GW	LA	
HR 3MU-2-12-23	02	120S	230E	4304738053		State	GW	LA	
HR 6MU-2-12-23	02	120S	230E	4304738054		State	GW	LA	
HR 10MU-2-12-23	02	120S	230E	4304738055	15737	State	GW	S	
HR 12MU-2-12-23	02	120S	230E	4304738056		State	GW	LA	
HR 14MU-2-12-23	02	120S	230E	4304738057		State	GW	LA	
HR 16MU-2-12-23	02	120S	230E	4304738058		State	GW	LA	
FR 11P-36-14-19	36	140S	190E	4304738349	15899	State	GW	P	
GB 4SG-36-8-21	36	080S	210E	4304738764	16142	State	GW	P	
GB 7SG-36-8-21	36	080S	210E	4304738765	16144	State	GW	P	
WF 3D-32-15-19	32	150S	190E	4304738877		State	GW	APD	C
SCS 5C-32-14-19	32	140S	190E	4304738963	16759	State	GW	P	
FR 7P-36-14-19	31	140S	200E	4304738992	15955	State	GW	P	
SCS 10C-16-15-19	16	150S	190E	4304739683	16633	State	GW	P	
FR 6P-16-14-19	16	140S	190E	4304740350		State	GW	APD	C

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695