

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLI E*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires December 31, 1991

APPLICATION FOR PERMIT TO DRILL OR DEEPEN


1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U-057
b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS-WELL <input checked="" type="checkbox"/> OTHER _____ SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR CHEVRON USA PRODUCTION CO., INC.		7. UNIT AGREEMENT NAME Wonsits Valley Fed. Unit
3. ADDRESS AND TELEPHONE NO. 11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (435) 781-4300		8. FARM OR LEASE NAME, WELL NO. WVFU #138 WG
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 2372' FNL, 131' FWL, SW/NW 723 40 At proposed prod. Zone SAME		9. API WELL NO.
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* ~34.7 MILES FROM VERNAL, UT		10. FIELD AND POOL, OR WILDCAT Wonsits Valley - Wasatch
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. Unit line, if any) 131'	16. NO. OF ACRES IN LEASE 528.72	11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA SEC. 18-T8S-R22E
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, approx. 450' OR APPLIED FOR, ON THIS LEASE, FT.	19. PROPOSED DEPTH 7200'	12. COUNTY OR PARISH UINTAH
20. ROTARY OR CABLE TOOLS ROTARY	17. NO. OF ACRES ASSIGNED TO THIS WELL NA	13. STATE UTAH
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4946.3' GL		22. APPROX. DATE WORK WILL START* 3/1/98

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8-5/8" K-55	24#	500'	240 SX. CLASS G
7-7/8"	5-1/2" K-55	15.5#	7200'	354SX. HI-FILL LEAD, 291 SX. PREMIUM AG TAIL

Chevron proposes to drill a new gas producer at the location above. Attachments:

- Certified plat
- Self certification statement
- Thirteen point surface use plan
- Eight point drilling plan



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measure and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE Red Wash Asset Team Leader DATE 2-3-98

(This space for Federal or State office use)

PERMIT NO. 43-0477-33054 APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Associate Director Utah DOGM DATE 2/19/98

*See Instructions On Reverse Side


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CHEVRON U.S.A., INC.

Well location, WONSITS VALLEY #138 WG,
located as shown in Lot 2 of Section 18,
T8S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION LOCATED IN THE SE 1/4 OF SECTION
13, T8S, R21E, S.L.B.&M. TAKEN FROM THE RED WASH SW,
QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD.
(TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES
DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY.
SAID ELEVATION IS MARKED AS BEING 4919 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH


Robert R. Kay
No. 161319

Revised: 01-30-98 D.R.B.

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 01-11-98	DATE DRAWN: 01-18-98
PARTY D.K. D.H. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE CHEVRON U.S.A., INC.	

T8S, R22E, S.L.B.&M.



LEGEND:

- └ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

**United States Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 West
Vernal, UT 84078**

SELF-CERTIFICATION STATEMENT

Be advised that Chevron USA Production Company is considered to be the operator of Wonsits Valley Federal Unit #138 WG, SWNW-Sec.18-T8S-R22E, Uintah County, Utah, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by Nationwide Bond #U-89-75-81-34 (Standard Oil Co. of California and its wholly owned subsidiary Chevron USA Production Co., as co-principals) via surety consent as provided for in 43 CFR 3104.2.

Sincerely,



**J. T. Conley
Red Wash Area Team Leader**

DATE: 7-3-98

CHEVRON USA PRODUCTION CO.

**WONSITS VALLEY FEDERAL UNIT #138-WG
2372' FNL & 131' FWL
SEC 18-T8S-R22E SLB&M
UINTAH COUNTY, UTAH**

EIGHT POINT DRILLING PLAN

1. ESTIMATED FORMATION TOPS:

Green River	2280'
Wasatch	5886'

2. ESTIMATED DEPTHS OF TOP AND BOTTOM OF WATER, OIL, GAS, OR OTHER MINERAL BEARING FORMATIONS AND PLAN FOR PROTECTION:

Deepest Fresh Water: ~1943' from surface

Oil and Gas: Oil previously produced from the Green River Formation between 5101' and 5218'; gas expected in the Wasatch Formation between ~6200' and 7200' TD.

Protection of oil, gas, water, or other mineral bearing formations: Protection shall be accomplished by cementing surface casing and production casing back to the surface or to depths sufficient to isolate required formations. Please refer to casing and cement information for protection plans.

3. PRESSURE CONTROL EQUIPMENT:

For drilling 11" surface hole to 500': No BOP equipment required.

For drilling through 8.625" surface casing to TD:

Maximum anticipated surface pressure is <1600 psi.

Pressure control equipment shall be in accordance with BLM minimum standards for 2000 psi equipment.

A casing head with an 11", 3000 psi flange will be welded onto the 8.625" surface casing.

BOP stack will consist of a double gate and annular preventer. The double gate will be equipped with pipe rams on bottom and blind rams on top. The choke and kill lines will be connected to outlets between the bottom and top rams, utilizing either the ram body outlet or a drilling spool with side outlets. The BOP stack will be 11" bore, 3000 psi working pressure. The choke and kill lines will be 2" or 3" bore, 3000 psi working pressure.

A rotating head may be used while drilling for control of gas cut mud.

Test procedure and frequency shall be in accordance with BLM minimum standards for 2000 psi equipment.

4. SUPPLEMENTAL DRILLING EQUIPMENT AND CASING INFORMATION:

Casing Information: All casing will be new and tested to 1500 PSI

Casing	Conn.	New/ Used	Stage Tool	Centralizers
8.625"	STC	New	None	10' above shoe, on 1st and 3rd collars
5.5"	STC	New	None	10' above shoe, every other collar to top of pay (~6200')

Cement Information:

8.625" Casing: Oilfield type cement circulated in. Class A or G single slurry mixed to 15.6 ppg, yield = 1.19 cf/sx. Fill to surface with 286 cf (240 sx). Tail plug used. Allowed to set under pressure.

5.5" Casing: Lead/tail oilfield type cement circulated in, 50% excess assumed.

Lead slurry - Premium AG250 High Fill Standard mixed to 11.0 ppg, yield = 3.82 cf/sx.

Tail slurry - Premium AG250 + additives as required mixed to 14.8 ppg, yield = 1.34 cf/sx. Fill to ~5700' with 390 cf (291 sx.).

Drilling Equipment:

Surface hole will be drilled and surface casing set with a small rotary surface hole rig.

A rotating head may be used while drilling below surface casing for control of gas cut mud.

5. CIRCULATING MEDIUM, MUD TYPE, MINIMUM QUANTITIES OF WEIGHT MATERIAL, AND MONITORING EQUIPMENT:

Surface hole will be drilled with air, air/mist, foam or mud depending on hole conditions. Drilling below surface casing will be performed with water based drilling fluids consisting primarily of fresh water, bentonite, lignite, caustic, lime, soda ash, and polymers. No chromates will be used. It is not intended to use oil in the mud, however, in the event it is used, oil concentration will be less than 4% by volume. Maximum anticipated mud weight is ± 10 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used during drilling operations.

Gas detector will be used during drilling operations.

6. ANTICIPATED TYPE AND AMOUNT OF TESTING, LOGGING, AND CORING:

Logging:

Gamma Ray, Resistivity, from TD to Surface Casing'.
MRIL across selected intervals based on indicators from other logs.
Mud logging with 10' samples from 5050' to TD.

Coring:

None planned.

Testing:

None planned.

7. EXPECTED BOTTOM HOLE PRESSURE AND ANY ANTICIPATED ABNORMAL PRESSURE, TEMPERATURES, OR OTHER HAZARDS (H₂S, STEAM, ETC.) AND ASSOCIATED CONTINGENCY PLANS:

Near normal pressure gradients are expected in the Wasatch Formation. Some slightly pressured intervals may exist (+/-10 ppg MWE) in previous waterflood intervals in the Green River Formation. Other slightly pressured intervals which may be encountered are typically tight and require fracture stimulation to flow.

Maximum expected BHP @ 7200': ~3120 psi
Maximum expected BHT @ 7200': ~160° F.

Minor amounts of H₂S may exist in previous waterflood intervals of the Green River Formation.

8. OTHER:

No other abnormal hazards are anticipated and no contingency plans are required.

CHEVRON USA PRODUCTION CO.

**Wonsits Valley Fed. Unit #138WG
2372' FNL & 131' FWL
SWNW-S18-T8S-R22E, SLB&M
UINTAH COUNTY, UTAH**

THIRTEEN POINT SURFACE USE PLAN

1. EXISTING ROADS:

- A. See Topographic Map A. There are no plans to change, alter or improve upon any existing state or county road.
- B. See Topographic Map A & B. Proposed access road begins approximately 34.6 miles from Vernal, UT.

2. ACCESS ROADS TO BE CONSTRUCTED OR RECONSTRUCTED:

- A. See Topographic Maps A and B. An access road approximately 0.1 mile in length is proposed.

3. LOCATION OF EXISTING WELLS WITHIN ONE MILE:

- A. See Topographic Map C.

4. LOCATION OF EXISTING OR PROPOSED FACILITIES IF WELL IS PRODUCTIVE:

- A. See Topographic Map B.
- B. Gas dehydration unit, and a 2" surface gas line paralleling the access road to an existing pipe line.
- C. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by the BLM.

5. LOCATION AND TYPE OF WATER SUPPLY:

- A. Wonsits Valley Federal Unit water supply wells 1965 Application #36125.
- B. Water well in Ouray operated by A-1 Tank and Brine, Permit #43-8496.
- C. City water from Ouray provided by Ouray Brine's facility in Ouray. No permit.

WVFU #138WG THIRTEEN POINT SURFACE USE PLAN

6. CONSTRUCTION MATERIALS:

- A. Native dirt and gravel will be used as construction materials.

7. METHODS FOR HANDLING WASTE DISPOSAL:

- A. A lined reserve pit will be constructed to contain excess drilling fluids.
- B. Excess reserve pit fluid will be disposed of via evaporation, percolation at pit abandonment or haul-off to a commercial disposal facility.
- C. Drill cuttings will be caught and settled in the reserve pit and buried when the pit is backfilled.
- D. Commercial service will provide portable toilets and haul-off to a commercial disposal facility.
- E. Trash will be stored in trash containers and hauled to commercial or municipal facility for disposal.
- F. It is not anticipated that any salt or chemicals will need to be disposed of. If required, disposal will be by commercial disposal facility.
- G. In the event fluids are produced, any oil will be transferred to existing facilities within Wonsits Valley Unit and sold. Any water will be transferred to Red Wash Unit disposal facilities.
- H. Hazardous chemicals 10,000lb. of which will most likely be used, produced, stored, transported or disposed of in association with the proposed action of drilling, completing and producing this well: We anticipate that none of the hazardous chemicals in quantities of 10,000 lb. or more will be associated with these operations.
- I. Extremely hazardous substances threshold quantities of which will be used, produced, stored, transported or disposed of in association with the proposed action of drilling, completing and producing this well: We anticipate that none of the extremely hazardous substances in threshold quantities per 40 CFR 355 will be associated with these operations.

8. ANCILLARY FACILITIES:

- A. None.

WVFU #138WG - THIRTEEN POINT SURFACE USE PLAN

9. WELLSITE LAYOUT:

- A. See Figures 1 and 2.
- B. Burn pit will not be lined.
- C. Access to the well pad will be as shown on Topographic Map B.

10. PLAN FOR RESTORATION OF SURFACE:

- A. All surface areas not required for production operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.
- B. The topsoil will be evenly distributed over the disturbed areas. Reseeding will be performed as directed by the BLM.
- C. Pits that would present a hazard to wildlife or livestock will be backfilled when the rig is released and removed.
- D. Completion of the well is planned during 1998. Rehabilitation will commence following completion of the well. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as soon as possible.

11. SURFACE OWNERSHIP:

- A. The wellsite, access roads and production facilities are constructed on federal lands. The operator shall contact the BLM at (435) 781-4400 between 24 and 48 hours prior to construction activities.

12. OTHER INFORMATION:

- A. Surface use activities other than the oil and gas well facilities consist of grazing.
- B. There are no occupied dwellings near the wellsite.
- C. Archeological clearance has been recommended per Senco-Phenix Report SPUT-60, dated 10/26/84.

WVFU #138WG - THIRTEEN POINT SURFACE USE PLAN

13. COMPANY REPRESENTATIVE:

Mr. J. T. Conley
11002 East 17500 South
Vernal, UT 84078
(435) 781-4301

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron USA Production Co., Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

2-3-98
Date




J. T. Conley
Red Wash Asset Team Leader

CHEVRON USA., INC.

LOCATION LAYOUT FOR

WONSITS VALLEY #138 WG
SECTION 18, T8S, R22E, S.L.B.&M.
2372' FNL 131' FWL



FIGURE #1



SCALE: 1" = 50'
DATE: 01-30-98
Drawn By: D.R.B.

NOTE:

FLARE PIT IS TO BE LOCATED A MINIMUM OF 100' FROM THE WELL HEAD.





Elev. Ungraded Ground at Location Stake = 4946.8'
Elev. Graded Ground at Location Stake = 4946.3'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017





CHEVRON USA., INC.
 TYPICAL CROSS SECTIONS FOR

WONSITS VALLEY #138 WG
 SECTION 18, T8S, R22E, S.L.B.&M.
 2372' FNL 131' FWL

FIGURE #2



DATE: 01-30-98
 Drawn By: D.R.B.




APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,280 Cu. Yds.
Remaining Location	= 4,850 Cu. Yds.
TOTAL CUT	= 6,130 CU.YDS.
FILL	= 2,040 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 3,980 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 2,470 Cu. Yds.
EXCESS CUT MATERIAL	= 1,510 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
 85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017



SEE TOPO "B"

R
21
E

R
22
E

**PROPOSED LOCATION:
WONSITS VALLEY #138 WG**

T7S
T8S

LEGEND:

⊙ PROPOSED LOCATION



CHEVRON U.S.A., INC.


**WONSITS VALLEY #138 WG
SECTION 18, T8S, R22E, S.L.B.&M.
2372' FNL 131' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 1 1998
MAP MONTH DAY YEAR
SCALE: 1:100,000 DRAWN BY: D.COX REVISED: 1-30-98





LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING ROAD




CHEVRON U.S.A., INC.
WONSITS VALLEY #138 WG
SECTION 18, T8S, R22E, S.L.B.&M.
2372' FNL 131' FWL

UEIS Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP **1 1998**
 MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: D.COX REVISED: 1-30-98 **B TOPO**

T8S



**PROPOSED LOCATION:
WONSITS VALLEY #138 WG**

**R
21
E** **R
22
E**

LEGEND:

- ∅ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED



CHEVRON U.S.A., INC.


**WONSITS VALLEY #138 WG
SECTION 18, T8S, R22E, S.L.B.&M.
2372' FNL 131' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP
1 1998
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: D.COX REVISED: 1-30-98





APPROXIMATE TOTAL PIPELINE DISTANCE = 2100' +/-

LEGEND:

- EXISTING PIPELINE
- PROPOSED PIPELINE
- PROPOSED ACCESS



CHEVRON U.S.A., INC.
WONSITS VALLEY #138 WG
SECTION 18, T8S, R22E, S.L.B.&M.
2372' FNL 131' FWL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC **1** **19** **98**
MAP MONTH DAY YEAR
 SCALE: 1" = 1000' DRAWN BY: D.COX REVISED: 1-30-98




CHEVRON DRILLING REFERENCE SERIES
VOLUME ELEVEN
WELL CONTROL AND BLOWOUT PREVENTION

D. CLASS III CHOKE MANIFOLD

The Class III choke manifold is suitable for Class III workovers and drilling operations. The Standard Class III choke manifold is shown in Figure 11J.8 below. Specific design features of the Class III manifold include:

1. The manifold is attached to a drilling spool or the top ram preventer side outlet.
2. The minimum internal diameter is 2" (nominal) for outlets, flanges, valves and lines.
3. Includes two steel gate valves in the choke line at the drilling spool outlet. The inside choke line valve may be remotely controlled (HCR).
4. Includes two manually adjustable chokes which are installed on both side of the manifold cross. Steel isolation gate valves are installed between both chokes and the cross, and also downstream of both chokes.
5. Includes a bleed line which runs straight through the cross and is isolated by a steel gate valve.
6. Includes a valve isolated pressure gauge suitable for drilling service which can display the casing pressure within view of the choke operator.
7. Returns through the choke manifold must be divertible through a mud-gas separator and then be routed to either the shale shaker or the reserve pit through a buffer tank or manifold arrangement.
8. If the choke manifold is remote from the wellhead, a third master valve should be installed immediately upstream of the manifold cross.




CHEVRON DRILLING REFERENCE SERIES
VOLUME ELEVEN
WELL CONTROL AND BLOWOUT PREVENTION

D. TYPE "B" KILL LINE — CLASS III, IV, AND V WELLS


The type B kill line described below in Figure 11J.11 is the minimum recommended hookup for installation on all Class III, Class IV and Class V wells. Specific design features of the type B kill line include:

1. The preferred kill line connection to the well is at the drilling spool, however, a preventer side outlet may be used when space restrictions exclude the use of a drilling spool. In all cases, the kill line must be installed below the uppermost blind rams so the well can be pumped into with no pipe in the hole.
2. The arrangement includes two - 2" (nominal) gate valves installed at the drilling spool and an upstream fluid cross. The outside valve may be hydraulically remote controlled.
3. Two pump-in lines should be attached to the fluid cross. The **primary kill line** should be routed to the rig standpipe where it can be manifolded to the rig pumps. The **remote kill line** should be run to a safe location away from the rig or to the rig cementing unit. The remote kill line should have a loose end connection for rigging-up a high pressure pumping unit.
4. Both the primary kill line and the remote kill line must include a 2" check valve which is in working condition while drilling. If a check valve is crippled for testing purposes, the flapper or ball must be re-installed and tested before drilling resumes.
5. The primary kill line must include a pressure gauge which can display the pump-in pressure on the rig floor.
6. Any lines which are installed at the wellhead are designated as "emergency kill lines" and should only be used if the primary and remote kill lines are inoperable.



E. CLASS III BLOWOUT PREVENTER STACK:

The Class III preventer stack is designed for drilling or workover operations. It is composed of a single hydraulically operated annular preventer on top, then a blind ram preventer, a drilling spool, and a single pipe ram preventer on bottom. The choke and kill lines are installed onto the drilling spool and must have a minimum internal diameter of 2". All side outlets on the preventers or drilling spool must be flanged, studded, or clamped. An emergency kill line may be installed on the wellhead. A double ram preventer should only be used when space limitations make it necessary to remove the drilling spool. In these instances, the choke manifold should be connected to a flanged outlet between the preventer rams only. In this hookup, the pipe rams are considered master rams only, and cannot be used to routinely circulate out a kick. The Class III blowout preventer stack is shown to the right in Figure 11J.4.



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/26/98

API NO. ASSIGNED: 43-047-33054

WELL NAME: WVFU #138 WG
 OPERATOR: CHEVRON USA PRODUCTION (N0210)

PROPOSED LOCATION:
 SWNW 18 - T08S - R22E
 SURFACE: 2372-~~FSL~~^N-0131-FWL
 BOTTOM: 2372-~~FSL~~^N-0131-FWL
 UINTAH COUNTY
 WONSTIT\WONSITS VALLEY FIELD (710)

INSPECT LOCATION BY: / /		
TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: FED
 LEASE NUMBER: U - 057

PROPOSED PRODUCING FORMATION: WSTC

RECEIVED AND/OR REVIEWED:


Plat
 Bond: Federal [State [] Fee []
 (Number 11-89-75-81-34)
 Potash (Y/N)
 Oil shale (Y/N)
 Water permit
 (Number 43-8476)
 RDCC Review (Y/N)
 (Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: WONSITS VALLEY
 _____ R649-3-2. General.
 _____ R649-3-3. Exception.
 _____ Drilling Unit.
 Board Cause no: _____
 Date: _____

COMMENTS: _____

STIPULATIONS: _____




DIVISION OF OIL, GAS & MINING

OPERATOR: CHEVRON USA INC. (N0210)

FIELD: WONSITS VALLEY (710)

SEC. 18, TWP 8S RNG 22E

COUNTY: UINTAH UAC: R649-2-3 WONSITS VALLEY UINT



DATE PREPARED:
5-FEB-1998



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

February 19, 1998

Chevron USA Production Company, Inc.
11002 East 17500 South
Vernal, Utah 84078-8526


Re: WVFU 138 WG Well, 2372' FNL, 131' FWL, SW NW, Sec. 18,
T. 8 S., R. 22 E., Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33054.

Sincerely,


John R. Baza
Associate Director

lwp

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Chevron USA Production Company, Inc.
Well Name & Number: WVFU 138 WG
API Number: 43-047-33054
Lease: U-057
Location: SW NW Sec. 18 T. 8 S. R. 22 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jim Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact John R. Baza (801)538-5334.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPPLICATE*
(Other instructions
reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires December 31, 1991

APPLICATION FOR PERMIT TO DRILL OR DEEPEN


1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEEN <input type="checkbox"/>		RECEIVED FEB 03 1998		5. LEASE DESIGNATION AND SERIAL NO. U-057
b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS-WELL <input checked="" type="checkbox"/> OTHER _____		SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		7. UNIT AGREEMENT NAME Wonsits Valley Fed. Unit
2. NAME OF OPERATOR CHEVRON USA PRODUCTION CO., INC.				8. FARM OR LEASE NAME, WELL NO. WVVFU #138 WG
3. ADDRESS AND TELEPHONE NO. 11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (435) 781-4300				9. API WELL NO. 43-047-33054
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 2372' FNL, 131' FWL, SW/NW At proposed prod. Zone SAME				10. FIELD AND POOL, OR WILDCAT Wonsits Valley - Wasatch
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* ~34.7 MILES FROM VERNAL, UT				11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA SEC. 18-T8S-R22E
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. Unit line, if any) 131'	16. NO. OF ACRES IN LEASE 528.72	17. NO. OF ACRES ASSIGNED TO THIS WELL NA		
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, approx. 450' OR APPLIED FOR, ON THIS LEASE, FT.	19. PROPOSED DEPTH 7200'	20. ROTARY OR CABLE TOOLS ROTARY		
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4946.3' GL			22. APPROX. DATE WORK WILL START* 3/1/98	

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8-5/8" K-55	24#	500'	240 SX. CLASS G
7-7/8"	5-1/2" K-55	15.5#	7200'	354SX. HI-FILL LEAD, 291 SX. PREMIUM AG TAIL

Chevron proposes to drill a new gas producer at the location above. Attachments:

- Certified plat
- Self certification statement
- Thirteen point surface use plan
- Eight point drilling plan



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *[Signature]* TITLE Red Wash Asset Team Leader DATE 2-3-98

(This space for Federal or State office use)
PERMIT NO. **NOTICE OF APPROVAL** APPROVAL DATE _____ **CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY**

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
CONDITIONS OF APPROVAL, IF ANY:
APPROVED BY *[Signature]* TITLE Assistant Field Manager Mineral Resources DATE FEB 19 1998

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Chevron U.S.A. Production Company, Inc.

Well Name & Number: WVFU 138 WG

API Number: 43-047-33054

Lease Number: U - 057

Location: SWNW Sec. 18 T. 8S R. 22E

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a **2M** system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at 1,961 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to top of the cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5(d) shall be submitted to the appropriate Field Office within 60 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (1).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted on initial meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal Field Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2. Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Ed Forsman (435) 789-7077
Petroleum Engineer

Wayne P. Bankert (435) 789-4170
Petroleum Engineer

Jerry Kenczka (435) 789-1190
Petroleum Engineer

BLM FAX Machine (435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

SURFACE CONDITIONS OF APPROVAL

-Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, and crowning (2 to 3%). Graveling or capping the roadbed will be required as necessary to provide a well constructed safe road. Prior to construction/upgrading, the proposed road surface or existing road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Should mud holes develop, they shall be filled in to prevent detours. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainage be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. When snow is removed from the road during the winter months, the snow should be pushed outside of the burrow ditches and the turn outs should be kept clear so that when the snow melts the water will be channeled away from the road.

Windrow topsoil materials at the South side of the location. Seed windrowed piles with the seed mixture listed below, immediately after windrowing, and work seed into the piles with caterpillar tractor.

Stockpile enough topsoil near the reserve pit so that when the reserve pit is reclaimed, it can be respread over the pit location. Spread the topsoil over the reserve pit with the seed mix listed below, and work seed into the ground with caterpillar tractor. If the reserve pit is in a fill area, then when the entire pad is recontoured for final abandonment, the topsoil from the reserve pit area should be stripped off so that topsoil can be respread and reseeded on the recontoured location.

Needle and thread	Stipa comata	3 lbs/acre
Shadscale	Atriplex confertifolia	2 lbs/acre
Fourwing Saltbush	Atriplex canescens	4 lbs/acre
Indian Ricegrass	Oryzopsis hymenoides	3 lbs/acre

All poundages are in pure live seed. This seed mixture should also be used for final abandonment.

All permanent (on location for six months or longer) facilities constructed or installed (including pumping units) will be painted a flat, non-reflective earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. The required color is Carlsbad Canyon (2.5Y 6/2 Munsell Soil Color Chart).

All pits will be fenced according to the following minimum standards:

39-inch net wire shall be used with at least one strand of barbed wire on top of the net wire (If pipe or some type of reinforcement rod is attached to the top of the entire fence, the barbed wire is not necessary.)

The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be braced in such a manner as to keep the fence tight at all times. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall not exceed 16 feet.

All wire shall be stretched by using a stretching device before it is attached to the corner posts. The reserve pit will be fenced on three sides during drilling operations and on the fourth side when the rig moves off location. Fences around existing pits will be maintained until the pit reclamation operations occur and the pits are backfilled.

If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer of the BLM regarding the discovery for guidance regarding mitigation requirements.

The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. On BLM land it is required that a Pesticide Use Proposal shall be submitted, and receive approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

All lease and/or unit operations will be conducted in a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the operator's field representative to ensure compliance. A complete copy of the approved APD shall be on location during construction of the location and drilling activities.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: CHEVRON USA

Well Name: WONSIT VALLEY UNIT 138 WG

Api No. 43-047-33054

Section 18 Township 8S Range 22E County UINTAH

Drilling Contractor _____

Rig # _____

SPUDDED:

Date 2/26/98

Time _____

How DRY HOLE

Drilling will commence _____

Reported by _____

Telephone # 1-435-790-1223

Date: 2/26/98 Signed: JLT

✓

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2372' FNL, 131' FWL, SW NW, SEC 18, T8S, R22E SLBM

5. Lease Designation and Serial No.
U-057

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
Wonsits Valley Federal Unit

8. Well Name and No.
Wonsits Valley Federal Unit 138 WG

9. API Well No.
43-047-33054

10. Field and Pool, or Exploratory Area
Wonsits Valley - Green River

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>SPUD DATE</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL WAS SPUD ON 2/27/98 TO 540'. RIH W/12 JTS 8 5/8" CSG W/GUIDE SHOE AND INSERT.

Jerry Kenderman with the State of Utah and Mike Hebertson with BLM were notified of spud.



14. I hereby certify that the foregoing is true and correct.
Signed D. C. TANNER *DC Tanner* Title COMPUTER SYSTEMS OPERATOR Date 3/19/98

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR: **Chevron USA Production Company**
ADDRESS: **11002 East 17500 South**
Vernal, Utah 84078-8526 (801)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
A	99999	12322	43-047-33054	WVFU 138 WG	SW NW	18	8S	22E	Uintah	2/27/98	

WELL 1 COMMENTS:
New well to be drilled in Wonsits Valley, for Wasatch Gas Production Entity added 3-27-98. See

--	--	--	--	--	--	--	--	--	--	--	--

WELL 2 COMMENTS:

--	--	--	--	--	--	--	--	--	--	--	--

WELL 3 COMMENTS:

										/	
--	--	--	--	--	--	--	--	--	--	---	--


WELL 4 COMMENTS:

--	--	--	--	--	--	--	--	--	--	--	--

WELL 5 COMMENTS:

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected



DC Janner
Signature
Computer Systems Opr 3/19/98
Title Date
Phone No. (801) 781-4300

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
U-057

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
Wonsits Valley Federal Unit

8. Well Name and No.
Wonsits Valley Federal Unit 138 WG

9. API Well No.
43-047-33054

10. Field and Pool, or Exploratory Area
Wonsits Valley - Green River

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2372' FNL, 131' FWL, SW NW, SEC 18, T8S, R22E SLBM


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other <u>COMPLETION</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE INTEND TO COMPLETE THIS WELL PER THE ATTACHED.



14. I hereby certify that the foregoing is true and correct.
Signed D. C. TANNER *D. C. Tanner* Title COMPUTER SYSTEMS OPERATOR Date 04/01/98

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____

Conditions of approval, if any **Accepted by the Utah Division of Oil, Gas and Mining**

Title 18 U.S.C. Section 1001, makes it a crime to knowingly and willfully make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FOR RECORD ONLY See instruction on Reverse Side

**WVFU #138WG
COMPLETION PROCEDURE**

1. MIRU. NU BOPE. PICK UP BIT, SCRAPER AND TUBING. CLEAN OUT TO FLOAT COLLAR.
2. RUN GR-CBL-CCL FROM PBTD TO ~200' ABOVE CEMENT TOP. TEST CASING TO ~3500 PSI.
3. PERFORATE 7260-7304' WITH 4 JSPF, 90° PHASING. NOTE - ALL PERFORATING DEPTHS ARE FROM THE HALLIBURTON INDUCTION LOG DATED 3/25/98.
4. RU AND FRACTURE DOWN CASING PER THE SCHEDULE BELOW. BASE FLUID IS 2% KCI WITH A LOW RESIDUE "DELTA FRAC" GUAR SYSTEM, 25#/M CONCENTRATION. INCLUDE 1 GAL./M NON-EMULSIFIER; CROSSLINKER AND RELATED ADDITIVES SUFFICIENT TO CROSSLINK INSTANTLY, AND APPROPRATE OXIDIZER AND ENZYME GEL BREAKERS FOR ~160°F BHT. FLUSH TO ~7200'.

STAGE	VOL. GAL.	CUM. VOL. GAL.	SAND LB.	CUM. SAND LB.
PAD	15000	15000	0	0
25#/M				
1-6 PPG	20000	35000	70000	70000
25#/M				
6 PPG	40000	75000	240000	310000
25#/M				
FLUSH	~7200	82200	0	310000
0#/M				

DESIRED TREATING RATE: 30 BPM
 EXPECTED MAX. SURFACE PRESSURE: ~3400 PSI
 EXPECTED MAX. HHP: ~2500 HHP

5. SET COMPOSITE BRIDGE PLUG AT ~6950 AND PRESSURE TEST TO ~3400 PSI.
6. PERFORATE 6806-21' USING 4 JSPF, 90° PHASING.
7. RU AND FRACTURE DOWN CASING PER THE SCHEDULE BELOW. BASE FLUID IS 2% KCI WITH A LOW RESIDUE "DELTA FRAC" GUAR SYSTEM, 25#/M CONCENTRATION. INCLUDE 1 GAL./M NON-EMULSIFIER; CROSSLINKER AND RELATED ADDITIVES SUFFICIENT TO CROSSLINK INSTANTLY, AND APPROPRATE OXIDIZER AND ENZYME GEL BREAKERS FOR ~160°F BHT. FLUSH TO ~6650'.

STAGE	VOL. GAL.	CUM. VOL. GAL.	SAND LB.	CUM. SAND LB.
PAD 25#/M	6000	6000	0	0
1-6 PPG 25#/M	8000	14000	28000	28000
6 PPG 25#/M	18000	32000	108000	136000
FLUSH 0#/M	~6650	38650	0	136000

DESIRED TREATING RATE: 30 BPM
 EXPECTED MAX. SURFACE PRESSURE: ~3300 PSI
 EXPECTED MAX. HHP: ~2400 HHP

8. DRILL/CLEAN OUT TO PBDT USING BIT ON SHEAR OFF BIT SUB AND 2-3/8" TUBING. SHEAR OFF BIT.
9. LAND TUBING AT ~7200' AND SWAB WELL IN. FLOW UNTIL RETURNS CLEAN UP.
10. RDMO. TURN OVER TO PRODUCTION FOR CONNECTION TO GATHERING SYSTEM.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2372' FNL, 131' FWL, SW NW, SEC 18, T8S, R22E SLBM

5. Lease Designation and Serial No.
U-057

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
Wonsits Valley Federal Unit

8. Well Name and No.
Wonsits Valley Federal Unit 138 WG

9. API Well No.
43-047-33054

10. Field and Pool, or Exploratory Area
Wonsits Valley - Green River

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other <u>FIRST PRODUCTION</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL COMMENCED PRODUCTION 4/10/98.



14. I hereby certify that the foregoing is true and correct.
Signed D. C. TANNER *D. C. Tanner* Title COMPUTER SYSTEMS OPERATOR Date 4/27/98

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See instructions on reverse side).

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985


WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL OIL WELL GAS WELL DRY Other _____
 b. TYPE OF COMPLETION NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other _____

2. NAME OF OPERATOR
CHEVRON USA PRODUCTION CO., INC.

3. ADDRESS OF OPERATOR
11002 EAST 17500 SOUTH, VERNAL, UT 84078 435-781-4800

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface **2372' FNL, 131' FWL, SWNW**
At top rod interval reported below **SAME**
At total depth **SAME**



14. PERMIT NO. **43-047-33054** DATE ISSUED **2/19/98** 12. COUNTY OR PARISH **UINTAH** 13. STATE **UT**

15. DATE SPUNDED **2/26/98** 16. DATE T.D. REACHED **3/24/98** 17. DATE COMPL. (Ready to prod.) **4/10/98** 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* **4962' KB, 4946' GL** 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD **7495'** 21. PLUG BACK T.D., MD & TVD **7439'** 22. IF MULTIPLE COMPL., HOW MANY* _____ 23. INTERVALS DRILLED BY _____ ROTARY TOOLS **X** CABLE TOOLS _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)*
6806-21', 7260-7304' *WSTC* 25. WAS DIRECTIONAL SURVEY MADE **NO**

26. TYPE ELECTRIC AND OTHER LOGS RUN
GR-SP-DUAL INDUCTION-NEUTRON/DENSITY-CALIPER-CBL-CCL 27. WAS WELL CORED **NO**

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24	533'	11"	180 SX. PREMIUM TO SURF.	NA
5-1/2"	15.5#	7495'	7-7/8"	410 SX. HI-FILL STANDARD LEAD, 630 SX. PREMIUM TAIL	NA

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	7204'	NA

31. PERFORATION RECORD (Interval, size and number)
6806-21' & 7260-7304' 4 JSPF, 90# PHASING

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6806-21'	38031 GAL. GEL, 136000# 20/40 SAND
7260-7304'	83262 GAL. GEL, 306000# 20/40 SAND

33. PRODUCTION DATE FIRST PRODUCTION **4/11/98** PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) **FLOWING** WELL STATUS (Producing or shut-in) **PRODUCING**

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL--BBL.	GAS--MCF.	WATER--BBL.	GAS-OIL RATIO
4/17/98	24	14/64	----->	TSTM	1608	25 (LOAD)	NA
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL--BBL.	GAS--MCF	WATER--BBL	OIL GRAVITY-API (CORR.)	
1560 PSI	1670 PSI	----->	TSTM	1608	25	NA	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **SOLD** TEST WITNESSED BY **ROY DIXON**

35. LIST OF ATTACHMENTS
LOGS PREVIOUSLY SENT

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED *[Signature]* TITLE **SR. PETROLEUM ENGINEER** DATE **5/5/98**

(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
UINTA	SURFACE	2375	NO CORES OR DST'S			
GREEN RIVER	2375	6030				
WASATCH	6030	NA				

38.

DIVISION OF OIL, GAS AND MINING
 ENTITY ACTION FORM - FORM 6

OPERATOR CHEVRON USA INC
 ADDRESS _____

DATE 07/10
 OPERATOR ACCOUNT NO. _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D	12001	12436	43-047-31820	WVFU 145	NWNW	18	8S	22E	UINTAH		
WELL 1 COMMENTS: *UNIT P.A. WSTC "A" EFF 10-23-96;BLM APRV 5-6-98. (WONSITS VALLEY UNIT) OPERATOR NOTIFIED 7-28-98. <i>lc</i>											
D	12322	12436	43-047-33054	WVFU 138 WG	SWNW	18	8S	22E	UINTAH		
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

L. CORDOVA (DOGM)
 Signature
ENG. TECHNICIAN 7-28-98
 Title Date
 Phone No. () _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other MULTIPLE WELLS SEE ATTACHED LIST

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
**Wonsits Valley Federal Unit
14-08-001-8482**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area
Wonsits Valley - Green River

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit. The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED
DEC 30 1999
DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Wonsits Valley Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 9	U-0806	43-047-15440	TA	INJ
Wonsits Valley Federal Unit 16	U-0807	43-047-15447	A	INJ
Wonsits Valley Federal Unit 21	ML-2237	43-047-15452	A	INJ
Wonsits Valley Federal Unit 28-2	U-0806	43-047-31524	A	INJ
Wonsits Valley Federal Unit 31	U-0807	43-047-15460	A	INJ
Wonsits Valley Federal Unit 32	ML-2237	43-047-16513	A	OIL
Wonsits Valley Federal Unit 35	U-0807	43-047-15463	A	INJ
Wonsits Valley Federal Unit 36	U-0806	43-047-15464	A	INJ
Wonsits Valley Federal Unit 40-2	U-0806	43-047-31798	A	INJ
Wonsits Valley Federal Unit 41	U-0807	43-047-15469	A	INJ
Wonsits Valley Federal Unit 43	U-0806	43-047-15471	A	OIL
Wonsits Valley Federal Unit 48	U-0806	43-047-15476	A	OIL
Wonsits Valley Federal Unit 50	U-0807	43-047-15477	A	INJ
Wonsits Valley Federal Unit 53	U-0806	43-047-20003	A	OIL
Wonsits Valley Federal Unit 55	U-0807	43-047-20005	A	OIL
Wonsits Valley Federal Unit 59	U-0807	43-047-20018	A	INJ
Wonsits Valley Federal Unit 62	U-0806	43-047-20024	A	OIL
Wonsits Valley Federal Unit 65	U-0807	43-047-20041	A	OIL
Wonsits Valley Federal Unit 67	U-0807	43-047-20043	A	INJ
Wonsits Valley Federal Unit 68	U-0807	43-047-20047	A	INJ
Wonsits Valley Federal Unit 71-2	U-0807	43-047-32449	A	INJ
Wonsits Valley Federal Unit 72	ML-2237A	43-047-20058	A	INJ
Wonsits Valley Federal Unit 73	ML-2237	43-047-20066	A	INJ
Wonsits Valley Federal Unit 74	ML-2237	43-047-20078	A	OIL
Wonsits Valley Federal Unit 75	ML-2237	43-047-20085	A	OIL
Wonsits Valley Federal Unit 78	ML-2237	43-047-20115	A	INJ
Wonsits Valley Federal Unit 97	U-0806	43-047-30014	A	INJ
Wonsits Valley Federal Unit 103	U-0807	43-047-30021	A	OIL
Wonsits Valley Federal Unit 104	U-0807	43-047-30022	A	OIL
Wonsits Valley Federal Unit 105	U-0806	43-047-30023	A	OIL
Wonsits Valley Federal Unit 109	U-0807	43-047-30045	A	OIL
Wonsits Valley Federal Unit 110	U-0807	43-047-30046	A	OIL
Wonsits Valley Federal Unit 112	U-0807	43-047-30048	A	OIL
Wonsits Valley Federal Unit 119	U-0804	43-047-32461	A	OIL
Wonsits Valley Federal Unit 120	U-0804	43-047-32462	A	INJ
Wonsits Valley Federal Unit 121	U-0807	43-047-31873	A	OIL
Wonsits Valley Federal Unit 124	U-0807	43-047-30745	A	OIL
Wonsits Valley Federal Unit 126	U-0804	43-047-30796	A	INJ
Wonsits Valley Federal Unit 127	STATE	43-047-31611	A	OIL
Wonsits Valley Federal Unit 128	U-0806	43-047-30798	A	OIL
Wonsits Valley Federal Unit 130	U-0804	43-047-32307	A	OIL
Wonsits Valley Federal Unit 132	U-0807	43-047-30822	A	OIL
Wonsits Valley Federal Unit 133	U-0807	43-047-31706	A	OIL
Wonsits Valley Federal Unit 134	ML-2237	43-047-31118	A	OIL
Wonsits Valley Federal Unit 135-2	U-0804	43-047-32016	A	OIL
Wonsits Valley Federal Unit 136	U-0804	43-047-31047	A	OIL
Wonsits Valley Federal Unit 137	U-0806	43-047-31523	A	OIL
Wonsits Valley Federal Unit 140	U-0807	43-047-31707	A	INJ
Wonsits Valley Federal Unit 141	ML-2237	43-047-31609	A	OIL

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 11 WG	U-0806	43-047-33085	A	GAS
Wonsits Valley Federal Unit 14 WG	U-0806	43-047-33070	A	GAS
Wonsits Valley Federal Unit 38 WG	U-022158	43-047-32831	A	GAS
Wonsits Valley Federal Unit 46 WG	U-022158	43-047-33241	A	GAS
Wonsits Valley Federal Unit 49 WG	U-022158	43-047-32832	a	GAS
Wonsits Valley Federal Unit 54 WG	U-22158	43-047-32821	A	GAS
Wonsits Valley Federal Unit 69 WG	U-057	43-047-32829	A	GAS
Wonsits Valley Federal Unit 81 WG	U-0810	43-047-33086	A	GAS
Wonsits Valley Federal Unit 83 WG	U-0809	43-047-20205	A	GAS
Wonsits Valley Federal Unit 138 WG	U-057	43-047-33054	A	GAS
Wonsits Valley Federal Unit 146 WG	U-057	43-047-33128	A	GAS
Wonsits Valley Federal Unit 18 WG	U-0807	43-047-33269	D	GAS
Wonsits Valley Federal Unit 22 WG	U-057	43-047-33294	D	GAS
Wonsits Valley Federal Unit 25 WG	U-022158	43-047-33295	D	GAS
Wonsits Valley Federal Unit 47 WG	U-0806	43-047-33221	D	GAS
Wonsits Valley Federal Unit 44 WG	U-0807	43-047-33220	D	GAS
Wonsits Valley Federal Unit 45 WG	U-0806	43-047-33270	D	GAS
Wonsits Valley Federal Unit 76 WG	ML-3084A	43-047-33223	D	GAS

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 142	ML-2237	43-047-31612	A	OIL
Wonsits Valley Federal Unit 143	U-0806	43-047-31808	A	INJ
Wonsits Valley Federal Unit 144	U-0806	43-047-31807	A	OIL
Wonsits Valley Federal Unit 145	U-057	43-047-31820	A	GAS

OPERATOR CHANGE WORKSHEET

ROUTING	
1. GLH	4-KAS
2. CDW	5-SP
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective: 01/01/2000

FROM: (Old Operator):
 CHEVRON USA INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078-8526
 Phone: 1-(435)-781-4300
 Account No. N0210

TO: (New Operator):
 SHENANDOAH ENERGY INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078
 Phone: 1-(435)-781-4300
 Account No. N4235

WELL(S) NAME	CA No.		Unit: WONSITS VALLEY			
	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
WVFU 144 WG	43-047-31807	5265	10	08S	21E	FEDERAL
WVFU 137	43-047-31523	5265	11	08S	21E	FEDERAL
WVFU 11 WG	43-047-33085	12436	12	08S	21E	FEDERAL
WVFU 14 WG	43-047-33070	12436	12	08S	21E	FEDERAL
WVFU 47 WG	43-047-33221	12436	13	08S	21E	FEDERAL
WVFU 45 WG	43-047-33270	12436	13	08S	21E	FEDERAL
WVFU 18 WG	43-047-33269	99999	14	08S	21E	FEDERAL
WVFU 44 WG	43-047-33220	12436	14	08S	21E	FEDERAL
WVFU 83 WG	43-047-20205	5265	23	08S	21E	FEDERAL
WVFU 81 WG	43-047-33086	12436	24	08S	21E	FEDERAL
WVFU 46 WG	43-047-33241	12436	07	08S	22E	FEDERAL
WVFU 54 WG	43-047-32821	12436	07	08S	22E	FEDERAL
WVFU 38 WG	43-047-32831	12436	08	08S	22E	FEDERAL
WVFU 49 WG	43-047-32832	12436	08	08S	22E	FEDERAL
WVFU 25 WG	43-047-33295	12436	08	08S	22E	FEDERAL
WVFU 69 WG	43-047-32820	12436	18	08S	22E	FEDERAL
WVFU 138 WG	43-047-33054	12436	18	08S	22E	FEDERAL
WVFU 22 WG	43-047-33294	12436	18	08S	22E	FEDERAL
WVFU 145 WG	43-047-31820	5265	18	08S	22E	FEDERAL
WVFU 146 WG	43-047-33128	12436	19	08S	22E	FEDERAL

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/23/2000
- Is the new operator registered in the State of Utah: YES Business Number: 224885



Questar Exploration and Production Company
Independence Plaza
1050 17th Street, Suite 500
Denver, CO 80265
Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED
JUN 02 2003
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO, MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type	lease #	bond #
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A		WONSITS VALLEY	710 S	UINTAH	3	ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 119	21	080S	210E	4304732461	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 120	22	080S	210E	4304732462	5265	Federal	WI	A	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-22158	UT-0969
WVFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-806	UT-0969
WVFU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P	WONSITS VALLEY	630 S	UINTAH	1	U-057	UT-0969
WVFU 1W-14-8-21	14	080S	210E	4304733220	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 5W-13-8-21	13	080S	210E	4304733221	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-3084A	159261960
WVFU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WVFU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P	WONSITS VALLEY	2 S	UINTAH	3	ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S	WONSITS VALLEY	710 S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-06304	UT-0969
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P		WONSITS VALLEY	2	S	UINTAH	1	UTU-68219	UT-0969
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-9617	UT-0969
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-055	UT-0969
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785-A	159261960
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	U-0969
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	U-0969
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	UTU-057	UT-0969
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat		unit name	field		county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610	S	UINTAH	1	UTU-68219	UT-1237

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 2/1/2003	
FROM: (Old Operator): N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	TO: (New Operator): N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No. Unit: **WONSITS VALLEY UNIT**

WELL(S)									Confid
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WVFU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P	
WVFU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P	
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S	
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WVFU 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WVFU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	
WVFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	
WVFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	
WVFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	
WVFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	
WVFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/16/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

June 28, 2005

QEP Uinta Basin, Inc.
Attn: Angela Page
1050 Seventeenth Street, Suite 500
Denver, Colorado 80265

Re: Initial Consolidated
Wasatch-Mesaverde-Mancos Formation PA
Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

The Initial Consolidated Wasatch-Mesaverde-Mancos Formation PA, Wonsits Valley Unit, CRS No. UTU63043D, AFS No. 891008482D is hereby approved effective as of March 10, 2004, pursuant to Section 11 of the Wonsits Valley Unit Agreement, Uintah County, Utah.

The Initial Consolidated Wasatch-Mesaverde-Mancos Formation PA results in an Initial Participating Area of 8,022.50 acres. Copies of the approved request are being distributed to the appropriate agencies and one copy is returned herewith. Please advise all interested parties of the establishment of the Initial Consolidated Wasatch-Mesaverde-Mancos Formation PA, Wonsits Valley Unit, and the effective date.

Sincerely,

/s/ Terry Catlin

Terry Catlin
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Division of Oil, Gas & Mining
SITLA
Wonsits Valley Unit w/enclosure
Field Manager - Vernal w/enclosure
Agr. Sec. Chron.
Reading File
Central Files

UT922:TATHOMPSON:tt:6/28/05

RECEIVED
JUL 0 / 2005
DIV. OF OIL, GAS & MINING

WONSITS VALLEY WASATCH/MESAVERDE/MANCOS PARTICIPATING AREA
Effective 3/10/2004 per BLM

Entity Eff Date	From Entity to PA Entity	Well	API	Sec	Twsp	Rng	Q/Q	Unit
8/30/2005	12436 to 14864	WVFU 54 WG	4304732821	07	080S	220E	SWSE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 46 WG	4304733241	07	080S	220E	NESE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 5W-7-8-22	4304733494	07	080S	220E	SWNW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 11W-7-8-22	4304733495	07	080S	220E	NESW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 13W-7-8-22	4304733496	07	080S	220E	SWSW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 1W-7-8-22	4304733501	07	080S	220E	NENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 3W-7-8-22	4304733502	07	080S	220E	NENW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 12W-7-8-22	4304733808	07	080S	220E	NWSW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 10W-7-8-22	4304733813	07	080S	220E	NWSE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 14W-7-8-22	4304733816	07	080S	220E	SESW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 16W-7-8-22	4304733817	07	080S	220E	SESE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 6W-7-8-22	4304733828	07	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WV 8W-7-8-22	4304734469	07	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 38 WG	4304732831	08	080S	220E	SWNW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 49 WG	4304732832	08	080S	220E	SWSW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 11W-8-8-22	4304733295	08	080S	220E	NESW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 3W-8-8-22	4304733493	08	080S	220E	NENW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 6W-8-8-22	4304733811	08	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 7W-8-8-22	4304733812	08	080S	220E	SWNE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 12W-8-8-22	4304733815	08	080S	220E	NWSW	Wonsits Valley
8/30/2005	12436 to 14864	WV 2W-8-8-22	4304734468	08	080S	220E	NWNE	Wonsits Valley
8/30/2005	12436 to 14864	WV 4W-17-8-22	4304734038	17	080S	220E	NWNW	Wonsits Valley
8/30/2005	12436 to 14864	WVU 145	4304731820	18	080S	220E	NWNW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 69 WG	4304732829	18	080S	220E	SWNE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 138 WG	4304733054	18	080S	220E	SWNW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 1W-18-8-22	4304733294	18	080S	220E	NENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 3W-18-8-22	4304733533	18	080S	220E	NENW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 13W-18-8-22	4304733538	18	080S	220E	SWSW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 11W-18-8-22	4304733626	18	080S	220E	NESW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 6W-18-8-22	4304733842	18	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 6WC-18-8-22	4304733843	18	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 6WD-18-8-22	4304733844	18	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 2W-18-8-22	4304733986	18	080S	220E	NWNE	Wonsits Valley
8/30/2005	12436 to 14864	WV 8W-18-8-22	4304733989	18	080S	220E	SENE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 10W-18-8-22	4304733991	18	080S	220E	NWSE	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 12W-18-8-22	4304733993	18	080S	220E	NWSW	Wonsits Valley
8/30/2005	12436 to 14864	WV 14W-18-8-22	4304733995	18	080S	220E	SESW	Wonsits Valley
8/30/2005	12436 to 14864	WVFU 146 WG	4304733128	19	080S	220E	NWNW	Wonsits Valley
8/30/2005	12436 to 14864	WV 3W-19-8-22	4304734187	19	080S	220E	NENW	Wonsits Valley

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENE	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENE	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENE	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8-21	WV 1W-14-8-21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13-8-21	WV 5W-13-8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENE	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENE	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENE	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENE	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENE	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENE	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENE	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
PHONE NUMBER: (303) 308-3068		8. WELL NAME and NUMBER: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached COUNTY: Uintah		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
PHONE NUMBER: (303) 308-3068		8. WELL NAME and NUMBER: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: Uintah		
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

ENTITY ACTION FORM

Operator: Questar Exploration and Production Co. Operator Account Number: N 5085
 Address: 11002 E. 17500 S.
City Vernal
State UT Zip 84078 Phone Number: (435) 781-~~4300~~ 4342

Well 1

API Number	Well Name	QQ	Sec	Twp	Rng	County
4304733054	WV 138 WG	SWNW	18	080S	220E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
D	14864	17123			11/1/2007	
Comments:	WMMFD					--- 1/29/2009

Well 2

API Number	Well Name	QQ	Sec	Twp	Rng	County
4304733070	WV 14 WG	SWSE	12	080S	210E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
D	14864	17123			11/1/2007	
Comments:	WMMFD					--- 1/29/2009

Well 3

API Number	Well Name	QQ	Sec	Twp	Rng	County
4304733085	WV 11 WG	SWNE	12	080S	210E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
D	14864	17123			11/1/2007	
Comments:	WMMFD RECEIVED					--- 1/29/2009

JAN 26 2009

ACTION CODES:

- A -Establish new entity for new well (single well only)
- B -Add new well to existing entity (group or unit well)
- C -Re-assign well from one existing entity to another existing entity
- D -Re-assign well from one existing entity to a new entity
- E -Other (Explain in 'comments' section)

DIV. OF OIL, GAS & MINING

DAHN CALDWELL

Dahn Caldwell

Signature Office Admin

Date 1/20/09

Title

Date

CONFIDENTIAL

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2)Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
See attached

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
See attached

1. TYPE OF WELL: OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
See attached

2. NAME OF OPERATOR:
Questar Exploration and Production Company *N5085*

9. API NUMBER:
Attached

3. ADDRESS OF OPERATOR:
1050 17th Street, Suite 500 Denver, STATE CO ZIP 80265

PHONE NUMBER:
(303) 672-6900

10. FIELD AND POOL, OR WILDCAT:
See attached

4. LOCATION OF WELL:
FOOTAGES AT SURFACE: See attached

COUNTY: Attached
STATE: UTAH

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
 Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*
 Utah State Bond Number: ~~965003033~~
 Fee Land Bond Number: ~~965003033~~ } *965010695*
 BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst
 SIGNATURE *Morgan Anderson* DATE 6/23/2010

(This space for State use only)

RECEIVED
JUN 28 2010

DIV. OF OIL, GAS & MINING

APPROVED 6/13/2010
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)

WONSITS VALLEY

effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8- 21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13- 8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Roy L Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERAL