

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

**SUBMIT IN TRIPPLICATE\***  
(Other instructions on reverse side)

**FORM APPROVED**  
OBM NO. 1004-0136  
Expires: February 28, 1993

**APPLICATION FOR PERMIT TO DRILL OR DEEPEN**

1a. TYPE OF WORK <b>DRILL</b> <input checked="" type="checkbox"/> <b>DEEPEN</b> <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. <b>U-0561</b>	
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME <b>N/A</b>	
2. NAME OF OPERATOR <b>Shenandoah Energy Inc.</b>			7. UNIT AGREEMENT NAME <b>FEDERAL</b>	
3. ADDRESS AND TELEPHONE NO. <b>Phone: 435-781-4341 11002 East 17500 South Vernal, Utah 84078</b> <b>Fax: 435-781-4329</b>			8. FARM OR LEASE NAME, WELL NO. <b>RW #34-24A</b>	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At surface <b>1295.3' FSL 2124.5' FEL SW SE</b> At proposed prod. Zone <b>Same</b> <i>4450248 N 637406 E</i>			9. API WELL NO.	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* <b>5 miles West of Redwash Utah</b>			10. FIELD AND POOL, OR WILDCAT <b>RED WASH</b>	
15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drg. unit line if any) <b>1295'</b>			11. SEC., T., R., M., OR BLK AND SURVEY OR AREA <b>Sec. 24, T7S, R22E, SLB&amp;M</b>	
16. NO. OF ACRES IN LEASE <b>1920</b>			12. COUNTY OR PARISH <b>Uintah</b>	
17. NO. OF ACRES ASSIGNED TO THIS WELL <b>40</b>			13. STATE <b>Utah</b>	
18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. <b>2640'+</b>			20. ROTARY OR CABLE TOOLS <b>Rotary</b>	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>5418.9'</b>			22. APPROX. DATE WORK WILL START* <b>A.S.A.P</b>	
23. PROPOSED CASING AND CEMENTING PROGRAM <b>REFER TO S.O.P</b>				

Shenandoah Energy Inc. proposes to drill a well to 5933' to test the Green River. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. 0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

SIGNED John Busch John Busch TITLE Red Wash Operations Representative DATE MAY 4-2000

(This space for Federal or State office use)

PERMIT NO. 43-047-33568 APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY Bradley G. Hill TITLE **BRADLEY G. HILL** DATE 5/30/00  
**RECLAMATION SPECIALIST III**

\*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*Federal Approval of this  
Action is Necessary*

**RECEIVED**  
**MAY 08 2000**  
**DIVISION OF OIL, GAS AND MINING**

# T7S, R22E, S.L.B.&M.

S89°59'W - 80.04 (G.L.O.) N89°59'50"E  
 2639.45' (Meas. to cc)  
 2638.95' (Meas. to True Cor.)

**SHENANDOAH ENERGY, INC.**

WELL LOCATION, RED WASH #34-24A,  
 LOCATED AS SHOWN IN THE SW 1/4 SE  
 1/4 OF SECTION 24, T7S, R22E,  
 S.L.B.&M. UINTAH COUNTY, UTAH.

**WELL LOCATION:  
 RED WASH #34-24A**  
 ELEV. UNGRADED GROUND = 5418.9'

**RECEIVED**

MAY 06 2000

DIVISION OF  
 OIL, GAS AND MINING



N0°01'W (G.L.O.)

N00°00'09"W - 2642.15' (Meas.)

1938 Brass Cap

N89°57'21"E

**24**

5279.95' (Meas. to True Point)  
 5279.89' (Meas. to cc)

1938 Brass Cap cc

711.39'


N00°00'42"W - 2636.03' (Meas.)  
 NORTH (G.L.O.)

1937 Brass Cap West 1/4 Cor. Sec. 19

2124.5'

1937 Brass Cap West 1/4 Cor. Sec. 19

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS  
 PREPARED FROM FIELD NOTES OF SURVEYS  
 MADE BY ME OR UNDER MY SUPERVISION AND THAT  
 THE SAME ARE TRUE AND CORRECT TO THE BEST OF  
 MY KNOWLEDGE AND BELIEF.



*Gene Stewart*  
 REGISTERED LAND SURVEYOR  
 REGISTRATION No. 144102  
 STATE OF UTAH

1938 Brass Cap

1938 Brass Cap

1938 Brass Cap cc

S89°57'27"W - 2639.71' (Meas.)

S89°57'W (G.L.O.) Basis of Bearings  
 2639.60' (Meas. to cc)  
 2639.90' (Meas. to True Corner)

1930.57'

N00°00'40"E - 2642.64' (Meas.)

1937 Brass Cap Sec. 19 Sec. 30

S89°57'W (G.L.O.)

R  
2  
2  
E

⚡ = SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (RED WASH)

**TRI STATE LAND SURVEYING & CONSULTING**

38 WEST 100 NORTH - VERNAL, UTAH 84078  
 (435) 781-2501

SCALE:	1" = 1000'	SURVEYED BY:	C.D.S.
DATE:	5/1/00	WEATHER:	FAIR
DRAWN BY:	B.J.S.	FILE #	

DRILLING PROGRAM

**RECEIVED**

MAY 08 2000

DIVISION OF  
OIL, GAS AND MINING

ONSHORE OIL & GAS ORDER NO. 1  
Approval of Operations on Onshore  
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Prod. Phase Anticipated</u>
Uinta	Surface	
Green River	3019'	
Mahogany Ledge	3973'	
Mesa	5758'	
TD (Green River)	5933'	Oil

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil/Gas	Green River	5933'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 2373.2 psi.

Shenandoah Energy Inc.  
RW #34-24A

MULTI-POINT SURFACE USE & OPERATIONS PLAN

SHENANDOAH ENERGY INC.  
RED WASH #34-24A  
SW SE SEC. 19, T7S, R22E  
UINTAH COUNTY, UTAH

See attached maps

Topo map A- Access routes

Topo map B- Proposed Access road

Topo map C- Location of wells within a one mile radius

Topo map D- Proposed pipeline

**RECEIVED**

MAY 08 2000

DIVISION OF  
OIL, GAS AND MINING

**Lessee's or Operator's Representative:**

John Busch  
Red Wash Operations Rep.  
Shenandoah Energy Inc.  
11002 East 17500 South  
Vernal, Utah 84078  
(435) 781-4341

**Certification:**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

**RECEIVED**

MAY 08 2000

DIVISION OF  
OIL, GAS AND MINING

May 4, 2000

---


John Busch  
Red Wash Operations Representative

---

Date

# SHENANDOAH ENERGY, INC.

**RED WASH #34-24A**  
 SEC. 24, T7S, R22E, S.L.B.&M.



WELL HEAD:  
 UNGRADED = 5418.9'  
 FIN. GRADE = 5413.8'

**RECEIVED**

MAY 18 2000

DIVISION OF  
 OIL, GAS AND MINING


**REFERENCE POINTS**  
 200' SOUTH = 5424.1'  
 250' SOUTH = 5424.0'  
 185' EAST = 5410.2'  
 235' EAST = 5411.0'

SURVEYED BY: D.J.S.	SCALE: 1" = 50'	<p style="text-align: right; font-size: small;">(435) 781-2501</p>
DRAWN BY: B.J.S.	DATE: 5/01/00	
		38 WEST 100 NORTH VERNAL, UTAH 84078

SHENANDOAH ENERGY, INC.

TYPICAL RIG LAYOUT

RED WASH #34-24A



RECEIVED

MAY 08 2000





DIVISION OF  
OIL, GAS AND MINING

**Tri State**  
Land Surveying, Inc.  
(435) 781-2501  
38 WEST 100 NORTH, VERNAL, UTAH 84078

SHENANDOAH ENERGY, INC.

CROSS SECTIONS

RED WASH #34-24A



APPROXIMATE YARDAGES

CUT = 5,360 Cu. Yds.  
 FILL = 5,360 Cu. Yds.  
 PIT = 1,630 Cu. Yds.  
 6" TOPSOIL = 1,200 Cu. Yds.

RECEIVED

MAY 08 2000

DIVISION OF  
OIL, GAS AND MINING


SURVEYED BY: D.J.S.

SCALE: 1" = 50'

DRAWN BY: B.J.S.

DATE: 5/01/00


Tri State  
Land Surveying, Inc. (435) 781-2501  
38 WEST 100 NORTH VERNAL, UTAH 84078



**SHENANDOAH ENERGY INC.**  
**RED WASH #34-24A**  
**SEC. 24, T7S, R22E, S.L.B.&M.**  
**TOPOGRAPHIC MAP "A"**



Drawn By: SS	Revision:
Scale: 1" = 4000'	File:
Date: 4-26-00	
<b>Tri-State Land Surveying Inc.</b> <b>P.O. Box 533, Vernal, UT 84078</b> <b>435-781-2501 Fax 435-781-2518</b>	




**SHENANDOAH ENERGY INC.**  
**RED WASH #34-24A**  
**SEC. 24, T7S, R22E, S.L.B.&M.**  
**TOPOGRAPHIC MAP "B"**



Drawn By: B.J.S.	Revision:
Scale: 1" = 1000'	File:
Date: 4-25-00	
<b>Tri-State Land Surveying Inc.</b> <b>P.O. Box 533, Vernal, UT 84078</b> <b>435-781-2501 Fax 435-781-2518</b>	

# sh Unit



RECEIVED


MAY 18 2000

DIVISION OF OIL, GAS AND MINING

**SHENANDOAH ENERGY INC.**  
**RED WASH #34-24A**  
**SEC. 24, T7S, R22E, S.L.B.&M.**  
**TOPOGRAPHIC MAP "C"**



Drawn By: SS	Revision:
Scale: 1" = 2640'	File:
Date: 5-30-00	
Tri-State Land Surveying Inc. P.O. Box 533, Vernal, UT 84078 435-781-2501 Fax 435-781-2518	



**Proposed Location  
Red Wash #34-24A**

**Proposed Pipeline ±5800'**

**Tie In To Line From  
RW #24-19B**

**SHENANDOAH ENERGY INC.**  
**RED WASH #34-24A**  
**SEC. 24, T7S, R22E, S.L.B.&M.**  
**TOPOGRAPHIC MAP "D"**



Drawn By: SS	Revision:
Scale: 1" = 2000'	File:
Date: 4-27-00	
<b>Tri-State Land Surveying Inc.</b> <b>P.O. Box 533, Vernal, UT 84078</b> <b>435-781-2501 Fax 435-781-2518</b>	

**WORKSHEET**  
**APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 05/08/2000

API NO. ASSIGNED: 43-047-33568
--------------------------------

WELL NAME: RWU 34-24A  
 OPERATOR: SHENANDOAH ENERGY INC ( N4235 )  
 CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:

SWSE 24 070S 220E  
 SURFACE: 1295 FSL 2125 FEL  
 BOTTOM: 1295 FSL 2125 FEL  
 UINTAH  
 RED WASH ( 665 )

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1-Federal  
 LEASE NUMBER: U-0561  
 SURFACE OWNER: 1-Federal

PROPOSED FORMATION: GRRV

RECEIVED AND/OR REVIEWED:


Plat  
 Bond: Fed[1] Ind[] Sta[] Fee[]  
 (No. UT-0969 )  
 Potash (Y/N)  
 Oil Shale (Y/N) \*190 - 5 (B)  
 Water Permit  
 (No. 43-8496 )  
 RDCC Review (Y/N)  
 (Date: \_\_\_\_\_ )  
 Fee Surf Agreement (Y/N)

LOCATION AND SITING:

\_\_\_ R649-2-3. Unit Red Wash  
 \_\_\_ R649-3-2. General  
 Siting: \_\_\_\_\_  
 R649-3-3. Exception  
 \_\_\_ Drilling Unit  
 Board Cause No: \_\_\_\_\_  
 Eff Date: \_\_\_\_\_  
 Siting: \_\_\_\_\_  
 \_\_\_ R649-3-11. Directional Drill

COMMENTS: Red Wash Unit Standard Operating Practices (SOP), separate file.

STIPULATIONS: ① FEDERAL APPROVAL



Utah Oil Gas and Mining


OPERATOR: SHENANDOAH ENERGY (N4235)

FIELD: RED WASH (665)

SEC. 24, T 7 S, R 22 E

COUNTY: UINTAH UNIT: RED WASH

Serving the Industry, Protecting the Environment



PREPARED  
DATE: 12-MAY-2000

# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:  
3160  
(UT-922)

May 18, 2000

### Memorandum

To: Assistant District Manager Minerals, Vernal District  
From: Michael Coulthard, Petroleum Engineer  
Subject: 2000 Plan of Development Red Wash Unit,  
Uintah County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for completion in the Green River Formation for calendar year 2000 within the Red Wash Unit, Uintah County, Utah.

43-047-33567 RWU 23-24A 2530 FSL 1920 FWL Sec. 24, T7S, R22E GR PZ  
43-047-33568 RWU 34-24A 1295 FSL 2125 FEL Sec. 24, T7S, R22E GR PZ  
43-047-33569 RWU 42-24A 2052 FNL 0875 FEL Sec. 24, T7S, R22E GR PZ

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Red Wash Unit  
Division of Oil Gas and Mining  
Agr. Sec. Chron  
Fluid Chron

MCoulthard:mc:5-18-0

# SHENANDOAH ENERGY INC.

---

11002 East 17500 South  
Vernal, UT 84078  
Phone: (435) 781-4300  
Fax (435) 781-4329

May 19, 2000


Division of Oil, Gas & Mining  
1594 W. N. Temple STE 1210  
Salt Lake City, UT 84114-5801

To Whom It May Concern:

Shenandoah Energy Inc. Red Wash Unit #34-24A is an exception location due to a closure of 700'  $\pm$  between township 22E and 23E to keep our water flood pattern we relocated the well. This lease #(U-0561) is under the Red Wash Unit Agreement and all owners are committed under the Unit Agreement.

There are no additional lease owners within 460' of this proposed well. If you have any question please contact John Busch @ (435) 781-4341.

Thank you,



John Busch  
Operations Representative

RECEIVED

MAY 22 2000

DIVISION OF  
OIL, GAS AND MINING



State of Utah  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt  
Governor

Kathleen Clarke  
Executive Director

Lowell P. Braxton  
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

May 30, 2000

Shenandoah Energy, Inc.  
11002 East 17500 South  
Vernal, UT 84078

Re: Red Wash Unit 34-24A Well, 1295' FSL, 2125' FEL, SW SE, Sec. 24, T. 7S, R. 22E,  
Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33568.

Sincerely,

A handwritten signature in black ink that reads "John R. Baza".

John R. Baza  
Associate Director

er

Enclosures

cc: Uintah County Assessor  
Bureau of Land Management, Vernal District Office

**Operator:** Shenandoah Energy, Inc.  
**Well Name & Number** Red Wash Unit 34-24A  
**API Number:** 43-047-33568  
**Lease:** U-0561  
**Location:** SW SE                      Sec. 24                      T. 7S                      R. 22E

### Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338
- Contact Robert Krueger at (801) 538-5274.

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval which must be obtained prior to drilling.

RECEIVED

Form 3160-3  
(July 1992)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
OIL, GAS AND MINING

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

FORM APPROVED  
OBM NO. 1004-0136  
Expires February 29, 1993

**APPLICATION FOR PERMIT TO DRILL OR DEEPEN**

5. LEASE DESIGNATION AND SERIAL NO. **U-0561**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME **N/A**

7. UNIT AGREEMENT NAME **FEDERAL**

8. FARM OR LEASE NAME, WELL NO. **RW #34-24A**

9. API WELL NO.

10. FIELD AND POOL, OR WILDCAT **RED WASH**

11. SEC., T., R., M., OR BLK AND SURVEY OR AREA **Sec. 24, T7S, R22E, SLB&M**

12. COUNTY OR PARISH **Utah** 13. STATE **Utah**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
**5 miles West of Redwash Utah**

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (also to nearest orig. UNIT line if any) <b>1295'</b>	16. NO. OF ACRES IN LEASE <b>1920</b>	17. NO. OF ACRES ASSIGNED TO THIS WELL <b>40</b>
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. <b>2640'±</b>	19. PROPOSED DEPTH <b>5933'</b>	20. ROTARY OR CABLE TOOLS <b>Rotary</b>
21. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>5418.9'</b>		22. APPROX. DATE WORK WILL START* <b>A.S.A.P</b>

23. PROPOSED CASING AND CEMENTING PROGRAM  
**REFER TO S.O.P**

Shenandoah Energy Inc. proposes to drill a well to 5933' to test the Green River. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Operations will be according to Standard Operating Procedures for the Red Wash Unit.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. 0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

24  
SIGNED John Busch John Busch TITLE Red Wash Operations Representative DATE May 4, 2000

(This space for Federal or State office use)  
PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

NOTICE OF APPROVAL

Application approval does not warrant or certify that the applicant holds legal or equitable title to these rights in the subject lease which would entitle the applicant to conduct operations thereon.  
CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Assistant Field Manager Mineral Resources DATE 7/13/00

\*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL ATTACHED

CONDITIONS OF APPROVAL  
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Shenandoah Energy Inc.

Well Name & Number: RWU 34-24A

API Number: 43-047-33568

Lease Number: U - 0561

Location: SWSE Sec. 24 T. 7S R. 22E

Agreement: RED WASH UNIT

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

## **CONDITIONS OF APPROVAL FOR NOTICE TO DRILL**

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. **DRILLING PROGRAM**

1. **Casing Program and Auxiliary Equipment**

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the shallowest potential productive zone.

## SURFACE CONDITIONS OF APPROVAL

-Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, and crowning (2 to 3%). Graveling or capping the roadbed will be required as necessary to provide a well constructed safe road. Prior to construction/upgrading, the proposed road surface or existing road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Should mud holes develop, they shall be filled in to prevent detours. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainage be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. When snow is removed from the road during the winter months, the snow should be pushed outside of the burrow ditches and the turn outs should be kept clear so that when the snow melts the water will be channeled away from the road.

Shenandoah Energy will control noxious weeds along the right-of-way for roads, pipelines, well sites or other applicable facilities. If noxious weeds spread from disturbed areas onto adjoining lands, Shenandoah shall be responsible for control of the infestation. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

The location and access road shall be constructed before February 1, 2001 or after July 15, 2001, unless adequate additional wildlife surveys of nesting habitat within one half mile of the location prove that no active nesting of special status raptors occurs within one half mile of the location for the nesting season 2001.

Drilling activities shall also take place before February 1, 2001 or after July 15, 2001 unless adequate wildlife surveys determine that no active nesting of special status raptors occurs within one half mile of the location for the nesting season 2001.

-4 to 6 inches of topsoil shall be stripped from the location and windowed it on both the north and south ends of the location rather than just on the south as shown on the cut sheet. This topsoil shall be seeded as described in the standard operating plan with the recommended seed mix shown below.

-The pipeline disturbance will be kept to a 30' width. The topsoil shall be stripped and windowed along the edge of the cleared area, then replaced prior to seeding the disturbed area.

-The following seed mix should be used to seed the topsoil pile, pipeline disturbance, reserve pit and for final abandonment:

Fourwing saltbush	Atriplex canescens	4 lbs./acre
Needle and thread grass	Stipa comata	4 lbs./acre
Indian ricegrass	Oryzopsis hymenoides	4 lbs./acre

All poundages are in pure live seed.

The seeding of the reserve pit shall be done in the same manner as the seeding of the topsoil pile, however, seeding of the pipeline disturbance and the location after final abandonment could be completed by drilling the seed, broadcasting the seed and dragging the disturbed area to cover the seed, or by broadcasting the seed then walking it in with a dozer.

**All seeding shall be done immediately after the dirt work has been completed.**

-The reserve pit shall be lined with a plastic nylon reinforced liner. It will be a minimum of 12 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.  
**U-0561**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**Red Wash Unit 34-24A**

9. API Well No.  
**43-047-33568**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

***SUBMIT IN TRIPLICATE***

1. Type of Well  
Oil Gas  
 Well  Well  Other

2. Name of Operator  
**SHENANDOAH ENERGY, INC**

3. Address and Telephone No  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**1295' FSL, 2125' FEL, SW SE, SECTION 24, T7S, R22E, SLBM**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>SPUD DATE</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**THIS WELL WAS SPUD JULY 25, 2000. DRILLED 470'. RUN 11 JOINTS 9 5/8" 36# k55 CASING.**

**RECEIVED**

**AUG 8 1 2000**

**DIVISION OF  
OIL, GAS AND MINING**

14. I hereby certify that the foregoing is true and correct.  
Signed D. C. BEAMAN *Douglas Beaman* Title OFFICE MANAGER Date 07/28/00

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR: **Shenandoah Energy, Inc.**  
 ADDRESS: **11002 East 17500 South  
 Vernal, Utah 84078-8526**

OPERATOR ACCT. No. \_\_\_\_\_

ENTITY ACTION FORM - FORM 6

**(801)781-4300**

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	799999	05670	43-047-33568	Red Wash Unit 34-24A	SW SE	24	7S	22E	Uintah	7/25/00	

WELL 1 COMMENTS: *8-3-00*

**New well drilled in the Red Wash Unit.**

WELL 2 COMMENTS:

WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

**ACTION CODES** (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

*Louis C. Beaman*  
 \_\_\_\_\_  
 Signature

Office Manager. 07/28/00  
 Title \_\_\_\_\_ Date

Phone No. (801) 781-4306

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

**RECEIVED**

7/28/00

DIVISION OF  
 OIL, GAS AND MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil  Gas   
 Well  Well  Other

2. Name of Operator  
**SHENANDOAH ENERGY, INC**

3. Address and Telephone No  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**1295' FSL, 2125' FEL, SW SE, SECTION 24, T7S, R22E, SLBM**

5. Lease Designation and Serial No.  
**U-0561**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**Red Wash Unit 34-24A**

9. API Well No.  
**43-047-33568**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>FIRST PRODUCTION</u>	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**THIS WELL COMMENCED PRODUCTION SEPTEMBER 20, 2000.**

14. I hereby certify that the foregoing is true and correct.  
Signed D. C. BEAMAN *D. C. Beaman* Title OFFICE MANAGER Date 09/21/00

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil  Gas   
 Well  Well  Other

2. Name of Operator  
**SHENANDOAH ENERGY INC.**

3. Address and Telephone No.  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State  
**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <b>Confidential</b>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**Shenandoah Energy Inc. would like to have the attached wells be kept confidential.**

**RECEIVED**

**OCT 11 2000**

**DIVISION OF  
OIL, GAS AND MINING**

14. I hereby certify that the foregoing is true and correct.  
 Signed **JOHN BUSCH** John Busch Title **Operations Supervisor** Date **10/9/00**

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*See instruction on Reverse Side**

WELL NAME      WELL LOCATION      1/4 SEC. SECTION      TOWNSHIP      RANGE      API#

Red Wash	2220B**	SE NW	20	7S	23E	43-047-33491
Red Wash	4220B*	SE NE	20	7S	23E	43-047-33490
Red Wash	1320B*	NW SW	20	7S	23E	43-047-33498
Red Wash	3320B++	NW SE	20	7S	23E	43-047-33500
Red Wash	2221B	SE NW	21	7S	23E	43-047-33522
Red Wash	2419B	SE SW	19	7S	23E	43-047-33492
Red Wash	4419B	SE SE	19	7S	23E	43-047-33524
Wonsits Valley	6W-16-8-21	SE NW	16	8S	21E	43-047-33527
Gypsum Hills	10W-19-8-21	NW SE	19	8S	21E	43-047-33528
Wonsits Valley	16W-9-8-21	SE SE	9	8S	21E	43-047-33529
Wonsits Valley	6G-16-8-21	SE NW	16	8S	21E	43-047-33564
Gypsum Hills	10G-19-8-21	NW SE	19	8S	21E	43-047-33566
Wonsits Valley	16G-9-8-21	SE SE	9	8S	21E	43-047-33565
Red Wash	2420B	SE SW	20	7S	23E	43-047-33523
Red Wash	1319B	NW SW	19	7S	23E	43-047-33497
Red Wash	3319B	NW SE	19	7S	23E	43-047-33499
Red Wash	4420B	SE SE	20	7S	23E	43-047-33525
Red Wash	4219B	SE NE	19	7S	23E	43-047-33556
Red Wash	2219B	SE NW	19	7S	23E	43-047-33559
Red Wash	4224A	NE SE	24	7S	22E	43-047-33569
Red Wash	3424A	SW SE	24	7S	22E	43-047-33567
Red Wash	2324A	NE SW	24	7S	22E	43-047-33568
Red Wash	2125A	NE NW	25	7S	22E	43-047-33576
Red Wash	4125A	NE NE	25	7S	22E	43-047-33579
Red Wash	1119B	NW NW	19	7S	23E	43-047-33552
Red Wash	3119B	NW NE	19	7S	23E	43-047-33555
Red Wash	1120B	NW NW	20	7S	23E	43-047-33553
Red Wash	2418B	SE SW	18	7S	23E	43-047-33554
Red Wash	3413A	SW SE	13	7S	22E	43-047-33593
Red Wash	2124A	NE NW	24	7S	22E	43-047-33592
Red Wash	1224A	SW NW	24	7S	22E	43-047-33591
Red Wash	1125A	NW NW	25	7S	22E	43-047-33574
Red Wash	1325A	NW SW	25	7S	22E	43-047-33575
Red Wash	3125A	NW NE	25	7S	22E	43-047-33577
Red Wash	3325A	NW SE	25	7S	22E	43-047-33578
Red Wash	4225A	SE NE	25	7S	22E	43-047-33580
Red Wash	4418B	SE SE	18	7S	23E	43-047-33594
Red Wash	1129B	NW NW	29	7S	23E	43-047-33590
Wonsits Valley	9G-2-8-21	NE SE	2	8S	21E	43-047-33647
Wonsits Valley	9W-2-8-21	NE SE	2	8S	21E	43-047-33648
Wonsits Valley	16G-2-8-21	SE SE	2	8S	21E	43-047-33646
Wonsits Valley	16W-2-8-21	SE SE	2	8S	21E	43-047-33645
Wonsits Valley	15W-9-8-21	SW SE	9	8S	21E	43-047-33661
Wonsits Valley	15G-9-8-21	SW SE	9	8S	21E	43-047-33662
Wonsits Valley	2W-10-8-21	NW NE	10	8S	21E	43-047-33655
Wonsits Valley	2G-10-8-21	NW NE	10	8S	21E	43-047-33656
Wonsits Valley	12W-10-8-21	NW SW	10	8S	21E	43-047-33659

33568  
33567

RECEIVED

OCT 11 2000

DIVISION OF  
OIL, GAS AND MINING

Wonsits Valley	12G-10-8-21	NW SW	10	8S	21E	43-047-33660
Wonsits Valley	4W-11-8-21	NW NW	11	8S	21E	43-047-33657
Wonsits Valley	4G-11-8-21	NW NW	11	8S	21E	43-047-33658
Wonsits Valley	2W-16-8-21	NW NE	16	8S	21E	43-047-33246
Wonsits Valley	2G-16-8-21	NW NE	16	8S	21E	43-047-33247
Wonsits Valley	12W-16-8-21	NW SW	16	8S	21E	43-047-33649
Wonsit Valley	12G-16-8-21	NW SW	16	8S	21E	43-047-33650
Red Wash	33U-19B	NW SE	19	7S	23E	43-047-33654
Red Wash	14-27A	SWSW	27	7S	22E	43-047-33150
Wonsits Valley	WV 1W-18-8-22	NE NE	18	8S	22E	43-047-33294
Wonsits Valley	WV 11W-8-8-22	NE SW	8	8S	22E	43-047-33295
Wonsits Valley	WV 5W-13-8-21	SW NW	13	8S	21E	43-047-33221
Wonsits Valley	WV 9W-13-8-21	NE SE	13	8S	22E	43-047-33223
Wonsits Valley	WV 7W-13-8-21	SW NE	13	8S	22E	43-047-33270
Wonsits Valley	WV 3W-8-8-22	NE NW	8	8S	22E	43-047-33493
Wonsits Valley	WV 5W-7-8-22	SW NW	7	8S	22E	43-047-33494
Wonsits Valley	WV 1W-14-8-21	NE NE	14	8S	21E	43-047-33220
Wonsits Valley	WV 11W-7-8-22	NE SW	7	8S	22E	43-047-33495
Wonsits Valley	WV 13W-7-8-22	SW SW	7	8S	22E	43-047-33496
Wonsits Valley	WV 7W-7-8-22	SW NE	7	8S	22E	43-047-33503
Wonsits Valley	WV 9W-12-8-21	NE SE	12	8S	21E	43-047-33534
Wonsits Valley	WV 3W-7-8-22	NE NW	7	8S	22E	43-047-33502
Wonsits Valley	WV 1W-13-8-21	NE NE	13	8S	21E	43-047-33532
Wonsits Valley	WV 11W-12-8-21	NE SW	12	8S	21E	43-047-33535
Wonsits Valley	WV 1W-7-8-22	NE NE	7	8S	22E	43-047-33501
Wonsits Valley	WV 1W-12-8-21	NE NE	12	8S	21E	43-047-33531
Wonsits Valley	Fed 9W-8-8-22	NE SE	8	8S	22E	43-047-33515
Wonsits Valley	WV 13W-12-8-21	SW SW	12	8S	21E	43-047-33537
Wonsits Valley	WV 3W-18-8-22	NE NW	18	8S	22E	43-047-33533
Wonsits Valley	WV 11W-13-8-21	NE SW	13	8S	21E	43-047-33536
Wonsits Valley	Fed 15W-8-8-22	SW SE	8	8S	22E	43-047-33517
Gypsum Hills	GH 1W-32-8-21	NE NE	32	8S	21E	43-047-33570
Gypsum Hills	GH 7W-32-8-21	SW NE	32	8S	21E	43-047-33573
Wonsits Valley	WV 3W-24-8-21	NE NW	24	8S	21E	43-047-33605
Gypsum Hills	GH 5W-32-8-21	SW NW	32	8S	21E	43-047-33572
Gypsum Hills	GH 3W-32-8-21	NE NW	32	8S	21E	43-047-33571
Wonsits Valley	WV 13W-18-8-22	SW SW	18	8S	22E	43-047-33538
Wonsits Valley	WV 15W-13-8-21	SW SE	13	8S	21E	43-047-33608
Wonsits Valley	WV 3W-13-8-21	NE NW	13	8S	21E	43-047-33603
Wonsits Valley	WV 13W-13-8-21	SW SW	13	8S	21E	43-047-33606
Wonsits Valley	WV 1W-21-8-21	NE NE	21	8S	21E	43-047-33602
Wonsits Valley	WV 9W-14-8-21	NE SE	14	8S	21E	43-047-33269
Glen Bench	GB 5W-17-8-22	SW NW	17	8S	22E	43-047-33514
Wonsits Valley	WV 1W-24-8-21	NE NE	24	8S	21E	43-047-33613
Wonsits Valley	WV 3W-22-8-21	NE NW	22	8S	21E	43-047-33604
Glen Bench	GB 9W-18-8-22	NE SE	18	8S	22E	43-047-33516
Wonsits Valley	WV 13W-14-8-21	SW SW	14	8S	21E	43-047-33607
Glen Bench	GB 3W-17-8-22	NE NW	17	8S	22E	43-047-33513
Wonsits Valley	WV 11W-18-8-22	NE SW	18	8S	22E	43-047-33626

OCT 11 2000

DIVISION OF  
OIL, GAS AND MINING

RECEIVED

Glen Bench	GB 3W-22-8-22	NE NW	22	8S	22E	43-047-33652
Glen Bench	GB 12W-30-8-22	NW SW	30	8S	22E	43-047-33670
White River	WR 13W-3-8-22	SW SW	3	8S	22E	43-047-33651

**RECEIVED**

OCT 11 2000

DIVISION OF  
OIL, GAS AND MINING

**CONFIDENTIAL**

**CONFIDENTIAL**

Form 3160-4  
(August 1999)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires November 30, 2000

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

1a. Type of Well:  Oil Well  Gas Well  Dry  Other  
 b. Type of Completion:  New Well  Workover  Deepen  Plug Back  Diff. Resvr.  
 Other \_\_\_\_\_

5. Lease Serial No.  
**U-0561**

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.  
**8920007610**

2. Name of Operator  
**SHENANDOAH ENERGY INC**

CONTACT: J.T. CONLEY  
EMAIL: jconley@shenandoahenergy.com

8. Lease Name and Well No.  
**RWU 34-24A**

3. Address **11002 EAST 17500 SOUTH VERNAL, UT 84078**

3a. Phone No. (include area code)  
TEL: 435.781.4300 EXT: 301

9. API Well No.  
**4304733568**

4. Location of Well (Report location clearly and in accordance with Federal requirements)  
At Surface **SWSE 1295FSL 2125FEL**

**CONFIDENTIAL**  
**PERIOD EXPIRED**  
ON 10-30-01

10. Field and Pool, or Exploratory  
**RED WASH**

At top prod. interval reported below **SWSE 1295FSL 2125FEL**

11. Sec., T., R., M., on Block and Survey or Area  
**Sec 24 T7S R22E SLB**

At total depth **SWSE 1295FSL 2125FEL**

12. County or Parish  
**UINTAH**

13. State  
**UT**

14. Date Spudded  
**7/25/00**

15. Date T.D. Reached  
**8/12/00**

16. Date Completed **9/20/00**  
 D & A  Ready to Prod.

17. Elevations (DF, RKB, RT, GL)\*  
**5419 GL**

18. Total Depth: MD **5933** TVD

19. Plug Back T.D.: MD **5922** TVD

20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)  
**SPECTRAL DENSITY NEUTRON; HIRES INDUCTION; CBL-VDL**  
*8-34-00 5-34-00 9-31-00*

22. Was well cored?  No  Yes (Submit analysis)  
Was DST run?  No  Yes (Submit report)  
Directional Survey?  No  Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt.(#/ft.)	Top (MD)	Bottom (MD)	Stage Cemen-ter Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.25	9.625 K-55	36	0	457		180		0	
7.875	5.5 J-55	15.5	0	5948		1010			

24. Tubing Record

Size	Depth Set(MD)	Packer Depth(MD)	Size	Depth Set(MD)	Packer Depth(MD)	Size	Depth Set(MD)	Packer Depth(MD)
2.875	5772							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) GREEN RIVER	5526	5732	5526 To 5732			OPEN
B)						
C)						
D)						

26. Perforation Record

Depth Interval	Amount and Type of Material
5582 To 5702	SAND FRAC WITH 18,400 LBS IN 10,900 GALS

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
9/20/00	9/30/00	24	→	130	0	10			GAS PUMPING UNIT
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	25	SI	→					PRODUCING OIL WELL	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

(See instructions and spaces for additional data on reverse side)  
ELECTRONIC SUBMISSION #1998 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE

**CONFIDENTIAL**

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

**USED ON LEASE**

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Description, Contents, etc.	Name	Top
					Meas. Depth
GREEN RIVER GREEN RIVER(2)	5526 5666	5620 5732	GULCH SERIES LIZARD SERIES	GREEN RIVER MAHOGANY	3019 3973

32. Additional remarks (include plugging procedure):

**CONFIDENTIAL - TITE HOLE**

**DO NOT RELEASE WELL INFORMATION WITHOUT PERMISSION FROM SHENANDOAH ENERGY INC.**

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 6. Core Analysis
- 7. Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Name (please print) J.T. Cowley Title District Manager

Signature J.T. Cowley Date 11-18-00

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wilfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**ELECTRONIC SUBMISSION #1998 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE**



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8  
999 18<sup>TH</sup> STREET - SUITE 300  
DENVER, CO 80202-2466  
<http://www.epa.gov/region08>

MAR 5 2002

Ref: 8P-W-GW

CERTIFIED MAIL  
RETURN RECEIPT REQUESTED

Mr. Scott M. Webb  
Regulatory Coordinator  
Shenandoah Energy Inc.  
475 17th Street, Suite #1000  
Denver, CO 80202

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
**FOR RECORD ONLY**

RE: UNDERGROUND INJECTION CONTROL (UIC)  
Final Permit Red Wash Unit  
RWU #34-24A  
EPA Permit No. UT2898-04607  
Uintah County, Utah

Dear Mr. Webb:

Enclosed is a **Final Underground Injection Control Permit** for the proposed enhanced oil recovery well, the Red Wash Unit (RWU) #34-24A, Red Wash Field, Uintah County, Utah. A Statement of Basis is also enclosed which discusses the development of the Permit.

The public comment period ended on February 28, 2002. There were no comments from either the general public or the land owners who may be affected by the proposed action. We also did not receive any comments from you concerning our actions.

Following conversion, but prior to injection, Shenandoah Energy Inc. (SEI) **must fulfill Permit condition Part II, Section C. 1., "Prior to Commencing Injection"** and have submitted to the EPA for review and approval, the following:

- (1) All conversion is complete and the permittee has submitted a completed **Well Rework Record (EPA Form 7520-12 in Appendix B)**; A current wellbore diagram will be included; and
- (2) the **pore pressure has been determined**; and




- (3) the permittee has submitted for review and approval **Part I (Internal) of the mechanical integrity test (MIT)**; EPA form enclosed with current MIT Guidance.

Please be aware that SEI does not have authorization to begin injection into the RWU #34-24A until the items listed above have been approved by the EPA and SEI has received written authorization to begin injection from the EPA. It is Shenandoah's responsibility to be familiar with, and to comply with, all conditions contained in this Permit.

If you have any questions on this action please contact Mr. Dan Jackson at 800.227.8917 Ex.6155. Also direct all correspondence and/or reports to ATTENTION: Dan Jackson at MAIL CODE 8P-W-GW. Thank you for your continued cooperation.

Sincerely,



Kerrigan G. Clough  
Assistant Regional Administrator  
Office of Partnerships and  
Regulatory Assistance

Enclosures: Final Permit  
Statement of Basis

cc: Mr. D. Floyd Wopsock, Chairman  
Uintah & Ouray Business Committee  
Ute Indian Tribe

Ms. Elaine Willie, Environmental Coordinator  
Ute Indian Tribe

Mr. Norman Cambridge  
BIA - Uintah & Ouray Agency

Mr. Jerry Kenczka  
BLM - Vernal District Office

Mr. Gilbert Hunt  
State of Utah Natural Resources  
Division of Oil, Gas, and Mining

**FINAL**

# **STATEMENT OF BASIS**

**SHENANDOAH ENERGY INC.**

**RED WASH UNIT (RWU) #34-24A  
RED WASH FIELD**

**EPA PERMIT NUMBER: UT2898-04607**

**CONTACT: D. Edwin Hogle (8P-W-GW)  
U. S. Environmental Protection Agency  
999 18th Street, Suite 300  
Denver, Colorado 80202-2466  
Telephone: 800.227.8917 Ex.6137**

## **DESCRIPTION OF FACILITY AND BACKGROUND INFORMATION:**

On December 28, 2000, Shenandoah Energy Inc. (SEI) made application for the conversion of an oil well producing from the Lower Green River Formation to a Class II enhanced oil recovery (EOR) injection well for injection back into the same producing Lower Green River zones so that SEI may continue to economically produce oil from their Red Wash Unit Field. The primary water source for injection will be produced/recycled water from the Red Wash Waterflood and the White River #11-4 well (user Code #49, Serial #287) and the Water Supply Well #1 (user Code #49, Serial #2153). These two wells have been approved by the State of Utah as supply water wells for additional water floods as needed. The water at the inlet of the pump plant for the waterflood is tested on a regular basis. Based on the test dated 12/31/99 the injected water has a specific gravity of 1.005 gm/cc, pH of 8.21 and TDS of 7,740 mg/l.

The area covered by the application is in the Red Wash Unit Field which lies under federal jurisdiction for purposes of UIC program implementation for the following proposed well:

**Red Wash Unit #34-24A**

SW/4 SE/4 Section 24, Township 7 South, Range 22 East  
Uintah County, Utah

The permittee has sent notices to all surface landowners and interested parties within one-quarter (1/4) mile of the proposed injection well.

The earliest sampling of produced water from the RWU #34-24A Green River Formation was **August, 2000**. Total Dissolved Solids (TDS) were measured at **7,160 mg/l**, pH 6.5 and specific gravity of 1.008. Subsequent samples were obtained (05/07/01) as the waterflood project progressed and resulted in a noticeable increase in TDS (**27,200 mg/l**) due to the variance in properties of the produced water. Water quality analysis from the Green River Formation in this area varies between 3,400 mg/l to 50,000 mg/l and the Green River Formation in this area was exempted as a USDW in 1982 as part of the delegation of Utah's Class II UIC program [see 40 CFR § 147.2251(c)(2), re: "Aquifer Exemption Process" dated June 16, 1982].

Shenandoah has submitted all required information and data necessary for Permit issuance in accordance with 40 CFR Parts 144, 146 and 147, and a Final Permit has been prepared.

The Permit will be issued for the operating life of the well from the effective date of this Permit; therefore, no reapplication will be necessary unless the Permit is terminated for reasonable cause (40 CFR 144.39, 144.40, and 144.41). However, the Permit will be reviewed every five (5) years.

This Statement of Basis (SOB) gives the derivation of the site specific Permit conditions and reasons for them, on the basis of the direct implementation regulations promulgated for the Uintah-Ouray Indian Tribal lands in the State of Utah, under the Underground Injection Control (UIC) program provisions for the Safe Drinking Water Act (SDWA). The referenced sections and conditions correspond to the sections and conditions in Permit No. UT2898-04607. The general Permit conditions for which the content is mandatory and not subject to site specific differences (based on 40 CFR Parts 144, 146 and 147), are not included in the discussion.

## PART II, Section A WELL CONVERSION REQUIREMENTS

### Casing and Cementing

(Condition 1)

The well was drilled, cased and cemented during August/September, 2000, by Shenandoah and completed as an oil well. This well will continue to produce until the Permit is approved and conversion to a Class II injection well is complete. Casing and cementing details were submitted with the Permit application and construction is as follows:

- (1) **Surface casing** (9-5/8 inch) is set in a 12-1/4 inch hole to a depth of 457 feet kelly bushing (KB). The casing is secured with 180 sacks (sxs) Premium Plus cement which was circulated to the surface, isolating the casing from the wellbore.
- (2) **Production casing** (5-1/2 inch) is set in an 7-7/8 inch hole to a depth of 5933 feet. This casing is secured with 1010 sxs Hi-Fill and 50/50 Pozmix tail up to a depth of 3120 feet, Top of Cement (TOC), per Cement Bond Log (CBL). Plugged back total depth (PBSD) is 5922 feet.

### UPON RE-ENTRY OF THIS PRODUCING OIL WELL, THE CONVERSION TO AN ENHANCED OIL RECOVERY WELL WILL BE AS FOLLOWS:

- (1) MIRUSU, unseat pump, POOH w/rods and pump.
- (2) RIH with bit and scraper and clean out to 5922' (PBSD). This will clean up scale and fill which may be in well.
- (3) Determine formation fluid pore pressure, static bottom-hole pressure, prior to setting tubing and packer.
- (4) TIH w/2-7/8" tubing and injection retrievable packer to approximately 5500'. Circulate corrosion inhibitor or packer fluid in the tubing-casing annulus and set packer no more than 100' above top perforations (5526').
- (5) With EPA inspector or other authorized personnel present, test well for **mechanical integrity (MIT)** with pressure chart, if passed successfully, **place well on injection status and wait upon written approval from EPA to start injection.**

**NOTE: MIT TEST METHODS AND CRITERIA ARE TO FOLLOW CURRENT UIC GUIDANCE.**

The construction and conversion of this well complies with the UIC requirements and is incorporated into the Permit.

Report of water encountered during the drilling of the RWU #34-24A indicates there was no observed fresh water zones. USDWs in the Uinta Formation are protected by cement and confining zones above the injection zones (5526'-5732').

**Injection Formation:** The Green River Formation is of variable lithology consisting of alternate shales, and lenticular and discontinuous sediments of varied permeability, deposited in a primarily lacustrine environment. The **Green River Formation** beneath the **Red Wash**, Walker Hollow, White River, Gypsum Hills, and Wonsits Valley oil fields has been classified as an **exempted aquifer**. Water quality analyses from the Green River Formation in the Red Wash-Wonsits Valley area, collected for an aquifer study in 1982, by the State of Utah Natural Resources and Energy Water Rights Department, show that the **total dissolved solids (TDS) content varies** from 3,400 mg/l to 50,000 mg/l. The Green River Formation in the above oil fields was exempted as a USDW in 1982 as part of the delegation of Utah's Class II UIC program delegation [see 40 CFR §147.2251(c)(2), re: "Aquifer Exemption Process" dated June 16, 1982]. For this well, the top of the **Green River Formation is ±3019 feet measured depth (MD) below ground level**. The entire Green River Formation has been exempted from protection as a USDW.

**Uinta Formation:** The overlying formation is the **Uinta Formation** which extends from surface to ±3019' and in this area consists of variegated sequences of mudstone, shales, siltstones and sandstones. This section is characterized by few developed sand bodies. These sand bodies generally are discontinuous and are not subject to direct recharge (low yielding). Waters of less than 10,000 mg/l total dissolved solids (TDS) may be present in these sand lenses of the Uinta Formation in this area and may be considered USDWs. The well construction and plugging requirements of this Permit are adequate to protect any USDWs that may be present in the Uinta Formation. Additionally, it is not considered reasonable to expect injected waters to migrate the ±2447' upward through the Upper Green River to enter the Uinta Formation.

**Tubing and Packer Specifications**

(Condition 2)

The 2-7/8 inch injection tubing information submitted by the applicant is incorporated into the Permit and shall be binding on the permittee. A retrievable packer will be set at a depth of approximately 5500 feet KB, or no more than 100 feet above the top perforations (5526').

**Monitoring Devices**

(Condition 3)

For the purposes of taking tubing and tubing/long string casing annulus pressure measurements, the EPA is requiring that the permittee install ½ inch fittings or equivalent quick disconnect fittings, with cut-off valves at the well head on the tubing, and on the tubing/casing annulus (**for attachment of pressure gauges**). EPA is further requiring the permittee to install a sampling tap on the line to the injection well and a flow meter that will be used to measure cumulative volumes of injected fluid. The permittee shall be required to maintain these devices in good operating condition.

**Formation Testing**

(Condition 4)

The permittee is required to determine the **injection zone fluid pore pressure (static bottom-hole pressure) prior to setting injection packer** and commencing injection operations.

**PART II, Section B CORRECTIVE ACTION**

The applicant submitted the required 1/4-mile Area of Review (AOR) information with the Permit application. The subject well, RWU #34-24A, was drilled and completed according to the State of Utah requirements as to preclude uphole contamination from either oil or Class II enhanced recovery injection fluid. The temporarily abandoned **oil well**, RWU #111 (32-24A), are the only wells within the one-quarter mile AOR. There are no wells in the AOR operating over the fracture pressure of the injection formation.

An EPA analysis of the RWU #34-24A confining zone (5466' to 5520') has identified at a minimum a continuous eighteen (18) foot interval of at least 80% bond index cement bond through or significantly proximate to this zone. Therefore, it has been determined that cement in this well provides an effective barrier to significant upward movement of fluids through vertical channels adjacent to the wellbore.

RWU #32-24A, **Temporarily Abandoned oil well**. There wasn't a CBL ran on the well, only a Radioactive Tracer Log. The permittee estimated the top of cement (TOC) for the seven (7) inch production casing using the Microlog caliper reading to determine actual borehole size and the fill for the amount of cement used to set that casing string (calculations enclosed with the Permit application). The TOC in the #32-24A well is calculated at 4120' or a distance of 1363' of cement isolation between the top perforations (5483') and the surface of the well. This is more than enough buffer distance to effectively seal the production target zone from the USDW at 2921'. **Should fluid leakage be observed at the surface, the RWU #34-24A will suspend injection operations immediately, and stay suspended until the noncompliance had been resolved, and renewed injection has been approved in writing by the Director. Therefore, the permittee is not required to take any corrective action before the effective date of this Permit.**

## **PART II, Section C WELL OPERATION**

### **Prior To Commencing Injection**

(Condition 1)

Injection for the RWU #34-24A will not commence until the permittee has fulfilled all applicable conditions of the Permit and has received written authorization from the Director as to the following:

- (1) The permittee has determined the **injection zone fluid pore pressure**; and
- (2) a successfully passed **mechanical integrity pressure test (MIT), Part I (Internal)** has been performed and witnessed according to the current guidelines discussed in the permit; and
- (3) submitted a **Well Rework Record (EPA Form 7520-12) with current schematic** following conversion; and
- (4) **a separate written authorization** to inject will be given subsequent to the EPA review and approval of (1), (2), and (3) above.

**Mechanical Integrity**

(Condition 2)

A tubing/casing annulus pressure test must be conducted, at least once every five (5) years (active injection wells) to demonstrate continued tubing, packer, and casing integrity by using an EPA approved method.

**Injection Interval**

(Condition 3)

Injection will be limited to the gross Green River Formation, being 5526' to 5732' in this well. The permittee may find it necessary to perforate additional intervals within the above gross interval. These additional perforations may be added later and reported on EPA Form 7520-12.

The **confining zone** above the Green River Formation injection interval consists of 54' (5466' - 5520') of dolomitic shales with interbedded tight mudstones and carbonates with an occasional thin siltstone and tight sandstone stringers which act as an isolation barrier for the accumulation of oil and for the waterflood. An additional 2447' of intervening strata lies between the top of the confining zone at 5466' and the top of the Green River Formation at 3019'. The intervening strata consists of tightly interbedded shales, carbonate mudstones, siltstones and sandy limestones. Analysis of the Cement Bond Log/Gamma Ray (CBL/GR) has determined that the annulus cement in the RWU #34-24A well provides an effective barrier to significant upward movement of fluids through vertical channels adjacent to the wellbore.

**Injection Pressure Limitation**

(Condition 4)

**Maximum injection pressure (MIP)**; the estimated injection pressure gradient is based on January 1998 step-rate (SRT) data from several Red Wash Unit wells. The Technical Director of the EPA Enforcement Program, approved (April 6, 1998) the use of a **0.81 psi/ft. fracture gradient in the calculation of maximum surface injection**. The original owner/operator of the permit, Chevron U.S.A. Production Company, requested a Minor Modification, **increasing the maximum injection pressure for the RWU #283 (43-18B) and any future permitted wells within the Red Wash Unit**. Using this value, a theoretical modified maximum allowable surface injection pressure (Pm), for this well, has been performed and approved by the EPA as follows:

Pm = maximum pressure at the wellhead  
 1.005 = specific gravity of the injected fluid  
 0.81 = face fracture gradient, psig  
 5526' = depth to top perforations  
 0.433 = density of injectate

$$Pm = [0.81 - 0.433 (1.005)] 5526 = 2070 \text{ psig}$$

Until such time as the permittee demonstrates, through a step-rate injectivity test (SRT), that the fracture gradient is other than 0.81 psig/ft, the RWU #34-24A shall be operated at a surface injection pressure no greater than 2070 psig. Permit provisions have been made that allows the Director to **increase or decrease** the injection pressure based upon the test results and/or other parameters reflecting actual injection operations.

**Injection Volume Limitation**

(Condition 5)

There is no limitation on the number of barrels of water per day (BWPD) that may be injected into the RWU #34-24A, provided that in no case shall injection pressure exceed that limit shown in Part II, Section C. 4., of this Permit.

**Injection Fluid Limitation.**

(Condition 6)

Injection fluids are limited to those which are identified in 40 CFR § 144.6. (b) (2) as fluids used for enhanced recovery of oil and/or natural gas. The permittee shall provide a listing of the source of injected fluids on an annual basis as required by the Permit. **Injection of any hazardous waste as identified by EPA under 40 CFR § 261.3 is prohibited.**

**PART II, Section D MONITORING, RECORDKEEPING AND REPORTING OF RESULTS**

**Injection Well Monitoring Program**

(Condition 1)

The permittee is required to monitor water quality of the injected fluids at annual intervals for total dissolved solids, pH, specific conductivity, and specific gravity. Any time there is a change in the source of injection fluid, a new water quality analysis is required.

To assure that no problem goes undetected, the EPA requires that the permittee monitor this location on a weekly basis. Any observations of surface leakage will require that the operator suspend injection operations in the RWU #34-24A until the noncompliance has been corrected, and approved in writing by the Director.

All pertinent details of the weekly inspections (flow rate, injection pressure, annulus pressure, and cumulative volume) must be recorded on a monthly basis.

The permittee shall maintain copies (or originals) of all pertinent records at the office of:

**Shenandoah Energy Inc.**  
475 17th Street, Suite 1000  
Denver, Colorado.

## **PART II, Section E PLUGGING AND ABANDONMENT**

### **Plugging and Abandonment Plan** (Condition 1)

The plugging and abandonment plan submitted by the applicant, consists of five (5) plugs and is incorporated into the Permit under **Appendix C of the Permit**. This plan has been reviewed and approved by the EPA. It is consistent with UIC requirements:

**NOTE: CEMENT PLUGS ARE TO BE SEPARATED BY  
BENTONITE MUD OR A 9.6 PPG PLUGGING GEL**

## **PART II, Section F FINANCIAL RESPONSIBILITY**

### **Demonstration of Financial Responsibility** (Condition 1)

Shenandoah has chosen to demonstrate financial responsibility through a Surety Performance Bond Rider in the amount of \$1,980,000, \$18,000 per well to cover the cost of plugging and abandoning of this well and 110 other wells. Shenandoah has also submitted an accompanying Standby Trust Agreement that has been reviewed and approved by the EPA.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8

999 18<sup>TH</sup> STREET - SUITE 300

DENVER, CO 80202-2466

<http://www.epa.gov/region08>

UNDERGROUND INJECTION CONTROL PROGRAM

FINAL PERMIT

Class II Enhanced Oil Recovery Well

EPA Permit No. UT2898-04607

Well Name: Red Wash Unit #34-24A

Field Name: Red Wash

County & State: Uintah, Utah

issued to:

Shenandoah Energy Inc.

475 17th Street, Suite #1000

Denver, CO 80202

Date Prepared: February, 2002



Printed on Recycled Paper

**TABLE OF CONTENTS**

	Page
<b>TITLE SHEET . . . . .</b>	1
<b>TABLE OF CONTENTS . . . . .</b>	2
<b>PART I. AUTHORIZATION TO CONVERT AND OPERATE</b>	5
<b>PART II. SPECIFIC PERMIT CONDITIONS . . . . .</b>	7
<b>Section A. WELL CONVERSION REQUIREMENTS</b>	7
1. Casing and Cementing . . . . .	7
2. Tubing and Packer Specifications	7
3. Monitoring Devices . . . . .	7
4. Proposed Changes and Workovers .	7
5. Formation Testing . . . . .	8
6. Postponement of Conversion . . .	8
<b>Section B. CORRECTIVE ACTION . . . . .</b>	8
<b>Section C. WELL OPERATION . . . . .</b>	9
1. Prior to Commencing Injection .	9
2. Mechanical Integrity Demonstration	9
3. Injection Interval . . . . .	10
4. Injection Pressure Limitation .	11
5. Injection Volume Limitation . .	11
6. Injection Fluid Limitation . . .	11
7. Annular Fluid . . . . .	11
<b>Section D. MONITORING, RECORDKEEPING,                     AND REPORTING OF RESULTS .</b>	12
1. Injection Well Monitoring Program	12
2. Monitoring Information . . . . .	12
3. Recordkeeping . . . . .	13
4. Reporting of Results . . . . .	14

<b>TABLE OF CONTENTS (Continued)</b>	<b>Page</b>
<b>Section E. PLUGGING AND ABANDONMENT .</b>	<b>14</b>
1. Notice of Plugging and Abandonment	14
2. Plugging and Abandonment Plan .	14
3. Cessation of Injection Activities	14
4. Plugging and Abandonment Report	15
<b>Section F. FINANCIAL RESPONSIBILITY .</b>	<b>15</b>
1. Demonstration of Financial Responsibility . . . . .	15
2. Insolvency of Financial Institution . . . . .	16
<b>PART III. GENERAL PERMIT CONDITIONS . . . . .</b>	<b>16</b>
<b>Section A. EFFECT OF PERMIT . . . . .</b>	<b>16</b>
<b>Section B. PERMIT ACTIONS . . . . .</b>	<b>17</b>
1. Modification, Reissuance, or Termination . . . . .	17
2. Conversions . . . . .	17
3. Transfers . . . . .	17
4. Operator Change of Address . . . . .	17
<b>Section C. SEVERABILITY . . . . .</b>	<b>18</b>
<b>Section D. CONFIDENTIALITY . . . . .</b>	<b>18</b>
<b>Section E. GENERAL DUTIES AND REQUIREMENTS</b>	<b>18</b>
1. Duty to Comply . . . . .	18
2. Penalties for Violations of Permit Conditions . . . . .	18
3. Need to Halt or Reduce Activity not a Defense . . . . .	19
4. Duty to Mitigate . . . . .	19

<b>TABLE OF CONTENTS (Continued)</b>	<b>PAGE</b>
5. Proper Operation and Maintenance	19
6. Duty to Provide Information . . .	19
7. Inspection and Entry . . . . .	19
8. Records of the Permit Application	20
9. Signatory Requirements . . . . .	20
10. Reporting of Noncompliance . . .	20
<b>Appendix A - (Conversion Details) . . . . .</b>	<b>22</b>
<b>Appendix B - (Reporting Forms and Instructions)</b>	<b>24</b>
<b>Appendix C - (Plugging and Abandonment Plan)</b>	<b>31</b>

## **PART I. AUTHORIZATION TO CONVERT AND OPERATE**

Pursuant to the Underground Injection Control Regulations of the U. S. Environmental Protection Agency codified at Title 40 of the Code of Federal Regulations, Parts 124, 144, 146, and 147,

**Shenandoah Energy Inc. (SEI)**  
475 17th Street, Suite #1000  
Denver, CO 80202

is hereby authorized to convert and operate an active Lower Green River Formation oil well to a Class II enhanced oil recovery injection well, injecting into the same producing zones and well commonly known as:

**Red Wash Unit (RWU) #34-24A**  
SW/4 SE/4 Section 24, Township 7 South, Range 22 East  
Uintah County, Utah.

Injection shall be for the purpose of enhanced oil recovery so that Shenandoah Energy Inc. (Shenandoah) may continue to economically produce oil from their Red Wash Field in accordance with conditions set forth herein. Injection between the outermost casing protecting underground sources of drinking water (USDWs) and the wellbore is prohibited. If the well is not converted within one (1) year from the effective date of this Permit, the Permit shall expire as provided by Part II, Section A. 6.

Injection activities shall not commence until the operator has fulfilled all applicable conditions of this Permit and has received written authorization to inject from the Director. "Prior to Commencing Injection" requirements are set forth in Part II, Section C. 1., of this Permit.

All conditions set forth herein refer to Title 40 Parts 124, 144, 146, and 147 of the Code of Federal Regulations (40 CFR) and are regulations that are in effect on the date that this Permit becomes effective.


This Permit consists of a total of 32 pages and includes all items listed in the Table of Contents. Further, it is based upon representations made by the permittee and on other information contained in the administrative record. Any information

submitted by the permittee found to be incorrect may be cause for modification or termination of the Permit and/or may subject the permittee to formal enforcement action. It is the responsibility of the permittee to read, understand, and carryout all provisions of this Permit.

This Permit and the authorization to operate are issued for the operating life of the well, unless terminated (Part III, Section B), or except upon automatic expiration due to prolonged postponement of conversion (Part II, Section A. 6.). The Permit will be reviewed by EPA at least every five (5) years to determine whether action under 40 CFR § 144.36 (a) is warranted. The Permit will expire upon delegation of primary enforcement responsibility for the UIC Program to the State of Utah, Division of Oil, Gas, and Mining, or the Uintah-Ouray Indian Tribal Government, unless either the State or the Indian Tribal Government has adequate authority, and choose, to adopt and enforce this Permit as a State Permit or Tribal Government Permit.

Issued MAR 5 2002 .

This Permit shall become effective MAR 5 2002 .



Kerrigan G. Clough  
\* Assistant Regional Administrator  
Office of Partnerships and  
Regulatory Assistance

\* NOTE: The person holding this title is referred to as the "Director" throughout this Permit.

## PART II. SPECIFIC PERMIT CONDITIONS

### A. WELL CONVERSION REQUIREMENTS

1. **Casing and Cementing.** The conversion details submitted with the application are hereby incorporated into this permit as **Appendix A**, and shall be binding on the permittee. Cement bonds between the wellbore and casing are as follows: (1): 1st stage cement extends from the base of the 5-1/2 inch production casing (6387') up to an estimated top of 1910 feet kelly bushing (KB) as calculated by a Cement Bond Log (CBL); and (2): cement extends from the base of the 9-5/8 inch surface casing, set at 452 feet, up to the surface.
2. **Tubing and Packer Specifications.** A tubing of two and seven-eighths (2-7/8) inches diameter shall be utilized with a packer placed at a depth of approximately 5493 feet kelly bushing (KB). The permittee is required to set the packer at a distance of no more than 100 feet above the top perforations (5558'). Injection between the outer-most casing protecting underground sources of drinking water (USDWs) and the well bore is prohibited.
3. **Monitoring Devices.** The operator shall provide and maintain in good operating condition:
  - (a) a tap on the suction line, for the purpose of obtaining representative samples of the injection fluids;
  - (b) two (2), one-half (1/2) inch Female Iron Pipe (FIP) fittings, isolated by plug or globe valves, and located: 1) at the wellhead on the tubing; and 2) on the tubing/casing annulus (for attachment of pressure gauges). The gauges shall be designed to operate at a certified accuracy of at least ninety-five (95) percent, throughout the range of anticipated injection pressures; and
  - (c) a flow meter that will be used to measure cumulative volumes of injected fluid.
4. **Proposed Changes and Workovers.** The operator shall give at least five (5) to ten (10) days notice to the Director, of any planned physical alterations or

**additions to the permitted well(s).** Major alterations or workovers of the permitted well shall meet all conditions as set forth in this permit. A major alteration/workover shall be considered any work performed, which affects casing, packer(s), or tubing.

Demonstration of mechanical integrity shall be performed within thirty (30) days of completion of workovers/alterations and prior to injection activities, in accordance with Part II, Section C. 2.

The permittee shall provide all records of well workovers, logging, or other test data to EPA within sixty (60) days of completion of the activity. **Appendix B** contains samples of the appropriate reporting forms.

5. **Formation Testing.** The permittee is required to determine the injection zone fluid pore pressure (static bottom-hole pressure), prior to setting injection tubing and packer.
6. **Postponement of Conversion.** If the well is not converted to injection status within one (1) year from the effective date of this permit, the authorization to convert and operate will automatically expire, unless the permittee requests and is granted an extension. The request shall be made to the Director in writing, and shall state the reasons for the delay in conversion/construction, and confirm the protection of all USDWs. The extension under this section may not exceed one (1) year. Once authorization to convert and operate expires under this part, the full permitting process, including opportunity for public comment, must be repeated before authorization to construct/convert and operate will be reissued. Financial responsibility shall be maintained during the period of inactivity in accordance with Part II, Section F.

## **B. CORRECTIVE ACTION**

The applicant submitted the required 1/4-mile Area of Review (AOR) information with the permit application. Within the AOR are two (2) Green River Formation wells; (1) the subject well, drilled and completed as a producing oil well according to the State of Utah requirements, and (2) the temporarily abandoned oil well, #111 (32-24A), are the only wells within the one-

quarter mile AOR. These wells were constructed in such a manner as to preclude any migration of injected fluids up hole. If any leaks are detected, the well(s) will be shut-in immediately and corrective action will be taken to restore integrity to the wellbore. Therefore, the permittee is not required to take any corrective action prior to the issuance of this Permit.

**C. WELL OPERATION**

1. **Prior to Commencing Injection.** Injection operations may not commence until the permittee has complied with the following:
  - (a) Conversion is complete and the permittee has submitted a **Well Rework Record (Form 7520-12 in Appendix B); A current wellbore diagram will be included;** and
  - (b) the permittee has determined the **injection zone fluid pore pressure (static bottom-hole pressure);** and
  - (c) a **successfully passed mechanical integrity pressure test (MIT), Part I (Internal)** shall be performed with pressure chart, according to the current UIC Guidance for Conducting a Pressure Test to Determine if a Well Has Leaks in the Tubing, Casing or Packer. **This guidance will be made available to the permittee when the final permit is issued.**
  
2. **Mechanical Integrity Demonstration.**
  - (a) **Notification.** The Permittee shall notify the Director at least two (2) weeks prior to any required integrity test. The Director may allow a shorter notification period if it would be sufficient to enable EPA to witness the mechanical integrity test. Notification may be in the form of a yearly or quarterly schedule of planned mechanical integrity tests (MIT), or it may be on an individual basis.
  - (b) **Test Methods and Criteria.** Test methods and criteria are to follow **current UIC Guidance for Conducting a Pressure Test to determine if a Well has leaks in the Tubing, Casing or Packer. To**

assure that the test pressure will detect significant leaks and that the casing is subjected to pressure similar to that which would be applied if tubing or packer fails, the tubing/casing annulus should be tested at a pressure equal to the maximum allowed injection pressure or 1000 psig whichever is less. The annular test pressure must, however, have a difference of at least 200 psig either greater or less than the injection tubing pressure. Wells which inject at pressures of less than 300 psig must test at a minimum pressure of 300 psig, and the pressure difference between the annulus and the injection tubing must be at least 200 psig.

- (c) Routine Demonstrations of Mechanical Integrity. The Permittee must demonstrate mechanical integrity by arranging and conducting a routine tubing/casing annulus pressure test at least one every five (5) years during the life of the facility and **after workovers (see Part II. A. 4.)**. Results of the test shall be submitted (on EPA form found in **Appendix B**) to the Director as soon as possible but no later than sixty (60) days after the test is complete.
- (d) Loss of Mechanical Integrity. The operator is required to establish and maintain mechanical integrity [40 CFR § 144.51(q)]. If the well fails to demonstrate mechanical integrity during a test, or a loss of mechanical integrity as defined by 40 CFR § 146.8 becomes evident during operation, the permittee shall notify the Director in accordance with Part III, Section E. 10. (c) of this permit. Furthermore, injection activities shall be terminated immediately; and operation shall not be resumed until the permittee has taken necessary actions to restore integrity to the well and the Director gives approval to recommence injection.

3. Injection Interval. As identified in **Appendix A**, injection shall be limited to the gross Green River Formation, being 5526' to 5732' in this well. Additional perforations within the gross interval may be added later and reported on EPA Form 7520-12.

The **confining zone** above the Green River Formation injection interval consists of 54' (5466'- 5520') of

shale, calcareous in part with occasional thin siltstone and tight sandstone stringers which acts as an isolation barrier for the accumulation of oil and for the waterflood. An additional 2447' of intervening strata lies between the top of the confining zone at 5466' and the top of the Green River Formation at 3019'.

4. **Injection Pressure Limitation.**

(a) Injection pressure, measured at the surface, shall not exceed an amount that the Director determines is appropriate to ensure that injection does not initiate new fractures or propagate existing fractures in the confining zone adjacent to USDWs.

(b) The exact pressure limit may be **increased or decreased** by the Director in order to ensure that the requirements in paragraph (a) are fulfilled. In order to determine an exact pressure limit, the permittee may conduct a step rate injection test or other authorized well test(s) that will serve to determine the fracture pressure of the injection zone. Test procedures shall be pre-approved in writing by the Director. The Director will specify in writing, to the permittee, any increase or decrease to the injection pressure based upon the test results and/or other parameters reflecting actual injection operations. Until such time that this demonstration and approval is made, **the injection pressure, measured at the surface shall not exceed 2070 psig (maximum injection pressure).**

5. **Injection Volume Limitation.** There is no limitation on the number of barrels of water per day (BWPD) that shall be injected into this well, provided further that in no case shall injection pressure exceed that limit shown in Part II, Section C. 4. (b) of this Permit.

6. **Injection Fluid Limitation.** The permittee shall not inject any hazardous substances, as defined by 40 CFR part 261, at any time during the operation of the facility; and further, no substances other than those produced brines from oil and/or gas production and source water for water flooding in the Red Wash field.

7. **Annular Fluid.** The annulus between the tubing and the casing shall be filled with fresh water treated with a

corrosion inhibitor to prevent corrosion. A diesel freeze blanket may be circulated from surface to below frost level at completion to prevent freezing and possible equipment failure during winter months, or other fluid as approved, in writing, by the Director.

**D. MONITORING, RECORDKEEPING, AND REPORTING OF RESULTS**

1. **Injection Well Monitoring Program.** Samples and measurements shall be representative of the monitored activity. The permittee shall utilize the applicable analytical methods described in Table 1 of 40 CFR § 136.3, or in Appendix III of 40 CFR Part 261, or in certain circumstances, by other methods that have been approved by the EPA Administrator. Monitoring shall consist of:
  - (a) Analysis of the injected fluids, performed:
    - (i) **Annually** for Total Dissolved Solids (TDS), pH, Specific Conductivity, and Specific Gravity, from the common facility; however, if injection is maintained from more than one well from each common facility, then only one annual analysis is required for that facility.
    - (ii) Whenever there is a change in the source of injection fluids. A comprehensive water analysis shall be submitted to the Director within thirty (30) days of any change in injection fluids.
  - (b) **In addition to the weekly well site inspection** for surface leaks; observations of flow rate, injection pressure, annulus pressure, and cumulative volume shall be conducted monthly. All observations shall be observed and/or measured at approximately the same time. Observations of each shall be **recorded monthly.**
2. **Monitoring Information.** Records of any monitoring activity required under this permit shall include:
  - (a) The date, exact place, the time of sampling or field measurements;

- (b) The name of the individual(s) who performed the sampling or measurements;
- (c) The exact sampling method(s) used to take samples;
- (d) The date(s) laboratory analyses were performed;
- (e) The name of the individual(s) who performed the analyses;
- (f) The analytical techniques or methods used by laboratory personnel; and
- (g) The results of such analyses.

3. **Recordkeeping.**

- (a) The permittee shall retain records concerning:
  - (i) the nature and composition of all injected fluids until three (3) years after the completion of plugging and abandonment which has been carried out in accordance with the Plugging and Abandonment Plan shown in **Appendix C**, and is consistent with 40 CFR § 146.10.
  - (ii) all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation and copies of all reports required by this permit for a period of at least five (5) years from the date of the sample, measurement or report throughout the operating life of the well.
- (b) The permittee shall continue to retain such records after the retention period specified in paragraphs (a) (i) and (a) (ii) unless he delivers the records to the Director or obtains written approval from the Director to discard the records.
- (c) The permittee shall maintain copies (or originals) of all pertinent records at the office of:

**Shenandoah Energy Inc. (SEI)**  
475 17th Street, Suite 1000  
Denver, Colorado.

4. **Reporting of Results.** The permittee shall submit an **Annual Report** to the Director summarizing the results of the monitoring required by Part II, Section D. 1. (a) and (b) of this permit. Copies of all monthly records on injected fluids, and any major changes in characteristics or sources of injected fluid shall be included in the Annual Report.

The first Annual Report shall cover the period from the effective date of the Permit through December 31, of that year. Subsequently, the Annual Report shall cover the period from January 1 through December 31, and shall be submitted by **February 15** of the following year. **Appendix B** contains Form 7520-11 which may be copied and used to submit the annual summary of monitoring.

#### **E. PLUGGING AND ABANDONMENT**

1. **Notice of Plugging and Abandonment.** The permittee shall notify the Director forty-five (45) days before conversion, or abandonment of the well.
2. **Plugging and Abandonment Plan.** The permittee shall plug and abandon the well as provided in the Plugging and Abandonment Plan, **Appendix C**. This plan incorporates information supplied by the permittee and may contain a clarification by the EPA. The EPA reserves the right to change the manner in which the well will be plugged if the well is modified during its permitted life or if the well is not made consistent with EPA requirements for construction and mechanical integrity. The Director may require the permittee to update the estimated plugging cost periodically. Such estimates, two (2), shall be based on an independent service company's cost for current EPA approved P&A operations, not an "in-house" cost estimate.
3. **Cessation of Injection Activities.** After a cessation of operations of two (2) years [40 CFR § 144.52 (a) (6)], the permittee shall plug and abandon the well in accordance with the Plugging and Abandonment Plan, unless the permittee:
  - (a) has provided notice to the Director; and
  - (b) has demonstrated that the well will be used in the future; and

(c) has described actions or procedures, satisfactory to the Director, that will be taken to ensure that the well will not endanger underground sources of drinking water during the period of temporary abandonment.

4. **Plugging and Abandonment Report.** Within sixty (60) days after plugging the well, the permittee shall submit a report on Form 7520-13 to the Director. The report shall be certified as accurate by the person who performed the plugging operation and the report shall consist of either: (1) a statement that the well was plugged in accordance with the plan; or (2) where actual plugging differed from the plan, a statement that specifies the different procedures followed.

## F. FINANCIAL RESPONSIBILITY

1. **Demonstration of Financial Responsibility.** The permittee has chosen to demonstrate financial responsibility through a Surety Performance Bond in the amount of \$1,980,000, **\$18,000 per well to cover the cost of plugging and abandoning 110 wells as listed under Schedule "A"**. Shenandoah has also submitted an accompanying Standby Trust Agreement that has been reviewed and approved by the EPA.
- (a) The **permittee shall submit financial statements and other information annually, or as required by EPA,** in order to demonstrate that its financial position remains sound, and that it continues to have adequate financial resources, as determined by the EPA, to close, plug, and abandon the injection well(s) in accordance with the approved plugging and abandonment plan.
- (b) If financial statements or other information indicate that the permittee no longer has financial resources, according to EPA criteria, to assure that the injection wells will be properly plugged and abandoned, then the permittee must make an alternate showing of financial responsibility. This showing must be acceptable to the Director and must be submitted within sixty (60) days after having been notified by EPA of the necessity for making an alternate showing of financial responsibility.

(c) The permittee may upon his own initiative and upon written request to EPA, change the method of demonstrating financial responsibility from financial statement coverage to a financial instrument such as a bond, letter of credit, or trust fund. Any such change must be approved by the Director.

2. Insolvency of Financial Institution. In the event that an alternate demonstration of financial responsibility has been approved under (b) or (c), above, the permittee must submit an alternate demonstration of financial responsibility acceptable to the Director within sixty (60) days after either of the following events occur:

- (a) The institution issuing the trust or financial instrument files for bankruptcy; or
- (b) The authority of the trustee institution to act as trustee, or the authority of the institution issuing the financial instrument, is suspended or revoked.

### **PART III. GENERAL PERMIT CONDITIONS**

**A. EFFECT OF PERMIT.** The permittee is allowed to engage in underground injection in accordance with the conditions of this permit. The permittee, as authorized by this permit, shall not construct, operate, maintain, convert, plug, abandon, or conduct any other injection activity in a manner that allows the movement of fluid containing any contaminant into underground sources of drinking water, if the presence of that contaminant may cause a violation of any primary drinking water regulation under 40 CFR, Part 142 or otherwise adversely affect the health of persons. Any underground injection activity not authorized in this permit or otherwise authorized by permit or rule is prohibited. Issuance of this permit does not convey property rights of any sort or any exclusive privilege; nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of State or local law or regulations. Compliance with the terms of this permit does not constitute a defense to any enforcement action brought under the provisions of Section 1431 of the Safe Drinking Water Act (SDWA) or any other law governing protection of public health or the environment for any imminent and substantial endangerment to human health, or the environment, nor does it serve as a shield to the permittee's independent obligation to comply with all UIC regulations.

## B. PERMIT ACTIONS

1. **Modification, Reissuance, or Termination.** The Director may, for cause or upon a request from the permittee, modify, revoke and reissue, or terminate this permit in accordance with 40 CFR §§ 124.5, 144.12, 144.39, and 144.40. Also, the permit is subject to minor modifications for cause as specified in 40 CFR § 144.41. The filing of a request for a permit modification, revocation and reissuance, or termination or the notification of planned changes or anticipated noncompliance on the part of the permittee does not stay the applicability or enforceability of any permit condition.
2. **Conversions.** The Director may, for cause or upon a request from the permittee allow conversion of the well from a Class II injection well to a non-Class II well. Requests to convert the injection well from its Class II status to a non-Class II well, such as, a production well, must be made in writing to the Director. Conversion may not proceed until a permit modification indicating the conditions of the proposed conversion is received by the permittee. Conditions of the modification may include such items as, but is not limited to, approval of the proposed well rework, follow up demonstration of mechanical integrity, and well specific monitoring and reporting following the conversion.
3. **Transfers.** This permit is not transferrable to any person except after notice is provided to the Director and the requirements of 40 CFR § 144.38 are complied with. The Director may require modification, or revocation and reissuance, of the permit to change the name of the permittee and incorporate such other requirements as may be necessary under the SDWA.
4. **Operator Change of Address.** Upon the operator's change of address, notice must be given to the following EPA office:

U. S. Environmental Protection Agency  
Region VIII, UIC Section (8P-W-GW)  
999 18th Street, Suite 300  
Denver, CO 80202-2466

**C. SEVERABILITY**

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

**D. CONFIDENTIALITY**

In accordance with 40 CFR Part 2 and 40 CFR § 144.5, any information submitted to EPA pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted at the time of submission by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, EPA may make the information available to the public without further notice. If a claim is asserted, the validity of the claim will be assessed in accordance with the procedures in 40 CFR Part 2 (Public Information). Claims of confidentiality for the following information will be denied:

- The name and address of the permittee; and
- Information which deals with the existence, absence, or level of contaminants in drinking water.

**E. GENERAL DUTIES AND REQUIREMENTS**

1. **Duty to Comply.** The permittee shall comply with all conditions of this permit, except to the extent and for the duration such noncompliance is authorized by an emergency permit. Any permit noncompliance constitutes a violation of the SDWA and is grounds for enforcement action, permit termination, revocation and reissuance, or modification. Such noncompliance may also be grounds for enforcement action under the Resource Conservation and Recovery Act (RCRA).
2. **Penalties for Violations of Permit Conditions.** Any person who violates a permit requirement is subject to civil penalties, fines, and other enforcement action under the SDWA and may be subject to such actions pursuant to the RCRA. Any person who willfully violates permit conditions may be subject to criminal prosecution.

3. **Need to Halt or Reduce Activity not a Defense.** It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
4. **Duty to Mitigate.** The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit.
5. **Proper Operation and Maintenance.** The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up, or auxiliary facilities or similar systems, only when necessary, to achieve compliance with the conditions of this permit.
6. **Duty to Provide Information.** The permittee shall furnish the Director, within a time specified, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. The permittee shall also furnish to the Director, upon request, copies of records required to be kept by this permit.
7. **Inspection and Entry.** The permittee shall allow the Director, or an authorized representative, upon the presentation of credentials and other documents as may be required by law, to:
  - (a) Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
  - (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;


- (c) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
  - (d) Sample or monitor, at reasonable times, for the purpose of assuring permit compliance or as otherwise authorized by the SDWA any substances or parameters at any location.
8. **Records of Permit Application.** The permittee shall maintain records of all data required to complete the permit application and any supplemental information submitted for a period of five (5) years from the effective date of this permit. This period may be extended by request of the Director at any time.
9. **Signatory Requirements.** All reports or other information requested by the Director shall be signed and certified according to 40 CFR § 144.32.
10. **Reporting of Noncompliance.**
- (a) **Anticipated Noncompliance.** The permittee shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
  - (b) **Compliance Schedules.** Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than thirty (30) days following each schedule date.
  - (c) **Twenty-four Hour Reporting.**
    - (i) The permittee shall report to the Director any noncompliance which may endanger health or the environment. Information shall be provided orally within twenty-four (24) hours from the time the permittee becomes aware of the circumstances by telephoning EPA at 303.312.6155 (during normal business hours) or at 303.293-1788 (for reporting at all other times). The following information shall be included in the verbal report:

- (A) Any monitoring or other information which indicates that any contaminant may cause endangerment to an underground source of drinking water.
  - (B) Any noncompliance with a permit condition or malfunction of the injection system which may cause fluid migration into or between USDWs.
- (ii) A written submission shall also be provided within five (5) days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.
- (d) Other Noncompliance. The permittee shall report all other instances of noncompliance not otherwise reported at the time monitoring reports are submitted. The reports shall contain the information listed in Part III, Section E. 10.(C) (ii) of this permit.
- (e) Other Information. Where the permittee becomes aware that he failed to submit any relevant facts in the permit application, or submitted incorrect information in a permit application or in any report to the Director, the permittee shall submit such correct facts or information within two (2) weeks of the time such information became known to him.

**APPENDIX A**

**(Conversion Details)**

Current Well Construction



## APPENDIX B

### (Reporting Forms and Instructions)

1. EPA Form 7520- 7: APPLICATION TO TRANSFER PERMIT
2. EPA Form 7520-10: COMPLETION REPORT FOR BRINE DISPOSAL WELL
3. EPA Form 7520-11: ANNUAL DISPOSAL/INJECTION WELL MONITORING REPORT
4. EPA Form 7520-12: WELL REWORK RECORD
5. EPA Form 7520-13: PLUGGING RECORD
6. EPA Form MIT R-8 MECHANICAL INTEGRITY TEST



## Well Class and Type Codes

<b>Class I</b>	Wells used to inject waste below the deepest underground source of drinking water.
<b>Type "I"</b>	Nonhazardous industrial disposal well
<b>"M"</b>	Nonhazardous municipal disposal well
<b>"W"</b>	Hazardous waste disposal well injecting below USDW's
<b>"X"</b>	Other Class I wells (not included in Type "I," "M," or "W")
<b>Class II</b>	Oil and gas production and storage related injection wells.
<b>Type "D"</b>	Produced fluid disposal well
<b>"R"</b>	Enhanced recovery well
<b>"H"</b>	Hydrocarbon storage well (excluding natural gas)
<b>"X"</b>	Other Class II wells (not included in Type "D," "R," or "H")
<b>Class III</b>	Special process injection wells.
<b>Type "G"</b>	Solution mining well
<b>"S"</b>	Sulfur mining well by Frasch process
<b>"U"</b>	Uranium mining well
<b>"X"</b>	Other Class III wells (not included in Type "G," "S," or "U")
<b>Other Classes</b>	Wells not included in classes above.
	Class V wells which may be permitted under §144.12
	Wells not currently classified as Class I, II, III, or V.



**COMPLETION REPORT FOR BRINE DISPOSAL,  
HYDROCARBON STORAGE, OR ENHANCED RECOVERY WELL**

NAME AND ADDRESS OF EXISTING PERMITTEE	NAME AND ADDRESS OF SURFACE OWNER
--	-----------------------------------

<p>LOCATE WELL AND OUTLINE UNIT ON SECTION PLAT — 640 ACRES</p>	STATE	COUNTY	PERMIT NUMBER	
	SURFACE LOCATION DESCRIPTION			
	¼ OF		¼ OF	¼ SECTION
			TOWNSHIP	RANGE
	LOCATE WELL IN TWO DIRECTIONS FROM NEAREST LINES OF QUARTER SECTION AND DRILLING UNIT			
	Surface Location ____ ft. from (N/S) ____ Line of quarter section and ____ ft. from (E/W) ____ Line of quarter section			
<p><b>WELL ACTIVITY</b></p> <input type="checkbox"/> Brine Disposal <input type="checkbox"/> Enhanced Recovery <input type="checkbox"/> Hydrocarbon Storage		<p><b>TYPE OF PERMIT</b></p> <input type="checkbox"/> Individual <input type="checkbox"/> Area Number of Wells ____		
<p>Estimated Fracture Pressure of Injection Zone</p>				
Anticipated Daily Injection Volume (Bbls)		Injection Interval		
Average	Maximum	Feet	to Feet	
Anticipated Daily Injection Pressure (PSI)		Depth to Bottom of Lowermost Freshwater Formation (Feet)		
Average	Maximum			

<p>Type of Injection Fluid (Check the appropriate block(s))</p> <input type="checkbox"/> Salt Water <input type="checkbox"/> Brackish Water <input type="checkbox"/> Fresh Water <input type="checkbox"/> Liquid Hydrocarbon <input type="checkbox"/> Other	Lease Name	Well Number
Name of Injection Zone		

Date Drilling Began	Date Well Completed	Permeability of Injection Zone
Date Drilling Completed		Porosity of Injection Zone

CASING AND TUBING			CEMENT		HOLE	
OD Size	Wt/Ft — Grade — New or Used	Depth	Sacks	Class	Depth	Bit Diameter

INJECTION ZONE STIMULATION		WIRE LINE LOGS, LIST EACH TYPE	
Interval Treated	Materials and Amount Used	Log Types	Logged Intervals

Complete Attachments A — E listed on the reverse.

**CERTIFICATION**

*I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32).*

NAME AND OFFICIAL TITLE (Please type or print)	DATE SIGNED
--	-------------

## **ATTACHMENTS**

- A. Present a schematic or other appropriate drawings of the surface and subsurface construction details of the well as built.**
- B. Describe the method and results of mechanical integrity testing.**
- C. Present the results of that portion of those logs, tests, and cores which specifically relate to (1) underground sources of drinking water and the confining zone(s) and (2) the injection and adjacent formations.**
- D. Present the status of corrective action on defective wells in the area of review.**
- E. Provide to EPA, with the completion report, one final print of all geophysical logs run.**






### WELL REWORK RECORD

NAME AND ADDRESS OF PERMITTEE

NAME AND ADDRESS OF CONTRACTOR

LOCATE WELL AND OUTLINE UNIT ON  
SECTION PLAT — 640 ACRES



STATE COUNTY

PERMIT NUMBER

SURFACE LOCATION DESCRIPTION

¼ OF ¼ OF ¼ SECTION TOWNSHIP RANGE

LOCATE WELL IN TWO DIRECTIONS FROM NEAREST LINES OF QUARTER SECTION AND DRILLING UNIT

Surface Location \_\_\_\_ ft. from (N/S) \_\_\_\_ Line of quarter section  
and \_\_\_\_ ft. from (E/W) \_\_\_\_ Line of quarter section

WELL ACTIVITY

- Brine Disposal
- Enhanced Recovery
- Hydrocarbon Storage

Lease Name

Total Depth Before Rework

Total Depth After Rework

Date Rework Commenced

Date Rework Completed

TYPE OF PERMIT

- Individual
  - Area
- Number of Wells \_\_\_\_

Well Number

#### WELL CASING RECORD — BEFORE REWORK

Casing		Cement		Perforations		Acid or Fracture Treatment Record
Size	Depth	Sacks	Type	From	To	

#### WELL CASING RECORD — AFTER REWORK (Indicate Additions and Changes Only)

Casing		Cement		Perforations		Acid or Fracture Treatment Record
Size	Depth	Sacks	Type	From	To	

DESCRIBE REWORK OPERATIONS IN DETAIL  
USE ADDITIONAL SHEETS IF NECESSARY

WIRE LINE LOGS, LIST EACH TYPE

Log Types

Logged Intervals

#### CERTIFICATION

*I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32).*

NAME AND OFFICIAL TITLE (Please type or print)

SIGNATURE

DATE SIGNED



# PLUGGING AND ABANDONMENT PLAN

NAME AND ADDRESS OF FACILITY

NAME AND ADDRESS OF OWNER OPERATOR

PERMIT NUMBER

STATE COUNTY

LOCATE WELL AND OUTLINE UNIT ON SECTION PLAT — 640 ACRES

SURFACE LOCATION DESCRIPTION

1/4 OF 1/4 OF 1/4 SECTION TOWNSHIP RANGE

LOCATE WELL IN TWO DIRECTIONS FROM NEAREST LINES OF QUARTER SECTION AND DRILLING UNIT

Surface Location \_\_\_\_ ft. from (N/S) \_\_\_\_ Line of quarter section  
and \_\_\_\_ ft. from (E/W) \_\_\_\_ Line of quarter section

TYPE OF AUTHORIZATION

- Individual Permit
- Area Permit
- Rule


Number of Wells \_\_\_\_

WELL ACTIVITY

- CLASS I
- CLASS II
  - Brine Disposal
  - Enhanced Recovery
  - Hydrocarbon Storage
- CLASS III

Well Number

Lease Name



CASING AND TUBING RECORD AFTER PLUGGING

METHOD OF EMPLACEMENT OF CEMENT PLUGS

- The Balance Method
- The Dump Bailer Method
- The Two-Plug Method
- Other

SIZE	WT(LB/FT)	TO BE PUT IN WELL (FT)	TO BE LEFT IN WELL (FT)	HOLE SIZE

CEMENTING TO PLUG AND ABANDON DATA:

	PLUG #1	PLUG #2	PLUG #3	PLUG #4	PLUG #5	PLUG #6	PLUG #7
Size of Hole or Pipe in which Plug Will Be Placed (inches)							
Depth to Bottom of Tubing or Drill Pipe (ft.)							
Sacks of Cement To Be Used (each plug)							
Slurry Volume To Be Pumped (cu. ft.)							
Calculated Top of Plug (ft.)							
Measured Top of Plug (if tagged ft.)							
Slurry Wt. (Lb./Gal.)							
Type Cement or Other Material (Class III)							

LIST ALL OPEN HOLE AND/OR PERFORATED INTERVALS AND INTERVALS WHERE CASING WILL BE VARIED (If any)

From	To	From	To

Estimated Cost to Plug Wells

## CERTIFICATION

*I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32)*

NAME AND OFFICIAL TITLE (Please type or print)

SIGNATURE

DATE SIGNED

# Mechanical Integrity Test

## Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency  
Underground Injection Control Program, UIC Direct Implementation Program 8P-W-GW  
999 18<sup>th</sup> Street, Suite 500 Denver, CO 80202-2466

EPA Witness: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Test conducted by: \_\_\_\_\_

Others present: \_\_\_\_\_

Well Name: _____	Type: ER SWD	Status: AC TA UC
Field: _____		
Location: _____	Sec: ____ T ____ N/S R ____ E/W	County: _____ State: ____
Operator: _____		
Last MIT: ____/____/____	Maximum Allowable Pressure: _____	PSIG

Is this a regularly scheduled test?  Yes  No

Initial test for permit?  Yes  No

Test after well rework?  Yes  No

Well injecting during test?  Yes  No If Yes, rate: \_\_\_\_\_ bpd

Pre-test casing/tubing annulus pressure: \_\_\_\_\_ psig

MIT DATA TABLE	Test #1	Test #2	Test #3
<b>TUBING PRESSURE</b>			
Initial Pressure	psig	psig	psig
End of test pressure	psig	psig	psig
<b>CASING / TUBING ANNULUS PRESSURE</b>			
0 minutes	psig	psig	psig
5 minutes	psig	psig	psig
10 minutes	psig	psig	psig
15 minutes	psig	psig	psig
20 minutes	psig	psig	psig
25 minutes	psig	psig	psig
30 minutes	psig	psig	psig
minutes	psig	psig	psig
minutes	psig	psig	psig
<b>RESULT</b>	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

Does the annulus pressure build back up after the test?  Yes  No



## APPENDIX C

### PLUGGING & ABANDONMENT PLAN

and

### SCHEMATIC


#### Red Wash Unit #34-24A

This plan has been reviewed and approved by the EPA. It is consistent with UIC requirements:

**NOTE: CEMENT PLUGS ARE TO BE SEPARATED BY BENTONITE MUD OR A 9.6 PPG PLUGGING GEL (BRINE WATER WITH A GELLING AGENT).**

- 1) MIRU, ND WH and NU BOPE. Pull downhole equipment. PU workstring and clean out to PBTD, circulate hole clean.
- 2) PLUG #1 Top perforations at 5526'. Set CIBP at 5526' and dump bail 35' Class "G" cement on top.
- 3) PLUG #2 Oil shale interval 3929'-4017'. Set balanced cement plug across interval 3879'-4067, using 26 sxs Class "G" cement.
- 4) PLUG #3 Green River top 3019'. Cut off casing at 3020' and set balanced plug from 2970'-3070'.
- 5) PLUG #4 Surface casing shoe @ 457'. 407'-507' set balanced plug with 45 sxs Class "G" cement.
- 6) PLUG #5 Surface to 50'. Balanced plug with 26 sxs Class "G" cement to surface.
- 7) Weld on marker and clean location.

# Plugging and Abandonment Construction



Plug #4 407' - 507'  
45 sx Class G cement

Plug #5  
surf - 50'  
26 sx Class G  
cement to surf.

Cut & Pull  
5-1/2" Casing  
@ 3020'

Plug #3 2970' - 3070'  
35 sx (100')  
Class G cement

Plug #2 3879' - 4067'  
26 sx (188')  
Class G cement

Plug #1 5480' - 5445'  
CIBP @ 5526' +  
5 sx (35') Class G

Perforations:  
5526' - 5732'

TD = 5933'  
PBTD = 5922'



**RWU #34-24A**  
**Red Wash Field**  
**SWSE S24-T7S-R22E**  
**Uintah County, Utah**  
**API # 43-047-33568**  
**AFE#**

**Narrative:**

This well was drilled in August 2000 and completed in September of 2000 with initial production via rod pump of 130 BPD; 10 BWD and 0 MCFD. The wellbore consists of perforations in the Gt7; Gu6; Gw4; Gy2; Lv5; Lw4 and Ly2 zones. The proposal to convert this well into an injection well will be performed by squeezing perfs.in the Gt7 and Gu6 zone and perforating interval 5648-5652' and breaking it down and initiate injection into the various open zones. A bottom hole pressure (BHP) survey will be conducted prior to injection along with an MIT test.

TD @ 5953'?

Casing Shoe @ 5948"

Float Collar @5935'

**Conversion Procedure**

1. MIRU completion rig. POOH with rods and pump and lay down same. NU BOP's and POOH with tubing. RIH with 4-3/4" bit and 5-1/2" csg.scrapers and tbg.to PBTD of ~5922'. Circulate the hole with hot 2% KCL water and POOH with bit and scraper.
2. RIH with ret.pkr.and RBP and squeeze perfs.5526-28' and 5541-43'. Drill out and test squeeze.
3. Perforate per the Density log interval 5648-52' at 4 JPF using a 4" casing gun and "Prospector" charges.
4. RIH with ret.BP and ret.pkr.and set ret.BP. at ~5660 and ret.pkr.at ~ 5630' breakdown perfs. 5648-52'. POOH with tools and tbg..
5. RIH with injection tubulars as follows:  
Arrowset ret.pkr.; 1 jt; SN; rest of 2-7/8" tbg.to surface.
6. Set pkr.at ~5550' after circulating packer fluid.
7. Perform MIT test of casing to >1000# and run a BHP survey with bombs hanging at ~5580'.
8. Turn well over to production department to start well injection.

INJECTION WELL DATA RWU				
WELL: <u>34-24A</u>		Date: <u>02/14/02</u>		
OPEN PERFS CURRENT	ZONE	FINAL INJECTION ZONES	ACTION	COMMENTS
5526-28 5541-43	Eu6 Ev5 Gt7 Gu6 Gu6b Gv5		<b>Squeeze Squeeze</b>	
5582-86	Gw4	5582-86'		
5616-20	Gx3 Gy2	5616-20		
5666-68	Lt7 Lu6 Lv5	5648-52' 5666-68'	<b>perf this zone</b>	
5700-02	Lv5b Lw4	5700-02'		
5730-32	Lx3 Ly2	5730-32'		
	Mesa Mesa			

**ACTION**

1. Squeeze Gt7 and Gu6 intervals, 5526-28 & 5541-43
2. Perforate Lu6 interval 5648-52'
3. Breakdown new perfs.
4. Equip well, hook-up, MIT, and commence injection

Form 3160-5  
(August 1999)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

FORM APPROVED  
OMB NO. 1004-0135  
Expires November 30, 2000

5. Lease Serial No.  
**UTU0561**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.  
**UTU630100**

8. Well Name and No.  
**RWU 34-24A**

9. API Well No.  
**43-047-33568-00-S1**

10. Field and Pool, or Exploratory  
**RED WASH**

11. County or Parish, and State  
**UINTAH COUNTY, UT**

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**SHENANDOAH ENERGY INC** Contact: **DAHN CALDWELL**  
E-Mail: **dcaidwell@shenandoahenergy.com**

3a. Address  
**11002 EAST 17500 SOUTH VERNAL, UT 84078-8528**

3b. Phone No. (include area code)  
Ph: **435.781.4342**  
Fx: **435.781.4357**

4. Location of Well (Postage, Sec., T., R., M., or Survey Description)  
**Sec 24 T7S R22E SWSE 1295FSL 2126FEL**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input checked="" type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

1 - MIRU Gudac Brothers to convert rod pumping well to injection well.  
2 - LD 1-1/2" x 30' polish rod; 2-4"; 2-6" x 7/8" pony rods; 78 - 7/8" rods; 150 - 3/4" rods and 2 1/2" x 1 3/4" pump.  
3 - Finish RIH with bit, scraper & tbg. Tag @ 5918'.  
4 - Perform squeeze on perfs; 5526' - 5528' & 5541' - 5543'.  
5 - Test G17 perfs 5526' - 5528' to 1120# and lost 60# in 30 minutes. Continue to drill out cement to 5560' & test G17 perfs and G6 perfs 5541' - 5543' to 1100# and lost all pressure in 4 minutes.  
6 - Perfs 5526' - 5528' & 5541' - 5543' were squeezed, but failed pressure test.  
7 - MIRU Computalog & perf interval 5648' - 52' per the CBL log at 4 JPF w/ a 4" csg gun & Prospector charges.  
8 - RIH w/injection tubulars as follows: 5 1/2" Arrow-Set 1 pkr; 1.81" F' Nipple & 2 Jts 2 3/8" tbg, 5 1/2" Hydro-Set pkr; 167 jts of 2 7/8" tbg; 1-10' pup jt; 1 jt 2 7/8" tbg to surface.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #14325 verified by the BLM Well Information System  
For SHENANDOAH ENERGY INC, sent to the Vernal  
Committed to AFMS5 for processing by LESLIE WALKER on 09/30/2002 (02LW056405E)**

Name (Printed/Typed) **JIM SIMONTON** Title **COMPLETION MANAGER**

Signature (Electronic Submission) Date **09/19/2002**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By **ACCEPTED** Title **ACCEPTED** Date **10/01/2002**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Vernal

Title 16 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* REVISED \*\* REVISED \*\***

**Additional data for EC transaction #14325 that would not fit on the form****32. Additional remarks, continued**

9 - ND BOP's & set Arrow Set l pkr @ 5558' w/ 5,000# compression. Set Hydro pkr @ 5486' w/ 2200# pressure.

10 - Test csg to 1120# and lost 20# in 1/2 hour. Pump 40 bbls water down tbg @ 3 1/2 BPM @ 1,000#.

11 - A static BHP survey & a MIT test were successfully conducted on this well. Conversion to water injection well is complete pending EPA approval.

**CONFIDENTIAL - TIGHT HOLE**

Do not release well information without permission from Shenandoah Energy Inc.



May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801

**Attention: John Baza/Jim Thompson**

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File – Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

**JUL 07 2003**

3104 (932.34)WF  
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.	:	Oil and Gas
1050 17 <sup>th</sup> Street Suite 500	:	lease
Denver, Colorado 80265	:	

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

*S/ Wilbert B. Forbes*

Wilbert B. Forbes  
Land Law Examiner  
Branch of Use Authorization  
Division of Resources Planning,  
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin  
MFO

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number <u>See Attached List</u>		API Number
Location of Well		Field or Unit Name <u>Red Wash</u>
Footage :	County : <u>Uintah</u>	Lease Designation and Number
QQ, Section, Township, Range:	State : <u>UTAH</u>	

EFFECTIVE DATE OF TRANSFER: \_\_\_\_\_

**CURRENT OPERATOR**

Company: <u>Shenandoah Energy Inc</u>	Name: <u>John Busch</u>
Address: <u>11002 East 17500 South</u>	Signature: <u>John Busch</u>
<u>city Vernal state UT zip 84078</u>	Title: <u>District Foreman</u>
Phone: <u>(435) 781-4300</u>	Date: <u>9-02-03</u>
Comments:	

**NEW OPERATOR**

Company: <u>QEP Uinta Basin, Inc.</u>	Name: <u>John Busch</u>
Address: <u>11002 East 17500 South</u>	Signature: <u>John Busch</u>
<u>city Vernal state UT zip 84078</u>	Title: <u>District Foreman</u>
Phone: _____	Date: <u>9-02-03</u>
Comments:	

(This space for State use only)

Transfer approved by: [Signature]  
 Title: Tech Services Manager

Approval Date: 9-10-03

Comments: Case #105-01 located in Indian Country, EPA is primary use agency.

RECEIVED  
 SEP 04 2003  
 DIV. OF OIL, GAS & MINING

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	Field	Footages
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	Red Wash	1785 FSL, 1843 FWL
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	Red Wash	1787 FSL, 534 FEL
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	Red Wash	1360 FNL, 660 FEL
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	Red Wash	660 FSL, 2030 FEL
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	Red Wash	618 FNL, 477 FWL
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	Red Wash	761 FNL, 677 FWL
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	Red Wash	1206 FNL, 491 FWL
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	Red Wash	786 FNL, 819 FWL
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	Red Wash	590 FNL, 787 FWL
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	Red Wash	1528 FNL, 930 FWL
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	Red Wash	1802 FSL, 374 FWL
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	Red Wash	2143' FSL, 704' FWL
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	Red Wash	1446 FSL, 664 FWL
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	Red Wash	660 FSL, 660 FWL
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	Red Wash	2073 FSL, 660 FWL
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	Red Wash	595 FNL, 1935 FEL
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	Red Wash	2115 FSL, 1982 FWL
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	Red Wash	1980 FSL, 660 FEL
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	Red Wash	660 FSL, 678 FWL
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	Red Wash	660 FNL, 660 FEL
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	Red Wash	660 FNL, 660 FEL
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	Red Wash	660 FNL, 1980 FWL
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	Red Wash	660 FNL, 1980 FWL
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	Red Wash	629 FSL, 652 FWL
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	Red Wash	1833 FSL, 2027 FEL
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	Red Wash	747 FNL, 660 FEL
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	Red Wash	1980 FSL, 658 FEL
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	Red Wash	735 FSL, 790 FWL
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	Red Wash	660 FNL, 1980 FWL
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	Red Wash	660 FNL, 580 FEL
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	Red Wash	1980' FSL, 661 FEL
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	Red Wash	660 FNL, 1976 FWL
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	Red Wash	695 FNL, 2015 FWL
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	Red Wash	1956 FSL, 1699 FWL
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	Red Wash	1980 FSL, 1980 FWL
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	Red Wash	885 FSL, 2025 FEL

RWU 263 (24-26B)	26	070S	230E	4304730518	5670 Federal	WI	I	Red Wash	591 FSL, 2007 FWL
RWU 264 (31-35B)	35	070S	230E	4304730519	5670 Federal	WI	A	Red Wash	687 FNL, 2025 FEL
RWU 266 (33-26B)	26	070S	230E	4304730521	5670 Federal	WI	I	Red Wash	1980 FSL, 1980 FEL
RWU 268 (43-17B)	17	070S	230E	4304732980	5670 Federal	WI	A	Red Wash	1924 FSL, 981 FEL
RWU 269 (13-26B)	26	070S	230E	4304730522	5670 Federal	WI	I	Red Wash	2170' FSL, 670' FWL
RWU 271 (42-35B)	35	070S	230E	4304731081	5670 Federal	WI	I	Red Wash	1979 FNL, 660 FEL
RWU 274 (13-25B)	25	070S	230E	4304731083	5670 Federal	WI		Red Wash	2129 FSL, 659 FWL
RWU 275 (31-26B)	26	070S	230E	4304731077	5670 Federal	WI	A	Red Wash	675 FNL, 1869 FEL
RWU 279 (11-36B)	36	070S	230E	4304731052	5670 Federal	WI	A	Red Wash	659 FNL, 660 FWL
RWU 283 (43-18B)	18	070S	230E	4304732982	5670 Federal	WI	A	Red Wash	1899 FSL, 708 FEL
RWU 31-19B	19	070S	230E	4304733555	5670 Federal	WI	A	Red Wash	601 FNL, 1770 FEL
RWU 31-25A	25	070S	220E	4304733577	5670 Federal	WI	A	Red Wash	1248 FNL, 2159 FEL
RWU 31-30B	30	070S	230E	4304733788	5670 Federal	WI	A	Red Wash	950 FNL, 1943 FEL
RWU 33-19B	19	070S	230E	4304733499	5670 Federal	WI	A	Red Wash	2606 FSL, 1851 FEL
RWU 33-20B	20	070S	230E	4304733500	5670 Federal	WI	A	Red Wash	2210 FSL, 2295 FEL
RWU 33-25A	25	070S	220E	4304733578	5670 Federal	WI	A	Red Wash	1413 FSL, 1809 FEL
RWU 33-30B	30	070S	230E	4304733790	5670 Federal	WI	A	Red Wash	1775 FSL, 1937 FEL
RWU 34 (23-14B)	14	070S	230E	4304715161	5670 Federal	WI	A	Red Wash	1980 FSL, 1980 FWL
RWU 34-13A	13	070S	220E	4304733593	5670 Federal	WI	A	Red Wash	1302 FSL, 1725 FEL
RWU 34-24A	24	070S	220E	4304733568	5670 Federal	WI	A	Red Wash	1295 FSL, 2125 FEL
RWU 48 (32-19B)	19	070S	230E	4304715174	5670 Federal	WI	I	Red Wash	1830 FNL, 1980 FEL
RWU 56 (41-28B)	28	070S	230E	4304715182	5670 Federal	WI	A	Red Wash	660 FNL, 660 FEL
RWU 59 (12-24B)	24	070S	230E	4304716477	5670 Federal	WI	A	Red Wash	1980 FNL, 660 FWL
RWU 6 (41-21B)	21	070S	230E	4304716482	5670 Federal	WI	A	Red Wash	660' FNL, 660 FEL
RWU 61 (12-27A)	27	070S	220E	4304716478	5670 Federal	WI	I	Red Wash	2034 FNL, 689 FWL
RWU 68 (41-13B)	13	070S	230E	4304716485	5670 Federal	WI	I	Red Wash	660 FNL, 660 FEL
RWU 7 (41-27B)	27	070S	230E	4304716473	5670 Federal	WI	I	Red Wash	567 FNL, 621 FEL
RWU 88 (23-18B)	18	070S	230E	4304715210	5670 Federal	WI	A	Red Wash	1980 FSL, 1980 FWL
RWU 91 (33-22B)	22	070S	230E	4304716479	5670 Federal	WI	A	Red Wash	1980 FSL, 3300 FWL
RWU 93 (43-27B)	27	070S	230E	4304716480	5670 Federal	WI	I	Red Wash	660 FSL, 660 FEL
RWU 324 (23-16B)	16	070S	230E	4304733084	5670 State	WI	I	Red Wash	1274 FSL, 1838 FWL

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:

**2/1/2003**

<b>FROM:</b> (Old Operator): N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	<b>TO:</b> ( New Operator): N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341
--	---

CA No.

Unit:

RED WASH UNIT

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/10/2003

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 9/16/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a  
The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



Uinta Basin, Inc.  
11002 East 17500 South  
Vernal, UT 84075  
Tel 435 781 4300 • Fax 435 781 4329

S. L. Tomkinson  
Phone: 435-781-4308  
Fax: 435-781-4329  
Email: [stephanie.tomkinson@questar.com](mailto:stephanie.tomkinson@questar.com)

January 19, 2004

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

Al Craver (8-ENF-T)  
UIC Program  
U.S. EPA, Region VIII  
999 18<sup>th</sup> Street, Suite 300  
Denver, Colorado 80202-2466

**RE: RW 34-24A UIC # UT 2898-04607  
Mechanical Integrity Test (MIT)**

Dear Mr. Craver,

Enclosed for the subject well are MIT results including the Casing or Annulus pressure test form and the pressure test chart. The MIT for this well is a regularly scheduled test and it has passed.

If you have any questions or need additional information, please call me at 435-781-4308.

Best regards,

Stephanie L. Tomkinson

Enclosures: MIT Casing and Annulus Pressure Test Form  
MIT Results with Pressure Test Chart

cc: Mr. Gil Hunt  
Utah Division of Oil, Gas and Mining  
1594 West North Temple, Suite 1210  
P.O. Box 145801  
Salt Lake City, UT 84114-5801

Mr. Ed Forsman  
U.S. Department of the Interior  
Bureau of Land Management  
170 South 500 East  
Vernal, UT 84078

**RECEIVED  
JAN 21 2004  
DIV. OF OIL, GAS & MINING**

RED WASH UNIT 34-22A  
MIT

3000 PSIG		7049-1		4 DEC		3		AMBIENT	
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	PSIG	BAR	TEMP.	
15 JAN		2004	12:08:29		2	1	0	25.7	50
15 JAN		2004	13:50:15		2	2	0	24.9	83
15 JAN		2004	13:51:07		2	3	0	24.9	63
15 JAN		2004	13:51:17		2	4	0	24.9	63
15 JAN		2004	13:51:27		2	5	0	24.9	63
15 JAN		2004	13:51:37		2	6	0	24.9	63
15 JAN		2004	13:51:47		2	7	0	24.9	63
15 JAN		2004	13:51:58		2	8	0	24.9	63
15 JAN		2004	13:52:10		2	9	0	24.9	63
15 JAN		2004	13:52:17		2	10	0	24.9	63
15 JAN		2004	13:52:27		2	11	31.082	24.9	63
15 JAN		2004	13:52:37		2	12	70.61	24.9	63
15 JAN		2004	13:52:47		2	13	149.61	24.9	63
15 JAN		2004	13:52:58		2	14	267.95	24.9	63
15 JAN		2004	13:53:10		2	15	441.42	24.9	63
15 JAN		2004	13:53:17		2	16	619.7	24.9	63
15 JAN		2004	13:53:27		2	17	799.5	24.9	63
15 JAN		2004	13:53:37		2	18	973.3	24.9	63
15 JAN		2004	13:53:47		2	19	1083.6	24.9	63
15 JAN		2004	13:53:58		2	20	1164.8	24.9	63
15 JAN		2004	13:54:10		2	21	1201.9	24.9	63
15 JAN		2004	13:54:17		2	22	1201.1	24.9	63
15 JAN		2004	13:54:27		2	23	1200	24.9	63
15 JAN		2004	13:54:37		2	24	1199.7	24.9	63
15 JAN		2004	13:54:47		2	25	1199.5	24.9	63
15 JAN		2004	13:54:57		2	26	1199.4	24.9	63
15 JAN		2004	13:55:08		2	27	1199.5	24.9	63
15 JAN		2004	13:55:20		2	28	1199.6	24.9	63
15 JAN		2004	13:55:27		2	29	1199.7	24.9	63
15 JAN		2004	13:55:37		2	30	1199.7	24.9	63
15 JAN		2004	13:55:47		2	31	1199.8	24.9	63
15 JAN		2004	13:55:57		2	32	1199.6	24.9	64
15 JAN		2004	13:56:08		2	33	1199.6	24.9	64
15 JAN		2004	13:56:20		2	34	1199.6	24.9	64
15 JAN		2004	13:56:27		2	35	1199.6	24.9	64
15 JAN		2004	13:56:37		2	36	1199.6	24.9	64
15 JAN		2004	13:56:47		2	37	1199.6	24.9	64
15 JAN		2004	13:56:57		2	38	1199.5	24.9	64
15 JAN		2004	13:57:08		2	39	1199.5	24.9	64
15 JAN		2004	13:57:20		2	40	1199.5	24.9	64
15 JAN		2004	13:57:27		2	41	1199.4	24.9	64
15 JAN		2004	13:57:37		2	42	1199.4	24.9	64
15 JAN		2004	13:57:47		2	43	1199.4	24.9	64
15 JAN		2004	13:57:57		2	44	1199.3	24.9	64
15 JAN		2004	13:58:07		2	45	1199.3	24.9	64
15 JAN		2004	13:58:18		2	46	1199.2	24.9	64
15 JAN		2004	13:58:30		2	47	1199.2	24.9	64
15 JAN		2004	13:58:37		2	48	1199.1	24.9	64
15 JAN		2004	13:58:47		2	49	1199.1	24.9	64
15 JAN		2004	13:58:57		2	50	1199	24.9	64
15 JAN		2004	13:59:07		2	51	1199	24.9	63
15 JAN		2004	13:59:18		2	52	1199	24.9	63

## RED WASH UNIT 34-22A

MIT

15 JAN	2004	13:59:30	2	53	1198.9	24.9	63
15 JAN	2004	13:59:37	2	54	1198.8	24.9	63
15 JAN	2004	13:59:47	2	55	1198.7	24.9	63
15 JAN	2004	13:59:57	2	56	1198.7	24.9	63
15 JAN	2004	14:00:07	2	57	1198.6	24.9	63
15 JAN	2004	14:00:18	2	58	1198.5	24.9	63
15 JAN	2004	14:00:30	2	59	1198.5	24.9	63
15 JAN	2004	14:00:37	2	60	1198.4	24.9	63
15 JAN	2004	14:00:47	2	61	1198.3	24.9	63
15 JAN	2004	14:00:57	2	62	1198.2	24.9	63
15 JAN	2004	14:01:07	2	63	1198.1	24.9	63
15 JAN	2004	14:01:17	2	64	1198.1	24.9	63
15 JAN	2004	14:01:28	2	65	1198	24.9	63
15 JAN	2004	14:01:40	2	66	1197.9	24.9	63
15 JAN	2004	14:01:47	2	67	1197.8	24.9	63
15 JAN	2004	14:01:57	2	68	1197.7	24.9	63
15 JAN	2004	14:02:07	2	69	1197.6	24.9	63
15 JAN	2004	14:02:17	2	70	1197.5	24.9	63
15 JAN	2004	14:02:28	2	71	1197.4	24.9	63
15 JAN	2004	14:02:40	2	72	1197.3	24.9	63
15 JAN	2004	14:02:47	2	73	1197.2	24.9	63
15 JAN	2004	14:02:57	2	74	1197.2	24.9	63
15 JAN	2004	14:03:07	2	75	1197.1	24.9	63
15 JAN	2004	14:03:17	2	76	1197	24.9	63
15 JAN	2004	14:03:28	2	77	1196.9	24.9	63
15 JAN	2004	14:03:40	2	78	1196.8	24.9	63
15 JAN	2004	14:03:47	2	79	1196.7	24.9	63
15 JAN	2004	14:03:57	2	80	1196.6	24.9	63
15 JAN	2004	14:04:07	2	81	1196.5	24.9	63
15 JAN	2004	14:04:17	2	82	1196.4	24.9	63
15 JAN	2004	14:04:27	2	83	1196.3	24.9	63
15 JAN	2004	14:04:38	2	84	1196.2	24.9	63
15 JAN	2004	14:04:50	2	85	1196.1	24.9	63
15 JAN	2004	14:04:57	2	86	1196	24.9	63
15 JAN	2004	14:05:07	2	87	1196	24.9	62
15 JAN	2004	14:05:17	2	88	1196	24.9	62
15 JAN	2004	14:05:27	2	89	1195.9	24.9	62
15 JAN	2004	14:05:38	2	90	1195.8	24.9	62
15 JAN	2004	14:05:50	2	91	1195.7	24.9	62
15 JAN	2004	14:05:57	2	92	1195.6	24.9	62
15 JAN	2004	14:06:07	2	93	1195.5	24.9	62
15 JAN	2004	14:06:17	2	94	1195.4	24.9	62
15 JAN	2004	14:06:27	2	95	1195.3	24.9	62
15 JAN	2004	14:06:38	2	96	1195.2	24.9	62
15 JAN	2004	14:06:50	2	97	1195.1	24.9	62
15 JAN	2004	14:06:57	2	98	1195	24.9	62
15 JAN	2004	14:07:07	2	99	1194.9	24.9	62
15 JAN	2004	14:07:17	2	100	1194.8	24.9	62
15 JAN	2004	14:07:27	2	101	1194.7	24.9	62
15 JAN	2004	14:07:39	2	102	1194.7	24.8	62
15 JAN	2004	14:07:50	2	103	1194.6	24.8	62
15 JAN	2004	14:07:57	2	104	1194.5	24.8	62
15 JAN	2004	14:08:07	2	105	1194.4	24.8	62
15 JAN	2004	14:08:17	2	106	1194.3	24.8	62
15 JAN	2004	14:08:27	2	107	1194.2	24.8	62

## RED WASH UNIT 34-22A

MIT


15 JAN	2004	14:08:37	2	108	1194.1	24.8	62
15 JAN	2004	14:08:48	2	109	1194	24.8	62
15 JAN	2004	14:09:00	2	110	1193.9	24.8	62
15 JAN	2004	14:09:07	2	111	1193.8	24.8	62
15 JAN	2004	14:09:17	2	112	1193.8	24.8	62
15 JAN	2004	14:09:27	2	113	1193.7	24.8	62
15 JAN	2004	14:09:37	2	114	1193.6	24.8	62
15 JAN	2004	14:09:48	2	115	1193.5	24.8	62
15 JAN	2004	14:10:00	2	116	1193.4	24.8	62
15 JAN	2004	14:10:07	2	117	1193.3	24.8	62
15 JAN	2004	14:10:17	2	118	1193.3	24.8	62
15 JAN	2004	14:10:27	2	119	1193.2	24.8	62
15 JAN	2004	14:10:37	2	120	1193.1	24.8	62
15 JAN	2004	14:10:48	2	121	1193	24.8	62
15 JAN	2004	14:11:00	2	122	1192.9	24.8	62
15 JAN	2004	14:11:07	2	123	1192.8	24.8	62
15 JAN	2004	14:11:17	2	124	1192.8	24.8	62
15 JAN	2004	14:11:27	2	125	1192.7	24.8	62
15 JAN	2004	14:11:37	2	126	1192.6	24.8	62
15 JAN	2004	14:11:47	2	127	1192.5	24.8	62
15 JAN	2004	14:11:58	2	128	1192.4	24.8	62
15 JAN	2004	14:12:10	2	129	1192.3	24.8	62
15 JAN	2004	14:12:17	2	130	1192.3	24.8	61
15 JAN	2004	14:12:27	2	131	1192.1	24.8	62
15 JAN	2004	14:12:37	2	132	1192.1	24.8	61
15 JAN	2004	14:12:47	2	133	1192	24.8	61
15 JAN	2004	14:12:58	2	134	1191.9	24.8	61
15 JAN	2004	14:13:10	2	135	1191.9	24.8	61
15 JAN	2004	14:13:17	2	136	1191.8	24.8	61
15 JAN	2004	14:13:27	2	137	1191.7	24.8	61
15 JAN	2004	14:13:37	2	138	1191.6	24.8	61
15 JAN	2004	14:13:47	2	139	1191.5	24.8	61
15 JAN	2004	14:13:58	2	140	1191.4	24.8	61
15 JAN	2004	14:14:10	2	141	1191.4	24.8	61
15 JAN	2004	14:14:17	2	142	1191.3	24.8	61
15 JAN	2004	14:14:27	2	143	1191.2	24.8	61
15 JAN	2004	14:14:37	2	144	1191.1	24.8	61
15 JAN	2004	14:14:47	2	145	1191	24.8	61
15 JAN	2004	14:14:57	2	146	1190.9	24.8	61
15 JAN	2004	14:15:08	2	147	1190.9	24.8	61
15 JAN	2004	14:15:20	2	148	1190.8	24.8	61
15 JAN	2004	14:15:27	2	149	1190.7	24.8	61
15 JAN	2004	14:15:37	2	150	1190.6	24.8	61
15 JAN	2004	14:15:47	2	151	1190.5	24.8	62
15 JAN	2004	14:15:57	2	152	1190.4	24.8	62
15 JAN	2004	14:16:08	2	153	1190.3	24.8	62
15 JAN	2004	14:16:20	2	154	1190.2	24.8	62
15 JAN	2004	14:16:27	2	155	1190.2	24.8	62
15 JAN	2004	14:16:37	2	156	1190.1	24.8	62
15 JAN	2004	14:16:47	2	157	1190	24.8	62
15 JAN	2004	14:16:57	2	158	1189.9	24.8	62
15 JAN	2004	14:17:08	2	159	1189.9	24.8	62
15 JAN	2004	14:17:20	2	160	1189.8	24.8	62
15 JAN	2004	14:17:27	2	161	1189.7	24.8	62
15 JAN	2004	14:17:37	2	162	1189.7	24.8	62

## RED WASH UNIT 34-22A

MIT

15 JAN	2004	14:17:47	2	163	1189.6	24.8	62
15 JAN	2004	14:17:57	2	164	1189.5	24.8	62
15 JAN	2004	14:18:07	2	165	1189.4	24.8	62
15 JAN	2004	14:18:18	2	166	1189.3	24.8	62
15 JAN	2004	14:18:30	2	167	1189.3	24.8	62
15 JAN	2004	14:18:37	2	168	1189.2	24.8	62
15 JAN	2004	14:18:47	2	169	1189.1	24.8	62
15 JAN	2004	14:18:57	2	170	1189.1	24.8	62
15 JAN	2004	14:19:07	2	171	1189	24.8	62
15 JAN	2004	14:19:18	2	172	1188.9	24.8	62
15 JAN	2004	14:19:30	2	173	1188.8	24.8	62
15 JAN	2004	14:19:37	2	174	1188.7	24.8	62
15 JAN	2004	14:19:47	2	175	1188.7	24.8	62
15 JAN	2004	14:19:57	2	176	1188.6	24.8	62
15 JAN	2004	14:20:07	2	177	1188.5	24.8	62
15 JAN	2004	14:20:18	2	178	1188.4	24.8	62
15 JAN	2004	14:20:30	2	179	1188.3	24.8	62
15 JAN	2004	14:20:37	2	180	1188.3	24.8	62
15 JAN	2004	14:20:47	2	181	1188.2	24.8	62
15 JAN	2004	14:20:57	2	182	1188.1	24.8	62
15 JAN	2004	14:21:07	2	183	1188	24.8	62
15 JAN	2004	14:21:17	2	184	1187.9	24.8	62
15 JAN	2004	14:21:28	2	185	1187.8	24.8	62
15 JAN	2004	14:21:40	2	186	1187.7	24.8	62
15 JAN	2004	14:21:47	2	187	1187.7	24.8	61
15 JAN	2004	14:21:57	2	188	1187.6	24.8	61
15 JAN	2004	14:22:07	2	189	1187.5	24.8	61
15 JAN	2004	14:22:17	2	190	1187.4	24.8	61
15 JAN	2004	14:22:28	2	191	1187.4	24.8	61
15 JAN	2004	14:22:40	2	192	1187.3	24.8	61
15 JAN	2004	14:22:47	2	193	1187.2	24.8	61
15 JAN	2004	14:22:57	2	194	1187.1	24.8	61
15 JAN	2004	14:23:07	2	195	1187.1	24.8	60
15 JAN	2004	14:23:17	2	196	1187	24.8	60
15 JAN	2004	14:23:28	2	197	1186.9	24.8	60
15 JAN	2004	14:23:40	2	198	1186.8	24.8	60
15 JAN	2004	14:23:47	2	199	1186.7	24.8	60
15 JAN	2004	14:23:57	2	200	1186.7	24.8	60
15 JAN	2004	14:24:07	2	201	1185.3	24.8	60
15 JAN	2004	14:24:17	2	202	1184.1	24.8	60
15 JAN	2004	14:24:27	2	203	1161.9	24.8	59
15 JAN	2004	14:24:38	2	204	1059	24.8	59
15 JAN	2004	14:24:50	2	205	869.8	24.8	59
15 JAN	2004	14:24:57	2	206	649.7	24.8	59
15 JAN	2004	14:25:07	2	207	415.71	24.8	59
15 JAN	2004	14:25:17	2	208	242.19	24.8	59
15 JAN	2004	14:25:27	2	209	147.47	24.8	59
15 JAN	2004	14:25:38	2	210	79.87	24.8	59
15 JAN	2004	14:25:50	2	211	44.463	24.8	58
15 JAN	2004	14:25:57	2	212	28.585	24.8	58
15 JAN	2004	14:26:07	2	213	20.893	24.8	58
15 JAN	2004	14:26:17	2	214	0	24.8	58
15 JAN	2004	14:26:27	2	215	0	24.8	58
15 JAN	2004	14:26:38	2	216	0	24.8	58

RED WASH UNIT 34-22A  
MIT



**Division of Oil, Gas and Mining**  
**OPERATOR CHANGE WORKSHEET**

<b>ROUTING</b>
1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM:</b> (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO:</b> ( New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

CA No.		Unit:		RED WASH UNIT				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: \_\_\_\_\_ Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENE	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENE	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENE	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENE	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENE	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENE	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENE	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENE	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENE	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

  
Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

  
Jay B. Neese, Executive Vice President  
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs  
SIGNATURE  DATE 3/16/2007

(This space for State use only)

**RECEIVED**  
**APR 19 2007**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3. ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion: _____		

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS.** Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

**RECEIVED**  
**APR 19 2007**  
DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED  
APR 30 2007  
DIV. OF OIL, GAS & MINING



A. M. Petrik  
Phone: 435-781-4092  
Fax: 435-781-4066  
Email: ann.petrik@questar.com

August 9, 2007

Via Certified Mail: 7006 2150 0002 4305 7961

Mr. Nathan Wisner (8ENF-UFO)  
U.S. Environmental Protection Agency, Region 8  
1595 Wynkoop Street  
Denver, Colorado 80202-1129

**RE: Mechanical Integrity Test (MIT)  
for  
RW 34-24A  
UIC #UT2898-04607  
API #43-047-33568  
Location: SWSE Section 24 T7S R22E**

Dear Mr. Wisner:

Enclosed for the subject well is the successful MIT result including the Casing or Annulus Pressure Test form and the pressure test chart. The MIT for this well is a regularly scheduled test.

If you have any questions or require additional information, I can be reached at 435-781-4092.

Sincerely,

Ann M. Petrik  
Office Administrator I

Enclosures: MIT Casing or Annulus Pressure Test Form  
MIT Results Spreadsheet with Pressure Test Chart

cc: Utah Division of Oil Gas and Mining  
1594 West North Temple, Suite 1210  
P.O. Box 145801  
Salt Lake City, Utah 84114-5801

U.S. Department of the Interior  
Bureau of Land Management  
Vernal District Office  
170 South 500 East  
Vernal, Utah 84078

**RECEIVED**  
**AUG 14 2007**

DIV. OF OIL, GAS & MINING

## MECHANICAL INTEGRITY TEST CASING OR ANNULUS PRESSURE TEST

U.S. ENVIRONMENTAL PROTECTION AGENCY  
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8P-W-GW)  
999 18TH STREET, SUITE 300, DENVER, CO. 80202-2466

EPA WITNESS: NO DATE: 8/3/2007 TIME: 11:20  AM  PM

TEST CONDUCTED BY: Dennis J. Paulson (Questar)

OTHERS PRESENT: (ADVANTAGE OILFIELD SERVICE) KEVIN CARTER

API NUMBER: 43-047-33568 EPA ID NUMBER: UT2898-04607

WELL NAME: <u>RW 34-24A</u>	TYPE: <input checked="" type="checkbox"/> ER <input type="checkbox"/> SWD	STATUS: <input checked="" type="checkbox"/> AC <input type="checkbox"/> TA <input type="checkbox"/> UC
FIELD: <u>RED WASH</u>		
WELL LOCATION: <u>SWSE S24-T7S-R22E</u> <input type="checkbox"/> N <input type="checkbox"/> S	<input type="checkbox"/> E <input type="checkbox"/> W	COUNTY: <u>UINTAH</u> STATE: <u>UTAH</u>
OPERATOR: <u>QEP UINTA BASIN INC.</u>		
LAST MIT: <u>2-Aug-02</u>	MAXIMUM ALLOWABLE PRESSURE: <u>2070</u>	PSIG

IS THIS A REGULAR SCHEDULED TEST?  YES  NO

INITIAL TEST FOR PERMIT?  YES  NO

TEST AFTER WELL WORK?  YES  NO

WELL INJECTING DURING TEST?  YES  NO IF YES, RATE: 127 BPD

PRE-TEST CASING/TUBING ANNULUS PRESSURE: 0 PSIG

MIT DATA TABLE TUBING	TEST #1	TEST #2	TEST #3
	PRESSURE		
INITIAL PRESSURE	<u>1996.3</u>	PSIG	PSIG
END OF TEST PRESSURE	<u>1996.1</u>	PSIG	PSIG

CASING/TUBING	ANNULUS	TUBING
0 MINUTES	<u>1180.2 @11:33:07</u> PSIG	<u>1990.4</u> PSIG
5 MINUTES	<u>1166.9 @11:38:04</u> PSIG	<u>1993.1</u> PSIG
10 MINUTES	<u>1164.9 @11:43:10</u> PSIG	<u>1996.2</u> PSIG
15 MINUTES	<u>1163.8 @11:48:16</u> PSIG	<u>1996.1</u> PSIG
20 MINUTES	<u>1163.1 @11:53:13</u> PSIG	<u>1996.1</u> PSIG
25 MINUTES	<u>1162.2 @11:58:19</u> PSIG	<u>1996</u> PSIG
30 MINUTES	<u>1161.3 @12:03:16</u> PSIG	<u>1996</u> PSIG
MINUTES	PSIG	PSIG
MINUTES	PSIG	PSIG
<b>RESULT</b>	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL


DOES THE ANNULUS PRESSURE BUILD BACK UP AFTER THE TEST?  YES  NO

5000 PSIG		24904-2		26 OCT		2006			
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	CASING PSIG	TUBING PSIG	AMBIENT TEMP.	
3 AUG		2007	11:31:01		5	1	0	84	
3 AUG		2007	11:31:10		5	2	0	84	
3 AUG		2007	11:31:19		5	3	0	84	
3 AUG		2007	11:31:28		5	4	0	84	
3 AUG		2007	11:31:37		5	5	0	84	
3 AUG		2007	11:31:46		5	6	0	84	
3 AUG		2007	11:31:55		5	7	0	84	
3 AUG		2007	11:32:04		5	8	0	84	
3 AUG		2007	11:32:13		5	9	88.33	84	
3 AUG		2007	11:32:22		5	10	306.48	84	
3 AUG		2007	11:32:31		5	11	604.6	84	
3 AUG		2007	11:32:40		5	12	872.3	84	
3 AUG		2007	11:32:49		5	13	1146.6	84	
3 AUG		2007	11:32:58		5	14	1172.3	84	
3 AUG		2007	11:33:07		5	15	1180.2	84	1990.4
3 AUG		2007	11:33:16		5	16	1167.9	84	
3 AUG		2007	11:33:25		5	17	1176.6	84	
3 AUG		2007	11:33:34		5	18	1169.5	84	
3 AUG		2007	11:33:43		5	19	1173.5	84	
3 AUG		2007	11:33:52		5	20	1170.3	84	
3 AUG		2007	11:34:01		5	21	1172	84	
3 AUG		2007	11:34:10		5	22	1170.4	84	
3 AUG		2007	11:34:19		5	23	1170.9	84	
3 AUG		2007	11:34:29		5	24	1170.3	84	
3 AUG		2007	11:34:38		5	25	1170	84	
3 AUG		2007	11:34:46		5	26	1169.8	84	
3 AUG		2007	11:34:55		5	27	1169.6	84	
3 AUG		2007	11:35:04		5	28	1169.5	84	
3 AUG		2007	11:35:13		5	29	1169.2	84	
3 AUG		2007	11:35:22		5	30	1169	84	
3 AUG		2007	11:35:31		5	31	1168.9	84	
3 AUG		2007	11:35:40		5	32	1168.7	84	
3 AUG		2007	11:35:49		5	33	1168.5	84	
3 AUG		2007	11:35:58		5	34	1168.4	84	
3 AUG		2007	11:36:07		5	35	1168.2	84	
3 AUG		2007	11:36:16		5	36	1168.1	84	
3 AUG		2007	11:36:25		5	37	1168	84	
3 AUG		2007	11:36:34		5	38	1167.9	84	
3 AUG		2007	11:36:43		5	39	1167.7	84	
3 AUG		2007	11:36:52		5	40	1167.6	84	
3 AUG		2007	11:37:01		5	41	1167.5	84	
3 AUG		2007	11:37:10		5	42	1167.4	84	
3 AUG		2007	11:37:19		5	43	1167.3	84	
3 AUG		2007	11:37:28		5	44	1167.3	84	
3 AUG		2007	11:37:37		5	45	1167.1	84	
3 AUG		2007	11:37:46		5	46	1167	84	
3 AUG		2007	11:37:55		5	47	1167	84	
3 AUG		2007	11:38:04		5	48	1166.9	84	1993.1
3 AUG		2007	11:38:13		5	49	1166.8	84	
3 AUG		2007	11:38:22		5	50	1166.7	84	
3 AUG		2007	11:38:32		5	51	1166.6	84	
3 AUG		2007	11:38:41		5	52	1166.5	84	
3 AUG		2007	11:38:49		5	53	1166.5	84	
3 AUG		2007	11:38:58		5	54	1166.4	84	
3 AUG		2007	11:39:07		5	55	1166.4	84	
3 AUG		2007	11:39:16		5	56	1166.3	84	
3 AUG		2007	11:39:25		5	57	1166.2	84	
3 AUG		2007	11:39:34		5	58	1166.1	84	
3 AUG		2007	11:39:43		5	59	1166.1	84	
3 AUG		2007	11:39:52		5	60	1166	84	
3 AUG		2007	11:40:01		5	61	1165.9	84	
3 AUG		2007	11:40:10		5	62	1165.9	84	
3 AUG		2007	11:40:19		5	63	1165.8	84	
3 AUG		2007	11:40:28		5	64	1165.7	84	
3 AUG		2007	11:40:37		5	65	1165.6	84	
3 AUG		2007	11:40:46		5	66	1165.6	84	
3 AUG		2007	11:40:55		5	67	1165.6	84	
3 AUG		2007	11:41:04		5	68	1165.5	84	
3 AUG		2007	11:41:13		5	69	1165.5	84	
3 AUG		2007	11:41:22		5	70	1165.4	84	

3	AUG	2007	11:41:31	5	71	1165.4		84
3	AUG	2007	11:41:40	5	72	1165.3		84
3	AUG	2007	11:41:49	5	73	1165.3		84
3	AUG	2007	11:41:58	5	74	1165.2		84
3	AUG	2007	11:42:07	5	75	1165.2		84
3	AUG	2007	11:42:16	5	76	1165.1		84
3	AUG	2007	11:42:25	5	77	1165.1		84
3	AUG	2007	11:42:35	5	78	1165		84
3	AUG	2007	11:42:44	5	79	1164.9		84
3	AUG	2007	11:42:52	5	80	1165		84
3	AUG	2007	11:43:01	5	81	1164.9		84
3	AUG	2007	11:43:10	5	82	1164.9	1996.2	84
3	AUG	2007	11:43:19	5	83	1164.8		84
3	AUG	2007	11:43:28	5	84	1164.8		84
3	AUG	2007	11:43:37	5	85	1164.7		84
3	AUG	2007	11:43:46	5	86	1164.7		84
3	AUG	2007	11:43:55	5	87	1164.6		84
3	AUG	2007	11:44:04	5	88	1164.6		84
3	AUG	2007	11:44:13	5	89	1164.5		84
3	AUG	2007	11:44:22	5	90	1164.5		84
3	AUG	2007	11:44:31	5	91	1164.5		84
3	AUG	2007	11:44:40	5	92	1164.4		84
3	AUG	2007	11:44:49	5	93	1164.4		84
3	AUG	2007	11:44:58	5	94	1164.4		84
3	AUG	2007	11:45:07	5	95	1164.3		84
3	AUG	2007	11:45:16	5	96	1164.3		84
3	AUG	2007	11:45:25	5	97	1164.3		84
3	AUG	2007	11:45:34	5	98	1164.3		84
3	AUG	2007	11:45:43	5	99	1164.2		84
3	AUG	2007	11:45:52	5	100	1164.2		84
3	AUG	2007	11:46:01	5	101	1164.2		84
3	AUG	2007	11:46:10	5	102	1164.2		84
3	AUG	2007	11:46:19	5	103	1164.1		84
3	AUG	2007	11:46:29	5	104	1164.1		84
3	AUG	2007	11:46:38	5	105	1164.1		84
3	AUG	2007	11:46:46	5	106	1164		84
3	AUG	2007	11:46:55	5	107	1164		84
3	AUG	2007	11:47:04	5	108	1164		84
3	AUG	2007	11:47:13	5	109	1164		84
3	AUG	2007	11:47:22	5	110	1164		84
3	AUG	2007	11:47:31	5	111	1163.9		84
3	AUG	2007	11:47:40	5	112	1163.9		84
3	AUG	2007	11:47:49	5	113	1163.8		84
3	AUG	2007	11:47:58	5	114	1163.9		84
3	AUG	2007	11:48:07	5	115	1163.8		84
3	AUG	2007	11:48:16	5	116	1163.8	1996.1	84
3	AUG	2007	11:48:25	5	117	1163.8		84
3	AUG	2007	11:48:34	5	118	1163.8		84
3	AUG	2007	11:48:43	5	119	1163.7		84
3	AUG	2007	11:48:52	5	120	1163.7		84
3	AUG	2007	11:49:01	5	121	1163.7		84
3	AUG	2007	11:49:10	5	122	1163.6		84
3	AUG	2007	11:49:19	5	123	1163.6		84
3	AUG	2007	11:49:28	5	124	1163.6		84
3	AUG	2007	11:49:37	5	125	1163.6		84
3	AUG	2007	11:49:46	5	126	1163.6		84
3	AUG	2007	11:49:55	5	127	1163.6		84
3	AUG	2007	11:50:04	5	128	1163.5		84
3	AUG	2007	11:50:13	5	129	1163.5		84
3	AUG	2007	11:50:22	5	130	1163.5		84
3	AUG	2007	11:50:32	5	131	1163.5		84
3	AUG	2007	11:50:41	5	132	1163.4		84
3	AUG	2007	11:50:49	5	133	1163.4		84
3	AUG	2007	11:50:58	5	134	1163.4		84
3	AUG	2007	11:51:07	5	135	1163.3		84
3	AUG	2007	11:51:16	5	136	1163.4		84
3	AUG	2007	11:51:25	5	137	1163.3		84
3	AUG	2007	11:51:34	5	138	1163.3		84
3	AUG	2007	11:51:43	5	139	1163.3		84
3	AUG	2007	11:51:52	5	140	1163.2		84
3	AUG	2007	11:52:01	5	141	1163.2		84
3	AUG	2007	11:52:10	5	142	1163.2		84
3	AUG	2007	11:52:19	5	143	1163.2		84

3 AUG	2007	11:52:28	5	144	1163.2		84
3 AUG	2007	11:52:37	5	145	1163.2		84
3 AUG	2007	11:52:46	5	146	1163.2		84
3 AUG	2007	11:52:55	5	147	1163.1		84
3 AUG	2007	11:53:04	5	148	1163.1		84
3 AUG	2007	11:53:13	5	149	1163.1	1996.1	84
3 AUG	2007	11:53:22	5	150	1163.1		84
3 AUG	2007	11:53:31	5	151	1163.1		84
3 AUG	2007	11:53:40	5	152	1163.1		84
3 AUG	2007	11:53:49	5	153	1163		84
3 AUG	2007	11:53:58	5	154	1163		84
3 AUG	2007	11:54:07	5	155	1163		84
3 AUG	2007	11:54:16	5	156	1162.9		84
3 AUG	2007	11:54:25	5	157	1162.9		84
3 AUG	2007	11:54:35	5	158	1162.9		84
3 AUG	2007	11:54:44	5	159	1162.9		84
3 AUG	2007	11:54:52	5	160	1162.9		84
3 AUG	2007	11:55:01	5	161	1162.8		84
3 AUG	2007	11:55:10	5	162	1162.8		84
3 AUG	2007	11:55:19	5	163	1162.7		84
3 AUG	2007	11:55:28	5	164	1162.8		84
3 AUG	2007	11:55:37	5	165	1162.7		84
3 AUG	2007	11:55:46	5	166	1162.7		84
3 AUG	2007	11:55:55	5	167	1162.6		84
3 AUG	2007	11:56:04	5	168	1162.7		84
3 AUG	2007	11:56:13	5	169	1162.6		84
3 AUG	2007	11:56:22	5	170	1162.6		84
3 AUG	2007	11:56:31	5	171	1162.5		84
3 AUG	2007	11:56:40	5	172	1162.5		84
3 AUG	2007	11:56:49	5	173	1162.5		84
3 AUG	2007	11:56:58	5	174	1162.4		84
3 AUG	2007	11:57:07	5	175	1162.4		84
3 AUG	2007	11:57:16	5	176	1162.4		84
3 AUG	2007	11:57:25	5	177	1162.4		84
3 AUG	2007	11:57:34	5	178	1162.3		84
3 AUG	2007	11:57:43	5	179	1162.3		84
3 AUG	2007	11:57:52	5	180	1162.2		84
3 AUG	2007	11:58:01	5	181	1162.2		84
3 AUG	2007	11:58:10	5	182	1162.2		84
3 AUG	2007	11:58:19	5	183	1162.2	1996	84
3 AUG	2007	11:58:29	5	184	1162.2		84
3 AUG	2007	11:58:38	5	185	1162.1		84
3 AUG	2007	11:58:46	5	186	1162.1		84
3 AUG	2007	11:58:55	5	187	1162		84
3 AUG	2007	11:59:04	5	188	1162		84
3 AUG	2007	11:59:13	5	189	1162		84
3 AUG	2007	11:59:22	5	190	1161.9		84
3 AUG	2007	11:59:31	5	191	1162		84
3 AUG	2007	11:59:40	5	192	1161.9		84
3 AUG	2007	11:59:49	5	193	1161.9		84
3 AUG	2007	11:59:58	5	194	1161.9		84
3 AUG	2007	12:00:07	5	195	1161.8		84
3 AUG	2007	12:00:16	5	196	1161.8		84
3 AUG	2007	12:00:25	5	197	1161.8		84
3 AUG	2007	12:00:34	5	198	1161.8		84
3 AUG	2007	12:00:43	5	199	1161.7		84
3 AUG	2007	12:00:52	5	200	1161.7		84
3 AUG	2007	12:01:01	5	201	1161.7		84
3 AUG	2007	12:01:10	5	202	1161.7		84
3 AUG	2007	12:01:19	5	203	1161.6		84
3 AUG	2007	12:01:28	5	204	1161.6		84
3 AUG	2007	12:01:37	5	205	1161.6		84

3 AUG	2007	12:01:46	5	206	1161.5		84
3 AUG	2007	12:01:55	5	207	1161.5		84
3 AUG	2007	12:02:04	5	208	1161.4		84
3 AUG	2007	12:02:13	5	209	1161.5		84
3 AUG	2007	12:02:22	5	210	1161.4		84
3 AUG	2007	12:02:32	5	211	1161.4		84
3 AUG	2007	12:02:41	5	212	1161.4		84
3 AUG	2007	12:02:49	5	213	1161.3		84
3 AUG	2007	12:02:58	5	214	1161.3		84
3 AUG	2007	12:03:07	5	215	1161.3		84
3 AUG	2007	12:03:16	5	216	1161.3	1996	84
3 AUG	2007	12:03:25	5	217	1161.2		84
3 AUG	2007	12:03:34	5	218	1161.2		84
3 AUG	2007	12:03:43	5	219	1161.2		84
3 AUG	2007	12:03:52	5	220	1161.2		84
3 AUG	2007	12:04:01	5	221	1161.2		84
3 AUG	2007	12:04:10	5	222	1054.5		84
3 AUG	2007	12:04:19	5	223	387.74		84
3 AUG	2007	12:04:28	5	224	0		84
3 AUG	2007	12:04:37	5	225	0		84
3 AUG	2007	12:04:46	5	226	0		84
3 AUG	2007	12:04:55	5	227	0		84
3 AUG	2007	12:05:04	5	228	0		84
3 AUG	2007	12:05:13	5	229	0		84
3 AUG	2007	12:05:22	5	230	0		84
3 AUG	2007	12:05:31	5	231	0		84
3 AUG	2007	12:05:40	5	232	0		84
3 AUG	2007	12:05:49	5	233	0		84
3 AUG	2007	12:05:58	5	234	0		84
3 AUG	2007	12:06:07	5	235	0		84
3 AUG	2007	12:06:16	5	236	0		84
3 AUG	2007	12:06:25	5	237	0		84
3 AUG	2007	12:06:35	5	238	0		84
3 AUG	2007	12:06:44	5	239	0		84
3 AUG	2007	12:06:52	5	240	0		84
3 AUG	2007	12:07:01	5	241	0		84
3 AUG	2007	12:07:10	5	242	0		84
3 AUG	2007	12:07:19	5	243	0		84
3 AUG	2007	12:07:28	5	244	0		84
3 AUG	2007	12:07:37	5	245	0		84
3 AUG	2007	12:07:46	5	246	0		84
3 AUG	2007	12:07:55	5	247	0		84
3 AUG	2007	12:08:04	5	248	0	1996.1	84
3 AUG	2007	12:08:13	5	249	0		84
3 AUG	2007	12:08:22	5	250	0		84
3 AUG	2007	12:08:31	5	251	0		84
3 AUG	2007	12:08:40	5	252	0		84
3 AUG	2007	12:08:49	5	253	0		84
3 AUG	2007	12:08:58	5	254	0		84
3 AUG	2007	12:09:07	5	255	0		84
3 AUG	2007	12:09:16	5	256	0		84



Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

**ROUTING**  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM: (Old Operator):</b> N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO: ( New Operator):</b> N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

CA No. Unit: RED WASH

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
 The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		8. WELL NAME and NUMBER: See attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 <small>CITY</small> Denver <small>STATE</small> CO <small>ZIP</small> 80265		9. API NUMBER: Attached
PHONE NUMBER: (303) 672-6900		10. FIELD AND POOL, OR WILDCAT: See attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
 Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*  
 Utah State Bond Number: ~~965003033~~  
 Fee Land Bond Number: ~~965003033~~ } *965010695*  
 BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

**RECEIVED**  
**JUN 28 2010**  
DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

**APPROVED** *613012009*  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**RED WASH**  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 41-33B	33	070S	230E	4304720060	5670	Federal	WD	A	
RW 43-28A	28	070S	220E	4304730058	5670	Federal	WD	A	
RW 34-27B	27	070S	230E	4304715142	5670	Federal	WI	A	
RW 14-13B	13	070S	230E	4304715144	5670	Federal	WI	A	
RW 41-20B	20	070S	230E	4304715146	5670	Federal	WI	A	
RW 21-23B	23	070S	230E	4304715151	5670	Federal	WI	A	
RW 23-14B	14	070S	230E	4304715161	5670	Federal	WI	A	
RW 41-28B	28	070S	230E	4304715182	5670	Federal	WI	A	
RW 23-18B	18	070S	230E	4304715210	5670	Federal	WI	A	
RW 43-21A	21	070S	220E	4304715219	5670	Federal	WI	A	
RW 41-24A	24	070S	220E	4304715221	5670	Federal	WI	A	
RW 13-22B	22	070S	230E	4304715261	5670	Federal	WI	A	
RW 23-15B	15	070S	230E	4304715267	5670	Federal	WI	A	
RW 21-20B	20	070S	230E	4304715281	5670	Federal	WI	A	
RW 33-13B	13	070S	230E	4304715289	5670	Federal	WI	A	
RW 21-34A	34	070S	220E	4304715303	5670	Federal	WI	I	
RW 14-24B	24	070S	230E	4304716472	5670	Federal	WI	A	
RW 41-27B	27	070S	230E	4304716473	5670	Federal	WI	I	
RW 43-28B	28	070S	230E	4304716475	5670	Federal	WI	S	
RW 23-23B	23	070S	230E	4304716476	5670	Federal	WI	A	
RW 12-24B	24	070S	230E	4304716477	5670	Federal	WI	A	
RW 33-22B	22	070S	230E	4304716479	5670	Federal	WI	A	
RW 41-21B	21	070S	230E	4304716482	5670	Federal	WI	A	
RW 41-15B	15	070S	230E	4304716495	5670	Federal	WI	I	
RW 21-21B	21	070S	230E	4304716496	5670	Federal	WI	A	
RW 14-21B	21	070S	230E	4304716497	5670	Federal	WI	A	
RW 41-14B	14	070S	230E	4304716498	5670	Federal	WI	A	
RW 21-27A	27	070S	220E	4304730103	5670	Federal	WI	A	
RW 34-22A	22	070S	220E	4304730458	5670	Federal	WI	A	
RW 24-26B	26	070S	230E	4304730518	5670	Federal	WI	I	
RW 31-35B	35	070S	230E	4304730519	5670	Federal	WI	A	
RW 33-26B	26	070S	230E	4304730521	5670	Federal	WI	I	
RW 13-26B	26	070S	230E	4304730522	5670	Federal	WI	A	
RW 11-36B	36	070S	230E	4304731052	5670	Federal	WI	A	
RW 31-26B	26	070S	230E	4304731077	5670	Federal	WI	A	
RW 42-35B	35	070S	230E	4304731081	5670	Federal	WI	I	
RW 23-17B	17	070S	230E	4304732739	5670	Federal	WI	A	
RW 43-17B	17	070S	230E	4304732980	5670	Federal	WI	A	
RW 43-18B	18	070S	230E	4304732982	5670	Federal	WI	A	
RW 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RW 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RW 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RW 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RW 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**RED WASH**  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RW 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RW 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RW 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RW 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RW 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RW 33-25A	25	070S	220E	4304733578	5670	Federal	WI	TA	
RW 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RW 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RW 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RW 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RW 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RW 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

#### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office  
From: Chief, Branch of Minerals *Roger L. Bankart*  
Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING


UIC FORM 5

**TRANSFER OF AUTHORITY TO INJECT**


Well Name and Number See Attached List	API Number Attached
Location of Well Footage : Attached	Field or Unit Name Attached
County :	Lease Designation and Number Attached
QQ, Section, Township, Range:	State : UTAH

**EFFECTIVE DATE OF TRANSFER:** 6/14/2010

**CURRENT OPERATOR**

Company: <u>Questar Exploration and Production Company</u>	Name: <u>Ann Petrik</u>
Address: <u>1050 17th Street, Suite 500</u>	Signature: 
city <u>Denver</u> state <u>CO</u> zip <u>80265</u>	Title: <u>Engineering Analyst</u>
Phone: <u>(303) 672-6900</u>	Date: <u>6/28/2010</u>
Comments:	

**NEW OPERATOR**

Company: <u>QEP Energy Company</u>	Name: <u>Ann Petrik</u>
Address: <u>1050 17th Street, Suite 500</u>	Signature: 
city <u>Denver</u> state <u>CO</u> zip <u>80265</u>	Title: <u>Engineering Analyst</u>
Phone: <u>(303) 672-6900</u>	Date: <u>6/28/2010</u>
Comments:	

(This space for State use only)

Transfer approved by: \_\_\_\_\_

Approval Date: \_\_\_\_\_

Title: \_\_\_\_\_

Comments:

**Accepted by the  
Utah Division of  
Oil, Gas and Mining**

*EPA approved well*

Date: 6/29/10  
By: D. Jones

**RECEIVED**

**JUN 28 2010**

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0561
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>  <b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH
<b>1. TYPE OF WELL</b> Water Injection Well	<b>8. WELL NAME and NUMBER:</b> RW 34-24A
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047335680000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1295 FSL 2125 FEL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SWSE Section: 24 Township: 07.0S Range: 22.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>4/15/2013</b>  <input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:  <input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:  <input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> ACIDIZE  <input type="checkbox"/> CHANGE TO PREVIOUS PLANS  <input type="checkbox"/> CHANGE WELL STATUS  <input type="checkbox"/> DEEPEN  <input type="checkbox"/> OPERATOR CHANGE  <input type="checkbox"/> PRODUCTION START OR RESUME  <input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION  <input type="checkbox"/> TUBING REPAIR  <input type="checkbox"/> WATER SHUTOFF  <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING  <input type="checkbox"/> CHANGE TUBING  <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS  <input type="checkbox"/> FRACTURE TREAT  <input type="checkbox"/> PLUG AND ABANDON  <input type="checkbox"/> RECLAMATION OF WELL SITE  <input type="checkbox"/> SIDETRACK TO REPAIR WELL  <input type="checkbox"/> VENT OR FLARE  <input type="checkbox"/> SI TA STATUS EXTENSION  <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR  <input type="checkbox"/> CHANGE WELL NAME  <input type="checkbox"/> CONVERT WELL TYPE  <input type="checkbox"/> NEW CONSTRUCTION  <input type="checkbox"/> PLUG BACK  <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION  <input type="checkbox"/> TEMPORARY ABANDON  <input type="checkbox"/> WATER DISPOSAL  <input type="checkbox"/> APD EXTENSION  OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY IS PROPOSING TO RECOMPLETE THIS WELL TO THE OIL ZONE IN THE GREEN RIVER FORMATION AS FOLLOWS: 1. MIRU SERVICE UNIT. 2. ND WH AND NU BOP. 3. RELEASE PACKERS, POOH WITH TUBING AND PACKERS. 4. RIH WITH BIT AND SCRAPER. 5. RU WIRELINE, PERFORATE 5834'-5840' AND 5824'-5830' @ 4 SPF 90 DEG. PHASING. 6. RIH WITH 2-7/8" TUBING AND PACKER, SET PACKER @ 5820'. 7. TIH WITH RBP AND SET @ 5820', TOP WITH 1 SX SAND. 8. SQUEEZE ALL OLD PERFORATIONS FROM 5526'- 5732'. DRILL OUT AND RETRIEVE RBP. 9. RIH WITH 3.5" FLUSH JOINT PIPE AND PACKER, SET PACKER @5820'. 10. FRACTURE STIMULATE THE NEW PERFORATIONS. 11. RUN PRODUCTION EQUIPMENT.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining**

Date: April 15, 2013

By: *Derek Quist*

<b>NAME (PLEASE PRINT)</b> Benna Muth	<b>PHONE NUMBER</b> 435 781-4320	<b>TITLE</b> Regulatory Assistant
<b>SIGNATURE</b> N/A		<b>DATE</b> 4/2/2013

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0561
		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH
		<b>8. WELL NAME and NUMBER:</b> RW 34-24A
<b>1. TYPE OF WELL</b> Water Injection Well	<b>9. API NUMBER:</b> 43047335680000	
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH	
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext	<b>COUNTY:</b> UINTAH
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1295 FSL 2125 FEL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SWSE Section: 24 Township: 07.0S Range: 22.0E Meridian: S	<b>STATE:</b> UTAH	
	11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
<b>TYPE OF SUBMISSION</b>	<b>TYPE OF ACTION</b>	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:  <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 6/17/2013  <input type="checkbox"/> SPUD REPORT Date of Spud:  <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> WILDCAT WELL DETERMINATION <input type="checkbox"/> OTHER OTHER: <input style="width: 100px;" type="text"/>	
<b>12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.</b> QEP ENERGY COMPANY RECOMPLETED THIS WELL TO THE OIL ZONE IN THE GREEN RIVER FORMATION AS FOLLOWS: 1. MIRU KEY ENERGY 258. 2. ND CAMERON 2 9/16 5K X 7 1/16 5K TREE. 3. NU NABORS DOUBLE GATE BOP. 4. POOH STANDING BACK 168 JTS OF 2 7/8" TUBING. LD HYDROSET & ARROWSET PKRS AND 2 JTS OF 2 3/8" TBG. 5. RIH WITH 2 3/4" CSG GUNS AND PERFORATE 2 INTERVALS FROM 5,834'-5,840' AND 5,824'-5,828' 4 SPF. 6. RIH WITH WEATHERFORD 5 1/2" HD PKR, AND 2 7/8" J-55 TBG. SET PKR @ 5,785'. 7. ATTEMPT BREAK DOWN NEW PERFS. PRESSURE UP TO 3,900 PSI AND HELD SOLID. 8. PUMP 100 GAL OF 15% HCL AND SPOT WITH 32 BBLs. PULL 2 JTS OF TBG TO 5,785' AND SET PKR. 9. BREAK DOWN THE NEW PERFS @ 2,400 PSI. 10. SWABBED NEW PERFS, RECOVERED 74 BBLs WATER, 0 OIL. ENDING FL 5,400'. 11. SWI.		
<b>Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY</b> July 22, 2014		
<b>NAME (PLEASE PRINT)</b> Benna Muth	<b>PHONE NUMBER</b> 435 781-4320	<b>TITLE</b> Regulatory Assistant
<b>SIGNATURE</b> N/A	<b>DATE</b> 6/23/2014	

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0561
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>  <b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH
<b>1. TYPE OF WELL</b> Water Injection Well	<b>8. WELL NAME and NUMBER:</b> RW 34-24A
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047335680000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 595-5919 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1295 FSL 2125 FEL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SWSE Section: 24 Township: 07.0S Range: 22.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>8/1/2016</b>  <input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:  <input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:  <input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> <b>PLUG AND ABANDON</b> <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP Energy Company requests authorization to plug and abandon the above captioned well per the attached procedure and wellbore diagram.

**Approved by the**  
**July 07, 2016**  
**Oil, Gas and Mining**

Date: \_\_\_\_\_

By: Dark Quif

<b>NAME (PLEASE PRINT)</b> Laura Abrams	<b>PHONE NUMBER</b> 303 260-6745	<b>TITLE</b> Sr. Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 7/5/2016	

<b>Plug and Abandon</b>
-------------------------

<b>Well Name:</b>	<u>RW 34-24A</u>	<b>AFE:</b>	
<b>Field:</b>	<u>Red Wash</u>	<b>Well Code:</b>	<u>302827901</u>
<b>Location:</b>	<u>SW¼SE¼ S24-T7S-R22E</u>		
<b>County:</b>	Uintah	<b>State:</b>	Utah
<b>API:</b>	<u>43-047-33568</u>		
<b>WI:</b>	100.00%		
<b>NRI:</b>	0.00%		

<b>Well Data:</b>	<b>TD:</b>	<u>5,933</u>	<b>PBTD:</b>	<u>5,922</u>
	<b>GL:</b>	<u>5,419</u>	<b>KBE:</b>	<u>5,429</u>

**Casing & Cementing:**

**Surface:** 12 1/4" Hole Size  
9-5/8" 36#, J-55 set @ 457'.  
Cement w/ 180 sks

**Production:** 7-7/8" Hole Size  
5-1/2" 15.5# J-55 , set @ 5948'  
Cement w/ 1010 sks  
TOC @ 3050'

<b>Perforations:</b>	5582'-86', 5616'-20', 5648'52', 5666'-68', 5700'-02'	Open	
	5730'-32'	Open	
	5526'-28', 5541'-43'	Excluded	

**Operation:** Plug and Abandon

**Program:**

MIRU service unit, kill well if necessary, ND WH and NU BOP  
Release Packers and POOH w/ 2-3/8" tubing  
RU Wireline, RIH w/ CIBP and set @ ±5,500', RD wireline  
RIH with open ended to top of CIBP  
Fill hole with a minimum 9 ppg fluid(containing corrosion inhibitor and biocide)  
Spot 100'(12 sacks) on top of CIBP  
Pull up 4 stands and reverse circulate to clear tubing  
Pressure test plug and casing to 1000psi for 15 minutes w/ <10% loss  
POOH to 4067' and pump 30 sack balanced plug, 3817'-4067'  
POOH w/ tubing  
RU Wireline and shoot holes @ 3119'. RIH w/ CICR and set @ 3019'.  
Establish injection rate and squeeze 50 sx below and spot 12 sx cement on top  
Pull up 4 stands and reverse circulate to clear tubing  
Pressure test plug and casing to 1000psi for 15 minutes w/ <10% loss  
POOH w/ tubing, RU wireline  
Perforate the casing at 507', RD wireline  
ND BOP NU pumping adapter  
establish circulation down 5 1/2" and up annulus  
Pump cement down casing and up annulus, or until good returns are seen at surface  
Cut off wellhead 3' below ground and weld on a dry hole marker  
Cap information requirements  
QEP Resources  
Lease serial number  
Well number  
Sec. Twnshp, and Range  
GPS wellhead location and note on report  
Clean up location, RDMO

Plug and Abandon

