

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

FORM APPROVED
OBM NO. 1004-0136
Expires: February 28, 1995

001

APPLICATION FOR PERMIT TO DRILL OR DEEPEN			5. LEASE DESIGNATION AND SERIAL NO. <p align="center">U-0806</p>	
1a. TYPE OF WORK DRILL <input type="checkbox"/> DEEPEN <input checked="" type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME <p align="center">UTE TRIBAL</p>	
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			7. UNIT AGREEMENT NAME <p align="center">WONSITS VALLEY</p>	
2. NAME OF OPERATOR Shenandoah Energy Inc.			8. FARM OR LEASE NAME, WELL NO. <p align="center">#12G-10-8-21</p>	
3. ADDRESS AND TELEPHONE NO. Phone: 435-781-4341 11002 East 17500 South Fax: 435-781-4329 Vernal, Utah 84078			9. API WELL NO.	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.) At surface 888' FWL, 1820' FSL, NWSW At proposed prod. Zone Same <p align="center" style="font-size: 1.2em;">4443641 N 623831 E</p>			10. FIELD AND POOL, OR WILDCAT <p align="center">WONSITS VALLEY</p>	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12 miles West of Redwash Utah			12. COUNTY OR PARISH <p align="center">Uintah</p>	13. STATE <p align="center">Utah</p>
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. Unit line if any) <p align="center">888' ±</p>	16. NO. OF ACRES IN LEASE <p align="center">2480</p>	17. NO. OF ACRES ASSIGNED TO THIS WELL <p align="center">40</p>		
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. <p align="center">1800' ±</p>	19. PROPOSED DEPTH <p align="center">5850'</p>	20. ROTARY OR CABLE TOOLS <p align="center">Rotary</p>		
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4808' GR			22. APPROX. DATE WORK WILL START* <p align="center">A.S.A.P</p>	
23. PROPOSED CASING AND CEMENTING PROGRAM REFER TO S.O.P				

Shenandoah Energy Inc. proposes to drill a well to 5850' to test the Green River. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Operations will be according to the Standard Operating Procedures for the Wonsits Valley Unit.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.


Bond coverage for this well is provided by Bond No. 0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

24
SIGNED John Busch TITLE Red Wash Operations Representative DATE 8/15/00

(This space for Federal or State office use)
PERMIT NO. bl Busch 43-047-33660 APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY  TITLE **BRADLEY G. HILL** DATE 9/18/00
RECLAMATION SPECIALIST III

*See Instructions On Reverse Side


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Federal Approval of this Action is Necessary


T8S, R21E, S.L.B.&M.

SHENANDOAH ENERGY, INC.

WELL LOCATION, WONSITS VALLEY FEDERAL UNIT #12G-10-8-21, LOCATED AS SHOWN IN THE NW 1/4 SW 1/4 OF SECTION 10, T8S, R21E, S.L.B.&M. UINTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM THE ORIGINAL RECORDS OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



◆ = SECTION CORNERS LOCATED BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (BRENNAN BASIN)

WVFU #12G-10-8-21
 LATITUDE = 40° 08' 09.01"
 LONGITUDE = 109° 32' 49.70"

TRI STATE LAND SURVEYING & CONSULTING
 38 WEST 100 NORTH - VERNAL, UTAH 84078
 (435) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: L.D.T.
DATE: 8-10-00	WEATHER: HOT
DRAWN BY: J.R.S.	FILE #

DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1
 Approval of Operations on Onshore
 Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Prod. Phase Anticipated</u>
Uinta	Surface	
Green River	2613'	
Mahogany Ledge	3727'	
Mesa	5629'	
TD (Green River)	5850'	Oil

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil/Gas	Green River	5850'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 2340.0 psi.

4. Surface Ownership

The well pad and access road are located on lands owned by the Ute Tribe.

MULTI-POINT SURFACE USE & OPERATIONS PLAN

SHENANDOAH ENERGY INC.
WONSITS VALLEY FEDERAL UNIT #12G-10-8-21
NWSW, SEC. 10, T8S, R21E, SLB&M
UINTAH COUNTY, UTAH

See attached maps

Topo map A- Access routes



Topo map B- Proposed Access road

Topo map C- Location of wells within a one mile radius

Topo map D- Proposed pipeline

SHENANDOAH ENERGY, INC.

WVFU #12W & 12G-10-8-21
SEC. 10, T8S, R21E, S.L.B.&M.



REFERENCE POINTS
225' WEST = 4806.3'
275' WEST = 4805.6'

SURVEYED BY: L.D.T.	SCALE: 1" = 60'
DRAWN BY: J.R.S.	DATE: 8-10-00





(435) 781-2501

Tri State
Land Surveying, Inc.
38 WEST 100 NORTH VERNAL, UTAH 84078

SHENANDOAH ENERGY, INC.

CROSS SECTIONS

WVFU #12W & 12G-10-8-21



APPROXIMATE YARDAGES

- CUT = 8,540 Cu. Yds.
- FILL = 3,930 Cu. Yds.
- PIT = 1,780 Cu. Yds.
- 12" TOPSOIL = 2,900 Cu. Yds.

SURVEYED BY: L.D.T.

SCALE: 1" = 60'

DRAWN BY: J.R.S.

DATE: 8-10-00

Tri State Land Surveying, Inc. (435) 781-2501
38 WEST 100 NORTH VERNAL, UTAH 84078


SHENANDOAH ENERGY, INC.

TYPICAL RIG LAYOUT


WVFU #12W & 12G-10-8-21

Proposed Access Road

Proposed Pipeline



Tri State
Land Surveying, Inc.
(435) 781-2501
38 WEST 100 NORTH, VERNAL, UTAH 84078



**Proposed Location
WVFU #12G-10-8-21**

See Topo "B"


SHENANDOAH ENERGY INC.
WONSITS VALLEY FED. UNIT #12G-10-8-21
SEC. 10, T8S, R21E, S.L.B.&M.

TOPOGRAPHIC MAP "A"



Drawn By: SS	Revision:
Scale: 1 : 100,000	File:
Date: 8-10-00	
Tri-State Land Surveying Inc. P.O. Box 533, Vernal, UT 84078 435-781-2501 Fax 435-781-2518	





SHENANDOAH ENERGY INC.

WV#12G-10-8-21
 SEC. 10, T8S, R21E, SLB&M

TOPOGRAPHIC MAP "B"



Drawn By: SS	Revision:
Scale: 1" = 1000'	File:
Date: 8-9-00	

Tri-State Land Surveying Inc.
 P.O. Box 533, Vernal, UT 84078
 435-781-2501 Fax 435-781-2518

HARRIS-FED
1

4

3

2

Wonsits Valley Federal Unit

9

10

11

Proposed Location
WVFU #12G-10-8-21

Battery 5

16

15

14

8S21E

SHENANDOAH ENERGY INC.

WVFU #12G-10-8-21
SEC. 10, T8S, R21E, S.L.B.&M.

TOPOGRAPHIC MAP "C"



Drawn By: SS


Revision:

Scale: 1" = 2000'

File:

Date: 8-7-00

Tri-State Land Surveying Inc.
P.O. Box 533, Vernal, UT 84078
435-781-2501 Fax 435-781-2518



SHENANDOAH ENERGY INC.

WVFU #12G-10-8-21
SEC. 10, T8S, R21E, SLB&M

TOPOGRAPHIC MAP "D"



Drawn By: SS

Revision:

Scale: 1" = 1000'

File:

Date: 8-9-00

Tri-State Land Surveying Inc.
P.O. Box 533, Vernal, UT 84078
435-781-2501 Fax 435-781-2518

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 08/25/2000

API NO. ASSIGNED: 43-047-33660

WELL NAME: WVFU 12G-10-8-21
OPERATOR: SHENANDOAH ENERGY INC (N4235)
CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:

NWSW 10 080S 210E
SURFACE: 1820 FSL 0888 FWL
BOTTOM: 1820 FSL 0888 FWL
UINTAH
WONSITS VALLEY (710)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1-Federal
LEASE NUMBER: U-0806
SURFACE OWNER: 2-Indian

PROPOSED FORMATION: GRRV

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed^[1] Ind[] Sta[] Fee[]
(No. UT-0969)
- Potash (Y/N)
- Oil Shale (Y/N) *190 - 5 (B)
- Water Permit
(No. 43-8496)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:

- R649-2-3. Unit Wonsits Valley
- R649-3-2. General
- Siting: _____
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: _____
- Eff Date: _____
- Siting: _____
- R649-3-11. Directional Drill

COMMENTS: WVFU Sol, separate file.

STIPULATIONS: ① FEDERAL APPROVAL

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:
3160
(UT-922)

August 30, 2000

Memorandum

To: Assistant District Manager Minerals, Vernal District
From: Michael Coulthard, Petroleum Engineer
Subject: 2000 Plan of Development Wonsits Valley Unit,
Uintah County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for calendar year 2000 within the Wonsits Valley Unit, Uintah County, Utah.

Api Number	Well	Location
(Proposed Wasatch Completion's)		
43-047-33655	WVFU 2W-10-8-21	Sec. 10, T8S, R21E 0725 FNL 2006 FEL
43-047-33657	WVFU 4W-11-8-21	Sec. 11, T8S, R21E 0672 FNL 0776 FWL
43-047-33659	WVFU 12W-10-8-21	Sec. 10, T8S, R21E 1815 FSL 0812 FWL
43-047-33661	WVFU 15W-9-8-21	Sec. 09, T8S, R21E 0482 FSL 1969 FEL
(Proposed Green River Completion's)		
43-047-33656	WVFU 2G-10-8-21	Sec. 10, T8S, R21E 0688 FNL 1940 FEL
43-047-33658	WVFU 4G-11-8-21	Sec. 11, T8S, R21E 0693 FNL 0705 FWL
43-047-33660	WVFU 12G-10-8-21	Sec. 10, T8S, R21E 1820 FSL 0888 FWL
43-047-33662	WVFU 15G-9-8-21	Sec. 09, T8S, R21E 0503 FSL 1897 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Wonsits Valley Unit
Division of Oil Gas and Mining
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:8-30-0

SHENANDOAH ENERGY INC.

11002 East 17500 South
Vernal, UT 84078
Phone: (435) 781-4300
Fax (435) 781-4329

September 14, 2000

Division of Oil, Gas & Mining
1594 W. N. Temple STE 1210
Salt Lake City, UT 84114-5801

To Whom It May Concern:

Shenandoah Energy Inc. Wonsits Valley Federal Unit #12G-10-8-21 are exception locations due to severe topography. This lease #(U-0806) is under the Wonsits Valley Unit Agreement and all owners are committed under the Unit Agreement.

There are no additional lease owners within 460' of this proposed well. If you have any question please contact Raleen Searle @ (435) 781-4309.

Thank you,



Raleen Searle
Administrative Assistant

RECEIVED
SEP 14 2000
DIVISION OF
OIL, GAS AND MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

September 18, 2000

Shenandoah Energy Inc.
11002 East 17500 South
Vernal, UT 84078

Re: Wonsits Valley Federal Unit 12G-10-8-21 Well, 1820' FSL, 888' FWL, NW SW, Sec. 10,
T. 8 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33660.

Sincerely,

A handwritten signature in black ink that reads "John R. Baza".

John R. Baza
Associate Director

er

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Shenandoah Energy Inc.

Well Name & Number Wonsits Valley Federal Unit 12G-10-8-21

API Number: 43-047-33660

Lease: U-0806

Location: NW SW **Sec.** 10 **T.** 8 South **R.** 21 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338
- Contact Robert Krueger at (801) 538-5274.

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Gas
 Well Well Other

2. Name of Operator
SHENANDOAH ENERGY INC.

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Confidential
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Shenandoah Energy Inc. would like to have the attached wells be kept confidential.

RECEIVED
OCT 11 2000
DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct.
Signed **JOHN BUSCH** *John Busch* Title **Operations Supervisor** Date **10/9/00**

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WELL NAME WELL LOCATION 1/4 1/4 SEC. SECTION TOWNSHIP RANGE API#

Red Wash	2220B**	SE NW	20	7S	23E	43-047-33491
Red Wash	4220B*	SE NE	20	7S	23E	43-047-33490
Red Wash	1320B*	NW SW	20	7S	23E	43-047-33498
Red Wash	3320B++	NW SE	20	7S	23E	43-047-33500
Red Wash	2221B	SE NW	21	7S	23E	43-047-33522
Red Wash	2419B	SE SW	19	7S	23E	43-047-33492
Red Wash	4419B	SE SE	19	7S	23E	43-047-33524
Wonsits Valley	6W-16-8-21	SE NW	16	8S	21E	43-047-33527
Gypsum Hills	10W-19-8-21	NW SE	19	8S	21E	43-047-33528
Wonsits Valley	16W-9-8-21	SE SE	9	8S	21E	43-047-33529
Wonsits Valley	6G-16-8-21	SE NW	16	8S	21E	43-047-33564
Gypsum Hills	10G-19-8-21	NW SE	19	8S	21E	43-047-33566
Wonsits Valley	16G-9-8-21	SE SE	9	8S	21E	43-047-33565
Red Wash	2420B	SE SW	20	7S	23E	43-047-33523
Red Wash	1319B	NW SW	19	7S	23E	43-047-33497
Red Wash	3319B	NW SE	19	7S	23E	43-047-33499
Red Wash	4420B	SE SE	20	7S	23E	43-047-33525
Red Wash	4219B	SE NE	19	7S	23E	43-047-33556
Red Wash	2219B	SE NW	19	7S	23E	43-047-33559
Red Wash	4224A	NE SE	24	7S	22E	43-047-33569
Red Wash	3424A	SW SE	24	7S	22E	43-047-33567
Red Wash	2324A	NE SW	24	7S	22E	43-047-33568
Red Wash	2125A	NE NW	25	7S	22E	43-047-33576
Red Wash	4125A	NE NE	25	7S	22E	43-047-33579
Red Wash	1119B	NW NW	19	7S	23E	43-047-33552
Red Wash	3119B	NW NE	19	7S	23E	43-047-33555
Red Wash	1120B	NW NW	20	7S	23E	43-047-33553
Red Wash	2418B	SE SW	18	7S	23E	43-047-33554
Red Wash	3413A	SW SE	13	7S	22E	43-047-33593
Red Wash	2124A	NE NW	24	7S	22E	43-047-33592
Red Wash	1224A	SW NW	24	7S	22E	43-047-33591
Red Wash	1125A	NW NW	25	7S	22E	43-047-33574
Red Wash	1325A	NW SW	25	7S	22E	43-047-33575
Red Wash	3125A	NW NE	25	7S	22E	43-047-33577
Red Wash	3325A	NW SE	25	7S	22E	43-047-33578
Red Wash	4225A	SE NE	25	7S	22E	43-047-33580
Red Wash	4418B	SE SE	18	7S	23E	43-047-33594
Red Wash	1129B	NW NW	29	7S	23E	43-047-33590
Wonsits Valley	9G-2-8-21	NE SE	2	8S	21E	43-047-33647
Wonsits Valley	9W-2-8-21	NE SE	2	8S	21E	43-047-33648
Wonsits Valley	16G-2-8-21	SE SE	2	8S	21E	43-047-33646
Wonsits Valley	16W-2-8-21	SE SE	2	8S	21E	43-047-33645
Wonsits Valley	15W-9-8-21	SW SE	9	8S	21E	43-047-33661
Wonsits Valley	15G-9-8-21	SW SE	9	8S	21E	43-047-33662
Wonsits Valley	2W-10-8-21	NW NE	10	8S	21E	43-047-33655
Wonsits Valley	2G-10-8-21	NW NE	10	8S	21E	43-047-33656
Wonsits Valley	12W-10-8-21	NW SW	10	8S	21E	43-047-33659

33568
33567

RECEIVED

OCT 11 2000
DIVISION OF
OIL, GAS AND MINING

Wonsits Valley	12G-10-8-21	NW SW	10	8S	21E	43-047-33660
Wonsits Valley	4W-11-8-21	NW NW	11	8S	21E	43-047-33657
Wonsits Valley	4G-11-8-21	NW NW	11	8S	21E	43-047-33658
Wonsits Valley	2W-16-8-21	NW NE	16	8S	21E	43-047-33246
Wonsits Valley	2G-16-8-21	NW NE	16	8S	21E	43-047-33247
Wonsits Valley	12W-16-8-21	NW SW	16	8S	21E	43-047-33649
Wonsit Valley	12G-16-8-21	NW SW	16	8S	21E	43-047-33650
Red Wash	33U-19B	NW SE	19	7S	23E	43-047-33654
Red Wash	14-27A	SWSW	27	7S	22E	43-047-33150
Wonsits Valley	WV 1W-18-8-22	NE NE	18	8S	22E	43-047-33294
Wonsits Valley	WV 11W-8-8-22	NE SW	8	8S	22E	43-047-33295
Wonsits Valley	WV 5W-13-8-21	SW NW	13	8S	21E	43-047-33221
Wonsits Valley	WV 9W-13-8-21	NE SE	13	8S	22E	43-047-33223
Wonsits Valley	WV 7W-13-8-21	SW NE	13	8S	22E	43-047-33270
Wonsits Valley	WV 3W-8-8-22	NE NW	8	8S	22E	43-047-33493
Wonsits Valley	WV 5W-7-8-22	SW NW	7	8S	22E	43-047-33494
Wonsits Valley	WV 1W-14-8-21	NE NE	14	8S	21E	43-047-33220
Wonsits Valley	WV 11W-7-8-22	NE SW	7	8S	22E	43-047-33495
Wonsits Valley	WV 13W-7-8-22	SW SW	7	8S	22E	43-047-33496
Wonsits Valley	WV 7W-7-8-22	SW NE	7	8S	22E	43-047-33503
Wonsits Valley	WV 9W-12-8-21	NE SE	12	8S	21E	43-047-33534
Wonsits Valley	WV 3W-7-8-22	NE NW	7	8S	22E	43-047-33502
Wonsits Valley	WV 1W-13-8-21	NE NE	13	8S	21E	43-047-33532
Wonsits Valley	WV 11W-12-8-21	NE SW	12	8S	21E	43-047-33535
Wonsits Valley	WV 1W-7-8-22	NE NE	7	8S	22E	43-047-33501
Wonsits Valley	WV 1W-12-8-21	NE NE	12	8S	21E	43-047-33531
Wonsits Valley	Fed 9W-8-8-22	NE SE	8	8S	22E	43-047-33515
Wonsits Valley	WV 13W-12-8-21	SW SW	12	8S	21E	43-047-33537
Wonsits Valley	WV 3W-18-8-22	NE NW	18	8S	22E	43-047-33533
Wonsits Valley	WV 11W-13-8-21	NE SW	13	8S	21E	43-047-33536
Wonsits Valley	Fed 15W-8-8-22	SW SE	8	8S	22E	43-047-33517
Gypsum Hills	GH 1W-32-8-21	NE NE	32	8S	21E	43-047-33570
Gypsum Hills	GH 7W-32-8-21	SW NE	32	8S	21E	43-047-33573
Wonsits Valley	WV 3W-24-8-21	NE NW	24	8S	21E	43-047-33605
Gypsum Hills	GH 5W-32-8-21	SW NW	32	8S	21E	43-047-33572
Gypsum Hills	GH 3W-32-8-21	NE NW	32	8S	21E	43-047-33571
Wonsits Valley	WV 13W-18-8-22	SW SW	18	8S	22E	43-047-33538
Wonsits Valley	WV 15W-13-8-21	SW SE	13	8S	21E	43-047-33608
Wonsits Valley	WV 3W-13-8-21	NE NW	13	8S	21E	43-047-33603
Wonsits Valley	WV 13W-13-8-21	SW SW	13	8S	21E	43-047-33606
Wonsits Valley	WV 1W-21-8-21	NE NE	21	8S	21E	43-047-33602
Wonsits Valley	WV 9W-14-8-21	NE SE	14	8S	21E	43-047-33269
Glen Bench	GB 5W-17-8-22	SW NW	17	8S	22E	43-047-33514
Wonsits Valley	WV 1W-24-8-21	NE NE	24	8S	21E	43-047-33613
Wonsits Valley	WV 3W-22-8-21	NE NW	22	8S	21E	43-047-33604
Glen Bench	GB 9W-18-8-22	NE SE	18	8S	22E	43-047-33516
Wonsits Valley	WV 13W-14-8-21	SW SW	14	8S	21E	43-047-33607
Glen Bench	GB 3W-17-8-22	NE NW	17	8S	22E	43-047-33513
Wonsits Valley	WV 11W-18-8-22	NE SW	18	8S	22E	43-047-33626

OCT 11 2000

DIVISION OF
OIL, GAS AND MINING

RECEIVED

Glen Bench	GB 3W-22-8-22	NE NW	22	8S	22E	43-047-33652
Glen Bench	GB 12W-30-8-22	NW SW	30	8S	22E	43-047-33670
White River	WR 13W-3-8-22	SW SW	3	8S	22E	43-047-33651

RECEIVED

OCT 11 2000

DIVISION OF
OIL, GAS AND MINING

008

Form 3160-3
(July 1992)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on
reverse side)

FORM APPROVED
OSM NO. 1004-0136
Expires: February 28, 1995

NDS 8/16/00
RECEIVED
AUG 23 2000

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
DRILL **DEEPEN**

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

5. LEASE DESIGNATION AND SERIAL NO.
U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
UTE TRIBAL

7. UNIT AGREEMENT NAME
WONSITS VALLEY

8. FARM OR LEASE NAME, WELL NO.
#12G-10-8-21

9. API WELL NO.

10. FIELD AND POOL, OR WILDCAT
WONSITS VALLEY

11. SEC., T., R., M., OR BLK AND SURVEY OR AREA
SEC. 10, T8S, R21E SLB&M

12. COUNTY OR PARISH 13. STATE
Utah Utah

2. NAME OF OPERATOR
Shenandoah Energy Inc.

3. ADDRESS AND TELEPHONE NO. Phone: 435-781-4341 11002 East 17500 South
Fax: 435-781-4329 Vernal, Utah 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
 At surface
 888' FWL, 1820' FSL, NWSW
 At proposed prod. Zone
 Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
12 miles West of Redwash Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. Unit line if any)
888' ±

16. NO. OF ACRES IN LEASE
2480

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT.
1800' ±

19. PROPOSED DEPTH
5850'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4808' GR

22. APPROX. DATE WORK WILL START*
A.S.A.P

23. PROPOSED CASING AND CEMENTING PROGRAM
REFER TO S.O.P

Shenandoah Energy Inc. proposes to drill a well to 5850' to test the Green River. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Operations will be according to the Standard Operating Procedures for the Wonsits Valley Unit.
 See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. 0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

24
 SIGNED John Busch TITLE Red Wash Operations Representative DATE 8/15/00

(This space for Federal or State office use)
 PERMIT NO. John Busch APPROVAL DATE NOTICE OF APPROVAL

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
 CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Assistant Field Manager Mineral Resources DATE 12/7/00

See Instructions On Reverse Side
 Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL ATTACHED

RECEIVED
 AUG 16 2000
 DIVISION OF
 OIL, GAS AND MINING

008/1820

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Shenandoah Energy Inc.

Well Name & Number: WWFU #12G-10-8-21

API Number: 43-047-33660

Lease Number: U - 0806

Location: NWSW Sec. 10 T. 8S R. 21E

Agreement: WONSITS VALLEY UNIT

[RECEIVED]

DEC 10 2003

DIVISION OF
OIL, GAS AND MINING

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water, identified at \pm 820 ft.

RECEIVED
DEC 10 2003
DIVISION OF
OIL, GAS AND MINING

SURFACE CONDITIONS OF APPROVAL

Thirty foot corridor rights-of-way shall be granted. When each pipeline has been constructed and completed as built descriptions will be filed with the Ute Tribal Energy and Minerals Department.

Thirty foot rights-of-ways shall be granted for the access road. The constructed travel width shall be limited to 18 feet except in cases of sharp curves, deep cuts or where road intersections occur.

Where pipelines do not follow roads the pipeline right of way will not be used as a roadway.

A Tribal Technician will be notified upon construction of reserve pits and when the reserve pit is to be backfilled. Cuttings will be removed and disposed of at approved sites.

The Ute Tribe Energy and Mineral Department is to be notified in writing 48 hours in advance of any construction activity. The Ute Tribal office days are Monday through Thursday. A Tribal Technician is to routinely monitor construction. For all monitoring that is to exceed Tribal Technician regular working hours, Shenandoah Energy shall make arrangements with the Ute Energy and Minerals Department.

Shenandoah will assure the Ute Tribe that any/all contractors and subcontractors have acquired a 2000 Tribal Business License and have "Year 2000 Access Permits" prior to construction. Contractors and subcontractors will have these permits in vehicles at all times.

All Shenandoah Employees and/or authorized personnel (subcontractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

For any deviations of submitted APD's and ROW applications, Shenandoah will notify the Ute Tribe and Bureau of Indian Affairs in writing and will receive written authorization of such changes. Without authorization, Shenandoah understands they will be subject to fines and penalties.

Shenandoah will implement the "Safety and Emergency Plan". Shenandoah will ensure its compliance.

All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to the areas examined and approved, and to the existing roadways and/or evaluated access routes.

All personnel shall refrain from collecting artifacts, any paleontological fossils, and from disturbing any significant cultural resources in the area.

The personnel from the Ute Tribe Energy & Mineral Department shall be consulted if cultural remains (including paleontology fossils) from subsurface deposits are exposed or identified during construction. All construction will cease. Prior to commencing constructing in the area where cultural resources are exposed the operator must obtain authorization from the BIA and the Ute Tribal Department of Cultural Rights and Protection.

2016
DIRECTOR OF
CULTURAL RIGHTS AND PROTECTION

Upon completion of construction of the rights-of-way, Shenandoah will notify the Ute Tribe Energy & Minerals Resources Department. This will be done so that a Tribal Technician can verify Affidavit of Completions.

Before the site is abandoned, the company will be required to restore the well site and ROWs to near their original state. The disturbed areas will be reseeded with desirable perennial vegetation.

Noxious weeds will be controlled on the well site and rights-of-way. If noxious weeds spread from the project area onto adjoining land, the company will also be responsible for their control.

Soil erosion will be mitigated by reseeded all disturbed areas.

Reserve pits will be lined with impervious synthetic liners. Prior to backfilling the reserve pit all fluids will be pumped from the pit into trucks and hauled to approved disposal sites. When the pits are backfilled, the surplus oil and mud etc. will be buried a minimum depth of 3.0 feet below the surface of the soil.

A closed production system will be used. Production fluids will be contained in leak proof tanks. All production fluids will be disposed of at approved disposal sites. Production water, oil, and other by-products will not be applied to roads or well pads for the control of dust or weeds. The indiscriminate dumping of production fluids and other oil field by-products on roads, well sites or other areas will not be allowed.

A 30 foot wide corridor right-of-way will be used for the access roads. The constructed travel width shall be limited to 18 feet, except it may be wider where sharp curves, deep cuts and fills occur, or intersections with other roads are required.

Surface pipelines will be constructed to lay on the soil surface, and the ROW for the pipeline will not be bladed or cleared of vegetation without site specific authorization from BIA.

Where surface pipelines do not parallel roads but cross country between stations. The line shall either be welded in place at a welding station located at the wellsite or on roads near the flowline right of way and then dragged into place with a suitable piece of equipment so it will not destroy the natural vegetation. If the flowline doesn't follow existing and APD proposed new access roads then traffic shall be restricted along pipeline ROWs so that they will not be used as an access road.

Buried flowlines shall be a minimum of three feet below the surface. After the construction of the pipeline is completed the disturbed area of the ROW shall be contoured to blend into the natural landscape, and it shall be reseeded with desirable vegetation. Between September 15 and November 1 of the year following pipeline construction of the buried line all disturbed areas shall be reseeded with perennial vegetation according to BIA, or to Ute Tribe specifications.

Shenandoah Energy employees, representatives, and subcontractors shall not carry firearms on their person or in their vehicles while working on the Uintah and Ouray Indian Reservation.

DEC 16 2010
DIVISION OF
OIL, GAS AND MINING

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

009

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well (Oil, Gas, Well, Other) 2. Name of Operator (SHENANDOAH ENERGY INC.) 3. Address and Telephone No. (11002 E. 17500 S. VERNAL, UT 84078-8526) 4. Location of Well (1820' FSL, 888' FWL, NW SW, SECTION 10, T8S, R21E, SLBM)

CONFIDENTIAL

5. Lease Designation and Serial No. (U-0806) 6. If Indian, Allottee or Tribe Name (N/A) 7. If Unit or CA, Agreement Designation (Wonsits Valley Federal Unit) 8. Well Name and No. (WVFU 12G 10 8 21) 9. API Well No. (43-047-33660) 10. Field and Pool, or Exploratory Area (Wonsits Valley - Green River) 11. County or Parish, State (UINTAH, UTAH)

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

Table with columns TYPE OF SUBMISSION and TYPE OF ACTION. Includes options for Notice of Intent, Subsequent Report, Final Abandonment Notice, Abandonment, Recompletion, Plugging Back, Casing Repair, Altering Casing, Other (SPUD DATE), Change of Plans, New Construction, Non-Routine Fracturing, Water Shut-Off, Conversion to Injection, and Dispose Water.

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL WAS SPUD 05/13/01. DRILL 12 1/4" HOLE TO 475'. RUN 10 JTS 36# 9 5/8" K-55 CSG TO 450.25'.

14. I hereby certify that the foregoing is true and correct. Signed D. C. Beaman (Signature) Title Office Manager Date 05/17/01

Approved by: _____ Title _____ Date _____ Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

010

State of Utah
Division of Oil, Gas and Mining

CONFIDENTIAL

OPERATOR: **Shenandoah Energy, Inc.**
ADDRESS: **11002 East 17500 South
Vernal, Utah 84078-8526**

OPERATOR ACCT. No. 4235
(801)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	99999	05265	43-047-33660	WVFU 12G 10 8 21	NW SW	10	8S	21E	Uintah	5/13/01	5-21-01

WELL 1 COMMENTS:

New well drilled in the Wonsits Valley Wasatch Unit. 5-21-01

WELL 2 COMMENTS:

WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

Don C Bedman
Signature

Office Manager. 05/17/01
Title Date

Phone No. (801) 781-4306

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
GREEN RIVER	5406	5420	LIMESTONE	GREEN RIVER MAHOGANY	2774 3559
CONFIDENTIAL					

32. Additional remarks (include plugging procedure):

CONFIDENTIAL - TITE HOLE
Do not release well information without permission from Shenandoah Energy Inc.

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 6. Core Analysis
- 7 Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #8119 Verified by the BLM Well Information System.
For SHENANDOAH ENERGY INC, sent to the Vernal**

Name (please print) J.T. CONLEY Title DIVISION MANAGER

Signature _____ (Electronic Submission) Date 10/20/2001

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

OPERATOR CHANGE WORKSHEET

013

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		2/1/2003
FROM: (Old Operator):	TO: (New Operator):	
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	

CA No.

Unit:

WONSITS VALLEY UNIT

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S	
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P	
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P	
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P	
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P	
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P	
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P	
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P	
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P	
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P	
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P	
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P	
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P	
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P	
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P	
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P	
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P	
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 9/16/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #	
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type	lease #	bond #	
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVVFU 119	21	080S	210E	4304732461	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVVFU 120	22	080S	210E	4304732462	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVVFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-22158	UT-0969
WVVFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVVFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVVFU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-806	UT-0969
WVVFU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVVFU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	U-057	UT-0969
WVVFU 1W-14-8-21	14	080S	210E	4304733220	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVVFU 5W-13-8-21	13	080S	210E	4304733221	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084A	159261960
WVVFU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVVFU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVVFU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVVFU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVVFU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVVFU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WVVFU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVVFU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVVFU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVVFU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVVFU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P	WONSITS VALLEY	2 S	UINTAH	3	ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S	WONSITS VALLEY	710 S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type	lease #	bond #	
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-06304	UT-0969
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P		WONSITS VALLEY	2	S	UINTAH	1	UTU-68219	UT-0969
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-9617	UT-0969
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-055	UT-0969
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785-A	159261960
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	U-0969
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	U-0969
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	UTU-057	UT-0969
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610	S	UINTAH	1	UTU-68219	UT-1237

014

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: U-0806
2. NAME OF OPERATOR: QEP Uinta Basin, Inc		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 11002 EAST 17500 SOUTH CITY VERNAL STATE UT ZIP 84078		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
PHONE NUMBER: (435) 781-4308		8. WELL NAME and NUMBER: WV 12G-10-8-21
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1820 FSL 888 FWL		9. API NUMBER: 4304733660
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 10 8S 21E S		10. FIELD AND POOL, OR WILDCAT: WONSITS VALLEY
COUNTY: UINTAH COUNTY		STATE: UTAH

Surf 623835X 40.135833
4443636Y -109.546436

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>RE-ENTER DEEPEN</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP UINTA BASIN, INC. PROPOSES TO RE-ENTER THE EXISTING WELL BORE AND DRILL HORIZONTALLY INTO THE GREEN RIVER FORMATION. THIS "HORIZONTAL LEG" WILL BE REFERRED TO AS WV 12G-10 G1 W (WELL NAME + FORMATION + DIRECTION). THE WELL NAME WILL REMAIN THE SAME.

FOOTAGES FOR THE WV 12G-10 G1 W BHL: 1820 FSL 1308.6 FEL NWSE SEC 9 T8S R21E.

PROPOSED DEPTH: 5446.4 TVD
KICK OFF POINT: 5215 TVD
PAY ZONE: 5415 TVD
TOTAL MEASURED DEPTH: 7526.1 TMD

BHL 623166X 40.135861
4443628Y -109.554292

PLEASE SEE ATTACHED DRILLING PLAN.

RECEIVED
FEB 04 2005

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>STEPHANIE TOMKINSON</u>	TITLE <u>REGULATORY AFFAIRS TECHNICIAN</u>
SIGNATURE <u>[Signature]</u>	DATE <u>1/31/2005</u>

(This space for State use only)

Federal Approval of this Action is Necessary

Approved by the Utah Division of Oil, Gas and Mining
Date: 02-14-05
[Signature]

WV 12G10RHZ
1820' FSL & 888' FWL
Section 10 T8S R21E

Site Centre Latitude: 40°08'08.736N
Longitude: 109°32'47.148W

Water Depth: 0.0
Positional Uncertainty: 0.0
Convergence: 1.29




SECTION DETAILS

Azimuths to True North
 Magnetic North: 11.94°



Magnetic Field
 Strength: 53086nT
 Dip Angle: 66.14°
 Date: 1/17/2005
 Model: igrf2005

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	5215.0	0.00	0.00	5215.0	0.0	0.0	0.00	0.00	0.0	
2	5526.1	89.10	270.00	5415.0	0.0	-196.9	28.64	270.00	196.9	
3	7526.1	89.10	270.00	5446.4	0.0	-2196.6	0.00	0.00	2196.6	



CASING DETAILS

No.	TVD	MD	Name	Size
1	5215.0	5215.0	5 1/2" Csg Exit	5.500

Plan: Horizontal Lateral (WV 12G10RHZ/5 1/2" Csg Exit)

Created By: Steve Schmitz

Date: 1/17/2005

Checked: _____

Date: _____



Weatherford Planning Report

Company: Questar E & P	Date: 1/17/2005	Time: 11:54:04	Page: 1
Field: Uintah Basin NAD 1983	Co-ordinate(NE) Reference: Site: WV 12G10RHZ, True North		
Site: WV 12G10RHZ	Vertical (TVD) Reference: SITE 0.0		
Well: WV 12G10RHZ	Section (VS) Reference: Site (0.00N,0.00E,270.00Azi)		
Wellpath: 5 1/2" Csg Exit	Plan: Horizontal Lateral		

Field: Uintah Basin NAD 1983 Utah	Map Zone: Utah, Northern Zone
Map System: US State Plane Coordinate System 1983	Coordinate System: Site Centre
Geo Datum: GRS 1980	Geomagnetic Model: igrf2005
Sys Datum: Mean Sea Level	

Site: WV 12G10RHZ 1820' FSL & 888' FWL Section 10 T8S R21E	Site Position:	Northing: 3214996.17 ft	Latitude: 40 8 8.736 N
From: Geographic		Easting: 2186686.52 ft	Longitude: 109 32 47.148 W
Position Uncertainty: 0.0 ft			North Reference: True
Ground Level: 0.0 ft			Grid Convergence: 1.29 deg

Well: WV 12G10RHZ	Slot Name:
Well Position: +N/-S 0.0 ft	Northing: 3214996.17 ft
+E/-W 0.0 ft	Easting: 2186686.52 ft
Position Uncertainty: 0.0 ft	Latitude: 40 8 8.736 N
	Longitude: 109 32 47.148 W

Wellpath: 5 1/2" Csg Exit	Drilled From: 1
Current Datum: SITE	Tie-on Depth: 5215.0 ft
Magnetic Data: 1/17/2005	Above System Datum: Mean Sea Level
Field Strength: 53086 nT	Declination: 11.94 deg
Vertical Section: Depth From (TVD)	Mag Dip Angle: 66.14 deg
ft	+N/-S
	ft
0.0	0.0
	0.0
	270.00
	deg

Plan: Horizontal Lateral	Date Composed: 1/17/2005
Principal: Yes	Version: 1
	Tied-to: From: Definitive Path

Plan Section Information

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
5215.0	0.00	0.00	5215.0	0.0	0.0	0.00	0.00	0.00	0.00	
5526.1	89.10	270.00	5415.0	0.0	-196.9	28.64	28.64	0.00	270.00	
7526.1	89.10	270.00	5446.4	0.0	-2196.6	0.00	0.00	0.00	0.00	

Section 1 : Start Build 28.64

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
5215.0	0.00	0.00	5215.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
5220.0	1.43	270.00	5220.0	0.0	-0.1	0.1	28.64	28.64	0.00	0.00
5240.0	7.16	270.00	5239.9	0.0	-1.6	1.6	28.64	28.64	0.00	0.00
5260.0	12.89	270.00	5259.6	0.0	-5.0	5.0	28.64	28.64	0.00	0.00
5280.0	18.62	270.00	5278.9	0.0	-10.5	10.5	28.64	28.64	0.00	0.00
5300.0	24.35	270.00	5297.5	0.0	-17.8	17.8	28.64	28.64	0.00	0.00
5320.0	30.08	270.00	5315.2	0.0	-26.9	26.9	28.64	28.64	0.00	0.00
5340.0	35.81	270.00	5332.0	0.0	-37.8	37.8	28.64	28.64	0.00	0.00
5360.0	41.53	270.00	5347.6	0.0	-50.3	50.3	28.64	28.64	0.00	0.00
5380.0	47.26	270.00	5361.9	0.0	-64.3	64.3	28.64	28.64	0.00	0.00
5400.0	52.99	270.00	5374.7	0.0	-79.6	79.6	28.64	28.64	0.00	0.00
5420.0	58.72	270.00	5386.0	0.0	-96.2	96.2	28.64	28.64	0.00	0.00
5440.0	64.45	270.00	5395.5	0.0	-113.8	113.8	28.64	28.64	0.00	0.00
5460.0	70.18	270.00	5403.2	0.0	-132.2	132.2	28.64	28.64	0.00	0.00
5480.0	75.91	270.00	5409.0	0.0	-151.3	151.3	28.64	28.64	0.00	0.00
5486.5	77.76	270.00	5410.5	0.0	-157.6	157.6	28.64	28.64	0.00	0.00
5500.0	81.64	270.00	5412.9	0.0	-170.9	170.9	28.64	28.64	0.00	0.00
5520.0	87.37	270.00	5414.8	0.0	-190.8	190.8	28.64	28.64	0.00	0.00
5526.1	89.10	270.00	5415.0	0.0	-196.9	196.9	28.64	28.64	0.00	0.00

Weatherford Planning Report

Company: Questar E & P
Field: Uintah Basin NAD 1983
Site: WV 12G10RHZ
Well: WV 12G10RHZ
Wellpath: 5 1/2" Csg Exit

Date: 1/17/2005 **Time:** 11:54:04 **Page:** 2
Co-ordinate(NE) Reference: Site: WV 12G10RHZ, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Site (0.00N,0.00E,270.00Azi)
Plan: Horizontal Lateral

Section 2 : Start Hold

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
5600.0	89.10	270.00	5416.2	0.0	-270.8	270.8	0.00	0.00	0.00	0.00
5700.0	89.10	270.00	5417.7	0.0	-370.8	370.8	0.00	0.00	0.00	0.00
5800.0	89.10	270.00	5419.3	0.0	-470.8	470.8	0.00	0.00	0.00	0.00
5900.0	89.10	270.00	5420.9	0.0	-570.8	570.8	0.00	0.00	0.00	0.00
6000.0	89.10	270.00	5422.4	0.0	-670.8	670.8	0.00	0.00	0.00	0.00
6100.0	89.10	270.00	5424.0	0.0	-770.8	770.8	0.00	0.00	0.00	0.00
6200.0	89.10	270.00	5425.6	0.0	-870.7	870.7	0.00	0.00	0.00	0.00
6300.0	89.10	270.00	5427.2	0.0	-970.7	970.7	0.00	0.00	0.00	0.00
6400.0	89.10	270.00	5428.7	0.0	-1070.7	1070.7	0.00	0.00	0.00	0.00
6500.0	89.10	270.00	5430.3	0.0	-1170.7	1170.7	0.00	0.00	0.00	0.00
6600.0	89.10	270.00	5431.9	0.0	-1270.7	1270.7	0.00	0.00	0.00	0.00
6700.0	89.10	270.00	5433.4	0.0	-1370.7	1370.7	0.00	0.00	0.00	0.00
6800.0	89.10	270.00	5435.0	0.0	-1470.7	1470.7	0.00	0.00	0.00	0.00
6900.0	89.10	270.00	5436.6	0.0	-1570.7	1570.7	0.00	0.00	0.00	0.00
7000.0	89.10	270.00	5438.2	0.0	-1670.6	1670.6	0.00	0.00	0.00	0.00
7100.0	89.10	270.00	5439.7	0.0	-1770.6	1770.6	0.00	0.00	0.00	0.00
7200.0	89.10	270.00	5441.3	0.0	-1870.6	1870.6	0.00	0.00	0.00	0.00
7300.0	89.10	270.00	5442.9	0.0	-1970.6	1970.6	0.00	0.00	0.00	0.00
7400.0	89.10	270.00	5444.4	0.0	-2070.6	2070.6	0.00	0.00	0.00	0.00
7500.0	89.10	270.00	5446.0	0.0	-2170.6	2170.6	0.00	0.00	0.00	0.00
7526.1	89.10	270.00	5446.4	0.0	-2196.6	2196.6	0.00	0.00	0.00	0.00

Casing Points

MD ft	TVD ft	Diameter in	Hole Size in	Name
5215.0	5215.0	5.500	6.000	5 1/2" Csg Exit

Formations


MD ft	TVD ft	Formations	Lithology	Dip Angle deg	Dip Direction deg
5486.5	5410.5	G1 Top		0.90	270.00

Well Info

Well Name: WV 12G10RHZ
UWI: 43-047-33660
Field: Wonsits Valley Unit
Location: Section 10 T8S R21E
 1820' fsl 888' fwl
 NW SW
Lat Long (d.d) 40.nnnnn, -109.nnnnn

GL: 4805
DF: 4818
KB: 4819

csg depth (ft): 5530'
csg size (in): 5.5" 15.5# J-55 set to 5530', 5485' PBDT
Rig Patterson #52



RAB 1/3/2005

TOPS

Surface	12G10 hole Tops (TVD-ft)	MD - HZ lateral	comments
Uinta	surface	surface	
Green River Fm.			
Lower Green River			
casing window	TBD	TBD*	below E4ss base at 5185'
G1 ls top porosity	5408	*	* TBD from directional drilling plan
G1 ls base porosity	5420	*	* TBD from directional drilling plan
TD		*	* TBD from directional drilling plan

Formation Evaluation

Mud Log Program	Depth
2 man unit	csg window - TD'

Geophysical Log Program	Depth
none	

DST	Depth
none	

Drilling Plan - place +/- 2000' horizontal lateral in G1 porosity along 270 degree azimuth, expect 0.9 degree apparent dip.
Local Structure - N65E strike, 1.85 degree NW dip.
Collision - review gyro data for spatial relationship to avoid the 12w10 wellbore (1815'fsl 812'fwl).
Hardlines - None.
Bend section hazard: likely water flow in bend section from 5292'-5306' (F2ss) and 5342'-60' (F4ss) vertical hole MD.

Daily mud log reports to should be sent by email to the Denver office and to the Vernal office.
 Final mud log prints: 3 copies to Denver, 1 copy to the Vernal office.

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 02/04/2005

API NO. ASSIGNED: 43-047-33660

WELL NAME: WV 12G-10-8-21
OPERATOR: QEP UINTA BASIN, INC. (N2460)
CONTACT: STEPHANIE TOMKINSON

PHONE NUMBER: 435-781-4308

PROPOSED LOCATION:

NWSW 10 080S 210E
SURFACE: 1820 FSL 0888 FWL
NWSE BOTTOM: 1820 FSL 1308 FEL *Sec. 9*
UINTAH
WONSITS VALLEY (710)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
LEASE NUMBER: U-0806
SURFACE OWNER: 2 - Indian
PROPOSED FORMATION: GRRV
COALBED METHANE WELL? NO

LATITUDE: 40.13583
LONGITUDE: -109.5464

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. B000024)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 43-8494)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:

- ___ R649-2-3.
- Unit WONSITS VALLEY
- ___ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- ___ R649-3-3. Exception
- Drilling Unit
Board Cause No: 187-06
Eff Date: 8-2-2001
Siting: Suspends General Siting
- ___ R649-3-11. Directional Drill

COMMENTS: No horizontal step because on unit.
Considered a Deepening since well is not PA.

STIPULATIONS: 1- Federal Approval
2- Directional Drill



State of Utah

**Department of
Natural Resources**

MICHAEL R. STYLER
Executive Director

**Division of
Oil, Gas & Mining**

MARY ANN WRIGHT
Acting Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

February 14, 2005

QEP Uinta Basin, Inc.
11002 E 17500 S
Vernal, UT 84078

Re: Wonsits Valley 12G-10-8-21 Well, Surface Location 1820' FSL, 888' FWL, NW SW, Sec. 10, T. 8 South, R. 21 East, Bottom Location 1820' FSL, 1308' FEL, NW SE, Sec. 9, T. 8 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33660.

Sincerely,

John R. Baza
Associate Director

pab

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

WEEKLY OPERATIONS REPORT – September 15, 2005

QEP

UINTA BASIN

T085 R21ES-10
43-047-33660

“Drilling Activity – Operated” 9-15-05

- Patterson 52 – WV 12G-10-8-21 milled window from 5199’ to 5208’, dressed window, currently picking up BHA to start pilot hole. PBTB 7,913’ MD. Next well WWT 7ML-24-8-24. PBTB 7,900’. *Disappearing*
- True 32 – WF 1P-1-15-19 drilling at 10,581 feet. PBTB 12,850’. Next well FR 1P-36-14-19. PBTB 13,000’.

“Completions & New Wells to Sales” 9-15-05:

SG 6ML-11-8-22: (43.75% WI) Flowing 425 psi on 28/64” choke. 4885 BLLTR. Will go to sales 9/16/05.

EIHX 4MU-36-8-22: (100% WI) Waiting on frac crew, will frac 9/16/05.

EIHX 3MU-36-8-22: (100% WI) To sales 9/9/05. Currently flowing 1,608 mcfpd at 1,646 psi on 12/64” choke, 10 BOPD, 58 BWPD, 3277 BLLTR.

Coy 12ML-24-8-24: (43.75% WI) Frac’d 3 Mesa Verde & 3 Wasatch stages. Flowed 550 psi on 24/64” choke, 6650 BLLTR. Drilling out plugs. Still waiting on QGM ROW for pipeline.

WEEKLY OPERATIONS REPORT – September 22, 2005

QEP

TOBS ²¹ RARE 5-10
43-047-33660

UINTA BASIN

“Drilling Activity – Operated” 9-22-05

- Patterson 52 – WV 12G-10-8-21 sliding & building angle at 5,528’ MD to get back into G-1 Lime. PBTD 7,913’ MD. Next well WWT 7ML-24-8-24. PBTD 7,900’.
- True 32 – WF 1P-1-15-19 tripping for bit at 11,234 feet. PBTD 12,850’. Next well FR 1P-36-14-19. PBTD 13,000’.

“Completions & New Wells to Sales” 9-22-05:

EIHX 4MU-36-8-22: (100% WI) Flowing 1000 psi on 26/64" choke. 230 BLR, 2698 BLLTR. Will turn to production today.

EIHX 1MU-36-8-22: (100% WI) Frac'd MV & 1st Wasatch zone. Will frac last 2 Wasatch zones today.

COY 12ML-24-8-24: (43.75% WI) Frac'd 3 Mesa Verde & 3 Wasatch stages. Flowed 550 psi on 24/64" choke, 6650 BLLTR. Drilled out plugs. Still waiting on QGM ROW for pipeline. Set pkr @ 5461' & RBP @ 5690'. Made 40 swab runs for 176 bbls slight gas cut water, FER 22 bwph. 176 BLR, 1374 BLLTR. Will move tools today.

WEEKLY OPERATIONS REPORT – September 30, 2005

QEP

UINTA BASIN

T08S R21E S-10
43-047-33660
Drilling

“Drilling Activity – Operated” 9-30-05

- Patterson 52 – WV 12G-10-8-21 setting second packer to shut off water flow. TD was 6640' MD and plug back will be around 6300' MD after setting 2nd and 3rd packers. Next well WV 15G-3-8-21 re-entry horizontal. PBTB 9,170' MD.
- True 32 – WF 1P-1-15-19 drilling at 12,187 feet. PBTB 12,850'. Next well FR 1P-36-14-19. PBTB 13,000'.

“Completions & New Wells to Sales” 9-29-05:

EIHX 1MU-36-8-22: (100% WI) To sales 9/27/05. Currently flowing 1425 mcf, 28 bwpd, 1926 psi on 10/64" choke.

COY 12ML-24-8-24: (43.75% WI) Wasatch & top Mesa Verde zones tested wet. Flow testing 6966'-7532'. FTP 175 psi on 32/64" choke, slight gas show, 11 BWPH. Will flow test over weekend.

WEEKLY OPERATIONS REPORT – October 6, 2005

QEP

UINTA BASIN

T085R 21E S-10
43-047-33660
Depleting

“Drilling Activity – Operated” 10-6-05

- Patterson 52 – WV 15G-3-8-21 picking up directional tools. Cleaned out, set whipstock, milled and dressed window. PBTB 9,170' MD. Next well (probably) SSU 8G-9-8-21 grass roots horizontal. PBTB 8,315' MD. The WWT 7ML-24-8-24 does not look good based on the completion work on the COY well, probably won't be drilled.
- True 32 – WF 1P-1-15-19 drilling at 12,375 feet. PBTB 12,850', TD may be extended to 13,000'+. Next well FR 1P-36-14-19. PBTB 13,000'.

“Completions & New Wells to Sales” 10-6-05:

COY 12ML-24-8-24: (43.75% WI) Wasatch & top Mesa Verde zones tested wet; LMV tested at only 20 psi; LGR had just a skim of oil post breakdown; moving up to Qu6 (GR) today.

WV 12G-10-8-21: (100% WI) MIRU; will bring SI gas well back on 1st; and then proceed w/ Hz completion.

WEEKLY OPERATIONS REPORT – October 13, 2005

QEP

UINTA BASIN

TOBS R21E S-10
43-047-33668
Deepening

“Drilling Activity – Operated” 10-13-05

- Patterson 52 – WV 15G-3-8-21 drilling build section at 5,781 feet. End of build should be 5,832' in zone. PBTD 9,170' MD. Next well (probably) SSU 8G-9-8-21 grass roots horizontal. PBTD 8,315' MD. The WWT 7ML-24-8-24 is looking better in the last zone and may be drilled. Depending on the timing of Rig 51 coming back, either Rig 51 or Rig 52 will go there.
- True 32 – WF 1P-1-15-19 drilling at 12,980 feet. PBTD 30' into basement. Next well FR 1P-36-14-19. PBTD 13,000'.

“Completions & New Wells to Sales” 10-13-05:

COY 12ML-24-8-24: (43.75% WI) Wasatch & top Mesa Verde zones tested wet; LMV tested at only 20 psi; LGR had just a skim of oil post breakdown; moved up to Qu6 (GR); acidized; post acid oil cut was 95%; entry rate was < 0.25 BFPH on hourly swab runs Weds.; frac. date is 10/18.

WV 12G-10-8-21: (100% WI) MIRU; drilled BP and RIH w/ tbg. and swabbed in SI gas well on this location; rig moved today to Hz oil well completion.

GB 7M-28-8-21: (77.5% WI) Frac date set up for 10/19 to frac LMV stages.

WEEKLY OPERATIONS REPORT – October 20, 2005

QEP

UINTA BASIN

T085 R 21E S-10
43-047-33660

“Drilling Activity – Operated” 10-20-05

- Patterson 52 – WV 15G-3-8-21 drill pipe stuck at 8,132', 30' off bottom. Pumped 65 bbls lease crude and letting it soak 24+ hours trying to move pipe every 15 minutes. PBTd 8,162' MD. Next well SSU 8G-9-8-21 grass roots horizontal. PBTd 8,315' MD. The WWT 7ML-24-8-24 will be drilled as a Green River test only at this time. Depending on the timing of Rig 51 coming back (should be in the next 2-3 days), either Rig 51 or Rig 52 will go there.
- True 32 – WF 1P-1-15-19 TD at 13,050 feet. Ran casing, cemented, rig released at 4:00 PM 10/19. Rig down for move. Next well FR 1P-36-14-19. PBTd 13,000'.

“Completions & New Wells to Sales” 10-20-05:

COY 12ML-24-8-24: (43.75% WI) Frac'd Qu6 (GR) on 10/18; swabbing currently; 40% oil cut w/ 120 bbls. rec & 370 BLLTR; last entry rate was 1 BFPH; will be running rods and pump Friday; crane is avail. Sunday to MI pumping unit.

WV 12G-10-8-21: (100% WI) TIH w/ workstring to toe, no obstructions; acid job pumped to completion today (20,000 gal. 15% HCl).

GB 7M-28-8-21: (77.5% WI) 2 LMV frags. done (150 Mlbs. Econoprop each), 2,475 psi FCP on a 12/64" this a.m.; 40 BWPH; 380 bbls. rec.; 3000+ BLLTR; lubed in comp. BP this a.m. to TIH and drill out plugs today.

WEEKLY OPERATIONS REPORT – October 27, 2005

QEP

UINTA BASIN

TOBS R21E S10
43-049-33668

“Drilling Activity – Operated” 10-27-05

- Patterson 51 – WWT 7ML-24-8-24. Reached TD of 4,365'. Rigging up loggers. Will log and then run 7" casing. Next well: SC 12ML-16-10-23.
- Patterson 52 – SSU 8G-9-8-21. Drilling at 2,469'. This is a grassroots horizontal well.
- True 32 – FR 1P-36-14-19. Rigging up. Anticipate spudding this weekend.
- Caza 24 – GB 16D-28-8-21. Rigging up. Anticipate spudding this weekend

“Completions & New Wells to Sales” 10-27-05:

COY 12ML-24-8-24: (25% WI) Frac'd Qu6 (GR) on 10/18; started PU on 10/25; poss. downhole pump problems; moving WO rig back on today.

GB 7M-28-8-21: (77.5% WI) 2 LMV frags. done (150 Mlbs. Econoprop each); went back to sales (all zones) 10/23; currently flowing 1252 mcfpd @ 930 psi FTP & 1810 psi CP on a 24/64" ck. w/ 13 BOPD & 195 BWPD.

WV 12G-10-8-21: (100% WI) Start flowing to Battery #5 today to deplete water.

WV 15G-3-8-21: (100% WI) MIRU late Weds.; will have to mill over CIBP first (not the desired plug).

WV 14M-11-8-21: (100% WI) Firing propellant sticks across Blackhawk & 2 LMV intervals today.

WF 1P-1-15-19: (50% WI) pipeline should be completed by the end of this week; surface facilities next week (2 crews working on it).

WEEKLY OPERATIONS REPORT – November 3, 2005

QEP

UINTA BASIN

T08S R21E S-10
43-047-33660

“Drilling Activity – Operated” 11-3-05 - Deepening

- Ensign 24 – GB 16D-28-8-21 drilling at 1,617 feet. Spud well at 01:30 11/2/05. PBTB 16,600'. Next well GB 4M-28-8-21. PBTB 12,850'.
- Patterson 51 – SC 12ML-16-10-23 drilling at 3,138 feet. Spud well at 22:00 11/2/05. PBTB 7,600'. Next well SC 14ML-16-10-23. PBTB 7,570'.
- Patterson 52 – SSU 8G-9-8-21 drilling at 5,380 feet building angle at 46.7 degrees. PBTB 9,320'. Next well is unknown at this time.
- True 32 – FR 1P-36-14-19 drilling at 3,880 feet. PBTB 13,125'. Next well Wolf Flat Option well.

“Completions & New Wells to Sales” 11-3-05:

GB 7M-28-8-21: (77.5% WI) 2 LMV frags. done (150 Mlbs. Econoprop each); went back to sales (all zones) 10/23; currently flowing 1284 mcfpd @ 701 psi FTP & 1280 psi CP on a 24/64” ck. w/ 25 BOPD & 192 BWPD.

COY 12ML-24-8-24: (25% WI) Frac'd Qu6 (GR) on 10/18; started PU on 10/25; 20 BOPD; no gas or water currently.

WV 12G-10-8-21: (100% WI) Start flowing to Battery #5 10/27 to deplete water from reservoir; 44 BOPD; 0 mcf & 423 BWPD currently.

WV 15G-3-8-21: (100% WI) While washing over/fishing CIBP, it has moved into lateral 365'; cannot push to toe; currently RIH w/ washover shoe/grapple today.

WF 1P-1-15-19: (50% WI) MIRU Friday.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN DUPLICATE

(See other instructions on reverse side).

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other Re-Entry *Deepen*

2. NAME OF OPERATOR **QEP UINTA BASIN, INC.**

3. ADDRESS OF OPERATOR **11002 E. 17500 S. VERNAL, UT 84078-8526 435-781-4342**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface **1820' FSL, 888' FWL, NWSW, SEC 10-T8S-R21E**
At top rod. interval reported below **1820' FSL, 888' FWL, NWSW, SEC 10-T8S-R21E**
At total depth **1820' FSL, 888' FWL, NWSW, SEC 10-T8S-R21E** *Directional Survey*

5. LEASE DESIGNATION AND SERIAL NO. **U-0806**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME **UTE TRIBE**

7. UNIT AGREEMENT NAME **8910084820**
Wonsits Valley Federal Unit

8. FARM OR LEASE NAME _____

9. WELL NO. **WV 12G 10 8 21**

10. FIELD AND POOL, OR WILDCAT **WONSITS VALLEY**

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA **SEC 10-T8S-R21E**

12. COUNTY OR PARISH **UINTAH** 13. STATE **UT**

14. PERMIT NO. **43-047-33660** DATE ISSUED _____

15. DATE SPUNDED **9/13/05 - Whipstock** 16. DATE T.D. REACHED **9/25/05** 17. DATE COMPL. (Ready to prod.) **10/26/2005** 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* **KB** 19. ELEV. CASINGHEAD _____

20. TOTAL DEPTH, MD & TVD **6640 MD 5434 TVD 5530' TVD** 21. PLUG BACK T.D., MD & TVD **HORIZ PBTD @ 6050' MD** 22. IF MULTIPLE COMPL., HOW MANY* _____ 23. INTERVALS DRILLED BY _____ ROTARY TOOLS _____ CABLE TOOLS _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
H. WINDOW @ 5100 - 5208' TVD
WHIPSTOCK @ 5208' TVD

25. WAS DIRECTIONAL SURVEY MADE **YES**

26. TYPE ELECTRIC AND OTHER LOGS RUN **Gyrodata Directional Survey & Wellbore** 27. WAS WELL CORED **NO**

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	450'	12-1/4"	175 SXS	
5-1/2"	15.5#	5530'	7-7/8"	575 SXS	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	5162'	

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)
5199' - 5208' - Green River - Horizontal Window
5406' - 5420' G-1 Lime

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
DEPTH INTERVAL (MD) **5199' - 5208'** AMOUNT AND KIND OF MATERIAL USED **Acidize lateral w/ 31,533 gals HCL acid**

33.* PRODUCTION

DATE FIRST PRODUCTION **10/26/05** PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) **FLOWING** WELL STATUS (Producing or shut-in) **PRODUCING**

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL—BBL	GAS—MCF	WATER—BBL	GAS-OIL RATIO
10/29/05	24	51/64	75	75	1	752	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **SOLD** TEST WITNESSED BY _____

35. LIST OF ATTACHMENTS **Gyrodata Directional Survey & Wellbore**

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED **JIM SIMONSON** TITLE **COMPLETION SUPERVISOR** DATE **1/20/06**

(See Instructions and Spaces for Additional Data on Reverse Side)

CONFIDENTIAL

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.

GEOLOGIC MARKERS
WV 12G 10 8 21

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
UINTA	SURFACE			UINTA	SURFACE	
GREEN RIVER	2774'			GREEN RIVER	2774'	
MAHOGANY	3559'			MAHOGANY	3559'	
E5	5231'			E5	5231'	
F1	5274'			F1	5274'	
F2	5288'			F2	5288'	
F3				F3		
F4	5343'			F4	5343'	
F5	5375'			F5	5375'	
G-1 LIME	5405'			G-1 LIME	5405'	
G-1 SAND	5418'			G-1 SAND	5418'	
TD	5530'			TD	5530'	

CONFIDENTIAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
 Well Well Other

2. Name of Operator

QEP UINTA BASIN, INC.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Contact: dahn.caldwell@questar.com

435.781.4342 Fax 435.781.4357

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NWSW, 1820' FSL, 888' FWL, SEC 10-T8S-R21S

5. Lease Designation and Serial No.

U-0806

6. If Indian, Allottee or Tribe Name

UTE TRIBE

7. If Unit or CA, Agreement Designation

8910084820

8. Well Name and No.

WV 12G 10 8 21

9. API Well No.

43-047-33660

10. Field and Pool, or Exploratory Area

WONSITS VALLEY

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other HORIZ. LATERAL RE-ENTRY
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

RECOMPLETION FOR HORIZONTAL LATERAL - STARTED 8/19/05 - 10/26/05.

1 - MIRU Leed Energy Services.

2 - Horizontal Window 5100' - 5208'. Whipstock @ 5208'. Horizontal PBSD @ 6050' MD.

3 - Acidize 5199' - 5208' w/ 31,533 gals 15% HCL. SITP - 1700#, SICP = 1700#. Open up tbg on 20/64" choke & began flow.

MIRU flow back tank. NU flow lines, chokes & gauges.

4 - Total flowing time - 5 hours. Total fluid recovery = 527 bbls, 507 water & 20 oil (4% average).

5 - Completed horizontal lateral on 10/25/05. No rods run. Wells flows.

CONFIDENTIAL - TIGHT HOLE. Do not release well information without permission from QEP, Uinta Basin, Inc.

3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Word file-server

14. I hereby certify that the foregoing is true and correct.

Signed **JIM SIMONTON**

Title

COMPLETION SUPERVISOR

Date

1/20/06

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONFIDENTIAL

RECEIVED
FEB 02 2006
DIV. OF OIL, GAS & MINING

A Gyrodata Directional Survey

Field Copy Only, not definitive

for

QUESTSTAR

Location: Key #955, Uintah Co., UT
Lease: WVFU Well: 126-10-781-4300, 5-1/2"

WV 12G-10-8-21

Job Number: RM0705G_298

Run Date: 05 Jul 2005

Surveyor: Joshua Kirby

Calculation Method: MINIMUM CURVATURE

Survey Latitude: 40.136040 deg. N Longitude: 109.547010 deg. W

Azimuth Correction:

Gyro: Bearings are Relative to True North

Vertical Section Calculated from Well Head Location

Closure Calculated from Well Head Location

Horizontal Coordinates Calculated from Well Head Location

RECEIVED
FEB 02 2006
DIV. OF OIL, GAS & MINING

A Gyrodata Directional Survey

Queststar

Location: Key #955, Uintah Co., UT

Lease: WVFU Well: 126-10-781-4300, 5-1/2"

Job Number: RM0705G_298

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL DEPTH feet	HORIZONTAL COORDINATES feet	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.
---------------------------	--------------	-----------------	---------------------------	-----------------------------------	-----------------------------	--

0.00	0.00	0.00	0.00	0.00 N	0.00 E	0.0	0.00
------	------	------	------	--------	--------	-----	------

 100 TO 5210 FT. RATE GYROSCOPIC MULTISHOT SURVEY RUN INSIDE 5-1/2" CASING
 ALL MEASURE DEPTHS AND COORDINATES REFERENCED TO KEY#955 R.K.B. HEIGHT OF 18 FT.

100.00	0.33	256.34	100.00	0.07 S	0.28W	-0.1	0.33
200.00	0.11	284.69	200.00	0.11 S	0.65W	-0.1	0.24
300.00	0.23	214.04	300.00	0.26 S	0.86W	-0.3	0.22
400.00	0.10	271.05	400.00	0.42 S	1.06W	-0.4	0.19
500.00	0.27	285.43	500.00	0.36 S	1.38W	-0.4	0.17
600.00	0.38	244.64	600.00	0.43 S	1.90W	-0.4	0.25
700.00	0.68	232.29	699.99	0.94 S	2.67W	-0.9	0.32
800.00	0.65	220.98	799.98	1.73 S	3.51W	-1.7	0.13
900.00	0.66	241.10	899.98	2.43 S	4.38W	-2.4	0.23
1000.00	0.82	249.45	999.97	2.96 S	5.56W	-3.0	0.19
1100.00	1.09	269.46	1099.96	3.22 S	7.18W	-3.2	0.43
1200.00	1.25	276.28	1199.94	3.11 S	9.22W	-3.1	0.22
1300.00	1.24	276.99	1299.91	2.86 S	11.38W	-2.9	0.02
1400.00	1.11	275.91	1399.89	2.63 S	13.41W	-2.6	0.14
1500.00	0.92	271.94	1499.88	2.50 S	15.17W	-2.5	0.20

RECEIVED

FEB 02 2006

DIV. OF OIL, GAS & MINING

A Gyrodata Directional Survey

Queststar

Location: Key #955, Uintah Co., UT

Lease: WVFU Well: 126-10-781-4300, 5-1/2"

Job Number: RM0705G_298

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL DEPTH feet	HORIZONTAL COORDINATES feet	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.
1600.00	0.65	267.05	1599.87	2.51 S 16.54W	-2.5	0.28
1700.00	0.60	336.01	1699.86	2.06 S 17.32W	-2.1	0.71
1800.00	0.63	341.47	1799.86	1.06 S 17.71W	-1.1	0.07
1900.00	0.37	228.06	1899.85	0.75 S 18.13W	-0.8	0.85
2000.00	0.65	204.90	1999.85	1.49 S 18.61W	-1.5	0.34
2100.00	0.97	204.14	2099.84	2.78 S 19.19W	-2.8	0.32
2200.00	1.18	206.94	2199.82	4.47 S 20.01W	-4.5	0.21
2300.00	1.33	206.64	2299.80	6.42 S 20.99W	-6.4	0.16
2400.00	1.36	204.62	2399.77	8.55 S 22.01W	-8.6	0.06
2500.00	1.49	212.58	2499.74	10.72 S 23.20W	-10.7	0.23
2600.00	1.52	210.51	2599.70	12.96 S 24.58W	-13.0	0.07
2700.00	1.78	195.26	2699.66	15.60 S 25.66W	-15.6	0.51
2800.00	1.85	189.03	2799.61	18.69 S 26.32W	-18.7	0.21
2900.00	1.93	178.71	2899.56	21.96 S 26.54W	-22.0	0.35
3000.00	1.68	185.06	2999.51	25.10 S 26.63W	-25.1	0.32
3100.00	1.16	186.71	3099.48	27.56 S 26.87W	-27.6	0.53
3200.00	1.42	197.08	3199.45	29.75 S 27.36W	-29.8	0.35
3300.00	1.96	203.74	3299.41	32.50 S 28.41W	-32.5	0.58
3400.00	2.15	195.13	3399.35	35.88 S 29.59W	-35.9	0.36
3500.00	2.16	188.37	3499.27	39.56 S 30.35W	-39.6	0.25
3600.00	1.76	185.04	3599.22	42.95 S 30.76W	-43.0	0.41
3700.00	1.72	179.80	3699.17	45.99 S 30.89W	-46.0	0.17

RECEIVED
 FEB 02 2006
 DIV. OF OIL, GAS & MINING

A Gyrodata Directional Survey

Queststar

Location: Key #955, Uintah Co., UT

Lease: WVFU Well: 126-10-781-4300, 5-1/2"

Job Number: RM0705G_298

MEASURED DEPTH	INCL deg.	AZIMUTH deg.	VERTICAL DEPTH feet	HORIZONTAL COORDINATES feet		VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.
3800.00	0.94	178.61	3799.14	48.30 S	30.87W	-48.3	0.78
3900.00	0.87	168.35	3899.13	49.86 S	30.70W	-49.9	0.18
4000.00	1.11	158.64	3999.12	51.50 S	30.19W	-51.5	0.30
4100.00	1.51	153.25	4099.09	53.58 S	29.25W	-53.6	0.41
4200.00	1.42	149.00	4199.06	55.81 S	28.02W	-55.8	0.14
4300.00	1.40	149.26	4299.03	57.92 S	26.76W	-57.9	0.01
4400.00	1.25	170.47	4399.00	60.05 S	25.95W	-60.0	0.51
4500.00	1.34	168.59	4498.97	62.27 S	25.54W	-62.3	0.10
4600.00	1.31	165.22	4598.95	64.52 S	25.01W	-64.5	0.08
4700.00	1.84	167.71	4698.91	67.19 S	24.38W	-67.2	0.53
4800.00	2.23	157.01	4798.85	70.55 S	23.28W	-70.5	0.55
4900.00	2.23	155.25	4898.77	74.11 S	21.70W	-74.1	0.07
5000.00	2.22	151.63	4998.70	77.58 S	19.97W	-77.6	0.14
5100.00	1.97	145.46	5098.63	80.70 S	18.07W	-80.7	0.34
5200.00	1.94	144.37	5198.57	83.50 S	16.11W	-83.5	0.05
5210.00	1.93	143.21	5208.56	83.77 S	15.91W	-83.8	0.41

Final Station Closure: Distance: 85.27 ft Az: 190.76 deg.

RECEIVED
 FEB 02 2006
 DIV. OF OIL, GAS & MINING

BHL Report

*Calculated using the Minimum Curvature Method
Computed using PDS VER2.2.6
Vertical Section Plane: 270.00 deg.*

Survey Reference: WELLHEAD
Vertical Section Reference: WELLHEAD
Closure Reference: WELLHEAD
TVD Reference: WELLHEAD

Questar Exploration & Production
WV 12G10RHZ
Unitah Co., Utah
Wonsits Valley Field
RIG: Patterson #52

DECL: 11.85° East to True
RKB: 13' Rotary to Ground Level

PES Office Supervisor:
Rich Arnold
PES Field Engineers:
Jesse Suck / John Brusacoram
PES Directional Drillers:
Chad Surber / Aaron Carlson

Measured Depth	6640.00	(ft)
Inclination	90.40	(deg)
Azimuth	252.41	(deg)
True Vertical Depth	5434.02	(ft)
Vertical Section	1247.69	(ft)
Rectangular Offsets		
North/South	23.97 S	(ft)
East/West	1247.69W	(ft)
Closure Dist & Dir	1247.92@268.90	(deg)
Dogleg Severity	0.00	(deg/100ft)
Build Rate	0.00	(deg/100ft)
Walk Rate	0.00	(deg/100ft)

RECEIVED
MAR 02 2006

Survey Report

Calculated using the Minimum Curvature Method
 Computed using PDS VER2.2.6
 Vertical Section Plane: 270.00 deg.

Survey Reference: WELLHEAD
 Vertical Section Reference: WELLHEAD
 Closure Reference: WELLHEAD
 TVD Reference: WELLHEAD

Questar Exploration & Production
 WV 12G10RHZ
 Uintah Co., Utah
 Wonsits Valley Field
 RIG: Patterson #52

DECL: 11.85° East to True
 RKB: 13' Rotary to Ground Level

PES Office Supervisor:
 Rich Arnold
 PES Field Engineers:
 Jesse Suek / John Brusacoram
 PES Directional Drillers:
 Chad Surber / Aaron Carlson

Measured Depth (ft)	Incl (deg.)	Drift Dir. (deg.)	TVD (ft)	Course Length (ft)	Vertical Section (ft)	TOTAL		Closure		DLS (dg/100ft)
						Rectangular (ft)	Offsets (ft)	Dist. (ft)	Dir. (deg.)	
ORIGIN OF WELL AT SURFACE										
0.00	0.00	0.00	0.00	0.00	0.00	0.00 N	0.00 E	0.00@	0.00	0.00
THE FOLLOWING ARE GYRODATA MULTI-SHOT GYRO SURVEYS										
100.00	0.33	256.34	100.00	100.00	0.28	0.07 S	0.28W	0.29@	256.34	0.33
200.00	0.11	284.69	200.00	100.00	0.65	0.11 S	0.65W	0.66@	260.29	0.24
300.00	0.23	214.04	300.00	100.00	0.86	0.25 S	0.86W	0.89@	253.53	0.22
400.00	0.10	271.05	400.00	100.00	1.06	0.42 S	1.06W	1.14@	248.41	0.19
500.00	0.27	285.43	500.00	100.00	1.37	0.35 S	1.37W	1.42@	255.53	0.17
600.00	0.38	244.64	600.00	100.00	1.90	0.43 S	1.90W	1.95@	257.14	0.25
700.00	0.68	232.29	699.99	100.00	2.67	0.94 S	2.67W	2.83@	250.62	0.32
800.00	0.65	220.98	799.98	100.00	3.51	1.73 S	3.51W	3.91@	243.76	0.13
900.00	0.66	241.10	899.98	100.00	4.39	2.44 S	4.39W	5.02@	240.95	0.23
1000.00	0.82	249.45	999.97	100.00	5.56	2.97 S	5.56W	6.30@	241.92	0.19
1100.00	1.09	269.46	1099.96	100.00	7.18	3.23 S	7.18W	7.87@	245.81	0.43
1200.00	1.25	276.28	1199.93	100.00	9.22	3.12 S	9.22W	9.73@	251.32	0.21
1300.00	1.24	276.99	1299.91	100.00	11.37	2.86 S	11.37W	11.73@	255.86	0.02
1400.00	1.11	275.91	1399.89	100.00	13.41	2.63 S	13.41W	13.67@	258.89	0.13
1500.00	0.92	271.94	1499.87	100.00	15.18	2.51 S	15.18W	15.38@	260.62	0.20
1600.00	0.65	267.05	1599.86	100.00	16.55	2.51 S	16.55W	16.74@	261.38	0.28
1700.00	0.60	336.01	1699.86	100.00	17.33	2.06 S	17.33W	17.45@	263.22	0.71
1800.00	0.63	341.47	1799.85	100.00	17.71	1.06 S	17.71W	17.74@	266.58	0.07
1900.00	0.37	228.06	1899.85	100.00	18.13	0.75 S	18.13W	18.14@	267.62	0.85
2000.00	0.65	204.90	1999.85	100.00	18.61	1.48 S	18.61W	18.67@	265.44	0.34
2100.00	0.97	204.14	2099.84	100.00	19.19	2.77 S	19.19W	19.39@	261.78	0.32

Survey Report

Measured Depth (ft)	Incl (deg.)	Drift Dir. (deg.)	TVD (ft)	Course Length (ft)	Vertical Section (ft)	TOTAL Rectangular Offsets (ft)		Closure Dist. (ft)	Dir. (deg.)	DLS (dg/100ft)
2200.00	1.18	206.94	2199.82	100.00	20.00	4.46 S	20.00W	20.50@	257.43	0.22
2300.00	1.33	206.64	2299.80	100.00	20.99	6.42 S	20.99W	21.95@	253.00	0.15
2400.00	1.36	204.62	2399.77	100.00	22.01	8.53 S	22.01W	23.60@	248.81	0.06
2500.00	1.49	212.58	2499.74	100.00	23.20	10.71 S	23.20W	25.55@	245.23	0.24
2600.00	1.52	210.51	2599.70	100.00	24.57	12.95 S	24.57W	27.78@	242.22	0.06
2700.00	1.78	195.26	2699.66	100.00	25.66	15.59 S	25.66W	30.02@	238.72	0.51
2800.00	1.85	189.03	2799.61	100.00	26.32	18.68 S	26.32W	32.27@	234.64	0.21
2900.00	1.93	178.71	2899.56	100.00	26.53	21.96 S	26.53W	34.44@	230.39	0.35
3000.00	1.68	185.06	2999.51	100.00	26.63	25.10 S	26.63W	36.59@	226.69	0.32
3100.00	1.16	186.71	3099.48	100.00	26.87	27.57 S	26.87W	38.50@	224.27	0.52
3200.00	1.42	197.08	3199.45	100.00	27.35	29.76 S	27.35W	40.42@	222.59	0.35
3300.00	1.96	203.74	3299.41	100.00	28.41	32.51 S	28.41W	43.17@	221.15	0.57
3400.00	2.15	195.13	3399.34	100.00	29.59	35.88 S	29.59W	46.51@	219.51	0.36
3500.00	2.16	188.37	3499.27	100.00	30.35	39.56 S	30.35W	49.86@	217.50	0.25
3600.00	1.76	185.04	3599.21	100.00	30.76	42.95 S	30.76W	52.83@	215.61	0.42
3700.00	1.72	179.80	3699.17	100.00	30.89	45.98 S	30.89W	55.39@	213.89	0.16
3800.00	0.94	178.61	3799.14	100.00	30.86	48.30 S	30.86W	57.32@	212.58	0.78
3900.00	0.87	168.35	3899.13	100.00	30.69	49.87 S	30.69W	58.55@	211.61	0.18
4000.00	1.11	158.64	3999.11	100.00	30.18	51.51 S	30.18W	59.70@	210.37	0.29
4100.00	1.51	153.25	4099.09	100.00	29.24	53.59 S	29.24W	61.05@	208.62	0.42
4200.00	1.42	149.00	4199.05	100.00	28.01	55.83 S	28.01W	62.46@	206.64	0.14
4300.00	1.40	149.26	4299.02	100.00	26.74	57.94 S	26.74W	63.82@	204.78	0.02
4400.00	1.25	170.47	4399.00	100.00	25.94	60.07 S	25.94W	65.43@	203.36	0.51
4500.00	1.34	168.59	4498.97	100.00	25.53	62.29 S	25.53W	67.32@	202.29	0.10
4600.00	1.31	165.22	4598.95	100.00	25.00	64.54 S	25.00W	69.21@	201.18	0.08
4700.00	1.84	167.71	4698.91	100.00	24.37	67.21 S	24.37W	71.50@	199.93	0.53
4800.00	2.23	157.01	4798.84	100.00	23.27	70.57 S	23.27W	74.31@	198.25	0.54
4900.00	2.23	155.25	4898.77	100.00	21.70	74.13 S	21.70W	77.24@	196.31	0.07
5000.00	2.22	151.63	4998.69	100.00	19.96	77.60 S	19.96W	80.13@	194.42	0.14
5100.00	1.97	145.46	5098.63	100.00	18.07	80.72 S	18.07W	82.72@	192.61	0.34
TIE-IN TO GYRODATA MULTI-SHOT GYRO SURVEY										
5200.00	1.94	144.37	5198.57	100.00	16.10	83.51 S	16.10W	85.05@	190.91	0.05
THE FOLLOWING ARE PATHFINDER MWD SURVEYS										
5268.00	12.05	253.45	5266.08	68.00	22.26	86.48 S	22.26W	89.30@	194.44	18.84
5297.00	17.85	253.80	5294.09	29.00	29.44	88.59 S	29.44W	93.35@	198.38	20.00
5329.00	26.91	250.84	5323.65	32.00	41.01	92.34 S	41.01W	101.04@	203.95	28.52
5361.00	36.05	250.72	5350.91	32.00	56.78	97.84 S	56.78W	113.12@	210.13	28.56
5393.00	46.43	249.65	5374.94	32.00	76.59	105.00 S	76.59W	129.96@	216.11	32.51
5425.00	57.24	250.11	5394.68	32.00	100.18	113.63 S	100.18W	151.49@	221.40	33.80
5456.00	65.77	266.57	5409.54	31.00	126.73	118.95 S	126.73W	173.81@	226.81	54.07
5487.00	74.66	286.48	5420.12	31.00	155.49	115.52 S	155.49W	193.71@	233.39	66.79
5519.00	86.00	303.46	5425.52	32.00	183.90	102.20 S	183.90W	210.39@	240.94	63.10
5550.00	93.30	301.97	5425.71	31.00	209.96	85.46 S	209.96W	226.69@	247.85	24.03
5582.00	95.85	299.90	5423.16	32.00	237.32	69.06 S	237.32W	247.16@	253.77	10.25

Survey Report

Measured Depth (ft)	Incl (deg.)	Drift Dir. (deg.)	TVD (ft)	Course Length (ft)	Vertical Section (ft)	TOTAL		Closure		DLS (dg/100ft)
						Rectangular (ft)	Offsets (ft)	Dist. (ft)	Dir. (deg.)	
5613.00	93.56	298.73	5420.61	31.00	264.25	53.94 S	264.25W	269.70@	258.46	8.29
5645.00	91.71	296.80	5419.14	32.00	292.54	39.05 S	292.54W	295.13@	262.40	8.35
5676.00	92.95	296.37	5417.88	31.00	320.24	25.19 S	320.24W	321.23@	265.50	4.23
5708.00	89.60	297.61	5417.17	32.00	348.74	10.67 S	348.74W	348.90@	268.25	11.16
5740.00	89.60	295.98	5417.39	32.00	377.30	3.75 N	377.30W	377.32@	270.57	5.09
5772.00	89.08	293.52	5417.76	32.00	406.36	17.15 N	406.36W	406.72@	272.42	7.86
5804.00	89.43	294.50	5418.18	32.00	435.59	30.17 N	435.59W	436.63@	273.96	3.25
5835.00	88.81	290.70	5418.66	31.00	464.20	42.08 N	464.20W	466.10@	275.18	12.42
5867.00	88.37	286.48	5419.44	32.00	494.51	52.27 N	494.51W	497.27@	276.03	13.25
5899.00	88.29	285.28	5420.38	32.00	525.28	61.03 N	525.28W	528.81@	276.63	3.76
5931.00	88.72	283.34	5421.21	32.00	556.27	68.93 N	556.27W	560.53@	277.06	6.21
5962.00	88.81	281.15	5421.88	31.00	586.56	75.50 N	586.56W	591.40@	277.34	7.07
5994.00	89.69	278.16	5422.30	32.00	618.10	80.87 N	618.10W	623.37@	277.45	9.74
6026.00	90.13	276.23	5422.35	32.00	649.84	84.88 N	649.84W	655.36@	277.44	6.19
6056.00	90.04	274.47	5422.30	30.00	679.71	87.68 N	679.71W	685.34@	277.35	5.87
6088.00	90.04	272.09	5422.28	32.00	711.66	89.51 N	711.66W	717.26@	277.17	7.44
6120.00	89.34	270.25	5422.45	32.00	743.65	90.16 N	743.65W	749.09@	276.91	6.15
6152.00	89.16	268.93	5422.87	32.00	775.64	89.93 N	775.64W	780.84@	276.61	4.16
6184.00	88.20	266.73	5423.61	32.00	807.61	88.72 N	807.61W	812.47@	276.27	7.50
6215.00	86.79	264.62	5424.97	31.00	838.49	86.38 N	838.49W	842.93@	275.88	8.18
6247.00	86.70	262.60	5426.78	32.00	870.24	82.83 N	870.24W	874.17@	275.44	6.31
6279.00	87.14	259.96	5428.50	32.00	901.82	77.98 N	901.82W	905.19@	274.94	8.35
6309.00	87.23	258.21	5429.98	30.00	931.24	72.31 N	931.24W	934.04@	274.44	5.82
6341.00	87.85	256.54	5431.35	32.00	962.44	65.33 N	962.44W	964.65@	273.88	5.57
6373.00	89.34	254.87	5432.13	32.00	993.44	57.43 N	993.44W	995.09@	273.31	6.99
6404.00	88.90	252.05	5432.61	31.00	1023.15	48.60 N	1023.15W	1024.30@	272.72	9.21
6436.00	89.16	252.14	5433.15	32.00	1053.59	38.77 N	1053.59W	1054.30@	272.11	0.86
6468.00	89.34	251.70	5433.57	32.00	1084.01	28.84 N	1084.01W	1084.39@	271.52	1.49
6499.00	89.25	251.70	5433.95	31.00	1113.44	19.10 N	1113.44W	1113.60@	270.98	0.29
6531.00	89.60	252.32	5434.27	32.00	1143.87	9.22 N	1143.87W	1143.91@	270.46	2.22
6562.00	89.87	251.97	5434.42	31.00	1173.38	0.28 S	1173.38W	1173.38@	269.99	1.43
6594.00	90.40	252.41	5434.34	32.00	1203.85	10.07 S	1203.85W	1203.89@	269.52	2.15
STRAIGHT LINE PROJECTION TO THE BIT @ 6640' MD										
6640.00	90.40	252.41	5434.02	46.00	1247.69	23.97 S	1247.69W	1247.92@	268.90	0.00

**Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET**

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	---

CA No.		Unit:		WONSITS VALLEY UNIT				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8-21	WV 1W-14-8-21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13-8-21	WV 5W-13-8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
		7. UNIT or CA AGREEMENT NAME: see attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: see attached	
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		9. API NUMBER: attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached COUNTY: Uintah


QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
Federal Bond Number: 965002976 (BLM Reference No. ESB000024)
Utah State Bond Number: 965003033
Fee Land Bond Number: 965003033
Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.


Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list


Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2)Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
See attached

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
See attached

1. TYPE OF WELL: OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
See attached

2. NAME OF OPERATOR:
Questar Exploration and Production Company *N5085*

9. API NUMBER:
Attached

3. ADDRESS OF OPERATOR:
1050 17th Street, Suite 500 Denver, STATE CO ZIP 80265 PHONE NUMBER: (303) 672-6900

10. FIELD AND POOL, OR WILDCAT:
See attached

4. LOCATION OF WELL:
FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*
Utah State Bond Number: ~~965003033~~
Fee Land Bond Number: ~~965003033~~ } *965010695*
BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst
SIGNATURE *Morgan Anderson* DATE 6/23/2010

(This space for State use only)

RECEIVED
JUN 28 2010
DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED *6/13/2010*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)

WONSITS VALLEY

effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8- 21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13- 8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Roy L Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS