



Coastal
The Energy People

May 14, 2001

Ms. Lisha Cordova
State of Utah
Division of Oil Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114
Attn: Lisha Cordova

**RE: Wonsits Federal #1-6, Sec. 6-T8S-R22E
Wonsits Federal #2-6, Sec. 6-T8S-R22E
Wonsits Federal #4-6, Sec. 6-T8S-R22E**

Dear Ms. Cordova:

Enclosed is the APD's for the locations listed above. Please do not hesitate to call me if you have any questions, or need additional information at (435) 781-7021.

Holly Miner,

Holly Miner

Regulatory Assistant

Coastal Oil & Gas Corporation

A SUBSIDIARY OF THE COASTAL CORPORATION
1368 S 1200 E • PO BOX 1148 • VERNAL UT 84078 • 435/789-4433 • FAX 435/789-4436

RECEIVED

MAY 15 2001

DIVISION OF
OIL, GAS AND MINING

CONFIDENTIAL

Form 3160-3
(August 1999)

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. U-72633	
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name	
2. Name of Operator COASTAL OIL & GAS CORPORATION CONTACT: CHERYL CAMERON OPERATIONS EMAIL: Cheryl.Cameron@CoastalCorp.com		7. If Unit or CA Agreement, Name and No.	
3a. Address P.O. BOX 1148 VERNAL, UT 84078		8. Lease Name and Well No. WONSITS FEDERAL #1-6	
3b. Phone No. (include area code) TEL: 435.781.7023 EXT: FAX: 435.789.4436		9. API Well No. 43-047-34081	
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface LOT #:4 NWNW 543FNL 927FWL At proposed prod. zone		10. Field and Pool, or Exploratory WONSITS	
14. Distance in miles and direction from the nearest town or post office* 32.8 MILES SOUTHEAST OF VERNAL, UTAH		11. Sec., T., R., M., or Blk., and Survey or Area Sec 6 T8S R22E UBM	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. Unit line if any) 543		12. County or Parish UINTAH	
16. No. of Acres in lease 442.42		13. State UT	
17. Spacing unit dedicated to this well 40		18. Distance from proposed location* to nearest well, drilling, completed, Applied for, on this lease, ft. REFER TO TOPO C	
19. Proposed Depth 9500 MD		20. BLM/BIA Bond No. on file U-605382-9	
21. Elevations (Show whether DF, KDB, R1, GL, etc.) 5279 GL		22. Approximate date work will start*	
		23. Estimated duration	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

Signature: *Cheryl Cameron* Name (Printed/Typed): Cheryl Cameron Date: 5/11/01

Approved by (Signature): *Bradley Hill* Name (Printed/Typed): BRADLEY G. HILL Date: 02-02-01
Title: RECLAMATION SPECIALIST III

Federal Approval of this Action is Necessary

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


*(Instructions on reverse)
ELECTRONIC SUBMISSION #4192 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR COASTAL OIL & GAS CORPORATION SENT TO THE VERNAL FIELD OFFICE

RECEIVED

MAY 15 2001

DIVISION OF
OIL, GAS AND MINING 5/11/01

T8S, R22E, S.L.B.&M.




COASTAL OIL & GAS CORP.

Well location, WONSITS FEDERAL #1-6, located as shown in Lot 4 of Section 6, T8S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 6, T8S, R22E, S.L.B.&M. TAKEN FROM THE RED WASH NW QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5268 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE SURVEY WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

ROBERT L. KAY
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 161319
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 2-12-01	DATE DRAWN: 2-14-01
PARTY B.B. J.W. C.G.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE COASTAL OIL & GAS CORP.	

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

LATITUDE = 40°09'33"
 LONGITUDE = 109°29'23"

**WONSITS FEDERAL #1-6
NW/NW Lot 4, Sec. 6-T8S, R22E
UINTAH COUNTY, UTAH
LEASE #U-72633**

**ONSHORE ORDER NO. 1
COASTAL OIL & GAS CORPORATION**

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

<u>Formation</u>	<u>Depth</u>
KB	5340'
Green River	3385'
Wasatch	6595'
TD	8500'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
	Green River	3385'
Gas	Wasatch	6595'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment (Schematic Attached)

The BOP stack will consist of one 11" 3,000 psi annular BOP, one 11" 3,000 psi double ram, and one 11' drilling spool. The lower ram will contain pipe rams, and the upper ram will contain blind rams.

The choke and kill lines and the choke manifold will have a 3,000 psi minimum pressure rating.

The hydrill will be tested to 1,500 psi. The rams, choke manifold, kelly safety valves, drill string safety valves, and inside BOP will be tested to 2,000 psi.

4. Proposed Casing & Cementing Program:

Please see the attached Drilling Program.

5. Drilling Fluids Program:

Please see the attached Mud Program.

6. **Evaluation Program:**

Please see the attached Geological Data.

7. **Abnormal Conditions:**

Maximum anticipated bottomhole pressure calculated at 8,500' TD, approximately equals 3,400 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1,530 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

**WONSITS FEDERAL #1-6
NW/NW Lot 4 Sec. 6, T8S-R22E
Uintah County, UT
U-72633**

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

Refer to Topo Map A for directions to the location.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

2. Planned Access Roads:

Refer to Topo Map B for the location of the proposed access road.

The upgraded and new portions of the access road will be crowned and ditched with a running surface of 18 feet and a maximum disturbed width of 30 feet. Appropriate water control will be installed to control erosion.

The access road was centerline flagged during time of staking.

Surfacing material may be necessary, depending upon weather conditions.

Surface disturbance and vehicular traffic will be limited to the approved location and approved access route. Any additional area needed will be approved in advance.

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

The following guidelines will apply if the well is productive.

All production facilities will be located on the disturbed portion of the well pad and at a minimum of 25 feet from the toe of the back slope or the top of the fill slope.

A dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks, and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

All permanent (on-site six months or longer) above the ground structures constructed or

installed, including pumping units, will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The required color is Desert Brown, Munsell standard color number 10 YR 6/3.

Any necessary pits will be properly fenced to protect livestock and prevent wildlife entry.

The proposed pipeline will leave the wellpad in a southeasterly direction for an approximate distance of 2650'. Refer to Topo D.

5. Location and Type of Water Supply:

Water for drilling purposes will be obtained from Dalbo Inc.'s underground well located in Ouray, Utah, Sec. 32, T4S, R3E, Water User Claim #43-8496, Application #53617.

Water will be hauled to location over the roads marked on Maps A and B.

No water well is to be drilled on this lease.

6. Source of Construction Materials:

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

7. Methods of Handling Waste Materials:

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated.

Any produced water from the proposed well will be contained in a water tank and will then be hauled truck to one of the pre-approved disposal sites: RNI, Sec.5-T9S-R22E, NBU #159, Sec.35-T9S-R21E, Ace Oilfield, Sec.2-T6S-R20E, MC&MC, Sec.12-T6S-R19E., (Requests in lieu of filing Form 3160-5 after initial production).

The reserve pit will be constructed on the location and will not be located within natural drainage, where a flood hazard exists or surface runoff will destroy or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

A plastic reinforced liner will be used, it will be a minimum of 12 mil thick, with sufficient bedding used to cover any rocks (Felt & Straw). The liner will overlap the pit walls and be covered with dirt and/or to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical porta-toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. No trash will be burned on location.

All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig.

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

8. Ancillary Facilities:

None are anticipated.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s). Please see the attached diagram to describe rig orientation, parking areas, and access roads.

The reserve pit will be lined, and when the reserve pit is closed, the pit liner will be buried below plow depth.

All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

A 24" culvert drainage in road shall be installed as requested at the on-site inspection.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched, by using a stretching device, before it is attached to corner posts.

The reserve pit fencing will be on three sides during drilling operations, and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

Location size may change prior to the drilling of the well due to the current rig availability. If the Proposed location is not large enough to accommodate the drilling rig, the location will be re-surveyed and a form 3160-5 will be submitted.

10. **Plans for Reclamation of the Surface:**

Producing Location:

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic, nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

Before any dirt work associated with location restoration takes place, the reserve pit shall be as dry as possible. All debris in it will be removed. Other waste and spoil materials will be disposed of immediately upon completion of operations.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion, weather permitting.

To prevent surface water (s) from standing (ponding) on the reclaimed reserve pit area, final reclamation of the reserve pit will consist of "mounding" the surface three feet above surrounding ground surface to allow the reclaimed pit area to drain effectively.

Upon completion of backfilling, leveling, and recontouring, the stockpiled topsoil will be spread evenly over the reclaimed area(s).

Dry Hole/Abandoned Location:

Abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and re-establishment of vegetation as specified.

All disturbed surfaces will be recontoured to the approximate natural contours, with reclamation of the well pad and access road to be performed as soon as practical after final abandonment. Reseeding operations will be performed after completion of other reclamation operations with the following seed mixture, as discussed during the on-site inspection:

Black Sage	2 lbs/acre
Indian Ricegrass	5 lbs/acre

Needle & Threadgrass 5 lbs/acre**11. Surface Ownership:**

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078
(435) 781-4400

12. Other Information:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, the approved Plan of Operations, and any applicable Notice of Lessees. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

The Operator will control noxious weeds along Rights-Of-Way for roads, pipelines, well sites, or other applicable facilities.

A Class III archaeological survey has been conducted by AERC. A copy of this report is attached.

A qualified Paleontologist shall monitor all construction.

13. Lessee's or Operators's Representative & Certification:

Cheryl Cameron
Sr. Regulatory Analyst
Coastal Oil & Gas Corporation
P.O. Box 1148
Vernal, UT 84078
(435) 781-7023

Darrell Molnar
Drilling Manager
Coastal Oil & Gas Corporation
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 418-4295

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Coastal Oil & Gas Corporation is considered to be the operator of the subject well. Coastal Oil & Gas Corporation agrees to be responsible under terms and conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by BLM Nationwide Bond #U-605382-9.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

/s/ Cheryl Cameron 
Cheryl Cameron

5/11/01
Date

COASTAL OIL & GAS CORP.
WONSITS FEDERAL #1-6
 LOCATED IN UTAH COUNTY, UTAH
 SECTION 6, T8S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHEASTERLY



UELS Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 435-789-1017 uels@uelsinc.com


- Since 1964 -

LOCATION PHOTOS			2	14	01	PHOTO
			MONTH	DAY	YEAR	
TAKEN BY: D.K.		DRAWN BY: P.M.		REVISED: 00-00-00		

COASTAL OIL & GAS CORP.

WONSITS FEDERAL #1-6 SECTION 6, T8S, R22E, S.L.B.&M.

PROCEED IN AN EASTERLY THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 4.0 MILES TO THE JUNCTION OF STATE HIGHWAY 45; EXIT RIGHT AND PROCEED IN A SOUTHERLY THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 19.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 7.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; PROCEED IN A WESTERLY DIRECTION APPROXIMATELY 0.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN LEFT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 1.6 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE SOUTHEAST; FOLLOW ROAD FLAGS IN AN SOUTHEASTERLY THEN EASTERLY THEN SOUTHEASTERLY THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE PROPOSED LOCATION.



LEGEND:

⊙ PROPOSED LOCATION


COASTAL OIL & GAS CORP.

WONSITS FEDERAL #1-6
SECTION 6, T8S, R22E, S.L.B.&M.
543' FNL 927' FWL

UES Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC **2 1401**
MAP MONTH DAY YEAR
 SCALE: 1 : 100,000 DRAWN BY: P.M. REVISED: 00-00-00





VERNAL 31.0 MI. +/-
STATE HIGHWAY 45 7.9 MI. +/-

**PROPOSED LOCATION:
WONSITS FEDERAL #1-6**

**EXISTING 2-TRACK NEEDS
UPGRADED 1.3 MI. +/-**

PROPOSED ACCESS 0.3 MI. +/-

**T7S
T8S**

**R
21
E**

**R
22
E**

LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING ROAD
- EXISTING 2-TRACK NEEDS UPGRADED

COASTAL OIL & GAS CORP.


**WONSITS FEDERAL #1-6
SECTION 6, T8S, R22E, S.L.B.&M.
543' FNL 927' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP **2 14 01**
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00





LEGEND:

- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- ⊖ SHUT IN WELLS
- ⊕ WATER WELLS
- ⊖ ABANDONED WELLS
- ⊖ TEMPORARILY ABANDONED




COASTAL OIL & GAS CORP.

WONSITS FEDERAL #1-6
SECTION 6, T8S, R22E, S.L.B.&M.
543' FNL 927' FWL

UEIS Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP **2 14 01**
 MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00 **C**
 TOPO



APPROXIMATE TOTAL PIPELINE DISTANCE = 2650' +/-

LEGEND:

-  EXISTING PIPELINE
-  PROPOSED PIPELINE
-  PROPOSED ACCESS



COASTAL OIL & GAS CORP.

**WONSITS FEDERAL #1-6
SECTION 6, T8S, R22E, S.L.B.&M.
543' FNL 927' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

**TOPOGRAPHIC
MAP**

2 14 01
MONTH DAY YEAR




SCALE: 1" = 1000' DRAWN BY: P.M. REVISED: 00-00-00

COASTAL OIL & GAS CORP.



LOCATION LAYOUT FOR

WONSITS FEDERAL #1-6
SECTION 6, T8S, R22E, S.L.B.&M.
543' FNL 927' FWL



SCALE: 1" = 50'
DATE: 2-14-01
Drawn By: C.G.

NOTE:
Flare Pit is to be located
a min. of 100' from the
Well Head.



NOTES:



Elev. Ungraded Ground At Loc. Stake = 5279.1'
FINISHED GRADE ELEV. AT LOC. STAKE = 5276.4'

FIGURE #1

COASTAL OIL & GAS CORP.

TYPICAL CROSS SECTIONS FOR

WONSITS FEDERAL #1-6
SECTION 6, T8S, R22E, S.L.B.&M.
543' FNL 927' FWL



DATE: 2-14-01
Drawn By: C.G.




FIGURE #2

APPROXIMATE YARDAGES


CUT	
(6") Topsoil Stripping	= 1,200 Cu. Yds.
Remaining Location	= 5,620 Cu. Yds.
TOTAL CUT	= 6,820 CU.YDS.
FILL	= 4,100 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 2,490 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 2,490 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.

COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM FOR APD

COMPANY NAME Coastal Oil & Gas Corporation DATE 5/8/01
 WELL NAME Wonsits Federal 1-6 TD 9,500
 FIELD Wonsits Valley COUNTY Uintah STATE Utah ELEVATION 5,340'
 SURFACE LOCATION 660' FNL, 660' FWL, NW/NW, SEC. 6, T8S, R22E BHL Straight Hole
 OBJECTIVE ZONE(S) Green River, Wasatch
 ADDITIONAL INFO BLM, UTDGDM, UINTAH COUNTY, TRI-COUNTY HEALTH



DRILLING PROGRAM FOR APD

CASING PROGRAM

	SIZE	INTERVAL	WT.	GR.	CPLG.	DESIGN FACTORS		
						BURST	COLLAPSE	TENSION
Surface	13-3/8"	0-300'	54.5	K-55	STC	2730	1130	547000
						16.22	8.05	4.70
Intermediate	9-5/8"	0-3,000'	36#	K-55	STC	3520	2020	489000
PRODUCTION	4-1/2"	0-TD	11.6#	P-110	LTC	1.72	1.44	2.57
						10690	7560	279000
TUBING						3.19	1.70	1.43


CEMENT PROGRAM

		FT. OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
SURFACE		300	Class G + 2% CFacI2 2% lb/sk Cello Flake	260	35%	15.80	1.17
INTERMEDIATE	LEAD	2500	Lite + 2% CaCl2 + 0.25 lb/sk Flocele	400	100%	11.00	3.81
	TAIL	500	Class G + 2% CaCl2 + 0.25 lb/sk Flocele	240	75%	14.30	1.27
PRODUCTION	LEAD	3600	HiFill-Mod + 0.6% EX-1 + 0.25 lb/sk Flocele + 0.2% FWCA + 10 lb/sk Gilsonite + 16% Gel	380	75%	11.00	3.83
	TAIL	2400	50/50 Poz +0.25 lb/sk Flocele + 0.6% HALAD-322 + 2% Gel + 2% MicroBond HT + 5% Salt	760	75%	14.30	1.27

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, float collar. Centralize first 3 joints & every fourth joint to surface. Thread lock FE & casing up to & including pin end of FC.
PRODUCTION	Float shoe, 2 jts, float collar. Centralize first 3 joints & every third joint across pay zones.

WELLHEAD EQUIPMENT

	TREE	2-1/16" 5M
	TUBING HEAD	11" 5M X 7-1/16" 5M
	CASING SPOOL	
	CASING SPOOL	13-3/8" 3M x 11" 5M
	CASING HEAD	13-3/8" SOW X 13-5/8" 3M

BIT PROGRAM

ROCK BIT & PDC BIT PROGRAM						
INTERVAL	HOLE	BIT MFG & MODEL	GPM	SERIAL	NZLS	COMMENTS
Surface - 3000'	12-1/4"	PDC	600-500		1.4 TFA	Mud Motor
3000' - TD	7-7/8"	Smith F45	400-350		0.6 TFA	

GEOLOGICAL DATA

LOGGING:

Depth	Log Type
0-3000	PEX
SC - TD	PEX
SC - TD	Sonic

MUD LOGGER: 2500' - TD
SAMPLES: As per Geology
CORING: As per Geology
DST: As per Geology

MUD PROGRAM

DEPTH	TYPE	MUD WT	WATER LOSS	VISCOSITY	TREATMENT
0-3,000'	Water/ LSND WBM	8.5-9.0	NC - 20 cc's	27 - 35	KCl, Gyp, Caustic, Polymer
3,000'-TD	LSND WBM	8.5-9.0	20- <10 cc's	30-45	KCl, Gyp, Caustic, Polymer

ADDITIONAL INFORMATION

Test casing head to 1,000 psi after installing. Test surface casing to 1,500 psi prior to drilling out.
 BOPE: 13 5/8" 3M with one annular and 2 rams. Test to 3,000 psi (annular to 1,500 psi) prior to drilling out. Record on chart recorder & tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper & lower kelly valves.
 Run Totco survey every 500' from surface casing shoe to TD. Maximum allowable hole angle is 5 degrees.

PROJECT ENGINEER: _____ **DATE:** _____
 Ahmed Ismail
PROJECT MANAGER: _____ **DATE:** _____
 Darrell Molnar

CULTURAL RESOURCE EVALUATION OF 17 PROPOSED WELL LOCATIONS IN THE KENNEDY WASH, BONANZA & WONSITS FIELDS OF UINTAH COUNTY, UTAH

(Kennedy Wash #13-2 Bonanza #8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2,
Wonsits Federal #1-6, 2-6, 3-6, 4-6, Wonsits State #9-32, 10-32, 11-32, 12-32, 13-32)

Report Prepared for El Paso Production Company
(Coastal Oil & Gas Corporation)

Department of Interior Permit No.: Ut-54937

AERC Project 1689 (COG01-04B)

Utah State Permit No.: Ut01AF0023b

Author of Report: F. Richard Hauck, Ph.D.



ARCHEOLOGICAL-ENVIRONMENTAL RESEARCH CORPORATION

3005 Cave Hollow Way, Suite A -- Bountiful, Utah 84010 P.O. Box 853, Bountiful, Utah 84011

Phone: (801) 292-7061, 292-9668 FAX: (801) 292-9668

E-mail: ari@xmission.com Web page: www.ari-aerc.org

March 30, 2001

ABSTRACT

An intensive cultural resource evaluation has been conducted for Coastal Oil & Gas Corporation of 17 proposed well locations in the Kennedy Wash, Bonanza and Wonsits Fields (**Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32**) and their respective access/pipeline corridors in Uintah County, Utah. About 213 acres (170 acres associated with well pads, 43 acres associated with 3.55 miles of access/pipeline corridors) were examined by AERC archaeologists during evaluations conducted between March 20 and 22, 2001.

No previously recorded cultural resources will be adversely affected by the proposed development. Site 42UN781 is situated ca. 100 meters to the west of Bonanza Unit 9-5; it is outside the development area and can easily be avoided during the construction of that location. Other known cultural sites situated in the general region are not endangered by direct adverse effect relative to these developments because of their distance from the present project areas.

No paleontological loci were observed.

No newly identified cultural resource sites or isolated diagnostic artifacts were recorded during the examination.

AERC recommends project clearance based upon adherence to the stipulations noted in the final section of this report.

TABLE OF CONTENTS

	page
Abstract	ii
Table of Contents	iii
List of Maps of the Project Area	iv
Colorado Resource Survey Management Information Form	v
General Information	1
Project Location	1
Environment	7
File Search	7
Study Objectives and Expected Results	8
Site Potential in the Development Zone	8
Field Evaluations	9
Methodology	9
Site Significance Criteria	9
Results of the Inventory	10
Conclusion and Recommendations	10
Bibliography	11

LIST OF MAPS OF THE PROJECT AREA

	page
Map 1: General Project Area in Uintah County, Utah	2
Map 2: Cultural Resource Evaluation of Coastal’s Kennedy Wash Federal Well Unit 13-2 in the Kennedy Wash Locality of Uintah County, Utah	3
Map 3: Cultural Resource Evaluation of Bonanza Field Locations (Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2) in Uintah County, Utah	4
Map 4: Cultural Resource Evaluation of Wonsits Field Locations (Wonsits Federal Units 1-6, 2-6, 3-6, 4-6 Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32) in Uintah County, Utah	5

GENERAL INFORMATION

The Coastal Oil & Gas Corporation (El Paso Production Company) 2001 development program involves the construction of 17 proposed well locations in the Kennedy Wash, Bonanza and Wonsits Fields (**Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32**) and their respective access/pipeline corridors in Uintah County, Utah. About 213 acres of proposed well pad locations and associated access/pipeline corridors were examined by AERC archaeologists during evaluations conducted between March 20 and 22, 2001. The project area is generally on public lands administrated by the Vernal Office of the Bureau of Land Management in Vernal, Utah; the five Wonsits State locations are situated on Utah State School Trust Land, which is administered by the state of Utah. The project was conducted under Department of Interior Permit No. 54937 which expires on January 31, 2002. Utah State Project No.: Ut-01-AF-0023b.

The purpose of the field study and this report is to identify and document cultural site presence and to determine cultural resource National Register eligibility relative to established criteria (cf., 36 CFR 60.6). Federal regulations require an environmental assessment of the potential development area. One aspect of such an assessment involves a Class I (records search) and Class III (intensive survey) archaeological evaluation of the development area. Such investigations are accomplished in compliance with the Antiquities Act of 1906, the Historic Sites Act of 1935, Section 106 of the National Historic Preservation Act of 1966, as amended, the National Environmental Policy Act of 1969, the Federal Land Policy and Management Act of 1976, the Archaeological Resources Protection Act of 1979, the Native American Religious Freedom Act of 1978, the Historic Preservation Act of 1980, and Executive Order 11593.

To accomplish this investigation, a total of 213 acres was examined by the archaeologists.

All field notes and report information concerning this project are filed at the AERC office in Bountiful, Utah.

Project Location


The project area is to the south and southwest of Vernal, Utah. The 17 proposed well developments are located in the Kennedy Wash, Seven Sisters and Deadman Bench localities and are identifiable on the Bonanza, Asphalt Wash and Red Wash NW topographic quads. Locations of each proposed well pad are as follows:

Kennedy Wash Unit No. 13-2: This location is situated in the NW quarter of the SW quarter of Section 13, Township 8 South, Range 23 East as shown on Map 2.

**MAP 1
GENERAL PROJECT AREA IN
UINTAH COUNTY, UTAH**



**PROJECT: COG01-04B
SCALE: 1: 200,650
DATE: 3/29/01**



UTAH GEOLOGICAL AND MINERAL SURVEY
1977
PHYSIOGRAPHIC SUBDIVISIONS OF UTAH
BY W.L. STOKES

PROJECT AREA


**TOWNSHIP: multiple
RANGE: multiple
MERIDIAN: multiple**

Utah Geological and Mineral Survey
Map 43 1977
Physiographic Subdivisions of Utah
by W.L. Stokes

MAP
 CULTURAL RESOURCE EVALUATION
 OF COASTAL'S KENNEDY WASH #13-2
 WELL UNIT #2 IN JUNTAIN COUNTY
 UTAH



PROJECT: COG01-04B
 SCALE: 1:24,000
 QUAD: Bonanza
 DATE: March 29, 2001



TOWNSHIP: 8 South
 RANGE: 23 East
 MERIDIAN: Salt Lake
 B. & M.


LEGEND

- ▲ Well Location
- Survey Area
- Combined Access Route & Pipeline Corridor
- Pipeline Corridor
- Access Route

MAP 6
CULTURAL RESOURCE EVALUATION
OF BONANZA FIELD LOCATIONS
IN JINTAH COUNTY, UTAH



PROJECT: COG01-04B
SCALE: 1:24,000
QUAD: Asphalt Wash
DATE: March 29, 2001



TOWNSHIP: 10 South
RANGE: 23 East
MERIDIAN: Salt Lake
 B. & M.


LEGEND

-  Well Location
-  Survey Area
-  Combined Access Route & Pipeline Corridor
-  Pipeline Corridor
-  Access Route

**CULTURAL RESOURCE EVALUATION
OF WONSITS FIELD LOCATIONS
IN JUNIPER COUNTY, UTAH**



PROJECT: COG01-04B
SCALE: 1:24,000
QUAD: Red Wash NW
DATE: March 29, 2001



TOWNSHIP: 7 & 8 South
RANGE: 22 East
MERIDIAN: Salt Lake
 B. & M.

LEGEND

-  Well Location
-  Survey Area
-  Combined Access Route & Pipeline Corridor
-  Pipeline Corridor
-  Access Route

Bonanza Unit No. 8-2: This location is situated in the SE quarter of the SE quarter of Section 8, Township 10 South, Range 23 East as shown on Map 3.

Bonanza Unit No. 9-5: This location is situated in the SE quarter of the SW quarter of Section 9, Township 10 South, Range 23 East as shown on Map 3.

Bonanza Unit No. 9-6: This location is situated in the NW quarter of the NE quarter of Section 9, Township 10 South, Range 23 East. An access/pipeline corridor extending to the north from the location links with the existing road in the SE quarter of adjacent Section as shown on Map 3.

Bonanza Unit No. 10-2: This location is situated in the NW quarter of the NW quarter of Section 10, Township 10 South, Range 23 East. A short access/pipeline corridor extending to the southeast from the location was also examined as shown on Map 3.

Bonanza Unit No. 10-3: This location is situated in the NW quarter of the NE quarter of Section 10, Township 10 South, Range 23 East. An access corridor extending to the west from the location and a short pipeline corridor extending to the south from the location were also examined as shown on Map 3.

Bonanza Unit No. 10-4: This location is situated in the SW quarter of the NE quarter of Section 10, Township 10 South, Range 23 East. An access/pipeline corridor extending to the southeast from the location was also examined as shown on Map 3.

Bonanza Unit No. 11-2: This location is situated in the SW quarter of the NW quarter of Section 11, Township 10 South, Range 23 East. An access/pipeline corridor extending to the south from the location was also examined as shown on Map 3.

Wonsits Federal Unit No. 1-6: This location is situated in the NW quarter of the NW quarter of Section 6, Township 8 South, Range 22 East. An access corridor extending to the northwest from the location and a short pipeline corridor extending to the south from the location were also examined as shown on Map 4.

Wonsits Federal Unit No. 2-6: This location is situated in the SE quarter of the NW quarter of Section 6, Township 8 South, Range 22 East. An access/pipeline corridor extending to the north from the location was also examined as shown on Map 4.

Wonsits Federal Unit No. 3-6: This location is situated in the NW quarter of the NE quarter of Section 6, Township 8 South, Range 22 East as shown on Map 4.

Wonsits Federal Unit No. 4-6: This location is situated in the SW quarter of the NE quarter of Section 6, Township 8 South, Range 22 East. An access/pipeline corridor extending to the north from the location was also examined. That corridor links with an access/pipeline corridor that extends between the NW corner of Section 1, Township 8 South, Range 21 East through the

northern half of Section 6, Township 8 South, Range 22 East, to an existing well location in the center of adjacent Section 5 as shown on Map 4.

Wonsits State Unit No. 9-32: This location is situated in the NE quarter of the SW quarter of Section 32, Township 7 South, Range 22 East. An access/pipeline corridor extending to the northeast from the location was also examined as shown on Map 4.

Wonsits State Unit No. 10-32: This location is situated in the NE quarter of the NE quarter of Section 32, Township 7 South, Range 22 East. A pipeline corridor extending to the south and southwest from the location was also examined as shown on Map 4.

Wonsits State Unit No. 11-32: This location is situated in the NE quarter of the SE quarter of Section 32, Township 7 South, Range 22 East. A pipeline corridor extending to the south from the location was also examined as shown on Map 4.

Wonsits State Unit No. 12-32: This location is situated in the SW quarter of the NW quarter of Section 32, Township 7 South, Range 22 East. A pipeline corridor extending to the east from the location was also examined as shown on Map 4.

Wonsits State Unit No. 13-32: This location is situated in the SW quarter of the SW quarter of Section 32, Township 7 South, Range 22 East. An access/pipeline corridor extending to the south from the location was also examined as shown on Map 4.

Environment

The approximate elevations for the proposed pipeline corridor as described above range from 5100 to 5400 feet above sea level. Ephemeral drainages in the project area are associated with tributaries that drain southward into the White River.

The vegetation of the project locality is primarily associated with the sage rangeland environment. Vegetation species commonly found in this general area include *Artemisia tridentata*, *Chrysothamnus nauseosus*, *Atriplex spp.*, *Sarcobatus vermiculatus*, *Opuntia polyacantha*, *Ephedra spp.* and various grasses including *Hordeum jubatum* and *Bromus tectorum*. Surrounding vegetation consists of *Artemisia tridentata* and *Ephedra spp.*

The project area is situated in the Colorado Plateau physiographic province.

File Search

Records searches were conducted Vernal District Area office on March 15, 2001 and at the Antiquities Section in Salt Lake City on January 12, March 16 and March 19, 2001. Earlier projects conducted in these specific project localities include the following: 78-AF-343, 79-AF-317, 79-NH-278, 79-NH-297, 79-NH-343, 79-UA-205, 80-PA-499, 81-UB-620, 81-NH-564, 81-

NH-590, 83-BC-465, 83-BC-846, 83-BC-420, 84-AF-0391, 87-SJ-486, 89-AF-660, 89-BL-224, 90-AF-133, 90-AF-608, 91-AF-301, 94-CB-223, 94-GB-223, 95-AF-836, 96-MM-106, 98-AF-339, 00-AF-267 and 00-AF-461.

Other archaeological consultants in addition to AERC and the local BLM archaeologists that have worked in the project area include personnel from Montgomery Archaeological Consultants, Alpine Archaeological Consultants, Nickens and Associates, Brigham Young University, and Grand River Institute. Known archaeological sites within the project areas include: 42UN784, 42UN800, 42UN1166 and 42UN2109, .

Previous evaluations and area inventories indicate the occupation of the general cultural region has included diverse prehistoric and historic occupations (ranging from Paleoindian through late prehistoric Shoshonean and historic Ute/Euro-American). For a comprehensive treatment of the prehistory and history of this general cultural area see Archaeological Evaluations in the Northern Colorado Plateau Cultural Area (Hauck 1991)

The National Register of Historic Places has been consulted and no registered historic or prehistoric properties will be affected by the proposed development.

STUDY OBJECTIVES AND EXPECTED RESULTS

The purpose of this evaluation was to identify, evaluate, and record any cultural resources encountered within the proposed Coastal Oil & Gas pipeline development area; to determine the significance of identified resources; and to recommend appropriate mitigation measures relative to the preservation of resources found to be endangered by the project.

These objectives were accomplished by seeking surface indications of cultural resource presence. Cultural resource sites would be identified by the presence of three or more associated artifacts and/or features that demonstrate the presence of patterned human activity and then recorded on the appropriate IMACS forms.

The previous identification of prehistoric and historic cultural resources in the general area indicated a possibility that additional resources could be discovered during these evaluations.

No constraints, e.g., snow cover, dense vegetation, difficult weather, were imposed on the evaluation of this pipeline corridor; all of the snow-cover in the project area had melted when the project was completed on March 27, 2001.

Site Potential in the Project Development Zone

Previous archaeological evaluations in this general region have resulted in the identification and recording of limited archaeological resources in this locality. Such prehistoric

sites as have been recorded demonstrate a definitive selection of environmental community and water resource.

FIELD EVALUATIONS

Methodology

To accomplish an intensive evaluation of the 17 well locations and access/pipeline corridors as shown on the maps, the archaeologists examined ten acre parcels surrounding each well center and 30 meter-wide pipeline/access corridors. All together, a 100% pedestrian survey was conducted of about 213 acres.

When cultural materials are discovered, the archaeologist conducts a careful search of the vicinity to locate and evaluate features, artifact types and concentrations, site spatial associations, and temporal identifications. Sites and isolates are then recorded on the appropriate forms, locations sketched, perimeters marked on a topographic map, and photographs taken. Copies of these reports are provided to the appropriate State and Federal offices as attachments to the final report.

In certain instances, the cultural sites are then evaluated for depth potential utilizing AERC's portable Ground Penetrating Radar (GPR) computerized system (SIR-2 manufactured by Geophysical Survey Systems, Inc. [GSSI] of North Salem, New Hampshire). GPR was not used during this project.

Cultural sites are then evaluated for significance utilizing the standards described below and mitigation recommendations are considered as a means of preserving significant resources which may be situated within the development zone.

Site Significance Criteria

The various criteria relative to establishing the eligibility of prehistoric and historic cultural sites preparatory to their potential nomination to the National Register of Historic Places have been outlined as follows in the National Register's Criteria for Evaluation as established in Title 36 CFR 60.6:

The quality of significance in American ... archaeology ... and culture is present in ... sites ... that possess integrity of location, design, setting, materials, workmanship, feeling, and association and:

- a. That are associated with events that have made a significant contribution to the broad patterns of our history; or*
- b. that are associated with the lives of persons significant in our past; or*
- c. that embody the distinctive characteristics of a type, period, or method of construction ... ; or*
- d. that have yielded, or may be likely to yield, information important in prehistory or history.*

In addition to satisfying one or more of these general conditions, a significant cultural resource site in Utah will generally be considered as being eligible for inclusion in the National Register if it still retains its integrity and can contribute to our current state of knowledge concerning chronology, cultural relationships, origins, and cultural life ways of prehistoric or historic groups in the area.

In a final review of any site's cultural significance, the site must possess integrity and at least one of the above criteria to be considered eligible for nomination to the National Record of Historic Places.

Results of the Inventory

During the survey of the various well locations and access/pipeline corridors referenced in this report, no newly identified cultural resources were encountered and recorded as sites or isolated diagnostic artifacts. An isolated chopper and several flakes associated with tap and test evaluations were observed on the access corridor into Wonsits Federal Unit No. 1-6. An isolated flake was also observed at the junction of the access/pipeline corridor in the NE of the NE quarter of Section 1, Township 8 South, Range 21 East (see Map 4).

No previously recorded cultural resources will be adversely affected by the proposed development. Site 42UN781 is situated ca. 100 meters to the west of Bonanza Unit 9-5; it is outside the development area and can easily be avoided during the construction of that location. This site was recorded by AERC in 1979 (cf., Hauck and Norman 1979). Other known cultural sites situated in the general region are not endangered by direct adverse effect relative to these developments because of their distance from the present project areas.

No paleontological loci were observed.

No newly identified cultural resource sites were recorded during the examination.

CONCLUSION AND RECOMMENDATIONS

AERC recommends that a cultural resource clearance be granted to Coastal Oil & Gas Corporation relative to the development of 17 proposed well locations in the Kennedy Wash, Bonanza and Wonsits Fields (**Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32**) and their respective access/pipeline corridors as referenced in this report based upon adherence to the following stipulations:

1. All vehicle traffic, personnel movement, and construction should be confined to the flagged pipeline corridor as referenced in this report, or to existing routes;

2. All personnel should refrain from collecting artifacts or from disturbing any cultural resources in the area; and
3. The principal authority should be consulted should cultural remains from subsurface deposits be exposed during exploratory and developmental work or if the need arises to relocate or otherwise alter the development area; and
4. The development of Bonanza Unit 9-5 should be confined to the existing perimeters of the staked location. Any disturbance of cultural resources in that location's vicinity may result in the Bureau of Land Management requiring extensive mitigation of affected resources through archaeological excavation.



F. Richard Hauck, Ph.D.
President and Principal
Investigator

BIBLIOGRAPHY

Barclay, Dulaney

- 1996 Chandler & Associates Larson Federal 12-3-8-23 Well Pad & Access Road, Class III Cultural Resource Inventory, Uintah County, Utah. Metcalf Archaeological Consultants, Inc., Montrose.

Billat, Scott and Michael J. Hall

- 1983 An Archaeological Survey of the White River Oil Shale 138kv Transmission Line, Uintah County, Utah. Brigham Young University, Department of Anthropology, Technical Series No. 83-9, Provo.

Billat, Scott and Lorna Billat

- 1983 An Archaeological Survey of the Vernal-Bonanza 138kv Transmission Line, Uintah County, Utah. Brigham Young University, Department of Anthropology, Technical Series No. 83-69, Provo.

Chandler, Susan M. and Paul Nickens

- 1979a Archaeological Investigations of Two Power Plant Sites & Water Pipeline Corridors for the Moon Lake Project, Rio Blanco County, Colorado & Uintah County, Utah. Moon Lake Project Report 79-4, Centuries Research, Inc., Montrose.

Christensen, Diana

- 1981a Archaeological Survey of the Bonanza-Castle Peak-Upalco Transmission Line, Bonanza Power Plant / Moon Lake Project 1981. Report Prepared by Nickens and Associates, Montrose.

- 1981b Archaeological Survey of the Bonanza-Vernal Transmission Line, Bonanza Power Plant Project 1981. Report Prepared by Nickens and Associates, Montrose.

Hauck, F. Richard

- 1991 Archaeological Evaluations on the Northern Colorado Plateau Cultural Area, AERC Paper No. 45, Archeological-Environmental Research Corporation, Bountiful.
- 2000a Cultural Resource Evaluation of Three Proposed (Kennedy Wash) Units (State 16-1, Federal 13-1 & Federal 8-1) in the Kennedy Wash Locality of Uintah County, Utah. (COG00-12), Archeological-Environmental Research Corporation, Bountiful.
- 2000b Cultural Resource Evaluations of Five Proposed Coastal Oil & Gas Wells (Units 3-1, 4-1, 6-1, 11-1, & 14-1) in the Kennedy Wash Locality of Uintah County, Utah. (COG00-19), Archeological-Environmental Research Corporation, Bountiful.
- 2001a Cultural Resource Evaluations of 9 Proposed Coastal Oil & Gas Well Locations (Units 10-1, 3-8-23-22, 3-8-23-24, 3-8-23-42, 3-8-23-44, 7-8-23-14, 12-8-22-34, 13-8-22-32 & 18-8-23-12) in the Kennedy Wash Field of Uintah County, Utah. (COG01-04A), Archeological-Environmental Research Corporation, Bountiful.

- 2001b Cultural Resource Evaluations of 17 Proposed Well Locations in the Kennedy Wash, Bonanza and Wonsits Fields (Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32) of Uintah County, Utah. (COG01-04B), Archeological-Environmental Research Corporation, Bountiful.
- Hauck, F. Richard, Richard Beaty and Dennis G. Weder
 1990 Prehistoric Occupations in the Red Wash Locality of Uintah County, Utah. AERC Paper No. 44, of the Archeological-Environmental Research Corporation, Bountiful.
- Hauck, F.R. and Garth Norman
 1979 Archaeological Reconnaissance of a Proposed Access Road in the Southman Canyon Locality of Uintah County, Utah. (GOC79-3), Archeological-Environmental Research Corporation, Bountiful.
- 1980 Final Report on the Mapco River Bend Cultural Mitigation Study. AERC Paper No. 18, of the Archeological-Environmental Research Corporation, Bountiful.
- Jacklin, Marion
 1981 Reconnaissance of Pipeline Right-of-way 81018 - Federal 23-17 & Right-of-way 8036 - Federal 23-25. Archeological Research Corporation, Spanish Fork.
- Larralde, Sigma L. and Paul R. Nickens.
 1980 Archaeological Inventory in the Red Wash Cultural Study Tract, Uintah County, Utah. Nickens & Associates, Montrose.
- Larralde, Sigma L. and Susan Chandler.
 1981 Archaeological Inventory in the Seep Ridge Cultural Study Tract, Uintah County, Northeastern Utah with A Regional Predictive Model for Site Location. Nickens & Associates, Montrose.
- Polk, Michael R.
 1987 A Cultural Resources Survey of a Moon Lake Electric Transmission Line Corridor on Deadman Bench, Uintah County, Utah. Sagebrush Archaeological Consultants, Ogden.
- Simms, Steven R.
 1979 A Cultural Resource Inventory of the Riverbend Gathering System Uintah County, Utah. Archaeological Center, University of Utah, Salt Lake City.
- Stokes, W.L.
 1977 Physiographic Subdivisions of Utah. Map 43, Utah Geological and Mineral Survey, Salt Lake City.

U.S.

Department of the Interior
Bureau of Land Management
Utah State Office
(AERC FORMAT)
Summary Report of
Inspection for Cultural Resources

Project

Authorization No UT-01-0023b

Report Acceptable Yes ___ No ___

Mitigation Acceptable Yes ___ No ___

Comments: _____

Cultural Resource Evaluation of 17 Proposed Well Locations in the Kennedy Wash, Bonanza & Wonsits Fields of Uintah County, Utah (Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32)

1. Report Title

2. Development Company El Paso Production Company (Coastal Oil & Gas Corporation)

3. Report Date . . .03/30/01.

4. Antiquities Permit No. UT-00-54937

5. Responsible Institution . . .AERC COG01-04B County Uintah

6. Fieldwork Location: TWN . .8 S . RNG . . 23 E. Section 13, TWN . 10 S . RNG 23 E . Sections 8-11, TWN . .7 S . RNG .22 E. Sections 31 & 32, TWN . .8 S . RNG . . 22 E. Sections 5 & 6

7. Resource Area BC.

8. Description of Examination Procedures: The archeologists, F.R. Hauck, Alan Hutchinson, Matt Boyten, Lolita Nikolova & Mary Martin intensively examined the 17 well pads (10 acre parcels) and the access/pipeline routes (100 feet-wide) by walking a series of 15 to 20 meter-wide transects.

9. Linear Miles Surveyed

10. Inventory Type .I.

and/or

Definable Acres Surveyed

R = Reconnaissance

and/or

Legally Undefinable Acres Surveyed 213

I = Intensive

S = Statistical Sample

11. Description of Findings: No cultural resources observed or recorded.

12. Number Sites Found .0. (No sites = 0)

13. Collection: .N. (Y = Yes, N = No)

14. Actual/Potential National Register Properties Affected:

The National Register of Historic Places (NRHP) has been consulted and no registered properties will be affected by the proposed development.

15. Literature Search, Location/ Date: Utah SHPO 01-12-01, 03-16-01, 03-19-01, Vernal BLM 03-15-01

16. Conclusion/ Recommendations:

AERC recommends that a cultural resource clearance be granted to Coastal Oil & Gas Corporation for this proposed development based on the following stipulations:


1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the existing corridor.
2. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.
3. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the development.
4. The development of Bonanza Unit 9-5 should be confined to the existing perimeters of the staked location. Any disturbance of cultural resources in that location's vicinity may result in the Bureau of Land Management requiring extensive mitigation of affected resources through archaeological excavation.

17. Signature of Administrator & Field Supervisor:

Administrator:

Field

Supervisor:



**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 05/15/2001

API NO. ASSIGNED: 43-047-34081

WELL NAME: WONSITS FED 1-6
 OPERATOR: COASTAL OIL & GAS CORP (N0230)
 CONTACT: CHERYL CAMERON

PHONE NUMBER: 435-781-7023

PROPOSED LOCATION:

NWNW 06 080S 220E
 SURFACE: 0543 FNL 0927 FWL
 BOTTOM: 0543 FNL 0927 FWL
 UINTAH
 UNDESIGNATED (2)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
 LEASE NUMBER: U-72633
 SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: GR-WS

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. U-605382-9)
- Potash (Y/N)
- Oil Shale (Y/N) *190-5 (B) or 190-3
- Water Permit
(No. 43-8496)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:

- R649-2-3. Unit _____
- R649-3-2. General
- Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: _____
- Eff Date: _____
- Siting: _____
- R649-3-11. Directional Drill


COMMENTS:

STIPULATIONS:

① FEDERAL APPROVAL



OPERATOR: COASTAL O&G CORP (N0230)
 SEC. 6, T8S, R22E
 FIELD: UNDESIGNATED (002)
 COUNTY: UINTAH SPACING: R649-3-3/EX LOC



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 8 South 1200 East CITY Vernal STATE Utah ZIP 84078		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: Exhibit "A"
PHONE NUMBER: 435-789-4433		9. API NUMBER:
COUNTY: _____		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA



TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation	
NAME (PLEASE PRINT) <u>John T. Elzner</u>	TITLE <u>Vice President</u>
SIGNATURE 	DATE <u>06-15-01</u>
El Paso Production Oil & Gas Company	
NAME (PLEASE PRINT) <u>John T. Elzner</u>	TITLE <u>Vice President</u>
SIGNATURE 	DATE <u>06-15-01</u>

(This space for State use only)

RECEIVED

JUN 19 2001

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

MAR 9 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:


"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.


IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION



David L. Siddall
Vice President

Attest:



Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



June 29, 2001

State of Utah
Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
Salt Lake City, UT 84114
Attention Ms. Lisha Cordova
VIA FACSIMILE (801) 359-3940

RE: Wonsits Federal # 1-6
Lot 4 (NWNW) Section 6, T8S-R22E
Uintah County, Utah

Dear Ms. Cordova:

El Paso Oil & Gas Production Company (formerly known as Coastal Oil & Gas Corporation, but hereinafter referred to as "Coastal"), has staked a location to drill the Wonsits Federal # 1-6 well to be located approximately 543' FNL & 927' FWL of Section 6-8S-22E, Uintah County, Utah. This well is to be drilled to a total depth of approximately 8,350' to target the Wasatch Formation. Uintah Engineering has advised me that it was necessary to move this location in an easterly direction due to topography to keep the pad from falling off the side of a hill.

The new location for the referenced well will be an exception location to the requirements of Board Rule # R649-3-2 governing the location and siting of wells. The location for the Wonsits Federal # 1-6 well is shown on the well survey plat attached to this letter.

Please be advised that Coastal owns 100% of the interest in BLM U-72633 and that this location, as staked, does not effect any other owner within a 460' radius of the proposed location for this well.

Coastal respectfully requests that a permit to drill the well at the above exception location be granted administratively.

Thank you for your consideration of this request.

Very truly yours,

Phil Thomas
Senior Landman


cc: Cheryl Cameron
Joel Degenstein / well file
Len Miles

RECEIVED

JUL 02 2001

**DIVISION OF
OIL, GAS AND MINING**

T8S, R22E, S.L.B.&M.




COASTAL OIL & GAS CORP.

Well location, WONSITS FEDERAL #1-6, located as shown in Lot 4 of Section 6, T8S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 6, T8S, R22E, S.L.B.&M. TAKEN FROM THE RED WASH NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5268 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert A. Key
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 161319
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 2-12-01	DATE DRAWN: 2-14-01
PARTY B.B. J.W. C.G.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE COASTAL OIL & GAS CORP.	

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.

LATITUDE = 40°09'33"
 LONGITUDE = 109°29'23"



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

July 2, 2001

Coastal Oil & Gas Corporation
PO Box 1148
Vernal, UT 84078

Re: Wonsits Federal 1-6 Well, 543' FNL, 927' FWL, NW NW, Sec. 6, T. 8 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34081.

Sincerely,

A handwritten signature in black ink that reads "John R. Baza".

John R. Baza
Associate Director

er

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Coastal Oil & Gas Corporation
Well Name & Number Wonsits Federal 1-6
API Number: 43-047-34081
Lease: U 72633

Location: NW NW **Sec.** 6 **T.** 8 South **R.** 22 East

Conditions of Approval

1. General
Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements
Notify the Division within 24 hours of spudding the well.
 - Contact Carol Daniels at (801) 538-5284.
Notify the Division prior to commencing operations to plug and abandon the well.
 - Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements
All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW ✓		5-LP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective: **3-09-2001**

FROM: (Old Operator):
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

CA No.

Unit:

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
HSB FEDERAL 3-1	43-047-33831	13146	03-07S-21E	FEDERAL	GW	S
WONSITS FEDERAL 1-6	43-047-34081	99999	06-08S-22E	FEDERAL	GW	APD
WONSITS FEDERAL 2-6	43-047-34082	99999	06-08S-22E	FEDERAL	GW	APD
WONSITS FEDERAL 3-6	43-047-34059	99999	06-08S-22E	FEDERAL	GW	APD
WONSITS FEDERAL 4-6	43-047-34083	99999	06-08S-22E	FEDERAL	GW	APD
FEDERAL 24-22	43-047-30610	6124	22-08S-22E	FEDERAL	GW	P
CESSPOUCH ETAL 5 14	43-047-30675	90	05-09S-21E	FEDERAL	GW	P
CESSPOUCH 5-193 (CA CR-4)	43-047-33978	99999	05-09S-21E	FEDERAL	GW	APD
FEDERAL 6-100 (CA CR-12)	43-047-33401	12695	06-09S-22E	FEDERAL	GW	P
BONANZA 8-2	43-047-34087	99999	08-10S-23E	FEDERAL	GW	APD
BONANZA 9-5	43-047-34088	99999	09-10S-23E	FEDERAL	GW	APD
BONANZA 10-2	43-047-34089	99999	10-10S-23E	FEDERAL	GW	APD
BONANZA 10-3 (CA CR-5)	43-047-34090	99999	10-10S-23E	FEDERAL	GW	APD
WILLOW CREK UNIT 2	43-047-31818	11604	05-11S-20E	FEDERAL	OW	TA
HILL FEDERAL 1-10	43-047-31026	1368	10-11S-20E	FEDERAL	GW	TA
WILLOW CREK UNIT 1	43-047-31775	10804	27-11S-20E	FEDERAL	GW	S
HELLS HOLE 9110	43-047-31803	10813	12-11S-25E	FEDERAL	GW	P
SW HANGING ROCK FEDERAL 23-1	43-047-34231	99999	23-12S-23E	FEDERAL	GW	NEW
SW HANGING ROCK FEDERAL 24-1	43-047-34232	99999	24-12S-23E	FEDERAL	GW	NEW
SW HANGING ROCK FEDERAL 25-1	43-047-34233	99999	25-12S-23E	FEDERAL	GW	NEW

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
- Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

5. If **NO**, the operator was contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 08/24/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/24/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEDERAL BOND VERIFICATION:

1. Federal well(s) covered by Bond No.: WY 2793

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: _____

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		CONFIDENTIAL	5. Lease Serial No. U-72633
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone			6. If Indian, Allottee or Tribe Name
2. Name of Operator COASTAL OIL & GAS CORPORATION		Contact: CHERYL CAMERON E-Mail: Cheryl.Cameron@CoastalCorp.com	7. If Unit or CA Agreement, Name and No.
3a. Address P.O. BOX 1148 VERNAL, UT 84078		3b. Phone No. (include area code) Ph: 435.781.7023 Fx: 435.789.4436	8. Lease Name and Well No. WONSITS FEDERAL 1-6
4. Location of Well (Report location clearly and in accordance with any State requirements.) At surface NWNW Lot 4 543FNL 927FWL At proposed prod. zone		RECEIVED MAY 14 2001	9. API Well No.
14. Distance in miles and direction from nearest town or post office* 32.8 MILES SOUTHEAST OF VERNAL, UTAH			10. Field and Pool, or Exploratory WONSITS
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 543		16. No. of Acres in Lease 442.42	11. Sec., T., R., M., or Blk. and Survey or Area Sec 6 T8S R22E Mer 5BM
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. REFER TO TOPO C		19. Proposed Depth 9500 MD	12. County or Parish UINTAH
21. Elevations (Show whether DF, KB, RT, GL, etc.) 5279 GL		22. Approximate date work will start	13. State UT
		17. Spacing Unit dedicated to this well 40.00	
		20. BLM/BIA Bond No. on file U-605382-9	
		23. Estimated duration	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature	Name (Printed/Typed) CHERYL CAMERON	Date 05/14/2001
Title OPERATIONS		
Approved by (Signature) 	Name (Printed/Typed)	Date 08/28/01
Title Assistant Field Manager Mineral Resources	Office NOTICE OF APPROVAL	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached. **CONDITIONS OF APPROVAL ATTACHED**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #4192 verified by the BLM Well Information System
For COASTAL OIL & GAS CORPORATION, sent to the Vernal
Committed to AFMSS for processing by LESLIE CRINKLAW on 05/14/2001 ()

RECEIVED

AUG 31 2001

DIVISION OF
OIL, GAS AND MINING

** ORIGINAL **

006m

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Coastal Oil & Gas Corporation

Well Name & Number: Wonsits Federal #1-6

API Number: 43-047-34081

Lease Number: U - 72633

Location: LOT 4 Sec. 06 T. 08S R. 22E

Agreement: N/A

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a **3M** system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at 3,384 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

A cement bond log (CBL) will be run from the intermediate casing shoe to the top of the cement and shall be utilized to determine the bond quality for the intermediate casing. A cement bond log (CBL) will be run from the production casing shoe to the top of the cement for the production casing and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

6. Notifications of Operations

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5(d) shall be submitted to the appropriate Field Office within 60 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (1).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted on initial meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal Field Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman (435) 828-7874
Petroleum Engineer

Kirk Fleetwood (435) 828-7875
Petroleum Engineer

BLM FAX Machine (435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids.

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

The access road will be crowned (2 to 3%), ditched, and constructed with a running surface of 18 feet and a maximum disturbed width of 30 feet. Graveling or capping the roadbed will be performed as necessary to provide a well constructed, safe road. Prior to construction or upgrading, the proposed road shall be cleared of any snow and allowed to dry completely.

Surface disturbance and vehicular traffic will be limited to the approved location and approved access route. Any additional area needed will be approved in advance. All construction shall be in conformance with the standards outlined in the BLM and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development. 1989.

The road surface and shoulders will be kept in a safe and usable condition and will be maintained in accordance with the original construction standards. All drainage ditches will be kept clear and free-flowing and will be maintained according to original construction standards. The access road surface will be kept free of trash during operations. All traffic will be confined to the approved disturbed surface. Road drainage crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the road bed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Should mud holes develop, they shall be filled in and detours around them avoided. When snow is removed from the road during the winter months, the snow shall be pushed outside of the borrow ditches, and the turnouts kept clear so that snowmelt will be channeled away from the road.

The reserve pit topsoil shall be piled separately as shown on the cut sheet.

The location topsoil pile will be windrowed along both ends of the location as shown on the cut sheet. This topsoil shall then be seeded immediately after the soil is piled by broadcasting the seed, then walking the topsoil pile with the dozer to plant the seed. The seed mixture identified in the APD shall be used.

Once the reserve pit is dry, it shall be filled, recontoured, topsoil spread, and seeded in the same manner discussed above.

All permanent (on-site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a Carlsbad Canyon rather than the Desert Brown identified in the APD.

The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

1. whether the materials appear eligible for the National Register of Historic Places;

2. the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and,
3. a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.*

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
El Paso Production Oil & Gas Company

3a. Address
P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NWNW Lot 4, Section 6-T8S-R22E 543'FNL & 927'FWL

CONFIDENTIAL

5. Lease Serial No.
U-72633

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Wonsits Federal #1-6

9. API Well No.
43-047-34081

10. Field and Pool, or Exploratory Area
Wonsits

11. County or Parish, State
Uintah, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DOGM APD Extension
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

The operator requests that the APD for the subject well be extended for an additional year so that the drilling operations may be completed.

**Approved by the
Utah Division of
Oil, Gas and Mining**

Date: 07-03-02
By: *[Signature]*

RECEIVED
JUL 01 2002
DIVISION OF
OIL, GAS AND MINING

COPY SENT TO OPERATOR
Date: 7-8-02
Initials: CHD

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchego	Title Regulatory Analyst
Signature <i>Sheila Upchego</i>	Date June 18, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

RECEIVED
U-7233

AUG 02 2002

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 El Paso Production Oil & Gas Company

3a. Address
 P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)
 (435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 NWNW Section 6-T8S-R22E 543'FNL & 927'FWL

5. Lease Serial No.
 7233

If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
 Wonsits #1-6

9. API Well No.
 43-047-34081

10. Field and Pool, or Exploratory Area
 Wonsits

11. County or Parish, State
 Uintah County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other BLM APD Extension

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

The operator requests that the APD for the subject well be extended for an additional year so that drilling operations may be completed.

CONDITIONS OF APPROVAL ATTACHED

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchego	Title Regulatory Analyst
Signature <i>Sheila Upchego</i>	Date July 31, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by <i>Karl Johnson</i>	Title Petroleum Engineer	Date 8/22/02
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

SEP 04 2002

DIVISION OF
OIL, GAS AND MINING

UDDGSM

El Paso Production
APD Extension

Well: Wonsits 1-6

Location: NWNW Sec. 6, T8S, R22E

Lease: U-72633

Conditions of Approval

An extension for the referenced APD is granted with the following condition(s):

1. The extension will expire 8/28/03
2. No other extensions beyond that time frame will be granted or allowed.

If you have any other questions concerning this matter, please contact Kirk Fleetwood at (435) 781-4486.

RECEIVED

SEP 04 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT or CA AGREEMENT NAME:
8. WELL NAME and NUMBER:
Exhibit "A"
9. API NUMBER:
10. FIELD AND POOL, OR WILDCAT:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____
2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company
3. ADDRESS OF OPERATOR:
9 Greenway Plaza CITY **Houston** STATE **TX** ZIP **77064-0995** PHONE NUMBER: **(832) 676-5933**

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ 	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED
FEB 28 2003
DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.
NAME (PLEASE PRINT) **David R. Dix** TITLE **Agent and Attorney-in-Fact**
SIGNATURE  DATE **12/17/02**

(This space for State use only)

Form 3160-5
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED EXHIBIT "A"

5. Lease Serial No.

SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

SEE ATTACHED EXHIBIT "A"

9. API Well No.

SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Change Plans
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Deepen
	<input type="checkbox"/> Fracture Treat
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input checked="" type="checkbox"/> Other
	SUCCESSOR OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zc Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Signature

Date

March 4, 2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW /
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **12-17-02**

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. Unit:

WELL(S)						
NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
TRIBAL 36 53	36-08S-21E	43-047-32695	11838	INDIAN	GW	P
UTE TRIBAL 36 17	36-08S-21E	43-047-30682	110	INDIAN	GW	P
TRIBAL 36-148	36-08S-21E	43-047-34507	99999	INDIAN	GW	APD
WONSITS FEDERAL 1-5	05-08S-22E	43-047-33692	13081	FEDERAL	GW	S
WONSITS FEDERAL 1-6	06-08S-22E	43-047-34081	99999	FEDERAL	GW	APD
WONSITS FEDERAL 2-6	06-08S-22E	43-047-34082	13297	FEDERAL	GW	DRL
WONSITS FEDERAL 3-6	06-08S-22E	43-047-34059	99999	FEDERAL	GW	APD
WONSITS FEDERAL 4-6	06-08S-22E	43-047-34083	99999	FEDERAL	GW	APD
KENNEDY WASH FED 13-1	13-08S-22E	43-047-33615	12926	FEDERAL	GW	P
GLEN BENCH 21-2	21-08S-22E	43-047-34091	99999	FEDERAL	GW	APD
GLEN BENCH 23-21	21-08S-22E	43-047-31007	6054	FEDERAL	GW	P
GLEN BENCH 22-2	22-08S-22E	43-047-34092	99999	FEDERAL	GW	APD
GLEN BENCH FEDERAL 24-22	22-08S-22E	43-047-30610	6124	FEDERAL	GW	P
GLEN BENCH FEDERAL 22-3	22-08S-22E	43-047-34093	13267	FEDERAL	GW	P
GLEN BENCH FEDERAL 3W-22-8-22	22-08S-22E	43-047-33652	99999	FEDERAL	GW	APD
GLEN BENCH 34-27	27-08S-22E	43-047-31022	10880	FEDERAL	GW	P
HALL 30 58	30-08S-22E	43-047-32715	11849	FEE	GW	P
HALL 30-143	30-08S-22E	43-047-33425	12830	FEE	GW	P
HALL 30-144	30-08S-22E	43-047-33426	12724	FEE	GW	P
STATE 31-57 (FEDERAL) (NRM-1887)	31-08S-22E	43-047-32716	11833	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/09/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/26/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/26/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:
Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza


We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.



CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono

JAN. 17. 2003 3:34PM

WESTPORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl:



State of Utah

Department of
Natural Resources

Division of
Oil, Gas & Mining

ROBERT L. MORGAN
Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT
Governor

OLENE S. WALKER
Lieutenant Governor

January 20, 2004

Debra Domenici
Westport Resources Corp.
1368 South 1200 East
Vernal UT 84078

Re: APD Rescinded – Wonsits Federal 1-6, Sec. 6, T. 8S, R. 22E
Uintah County, Utah API No. 43-047-34081


Dear Ms. Domenici:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining (Division) on July 2, 2001. On July 3, 2002 and on June 30, 2003 the Division granted a one-year APD extension. On January 15, 2004 you requested that the division rescind the state approved APD. No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective January 15, 2004.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,


Diana Whitney
Engineering Technician

cc: Well File
Bureau of Land Management, Vernal