



February 6, 2002

State of Utah
Division of Oil, Gas & Mining
Attn: Brad Hill
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Application for Permit to Drill: 8-31-8-18.

Dear Brad:

Enclosed find an APD on the above referenced well. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,


Mandie Crozier
Permit Clerk

mc
enclosures

RECEIVED

FEB 07 2002

DIVISION OF
OIL, GAS AND MINING

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

001

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL DEEPEN

1b. TYPE OF WELL

OIL WELL GAS WELL OTHER

SINGLE ZONE MULTIPLE ZONE

5. LEASE DESIGNATION AND SERIAL NO.
UTU-74872

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
N/A

8. FARM OR LEASE NAME WELL NO.
8-31-8-18

9. API WELL NO.

2. NAME OF OPERATOR
Inland Production Company

3. ADDRESS OF OPERATOR
Route #3 Box 3630, Myton, UT 84052 Phone: **(435) 646-3721**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At Surface **SE/NE 2001' FNL 887' FEL** **4436559 Y**
At proposed Prod. Zone **591290 X**

10. FIELD AND POOL OR WILDCAT
Monument Butte Eight mile Flat North

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SE/NE Sec. 31, T8S, R18E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Approximately 20.6 miles southeast of Myton, Utah

12. County
Uintah

13. STATE
UT

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to **Approx. 639' f/lse line**)

16. NO. OF ACRES IN LEASE
677.36

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT.
Approx. 1036'

19. PROPOSED DEPTH
6500'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5021.4' GR

22. APPROX. DATE WORK WILL START*
1st Quarter 2002

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
Refer to Monument Butte Field SOP's Drilling Program/Casing Design				

Inland Production Company proposes to drill this well in accordance with the attached exhibits.

The Conditions of Approval are also attached.

Federal Approval of this Action is Necessary

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Mandie Crozier TITLE Permit Clerk DATE 2/6/02

(This space for Federal or State office use)

PERMIT NO. 43-047-34504 APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY Bradley G. Hill TITLE BRADLEY G. HILL RECLAMATION SPECIALIST-III 02-21-02

***See Instructions On Reverse Side**


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

[Faint stamps and handwritten notes at bottom right]


T8S, R18E, S.L.B.&M.

INLAND PRODUCTION COMPANY

WELL LOCATION, SUNDANCE FEDERAL #8-31, LOCATED AS SHOWN IN THE SE 1/4 NE 1/4 OF SECTION 31, T8S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



◆ = SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

TRI STATE LAND SURVEYING & CONSULTING	
38 WEST 100 NORTH - VERNAL, UTAH 84078 (435) 781-2501	
SCALE: 1" = 1000'	SURVEYED BY: D.J.S.
DATE: 2-01-02	DRAWN BY: J.R.S.
NOTES:	FILE #

Well No.: Sundance 8-31-8-18

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company

Well Name & Number: Sundance 8-31-8-18

API Number:

Lease Number: UTU-74872

Location: SE/NE Sec. 31, T8S R18E

SURFACE USE PROGRAM
CONDITIONS OF APPROVAL

CULTURAL RESOURCES

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

PALEONTOLOGICAL RESOURCES

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

SOILS, WATERSHEDS, AND FLOODPLAINS

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

WILDLIFE AND FISHERIES

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

THREATENED, ENDANGERED, AND OTHER SENSITIVE SPECIES

FERRUGINOUS HAWK: Due to this proposed well location's proximity (less than 0.5 mile) to an existing inactive ferruginous hawk nest site, no new construction or surface disturbing activities will be allowed between February 1 and May 30. If the nest remains inactive on May 30th (based on a pre-construction survey by a qualified biologist), the operator may construct and drill the location after that date. If the nest site becomes active prior to May 30, no new construction or surface disturbing activities will be allowed within 0.5 mile of the nest until the nest becomes inactive for two full breeding seasons. In the event that this well becomes a producing well, it must be equipped with a multi-cylinder engine or hospital muffler to reduce noise levels.

LOCATION AND RESERVE PIT RECLAMATION

During construction of the reserve pit, a small amount of topsoil shall be stockpiled nearby, to be spread over the reserve pit area at the time the reserve pit is reclaimed.

The topsoil stockpile shall be reseeded immediately after site construction by broadcasting the seed, then walking the topsoil stockpile with the dozer to plant the seed.

The following seed mixture will be used on the topsoil stockpile, the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Gardner saltbush	<i>Atriplex gardneri</i>	3 lbs/acre
Mat saltbush	<i>Atriplex corrugata</i>	3 lbs/acre
Galletta grass	<i>Hilaria jamesii</i>	3 lbs/acre
Indian ricegrass	<i>Oryzopsis hymenoides</i>	3 lbs/acre

The reserve pit shall be reclaimed immediately after drilling operations have ceased. The pit shall be reclaimed by: 1) removing all liquids and any oily debris according to Utah Division of Oil, Gas, & Mining pit closure rules; 2) perforating and folding the liner in place (if a pit liner is used); 3) recontouring the surface; 4) broadcasting the seed over the recontoured surface; and 5) walking the surface of the pit with a dozer to plant the seed.

At the time of final abandonment, the location and access will be recontoured to natural topography and topsoil spread over the area and the surface seeded immediately.

PIPELINES

Installation of a surface gas pipeline and/or any subsequent buried gas or water pipelines will follow the conditions of approval outlined above.

Except as specified in the APD, the installation of the surface gas line and any subsequent buried pipelines will follow the edge of the existing roadways without interfering with the normal travel and maintenance of the roadway.

The installation of any buried pipelines will disturb as little surface as possible and will not exceed 60 feet in width. Reclamation of the disturbance area associated with buried pipelines will be completed within 10 days after installation. The surface will be recontoured to natural or near natural contours. Reseeding will be with the same seed mixture specified for reclamation of the reserve pit and well site. The interface of the buried line disturbance area and the edge of any adjacent access roads will be constructed with a borrow ditch and road berm to minimize vehicular travel along the water line route.

INLAND PRODUCTION COMPANY
SUNDANCE #8-31-8-18
SE/NE SECTION 31, T8S, R18E
UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' - 1640'
Green River	1640'
Wasatch	6500'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1640' - 6500' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

8. TESTING, LOGGING AND CORING PROGRAMS:

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 2000 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

INLAND PRODUCTION COMPANY
SUNDANCE #8-31-8-18
SE/NE SECTION 31, T8S, R18E
UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Inland Production Company well location site Sundance #8-31-8-18 located in the SE 1/4 NE 1/4 Section 31, T8S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 13.8 miles \pm to its junction with an existing road to the north; proceed northerly - 0.3 miles \pm to its junction with an existing road to the northeast; proceed northeasterly - 4.9 miles \pm to its junction with the beginning of the proposed access road; proceed northeasterly - 1490' \pm ; turn and proceed southeasterly - 1090' \pm along the proposed access road to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. SURFACE OWNERSHIP - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

Archaeological Resource Survey for this area is attached.

The Paleontological Resource Survey will be forthcoming.

Inland Production Company requests a 60' ROW for the Sundance #1-31-8-18 to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."**

Water Disposal

Formation water is produced to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Inland's secondary recovery project.

Water not meeting quality criteria, is disposed at Inland's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name: Brad Mecham
Address: Route #3 Box 3630
Myton, UT 84052
Telephone: (435) 646-3721

Certification

Please be advised that INLAND PRODUCTION COMPANY is considered to be the operator of well #8-31-8-18 SE/NE Section 31, Township 8S, Range 18E: Lease UTU-74872 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.



I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Inland Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

2/6/00
Date

Mandie Crozier
Mandie Crozier
Permit Clerk

INLAND PRODUCTION COMPANY

SUNDANCE FEDERAL #8-31
SEC. 31, T8S, R18E, S.L.B.&M.



REFERENCE POINTS

- 210' SOUTHEAST = 5022.2'
- 260' SOUTHEAST = 5017.5'
- 170' NORTHWEST = 5013.3'
- 220' SOUTHWEST = 5011.5'

SURVEYED BY: D.J.S.

SCALE: 1" = 50'

DRAWN BY: J.R.S.

DATE: 2-1-02

Tri State
Land Surveying, Inc.





(435) 781-2501

38 WEST 100 NORTH VERNAL, UTAH 84078

INLAND PRODUCTION COMPANY

CROSS SECTIONS

SUNDANCE FEDERAL #8-31



NOTE:
UNLESS OTHERWISE NOTED
ALL CUT/FILL SLOPES ARE
AT 1.5:1

ESTIMATED EARTHWORK QUANTITIES

(Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	1,650	1,650	Topsoil is not included in Pad Cut	0
PIT	640	0		640
TOTALS	2,290	1,650	1,010	640

SURVEYED BY: D.J.S.

SCALE: 1" = 50'

DRAWN BY: J.R.S.


DATE: 2-1-02

Tri State (435) 781-2501
Land Surveying, Inc.
38 WEST 100 NORTH VERNAL, UTAH 84078

INLAND PRODUCTION COMPANY


TYPICAL RIG LAYOUT

SUNDANCE FEDERAL #8-31



PROPOSED ACCESS ROAD (Max. 6% Grade)

SURVEYED BY: D.J.S.	SCALE: 1" = 50'	Tri State Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078 (435) 781-2501
DRAWN BY: J.R.S.	DATE: 2-1-02	



**Sundance Federal #8-31
SEC. 31, T8S, R18E, S.L.B.&M.**




**Tri-State
Land Surveying Inc.**
(435) 781-2501
38 West 100 North Vernal, Utah 84078

SCALE: 1" = 100,000'
DRAWN BY: D.J.
DATE: 02-01-2002

Legend

- Existing Road
- Proposed Access

**TOPOGRAPHIC MAP
"A"**



Tri-State
Land Surveying Inc.
(435) 781-2501
38 West 100 North Vernal, Utah 84078


Legend

- Existing Road
- Proposed Access
- Access to be Upgraded

Sundance Federal #8-31
SEC. 31, T8S, R18E S.L.B.&M.

SCALE: 1" = 2000'
DRAWN BY: D.J.
DATE: 02-01-2002

TOPOGRAPHIC MAP
"B"



- Gas Line ROW
- Pending Approval
 - ROW Approved
 - Compressor Stations
 - Gas Pipelines
 - 10"
 - 6" Source Line
 - 6" Proposed
 - 4" Source Line
 - 4" Proposed
 - Gas Buried
 - Petroglyph Gas Line
 - Questar Gas Line
 - Compressors - Other
 - Fuel Gas Meters
 - Roads (Digitized)
 - Paved
 - Dirt
 - Proposed
 - Two Track
 - Private



Topographic Map C
T8S-R18E-31

410 47th Street Suite 200
Denver, Colorado 80233
Phone: (303) 690-0802

Gas Pipeline Map


LINTA BASIN, UTAH

Duchesne & Uintah Counties, Utah

5/10/2002



January 24, 2002



- Water Taps
- 2001 Injection Conversion Program
- Waterline ROW
 - Pending Approval
 - ROW Approved
- Water Injection Permits
 - Pending Approval
 - Permit Approved
- Water Source 6 Inch
- Water Source 4 Inch
- Water 4 Inch - High Pressure
- Water 4 Inch Poly
- Water High Pressure 2 to 3 Inch
- Proposed High Pressure Water
- Injection Stations
- Pump Stations
- Roads (Digitized)
 - Paved
 - Dirt
 - Proposed
 - Two Track
 - Private



Topographic Map C
T8S-R18E-31

410 45th Street, Suite 700
Denver, Colorado 80202
Phone: (303) 750-0822


Water Pipeline Map

LINTA BASIN, UTAH

Duval & Clark County, Utah

5/27/2002

January 24, 2002



**Sundance Federal #8-31
SEC. 31, T8S. R18E, S.L.B.&M.**




*Tri-State
Land Surveying Inc.*
(435) 781-2501
38 West 100 North Vernal, Utah 84078

SCALE: 1" = 2000'
DRAWN BY: D.J.
DATE: 02-01-2002

Legend

- Existing Wells
- Proposed Locations
- One Mile Radius


**Exhibit
"B"**



- Section Stakes
 Well Categories
 / INJ
 * OIL
 ◇ DRY
 /· SHUTIN
 □ Well



Exhibit "A"


 410 17th Street, Suite 200
 Denver, Colorado 80202
 Phone: 303.533.0122

Umiu Basin
 UMIU BASIN, UTAH
 Buchanan & Clark Counties, UT



2011 R, 5/11
 A. J. Clark

1" = 1 Mile

RAM TYPE B.O.P.
 Make:
 Size:
 Model:

2-M SYSTEM

EXHIBIT "C"



GAL TO CLOSE
 Annular BOP = _____
 Ramtype BOP
 _____ Rams x _____ = _____
 _____ = _____ Gal.
 _____ x 2 = _____ Total Gal.

Rounding off to the next higher
 increment of 10 gal. would require
 _____ Gal. (total fluid & nitro volume)

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

DD2

APD RECEIVED: 02/07/2002

API NO. ASSIGNED: 43-047-34504

WELL NAME: SUNDANCE FED 8-31-8-18
 OPERATOR: INLAND PRODUCTION (N5160)
 CONTACT: MANDIE CROZIER

PHONE NUMBER: 435-646-3721

PROPOSED LOCATION:

SENE 31 080S 180E
 SURFACE: 2001 FNL 0887 FEL
 BOTTOM: 2001 FNL 0887 FEL
 UINTAH
 8 MILE FLAT NORTH (590)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
 LEASE NUMBER: UTU-74872
 SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: GRRV

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. 4488944)
- N Potash (Y/N)
- N Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. MUNICIPAL)
- N RDCC Review (Y/N)
(Date:)
- N/A Fee Surf Agreement (Y/N)

LOCATION AND SITING:


- R649-2-3. Unit
- R649-3-2. General
- Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: _____
- Eff Date: _____
- Siting: _____
- R649-3-11. Directional Drill

COMMENTS: Mon. Bu. Field SOP separate file.
Need "Ex Loc" info. (Rec'd 2-21-02)

STIPULATIONS: 1-Fed. Approval
2-Spacing Stip.



OPERATOR: INLAND PROD CO (N5160)
 SEC. 31, T8S, R18E
 FIELD: EIGHT MILE FLAT NORTH (590)
 COUNTY: UINTAH





February 18, 2002

Ms. Lisha Cordova
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

RE: Exceptional Spacing for the Proposed 8-31-8-18 Well


Dear Lisha:

Please find attached a copy of the well location survey plats for the above-referenced well. Inland Production Company (Inland) requests administrative approval for a location exception to Rule R649-3-2, which governs the location of wells in the State of Utah.

Due to topographic constraints on access and siting of the proposed well, it is necessary to move the location of the well in a southwesterly direction. This moves the well further into the interior of the UTU-74872 lease. There are no lease interest owners within a 460-foot radius of the new proposed location.

Please contact me if you need additional information regarding this well.

Respectfully,


Mandie Crozier
Permit Clerk

Enclosures

RECEIVED



FEB 21 2002

**DIVISION OF
OIL, GAS AND MINING**

T8S, R18E, S.L.B.&M.

INLAND PRODUCTION COMPANY

WELL LOCATION, SUNDANCE FEDERAL #8-31, LOCATED AS SHOWN IN THE SE 1/4 NE 1/4 OF SECTION 31, T8S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



TRI STATE LAND SURVEYING & CONSULTING	
38 WEST 100 NORTH - VERNAL, UTAH 84078 (435) 781-2501	
SCALE: 1" = 1000'	SURVEYED BY: D.J.S.
DATE: 2-01-02	DRAWN BY: J.R.S.
NOTES:	FILE #

◆ = SECTION CORNERS LOCATED
 BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

003



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

February 21, 2002

Inland Production Company
Route 3 Box 3630
Myton UT 84052

Re: Sundance Federal 8-31-8-18 Well, 2001' FNL, 887' FEL, SE NE, Sec. 31, T. 8 South,
R. 18 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34504.

Sincerely,

A handwritten signature in black ink, appearing to read "John R. Baza".

John R. Baza
Associate Director

er

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Inland Production Company
Well Name & Number Sundance Federal 8-31-8-18
API Number: 43-047-34504
Lease: UTU-74872

Location: SE NE Sec. 31 T. 8 South R. 18 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
UTU-74872

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
NA

8. Well Name and No.
SUNDANCE FED 8-31-8-18

9. API Well No.
43-047-34504

10. Field and Pool, or Exploratory Area
EIGHT MILE FLAT NORTH

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
INLAND PRODUCTION COMPANY

3. Address and Telephone No.
Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)
2001 FNL 887 FEL SE/NE Section 31, T8S R18E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Permit Extension
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Inland Production Company requests to extend the permit to drill this well for one year.

**Approved by the
Utah Division of
Oil, Gas and Mining**

Date: 02-13-03
By: [Signature]

RECEIVED

FEB 04 2003

DIV. OF OIL, GAS & MINING

COPY SENT TO OPERATOR
Date: 02-14-03
Initials: CHS

14. I hereby certify that the foregoing is true and correct

Signed Mandie Crozier Title Permit Clerk Date 2/3/03
Mandie Crozier

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

CC: Utah DOGM



PRODUCTION COMPANY
A Subsidiary of Inland Resources Inc.

June 13, 2003

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Mason
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Amended Applications for Permit to Drill Wells No: 1-31-8-18, 7-31-8-18,
8-31-8-18, 10-31-8-18, 11-31-8-18, and 14-31-8-18.

Dear Diana:

Enclosed find the amended Topographic Map "B" and Topographic Map "C" on the above mentioned locations. Since submission there have been some topographic changes on the proposed access roads as well as the proposed gas and water lines. Please replace the maps originally submitted with the revised maps that I have enclosed. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Mandie Crozier
Regulatory Specialist

enclosures

RECEIVED

JUN 16 2003

DIV. OF OIL, GAS & MINING

004

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. UTU-74872	
1b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input checked="" type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR Inland Production Company		7. UNIT AGREEMENT NAME N/A	
3. ADDRESS OF OPERATOR Route #3 Box 3630, Myton, UT 84052 Phone: (435) 646-3721		8. FARM OR LEASE NAME WELL NO. 8-31-8-18	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At Surface SE/NE 2001' FNL 887' FEL At proposed Prod. Zone		9. API WELL NO. 43-047-34504	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Approximately 20.6 miles southeast of Myton, Utah		10. FIELD AND POOL OR WILDCAT Monument Butte	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to Approx. 639' f/lse line		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SE/NE Sec. 31, T8S, R18E	
16. NO. OF ACRES IN LEASE 677.36		12. COUNTY Uintah	
17. NO. OF ACRES ASSIGNED TO THIS WELL 40		13. STATE UT	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. Approx. 1036'		20. ROTARY OR CABLE TOOLS Rotary	
19. PROPOSED DEPTH 6500'		22. APPROX. DATE WORK WILL START* 1st Quarter 2002	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5021.4' GR			
23. PROPOSED CASING AND CEMENTING PROGRAM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH
Refer to Monument Butte Field SOP's Drilling Program/Casing Design			
QUANTITY OF CEMENT			

Inland Production Company proposes to drill this well in accordance with the attached exhibits.

The Conditions of Approval are also attached.

COPY

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone.
If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED M. Mandie Crozier TITLE Permit Clerk DATE 2/6/02

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY _____ TITLE _____ DATE _____

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



**Sundance Federal #8-31
SEC. 31, T8S, R18E, S.L.B.&M.**




**Tri-State
Land Surveying Inc.**
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1" = 2,000'
DRAWN BY: R.A.B.
DATE: 05-28-2003

Legend	
	Existing Road
	Proposed Access
	Upgraded Access

TOPOGRAPHIC MAP
"B"



Proposed Gas Pipeline ±5,630'

Proposed Location Sundance Federal #8-31



**Sundance Federal #8-31
SEC. 31, T8S, R18E, S.L.B.&M.**



Tri-State Land Surveying Inc.
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1" = 2,000'
DRAWN BY: R.A.B.
DATE: 05-28-2003

Legend	
	Roads
	Proposed Gas Line
	Proposed Water Line

TOPOGRAPHIC MAP
"C"

005

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK			5. LEASE DESIGNATION AND SERIAL NO. UTU-74872	
1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
1b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input checked="" type="checkbox"/>			7. UNIT AGREEMENT NAME N/A	
2. NAME OF OPERATOR Inland Production Company			8. FARM OR LEASE NAME WELL NO 8-31-8-18	
3. ADDRESS OF OPERATOR Route #3 Box 3630, Myton, UT 84052 Phone: (435) 646-3721			9. API WELL NO.	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At Surface SE/NE 2001' FNL 887' FEL At proposed Prod. Zone			10. FIELD AND POOL OR WILDCAT Monument Butte	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Approximately 20.6 miles southeast of Myton, Utah			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SE/NE Sec. 31, T8S, R18E	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to Approx. 639' f/lse line			16. NO. OF ACRES IN LEASE 677.36	17. NO. OF ACRES ASSIGNED TO THIS WELL 40
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. Approx. 1036'			19. PROPOSED DEPTH 6500'	20. ROTARY OR CABLE TOOLS Rotary
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5021.4' GR			22. APPROX. DATE WORK WILL START* 1st Quarter 2002	
23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
Refer to Monument Butte Field SOP's Drilling Program/Casing Design				

Inland Production Company proposes to drill this well in accordance with the attached exhibits.

The Conditions of Approval are also attached.

RECEIVED
SEP 08 2003
DIV. OF OIL, GAS & MINING

RECEIVED
FEB 07 2002

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone.
If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED M. Mandie Crozier TITLE Permit Clerk DATE 2/6/02

(This space for Federal or State office use)
NOTICE OF APPROVAL APPROVAL DATE **CONDITIONS OF APPROVAL ATTACHED**

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Assistant Field Manager Mineral Resources DATE 09/03/2003

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UDOGM

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company
Well Name & Number: 8-31-8-18
API Number: 43-047-34504
Lease Number: U -74872
Location: SENE Sec. 31 T. 8S R. 18E
Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water resources and other resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at \pm 1,825 ft.

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

In order to mitigate long-term impacts to nesting Golden Eagles, a field survey will be conducted prior to any surface disturbance activities to determine if nests are present. The survey will be conducted prior to construction or surface disturbing activities by a qualified wildlife biologist acceptable to the BLM. If active nests or nests which have been active during the year are found within ½ mile of the well location, no construction or drilling will be allowed. If inactive nests (nests which have been inactive for two or more years) are found within ½ mile, no construction or drilling will be allowed during the nesting season of February 1 to July 15.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

006

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
INLAND PRODUCTION COMPANY

3. Address and Telephone No.
Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)
2001 FNL 887 FEL SE/NE Section 31, T8S R18E

5. Lease Designation and Serial No.
UTU-74872

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
N/A

8. Well Name and No.
8-31-8-18

9. API Well No.
43-047-34504

10. Field and Pool, or Exploratory Area
8 MILE FLAT NORTH

11. County or Parish, State
UINTAH COUNTY, UT

12. **CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Name</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective September 25, 2003 Inland Production Company is changing the name of the 8-31-8-18 to the **Federal 8-31-8-18**.

14. I hereby certify that the foregoing is true and correct
Signed Mandie Crozier Title Regulatory Specialist Date 9/25/2003
Mandie Crozier

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

CC: Utah DOGM

RECEIVED
SEP 26 2003

RECEIVED

NOV 21 2003

DIV. OF OIL, GAS & MINING

OPERATOR: INLAND PRODUCTION COMPANY
ADDRESS: RT. 3 BOX 3630
MYTON, UT 84052

OPERATOR ACCT. NO. N5160

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

PAGE 02

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					Q2	SC	TP	RG	COUNTY		
A	99999	13958	43-047-34502	Federal 12-31-8-18	NW/SW	31	8S	18E	Uintah	October 22, 2003	11/26/03
WELL 1 COMMENTS: <i>GRU</i>											
A	99999	13959	43-047-34495	Federal 2-31-8-18	NW/NE	31	8S	18E	Uintah	November 5, 2003	11/26/03
WELL 2 COMMENTS: <i>GRU</i>											
A	99999	13960	43-047-34499	Federal 6-31-8-18	SE/NW	31	8S	18E	Uintah	November 9, 2003	11/26/03
WELL 3 COMMENTS: <i>GRU</i>											
A	99999	13961	43-047-34504	Federal 8-31-8-18	SE/NE	31	8S	18E	Uintah	November 11, 2003	11/26/03
WELL 4 COMMENTS: <i>GRU</i>											
A	99999	13962	43-047-34461	Sundance 11-32-8-18	NE/SW	32	8S	18E	Uintah	November 17, 2003	11/26/03
WELL 5 COMMENTS: <i>GRU</i>											

INLAND

435646

11/21/2003 10:06

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

Kebbie S. Jones
 Signature
 Production Clerk
 November 21, 2003
 Date

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

008 SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well
 Gas Well
 Other

2. Name of Operator
INLAND PRODUCTION COMPANY

3. Address and Telephone No.
Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)
2001 FNL 887 FEL SE/NE Section 31, T8S R18E

5. Lease Designation and Serial No.
UTU-74872

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
N/A

8. Well Name and No.
FEDERAL 8-31-8-18

9. API Well No.
43-047-34504

10. Field and Pool, or Exploratory Area
8 MILE FLAT NORTH

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent <input checked="" type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other Spud Notice
	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 11-11-03 MIRU Ross # 15. Spud well @ 9:30 am. Drill 307' of 12 1/4" hole with air mist. TIH w/ 7 Jt's 85/8" J-55 24# csgn. Set @ 304.98'/KB. On 11-19-03. Cement with 150 sks of Class "G" w/ 2% CaCL2 + 1/4# sk Cello-Flake Mixed @ 15.8 ppg > 1.17 cf/sk yeild. 4 bbls cement returned to surface. WOC. Vernal BLM representative Kim Kettle witnessed Cement job.

14. I hereby certify that the foregoing is true and correct
 Signed Pat Wisener Title Drilling Foreman Date 11/22/2003
 Pat Wisener

CC: UTAH DOGM
 (This space for Federal or State office use)
 Approved by _____ Title _____ Date _____
 Conditions of approval, if any:
 CC: Utah DOGM

Title 18 U.S.C. Section 1001. makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED
NOV 25 2003
 DIV. OF OIL, GAS & MINING

INLAND PRODUCTION COMPANY - CASING & CEMENT REPORT

8 5/8 CASING SET 304.98

LAST CASING 8 5/8" SET AT 304.98'
 DATUM 12' KB
 DATUM TO CUT OFF CASING _____
 DATUM TO BRADENHEAD FLANGE _____
 TD DRILLER 307' LOGGER _____
 HOLE SIZE 12 1/4
 sh, jt. 38.23

OPERATOR Inland Production Company
 WELL Federal 8-31-8-18
 FIELD/PROSPECT Monument Butte
 CONTRACTOR & RIG # Ross # 15

LOG OF CASING STRING:

PIECES	OD	ITEM - MAKE - DESCRIPTION	WT / FT	GRD	THREAD	CONDT	LENGTH
		WHI - 92 csg head			8rd	A	0.95
7	8 5/8"	Maverick ST&C csg	24#	J-55	8rd	A	293.13
		GUIDE shoe			8rd	A	0.9

CASING INVENTORY BAL.	FEET	JTS	TOTAL LENGTH OF STRING		294.98
TOTAL LENGTH OF STRING	294.98	7	LESS CUT OFF PIECE		2
LESS NON CSG. ITEMS	1.85		PLUS DATUM TO T/CUT OFF CSG		12
PLUS FULL JTS. LEFT OUT	0		CASING SET DEPTH		304.98
TOTAL	293.13	7	} COMPARE		
TOTAL CSG. DEL. (W/O THRDS)	293.13	7			
TIMING	1ST STAGE				
BEGIN RUN CSG.	SPUD	9:30AM, 11/11	GOOD CIRC THRU JOB _____		
CSG. IN HOLE	11/14/2003		Bbls CMT CIRC TO SURF <u>4 bbls cement</u>		
BEGIN CIRC			RECIPROCATED PIPE F- N/A <u>N/A</u>		
BEGIN PUMP CMT			DID BACK PRES. VALVE HOLD ? <u>N/A</u>		
BEGIN DSPL. CMT			BUMPED PLUG TO <u>200</u> PSI		
PLUG DOWN	Cemented	11/19/2003			

CEMENT USED		CEMENT COMPANY- B. J.
STAGE	# SX	CEMENT TYPE & ADDITIVES
1	150	Class "G" w/ 2% CaCL2 + 1/4#/sk Cello-Flake mixed @ 15.8 ppg 1.17 cf/sk yield
CENTRALIZER & SCRATCHER PLACEMENT		
SHOW MAKE & SPACING		
Centralizers - Middle first, top second & third for 3		

COMPANY REPRESENTATIVE Floyd Mitchell

DATE 11/19/2003

RECEIVED
NOV 25 2003

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

009

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Inland Production Company

3a. Address Route 3 Box 3630
Myton, UT 84052

3b. Phone No. (include area code)
435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2001 FNL 887 FEL
SE/NE Section 31 T8S R18E

5. Lease Serial No.
UTU74872

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or No.

SUNDANCE AREA

8. Well Name and No.
FEDERAL 8-31-8-18

9. API Well No.
4304734504

10. Field and Pool, or Exploratory Area
Monument Butte

11. County or Parish, State
Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE. OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other _____	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	Weekly Status Report _____	
	<input type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is deepen directionally or recomplete horizontalley, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation is a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Status report for time period 1/28/04 - 2/3/04 Subject well had completion procedures initiated in the Green River formation on 1/28/04 without the use of a service rig over the well. A cement bond log was run and a total of four Green River intervals were perforated and hydraulically fracture treated w/ 20/40 mesh sand. Perf intervals were #1 (5845-5853') (4 JSPF); #2 (5415-5432') (4 JSPF); #3 (5300-5310'), (5295-5298'), (5277-5290'), (5270-5273') (All 4 JSPF); #4 (4475-4494') (4 JSPF). Composite flow-through frac plugs were used between stages. Fracs were flowed back through chokes. A service rig was moved on well on 1/30/04. Bridge plugs were drilled out. Well was cleaned out to PBD @ 6260'. Zones were swab tested for sand cleanup. A BHA & production tubing string were run in and anchored in well. End of tubing string @ 5949.70'. A new 1 1/2" bore rod pump was run in well on sucker rods. Well was placed on production via rod pump on 2/3/04.

RECEIVED

FEB 06 2004

I hereby certify that the foregoing is true and correct

Name (Printed/ Typed)
Martha Hall

Title

Office Manager

Signature

Martha Hall

Date

2/4/2004

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or which would entitle the applicant to conduct operations thereon.

certify that the applicant holds legal or equitable title to those rights in the subject lease

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
UTU-74872

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
N/A

8. Well Name and No.
FEDERAL 8-31-8-18

9. API Well No.
43-047-34504

10. Field and Pool, or Exploratory Area
8 MILE FLAT NORTH

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

INLAND PRODUCTION COMPANY

3. Address and Telephone No.

Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

2001 FNL 887 FEL SE/NE Section 31, T8S R18E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent

Subsequent Report

Final Abandonment Notice

TYPE OF ACTION

Abandonment

Recompletion

Plugging Back

Casing Repair

Altering Casing

Other

Change of Plans

New Construction

Non-Routine Fracturing

Water Shut-Off

Conversion to Injection

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Formation water is produced to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Inland's secondary recovery project.

Water not meeting quality criteria, is disposed at Inland's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

RECEIVED

FEB 13 2004

DIV. OF OIL, GAS & MINING

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct

Signed

Mandie Crozier
Mandie Crozier

Title

Regulatory Specialist

Date

2/11/2004

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

CC: Utah DOGM

Inland Resources Inc.

March 15, 2004

State of Utah, Division of Oil, Gas and Mining
Attn: Ms. Carol Daniels
P.O. Box 145801
Salt Lake City, Utah 84144-5801

Attn: Ms. Carol Daniels

Ashley 4-11-9-15 (43-013-32295)
Duchesne County, Utah

Federal 8-31-8-18 (43-047-34504)
Uintah County, Utah

Dear Ms. Carol Daniels

Enclosed is a Well Completion or Recompletion Report and Log form (Form 3160-4). We are no longer sending Log copies since Pat Grissom of Phoenix Surveys is already doing so.

If you should have any questions, please contact me at (303) 382-4449.

Sincerely,



Brian Harris
Engineering Tech

Enclosures

cc: Bureau of Land Management
Vernal District Office, Division of Minerals
Attn: Edwin I. Forsman
170 South 500 East
Vernal, Utah 84078

Well File – Denver
Well File – Roosevelt
Patsy Barreau/Denver
Bob Jewett/Denver
Matt Richmond/Roosevelt

RECEIVED

MAR 17 2004

DIV. OF OIL, GAS & MINING

Alamo Plaza Building
1401 Seventeenth Street, Suite 1000
Denver, CO 80202
303-893-0102 • Fax: 303-893-0103

010

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

5. LEASE DESIGNATION AND SERIAL NO.
UTU-74872

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NA

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.
Federal 8-31-8-18

9. WELL NO.
43-047-34504

10. FIELD AND POOL OR WILDCAT
Sundance Area

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec. 31, T8S, R18E

12. COUNTY OR PARISH
Utah

13. STATE
UT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WORK

OIL WELL GAS WELL DRY Other _____

1b. TYPE OF WELL

NEW WELL WORK OVER DEEPEN PLUG BACK DIFF RESVR. Other _____

2. NAME OF OPERATOR

INLAND RESOURCES INC.

3. ADDRESS AND TELEPHONE NO.

1401 17th St. Suite 1000 Denver, CO 80202

4. LOCATION OF WELL (Report locations clearly and in accordance with any State requirements.)*

At Surface 2001' FNL & 887' FEL (SE NE) Sec. 31, Twp 8S, Rng 18E

At top prod. Interval reported below

At total depth

14. API NO. 43-047-34504 DATE ISSUED 9/3/2003

15. DATE SPUDDED 11/19/2003 16. DATE T.D. REACHED 1/20/2004 17. DATE COMPL. (Ready to prod.) 2/3/2004 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 5021' GL 5033' KB 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 6289' 21. PLUG BACK T.D., MD & TVD 6260' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY -----> 24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)* Green River 4475'-5853'

25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN Dual Induction Guard, SP, Compensated Density, Compensated Neutron, GR, Caliper, Cement Bond Log 27. WAS WELL CORED No

23. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8" - J-55	24#	305'	12-1/4"	To surface with 150 sx Class "G" cmt	
5-1/2" - J-55	15.5#	6282'	7-7/8"	320 sx Premlite II and 400 sx 50/50 Poz	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	EOT @ 5950'	TA @ 5814'

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

INTERVAL	SIZE	SPF/NUMBER	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
(CP1) 5845-5853'	.038	4/32	5845-5853'	Frac w/ 24,725# 20/40 sand in 300 bbls fluid.
(A1) 5415-5432'	.038	4/68	5415-5432'	Frac w/ 30,043# 20/40 sand in 324 bbls fluid.
1,B2) 5270-73', 5277-90', 5292-98', 5300-10'	.038	4/116	5270-5310'	Frac w/ 109,654# 20/40 sand in 780 bbls fluid.
(GB4) 4475-4494'	.038	4/76	4475-4494'	Frac w/ 108,156# 20/40 sand in 736 bbls fluid.

33.* PRODUCTION

DATE FIRST PRODUCTION 2/3/2004 PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) 2-1/2" x 1-1/2" x 15' RHAC Pump WELL STATUS (Producing or shut-in) PRODUCING

DATE OF TEST 10 day ave HOURS TESTED CHOKE SIZE PROD'N. FOR TEST PERIOD OIL--BBL. GAS--MCF. WATER--BBL. GAS-OIL RATIO 80 79 8 988

FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL--BBL. GAS--MCF. WATER--BBL. OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold & Used for Fuel MAR 17 2004 TEST WITNESSED BY

35. LIST OF ATTACHMENTS DIV. OF OIL, GAS & MINING

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED Brian Harris TITLE Engineering Technician DATE 3/15/2004

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries);

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	TOP	
				MEAS. DEPTH	TRUE VERT. DEPTH
			Well Name Federal 8-31-8-18	3953'	
				4173'	
				4290'	
				4563'	
				4782'	
				4820'	
				4950'	
				5188'	
				5754'	
				6180'	
				6289'	

NAME
 Garden Gulch Mkr
 Garden Gulch 1
 Garden Gulch 2
 Point 3 Mkr
 X Mkr
 Y-Mkr
 Douglas Creek Mkr
 BiCarbonate Mkr
 B Limestone Mkr
 Castle Peak
 Basal Carbonate
 Total Depth (LOGGERS)



Office of the Secretary of State


The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas
SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer



United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov>

IN REPLY REFER TO:

3106

(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office

From: Acting Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

011 Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

9/1/2004

FROM: (Old Operator): N5160-Inland Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721	TO: (New Operator): N2695-Newfield Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721
---	--

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
FEDERAL 3-31-8-18	31	080S	180E	4304734496	13915	Federal	OW	P	K
FEDERAL 4-31-8-18	31	080S	180E	4304734497	13942	Federal	OW	DRL	K
FEDERAL 5-31-8-18	31	080S	180E	4304734498	13898	Federal	OW	P	K
FEDERAL 6-31-8-18	31	080S	180E	4304734499	13960	Federal	OW	P	K
FEDERAL 7-31-8-18	31	080S	180E	4304734500	13925	Federal	OW	P	K
FEDERAL 11-31-8-18	31	080S	180E	4304734501	13924	Federal	OW	P	K
FEDERAL 12-31-8-18	31	080S	180E	4304734502	13958	Federal	OW	P	K
FEDERAL 13-31-8-18	31	080S	180E	4304734503	14324	Federal	OW	P	K
FEDERAL 8-31-8-18	31	080S	180E	4304734504	13961	Federal	OW	P	K
FEDERAL 10-31-8-18	31	080S	180E	4304734930	13986	Federal	OW	P	K
FEDERAL 9-31-8-18	31	080S	180E	4304734931	13963	Federal	OW	P	K
FEDERAL 2-1-9-17	01	090S	170E	4304734938		Federal	OW	APD	K
FEDERAL 3-1-9-17	01	090S	170E	4304734939		Federal	OW	APD	K
FEDERAL 8-1-9-17	01	090S	170E	4304734940		Federal	OW	APD	K
FEDERAL 5-6-9-18	06	090S	180E	4304734932		Federal	OW	APD	K
FEDERAL 6-6-9-18	06	090S	180E	4304734933	14152	Federal	OW	P	K
FEDERAL 7-6-9-18	06	090S	180E	4304734934	14126	Federal	OW	P	K
FEDERAL 8-6-9-18	06	090S	180E	4304734935		Federal	OW	APD	K
FEDERAL 13-6-9-18	06	090S	180E	4304734936	14049	Federal	OW	P	K
FEDERAL 14-6-9-18	06	090S	180E	4304734937	14064	Federal	OW	P	K

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/2005
- Is the new operator registered in the State of Utah: YES Business Number: 755627-0143
- If **NO**, the operator was contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 2/28/2005
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919
2. The **FORMER** operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

June 30, 2005

Newfield Production Company
Attn: Kelly L. Donohoue
1401 Seventeenth Street, Suite 1000
Denver, Colorado 80202

Gentlemen:

The Sundance (Green River) Unit Agreement, Uintah County, Utah, was approved June 30, 2005. This agreement has been designated No. UTU82472X, and is effective July 1, 2005. The unit area embraces 11,143.86 acres, more or less.

Pursuant to regulations issued and effective June 17, 1988, all operations within the Sundance (Green River) Unit will be covered by your nationwide (Utah) oil and gas bond No. 0056.

The following leases embrace lands included within the unit area:

UTU0075174	UTU39713	UTU65970*	UTU79013*
UTU16539*	UTU39714	UTU74404	UTU79014*
UTU16540	UTU44429	UTU74835	UTU80915
UTU17424*	UTU64806*	UTU74872*	UTU82205
UTU18043	UTU65969	UTU75234	

* Indicates lease to be considered for segregation by the Bureau of Land Management pursuant to Section 18 (g) of the unit agreement and Public Law 86-705.

All lands and interests by State of Utah, Cause No. 228-08 are fully committed.

Approval of this agreement does not warrant or certify that the operator thereof and other holders of operating rights hold legal or equitable title to those rights in the subject leases which are committed hereto.

RECEIVED

JUL 01 2005

DIV. OF OIL, GAS & MINING

*Docket No
2005-009*

We are of the opinion that the agreement is necessary and advisable in the public interest and for the purpose of more properly conserving natural resources. Certification-Determination, signed by the School and Institutional Trust Land Administration for the State of Utah, is attached to the enclosed agreement. We request that you furnish the State of Utah and all other interested principals with appropriate evidence of this approval.

Sincerely,

/s/ Terry Catlin

Terry Catlin
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Mary Higgins w/enclosure
MMS - Data Management Division (Attn: James Sykes)
Trust Lands Administration
Division of Oil, Gas and Mining
Field Manager - Vernal w/enclosure
File - Sundance (Green River) Unit w/enclosure
Agr. Sec. Chron
Fluid Chron
Central Files

UT922:TAThompson:tt:06/30/2005

Entity Form 6

"C" Change from one existing entity to another existing entity

API	Well	Sec	Twsp	Rng	Entity	Entity Eff Date
4301316218	CASTLE DRAW 16-10-9-17	10	090S	170E	8120 to 14844	9/20/2005
4301330568	FEDERAL 8-10-9-17	10	090S	170E	8000 to 14844	9/20/2005
4301332502	FEDERAL 9-10-9-17	10	090S	170E	14325 to 14844	9/20/2005
4301331593	MON FED 11-11-9-17Y	11	090S	170E	11904 to 14844	9/20/2005
4301332486	FEDERAL 5-11-9-17	11	090S	170E	14285 to 14844	9/20/2005
4301332510	FEDERAL 13-11-9-17	11	090S	170E	14273 to 14844	9/20/2005
4301332544	FEDERAL 12-11-9-17	11	090S	170E	14613 to 14844	9/20/2005
4301332704	FEDERAL 12-14-9-17	14	090S	170E	14786 to 14844	9/20/2005
4301331023	FEDERAL 15-1-B	15	090S	170E	10201 to 14844	9/20/2005
4304734494	FEDERAL 1-31-8-18	31	080S	180E	13927 to 14844	9/20/2005
4304734495	FEDERAL 2-31-8-18	31	080S	180E	13959 to 14844	9/20/2005
4304734496	FEDERAL 3-31-8-18	31	080S	180E	13915 to 14844	9/20/2005
4304734497	FEDERAL 4-31-8-18	31	080S	180E	13942 to 14844	9/20/2005
4304734498	FEDERAL 5-31-8-18	31	080S	180E	13898 to 14844	9/20/2005
4304734499	FEDERAL 6-31-8-18	31	080S	180E	13960 to 14844	9/20/2005
4304734500	FEDERAL 7-31-8-18	31	080S	180E	13925 to 14844	9/20/2005
4304734501	FEDERAL 11-31-8-18	31	080S	180E	13924 to 14844	9/20/2005
4304734502	FEDERAL 12-31-8-18	31	080S	180E	13958 to 14844	9/20/2005
4304734503	FEDERAL 13-31-8-18	31	080S	180E	14324 to 14844	9/20/2005
4304734504	FEDERAL 8-31-8-18	31	080S	180E	13961 to 14844	9/20/2005
4304734930	FEDERAL 10-31-8-18	31	080S	180E	13986 to 14844	9/20/2005
4304734931	FEDERAL 9-31-8-18	31	080S	180E	13963 to 14844	9/20/2005
4304731116	NGC ST 33-32	32	080S	180E	6210 to 14844	9/20/2005
4304732500	STATE 31-32	32	080S	180E	11645 to 14844	9/20/2005
4304732685	SUNDANCE ST 5-32	32	080S	180E	11781 to 14844	9/20/2005
4304732740	SUNDANCE ST 1-32R-8-18	32	080S	180E	11886 to 14844	9/20/2005
4304732741	SUNDANCE ST 3-32	32	080S	180E	12059 to 14844	9/20/2005
4304732827	SUNDANCE ST 4-32	32	080S	180E	12106 to 14844	9/20/2005
4304734458	SUNDANCE 7-32-8-18	32	080S	180E	13987 to 14844	9/20/2005
4304734459	SUNDANCE 8-32-8-18	32	080S	180E	14047 to 14844	9/20/2005
4304734460	SUNDANCE 9-32-8-18	32	080S	180E	13988 to 14844	9/20/2005
4304734461	SUNDANCE 11-32-8-18	32	080S	180E	13962 to 14844	9/20/2005
4304734462	SUNDANCE 12-32-8-18	32	080S	180E	14031 to 14844	9/20/2005
4304734463	SUNDANCE 13-32-8-18	32	080S	180E	13964 to 14844	9/20/2005
4304734464	SUNDANCE 14-32-8-18	32	080S	180E	14046 to 14844	9/20/2005

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74872
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: FEDERAL 8-31-8-18
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		9. API NUMBER: 43047345040000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84052	PHONE NUMBER: 435 646-4825 Ext	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2001 FNL 0887 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 31 Township: 08.0S Range: 18.0E Meridian: S		COUNTY: UINTAH
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 7/10/2013	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input checked="" type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input checked="" type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The subject well has been converted from a producing oil well to an injection well on 07/09/2013. Initial MIT on the above listed well. On 07/10/2013 the casing was pressured up to 1675 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 0 psig during the test. There was not an EPA representative available to witness the test. EPA# UT22197-10016

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
August 19, 2013**

NAME (PLEASE PRINT) Lucy Chavez-Naupoto	PHONE NUMBER 435 646-4874	TITLE Water Services Technician
SIGNATURE N/A	DATE 7/22/2013	

Mechanical Integrity Test

Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency
Underground Injection Control Program
999 18th Street, Suite 500 Denver, CO 80202-2466

EPA Witness: _____ Date: 7/10/13
 Test conducted by: Chris Walters
 Others present: _____

-10016

Well Name: <u>Federal 8-31-8-18</u>	Type: ER SWD	Status: AC TA UC
Field: <u>Monument Butte</u>		
Location: <u>SE/NE</u> Sec: <u>31</u> T <u>8</u> N <u>18</u> R <u>18</u> W County: <u>Uintah</u> State: <u>UT</u>		
Operator: <u>Newfield</u>		
Last MIT: <u>1</u> / <u>1</u>		Maximum Allowable Pressure: _____ PSIG

Is this a regularly scheduled test? Yes No
 Initial test for permit? Yes No
 Test after well rework? Yes No
 Well injecting during test? Yes No If Yes, rate: _____ bpd

Pre-test casing/tubing annulus pressure: 1675 psig


MIT DATA TABLE	Test #1	Test #2	Test #3
TUBING PRESSURE			
Initial Pressure	<u>0</u> psig	psig	psig
End of test pressure	<u>0</u> psig	psig	psig
CASING / TUBING ANNULUS PRESSURE			
0 minutes	<u>1675</u> psig	psig	psig
5 minutes	<u>1675</u> psig	psig	psig
10 minutes	<u>1675</u> psig	psig	psig
15 minutes	<u>1675</u> psig	psig	psig
20 minutes	<u>1675</u> psig	psig	psig
25 minutes	<u>1675</u> psig	psig	psig
30 minutes	<u>1675</u> psig	psig	psig
_____ minutes	psig	psig	psig
_____ minutes	psig	psig	psig
RESULT	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

Does the annulus pressure build back up after the test? Yes No

MECHANICAL INTEGRITY PRESSURE TEST

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness: _____



Daily Activity Report

Format For Sundry

FEDERAL 8-31-8-18

5/1/2013 To 9/30/2013

7/10/2013 Day: 2

Conversion

Nabors #1406 on 7/10/2013 - X_O tbg equipment ND wellhead. - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000

psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - miru pull pump of seat Flush 40 bbl hot oiler soft seat rods string fill tbg 7 bbl test to 3000 psi. LD polish rod LD 2-4ft and 1-8 Pony LD 58 -7/8 per 39-3/4 74-3/4 slick rods 55 3/4 4 per 6-1-1/2 SWUFN, SDFN - X-o Tubing equipment ND Wellhead Unset TAC Strip on BOP. w/134 joints breaking each collar cleaning and doping. LD 42 jnts TAC 2 jts NC. RIH w/2-3/8 XN nipple 4 ft 2-3/8 sub x-o packer on/off tool 2-7/8 sn 134 jnts 2-7/8 55 tbg. Pump 10 bbls Drop SV fill tbg 9 bbl pump up to 3k psi first 30 min. pump back up loosing 200 next test loosing 160 next test loosing 120 next test pump back to 3000. swifn sdfn. Ready for MIT

Finalized

Daily Cost: \$0

Cumulative Cost: \$22,803

7/12/2013 Day: 3

Conversion

Federal 8-31-8-18

Spud Date: 11/11/03
 Put on Production: 2/3/04
 GL: 5021' KB: 5033'

Initial Production: 80 BOPD,
 79 MCFD, 8 BWPD

Injection Wellbore Diagram

SURFACE CASING

CSG SIZE: 8-5/8"
 GRADE: J-55
 WEIGHT: 24#
 LENGTH: 7 jts, (294 98')
 DEPTH LANDED: 304 98' KB
 HOLE SIZE: 12-1/4"
 CEMENT DATA: 150 sxs Class "G" cmt., 4 bbls. cement to surface.

PRODUCTION CASING


CSG SIZE: 5-1/2"
 GRADE: J-55
 WEIGHT: 15.5#
 LENGTH: 140 jts. (6283 93')
 DEPTH LANDED: 6281 93'
 HOLE SIZE: 7-7/8"
 CEMENT DATA: 320 sxs Premlite II mixed, 400 sxs 50/50 POZ
 CEMENT TOP AT: 960'

TUBING

SIZE/GRADE/WT: 2-7/8" / J-55 / 6.5#
 NO. OF JOINTS: 134 jts (4416.9')
 SEATING NIPPLE: 2-7/8" (1.10')
 SN LANDED AT: 4428 9' KB
 ON/OFF TOOL AT: 4430'
 ARROW #1 PACKER CE AT: 4435 9'
 XO 2-3/8 x 2-7/8 J-55 AT: 4438.8
 TBG PUP 2-3/8 J-55 AT: 4439 9'
 X/N NIPPLE AT: 4444'
 TOTAL STRING LENGTH: EOT @ 4445.09'

FRAC JOB

1/29/04	5845'-5853'	Frac C1 sands as follows: 24,725# 20/40 sand in 300 bbls Lightning frac 17 fluid. Treated @ avg press of 1900 psi w/avg rate of 24.5 BPM. ISIP 1760 psi. Calc flush: 5843 gal. Actual flush: 5838 gal. Includes 2 bbls. pump & line volume.
1/29/04	5415'-5432'	Frac A1 sands as follows: 30,043# 20/40 sand in 324 bbls Lightning frac 17 fluid. Treated @ avg press of 1805 psi w/avg rate of 24.6 BPM. ISIP 2420 psi. Calc flush: 5413 gal. Actual flush: 5460 gal. Includes 2 bbls. pump & line volume.
1/29/04	5270'-5310'	Frac B2 and B1 sands as follows: 109,654# 20/40 sand in 780 bbls Lightning frac 17 fluid. Treated @ avg press of 1200 psi w/avg rate of 24.7 BPM. ISIP 1600 psi. Calc flush: 5268 gal. Actual flush: 5271 gal. Includes 2 bbls. pump & line volume.
1/29/04	4475'-4494'	Frac GB4 sands as follows: 108,156# 20/40 sand in 736 bbls Lightning frac 17 fluid. Treated @ avg press of 1840 psi w/avg rate of 24.7 BPM. ISIP 2180 psi. Calc flush: 4473 gal. Actual flush: 4368 gal.
6/11/08		Pump change Updated tubing and rod details
9/13/2010		Parted rods. Updated rod and tubing detail.
10/15/2010		Parted rods. Updated rod and tubing detail.
3/21/2011		Pump change Updated rod & tubing detail.
07/09/13		Convert to Injection Well – packer set
07/10/13		Conversion MIT Finalized – update tbg detail



PERFORATION RECORD

Date	Depth Range	Number of Holes	Hole Type
1/28/04	5845'-5853'	4	JSPF 32 holes
1/29/04	5415'-5432'	4	JSPF 68 holes
1/29/04	5300'-5310'	4	JSPF 40 holes
1/29/04	5295'-5298'	4	JSPF 12 holes
1/29/04	5277'-5290'	4	JSPF 52 holes
1/29/04	5270'-5273'	4	JSPF 12 holes
1/29/04	4475'-4494'	4	JSPF 76 holes



Federal 8-31-8-18
 2001' FNL & 887' FEL
 SE/NE Section 31 – T8S-R18E
 Uintah Co, Utah
 API #43-047-34504; Lease #UTU-74872

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74872
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Water Injection Well		7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		8. WELL NAME and NUMBER: FEDERAL 8-31-8-18
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84052		9. API NUMBER: 43047345040000
PHONE NUMBER: 435 646-4825 Ext		9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2001 FNL 0887 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 31 Township: 08.0S Range: 18.0E Meridian: S		COUNTY: UINTAH
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 7/23/2013	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input checked="" type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input checked="" type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The above reference well was put on injection at 1:55 PM on
07/23/2013. EPA # UT22197-10016

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
August 21, 2013**

NAME (PLEASE PRINT) Lucy Chavez-Naupoto	PHONE NUMBER 435 646-4874	TITLE Water Services Technician
SIGNATURE N/A	DATE 7/23/2013	