

001

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

FORM 3

APPLICATION FOR PERMIT TO DRILL

5. MINERAL LEASE NO: ML-22049
6. SURFACE: STATE
1A. TYPE OF WORK: DRILL [X] REENTER [] DEEPEN []
B. TYPE OF WELL: [] OIL [X] GAS OTHER [] SINGLE ZONE [X] MULTIPLE ZONE []
2. NAME OF OPERATOR: SHENANDOAH ENERGY, INC.
3. ADDRESS OF OPERATOR: 11002 E. 17500 S. CITY VERNAL STATE UT ZIP 84078 PHONE NUMBER: (435) 781-4341
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 1987' FNL, 294' FEL, SENE, SECTION 16, T8S, R22E
10. FIELD AND POOL, OR WILDCAT: GLEN BENGH
11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 16 8S 22E
12. COUNTY: UINTAH 13. STATE: UTAH
15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE(FEET) 294' +/-
16. NUMBER OF ACRES IN LEASE: 640
17. NUMBER OF ACRES ASSIGNED TO THIS WELL: 40
18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) 2000' +/-
19. PROPOSED DEPTH 7625'
20. BOND DESCRIPTION: 159261960
21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): 4880' KB
22. APPROXIMATE DATE WORK WILL START: ASAP
23. ESTIMATED DURATION: 10 DAYS

PROPOSED CASING AND CEMENTING PROGRAM

Table with 4 columns: SIZE OF HOLE, CASING SIZE, GRADE, AND WEIGHT PER FOOT, SETTING DEPTH, CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT. Rows include 12-1/4", 7-7/8", and 4 1/2" casing sizes.

ATTACHMENTS

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERATION GENERAL RULES:

- [] WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER
[] COMPLETE DRILLING PLAN
[] EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER
[] FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OW

NAME (PLEASE PRINT) John Busch TITLE Construction Supervisor
SIGNATURE [Signature] DATE 27-Jun-02

(This space for State use only)

API NUMBER ASSIGNED: 43-047-34660 APPROVAL:

(11/2001)

Approved by the Utah Division of Oil, Gas and Mining

(See Instruction on Reverse Side)

Date: 08-05-02
By: [Signature]

RECEIVED

JUL 01 2002

DIVISION OF OIL, GAS AND MINING


T8S, R22E, S.L.B.&M.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.


SHENANDOAH ENERGY, INC.

Well location, OU GB #8W-16-8-22, located as shown in the SE 1/4 NE 1/4 of Section 16, T8S, R22E, S.L.B.&M. Uintah County, Utah.



BASIS OF ELEVATION

BENCH MARK (20 EAM) LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UTAH COUNTY 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID (ELEVATION IS MARKED AS BEING 4697 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Kay
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 8191
 STATE OF UTAH
 KAY

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
 - = PROPOSED WELL HEAD.
 - ▲ = SECTION CORNERS LOCATED.
 - △ = SECTION CORNERS COMPUTED FROM G.L.O. (Not Set on Ground)
- (NAD 83)
- LATITUDE = 40°07'29.38" (40.124828)
 LONGITUDE = 109°26'12.25" (109.436736)

SCALE 1" = 1000'	DATE SURVEYED: 06-06-02	DATE DRAWN: 06-07-02
PARTY K.S. T.A. D.COX	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE SHENANDOAH ENERGY, INC.	

SHENANDOAH ENERGY, INC.

OU GB #8W-16-8-22

LOCATED IN UINTAH COUNTY, UTAH
SECTION 16, T8S, R22E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: WESTERLY



- Since 1964 -

U E L S Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

6 11 02
MONTH DAY YEAR

PHOTO

TAKEN BY: K.S.

DRAWN BY: P.M.






REVISED: 00-00-00

SHENANDOAH ENERGY, INC.

FIGURE #2

TYPICAL CROSS SECTIONS FOR
 OU GB #8W-16-8-22
 SECTION 16, T8S, R22E, S.L.B.&M.
 1987' FNL 294' FEL


1" = 20'
 X-Section Scale
 1" = 50'
 DATE: 06-10-02
 Drawn By: D.COX



APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,260 Cu. Yds.
Remaining Location	= 3,650 Cu. Yds.
TOTAL CUT	= 4,910 CU.YDS.
FILL	= 2,360 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 2,430 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 2,430 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.



**PROPOSED LOCATION:
OU GB #8W-16-8-22**

SEE TOPO "B"

LEGEND:

○ PROPOSED LOCATION

SHENANDOAH ENERGY, INC.

**OU GB #8W-16-8-22
SECTION 16, T8S, R22E, S.L.B.&M.
1987' FNL 294' FEL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



**TOPOGRAPHIC
MAP**

6	11	02
MONTH	DAY	YEAR

SCALE: 1:100,000 DRAWN BY: P.M. REVISED: 00-00-00



R
22
E

OIL AND GAS FIELD

WRU #19-9

WRU #17-10

WRU #20-9

WRU #15-9

WRU #24-10

WRU #16-9

WRU #46-9

WRU #47-10

WRU #1-10

WRU #43-16

WRU #45-16

GBS #12-16

GBS #6-16

GBS #7-16

GBU #11-16

PROPOSED LOCATION:
OU GB #8W-16-8-22

Draw

BENCH

T8S

LEGEND:

- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- ⦿ SHUT IN WELLS
- ⊗ WATER WELLS
- ABANDONED WELLS
- ⦿ TEMPORARILY ABANDONED

SHENANDOAH ENERGY, INC.

OU GB #8W-16-8-22
SECTION 16, T8S, R22E, S.L.B.&M.
1987' FNL 294' FEL




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

6 11 02
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 1,500' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING PIPELINE
- PROPOSED PIPELINE

SHENANDOAH ENERGY, INC.

OU GB #8W-16-8-22
SECTION 16, T8S, R22E, S.L.B.&M.
1987' FNL 294' FEL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC
MAP

6 11 02
 MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: P.M. REVISED: 00-00-00



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 07/01/2002

API NO. ASSIGNED: 43-047-34660

WELL NAME: OU GB 8W-16-8-22
OPERATOR: SHENANDOAH ENERGY INC (N4235)
CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:

SENE 16 080S 220E
SURFACE: 1987 FNL 0294 FEL
BOTTOM: 1987 FNL 0294 FEL
UINTAH
KENNEDY WASH (618)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	DKD	8/05/2002
Geology		
Surface		

LEASE TYPE: 3 - State
LEASE NUMBER: ML-22049 *D.M.*
SURFACE OWNER: 3 - State
PROPOSED FORMATION: WSTC

LATITUDE: 40.12491
LONGITUDE: 109.43640

RECEIVED AND/OR REVIEWED:


- Plat
- Bond: Fed[] Ind[] Sta[3] Fee[]
(No. 159261960)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 36125)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:

- ___ R649-2-3.
** Open Bench non PA*
- Unit ' _____
- ___ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- ___ Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- ___ R649-3-11. Directional Drill

COMMENTS: Need Permit (07-23-02)

STIPULATIONS: 1- Spacing Slip
2- STATEMENT OF BASIS




OPERATOR NAME: SHENANDOAH (N4235)

SEC. 16 T8S R22E

FIELD: KENNEDY WASH (618)

COUNTY: UINTAH



Utah Oil Gas and Mining

Field Status


- ABANDONED
- ACTIVE
- COMBINED
- INACTIVE
- PROPOSED
- STORAGE
- TERMINATED
- Township.shp
- Sections

Well Status

- Gas Injection
- Gas Storage
- Location Abandoned
- Location
- Plugged
- Producing Gas
- Producing Oil
- Shut-In Gas
- Shut-In Oil
- Temporarily Abandoned
- Test Well
- Water Injection
- Water Supply
- Water Disposal

Unit Status

- EXPLORATORY
- GAS STORAGE
- NF PP OIL
- NF SECONDARY
- PENDING
- PI OIL
- PP GAS
- PP GEOTHERML
- PP OIL
- SECONDARY
- TERMINATED



Prepared By: D. Mason
Date: 3-July-2002

**DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS**

Operator Name: SHENANDOAH ENERGY, INC.
Well Name & Number: OU GB 8W-16-8-22
API Number: 43-047-34660
Location: 1/4,1/4 SE/NE Sec. 16 T. 8S R. 22E

Geology/Ground Water:

Shenandoah proposes to set 450' of surface casing at this location. The depth to the base of the moderately saline water at this location is estimated to be at 3000 feet. A search of Division of Water Rights records shows 1 water well within a 10,000 foot radius of the center of section 16. This is a shallow well which is approximately 1 ½ miles to the north. This well should not be affected by the proposed well. The surface formation at this site is the Uinta Formation. The Uinta Formation is made up of interbedded shales and sandstones. The sandstones are mostly lenticular and discontinuous and should not be a significant source of useable ground water. The proposed casing program should adequately protect any underground sources of useable water.

Reviewer: Brad Hill
Date: 07/25/2002

Surface:

The pre-drill investigation of the surface was performed on 7/23/2002. Surface and minerals are owned by State of Utah. Ed Bonner with SITLA and Floyd Bartlett with DWR were both invited to this meeting on 7/17/2002. Floyd Bartlett with DWR was present. SITLA did not have a representative present. Mr. Bartlett stated that he had no concerns regarding the construction of this location or the drilling of this well. This site appears to be the best site for a location in the immediate area. The north, east and west sides of the reserve pit must be protected with reserve pit backfill and spoils pile to keep rainwater runoff from filling pit.(As shown on Figure 1- location layout sheet).

Reviewer: David W. Hackford
Date: 7/25/2002

Conditions of Approval/Application for Permit to Drill:

None.

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: SHENANDOAH ENERGY, INC.
WELL NAME & NUMBER: OU GB 8W-16-8-22
API NUMBER: 43-047-34660
LEASE: ML-22049 **FIELD/UNIT:** GLEN BENCH
LOCATION: 1/4, 1/4 SE/NE SEC:16 TWP:8S RNG: 22E
294' F E L 1987' F N L
LEGAL WELL SITING: Statewide 400 foot window in center of 40
acre tract and no closer than 920 feet from
another well.
GPS COORD (UTM): 12633199E 4442786N
SURFACE OWNER: SITLA

PARTICIPANTS:

JAN NELSON, RAYLENE SEARLE (SHENANDOAH): FLOYD BARTLETT (DWR)
DAVID HACKFORD (DOGM).

REGIONAL/LOCAL SETTING & TOPOGRAPHY:

SITE IS IN A RELATIVELY FLAT AREA WITH ANTELOPE DRAW 500' TO THE
EAST AND ROLLING SHALE KNOLLS 400' TO THE NORTHWEST. DRAINAGE IS
TO THE SOUTHEAST.

SURFACE USE PLAN:

CURRENT SURFACE USE: WILDLIFE AND LIVESTOCK GRAZING.
HUNTING.

PROPOSED SURFACE DISTURBANCE: LOCATION WOULD BE 325' BY 240'
AND ACCESS ROAD WOULD BE 0.2 MILES. (294' IN SEC. 16)

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: SEE
ATTACHED MAP FROM GIS DATABASE

LOCATION OF PRODUCTION FACILITIES AND PIPELINES:
ALL PRODUCTION FACILITIES WILL BE ON LOCATION AND
CONSTRUCTED AFTER WELL IS DRILLED AND COMPLETED. PROPOSED
PIPELINE WILL RUN DUE WEST FOR 0.4 MILES TO THE 7W-16-8-22.

SOURCE OF CONSTRUCTION MATERIAL: ALL CONSTRUCTION MATERIAL
WILL BE BORROWED FROM SITE DURING CONSTRUCTION OF LOCATION.

ANCILLARY FACILITIES: NONE WILL BE REQUIRED.

WASTE MANAGEMENT PLAN:

DRILLED CUTTINGS WILL BE SETTLED INTO RESERVE PIT. LIQUIDS FROM PIT WILL BE ALLOWED TO EVAPORATE. FORMATION WATER WILL BE CONFINED TO STORAGE TANKS. SEWAGE FACILITIES, STORAGE AND DISPOSAL WILL BE HANDLED BY COMMERCIAL CONTRACTOR. TRASH WILL BE CONTAINED IN TRASH BASKETS AND HAULED TO AN APPROVED LAND FILL.

ENVIRONMENTAL PARAMETERS:

AFFECTED FLOODPLAINS AND/OR WETLANDS: NONE

FLORA/FAUNA: NATIVE GRASSES, GREASEWOOD, SHADSCALE, SAGE, PRICKLY PEAR: DEER, RODENTS, COYOTES, SONGBIRDS, RAPTORS, PRONGHORN.

SOIL TYPE AND CHARACTERISTICS: LIGHT GRAY SANDY CLAY.

EROSION/SEDIMENTATION/STABILITY: VERY LITTLE NATURAL EROSION. SEDIMENTATION AND STABILITY ARE NOT A PROBLEM AND LOCATION CONSTRUCTION SHOULDN'T CAUSE ANY INCREASE IN STABILITY OR EROSION PROBLEMS.

PALEONTOLOGICAL POTENTIAL: NONE OBSERVED.

RESERVE PIT:

CHARACTERISTICS: 140' BY 70' AND 8' DEEP.

LINER REQUIREMENTS (Site Ranking Form attached): A LINER WILL NOT BE REQUIRED FOR THE RESERVE PIT.

SURFACE RESTORATION/RECLAMATION PLAN:

AS PER STATE OF UTAH.

SURFACE AGREEMENT: STATE LAND.

CULTURAL RESOURCES/ARCHAEOLOGY: SITE WAS INSPECTED BY MONTGOMERY ARCHAEOLOGICAL CONSULTANTS ON 6/12/02. A REPORT OF THIS INVESTIGATION WILL BE PLACED ON FILE.

OTHER OBSERVATIONS/COMMENTS:

THE PRE-DRILL INVESTIGATION TOOK PLACE ON A HOT, SUNNY DAY.

ATTACHMENTS:

PHOTOS OF SITE WILL BE PLACED ON FILE.

DAVID W. HACKFORD
DOGM REPRESENTATIVE

07/23/2002-8:30 AM
DATE/TIME

Casing Schematic

Surface

Vintage

9-5/8"
MW 8.4
Frac 19.3

TOC @
0.

TOC @
0.
Surface
450. MD

w/20g washout

BOP

$$\frac{BHP}{(0.052)(9.5)(7625)} = 3767 \text{ psi}$$

Anticipated = 3050 psi

$$\frac{Gas}{(0.12)(7625)} = 915 \text{ psi}$$

MASP = 2852 psi

3M BOP proposed

Adequate
Dated 8/05/2002

5700'
Wichita

6525'
L. buckwaste

4-1/2"
MW 9.5

Production
7625. MD

w/15g washout

TOC @ 6282'

Well name:	08-02 Shenandoah OU GB 8W-16-8-22	
Operator:	Shenandoah Energy Inc.	Project ID:
String type:	Surface	43-047-34660
Location:	Uintah County	

Design parameters:

Collapse
 Mud weight: 8.400 ppg
 Design is based on evacuated pipe.

Minimum design factors:

Collapse:
 Design factor 1.125

Burst:
 Design factor 1.00

Environment:

H2S considered? No
 Surface temperature: 65 °F
 Bottom hole temperature: 71 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 450 ft

Cement top: **Surface**

Burst

Max anticipated surface pressure: 0 psi
 Internal gradient: 0.494 psi/ft
 Calculated BHP 222 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Tension is based on air weight.
 Neutral point: 394 ft

Non-directional string.

Re subsequent strings:

Next setting depth: 7,725 ft
 Next mud weight: 9.500 ppg
 Next setting BHP: 3,812 psi
 Fracture mud wt: 19.250 ppg
 Fracture depth: 450 ft
 Injection pressure 450 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	450	9.625	36.00	K-55	ST&C	450	450	8.765	32

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	196	2020	10.29	222	3520	15.85	16	423	26.11 J

BHP = 3723 psi
 MASP = 2852 psi

Prepared by: Dustin K. Doucet
 by: Utah Dept. of Natural Resources

Phone: 801-538-5281
 FAX: 801-359-3940

Date: August 5, 2002
 Salt Lake City, Utah

ENGINEERING STIPULATIONS:

Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	08-02 Shenandoah OU GB 8W-16-8-22	
Operator:	Shenandoah Energy Inc.	
String type:	Production	Project ID: 43-047-34660
Location:	Uintah County	

Design parameters:

Collapse
Mud weight: 9.500 ppg
Design is based on evacuated pipe.

Minimum design factors:

Collapse:
Design factor 1.125

Environment:

H2S considered? No
Surface temperature: 65 °F
Bottom hole temperature: 153 °F
Temperature gradient: 1.15 °F/100ft
Minimum section length: 1,500 ft

Burst

Max anticipated surface pressure: 0 psi
Internal gradient: 0.494 psi/ft
Calculated BHP: 3,763 psi
No backup mud specified.

Burst:
Design factor 1.00

Cement top: Surface

Tension:
8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Non-directional string.

Tension is based on air weight.
Neutral point: 6,542 ft

Run Seq	Segment Length (ft)	Collapse Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
2	1500	4.5	11.60	N-80	LT&C	1500	1500	3.875	34.8
1	6125	4.5	11.60	J-55	LT&C	7625	7625	3.875	142

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
2	740	5698	7.70	740	7780	10.51	88	223	2.52 J
1	3763	4960	1.32	3763	5350	1.42	71	162	2.28 J

Prepared by: Dustin K. Doucet
Utah Dept. of Natural Resources

Phone: 801-538-5281
FAX: 801-359-3940

Date: August 5, 2002
Salt Lake City, Utah

ENGINEERING STIPULATIONS:

Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

**Evaluation Ranking Criteria and Ranking Score
For Reserve and On-site Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>0</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>0</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	15	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>10</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	15	
TDS >10000 or Oil Base	20	
Mud Fluid containing high levels of hazardous constituents		<u>5</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>0</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility		
Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>0</u>
Final Score		<u>15</u>



DRILLING PROGRAM

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Prod. Phase Anticipated</u>
Uinta	Surface	
Green River	2479'	
Mahogany Ledge	3419'	
Wasatch	5904'	
TD (Wasatch)	7625'	

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil/Gas	Wasatch	7625'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the State of Utah form OGC-8-X is acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right #36125 or where possible a fresh water line (poly pipe) will be laid in the access road to each location to supply fresh water for drilling purposes.

DRILLING PROGRAM

3. Surface Ownership

The well pad and access road are located on lands owned by the State of Utah.

4. Operator's Specification for Pressure Control Equipment:

- A. 3,000 psi W.P. Double Gate BOP or Single Gate BOP (schematic attached)
- B. Functional test daily
- C. All casing strings shall be pressure tested (0.2 psi/foot or 1500 psi, whichever is greater) prior to drilling the plug after cementing; test pressure shall not exceed the internal yield pressure of the casing.
- D. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 70 percent of internal yield pressure of casing whichever is less. Tests shall be done at the time of installation, prior to drilling out and weekly. All tests shall be for a period of 15 minutes

5. Casing Program

	<u>Depth</u>	<u>Hole Size</u>	<u>Csg Size</u>	<u>Type</u>	<u>Weight</u>
Surface	450'	12-1/4"	9-5/8"	K-55	36lb/ft (new)ST&C
Production	7625'	7-7/8"	4-1/2"	J-55	11.6lb/ft (new)LT&C

6. Auxiliary Equipment

- A. Kelly Cock – yes
- B. Float at the bit – no
- C. Monitoring equipment on the mud system – visually
- D. Full opening safety valve on the rig floor – yes
- E. Rotating Head – yes
- F. The blooie line shall be at least 6" in diameter and extend at least 100' from the well bore into the reserve/blooie pit.

DRILLING PROGRAM

- G. Blooie line ignition shall be provided by a continuous pilot (ignited when drilling below 500').
 - H. Compressor shall be tied directly to the blooie line through a manifold.
 - I. A mister with a continuous stream of water shall be installed near the end of the blooie lines for dust suppression.
7. Surface hole will be drilled with air, air/mist, foam, or mud depending on hole conditions. Drilling below surface casing will be with water based drilling fluids consisting primarily of fresh water, bentonite, lignite, caustic, lime, soda ash and polymers. No chromates will be used. It is not intended to use oil in the mud, however, in the event it is used, oil concentration will be less than 4% by volume. Maximum anticipated mud weight is 9.5 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used from base of surface casing to TD.

Gas detector will be used from surface casing depth to TD.

8. Testing, logging and coring program

- A. Cores – none anticipated
- B. DST – none anticipated

Logging – Mud logging – 4500 to TD
GR-SP-Induction
Neutron Density
MRI

- C. Formation and Completion Interval: Wasatch interval, final determination of completion will be made by analysis of logs.
Stimulation – Stimulation will be designed for the particular area of interest as encountered.

DRILLING PROGRAM

9. Cementing Program

<u>Casing</u>	<u>Volume</u>	<u>Type & Additives</u>
Surface	257 sx	Premium Plus single slurry mixed to 15.6 ppg, yield = 1.18 cf/sx. Fill to surface with 160 cf (257 sx) calculated. Tail plug used. Allowed to set under pressure
Production	688 sx* Lead 422 sx* Tail	Lead/Tail oilfield type cement circulated in place . Tail slurry: Extended Class "G" + gilsonite and additives as required, mixed to 14.35 ppg, yield = 1.25 cf/sx. Fill to 6225' ($\pm 300'$ above top of Lower Wasatch). Cement Characteristics: Lead slurry: Extended, Lite, Hi-fill + extender and additives as required, mixed to 11.0 ppg, yield = 3.81 cf/sx. Fill to surface. Tail plug used. Allowed to set under pressure.

*Final cement volumes to be calculated from caliper log with an attempt to be made to circulate cement to the surface. A bond log will be run across the zone of interest and across zones as required by the authorized officer to insure protection of natural resources.

10. Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards

No abnormal temperatures or pressures are anticipated. No H₂S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 3050.0 psi. Maximum anticipated bottom hole temperature is 140° F.

Lessee's or Operator's Representative:

John Busch
Red Wash Operations Rep.
Shenandoah Energy Inc.
11002 East 17500 South
Vernal, Utah 84078
(435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

John Busch



John Busch
Red Wash Operations Representative

June 27, 2002

Date

Drilling Program

SCHEMATIC DIAGRAM OF 3,000 PSI BOP STACK



SHENANDOAH ENERGY INC.

11002 East 17500 South
Vernal, UT 84078
Phone: (435) 781-4300
Fax (435) 781-4329

July 29, 2002


Division of Oil, Gas & Mining
1594 W. N. Temple STE 1210
Salt Lake City, UT 84114-5801

To Whom It May Concern:

In reference to the State Oil and Gas Conservation rule R649-3-3 Shenandoah Energy Inc. OU GB 8W-16-8-22 is an exception location due to severe topography.

There are no additional lease owners with 460' of the proposed location. If you have any question please contact Raleen Searle @ (435) 781-4309.

Thank you,



Raleen Searle
Regulatory Affairs Analyst

RECEIVED

JUL 30 2002

DIVISION OF
OIL, GAS AND MINING



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
(801) 538-5340 telephone
(801) 359-3940 fax
(801) 538-7223 TTY
www.nr.utah.gov

Michael O. Leavitt
Governor
Robert L. Morgan
Executive Director
Lowell P. Braxton
Division Director

August 5, 2002

Shenandoah Energy, Inc
11002 E 17500 S
Vernal, UT 84078

Re: Over and Under Glen Bench 8W-16-8-22 Well, 1987' FNL, 294' FEL, SE NE, Sec. 16,
T. 8 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34660.

Sincerely,


for John R. Baza
Associate Director

pb

Enclosures

cc: Uintah County Assessor
SITLA

Operator: Shenandoah Energy, Inc
Well Name & Number Over and Under Glen Bench 8W-16-8-22
API Number: 43-047-34660
Lease: ML-22049

Location: SE NE **Sec.** 16 **T.** 8 South **R.** 22 East

Conditions of Approval

1. **General**
Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.
2. **Notification Requirements**
The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:
 - 24 hours prior to cementing or testing casing
 - 24 hours prior to testing blowout prevention equipment
 - 24 hours prior to spudding the well
 - within 24 hours of any emergency changes made to the approved drilling program
 - prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

 - Dan Jarvis at (801) 538-5338
 - Carol Daniels at (801) 538-5284 (spud)
3. **Reporting Requirements**
All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.
4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.
5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)
6. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

OPERATOR CHANGE WORKSHEET

1. GLH
2. CDW
3. FILE

008

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 2/1/2003	
FROM: (Old Operator): N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	TO: (New Operator): N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
SU 4W-26-7-21	26	070S	210E	4304734408		Federal	GW	APD	C
WV 10W-35-7-21	35	070S	210E	4304734397		Federal	GW	APD	C
WV EXT 10W-17-8-21	17	080S	210E	4304734561	13744	Federal	GW	P	C
STIRRUP U 8W-5-8-22	05	080S	220E	4304734453		Federal	GW	APD	C
STIRRUP U 6W-5-8-22	05	080S	220E	4304734454		Federal	GW	APD	C
STIRRUP U 7G-5-8-22	05	080S	220E	4304734609		Federal	OW	APD	C
STIRRUP U 9G-5-8-22	05	080S	220E	4304734610		Federal	OW	APD	C
WV 16G-6-8-22	06	080S	220E	4304734404		Federal	OW	APD	C
STIRRUP U 12W-6-8-22	06	080S	220E	4304734449		Federal	GW	APD	C
STIRRUP U 10W-6-8-22	06	080S	220E	4304734451		Federal	GW	APD	C
STIRRUP U 9G-6-8-22	06	080S	220E	4304734611		Federal	OW	APD	C
OU GB 11W-15-8-22	15	080S	220E	4304734648	13822	Federal	GW	DRL	C
OU GB 10W-16-8-22	16	080S	220E	4304734616		State	GW	APD	C
OU GB 14W-16-8-22	16	080S	220E	4304734619		State	GW	APD	C
OU GB 16W-16-8-22	16	080S	220E	4304734655	13815	State	GW	DRL	C
OU GB 1W-16-8-22	16	080S	220E	4304734656		State	GW	APD	C
OU GB 8W-16-8-22	16	080S	220E	4304734660	13769	State	GW	DRL	C
OU GB 8W-17-8-22	17	080S	220E	4304734647		Federal	GW	APD	C
OU GB 16W-20-8-22	20	080S	220E	4304734633		Federal	GW	APD	C
OU WIH 15W-21-8-22	21	080S	220E	4304734634		Federal	GW	APD	C

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- 1. Changes entered in the Oil and Gas Database on: 9/11/2003
- 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/11/2003
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

- 1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033
- 2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3106
(UT-924)


July 21, 2003

Memorandum

To: Vernal Field Office
From: **ACTING** Chief, Branch of Minerals Adjudication
Subject: Name Change Approval

Attached is an approved copy of the name change from BLM-Eastern States, which is recognized by the Utah State Office. We have updated our records to reflect:

The name change from Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated is effective July 23, 1999. The BLM Bond Number is ESB000024.


Mary Higgins
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Eastern States Letter
2. List of leases

cc: MMS, James Sykes, PO Box 25165, M/S 357 B1, Denver CO 80225
State of Utah, DOGM, Earlene Russell (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

RECEIVED

JUL 29 2003

DIV. OF OIL, GAS & MINING

Exhibit of Leases

UTSL-065342	UTU-0825	UTU-65472	UTU-74971
UTSL-065429	UTU-0826	UTU-65632	UTU-74972
UTSL-066409-A	UTU-0827	UTU-67844	UTU-75079
UTSL-066446	UTU-0828	UTU-68217	UTU-75080
UTSL-066446-A	UTU-0829	UTU-68218	UTU-75081
UTSL-066446-B	UTU-0830	UTU-68219	UTU-75082
UTSL-066791	UTU-0933	UTU-68220	UTU-75083
UTSL-069330	UTU-0971	UTU-68387	UTU-75084
UTSL-070932-A	UTU-0971-A	UTU-68620	UTU-75085
UTSL-071745	UTU-01089	UTU-69001	UTU-75086
UTSL-071963	UTU-02025	UTU-70853	UTU-75087
UTSL-071964	UTU-02030	UTU-70854	UTU-75088
UTSL-071965	UTU-02060	UTU-70855	UTU-75102
	UTU-02148	UTU-70856	UTU-75103
UTU-046	UTU-02149	UTU-71416	UTU-75116
UTU-055	UTU-02510-A	UTU-72066	UTU-75243
UTU-057	UTU-09613	UTU-72109	UTU-75503
UTU-058	UTU-09617	UTU-72118	UTU-75678
UTU-059	UTU-09809	UTU-72598	UTU-75684
UTU-080	UTU-011225-B	UTU-72634	UTU-76278
UTU-081	UTU-011226	UTU-72649	UTU-75760
UTU-082	UTU-011226-B	UTU-73182	UTU-75939
UTU-093	UTU-012457	UTU-73443	UTU-76039
UTU-0116	UTU-012457-A	UTU-73456	UTU-76482
UTU-0558	UTU-018260-A	UTU-73680	UTU-76507
UTU-0559	UTU-022158	UTU-73681	UTU-76508
UTU-0560	UTU-025960	UTU-73684	UTU-76721
UTU-0561	UTU-025962	UTU-73686	UTU-76835
UTU-0562	UTU-025963	UTU-73687	UTU-77063
UTU-0566	UTU-029649	UTU-73698	UTU-77301
UTU-0567	UTU-65471	UTU-73699	UTU-77308
UTU-0568	UTU-65472	UTU-73700	UTU-78021
UTU-0569	UTU-103144	UTU-73710	UTU-78028
UTU-0570	UTU-140740	UTU-73914	UTU-78029
UTU-0571	UTU-14219	UTU-73917	UTU-78214
UTU-0572	UTU-14639	UTU-74401	UTU-78215
UTU-0629	UTU-16551	UTU-74402	UTU-78216
UTU-0802	UTU-28652	UTU-74407	UTU-80636
UTU-0803	UTU-42050	UTU-74408	UTU-80637
UTU0804	UTU-43915	UTU-74419	UTU-80638
UTU0805	UTU-43916	UTU-74493	UTU-80639
UTU0806	UTU-43917	UTU-74494	UTU-80640
UTU0807	UTU-43918	UTU-74495	
UTU0809	UTU-56947	UTU-74496	
UTU0810	UTU-65276	UTU-74836	
UTU-0823	UTU-65404	UTU-74842	
UTU-0824	UTU-65471	UTU-74968	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No. ML-22049
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.
8. Well Name and No. OU GB 8W 16 8 22
9. API Well No. 43-047-34660
10. Field and Pool, or Exploratory KENNEDY WASH
11. County or Parish, and State UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

CONFIDENTIAL

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	Contact: STEPHANIE TOMKINSON E-Mail: stephanie.tomkinson@questar.com
2. Name of Operator QEP UINTA BASIN INC.	
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4308 Ext: 4308 Fx: 435.781.4329
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 16 T8S R22E SENE 1987FNL 294FEL	

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

THIS WELL WAS NEVER BROUGHT ONTO PRODUCTION AND IS CURRENTLY SHUT IN. WE REQUEST A TA STATUS WHILE WE REVIEW FOR UPHOLE POTENTIAL IN THE NEXT 12 MONTHS.

CC: UT DOGM

In accordance with R649-3-36, the well may remain shut-in or temporarily abandoned for up to 12 consecutive months. This well may remain shut-in until June 1, 2004, at which time the operator shall file a Sundry Notice providing the information specified in R649-3-36.

ACCEPTED BY: [Signature] April 14, 2004
Utah Division of Oil, Gas and Mining

14. I hereby certify that the foregoing is true and correct. Electronic Submission #28678 verified by the BLM Well Information System For QEP UINTA BASIN INC., sent to the Vernal	
Name (Printed/Typed) STEPHANIE TOMKINSON	Title REGULATORY AFFAIRS TECHNICIAN
Signature <u>[Signature]</u> (Electronic Submission)	Date 03/08/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title COPY SENT TO OPERATOR	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Date: <u>4-15-04</u> Initials: <u>CHO</u>	Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED** **RECEIVED**

MAR 10 2004

SEI (N4235) to QEP (N2460)

well name	Sec	T	R	api DOGM	Entity	type	stat	
WV 14W-4-8-21	04	080S	210E	4304734040		Federal	GW	APD C
WV 16W-4-8-21	04	080S	210E	4304734041		Federal	GW	APD C
WV 5W-36-7-21	36	070S	210E	4304734099	13807	State	GW	DRL C
WV 16W-31-7-22	31	070S	220E	4304734257		Federal	GW	APD C
RED WASH 16W-19-7-22	19	070S	220E	4304734258		Federal	GW	APD C
WV 9W-16-7-21	16	070S	210E	4304734324		State	GW	APD
GH 6W-20-8-21	20	080S	210E	4304734331		Federal	GW	APD C
WV 10W-23-8-21	23	080S	210E	4304734341	13766	Federal	GW	PA C
WV 11W-23-8-21	23	080S	210E	4304734342		Federal	GW	APD C
WV 13W-23-8-21	23	080S	210E	4304734344		Federal	GW	APD C
WV 14W-23-8-21	23	080S	210E	4304734345		Federal	GW	APD C
WV 15W-23-8-21	23	080S	210E	4304734346		Federal	GW	APD C
WV 7W-31-7-22	31	070S	220E	4304734379		Federal	GW	APD C
WV 9W-30-7-22	30	070S	220E	4304734381		Federal	GW	APD C
WV 10W-25-7-21	25	070S	210E	4304734382		Federal	GW	APD C
WV 10W-26-7-21	26	070S	210E	4304734383		Federal	GW	APD C
WV 14W-30-7-22	30	070S	220E	4304734384	13750	Federal	GW	DRL C
WV 15W-27-7-21	27	070S	210E	4304734385		Federal	GW	APD C
GH 8W-20-8-21	20	080S	210E	4304734393		Federal	GW	APD C
SU PURDY 3W-30-7-22	30	070S	220E	4304734394		Federal	GW	APD C
STIRRUP UNIT 10G-5-8-22	05	080S	220E	4304734396		Federal	OW	APD C
WV 10W-35-7-21	35	070S	210E	4304734397		Federal	GW	APD C
WV 16G-6-8-22	06	080S	220E	4304734404		Federal	OW	APD C
SU 4W-26-7-21	26	070S	210E	4304734408		Federal	GW	APD C
STIRRUP U 12W-6-8-22	06	080S	220E	4304734449		Federal	GW	APD C
STIRRUP U 10W-6-8-22	06	080S	220E	4304734451		Federal	GW	APD C
STIRRUP U 8W-5-8-22	05	080S	220E	4304734453		Federal	GW	APD C
STIRRUP U 6W-5-8-22	05	080S	220E	4304734454		Federal	GW	APD C
WV EXT 10W-17-8-21	17	080S	210E	4304734561	13744	Federal	GW	P C
STIRRUP U 7G-5-8-22	05	080S	220E	4304734609		Federal	OW	APD C
STIRRUP U 9G-5-8-22	05	080S	220E	4304734610		Federal	OW	APD C
STIRRUP U 9G-6-8-22	06	080S	220E	4304734611		Federal	OW	APD C
OU GB 10W-16-8-22	16	080S	220E	4304734616		State	GW	APD C
OU GB 14W-16-8-22	16	080S	220E	4304734619		State	GW	APD C
OU GB 16W-20-8-22	20	080S	220E	4304734633		Federal	GW	APD C
OU WIH 15W-21-8-22	21	080S	220E	4304734634		Federal	GW	APD C
OU GB 8W-17-8-22	17	080S	220E	4304734647		Federal	GW	APD C
OU GB 11W-15-8-22	15	080S	220E	4304734648	13822	Federal	GW	DRL C
OU GB 16W-16-8-22	16	080S	220E	4304734655	13815	State	GW	DRL C
OU GB 1W-16-8-22	16	080S	220E	4304734656		State	GW	APD C
OU GB 8W-16-8-22	16	080S	220E	4304734660	13769	State	GW	DRL C
OU GB 3W-15-8-22	15	080S	220E	4304734677		Federal	GW	APD C
OU GB 4W-21-8-22	21	080S	220E	4304734685	13772	Federal	GW	P C
OU WIH 2W-21-8-22	21	080S	220E	4304734687	13837	Federal	GW	PA C
OU GB 9W-16-8-22	16	080S	220E	4304734692		State	GW	APD C
OU WIH 1W-21-8-22	21	080S	220E	4304734693		Federal	GW	APD C
OU GB 7G-19-8-22	19	080S	220E	4304734694		Federal	OW	APD C
OU GB 5G-19-8-22	19	080S	220E	4304734695	13786	Federal	OW	P C
OU GB 8W-20-8-22	20	080S	220E	4304734706		Federal	GW	APD C
OU SG 14W-15-8-22	15	080S	220E	4304734710	13821	Federal	GW	DRL C
OU SG 15W-15-8-22	15	080S	220E	4304734711	13790	Federal	GW	DRL C
OU SG 16W-15-8-22	15	080S	220E	4304734712	13820	Federal	GW	DRL C
OU SG 4W-15-8-22	15	080S	220E	4304734713	13775	Federal	GW	DRL C
OU SG 12W-15-8-22	15	080S	220E	4304734714	13828	Federal	GW	DRL C
OU SG 5W-15-8-22	15	080S	220E	4304734715		Federal	GW	APD C
OU SG 6W-15-8-22	15	080S	220E	4304734716	13865	Federal	GW	PA C
OU SG 8W-15-8-22	15	080S	220E	4304734717	13819	Federal	GW	DRL C

SEI (N4235) to QEP (N2460)

well name	Sec	T	R	api DOGM	Entity	type	stat	
OU SG 9W-15-8-22	15	080S	220E	4304734718	13773	Federal	GW	P C
OU SG 1W-15-8-22	15	080S	220E	4304734720		Federal	GW	APD C
OU SG 2W-15-8-22	15	080S	220E	4304734721		Federal	GW	APD C
OU SG 7W-15-8-22	15	080S	220E	4304734722		Federal	GW	APD C
GYP SUM HILLS 13HG-17-8-22	17	080S	210E	4304734723	13765	Federal	GW	DRL C
OU GB 14SG-29-8-22	29	080S	220E	4304734743		Federal	GW	APD C
OU GB 16SG-29-8-22	29	080S	220E	4304734744	13771	Federal	GW	DRL C
OU GB 13W-10-8-22	10	080S	220E	4304734754	13774	Federal	GW	P C
OU GB 6W-21-8-22	21	080S	220E	4304734755	13751	Federal	GW	P C
OU SG 10W-10-8-22	10	080S	220E	4304734764		Federal	GW	DRL C
OU SG 15W-10-8-22	10	080S	220E	4304734765	13849	Federal	GW	DRL C
OU GB 14W-10-8-22	10	080S	220E	4304734768	13781	Federal	GW	P C
OU SG 16W-10-8-22	10	080S	220E	4304734784	13777	Federal	GW	P C
OU GB 15G-16-8-22	16	080S	220E	4304734829		State	OW	DRL
BASER WASH 6W-7-7-22	07	070S	220E	4304734837		Federal	GW	APD C
GB 5G-15-8-22	15	080S	220E	4304734876		Federal	OW	APD C
GB 4G-21-8-22	21	080S	220E	4304734882		Federal	OW	APD C
W IRON HORSE 2W-28-8-22	28	080S	220E	4304734883		Federal	GW	APD C
OU GB 8WX-29-8-22	29	080S	220E	4304734884		Federal	GW	APD C
GB 7W-36-8-21	36	080S	210E	4304734893		State	GW	APD
GB 3W-36-8-21	36	080S	210E	4304734894	13791	State	GW	DRL
NC 8M-32-8-22	32	080S	220E	4304734897		State	GW	APD
NC 3M-32-8-22	32	080S	220E	4304734899		State	GW	APD
N DUCK CREEK 3M-27-8-22	27	080S	210E	4304734900		Federal	GW	APD C
N DUCK CREEK 9M-22-8-22	22	080S	210E	4304734901		Federal	GW	APD C
N DUCK CREEK 11M-22-8-22	22	080S	210E	4304734902		Federal	GW	APD C
NDC 10W-25-8-21	25	080S	210E	4304734923		Federal	GW	APD C
GB 5W-36-8-21	36	080S	210E	4304734925	13808	State	GW	DRL
GB 4W-36-8-21	36	080S	210E	4304734926		State	GW	APD
WV EXT 1W-17-8-21	17	080S	210E	4304734927		Federal	GW	APD C
WV EXT 8W-17-8-21	17	080S	210E	4304734929	13792	Federal	GW	DRL C
NDC 11M-27-8-21	27	080S	210E	4304734952	13809	Federal	GW	DRL C
NDC 9M-27-8-21	27	080S	210E	4304734956		Federal	GW	APD C
NDC 1M-27-8-21	27	080S	210E	4304734957		Federal	GW	APD C
NDC 15M-28-8-21	28	080S	210E	4304734958		Federal	GW	APD C
NC 11M-32-8-22	32	080S	220E	4304735040		State	GW	NEW
RED WASH U 34-27C	27	070S	240E	4304735045		Federal	GW	APD C
WRU EIH 10W-35-8-22	35	080S	220E	4304735046	13544	Federal	GW	DRL C
WRU EIH 9W-26-8-22	26	080S	220E	4304735047		Federal	GW	APD C
WRU EIH 15W-26-8-22	26	080S	220E	4304735048		Federal	GW	APD C
WRU EIH 1W-35-8-22	35	080S	220E	4304735049		Federal	GW	APD C
WRU EIH 9W-35-8-22	35	080S	220E	4304735050		Federal	GW	APD C
WRU EIH 7W-35-8-22	35	080S	220E	4304735051		Federal	GW	APD C
WRU EIH 2W-35-8-22	35	080S	220E	4304735052		Federal	GW	APD C

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

005

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
ML-22049

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
OU GB 8W 16-8-22

9. API Well No.
43-047-34660

10. Field and Pool, or Exploratory
KENNEDY WASH

11. County or Parish, and State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

CONFIDENTIAL

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
SHENANDOAH ENERGY
Contact: DAHN F. CALDWELL
E-Mail: Dahn.Caldwell@questar.com

3a. Address
11002 E. 17500 S.
VERNAL, UT 84078

3b. Phone No. (include area code)
Ph: 435.781.4342
Fx: 435.781.4357

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 16 T8S R22E SENE 1987FNL 294FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Well Spud
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	


13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This well was spud on 4/08/03. Drill 12 1/4" hole to 475'KB. Ran 10 joints 9-5/8" 36# csg to 461'KB.

RECEIVED
APR 16 2003
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #20520 verified by the BLM Well Information System For SHENANDOAH ENERGY, sent to the Vernal

Name (Printed/Typed) DAHN F. CALDWELL Title AUTHORIZED REPRESENTATIVE

Signature  Date 04/14/2003

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

CONFIDENTIAL

007

State of Utah
Division of Oil, Gas and Mining

OPERATOR ACCT. No. N-4235

OPERATOR: **Shenandoah Energy, Inc.**
ADDRESS: **11002 East 17500 South
Vernal, Utah 84078-8526**

(435)781-4300

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
A	99999	13769	43-047-34660	OUGB 8W 16 8 22	SENE	16	8S	22E	Uintah	4/08/03	4/30/03

WELL 1 COMMENTS:
New well to be drilled outside the Glen Bench Unit (Kennedy Wash) & is not in a participating area.

CONFIDENTIAL

WELL 2 COMMENTS:


WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)


Signature

Clerk Specialist 4/14/03
Title Date

Phone No. (435) 781-4342

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

RECEIVED

CONFIDENTIAL

APR 17 2003

DIV. OF OIL, GAS & MINING

006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML-22049

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
N/A

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
N/A

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
OU GB 8W-16-8-22

2. NAME OF OPERATOR:
SHENANDOAH ENERGY INC

9. API NUMBER:
4304734660

3. ADDRESS OF OPERATOR:
11002 E. 17500 S. CITY VERNAL STATE UT ZIP 84078

PHONE NUMBER:
(435) 781-4300

10. FIELD AND POOL, OR WLD/CAT:
KENNEDY WASH

4. LOCATION OF WELL
FOOTAGES AT SURFACE: 1987' FNL, 294' FEL

COUNTY: UINTAH

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 16 8S 39E 21E S

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Per Verbal Approval of David Hackford with the Division of Oil, Gas and Mining Shenandoah Energy Inc. ran 5 1/2" production casing instead of the 4 1/2" which was originally approved on April 26,2003. Please refer to the casing detail for the drilling report below:

Ran 123 joints of 5 1/2" 15.5# casing. Land shoe at 6320. Float at 6229. Marker collar at 4809. Cement with 425 sacks HiFill MOD lead and 245 sacks 50/50 POPZ tail cement brought top of tail to 4500'. Lost circulation at the beginning of displacement. Plug down at 0021 hours float held.

5/1/2003

NAME (PLEASE PRINT) Rabeen Seale TITLE Regulatory Affairs Analyst
SIGNATURE Rabeen Seale DATE 5/1/2003

(This space for State use only)

RECEIVED
MAY 02 2003

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

CONFIDENTIAL

009

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL OIL WELL GAS WELL DRY WELL Other _____

b. TYPE OF COMPLETION NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other _____

CONFIDENTIAL PERIOD EXPIRED ON 6-21-04

2. NAME OF OPERATOR QEP Uinta Basin, Inc.

3. ADDRESS OF OPERATOR 11002 E. 17500 S. VERNAL, UT 84078-8526 435-781-4342 Dana Caldwell

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface SENE S16-T8S-R22E - 1987' FNL, 294' FEL
At top rod. interval reported below SENE S16-T8S-R22E - 1987' FNL, 294' FEL
At total depth SENE S16-T8S-R22E - 1987' FNL, 294' FEL

5. LEASE DESIGNATION AND SERIAL NO. ML-22049

6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A

7. UNIT AGREEMENT NAME N/A

8. FARM OR LEASE NAME OU GB 8W 16 8 22

9. WELL NO. API - 43-047-34660

10. FIELD AND POOL, OR WILDCAT KENNEDY WASH

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec 16 T8S R22E Mer SLB

14. PERMIT NO. DATE ISSUED 12. COUNTY OR PARISH Uintah 13. STATE UT

15. DATE SPURRED 4/08/03 16. DATE T.D. REACHED 4/23/03 17. DATE COMPL. (Ready to prod.) SI on 5/21/03 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* KB 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 7625' 21. PLUG BACK T.D., MD & TVD 5229' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* N/A - TA Status

25. WAS DIRECTIONAL SURVEY MADE No

MAR 02 2004

26. TYPE ELECTRIC AND OTHER LOGS RUN CBL, AI w/ LC/GR, Compensated Neutron TLD/GR

27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9.625	36.0	461'	12-1/4	175 sxs	
5.50	15.5	5320'	7.875	670 sxs	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	2215'	

31. PERFORATION RECORD (Interval, size and number)

2704' - 2716' - Upper Green River
2516' - 2524' - Uinta
2494' - 2500' - Uinta
2282' - 2288' - Uinta
1630' - 1648' - Uinta

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2704' - 2716'	Acidize w/ 1,100 gals 7-1/2% HCL
3430' - 3444'	Acidize w/ 1,000 gals 7-1/2% HCL

33.* PRODUCTION

DATE FIRST PRODUCTION N/A PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) N/A WELL STATUS (Producing or shut-in) TA

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
N/A	0			0	0	0	

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF	WATER—BBL.	OIL GRAVITY-API (CORR.)
0	0					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) N/A TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Jim Simonten (WIS is Down - manual copy) TITLE Completion Manager DATE 2/20/04

(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the

CONFIDENTIAL

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS
OU GB 8W 16-8-22

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Uinta	Surface		<p>CONFIDENTIAL</p> <p>05/21/03 – Well is SI indefinitely for further evaluation. TA Status.</p>	Uinta	Surface	
Green River	2451			Green River	2451	
Mahogany	3391			Mahogany	3391	
G1 Lime	N/A			G1 Lime	N/A	
Wasatch	5861			Wasatch	5861	
TD	7625		TD	7625		

FIELD: KENNEDY WASH

4866'

KBE: 4881'

Spud Date: 4/08/03 Completion Date: si ON 5/21/03 Waiting on Further Eval

Well: OU GB 8W 16 8 22

TD: 7625'

PBTD: 5229'

Current Well Status: SI

Location: SENE S16-T8S-R22E
1987' FNL, 294' FEL
Uintah County, Utah

API#: 43-047-34660


Reason for Pull/Workover:
Initial Completion of Gas Well

CONFIDENTIAL

Wellbore Schematic

Surface casing
Size: 9-5/8"
Weight: 36#
Grade: K-55
Cmtd w/ 175 Sxs Type 5

Hole size: 12-1/4"
Set @ 461' KB



TOC @ 930'

EXCLUDED PERFS

OPEN PERFS

1630' - 1648' Uinta

F Nipple @ 2214
EOT @ 2215

2282' - 2288' Uinta
2294' - 2500' Uinta

2516' - 2524' Uinta

2704' - 2716' Upper Grn Rvr

PBTD @ 5229'

TD @ 7625'

Production Casing

Size: 5-1/2"
Weight: 15.5#
Grade: J-55
Cmtd w/ 670 sxs cmt
Set @ 5320'
Hole size: 7-7/8"

Tubing Landing Detail:

Description	Size	Footage	Depth
KB		15.00	15.00
Tbg Hnager 2-3/8" 8rd Top & Btm		0.56	15.56
2-7/8" x 2-3/8" x over 8rd Top & Bt		0.32	15.88
68 Jts of 2-7/8" Tbg 8rd J-55		2,197.99	2,213.87
2-7/8" S-Nipple 2-7/8" S-Nipple		1.10	2,214.97
			2,214.97
EOT @			2,214.97

TUBING INFORMATION

Condition:

New: X Used: Rerun:

Grade: J-55 8rd

Weight (#/ft): 6.5#

Sucker Rod Detail:

Size	#Rods	Rod Type

Rod Information

Condition:

New: Used: Rerun:

Grade:

Manufacture:

Pump Information:

API Designation

Example: 25 x 150 x RHAC X 20 X 6 X 2

Pump SN#: Original Run Date:

RERUN NEW RUN

ESP Well	Flowing Well
Cable Size:	SN @ 16'
Pump Intake @	PKR @
End of Pump @	EOT @ 2215'

Wellhead Detail: Example: 7-1/16" 3000#

Other:
Hanger: Yes X No

SUMMARY

Initial Completion: 5/05/03 - 05/21/03

Ran CBL/VOL/GR logs - Correlated log to Schlumberger Compensated Neutron Log dated 4/24/03. RTH w/ 2-7/8" tbg to 4050'. Perforate Upper Green River interval 2704' - 2716'. Could not tell a final fluid level. No blow at surface. Set pkr @ 2666'. Acidize Upper Green River perfs 2704' - 2716' down 2-7/8" tbg with 1188 gals of 7-1/2% HCl acid with additives and flush with 20 bbls of 2% KCl water. Release pkr @ 2666'. Set a 5-1/2" CBP @ 2630'. Perforate Uinta intervals 2516' - 2524' & 2404' - 2500'. RTH w/ 5-1/2" ret pkr and set @ 2440'. Acidize perfs 2516' - 2524' & 2404' - 2500' down 2-7/8" tbg w/ 1000 gals of 7-1/2% HCl with additives and flushed with 20 bbls of 2% KCl water. No pressure during the entire job at a rate of 3-4 BPM. ISIP = 0#.

Release pkr @ 2440'. Set a 5-1/2" CBP @ 2470'. Perforate Uinta interval 2282' - 2288'. RTH w/ ret pkr & tbg and set pkr @ 2311' and tested plug to 2000# and held OK. Reset pkr @ 2246'. Breakdown perfs 2282' - 2288' down tbg by loading tbg with 8 bbls of water and obtaining break at 2200# and pumping additional 10 bbls of 2% KCl at 1-1/2 BPM at 1000-1300# with ISIP = 0#. POOH w/ pkr and tbg and lay down the pkr. RTH w/ tbg and tag CBP at 2200'. Pull tbg tail to 2215' after laying down the remaining tbg in the derrick. Land tbg on hanger which consists of 68 jts of 2-7/8" tbg, NB BOPs and NU WH. SI well. Suspend completion of the well. Final report of operations pending review of well.

5/21/03 - WELL IS SI INDEFINITELY FOR FURTHER EVALUATION - TA STATUS.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING


FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 22049
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: OU GB 8W 16 8 22	
2. NAME OF OPERATOR: Questar Expl. and Prod. Inc.	kirk.fleetwood@questar.com	9. API NUMBER: 4304734660
3. ADDRESS OF OPERATOR: 11002 E. 17500 S. CITY: VERNAL STATE: UT ZIP: 84078-8526	PHONE NUMBER:	10. FIELD AND POOL, OR W/LDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1987' FNL, 294' FEL, SECTION 16, T8S, R22E, SLBM		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input checked="" type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
1. Drill out composite bridge plugs at 2260', 2470' and 2630'
 2. Perforate the Glen Bench SS at 5014'-5020'
 3. Breakdown new prefs with 750 gallons 15% HCL
 4. RIH with tubing and packer. Set packer at 4950' and end of tubing at 5070'
 5. RIH with rods and pump
 6. Place well on production



NAME (PLEASE PRINT) <u>Kirk Fleetwood</u>	TITLE <u>Production Engineer</u>
SIGNATURE <u><i>Kirk Fleetwood</i></u>	DATE <u>1/9/2006</u>

(This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

[Signature]
(See Instructions on Reverse Side)

RECEIVED
JAN 10 2006
DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.

Unit:

WELL NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS		*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 6W-25-8-21	GB 6W-25-8-21	SENW	25	080S	210E	4304734121	13440	fee	GW	P
GB 7W-25-8-21	GB 7W-25-8-21	SWNE	25	080S	210E	4304734122	13436	fee	GW	P
GB 11W-30-8-22	OU GB 11W 30 8 22	NESW	30	080S	220E	4304734392	13433	fee	GW	P
UTAH STATE 1	STATE 1	NENE	36	070S	240E	4304715128	5878	State	GW	P
KAYE STATE 1-16	KAYE STATE 1-16	NWNW	16	100S	230E	4304730609	5395	State	GW	P
TOLL STATION ST 8-36-8-21	TOLL STATION ST 8-36-8-21	SENE	36	080S	210E	4304732724	12361	State	GW	S
GLEN BENCH ST 8A-36-8-21	GB 8A 36 8 21	SENE	36	080S	210E	4304733037	12377	State	GW	P
GLEN BENCH ST 6-36-8-21	GB 6 36 8 21	SENW	36	080S	210E	4304733038	12378	State	GW	P
GLEN BENCH ST 2-36-8-21	GB 2 36 8 21	NWNE	36	080S	210E	4304733252	12527	State	GW	P
GH 1W-32-8-21	GH 1W-32-8-21	NENE	32	080S	210E	4304733570	12797	State	GW	P
GH 3W-32-8-21	GH 3W-32-8-21	NENW	32	080S	210E	4304733571	12796	State	GW	P
GH 5W-32-8-21	GH 5W-32-8-21	SWNW	32	080S	210E	4304733572	12828	State	GW	P
GH 7W-32-8-21	GH 7W-32-8-21	SWNE	32	080S	210E	4304733573	12872	State	GW	P
GH 2W-32-8-21	GH 2W-32-8-21	NWNE	32	080S	210E	4304733744	13029	State	GW	P
GH 4W-32-8-21	GH 4W-32-8-21	NWNW	32	080S	210E	4304733745	13035	State	GW	P
GH 8W-32-8-21	GH 8W-32-8-21	SENE	32	080S	210E	4304733746	13030	State	GW	P
GB 3W-16-8-22	OU GB 3W 16 8 22	NENW	16	080S	220E	4304733751	13577	State	GW	P
GB 5W-16-8-22	OU GB 5W 16 8 22	SWNW	16	080S	220E	4304733752	13570	State	GW	P
GH 6W-32-8-21	GH 6W-32-8-21	SENW	32	080S	210E	4304733753	13036	State	GW	P
GB 11W-16-8-22	OU GB 11W 16 8 22	NESW	16	080S	220E	4304733754	13582	State	GW	P
GH 5G-32-8-21	GH 5G-32-8-21	SWNW	32	080S	210E	4304733866	13037	State	OW	P
GB 1W-36-8-21	GB 1W-36-8-21	NENE	36	080S	210E	4304733944	13439	State	GW	P
WV 7W-36-7-21	WV 7W-36-7-21	SWNE	36	070S	210E	4304734065	13334	State	GW	TA
WV 9W-36-7-21	WV 9W-36-7-21	NESE	36	070S	210E	4304734066	13331	State	GW	TA
WV 9W-16-7-21	WV 9W-16-7-21	NESE	16	070S	210E	4304734324		State	GW	LA
OU GB 4W-16-8-22	OU GB 4W-16-8-22	NWNW	16	080S	220E	4304734598	13579	State	GW	P
OU GB 10W-16-8-22	OU GB 10W-16-8-22	NWSE	16	080S	220E	4304734616		State	GW	LA
OU GB 12W-16-8-22	OU GB 12W-16-8-22	NWSW	16	080S	220E	4304734617	13697	State	GW	P
OU GB 13W-16-8-22	OU GB 13W-16-8-22	SWSW	16	080S	220E	4304734618	13611	State	GW	P
GB 14MU-16-8-22	GB 14MU-16-8-22	SESW	16	080S	220E	4304734619	14196	State	GW	P
OU GB 15W-16-8-22	OU GB 15W-16-8-22	SWSE	16	080S	220E	4304734622	13595	State	GW	P
OU GB 16W-16-8-22	OU GB 16W-16-8-22	SESE	16	080S	220E	4304734655	13815	State	GW	P
OU GB 2W-16-8-22	OU GB 2W-16-8-22	NWNE	16	080S	220E	4304734657	13721	State	GW	P
OU GB 6W-16-8-22	OU GB 6W-16-8-22	SENW	16	080S	220E	4304734658	13592	State	GW	P
OU GB 8W-16-8-22	OU GB 8W-16-8-22	SENE	16	080S	220E	4304734660	13769	State	GW	TA
OU GB 9W-16-8-22	OU GB 9W-16-8-22	NESE	16	080S	220E	4304734692		State	GW	LA
OU GB 15G-16-8-22	OU GB 15G-16-8-22	SWSE	16	080S	220E	4304734829	13777	State	OW	S
GB 7MU-36-8-21	GB 7MU-36-8-21	SWNE	36	080S	210E	4304734893	14591	State	GW	P
GB 3W-36-8-21	GB 3W-36-8-21	NENW	36	080S	210E	4304734894	13791	State	GW	P
NC 8M-32-8-22	NC 8M-32-8-22	SENE	32	080S	220E	4304734897		State	GW	LA
NC 3M-32-8-22	NC 3M-32-8-22	NENW	32	080S	220E	4304734899		State	GW	LA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 5W-36-8-21	GB 5W-36-8-21	SWNW	36	080S	210E	4304734925	13808	State	GW	P
GB 4MU-36-8-21	GB 4MU-36-8-21	NWNW	36	080S	210E	4304734926	14589	State	GW	P
NC 11M-32-8-22	NC 11M-32-8-22	NESW	32	080S	220E	4304735040		State	GW	LA
GB 5SG-36-8-21	GB 5SG-36-8-21	SWNW	36	080S	210E	4304735155	14015	State	GW	P
SC 13ML-16-10-23	SC 13ML-16-10-23	SWSW	16	100S	230E	4304735281	14036	State	GW	P
SC 3M-16-10-23	SC 3ML 16 10 23	NENW	16	100S	230E	4304735282	14014	State	GW	P
SC 11ML-16-10-23	SC 11ML-16-10-23	NESW	16	100S	230E	4304735311	14035	State	GW	P
BB E 15G-16-7-21	BBE 15G 16 7 21	SWSE	16	070S	210E	4304735408	14070	State	OW	P
WH 13G-2-7-24	WH 13G-2-7-24	SWSW	02	070S	240E	4304735484	14176	State	GW	TA
FR 9P-36-14-19	FR 9P-36-14-19	NWSW	31	140S	200E	4304735880	14310	State	GW	S
CB 13G-36-6-20	CB 13G-36-6-20	SWSW	36	060S	200E	4304735969		State	OW	LA
WH 2G-2-7-24	WH 2G-2-7-24	NWNE	02	070S	240E	4304736259		State	GW	APD
WH 4G-2-7-24	WH 4G-2-7-24	NWNW	02	070S	240E	4304736261		State	GW	APD
FR 1P-36-14-19	FR 1P-36-14-19	NWNW	31	140S	200E	4304736300	14859	State	GW	S
WK 3ML-2-9-24	WK 3ML-2-9-24	NENW	02	090S	240E	4304736723		State	GW	APD
WK 7ML-2-9-24	WK 7ML-2-9-24	SWNE	02	090S	240E	4304736724		State	GW	APD
SC 5ML-16-10-23	SC 5ML-16-10-23	SWNW	16	100S	230E	4304736877	15125	State	GW	P
SC 12ML-16-10-23	SC 12ML-16-10-23	NWSW	16	100S	230E	4304736878	15053	State	GW	P
SC 14ML-16-10-23	SC 14ML-16-10-23	SESW	16	100S	230E	4304736908	15070	State	GW	P
SC 4ML-16-10-23	SC 4ML-16-10-23	NWNW	16	100S	230E	4304736912	15208	State	GW	P
FR 3P-36-14-19	FR 3P-36-14-19	NWNW	36	140S	190E	4304737376	15736	State	GW	DRL
BBE 9W-16-7-21	BBE 9W-16-7-21	NESE	16	070S	210E	4304737745		State	GW	APD
GB 10ML-16-8-22	GB 10ML-16-8-22	NWSE	16	080S	220E	4304737943		State	GW	APD
GB 9ML-16-8-22	GB 9ML-16-8-22	NESE	16	080S	220E	4304737944	15851	State	GW	DRL
FR 11P-36-14-19	FR 11P-36-14-19	NWSW	36	140S	190E	4304738349		State	GW	DRL
GB 4SG-36-8-21	GB 4SG-36-8-21	NWNW	36	080S	210E	4304738764		State	GW	APD
GB 7SG-36-8-21	GB 7SG-36-8-21	SWNE	36	080S	210E	4304738765		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265	7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached	8. WELL NAME and NUMBER: see attached
3. ADDRESS OF OPERATOR: (continued) PHONE NUMBER: (303) 308-3068	9. API NUMBER: attached
4. LOCATION OF WELL (continued) QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	10. FIELD AND POOL, OR WILDCAT:

COUNTY: **Uintah**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver <small>STATE</small> CO <small>ZIP</small> 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
PHONE NUMBER: (303) 308-3068		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: Uintah		
STATE: UTAH		


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs

SIGNATURE  DATE 4/17/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



State of Utah
DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

March 5, 2008

CERTIFIED MAIL NO. 7004 2510 0004 1824 5421

Mr. Kirk Fleetwood
Questar Exploration & Production
11002 East 17500 South
Vernal, Utah 84078

43 047 3A660
DU GB 8W-16-8-22
8S 22E 16

Re: Third Notice of Extended Shut-in and Temporarily Abandoned Well Requirements for Fee or State Leases.

Dear Mr. Fleetwood:

As of January 2008, Questar Exploration & Production has ten (10) State Mineral Lease Wells that are in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status (see attachment A). Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

In March 2004 the Division notified Questar by certified mail that the following 3 wells were in violation of R649-3-36:

- Toll Station ST 8-36-8-21 API 4304732724
- WV 9W-36-7-21 API 4304734066
- WV 7W-36-7-21 API 4304734065

Questar responded with plans to recomplete, convert to injector, or plug and abandon (P&A) these wells by November 2004. To date, nothing has been done on these wells.



March 5, 2008

Questar Third Notice of Extended Shut-in and Temporarily Abandoned Well Requirements

In December 2005, a Second Notice was sent from the DOGM office that reiterated the need for Questar to comply with R649-3-36. Questar was noticed that the following three additional wells were also now in violation of R649-3-36:

- WV 11W-36-7-21 API 4304734067
- OU GB 8W-16-8-22 API 4304734660
- RWU 324(23-16B) API 4304733084

Telephone conversations between Questar and DOGM concerning these additional 3 wells, including a letter response from Questar dated December 29, 2005, followed. The letter response stated wells WV 9W-36-7-21 and WV 7W-36-7-21 were under review and wells Toll Station ST 8-36-8-21, WV 11W-36-7-21, OU GB8W-16-8-22, and RWU 324(23-16B) were scheduled for recompletion or plugging. RWU 324 (23-16B) was noticed for P&A and approved for plugging in February 2006. The well is currently listed as "operation suspended" in our database. DOGM records show that nothing has been done on any of the six wells to bring them into compliance with R649-3-36.

DOGM feels sufficient time has passed to make a determination on these wells. Please submit your plans to produce or plug these wells to DOGM within 30 days of this notice or a Notice of Violation (NOV) will be issued. **Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).**

In addition to the six wells listed above, the following four additional wells are now also in violation of R649-3-36:

- WV 16W-2-8-21 API 4304733645
- OU GB 15G-16-8-22 API 4304734829
- RW 01-36BG API 4304736887
- HR 10MU-2-12-23 API 4304738055

This letter will serve as a first notice for these wells. Questar can put these wells back on production, plug the wells or request extended SI/TA. For extended SI/TA consideration, the operator shall provide the Division with the following:

1. Reasons for SI/TA of the well (R649-3-36-1.1).
2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
3. An explanation and supporting data if necessary, showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence/or absence of Underground Sources of Drinking Water, and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

March 5, 2008

Questar Third Notice of Extended Shut-in and Temporarily Abandoned Well Requirements

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA.

1. Wellbore diagram, and
2. Copy of recent casing pressure test, and
3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
4. Fluid level in the wellbore, and
5. An explanation of how the submitted information proves integrity.

Additionally, DOGM has not received Sundry notice of testing on well HR 10MU-2-12-23 (API 4304738055) completed in January 2007.

Please respond with your plans for all wells referenced in this letter. If the required information is not received within 30 days of the date of this notice, further actions will be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,



Dustin K. Doucet
Petroleum Engineer

js

Attachment

cc: Well File
Operator Compliance File
Jim Davis, SITLA

ATTACHMENT A

	Well Name	API	Lease Type	Years/Months Inactive
1	TOLL STATION ST 8-36-8-21	4304732724	ML-22051	11 years 7months
2	RW 23-16B	4304733084	ML-3037	7 years 4 months
3	WV 16W-2-8-21	4304733645	ML-2785	2 years 3 months
4	WV 7W-36-7-21	4304734065	ML-47040	6 years 2 months
5	WV 9W-36-7-21	4304734066	ML-47040	6 years 3 months
6	WV 11W-36-7-21	4304734067	ML-47040	2 years 8 months
7	OU GB 8W-16-8-22	4304734660	ML-22049	4 years 9 months
8	OU GB 15G-16-8-22	4304734829	ML-22049	3 years 3 months
9	RW 01-36BG	4304736887	UTO-0566-ST	1 years 2 months
10	HR 10MU-2-12-23	4304738055	ML-50193	1 year 1 month

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
ML-22049

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
N/A

8. Well Name and No.
OU GB 8W 16 8 22

9. API Well No.
43-047-34660

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH, UT

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
QUESTAR EXPLORATION & PRODUCTION CO.

3. Address and Telephone No. **Contact: dahn.caldwell@questar.com**
11002 East 17500 South - Vernal, UT 84078 **435.781.4342 Fax 435.781.4357**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 16-T8S-R22E, SENE, 1987' FNL, 294' FEL

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>EXTENSION</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Requesting that the OU GB 8W 16 8 22 Recomp NOI approved on 5/23/03 be extended for another year from today's Date (7/3/08). This well is currently in a TA Status and remain TA until the Recompletion Work starts.

14. I hereby certify that the foregoing is true and correct.
Signed Dahn Caldwell Title Office Administrator II Date 7/3/08

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any

RECEIVED
JUL 03 2008
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML 22049

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
N/A

7. UNIT or CA AGREEMENT NAME:
N/A

8. WELL NAME and NUMBER:
OUGB 8W-16-8-22

9. API NUMBER:
047-34660

10. FIELD AND POOL, OR WILDCAT:
Kennedy Wash

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
Questar Exploration and Production Co

3. ADDRESS OF OPERATOR:
11002 E. 17500 S. CITY **Vernal** STATE **UT** ZIP **84076**

PHONE NUMBER: _____

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **1987' FNL, 294' FEL**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SENE 16 8S 22E S**

COUNTY: **Uintah**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input checked="" type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Questar Exploration and Production Co. requests approval to recomplete this well as follows:

MIRU. ND WH and NU BOP
Tag CIBP @ 2260', POOH
RU power swivel and drilling equipment, RIH
Drill out CIBPs at 2260', 2470', and 2630'
RIH w/ drilling equipment to PBTB
TOH, lay down drilling equipment
RU wireline, RIH w/ wireline and perforate production casing from 5014'-5019' with 4 JSPF at 90 degree phasing
RD wireline, RU swab equipment
Swab test
The well will be placed on production or plugged and abandoned based on the test results

Work will start after QEP receives UDOGM approval and the rig and crew is available

COPY SENT TO OPERATOR
Date: 12-4-2008
Initials: KS

NAME (PLEASE PRINT) Lucius McGillivray TITLE Petroleum Engineer

SIGNATURE *Lucius McGillivray* DATE 11/13/2008

(This space for State use only)

**APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING**

DATE: 11/26/08
BY: *[Signature]* (See Instructions on Reverse Side)
**see 1/11/06 approval*

RECEIVED
NOV 24 2008
DIV. OF OIL, GAS & MINING



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 9, 2009

CERTIFIED MAIL NO. : 7004 1160 0003 0190 2969

Lucius McGilviry
Questar Exploration & Production
11002 East 17500 South
Vernal, Utah 84078

43 047 3A660
8S 22E 16

Subject: Notices of Violation dated 9/29/2008 & 2/11/2009

Dear Mr. McGilviry:

A Notice of Violation (NOV) for the Toll Station St 8-36-8-21, WV 7W-36-7-21, WV 9W-36-7-21, WV 11W-36-7-21 and OU GB 8W-16-8-22 wells was issued to Questar Exploration & Production (QEP) by the Utah Division of Oil, Gas & Mining on September 29, 2008. The NOV was sent certified mail and signed for by Mandie Brasfield. The compliance deadline for the NOV was November 1, 2008. To date QEP has not taken the corrective action required by the NOV.

A Notice of Violation for the OU GB 15G-16-8-22, WVFU 16W-2-8-21 and HR 10 MU-2-12-23 wells was issued to Questar Exploration & Production (QEP) by the Utah Division of Oil, Gas & Mining (the "Division") on February 11, 2009. The NOV was sent certified mail and signed for by Amber McDonald. The compliance deadline for the NOV was April 1, 2009. To date QEP has not taken the corrective action required by the NOV.

The Division respectfully requests QEP contact Clinton Dworshak (801-538-5280) within fifteen (15) days of receipt of this letter to set a date and time to meet with the Division to discuss how to best resolve the compliance problems sited in the above-mentioned Notices of Violation.




Page 2

QEP Notices of Violation dated 9/29/2008 & 2/11/2009

June 9, 2009

Failure to comply with this Division request may result in further actions against QEP. Further actions may include initiation of agency actions ordering full cost bonding (R649-3-1.4), bond forfeiture (R649-3-36), plugging and abandonment of wells (R649-3-36), and/or formal hearing before the Board of Oil, Gas and Mining, as described in the Utah Administrative Code R641.

Sincerely,


Clinton Dworshak
Enforcement Manager

CLD/js

Enclosure

cc: Gil Hunt
Dustin Doucet
Well Files
Compliance File
SITLA

N:\O&G Reviewed Docs\ChronFile\Compliance

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: Questar Exploration & Production

Well(s) or Site(s): 1.) <u>TOLL STATION ST 8-36-8-21</u>	API #: <u>43-047-32724</u>
2.) <u>WV 7W-36-7-21</u>	<u>43-047-34065</u>
3.) <u>WV 9W-36-7-21</u>	<u>43-047-34066</u>
4.) <u>RW 23-16B</u>	<u>43-047-33084</u>
5.) <u>WV 11W-36-7-21</u>	<u>43-047-34067</u>
6.) <u>OU GB 8W-16-8-22</u>	<u>43-047-34660</u>

Date and Time of Inspection/Violation: August 5, 2008

Mailing Address: Attn: Lucius McGilvry
11002 East 17500 South
Vernal, UT 84078

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells – The above referenced wells have been Shut-in or Temporarily Abandoned (SI/TA) over 5 years. According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

The Division has initiated several contacts with Questar Exploration & Production (Questar) requesting this information. Wells 1 through 3 (listed above) had a first notice sent out via certified mail on March 19, 2004. A follow-up letter was sent out, dated July 21, 2004, on behalf of a response received from Questar. It was, at that time, understood by the Division that Questar intended to re-complete, convert to injection or plug and abandon these wells. An extension of SI/TA status was then issued valid until November 15, 2004. Wells 4 through 6 (listed above) were addressed via phone conversations as well as a response from Questar dated December 29, 2005. In this, Questar stated these wells were scheduled for recompletion or plugging. After substantial time had passed without any action on any of the six wells listed, a third notice dated March 5, 2008, was sent addressing all previous communications as well as stating that our records show nothing having been done to move these wells into compliance. Phone conversations were also held with Mr. McGilvry on April 22, 2008 concerning plans to submit required information within a two-week time frame. To date, the required information has not been submitted to the Division nor has action to PA or re-complete the wells been initiated.

Action: For the well subject to this notice, Questar shall either submit the information required by R649-3-36, plug and abandon or place the well on production.

Questar Exploration & Production
August 5, 2008 Notice of Violation

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: November 1, 2008

Date of Service Mailing: September 29, 2008

CERTIFIED MAIL NO: 7004 2610 0004 1624 6411



Division's Representative

Operator or Representative
(If presented in person)

6/2005

7004 2510 0004 1824 6411

U.S. Postal Service
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

Postage \$ _____
 Certified Fee _____
 Return Receipt Fee (Endorsement Required) _____
 Restricted Delivery Fee (Endorsement Required) _____

Total Postage: **MR LUCIUS MCGILVIRY**
QUESTAR E & P
11002 E 17500 S
VERNAL UT 84078

Sent To _____
 Street, Apt or PO Box _____
 City, State _____

Postmark: **1/29/08**

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee X <i>Lucius McGilviry</i></p> <p>B. Received by (Printed Name) <input type="checkbox"/> Date of Delivery <i>Lucius McGilviry</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, enter delivery address below:</p>
<p>1. Article Addressed to:</p> <p>MR LUCIUS MCGILVIRY QUESTAR E & P 11002 E 17500 S VERNAL UT 84078</p>	<p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p>
<p>2. Article Number <i>(Transfer from service label)</i></p>	<p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>7004 2510 0004 1824 6411</p>	

UTAH DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining
Oil and Gas Program
1594 West North Temple, Suite 1210, Box 145801
Salt Lake City, Utah 84114-5801
(801) 538-5340 Phone
(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: QUESTAR EXPLORATION AND PRODUCTION

Well(s) or Site(s): 1.) <u>OJ GB 15G-16-8-22</u>	API #:	<u>43-047-34829</u>
2.) <u>WVJU 16W-2-8-21</u>		<u>43-047-33645</u>
3.) <u>HR 10MU-2-12-23</u>		<u>43-047-38055</u>

Date and Time of Inspection/Violation: January 28, 2009

Mailing Address: Attn: Lucius McGilvry
11002 East 17500 South
Vernal, UT 84078

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells -According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

The Division has initiated several contacts with Questar Exploration and Production (Questar) requesting required documents and action per R649-3-36. On March 5, 2008, the Division notified you by certified mail that the above wells required filing for an extension or a Sundry Notice for plugging and abandonment. On April 22, 2008, it was understood from a phone conversation that plans to PA these wells would be submitted within a two week time frame. A second notice was sent out via certified mail on September 29, 2008 again addressing these wells non-compliance issues. To date our records show nothing has been done to move the wells out of violation status.

Action: For the wells subject to this notice, Questar shall either submit the information required by R649-3-36, plug and abandon or place the well on production.


Quester Exploration and Production
January 28, 2009
Notice of Violation

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: April 1, 2009

Date of Service Mailing: February 11, 2009

CERTIFIED MAIL NO: 7004 2510 0004 1824 6862



Division's Representative

Operator or Representative
(If presented in person)

cc: Well Files
Operator Compliance File

6/2005



July 8, 2009

Mr Clinton Dworshak
Enforcement Officer
Division of Oil, Gas and Mining
Department of Natural Resources
State of Utah
P.O. Box 145801
Salt Lake City, Utah 84114-5801

43 047 34660
85 22E 16

Subject: Notices of Violation dated 9/29/2008 & 2/11/2009 and Second Notice Letter dated 5/04/2009

Dear Mr Dworshak:

A conference call was held on July 7, 2009 with the following participants to discuss the non-compliance issues listed in the subject correspondence:

Dustin Doucet,	Division of Oil, Gas and Mining (DOGM)
Clinton Dworshak	DOGM
Joshua Payne	DOGM
Kirk Fleetwood	Questar Exploration and Production Company (QEP)
Lucius McGillivray	QEP
Rick Canterbury	QEP

The following is the proposed action for each well and timeframe as discussed in the call:

WV 7W-36-7-21 → 43-047-34065
WV 9W-36-7-21 → 43-047-34066
WV 11W-36-7-21 → 43-047-34067

A Sundry Notice of Intent to abandon has been submitted for each well. These wells will be plugged in the late summer (August or September, 2009).

Toll Station 8-36-8-21 → 43-047-32724

We have approval from the State of Utah and will plug this well in the late summer (August or September, 2009).

→ OUGB 8W-16-8-22 → 43-047-34660

A Sundry Notice to recomplate this well is being submitted to your office and the recompletion will be initiated 30 to 60 days after approved.

OUGB 15G-16-8-22 → 43-047-34829

This well will be returned to production within the next 30 days.

WV 16W-2-8-21 → 43-047-33645

A Sundry Notice to recomplate this well has been approved and is planned for late summer.

RECEIVED

JUL 13 2009

DIV. OF OIL, GAS & MINING

July 8, 2009

HR10 MU 2-12-23 → 43-047-38055

It is not economic to place this well on production under the current market conditions. We are submitting a Sundry Notice requesting shut in status. A mechanical integrity test will be performed within the next 30 days and the Division of Oil, Gas and Mining will be notified prior to the tests. Results will be submitted to your office.


GB 4SG-36-8-21 → 43-047-38764
GB 7SG-36-8-21 → 43-047-38765

We are submitting a Sundry Notice requesting shut in status for both wells. There are shallower zones with production potential but a recompletion and testing program is not economic at this time, given the current natural gas market conditions.

A mechanical integrity test will be performed within the next 30 days and the Division of Oil, Gas and Mining will be notified prior to the test. Results will be submitted to your office.

Enclosed are the sundry notices submitted for the mechanical integrity tests. The remainder of sundries have been or will be submitted within the next week.

Sincerely,



Rick Canterbury
Regulatory Affairs

Enclosures

7004 2510 0004 1824 6862

U.S. Postal Service
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$	2/11/09 Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total		

Sent to: **LUCIUS MCGILVIRY**
 Street or PO: **QUESTAR E & P**
 City: **11002 E 17500 S**
VERNAI IIT 84078

PS Form 3806, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

LUCIUS MCGILVIRY
QUESTAR E & P
11002 E 17500 S
VERNAI IIT 84078

2. Article Number
(Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature: *[Signature]* Agent Addressee
 B. Received by (*Printed Name*): _____ C. Date of Delivery: _____

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (*Extra Fee*) Yes

7004 2510 0004 1824 6862

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. 610

• Sender: Please print your name, address, and ZIP+4 in this box •

JEAN SWEET
UTAH DIVISION OF OIL GAS & MINING
PO BOX 145801
SALT LAKE CITY UT 84114-5801

RECEIVED
FEB 18 2009

DIV. OF OIL, GAS & MINING

US Form 3800, June 2002
To: LUCIUS MC
City: QUESTAR E
11002 E 175C
VRNAT IT

Postage \$
Certified Fee
Return Receipt Fee (Endorsement Required)
Restricted Delivery Fee (Endorsement Required)

7004 2510 0004 1A24 6862

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)
For delivery information visit our website at www.usps.com
OFFICIAL USE

TURAI

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		8. WELL NAME and NUMBER: See attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 <small>CITY</small> Denver <small>STATE</small> CO <small>ZIP</small> 80265		9. API NUMBER: Attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		10. FIELD AND POOL, OR WILDCAT: See attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: Attached
		STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
 Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*
 Utah State Bond Number: ~~965003033~~ } *965010695*
 Fee Land Bond Number: ~~965003033~~ } *965010695*
 BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

RECEIVED
JUN 28 2010

DIV. OF OIL, GAS & MINING

APPROVED 6/30/2009
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
Wr 16G-32-10-17	32	100S	170E	4301350370		State	OW	NEW	C
STATE 1	36	070S	240E	4304715128	5878	State	GW	P	
KAYE STATE 1-16	16	100S	230E	4304730609	5395	State	GW	P	
TOLL STATION ST 8-36-8-21	36	080S	210E	4304732724	12361	State	GW	S	
GB 8A-36-8-21	36	080S	210E	4304733037	12377	State	GW	P	
GB 6-36-8-21	36	080S	210E	4304733038	12378	State	GW	P	
GB 2-36-8-21	36	080S	210E	4304733252	12527	State	GW	P	
GH 1W-32-8-21	32	080S	210E	4304733570	12797	State	GW	P	
GH 3W-32-8-21	32	080S	210E	4304733571	12796	State	GW	P	
GH 5W-32-8-21	32	080S	210E	4304733572	12828	State	GW	P	
GH 7W-32-8-21	32	080S	210E	4304733573	12872	State	GW	P	
GH 2W-32-8-21	32	080S	210E	4304733744	13029	State	GW	P	
GH 4W-32-8-21	32	080S	210E	4304733745	13035	State	GW	P	
GH 8W-32-8-21	32	080S	210E	4304733746	13030	State	GW	P	
OU GB 3W-16-8-22	16	080S	220E	4304733751	13577	State	GW	P	
OU GB 5W-16-8-22	16	080S	220E	4304733752	13570	State	GW	P	
GH 6W-32-8-21	32	080S	210E	4304733753	13036	State	GW	P	
OU GB 11W-16-8-22	16	080S	220E	4304733754	13582	State	GW	P	
GH 5G-32-8-21	32	080S	210E	4304733866	13037	State	OW	P	
GB 1W-36-8-21	36	080S	210E	4304733944	13439	State	GW	P	
WV 2W-2-8-21	02	080S	210E	4304734034	13678	State	GW	P	
GB 6W-25-8-21	25	080S	210E	4304734121	13440	Fee	GW	P	
GB 7W-25-8-21	25	080S	210E	4304734122	13436	Fee	GW	P	
WV 9W-16-7-21	16	070S	210E	4304734324		State	GW	LA	
OU GB 11W-30-8-22	30	080S	220E	4304734392	13433	Fee	GW	P	
OU GB 4W-16-8-22	16	080S	220E	4304734598	13579	State	GW	P	
OU GB 10W-16-8-22	16	080S	220E	4304734616		State	GW	LA	
OU GB 12W-16-8-22	16	080S	220E	4304734617	13697	State	GW	P	
OU GB 13W-16-8-22	16	080S	220E	4304734618	13611	State	GW	P	
GB 14MU-16-8-22	16	080S	220E	4304734619	14196	State	GW	P	
OU GB 15W-16-8-22	16	080S	220E	4304734622	13595	State	GW	P	
OU GB 16W-16-8-22	16	080S	220E	4304734655	13815	State	GW	P	
OU GB 2W-16-8-22	16	080S	220E	4304734657	13721	State	GW	P	
OU GB 6W-16-8-22	16	080S	220E	4304734658	13592	State	GW	P	
OU GB 8W-16-8-22	16	080S	220E	4304734660	13769	State	GW	TA	
OU GB 9W-16-8-22	16	080S	220E	4304734692		State	GW	LA	
OU GB 15G-16-8-22	16	080S	220E	4304734829	13777	State	OW	S	
GB 7MU-36-8-21	36	080S	210E	4304734893	14591	State	GW	P	
GB 3W-36-8-21	36	080S	210E	4304734894	13791	State	GW	P	
NC 8M-32-8-22	32	080S	220E	4304734897		State	GW	LA	
NC 3M-32-8-22	32	080S	220E	4304734899		State	GW	LA	
GB 5W-36-8-21	36	080S	210E	4304734925	13808	State	GW	P	
GB 4MU-36-8-21	36	080S	210E	4304734926	14589	State	GW	P	
NC 11M-32-8-22	32	080S	220E	4304735040		State	GW	LA	
GB 5SG-36-8-21	36	080S	210E	4304735155	14015	State	GW	P	
SC 13ML-16-10-23	16	100S	230E	4304735281	14036	State	GW	P	
SC 3ML-16-10-23	16	100S	230E	4304735282	14014	State	GW	P	
SC 11ML-16-10-23	16	100S	230E	4304735311	14035	State	GW	P	
WH 13G-2-7-24	02	070S	240E	4304735484	14176	State	D	PA	
FR 9P-36-14-19	31	140S	200E	4304735880	14310	State	GW	P	
CB 13G-36-6-20	36	060S	200E	4304735969		State	OW	LA	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
WH 2G-2-7-24	02	070S	240E	4304736259		State	GW	LA	
WH 4G-2-7-24	02	070S	240E	4304736261		State	GW	LA	
FR 1P-36-14-19	31	140S	200E	4304736300	14859	State	GW	P	
WK 3ML-2-9-24	02	090S	240E	4304736723		State	GW	LA	
WK 7ML-2-9-24	02	090S	240E	4304736724		State	GW	LA	
SC 5ML-16-10-23	16	100S	230E	4304736877	15125	State	GW	P	
SC 12ML-16-10-23	16	100S	230E	4304736878	15053	State	GW	P	
SC 14ML-16-10-23	16	100S	230E	4304736908	15070	State	GW	P	
SC 4ML-16-10-23	16	100S	230E	4304736912	15208	State	GW	P	
FR 3P-36-14-19	36	140S	190E	4304737376	15736	State	GW	P	
BZ 12ML-16-8-24	16	080S	240E	4304737670		State	GW	LA	
BZ 10D-16-8-24	16	080S	240E	4304737671	15979	State	GW	S	
BZ 14ML-16-8-24	16	080S	240E	4304737672		State	GW	LA	
BBE 9W-16-7-21	16	070S	210E	4304737745		State	GW	LA	
GB 10ML-16-8-22	16	080S	220E	4304737943		State	GW	LA	
GB 9ML-16-8-22	16	080S	220E	4304737944	15851	State	GW	P	
HR 2MU-2-12-23	02	120S	230E	4304738052		State	GW	LA	
HR 3MU-2-12-23	02	120S	230E	4304738053		State	GW	LA	
HR 6MU-2-12-23	02	120S	230E	4304738054		State	GW	LA	
HR 10MU-2-12-23	02	120S	230E	4304738055	15737	State	GW	S	
HR 12MU-2-12-23	02	120S	230E	4304738056		State	GW	LA	
HR 14MU-2-12-23	02	120S	230E	4304738057		State	GW	LA	
HR 16MU-2-12-23	02	120S	230E	4304738058		State	GW	LA	
FR 11P-36-14-19	36	140S	190E	4304738349	15899	State	GW	P	
GB 4SG-36-8-21	36	080S	210E	4304738764	16142	State	GW	P	
GB 7SG-36-8-21	36	080S	210E	4304738765	16144	State	GW	P	
WF 3D-32-15-19	32	150S	190E	4304738877		State	GW	APD	C
SCS 5C-32-14-19	32	140S	190E	4304738963	16759	State	GW	P	
FR 7P-36-14-19	31	140S	200E	4304738992	15955	State	GW	P	
SCS 10C-16-15-19	16	150S	190E	4304739683	16633	State	GW	P	
FR 6P-16-14-19	16	140S	190E	4304740350		State	GW	APD	C

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

September 14, 2012

CERTIFIED MAIL NO.: 70110110000135682325

Mr. Ryan Angus
QEP Energy Company
11002 East 17500 South
Vernal, UT 84078

43 047 3A660
OU GB 8W-16-8-22
8S 22E 16

Subject: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Mr. Angus:

As of January 2012, Questar Exploration & Production (Questar) has nine (9) State Lease Wells (see attachment A) that are currently in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Four (4) of the above wells have been issued and are currently under Notices of Violation. The remaining five (5) wells have been added to Questar's SI/TA list this year.

Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1).

For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

1. Reasons for SI/TA of the well (R649-3-36-1.1).
2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).



Page 2
QEP Energy Company
September 14, 2012

Please note that the Divisions preferred method for showing well integrity is by MIT.

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. **Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).**

1. Wellbore diagram, and
2. Copy of recent casing pressure test, and
3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
4. Fluid level in the wellbore, and
5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,



Dustin K. Doucet
Petroleum Engineer

DKD/JP/ear

cc: LaVonne Garrison, SITLA
Compliance File
Well File

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

ATTACHMENT A

	Well Name	API	LEASE	Years Inactive
1st NOTICE				
1	BIG SPRING 3-36 GR	43-013-33168	ML-47051	2 Years 4 Months
2	GILSONITE 11-02 GR	43-013-33483	ML-47049	2 Years 5 Months
3	BIG WASH 61-16 GR	43-013-33485	ML-47000	2 Years 5 Months
4	GB 4SG-36-8-21	43-047-38764	ML-22051	1 Year 1 Month
5	GB 7SG-36-8-21	43-047-38765	ML-22051	1 Year 8 Months
OUTSTANDING NOVs				
6	TOLL STATION ST 8-36	43-047-32724	ML-22051	15 Years 6 Months
7	OU GB 8W-16-8-22	43-047-34660	ML-22049	8 Years 8 Months
8	OU GB 15G-16-8-22	43-047-34829	ML-22049	7 Years 2 Months
9	WV 16W-2-8-21	43-047-33645	ML-2785	6 Years 2 Months

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: ML-22049
1. TYPE OF WELL Gas Well	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY	8. WELL NAME and NUMBER: OU GB 8W-16-8-22
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, Ut, 84078	PHONE NUMBER: 303 595-5919 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1987 FNL 0294 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 16 Township: 08.0S Range: 22.0E Meridian: S	9. API NUMBER: 43047346600000
	9. FIELD and POOL or WILDCAT: KENNEDY WASH
	COUNTY: UINTAH
	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 8/31/2015	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP Energy Company (QEP) requests approval to recomplete the above mentioned well from the Wasatch Formation to the Green River Formation. In addition, QEP will then test and evaluate making the decision to either run rods and place the well on production or plug and abandon the well at that time. Please see attached procedures to recomplete or plug and abandon.

**Approved by the
Utah Division of
Oil, Gas and Mining**

Date: July 15, 2015
 By: *Derek Duff*

Please Review Attached Conditions of Approval

NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent
SIGNATURE N/A	DATE 6/10/2015	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Sundry Conditions of Approval Well Number 43047346600000

If well is to be P&A'd, the following conditions apply. If turned to production, squeezing of Uinta perms should be conducted.

1. Notify the Division at least 24 hours prior to conducting abandonment operations. Please call Dan Jarvis at 801-538-5338.
2. Amend Plug #2: If circulation through perms is established, tubing should not be run in the hole, establish circulation from surface and pump approximately 179 sx to fill casing inside and out back to surface.
3. All balanced plugs shall be tagged to ensure that they are at the depth specified.
4. All annuli shall be cemented from a minimum depth of 100' to the surface.
5. Surface reclamation shall be done in accordance with R649-3-34 – Well Site Restoration.
6. All requirements in the Oil and Gas Conservation General Rule R649-3-24 shall apply.
7. If there are any changes to the procedure or the wellbore configuration, notify Dustin Doucet at 801-538-5281 (ofc) or 801-733-0983 (home) prior to continuing with the procedure.
8. All other requirements for notice and reporting in the Oil and Gas Conservation General Rules shall apply.


Wellbore Diagram

API Well No: 43-047-34660-00-00 Permit No: Well Name/No: OU GB 8W-16-8-22
 Company Name: QEP ENERGY COMPANY
 Location: Sec: 16 T: 8S R: 22E Spot: SENE
 Coordinates: X: 633169 Y: 4442788
 Field Name: KENNEDY WASH
 County Name: Uintah

String Information

String	Bottom (ft sub)	Diameter (inches)	Weight (lb/ft)	Length (ft)	Capacity (F/cf)
HOL1	461	12.25			
SURF	461	9.625	36	461	
HOL2	5320	7.875			
PROD	5320	5.5	15.5	5320	7.483
T1	2215	2.375			

$7\frac{7}{8}'' \times 5\frac{1}{2}'' (10\frac{8}{8}) \rightarrow 4.094$
 $9\frac{5}{8}'' \times 5\frac{1}{2}'' \rightarrow 3.716$



$50' / (1.15) (4.094) = 115x$
 $461' / (1.15) (3.716) = 1085x$
 $511' / (1.15) (7.483) = 603x$
 $179x$

Cement Information

String	BOC (ft sub)	TOC (ft sub)	Class	Sacks
PROD	5320		LT	425
PROD	5320	930 reported	PC	245
SURF	461	0	UK	175

Plug #1
 $(115x) \times (1.15) (7.483) = 990'$
 TOC @ 1510' max
 propose TOC to 1530' ✓ OK.

Perforation Information

Top (ft sub)	Bottom (ft sub)	Shts/Ft	No Shts	Dt Squeeze
1630	2716			

Formation Information

Formation	Depth
UNTA	0
GRRV	2451
MHGBN	3391
WSTC	5861

TD: 7625 TVD: 7625 PBD: 5229

Recomplete to the Glen Bench SS F1

Well Name:	OU GB 8W-16-8-22	AFE:	
Field:	Glen Bench	Well Code:	301218001
Location:	SE1/4NE1/4, S16-T8S-R22E		
County:	Uintah	State:	Utah
API:	43-047-34660		
WI:	77.50%		
NRI:	66.26%		

Well Data:	TD:	<u>7,625</u>	PBTD:	<u>5,229</u>
	GL:	<u>4,866</u>	KB:	<u>4,881</u>

Casing & Cementing:

Surface: 12 1/4" Hole Size
9-5/8" 36#, K-55 set @ 461'.
Cement w/ 175 sks

Production: 7 7/8" Hole Size
5-1/2" 15.5# J-55 set @ 5320'
Cement w/ 425 sks
TOC @ ~ 930' by CBL


Perforations: 1630'-48' Open
2282'-88', 2494'-2500', 2516'-24', 2704'-16' Below CBP

Operation: Drillout CPOSITE BP's, Perf and complete Glen Bench SS F1

Program:

MIRU service unit and 3100' of 2 7/8" workstring
ND WH and NU BOP
Kill well with 2% KCL if necessary
POOH w/ 2-7/8" tubing
RIH with bit, RU power swivel, and drillout CBPs
Clean out to PBTD, POOH
RU wireline and perforate 5014'-5018'. 3 JSPF 120° phasing
(correlated to the 4/24/2003 Schl. Comp. Neutron Triple Litho Density OHL)
Breakdown perms w/ 750 gallons 15% HCL
RIH with tubing and packer. Set packer @ ±4950' and EOT at ±5070'
RIH with swab tools and test
Contact Engineering with results before running rods
Decision will be made then weather rods will be ran or proceed to P&A
RIH with rods and pump if that is recommended
Obtain P/U from Glen Bench yard and install
Place well on production

FIELD: Glen Bench	GL: 4,866 ' KBE: 4,881 '	Start Date: 4/08/03	Completion Date: si ON 5/21/03 Waiting on Further Eval
WELL NAME: OUGB 8W-16-8-22	TD: 7,625 ' PBTD: 5,229 '	Current Well Status: SI	
Location: SENE S16-T8S-R22E 1987' FNL, 294' FEL Uintah County, Utah		API#: 43-047-34660	



Reason for Pull/Workover:

Initial Completion of Gas Well

Tubing Landing Detail:

Description	Size	Footage	Depth
KB		15.00	15.00
Tbg Hnager 2-3/8" 8rd Top & Btm		0.56	15.56
2-7/8" x 2-3/8" x over 8rd Top & Btm		0.32	15.88
68 Jts of 2-7/8" Tbg 8rd J-55		2,197.99	2,213.87
2-7/8" S-Nipple 2-7/8" S-Nipple		1.10	2,214.97
			2,214.97
EOT @			2,214.97

TUBING INFORMATION

Condition: _____
 New: X Used: _____ Rerun: _____
 Grade: J-55 8rd
 Weight (#/ft): 6.50

Sucker Rod Detail:

Size	#Rods	Rod Type
_____	_____	_____

Rod Information

Condition: _____
 New: _____ Used: _____ Rerun: _____
 Grade: _____
 Manufacture: _____

Pump Information:

API Designation: _____
 Example: 25 x 150 x RHAC X 20 X 6 X 2
 Pump SN#: _____ Original Run Date: _____
 RERUN: _____ NEW RUN: _____

ESP Well

Cable Size:	SN @	15.88
Pump Intake @	PKR @	none
End of Pump @	EOT @	2214.97

Flowing Well

Wellhead Detail:

7 1/16" 2000# _____
 7 1/16" 3000# _____
 7 1/16" 5000# _____
 Other: _____
 Hanger: Yes X No _____

SUMMARY

Initial Completion: 5/05/03 - 05/21/03
 Ran CBL/VDL/GR logs - Correlated log to Schlumberger Compensated Neutron Log dated 4/24/03. RIH w/ 2-7/8" tbg to 4050'. Perforate Upper Green River interval 2704' - 2716'. Could not tell a final fluid level. No blow at surface. Set pkr @ 2666'. Acidize Upper Green River perfs 2704' - 2716' down 2-7/8" tbg with 1100 gals of 7-1/2% HCL acid with additives and flush with 20 bbls of 2% KCL water. Release pkr @ 2666'. Set a 5-1/2" CBP @ 2630'. Perforate Uinta intervals 2516' - 2524' & 2494' - 2500'. RIH w/ 5-1/2" ret pkr and set @ 2440'. Acidize perfs 2516' - 2524' & 2494' - 2500' down 2-7/8" tbg w/ 1000 gals of 7-1/2% HCL with additives and flushed with 20 bbls of 2% KCL water. No pressure during the entire job at a rate of 3-4 BPM. ISIP = 0#.

Release pkr @ 2440'. Set a 5-1/2" CBP @ 2470'. Perforate Uinta interval 2282' - 2288'. RIH w/ ret pkr & tbg and set pkr @ 2311' and tested plug to 2000# and held OK. Reset pkr @ 2246'. Breakdown perfs 2282' - 2288' down tbg by loading tbg with 8 bbls of water and obtaining break at 2200# and pumping additional 10 bbls of 2% KCL at 1-1/2 BPM at 1000-1300# with ISIP = 0#. POOH w/ pkr and tbg and lay down the pkr. RIH w/ tbg and tag CBP at 2260'. Pull tbg tail to 2215' after laying down the remaining tbg in the derrick. Land tbg on hanger which consists of 68 jts of 2-7/8" tbg. ND BOP's and NU WH. SI well. Suspend completion of the well. Final report of operations pending review of well.

5/21/03 - WELL IS SI INDEFINITELY FOR FURTHER EVALUATION - TA STATUS.

Plug and Abandon

Well Name:	<u>OU GB 8W-16-8-22</u>	AFE:	
Field:	<u>Glen Bench</u>	Well Code:	<u>301218001</u>
Location:	<u>SE1/4NE1/4, S16-T8S-R22E</u>		
County:	Uintah	State:	Utah
API:	<u>43-047-34660</u>		
WI:			
NRI:			

Well Data:	TD:	<u>7,625</u>	PBTD:	<u>5,229</u>
	GL:	<u>4,866</u>	KB:	<u>4,881</u>

Casing & Cementing:

Surface: 12 1/4" Hole Size
9-5/8" 36#, K-55 set @ 461'.
Cement w/ 175 sks

Production: 7 7/8" Hole Size
5-1/2" 15.5# J-55 set @ 5320'
Cement w/ 425 sks
TOC @ ~ 930' by CBL

Perforations:	1630'-48'	Open Tw
	2282'-88', 2494'-2500', 2516'-24', 2704'-16'	Open Tw
	5014'-18'	Open Tw

Operation: Plug and Abandon

Program:

MIRU service unit, kill well if necessary, ND WH and NU BOP
POOH w/ 2-7/8" tubing
RU Wireline, RIH w/ CIBP and set @ ±2,500', RD wireline
RIH with open ended to top of CIBP
Fill hole with a minimum 9 ppg fluid, if well was dead, water may be used to fill the hole
RIH w/ 2-7/8" tubing, pump 23 bbls of cement and displace onto CIBP
Placing cement from CIBP to 100' above top perf (~115 sks of cement)
Pull up 19 stands and reverse circulate to clear tubing
POOH w/ 2-7/8" tubing
RU wireline, perforate the casing at 511', RD wireline
RIH with 2-7/8" tubing, Attempt to circulate up annulus with fluid
Pump ~130sx down casing and up annulus, or until good returns are seen at surface
Ensure 3' of working space to cut off wellhead later
POOH to 50'
Place 50' cement plug at surface (appr. 22 sx)
RD Floor, ND BOP
Cut off wellhead 3' below ground and weld on a dry hole marker
GPS wellhead location and note on report
Clean up location, RDMO

Note: all plugs to be Class G or Type V cement and 9.0 ppg fluid between plugs

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: ML-22049
1. TYPE OF WELL Gas Well	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY	8. WELL NAME and NUMBER: OU GB 8W-16-8-22
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, Ut, 84078	PHONE NUMBER: 303 595-5919 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1987 FNL 0294 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 16 Township: 08.0S Range: 22.0E Meridian: S	9. API NUMBER: 43047346600000
	9. FIELD and POOL or WILDCAT: KENNEDY WASH
	COUNTY: UINTAH
	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 9/23/2013	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This sundry is to inform you that the recompletion work was not completed as noted on the notice of intent dated 01/10/2006. Please cancel this request.

**Accepted by the
 Utah Division of
 Oil, Gas and Mining
 FOR RECORD ONLY
 September 23, 2015**

NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent
SIGNATURE N/A	DATE 9/23/2015	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-22049
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Gas Well		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		8. WELL NAME and NUMBER: OU GB 8W-16-8-22
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, Ut, 84078		9. API NUMBER: 43047346600000
PHONE NUMBER: 303 595-5919 Ext		9. FIELD and POOL or WILDCAT: KENNEDY WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1987 FNL 0294 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 16 Township: 08.0S Range: 22.0E Meridian: S		COUNTY: UINTAH
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 9/9/2015	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input checked="" type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP Energy Company plugged this well 08/31/2015 through 09/09/2015 as follows: Plug #1 set CR at 2513' squeeze 23 sxs below spot 40 sxs on top. Tag TOC at 2513'. Balance Plug #2 128 sxs Class B cement from 2513' to 1382'. Tag TOC at 1464'. Shoot Plug #3 squeeze holes at 511' spot 184 sxs Class B cement from 511' to surface. Install P&A marker with coordinates Latitude: 40.124000, Longitude -109.4368000. Richard Powell with State of Utah witnessed plugging operations. After plugging operations, all trash, debris, and equipment will be removed. Final reclamation will be conducted prior to ground freeze, 2015. The location will be recontoured to blend with the surrounding landscape. The topsoil will be spread and seeded with a SITLA approved seed mix. Please cancel the recompletion request that noted on the notice of intent dated on 06/10/2015.

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
October 06, 2015**

NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent
SIGNATURE N/A	DATE 9/22/2015	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-22049
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Gas Well		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		8. WELL NAME and NUMBER: OU GB 8W-16-8-22
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, Ut, 84078		9. API NUMBER: 43047346600000
PHONE NUMBER: 303 595-5919 Ext		9. FIELD and POOL or WILDCAT: KENNEDY WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1987 FNL 0294 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 16 Township: 08.0S Range: 22.0E Meridian: S		COUNTY: UINTAH
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 2/29/2016 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER
		<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		
Final reclamation was completed on November 1, 2015. The location was recontoured and seeded with the attached seed mix. Please see attached seed mix.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 05, 2016		
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst
SIGNATURE N/A	DATE 2/29/2016	

OUGB 8W-16-8-22 - STATE

Final reclamation was completed on November 1, 2015. The location was recontoured and seeded with the following seed mix:

Seed Mix Label: 2015 UBD SEED MIX

Description	Common	Scientific	Variety	Lbs PLS
Grass	Bottlebrush squirreltail	Elymus elymoides	VNS	2
Grass	Western wheatgrass	Pascopyrum smithii	Arriba	2
Grass T	hickspike wheatgrass	Elymus lanceolatus	Critana	3
Grass	James' galleta curly grass	Pleuraphis jamesii	Viva	1
Grass	Indian ricegrass	Achnatherum hymenoides	Rimrock	2
Grass	Needle & thread grass	Hesperostipa comata ssp. Comata	VNS	1
Grass	Sandberg bluegrass	Poa secunda	VNS	1
Grass	Crested wheatgrass	Agropyron cristatum x desertorum	Hycrest	1
Grass	Triticale Quickguard II	Quickguard II		4
Grass	Siberian wheatgrass	Agropyron fragile ssp. sibericum	Vavilov	2
Shrub	Fourwing saltbush	Atriplex canescens	VNS	1
Forb	Munro globemallow	Sphaeralcea munroana	VNS	0.5
Forb	Rocky Mountain bee plant	Cleome serrulata	VNS	0.5
TOTAL:				21