




# T8S, R22E, S.L.B.&M.

C.C.  
1938 Brass Cap  
0.5' High, Large  
Pile of Stones W.L.Y.  
N00°02'35"E  
67.92' (Meas.)  
Brass Cap

1933 Brass Cap  
1.2' High



## LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°07'27.83" (40.124397)  
 LONGITUDE = 109°24'33.12" (109.409200)

## SHENANDOAH ENERGY, INC.


Well location, OU SG #6W-14-8-22, located as shown in the SE 1/4 NW 1/4 of Section 14, T8S, R22E, S.L.B.&M. Uintah County, Utah.

### BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



REGISTERED LAND SURVEYOR  
 CERTIFICATE No. 161849  
 ROBERT L. COX  
 STATE OF UTAH  
 REGISTERED LAND SURVEYOR  
 REGISTRATION No. 161319  
 STATE OF UTAH

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

**UINTAH ENGINEERING & LAND SURVEYING**  
 85 SOUTH 200 EAST - VERNAL, UTAH 84078  
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 01-14-03	DATE DRAWN: 01-16-03
PARTY S.H. T.H. D.COX	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE SHENANDOAH ENERGY, INC.	

SHENANDOAH ENERGY INC.  
OU SG 6W-14-8-22

ONSHORE OIL & GAS ORDER NO. 1  
Approval of Operations on Onshore  
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<b>Formation</b>	<b>Depth</b>
Uinta	Surface
Green River	2587
Mahogany Ledge	3517
Mesa	5992
TD (Wasatch)	8000

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

<b>Substance</b>	<b>Formation</b>	<b>Depth</b>
Oil/Gas	Wasatch	8000

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 3200.0 psi.

SHENANDOAH ENERGY INC.  
OVER AND UNDER SAGE GROUSE 6W-14-8-22  
2009' FNL, 2109' FWL  
SENW 14, T8S, R22E  
UINTAH COUNTY, UTAH  
LEASE # UTU-73687

ONSHORE ORDER NO. 1

MULTI – POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the OU SG 6W-14-8-22 on June 5, 2003 at approximately 7:20 AM. Weather conditions were cool with a light breeze at the time of the onsite. In attendance at the inspection were the following individuals:

Paul Buehler	Bureau of Land Management
Dixie Sadleir	Bureau of Land Management
Jan Nelson	QEP/SEI
Raleen Searle	QEP/SEI

1. **Existing Roads:**

The proposed well site is approximately 9 miles Southwest of Redwash, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

There will be no improvements made to existing access roads.

2. **Planned Access Roads:**

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map B for the location of the proposed access road.

3. **Location of Existing Wells Within a 1 – Mile Radius:**

Please refer to Topo Map C.

4. **Location of Existing & Proposed Facilities:**

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map D for the location of the proposed pipeline.

5. **Location and Type of Water Supply:**

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

6. **Source of Construction Materials:**

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

7. **Methods of Handling Waste Materials:**

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

8. **Ancillary Facilities:**

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required. If bedrock is encountered, a felt pit liner will be required.

10. **Plans for Reclamation of the Surface:**

Please see Shenandoah energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Township 07 and 08 South, Ranges 21 to 24 East.

Seed mix #1.

11. **Surface Ownership:**

The well pad and access road are located on lands owned by:

Bureau of Land Management  
170 South 500 East  
Vernal, Utah 84078  
(435) 781-4400

12. **Other Information**

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

Please recontour and seed the existing topsoil pile. Walk the seed into the topsoil.

**Lessee's or Operator's Representative:**

John Busch  
Red Wash Operations Rep.  
Shenandoah Energy Inc.  
11002 East 17500 South  
Vernal, Utah 84078  
(435) 781-4341

**Certification:**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.



---

John Busch  
Red Wash Operations Representative

17-Jun-03

---

Date

**Additional Operator Remarks:**

Shenandoah Energy Inc. proposes to drill a well to 8000' to test the Wasatch. If productive, casing will be run and the well will be completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 and 24 East.

See Onshore Order No. 1 attached

Please be advised that Shenandoah Energy Inc. agree to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. UT-1237. The principal is Shenandoah Energy Inc. via surety as consent as provided for the 43 CFR 3104.2.

# SHENANDOAH ENERGY, INC.

OU SG #6W-14-8-22

LOCATED IN UINTAH COUNTY, UTAH  
SECTION 14, T8S, R22E, S.L.B.&M.




PHOTO: VIEW OF LOCATION STAKE

CAMERA ANGLE: SOUTHWESTERLY




PHOTO: VIEW OF EXISTING ACCESS

CAMERA ANGLE: NORTHEASTERLY



**UELS** Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
435-789-1017 uels@uelsinc.com

- Since 1964 -

LOCATION PHOTOS

01 16 03  
MONTH DAY YEAR

PHOTO

TAKEN BY: S.H.


DRAWN BY: P.M.

REVISED: 00-00-00


# SHENANDOAH ENERGY, INC.

LOCATION LAYOUT FOR

OU SG #6W-14-8-22  
SECTION 14, T8S, R22E, S.L.B.&M.  
2009' FNL 2109' FWL




SCALE: 1" = 50'  
DATE: 01-16-03  
Drawn By: D.COX



NOTE:  
EXISTING FACILITIES, PIPELINES, TANKS, ECT.,  
MAY REQUIRE RELOCATION DURING DRILLING  
PROCESS TO ACCOMODATE DRILLING RIG.

FIGURE #1



**PROPOSED LOCATION:  
OU SG #6W-14-8-22**

SEE TOPO "B"

**R  
21  
E**

**R  
22  
E**

**LEGEND:**

⊙ PROPOSED LOCATION



**SHENANDOAH ENERGY, INC.**


**OU SG #6W-14-8-22  
SECTION 14, T8S, R22E, S.L.B.&M.  
2009' FNL 2109' FWL**



**Uintah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC** 01 16 03  
**MAP** MONTH DAY YEAR  
SCALE: 1:100,000 DRAWN BY: P.M. REVISED: 00-00-00





T8S

**PROPOSED LOCATION:  
OU SG #6W-14-8-22**

**EXISTING ACCESS**

**0.1 MI. +/-**

**VERNAL 30.5 MI. +/-**

**R  
22  
E**

**LEGEND:**

EXISTING ROAD



**SHENANDOAH ENERGY, INC.**

**OU SG #6W-14-8-22  
SECTION 14, T8S, R22E, S.L.B.&M.  
2009' FNL 2109' FWL**




**Utah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC** 01 16 03  
**MAP** MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00

**B  
TOPO**

T8S



R  
22  
E

**PROPOSED LOCATION:  
OU SG #6W-14-8-22**

**LEGEND:**

- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ⊗ WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED

**SHENANDOAH ENERGY, INC.**

**OU SG #6W-14-8-22  
SECTION 14, T8S, R22E, S.L.B.&M.  
2009' FNL 2109' FWL**



**Uintah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC MAP** 01 16 03  
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00



WORKSHEET  
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/25/2003

API NO. ASSIGNED: 43-047-35077

WELL NAME: OU SG 6W-14-8-22  
OPERATOR: QEP UINTA BASIN, INC. ( N2460 )  
CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:  
SENW 14 080S 220E  
SURFACE: 2009 FNL 2109 FWL  
BOTTOM: 2009 FNL 2109 FWL  
UINTAH  
KENNEDY WASH ( 618 )  
LEASE TYPE: 1 - Federal  
LEASE NUMBER: UTU-73687  
SURFACE OWNER: 1 - Federal  
PROPOSED FORMATION: WSTC

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LATITUDE: 40.12431  
LONGITUDE: 109.40864

RECEIVED AND/OR REVIEWED:

Plat

Bond: Fed[1] Ind[] Sta[] Fee[]  
(No. UT-1237 )

Potash (Y/N)

Oil Shale 190-5 (B) or 190-3 or 190-13

Water Permit  
(No. 43-8496 )

RDCC Review (Y/N)  
(Date: \_\_\_\_\_ )

Fee Surf Agreement (Y/N)

LOCATION AND SITING:

R649-2-3.  
Unit \_\_\_\_\_

R649-3-2. General  
Siting: 460 From Qtr/Qtr & 920' Between Wells

R649-3-3. Exception

Drilling Unit  
Board Cause No: \_\_\_\_\_  
Eff Date: \_\_\_\_\_  
Siting: \_\_\_\_\_

R649-3-11. Directional Drill

COMMENTS: Sop, Separate file

STIPULATIONS: 1- Federal Approval  
2- Spacing Stip





State of Utah  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt  
Governor

Kathleen Clarke  
Executive Director

Lowell P. Braxton  
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

June 30, 2003

QEP Uinta Basin, Inc.  
11002 E 17500 S  
Vernal, UT 84078

Re: Over and Under Sage Grouse 6W-14-8-22 Well, 2009' FNL, 2109' FWL, SE NW,  
Sec. 14, T. 8 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35077.

Sincerely,

A handwritten signature in cursive script that reads "Don Stelm".

for

John R. Baza

Associate Director

pab  
Enclosures

cc: Uintah County Assessor  
Bureau of Land Management, Vernal District Office

Operator: QEP Uinta Basin, Inc.  
Well Name & Number Over and Under Sage Grouse 6W-14-8-22  
API Number: 43-047-35077  
Lease: UTU-73687

Location: SE NW                      Sec. 14                      T. 8 South                      R. 22 East

### Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT 43,047,350 77

005

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work:  DRILL  REENTER

1b. Type of Well:  Oil Well  Gas Well  Other  Single Zone  Multiple Zone

CONFIDENTIAL

2. Name of Operator: QEP UINTA BASIN INC  
Contact: JOHN BUSCH  
E-Mail: john.busch@questar.com

3a. Address: 11002 EAST 17500 SOUTH  
VERNAL, UT 84078

3b. Phone No. (include area code)  
Ph: 435.781.4341  
Fx: 435.781.4323

4. Location of Well (Report location clearly and in accordance with any State requirements.)\*  
At surface: SENW 2009FNL 2109FWL  
At proposed prod. zone:

REGISTERED  
JUN 19 2003

14. Distance in miles and direction from nearest town or post office\*  
9 +/- MILES SOUTHWEST OF REDWASH, UTAH

15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)  
2009' +/-

16. No. of Acres in Lease

18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft.  
20' +/-

19. Proposed Depth  
8000 MD  
8000 TVD

21. Elevations (Show whether DF, KB, RT, GL, etc.)  
5132 KB

22. Approximate date work will start

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature (Electronic Submission): JOHN BUSCH  
Name (Printed/Typed): JOHN BUSCH  
Date: 06/18/2003

Title: OPERATIONS

Approved by (Signature): [Signature]  
Name (Printed/Typed): [Name]  
Date: 09/25/2003

Title: Assistant Field Manager  
Office: Mineral Resources

NOTICE OF APPROVAL

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

**CONDITIONS OF APPROVAL ATTACHED**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #23379 verified by the BLM Well Information System  
For QEP UINTA BASIN INC, sent to the Vernal  
Committed to AFMSS for processing by LESLIE WALKER on 06/26/2003 (03LW1874AE)



\*\* BLM REVISED \*\*

RECEIVED  
SEP 29 2003

DIV. OF OIL, GAS & MINING

CONDITIONS OF APPROVAL  
APPLICATION FOR PERMIT TO DRILL

Company/Operator: QEP-Uinta Basin Inc.  
Well Name & Number: OU SG 6W-14-8-22  
API Number: 43-047-35077  
Lease Number: U-73687  
Location: SENW Sec. 14 T. 8S R. 22E  
Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

**CONDITIONS OF APPROVAL**

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the production casing must extend 200' above the top of the Green River formation which has been identified at  $\pm 2770'$ .

Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

**Please submit an electronic copy of all logs run on this well in LAS format. This submission will supercede the requirement for submittal of paper logs to the BLM.**

Other Information

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman (435) 828-7874  
Petroleum Engineer

Kirk Fleetwood (435) 828-7875  
Petroleum Engineer

BLM FAX Machine (435) 781-4410

**THERE ARE NO ADDITIONAL CONDITIONS FOR THE SURFACE USE PROGRAM.**




**QEP UINTA BASIN, INC.**

**11002 EAST 17500 SOUTH**

**VERNAL, UT 84078**

**(435)781-4342 (phone)**

**(435)781-4357 (fax)**



**Fax To:** Carol Daniels

**Fax Number:** (801)359-3940

**From:** Dahn Caldwell

**Phone #:** (435)781-4342

**No. of Pages:** \_\_\_\_\_  
(including cover sheet)

**Comments:**

**RECEIVED**

**APR 16 2004**

**DIV. OF OIL, GAS & MINING**

04/14/2004 20:50 4350280385

RIG 51

Spud Date 4/13/04 PAGE 01

TOBS RARE S-14  
43-047-35077

DATE: 4/14/04

# QUISTAR

## DAILY DRILLING REPORT

WELL: OUSG 66w-14-8-22  
 FIELD: Kennedy Wash  
 STATE: Utah  
 AREA: Uintah Basin  
 CLASS: DRILL  
 RIG CONTR.: Bill Martin Jr  
 SPUD DATE:  
 CUMM. ROTATING HRS:

ACTIVITY: Wait on Rig  
 TO:  
 PROGRESS  
 HRS: ROP:  
 RIG:  
 PLAN MD:  
 CUMM. FOOTAGE: 0.0  
 CONNECTION GAS:

RPT No: 1 PSS:  
 FOREMAN: Pete Ayoitte  
 API #: 43-047-35077  
 AFE#: 18974  
 CASING: 9 5/8" SHOE MD: 482'  
 PH NBR:  
 CUMM. ROP:  
 TRIP GAS:

TRIP#	BIT#	MODEL	SIZE	ADC	FROM	TO	LGTH	HRS	N1	N2	N3	WOB	RPM	I	O	D	L	B	G	O	R	

EMAS:

Qty	Description	O.D.	Length

MUD PROPERTIES

Time:	PI/MF:
Depth:	Solids:
MW:	CN:
FV:	CA:
FV:	LCM:
YP:	KCL:
Gels:	
API FL:	H2S:
PH:	SAND:

HYDRAULICS

Std Pipe:	PUMP#1	PUMP#2	PUMP#3
# Cyl:			
SPM:			
Liner Id:			
S.L.:			
Rod Dia:			
EW %:			
Flow Rate:			

SLOW PUMP RATES

SPM:			
PRSR:			
AV (DP):	0.0	AV (DC)	0.0
Jet Vel.:	0.0	PSI Drop:	0
BH HP:	0.0	HP/In2:	0.0

SURVEYS

MD	Angle	TVD	Dir.	V. Sect.	+N-S	-E-W	D. L.

MUD USED

Mud Additive	Used
CONFIDENTIAL	

From	To	Hrs	PH	OP	Activity Last 24 Hours
					Bill Martin Jr spud @ 1000 hrs 4/13/04. Complete operations at 1200 hrs 4/14/04. Drilled 12' 1/4 hole to 482 KB (17' KB) Ran 11 joints 9 5/8 casing. Land shoe at 482 KB, float at 461 KB. Cement with 200 sacks premium cement. Good returns. 11 bbl cement to reserve. Plus down @ 1242 hrs 4/14/04.

COSTS SUMMARY

Code	Item Description	Daily	Cumm.
820/221	Drilling: Daywork		
820/217	Move/Rig Up & Down		
820/211	Conductor Hole & Serv.	11390	11390
820/205	Road & Location Costs		
820/470	Freight & Trucking		
820/213	Water and water Hauling		
820/420	Open Hole Logs		
820/400	Contract Labor		
820/200	Bits & Reamers		
820/270	Drilling & Mud Additives		
820/250	Fuel		
820/350	Cement & Cementing Casing	5191	5191
820/410	Mud Logging Services		
820/530	Power Tongs & Casing Crew		
820/330	Surface Equipment Rental		
840/203	Casing	6463	6463
Total Daily Cost:		23044	23044
Cumulative Cost to Date:			

0.00 = Total Hours Today

RECEIVED

APR 16 2004

DIV. OF OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

008

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
UTU-73687

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		<b>CONFIDENTIAL</b>	8. Well Name and No. OU SG 6W 14 8 22 <i>63U</i>
2. Name of Operator QEP UINTA BASIN, INC.			9. API Well No. 43-047-35077
3a. Address 11002 E. 17500 S. VERNAL, UT 84078		3b. Phone No. (include area code) Ph: 435.781.4342 Fx: 435.781.4357	10. Field and Pool, or Exploratory KENNEDY WASH
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 14 T8S R22E SENW 2009FNL 2109FWL			11. County or Parish, and State UINTAH COUNTY, UT

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Well Spud
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This well was spud on 4/13/04. Drilled 12-1/4" hole to 492'KB. Ran 11 jts 9-5/8" 36# casing to 482'KB.

Cemented w/ 200 sxs Premium Cmt.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #29672 verified by the BLM Well Information System  
For QEP UINTA BASIN, INC., sent to the Vernal**

Name (Printed/Typed) DAHN F CALDWELL	Title AUTHORIZED REPRESENTATIVE
Signature <i>Dahn F Caldwell</i> (Electronic Submission)	Date 04/16/2004

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\***

**RECEIVED**  
APR 21 2004  
DIV. OF OIL, GAS & MINING

**CONFIDENTIAL**

009

State of Utah  
Division of Oil, Gas and Mining

OPERATOR ACCT. No. N-2460

OPERATOR: **QEP Uinta Basin, Inc.**  
ADDRESS: **11002 East 17500 South**  
**Vernal, Utah 84078-8526**

**(435)781-4300**

ENTITY ACTION FORM - FORM 6

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
A	99999	14128	43-047-35077	OU SG 6W 14 8 22	SENW	14	8S	22E	Uintah	4/13/04	4/27/04

WELL 1 COMMENTS: Wasatch ✓

WELL 2 COMMENTS:

WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected


(3/89)

*John F. Caldwell*

Signature

Clerk Specialist 4/16/04  
Title Date

Phone No. (435)781-4342



05/01/2004 06:12 4358288385

RIG 51

PAGE 01/01

TOBS R 22E S-14 43-047-35077

CONFIDENTIAL

# QUESTAR

## DAILY DRILLING REPORT

DATE : 5/1/2004

WELL : OUSG 6MU-14-8-22  
 FIELD : KENNEDY WASH  
 STATE : UT UINTAH  
 AREA : UINTAH BASIN  
 CLASS : DRILL  
 RIG CONTR. : PATTERSON UTI  
 SPUD DATE :  
 CUMM. ROTATING HRS 0.00

ACTIVITY: TEST BOP  
 TD : 0  
 PROGRESS : 0  
 HRS : ROP :  
 RIG : RIG 51  
 PLAN MD : 9150  
 CUMM. FOOTAGE : 0.00  
 CONNECTION GAS :

RPT No: 2 DSS:  
 FOREMAN : PETE AYOTTE  
 API #: 43-047-35077  
 AFE#: 18974  
 CASING : in. SHOE MD :  
 PH NBR :  
 CUMM. ROP:  
 TRIP GAS :

BACKGROUND GAS :

TRIP#	BIT#	MODEL	SIZE	ADC	FROM	TO	LGTH	HRS	N1	N2	N3	WOB	RPM	I	O	D	L	B	G	O	R	
1	1	M76	8.750	PDC	482		0	0.00														

**BHA# :**

Qty	Description	O.D.	Length

Total BHA Length : 0.00

**MUD PROPERTIES**

Time : PT/MF : /  
 Depth : Solids :  
 MW : CH :  
 FV : CA :  
 PV : LCM :  
 YP : KCL :  
 Gels : /  
 API FL : H<sub>2</sub>S :  
 pH : SAND :

**HYDRAULICS**

Std Pipe :  
 # Cyl : PUMP#1 PUMP#2 PUMP#3  
 SPM :  
 Liner Id :  
 S.L. :  
 Rod Dia :  
 Eff % :  
 Flow Rate :

**SLOW PUMP RATES**

SPM :  
 PFRS :  
 AV (DP) : 0.0 AV (DC) 0.0  
 Jet Vel. : 0.0 PSI Drop : 0  
 Bit MP : 0.0 HP/in<sup>2</sup> : 0.0

**SURVEYS**

MD	Angle	TVD	Dir.	V. Sect.	+N-S	+E-W	D. L.

**MUD USED**

Mud Additive	Used

**Activity Last 24 Hours**

From	To	Hrs	PH	OP	Activity
08:00	15:00	8.50	D	RU	MOB/DEMOS
15:00	18:30	3.00	D	OT	drill rashole
18:30	01:00	6.50	T	FD	RESTRING FASTLINE, LINE CAME OUT OF DRUM
01:00	06:00	5.00	O	TE	TESTS (BOP, WELLHEAD, CASING, LEAKOFF)
			D		
			D		FUEL, 6704

**COSTS SUMMARY**

Code	Item Description	Daily	Cumm.
820/221	Drilling: daywork	\$7,500	\$7,500
820/217	Move/Rig Up & Down	\$0	\$0
820/211	Conductor Hole & Serv.	\$0	\$11,300
820/205	Road & Location Costs	\$0	\$0
820/470	Freight & Trucking	\$0	\$0
820/213	Water and water Hauling	\$0	\$0
820/430	Open Hole Logs	\$0	\$0
820/490	Contract Labor	\$1,089	\$1,089
820/290	Bits & Reamers	\$6,200	\$6,200
820/270	Drilling & Mud Additives	\$0	\$0
820/250	Fuel	\$360	\$360
820/350	Cement & Cementing Casing	\$0	\$5,191
820/410	Mud Logging Services	\$0	\$0
820/530	Power Tongs & Casing Crew	\$0	\$0
820/930	Surface Equipment Rental	\$500	\$500

RECEIVED  
 MAY 03 2004  
 DIV. OF OIL, GAS & MINING

24.00 = Total Hours Today

Total Daily Cost : \$18,089  
Cumulative Cost to Date : \$39,143

05/02/2004 06:41 4358280385

RIG 51

PAGE 01/01

*DELEG ON DATE*

*LOG # 4358280385-35099*

# QUISTAR

## DAILY DRILLING REPORT

DATE: 5/2/2004

<b>WELL:</b> OUSG 6MU-14-8-22	<b>ACTIVITY:</b> DRILLING	<b>RPT No:</b> 3 DSS:
<b>FIELD:</b> KENNEDY WASH	<b>TD:</b> 2,694	<b>FOREMAN:</b> PETE AYOTTE
<b>STATE:</b> UT UINTAH	<b>PROGRESS:</b> 2,212	<b>API #:</b> 43-047-38077
<b>AREA:</b> UINTAH BASIN	<b>HRS:</b> 15.00 <b>ROP:</b> 147.47	<b>AFE#:</b> 18974
<b>CLASS:</b> DRILL	<b>RIG:</b> RIG 51	<b>CASING:</b> 8.625 in. SHOE MD: 482
<b>RIG CONTR.:</b> PATTERSON UTI	<b>PLAN MD:</b> 9825	<b>PH NBR:</b>
<b>SPUD DATE:</b> 5/1/2004	<b>CUMM. FOOTAGE:</b> 2,212.00	<b>CUMM. ROP:</b> 147.47
<b>CUMM. ROTATING HRS:</b> 15.00	<b>CONNECTION GAS:</b>	<b>TRIP GAS:</b>
<b>BACKGROUND GAS:</b> 110		

TRIP#	RITE	MODEL	SIZE	IADC	FROM	TO	LGTH	HRS	N1	N2	N3	WOB	RPM	I	O	D	L	B	G	O	R	
1	1	M75	8.750	PDC	482		2,212	15.00	1	0	86	20	165									
							0	0														

BHA# : 1				MUD PROPERTIES				HYDRAULICS			
Qty	Description	O.D.	Length	Time: 12:00	Pf/MF:			Std Pipe: 840			
1	BIT	8.750	1.00	Depth:	458	Solids:	0.1				
1	DOG SUB	8.750	.81	MW:	8.4	Chi:	480				
1	MOTOR	6.500	27.00	FV:	27	CA:	60				
1	TELEDRIFT	6.250	7.22	FV:		LCM:					
1	IBS	8.700	4.42	YP:		KCL:					
1	DRILL COLLAR	6.500	31.07	Gels:	/						
1	IBS	8.700	3.80	API FL:		H2S:					
16	DRILL COLLARS	6.500	485.74	pH:	9.6	SAND:					

Total BHA Length: 570.86

SURVEYS							
MD	Angle	TVD	Dir.	V. Sect.	+N-S	+E-W	D. L.
589	1.00						
1,048	1.00						
1,209	1.00						
1,486	1.00						
1,817	2.00						
2,105	2.00						
2,393	2.00						

SLOW PUMP RATES		
SPM:	PRSR:	
AV (DP): 0.0	AV (DC): 0.0	
Jet Vel.: 21.2	PSI Drop: 3	
BR HP: 0.7	HP/In2: 0.0	

From	To	Hrs	PH	OP	Activity Last 24 Hours
06:00	06:30	.50	D	TE	TESTS (BOP, WELLHEAD, CASING, LEAKOFF)
06:30	07:00	.50	T	FD	WORK ON PUMP
07:00	10:00	3.00	D	TR	PICK UP BHA, TAG CEMENT AT 425'
10:00	12:00	2.00	T	FD	WORK ON PUMPS
12:00	12:30	.50	D	SR	RIG SERVICE
12:30	13:30	1.00	D	DC	DRILL CEMENT/PLUGS
13:30	14:30	1.00	D	DR	DRILL FROM 482 TO 611
14:30	15:00	.50	D	OT	INSTALL ROTATING HEAD
15:00	21:00	6.00	D	DR	DRILL FROM 611 TO 1542
21:00	21:30	.50	D	SU	SURVEY
21:30	01:30	4.00	D	DR	DRILL FROM 1542 TO 2150
01:30	02:00	.50	D	SU	DIRECTIONAL (INCLUDING SURVEYING)
02:00	06:00	4.00	D	DR	DRILL FROM 2150 TO 2894

COSTS SUMMARY			
Code	Item Description	Daily	Cumm.
820/221	Drilling: daywork	\$9,680	\$17,220
820/217	Move/Rig Up & Down	\$0	\$0
820/211	Conductor Hole & Serv.	\$0	\$11,390
820/205	Road & Location Costs	\$0	\$0
820/470	Freight & Trucking	\$0	\$0
820/213	Water and water Hauling	\$0	\$0
820/430	Open Hole Logs	\$0	\$0
820/490	Contract Labor	\$400	\$1,489
820/290	Bits & Reamers	\$0	\$8,200
820/270	Drilling & Mud Additives	\$85	\$85
820/250	Fuel	\$723	\$1,078
820/350	Cement & Cementing Casing	\$0	\$5,191
820/410	Mud Logging Services	\$300	\$300
820/530	Power Tongs & Casing Crew	\$0	\$0
820/330	Surface Equipment Rental	\$2,300	\$2,800

RECEIVED  
MAY 03 2004  
DIV. OF OIL, GAS & MINING

24.00 = Total Hours Today

Total Daily Cost: \$15,048  
Cumulative Cost to Date: \$54,191

TOBS R2RE S-14 43-047-35077

# QUESTAR

## DAILY DRILLING REPORT

DATE : 5/3/2004

<b>WELL :</b> OL SG 8MU-14-8-22	<b>ACTIVITY:</b> DRILLING	<b>RPT No:</b> 4 DSS:
<b>FIELD :</b> KENNEDY WASH	<b>TD :</b> 4,080	<b>FOREMAN :</b> PETE AYOTTE
<b>STATE :</b> UT UINTAH	<b>PROGRESS :</b> 1,386	<b>API #:</b> 43-047-35077
<b>AREA :</b> UINTAH BASIN	<b>HRS :</b> 14.00 <b>ROP :</b> 99.00	<b>AFE# :</b> 18974
<b>CLASS :</b> D&C	<b>RIG :</b> GUDAC BROTHERS	<b>CASING :</b> 9.625 in. <b>SHOE MD :</b> 482
<b>RIG CONTR. :</b> GUDAC BROTHERS	<b>PLAN MD :</b>	<b>PH NBR :</b>
<b>SPUD DATE :</b> 4/13/2004	<b>CUMM. FOOTAGE :</b> 3,598.00	<b>CUMM. ROP :</b> 124.07
<b>CUMM. ROTATING HRS :</b> 29.00	<b>CONNECTION GAS :</b>	<b>TRIP GAS :</b>
<b>BACKGROUND GAS :</b> 1,000		

TRIP#	BIT#	MODEL	SIZE	IADC	FROM	TO	LGTH	HRS	N1	N2	N3	WOB	RPM	I	O	D	L	B	G	O	R	
1	1	M75	8.750	PDC	482		3,598	29.00	1	0	86	20	165									
							0	0														

BHA# : 1				MUD PROPERTIES				Calculate HYDRAULICS		
Qty	Description	O.D.	Length	Time : 12:00	Pf/MF :			Std Pipe : 840		
1	BIT	8.750	1.00	Depth :	4,000	Solids :	0.1			
1	DOG SUB	8.750	.61	MW :	8.7	Chl :	450			
1	MOTOR	6.500	27.00	FV :	34	CA :	60			
1	TELEDRIFT	6.250	7.22	PV :		LCM :				
1	IBS	8.700	4.42	YP :		KCL :				
1	DRILL COLLAR	6.500	31.07	Gels :	/					
1	IBS	8.700	3.80	API FL :		H2S :				
16	DRILL COLLARS	6.500	495.74	pH :	9.6	SAND :				
Total BHA Length :				570.86						

SURVEYS							
MD	Angle	TVD	Dir.	V. Sect.	+N-S	+E-W	D. L.
569	1.00						
1,048	1.00						
1,209	1.00						
1,496	1.00						
1,817	2.00						
2,105	2.00						
2,393	2.00						
2,714	2.00						
3,066	2.00						
3,580	4.00						
3,900	3.00						

MUD USED	
Mud Additive	Used
BARACAT	2
EZMUD	3
GYP	42
LIME	44
SAWDUST	45

COSTS SUMMARY			
Code	Item Description	Daily	Cumm.
820/221	Drilling: daywork	\$9,660	\$26,880
820/217	Move/Rig Up & Down	\$0	\$0
820/211	Conductor Hole & Serv.	\$0	\$0
820/205	Road & Location Costs	\$0	\$0
820/470	Freight & Trucking	\$0	\$0
820/213	Water and water Hauling	\$0	\$0
820/430	Open Hole Logs	\$0	\$0
820/490	Contract Labor	\$400	\$1,889
820/290	Bits & Reamers	\$0	\$6,200
820/270	Drilling & Mud Additives	\$1,704	\$1,789
820/250	Fuel	\$736	\$1,809
820/350	Cement & Cementing Casing	\$11,504	\$11,504
820/410	Mud Logging Services	\$300	\$600
820/530	Power Tongs & Casing Crew	\$0	\$0
820/330	Surface Equipment Rental	\$2,900	\$5,700

From	To	Hrs	PH	OP	Activity Last 24 Hours
06:00	06:30	.50	D	DR	DRILL FROM 2694 TO 2758
06:30	07:00	.50	D	SU	DIRECTIONAL (INCLUDING SURVEYING)
07:00	07:30	.50	D	OT	CHANGE OUT ROTATING HEAD RUBBER
07:30	11:00	3.50	O	DR	DRILL FROM 2758 TO 3110, LOSING 45 BBL/HR, PUMP 2 SWEEPS, DID NOT HELP
11:00	12:30	1.50	D	TR	TRIP OUT TO 955'
12:30	14:00	1.50	D	CM	PUMP(SQUEEZED) 30 BBL SILICATE PLUG, SPOTTED AT 1750 TO 2550
14:00	15:00	1.00	D	CI	CIRCULATE/CONDITION HOLE, NO LOSSES
15:00	16:00	1.00	D	TR	TRIP IN SLOW
16:00	16:30	.50	D	WA	REAM 96' TO BOTTOM
16:30	19:30	3.00	D	DR	DRILL FROM 3110 TO 3355, ABUNDANT CUTTINGS, HOLE PACKED OFF ON CONNECTION. PULLED FREE
19:30	21:30	2.00	D	CI	MUD UP
21:30	24:00	2.50	D	DR	DRILL FROM 3355 TO 3623
24:00	00:30	.50	D	SU	DIRECTIONAL (INCLUDING SURVEYING)
00:30	01:00	.50	D	SR	RIG SERVICE
01:00	04:00	3.00	D	DR	DRILL FROM 3623 TO 3844
04:00	04:30	.50	D	SU	DIRECTIONAL (INCLUDING SURVEYING)
04:30	06:00	1.50	D	DR	DRILL FROM 3844 TO 4080
06:00			D		
			D		
			D		

**RECEIVED**  
**MAY 03 2004**  
 DIV. OF OIL, GAS & MINING

24.00 = Total Hours Today

Total Daily Cost : \$27,204  
 Cumulative Cost to Date : \$62,201


**QEP UINTA BASIN, INC.**

**11002 EAST 17500 SOUTH**

**VERNAL, UT 84078**

**(435)781-4342 (phone)**

**(435)781-4357 (fax)**



**Fax To:** Carol Daniels

**Fax Number:** (801)359-3940

**From:** Dahn Caldwell

**Phone #:** (435)781-4342

**No. of Pages:** 8  
(including cover sheet)

**Comments: Morning Reports for Drilling & Completion**

RECEIVED  
MAY 04 2004  
DIV. OF OIL, GAS & MINING

TOBS R22E S-14 43-047-35077

CONFIDENTIAL

# QUISTAR

## DAILY DRILLING REPORT

DATE: 5/4/2004

WELL: OUSG (MU-14-22)  
 FIELD: KENNEDY WASH  
 STATE: UT UINTAH  
 AREA: UINTAH BASIN  
 CLASS: DRIL  
 RIG CONTR.: PATTERSON UTI  
 SPUD DATE: 5/1/2004  
 CUMM. ROTATING HRS: 45.50  
 BACKGROUND GAS: 50

ACTIVITY: DRILLING  
 TD: 4,740  
 PROGRESS: 803  
 HRS: 16.50 ROP: 36.58  
 RIG: RIG 51  
 PLAN MD: 5825  
 CUMM. FOOTAGE: 4,201.00  
 CONNECTION GAS:

RPT No: 5 DSS: 3  
 FOREMAN: PETE AYOTTE  
 API #: 43-047-35077  
 AFE#: 18974  
 CASING: 9.825 In. SHOE MD: 482  
 PH NBR:  
 CUMM. ROP: 92.33  
 TRIP GAS: 2,600

TRIP#	BIT#	MODEL	SIZE	IADC	FROM	TO	LGTH	HRS	N1	N2	N3	WOB	RPM	I	Q	D	L	B	G	Q	R	
1	1	M75	8.750	PDC	482	4,342	3,803	34.00	1	0	86	20	165	2	6	WT	H			1	CT	PR
2	2	F180	7.875		4,342		388	11.60	20	20	20	40	150									

**BHA# : 2**

Qty	Description	O.D.	Length
1	BIT	7.875	1.00
1	MOTOR	6.500	27.00
1	TELEDRIFT	6.250	7.22
17	DRILL COLLAR	6.500	528.61

Total BHA Length: 582.03

**MUD PROPERTIES**

Time: 12:00 P1/MF: 0.1 / 0.10  
 Depth: 4,311 Solids: 2.3  
 Mw: 8.9 CH: 1000  
 PV: 38 CA: 180  
 PV: 6 LOM:  
 YP: 4 KCL:  
 Gels: 1 / 2  
 API FL: 21.0 H2S: 2.5  
 pH: 9.3 SAND: .25

**HYDRAULICS**

Std Pipe: 800  
 PUMP#1 PUMP#2 PUMP#3  
 # Cyl: 3 2  
 SPM: 105  
 Liner Id: 6.500 5.500  
 S.L.: 8.00 15.00  
 Rod Dia: 1.75 2.25  
 Eff %: 95 90  
 Flow Rate: 344 0

**SLOW PUMP RATES**

SPM: 48  
 PRSR: 310  
 AV (DP): 0.0 AV (DC): 0.0  
 Jet Vel: 118.6 PSI Drop: 114  
 BR HP: 22.8 HP/In2: 0.6

**SURVEYS**

MD	Angle	TVD	Dir.	V. Sect.	+N/-S	+E/-W	D. L.
569	1.00						
1,048	1.00						
1,209	1.00						
1,496	1.00						
1,817	2.00						
2,105	2.00						
2,383	2.00						
2,714	2.00						
3,066	2.00						
3,580	4.00						
3,800	3.00						
4,218	5.00						
4,680	5.00						

**MUD USED**

Mud Additive	Used
BAR	101
BARACAT	1
CARBONOX	3
CAUSTIC	3
EZMUD	3
GEL	270
GYP	18
LIME	10
PACR	1
SAWDUST	128

**Activity Last 24 Hours**

From	To	Hrs	PH	OP	Activity
08:00	11:00	3.00	D	DR	DRILL FROM 4197 TO 4342
11:00	12:00	1.00	D	CI	CIRCULATE/CONDITION HOLE
12:00	16:30	4.30	D	TR	TRIP OUT. LAY DOWN STABILIZATION, CHANGE BITS, TRIP IN
16:30	17:00	.30	D	CI	CIRC OUT DRY JOB, LOSING FLUID WHEN OUT OF HOLE
17:00	17:30	.30	D	TR	TRIP IN
17:30	18:00	1.30	D	DR	DRILL FROM 4340 TO 4360
18:00	18:30	.30	D	SR	RIG SERVICE
18:30	05:00	9.30	D	DR	DRILL FROM 4360 TO 4732
05:00	05:30	.30	D	SU	DIRECTIONAL (INCLUDING SURVEYING)
05:30	06:00	.30	D	DR	DRILL FROM 4732 TO 4740
06:00			D		FUEL 4380, USED 988. CUTTINGS ARE BACK TO NORMAL, NO LOSSES, WIRELINE SURVEY THIS MORNING

**COSTS SUMMARY**

Code	Item Description	Daily	Cumm.
820/221	Drilling: daywork	\$3,680	\$36,640
820/217	Move/Rig Up & Down	\$0	\$0
820/211	Conductor Hole & Serv.	\$0	\$11,380
820/205	Road & Location Costs	\$0	\$0
820/470	Freight & Trucking	\$0	\$0
820/213	Water and water Hauling	\$0	\$0
820/430	Open Hole Logs	\$0	\$0
820/480	Contract Labor	\$400	\$2,289
820/280	Bits & Reamers	\$6,800	\$13,000
820/270	Drilling & Mud Additives	\$3,578	\$5,367
820/250	Fuel	\$571	\$2,380
820/350	Cement & Cementing Casing	\$0	\$18,895
820/410	Mud Logging Services	\$300	\$900
820/530	Power Tongs & Casing Crews	\$0	\$0
820/830	Surface Equipment Rental	\$2,285	\$7,995
Total Daily Cost:		\$23,604	
Cumulative Cost to Date:			\$104,989

24.00 = Total Hours Today

RECEIVED

MAY 04 2004

DIV. OF OIL, GAS & MINING



TORS R22F 5-14 43-049-35077

# QUISTAR

## DAILY DRILLING REPORT

DATE : 5/6/2004

WELL : OUSG 6MU-14-8-22  
 FIELD : KENNEDY WASH  
 STATE : UT UINTAH  
 AREA : UINTAH BASIN  
 CLASS : DRILL  
 RIG CONTR. : PATTERSON UTI  
 SPUD DATE : 5/1/2004  
 CUMM. ROTATING HRS : 89.50  
 BACKGROUND GAS : 30

ACTIVITY : DRILLING  
 TD : 5,893  
 PROGRESS : 443  
 HRS : 22.50 ROP : 19.69  
 RIG : RIG 51  
 PLAN MD : 9825  
 CUMM. FOOTAGE : 5,130.00  
 CONNECTION GAS :

RPT No: 7 DSS: 5  
 FOREMAN : PETE AYOTTE  
 API #: 43-047-35077  
 AFE#: 18974  
 CASING : 9.825 in. SHOES MD : 482  
 PH NBR :  
 CUMM. ROP : 57.32  
 TRIP GAS :

TRIP#	BIT#	MODEL	SIZE	IADC	FROM	TO	LGTH	HRS	N1	N2	N3	WOB	HPM	I	O	D	L	B	G	Q	R		
1	1	M75	8.750	POC	482	4,342	3,803	34.00	1	0	88	20	185	2	8	WT	H						
2	2	F30	7.875		4,342		1,327	55.50	20	20	20	-2	166								1	CT	PR

**BHA# : 2**

Qty	Description	O.D.	Length
1	BIT	7.875	1.00
1	MOTOR	6.500	27.00
1	TELEDRIFT	6.250	7.22
17	DRILL COLLAR	6.500	526.81

**MUD PROPERTIES**

Time : 12:00 P/MF : 0.2 / 0.80  
 Depth : 5,306 Solids : 2.9  
 MW : 9.0 CH : 3000  
 FV : 38 CA : 60  
 PV : 11 LCM :  
 YP : 10 KCL :  
 Gels : 1 / 3  
 API FL : 18.2 H2S : 3.5  
 pH : 8.9 SAND : .25

**HYDRAULICS**

Std Pipe : 1150  
 PUMP#1 : 3  
 PUMP#2 : 2  
 PUMPK3 :  
 SPM : 108  
 Liner Id : 6.500 5.500  
 S.L. : 8.00 15.00  
 Rod Dia : 1.75 2.25  
 Eff % : 95 90  
 Flow Rate : 344 0

**SLOW PUMP RATES**

SPM : 48  
 PHSR : 350  
 AV (DP) : 0.0 AV (DC) : 0.0  
 Jet Vel. : 119.6 PSI Drop : 115  
 BK HP : 23.0 HP/In2 : 0.6

**SURVEYS**

MD	Angle	TVD	Dir.	V. Sect.	+N-S	+E-W	D. L.
1,209	1.00						
1,498	1.00						
1,817	2.00						
2,105	2.00						
2,393	2.00						
2,714	2.00						
3,098	2.00						
3,580	4.00						
3,900	3.00						
4,218	3.00						
4,590	5.00						
4,882	5.00						
4,978	5.00						
5,072	8.00						
5,158	4.00						
5,255	4.00						
5,341	3.00						
5,617	4.00						

**MUD USED**

Mud Additive	Used
CARBONOX	1
GAS TREAT	1
GEL	93
RAWI/UBT	12

**Activity Last 24 Hours**

From	To	Hrs	PH	OP	Description
08:00	08:30	2.50	D	DR	DRILL FROM 5358 TO 5310
08:30	08:00	.50	D	SR	RIG SERVICE
09:00	14:00	5.00	D	DR	DRILL FROM 6310 TO 6436
14:00	14:30	.50	D	BU	DIRECTIONAL (INCLUDING SURVEYING)
14:30	03:30	13.00	D	DR	DRILL FROM 6436 TO 6861
03:30	04:00	.50	D	SU	DIRECTIONAL (INCLUDING SURVEYING)
04:00	06:00	2.00	D	DR	DRILL FROM 5617 TO 5884
			D		FUEL 3045, USED 482, 5-10 BBL/HR
			D		LOSSES 4-6 TIMES LAST 14 HRS DRILLING.

**COSTS SUMMARY**

Code	Item Description	Daily	Cumm.
820/221	Drilling: daywork	\$9,860	\$55,860
820/217	Move/Rig Up & Down	\$34,232	\$34,232
820/211	Conductor Hire & Serv.	\$0	\$11,360
820/205	Road & Location Costs	\$0	\$0
820/470	Freight & Trucking	\$0	\$0
820/213	Water and water Hauling	\$0	\$2,955
820/430	Open Hole Logs	\$0	\$0
820/490	Contract Labor	\$400	\$9,089
820/290	Bits & Reamers	\$0	\$13,000
820/270	Drilling & Mud Additives	\$1,410	\$8,807
820/250	Fuel	\$748	\$4,462
820/350	Cement & Cementing Casing	\$0	\$16,895
820/410	Mud Logging Services	\$300	\$1,500
820/530	Power Tonge & Casing Crew	\$0	\$0
820/330	Surface Equipment Rental	\$2,912	\$13,629
Total Daily Cost :		\$49,662	
Cumulative Cost to Date :			\$174,062

24.00 = Total Hours Today

013

05/07/2004 06:05 435228 75

RIG 51

**CONFIDENTIAL**

PAGE 01/01

+ OBS R22E S-14 43-049-35077

<b>QUISTAR</b>										<b>DAILY DRILLING REPORT</b>										<b>DATE : 5/7/2004</b>									
<b>WELL :</b> OUSG 6MU-14-8-22										<b>ACTIVITY:</b> DRILL										<b>RPT No :</b> 8 <b>DSS:</b> 6									
<b>FIELD :</b> KENNEDY WASH										<b>TD :</b> 6,020										<b>FOREMAN :</b> PETE AYOTTE									
<b>STATE :</b> UT UINTAH										<b>PROGRESS :</b> 327										<b>A-P I# :</b> 43-047-35077									
<b>AREA :</b> UINTAH BASIN										<b>HRS :</b> 23.00 <b>ROP :</b> 14.22										<b>AFE# :</b> 18974									
<b>CLASS :</b> DRILL										<b>RIG :</b> RIG 51										<b>CASING :</b> 9.625 In. <b>SHOE MD :</b> 482									
<b>RIG CONTR. :</b> PATTERSON UTI										<b>PLAN MD :</b> 9150										<b>F I I NBR :</b>									
<b>BPUD DATE :</b> 5/1/2004										<b>CUMM. FOOTAGE :</b> 5,457.00										<b>CUMM. ROP :</b> 48.51									
<b>CUMM. ROTATING HRS :</b> 112.50										<b>CONNECTION GAS :</b>										<b>TRIP GAS :</b>									
<b>BACKGROUND GAS :</b> 50																													
<b>TRIP#</b>	<b>BIT#</b>	<b>MODEL</b>	<b>SIZE</b>	<b>IADC</b>	<b>FROM</b>	<b>TO</b>	<b>LOTH</b>	<b>HRS</b>	<b>N1</b>	<b>N2</b>	<b>N3</b>	<b>WOB</b>	<b>RPM</b>	<b>I</b>	<b>O</b>	<b>D</b>	<b>L</b>	<b>B</b>	<b>G</b>	<b>O</b>	<b>R</b>								
1	1	M75	6.750	PDC	452	4,942	3,803	34.00	1	0	86	20	165	2	8	WT	H			1	CT	PR							
2	2	F80	7.875		4,342		1,654	75.60	20	20	30	42	155																

<b>BHA : 2</b>				<b>MUD PROPERTIES</b>				<b>HYDRAULICS</b>							
<b>Qty</b>	<b>Description</b>	<b>O.D.</b>	<b>Length</b>	<b>Time :</b> 12:00	<b>Pt/MP :</b> 0.2 / 0.70	<b>Std Pipe :</b> 1180		<b>PUMP#1</b>		<b>PUMP#2</b>		<b>PUMP#3</b>			
1	BIT	7.875	1.00	<b>Depth :</b> 5,808	<b>Solids :</b> 3.6	# Cyl :		3		2					
1	MOTOR	8.500	27.00	<b>MW :</b> 9.0	<b>Chl :</b> 3000	SPM :		105		5.500		5.500			
1	TELEDRIFT	6.250	7.22	<b>PV :</b> 40	<b>CA :</b> 80	Liner Id :		6.00		15.00					
17	DRILL COLLAR	6.500	525.81	<b>YP :</b> 12	<b>KCL :</b>	S.L. :		1.75		2.25					
				<b>Gels :</b> 6 / 12	<b>API FL :</b> 18.8	<b>H2S :</b> 2.6	Rod Dia :		85		90				
				<b>pH :</b> 9.8	<b>SAND :</b> .75	Eff % :		344		0					
<b>Total BHA Length :</b> 582.03				<b>SURVEYS</b>				<b>SLOW PUMP RATES</b>							
<b>MD</b>	<b>Angle</b>	<b>TVD</b>	<b>Dkr.</b>	<b>V. Sect.</b>	<b>+N-S</b>	<b>+E-W</b>	<b>D. L.</b>	<b>SPM :</b> 48	<b>PRSR :</b> 350		<b>AV (DP) :</b> 0.0		<b>AV (DC) :</b> 0.0		
1,496	1.00							<b>Jet Vel. :</b> 118.6		<b>PSI Drop :</b> 115		<b>Br HP :</b> 29.0		<b>HP/in2 :</b> 0.5	
1,817	2.00							<b>MUD USED</b>		<b>Mud Additive</b>		<b>Used</b>			
2,105	2.00						CARBONOX							1	
2,383	2.00						CALSTIC							2	
2,714	2.00						GEL							75	
3,066	2.00						SAWDUST							115	
3,580	4.00														
3,900	3.00														
4,218	3.00														
4,690	5.00														
4,882	5.00														
4,975	5.00														
5,072	6.00														
5,159	4.00														
5,266	4.00														
5,391	3.00														
5,817	4.00														
5,842	3.00														

<b>Activity Last 24 Hours</b>						<b>COSTS SUMMARY</b>				
<b>From</b>	<b>To</b>	<b>Hrs</b>	<b>PH</b>	<b>OP</b>	<b>Activity</b>	<b>Code</b>	<b>Item Description</b>	<b>Daily</b>	<b>Cumm.</b>	
08:00	14:00	8.00	D	DR	DRILL FROM 5883 TO 5921	820/221	Drilling: daywork	\$9,660	\$85,520	
14:00	14:30	.30	D	SR	RIG SERVICE	820/217	Move/Rig Up & Down	\$0	\$34,232	
14:30	18:00	4.30	D	DR	DRILL FROM 5921 TO 5986	820/211	Conductor Hole & Serv.	\$0	\$11,390	
18:00	19:30	.30	D	SL	DIRECTIONAL (INCLUDING SURVEYING)	820/205	Road & Location Costs	\$0	\$0	
19:30	06:00	10.60	D	DR	DRILL FROM 5986 TO 6020	820/470	Freight & Trucking	\$0	\$0	
			D		FUEL 2244, USED 802. LOSING 10 BBL/MR SINCE 1100 HRS. TRIP FOR PDC THIS MORNING.	820/213	Water and water Hauling	\$0	\$2,955	
			D			820/430	Open Hole Logs	\$0	\$0	
			D			820/490	Contract Labor	\$400	\$3,489	
			D			820/290	Bits & Reamers	\$0	\$13,000	
			D			820/270	Drilling & Mud Additives	\$1,069	\$9,876	
			D			820/250	Fuel	\$1,245	\$5,705	
			D			820/350	Cement & Cementing Casing	\$0	\$16,895	
			D			820/410	Mud Logging Services	\$900	\$1,800	
			D			820/550	Power Tongs & Casing Crews	\$0	\$0	
			D			820/330	Surface Equipment Rental	\$2,950	\$18,589	
								<b>Total Daily Cost :</b>	<b>\$15,692</b>	
								<b>Cumulative Cost to Date :</b>		<b>\$189,694</b>

24.00 - Total Hours Today

**RECEIVED**  
MAY 07 2004  
DIV. OF OIL, GAS & MINING



DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1  
Approval of Operations on Onshore  
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Prod. Phase Anticipated</u>
Uinta	Surface	
Green River	2590'	
Mahogany	3515'	
Wasatch	6015'	
Mesa Verde	8555'	
TD	9150'	

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil/Gas	Mesa Verde	9150'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right #36125 or where possible a fresh water line (poly pipe) will be laid in the access road to each location to supply fresh water for drilling purposes.

DRILLING PROGRAM

3. Operator's Specification for Pressure Control Equipment:

- A. 3,000 psi W.P. Double Gate BOP or Single Gate BOP (schematic attached)
- B. Functional test daily
- C. All casing strings shall be pressure tested (0.2 psi/foot or 2500 psi, whichever is greater) prior to drilling the plug after cementing; test pressure shall not exceed the internal yield pressure of the casing.
- D. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 3M system and individual components shall be operable as designed.

4. Casing Program

	<u>Depth</u>	<u>Hole Size</u>	<u>Csg Size</u>	<u>Type</u>	<u>Weight</u>
Surface	450'	12 1/4"	9-5/8"	J-55	36 lb/ft (new) LT&C
Production	TD'	7 -7/8"	4 -1/2"	M-80	11.60 lb/ft (new)LT&C M-80

5. Auxiliary Equipment

- A. Kelly Cock – yes
- B. Float at the bit – no
- C. Monitoring equipment on the mud system – visually and/or PVT/Flow Show
- D. Full opening safety valve on the rig floor – yes
- E. Rotating Head – yes  
If drilling with air the following will be used:
- F. The blooie line shall be at least 6" in diameter and extend at least 100' from the well bore into the reserve/blooie pit.
- G. Blooie line ignition shall be provided by a continuous pilot (ignited when drilling below 500').
- H. Compressor shall be tied directly to the blooie line through a manifold.

DRILLING PROGRAM

- I. A mister with a continuous stream of water shall be installed near the end of the blooie lines for dust suppression.
  
6. Surface hole will be drilled with air, air/mist, foam, or mud depending on hole conditions. Drilling below surface casing will be with water based drilling fluids consisting primarily of fresh water, bentonite, lignite, caustic, lime, soda ash and polymers. No chromates will be used. It is not intended to use oil in the mud, however, in the event it is used, oil concentration will be less than 4% by volume. Maximum anticipated mud weight is 9.5 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used from base of surface casing to TD.

Gas detector will be used from surface casing depth to TD.

6. Testing, logging and coring program

- A. Cores – none anticipated
- B. DST – none anticipated

Logging – Mud logging – 4500 to TD  
GR-SP-Induction  
Neutron Density  
MRI

- C. Formation and Completion Interval: Mancos interval, final determination of completion will be made by analysis of logs.  
Stimulation – Stimulation will be designed for the particular area of interest as encountered.

DRILLING PROGRAM

7. Cementing Program

<u>Casing</u>	<u>Volume</u>	<u>Type &amp; Additives</u>
Surface	257 sx	Class "G" single slurry mixed to 15.6 ppg, yield = 1.19 cf/sx. Fill to surface with 160 cf (685 sx) calculated. Tail plug used. Allowed to set under pressure
Production	Lead-618sx* Tail-1095sx*	Lead/Tail oilfield type cement circulated in place . Tail slurry: Class "G" + gilsonite and additives as required, mixed to 14.8 ppg, yield = 1.34 cf/sx. Fill to 5515' ( $\pm 500'$ above top of Wasatch).  Cement Characteristics: Lead slurry: Class "G" + extender and additives as required, mixed to 11.0 ppg, yield = 3.82 cf/sx. Fill to surface. Tail plug used. Allowed to set under pressure.


\*Final cement volumes to be calculated from caliper log with an attempt to be made to circulate cement to the surface. A bond log will be run across the zone of interest and across zones as required by the authorized officer to insure protection of natural resources.

8. Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards

No abnormal temperatures or pressures are anticipated. No H2S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 3968.0 psi. Maximum anticipated bottom hole temperature is 140° F.

DRILLING PROGRAM

SCHEMATIC DIAGRAM OF 3,000 PSI BOP STACK




CONFIDENTIAL

### Cement Calculations V2

x-rg (3jul01)

Interval	wo factor	hole dia	csg dia	cf/f	yield	sxs/ft	feet	sxs
Surf Csg	1.2	12.25	9.625	0.673	1.18	0.571	450	257
Lead1	1.2	9.625	4.5	0.617	3.81	0.162	450	73
Lead2	1.2	7.875	4.5	0.377	3.81	0.099	5515	545
Tail	1.2	7.875	4.5	0.377	1.25	0.301	3635	1095

surf csg	257 sxs
total lead	618 sxs
total tail	1095 sxs
<b>total</b>	<b>1970 sxs</b>



.015

**From:** "Dahn Caldwell" <Dahn.Caldwell@questar.com>  
**To:** "Carol Daniels" <caroldaniels@utah.gov>  
**Date:** 5/14/04 12:15PM  
**Subject:** Weekly Summarized Report for May 14, 2004

CONFIDENTIAL

## WEEKLY OPERATIONS REPORT - May 14, 2004

## UINTA BASIN

## "Drilling Activity - Operated" 5-13-04:

\* Drilling at 8303' on OU SG 6MU-14-8-22, (43.75%WI) Wasatch/MV test, PTD 9,150', Day 12 with Patterson #51.

*TOBS R22E S-14  
43-047-35077*

\* Wait on Patterson #51 for GB 14M-28-8-21, (77.5%WI) Mancos Test, Planned TD 12,775', Day 0 on Red rill.

\* Drilling at 6139' on SU 11MU-9-8-21, (100%WI) Wasatch/Kmv test. PTD 10,150', Day 7 with Patterson #77.

\* Drilling at 8241' on WRU EIH 1MU-26-8-22, (43.75%WI) Wasatch/Kmv test. PTD 8500', Day 7 with Patterson #52.

## "Completions &amp; New Wells to Sales" 5-14-04:

SU BW 6M-7-7-22: (25% WI) Pump cmt. sqz. on Blackhawk A & B sands; set a CIBP over the Castlegate @ 12,700' with cement on top; move uphole to complete the Lower MV; perf'd. squeeze holes @ 12,295' and pumped 150 sx class G cement sqz; ran CBL Thurs; looked O.K. across 2 sets of perfs for the 1st Lower MV frac. which will be next Tues. (we did go ahead and perf the 2 sets).

WRU EIH 16MU-26-8-22: (43.75% WI) 6 fracs (1 MV and 5 Wasatch) pumped a week ago Friday; well went to sales Thurs.; well was flowing @ 1.6 mmcfpd on 11/64" ck. - will report FTP on next morning update; this was the 1st well in which we used Halliburton's SilverStim LT fluid with lower gel loadings.

CONFIDENTIAL

WV 5MU-15-8-21: (100% WI) 1 MV and 6 Wasatch fracs were pumped on Monday & Tues. by BJ Services; fracs went well; drilled out remaining 3 BP's Thurs.; landed tbg.; flowing on a 32/64" ck. @ 650 psi FTP w/ 35 BWPH; turn to sales Friday.

Dahn Caldwell  
Completion Dept. Admin. Asst.  
435-781-4359 Redwash Office  
435-781-4342 Wonsits Valley Office  
435-828-0342 Cell Phone

**CC:** "Kevin O'Connell" <Kevin.OConnell@questar.com>, "Mike Collom" <Mike.Collom@questar.com>, "Dale Larsen" <Dale.Larsen@questar.com>

## WEEKLY OPERATIONS REPORT – May 21, 2004

UINTA BASIN

TOBS R 22E S-14  
43-049-35077

“Drilling Activity – Operated” 5-13-04:

- Drilling at 8303' on OU SG 6MU-14-8-22, (43.75%WI) Wasatch/MV test, PTD 9,150', Day 12 with Patterson #51.
- Wait on Patterson #51 for GB 14M-28-8-21, (77.5%WI) Mancos Test, Planned TD 12,775', Day 0 on Redrill.
- Drilling at 6139' on SU 11MU-9-8-21, (100%WI) Wasatch/Kmv test. PTD 10,150', Day 7 with Patterson #77.
- Drilling at 8241' on WRU EIH 1MU-26-8-22, (43.75%WI) Wasatch/Kmv test. PTD 8500', Day 7 with Patterson #52.

“Completions & New Wells to Sales” 5-21-04:

**SU BW 6M-7-7-22:** (25% WI) Pump cmt. sqz. on Blackhawk A & B sands; set a CIBP over the Castlegate @ 12,700' with cement on top; move uphole to complete the Lower MV; perf'd. squeeze holes @ 12,295' and pumped 150 sx class G cement sqz; perf the 2 sets of Lower MV; frac'd w/ 40,000 # of Econoprop; swabbing back up tbg.; 78 bbls. rec.; good tail gas; 1012 BLLTR; will swab Fri./Sat. and make decision on this zone Monday.

**WRU EIH 1MU-26-8-22:** (43.75% WI) RIH w/ bit and scraper; prep to frac 5 stages next Tues. w/ BJ Services.

**WVX 3MU-17-8-21:** (100% WI) 2 Wasatch fracs pumped Weds.; drilled out 1 frac. plug; landed tbg.; start swabbing; 2000 BLLTR.

**SG 13MU-23-8-22:** (43.75% WI) Pumped 5 fracs (2 MV & 3 Wasatch) last Friday; turned to sales yesterday; 1200 psi FTP & 1860 psi CP on a 12/64" choke; don't have IP yet (cell phone problems in NE Utah) will report on Monday's update (should be decent well for this area ~1.5 mmcfpd).

**From:** "Dahn Caldwell" <Dahn.Caldwell@questar.com>  
**To:** "Carol Daniels" <caroldaniels@utah.gov>  
**Date:** 5/21/04 12:14PM  
**Subject:** Weekly Summary Reports for Drilling & Completion for QEP

Dahn Caldwell  
Completion Dept. Admin. Asst.  
435-781-4359 Redwash Office  
435-781-4342 Wonsits Valley Office  
435-828-0342 Cell Phone

## WEEKLY OPERATIONS REPORT – June 4, 2004

UINTA BASIN

TOBS RARE S-14  
43-047-35077

“Drilling Activity – Operated” 6-04-04:

- TFNB at 8515' on GB 14M-28-8-21, (77.5%WI) Mancos Test, Planned TD 12,775', Day 12 on Redrill.
- On Rig Repair at 1757' on WV 3MU-15-8-21, (100%WI) Wasatch/Kmv test. PTD 9,950', Day 8 with Patterson #77. Note: Patterson had an accident on Friday 5-28-04 while lifting Drillpipe and damaged the derrick. Repairs are being made, hope to resume operations by 6-7-04. No costs to QEP until back to bottom and drilling.
- Patterson #52 is down for repairs to the Drawworks and Derrick on this rig. RU and drilling may not occur until 6/14/04.

Completions & New Wells to Sales 6-04-04:

**SU BW 6M-7-7-22:** (25% WI) CIBP @ 12,700' over the Castlegate & Blackhawk; 1st Lower MV frac'd. & currently underneath solid composite BP; pumped 400 sxs. cement squeeze thru holes @ 11,980' & 11,800' in prep. for fracs for additional 3 Lower MV intervals; drilled out retainer and hard cement down to comp. BP; during 1<sup>st</sup> CBL run gas bubbles (probably from leaking plug) affected results; will W/L set CIBP (plan to drill it up later) and re-run CBL today.

**WRU EIH 1MU-26-8-22:** (43.75% WI) 5 fracs (2 MV and 3 Wasatch) pumped Tuesday and Thursday last week w/ BJ; went to sales Thurs. 6/3; IP was 1.6 mmcfpd @ 2100 psi FTP on a 10/64" choke; Jim S. stated this might one of the best wells in this area.

**SG 6MU-14-8-22:** (43.75% WI) Frac'd. 4 stages (1 MV & 3 Wasatch) Weds.; flowed approx. 400 bbls. load 1<sup>st</sup> night; drilled out all BP's; landed tbg.; will swab well in today; 2400 BLLTR.

**WRU 13MU-25-8-22:** (43.75% WI) Frac'd. 4 stages (1 MV & 3 Wasatch) Thurs.; flowing wide-open and surging this morning; 500 bbls. rec. overnight; 2000 BLLTR; will con't. to flow test today until well dies or dries up enough to lube in a comp. BP to TIH and drill plugs.

**From:** "Dahn Caldwell" <Dahn.Caldwell@questar.com>  
**To:** "Carol Daniels" <caroldaniels@utah.gov>  
**Date:** 6/7/04 2:24PM  
**Subject:** Weekly Summary Reports For QEP Uinta Basin, Inc.

Dahn Caldwell  
Completion Dept. Admin. Asst.  
435-781-4359 Redwash Office  
435-781-4342 Wonsits Valley Office  
435-828-0342 Cell Phone

**CC:** "Jim Simonton" <Jim.Simonton@questar.com>

## WEEKLY OPERATIONS REPORT – June 11, 2004

UINTA BASIN

TOS R22E S-14  
43-049-35097

“Drilling Activity – Operated” 6-11-04:

- Switch out pumps at 9196' on GB 14M-28-8-21, (77.5%WI) Mancos Test, Planned TD 12,775', Day 18 on Redrill.
- Patterson 77 is drlg @ 5281' on WV 3MU-15-8-21, (100%WI) Wasatch/Kmv test. PTD 9950'. Day 14 (No costs to QEP for rig repair)..
- Patterson #52 is down for repairs to the Drawworks and Derrick on this rig. RU and drilling may not occur until 6/14/04.

Completions & New Wells to Sales 6-04-04:

**SU BW 6M-7-7-22:** (25% WI) CIBP @ 12,700' over the Castlegate & Blackhawk; 1st Lower MV frac'd. & currently underneath solid composite BP; pumped 400 sxs. cement squeeze thru holes @ 11,980' & 11,800' in prep. for fracs for additional 3 Lower MV intervals; drilled out retainer and hard cement down to comp. BP; during 1<sup>st</sup> CBL run gas bubbles (probably from leaking plug) affected results; will W/L set CIBP (plan to drill it up later) and re-run CBL today.

**WRU EIH 1MU-26-8-22:** (43.75% WI) 5 fracs (2 MV and 3 Wasatch) pumped Tuesday and Thursday last week w/ BJ; went to sales Thurs. 6/3; IP was 1.6 mmcfpd @ 2100 psi FTP on a .10/64" choke; Jim S. stated this might one of the best wells in this area.

OU **SG 6MU-14-8-22:** (43.75% WI) Frac'd. 4 stages (1 MV & 3 Wasatch) Weds.; flowed approx. 400 bbls. load 1<sup>st</sup> night; drilled out all BP's; landed tbg.; will swab well in today; 2400 BLLTR.

**WRU 13MU-25-8-22:** (43.75% WI) Frac'd. 4 stages (1 MV & 3 Wasatch) Thurs.; flowing wide-open and surging this morning; 500 bbls. rec. overnight; 2000 BLLTR; will con't. to flow test today until well dies or dries up enough to lube in a comp. BP to TIH and drill plugs.

**From:** "Dahn Caldwell" <Dahn.Caldwell@questar.com>  
**To:** "Carol Daniels" <caroldaniels@utah.gov>  
**Date:** 6/11/04 7:35AM  
**Subject:** Weekly Summarized Report for QEP

**CC:** "Jim Simonton" <Jim.Simonton@questar.com>

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE  
(See other instructions on reverse side).

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

019

WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

RECEIVED

1a. TYPE OF WELL OIL WELL  GAS WELL  DRY  Other **NOV 22 2004**

b. TYPE OF COMPLETION NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR  Other \_\_\_\_\_

5. LEASE DESIGNATION AND SERIAL NO.  
**UTU73687**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**N/A**

7. UNIT AGREEMENT NAME  
**N/A**

8. FARM OR LEASE NAME  
**N/A**

2. NAME OF OPERATOR  
**QEP UINTA BASIN, INC.**

9. WELL NO.  
**OU SG 6MU 14-8-22**

3. ADDRESS OF OPERATOR  
**11002 E. 17500 S. VERNAL, UT 84078-8526** **435-781-4342**

10. FIELD AND POOL, OR WILDCAT  
**KENNEDY WASH**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
At surface **2009' FNL, 2109' FWL - SENW - SEC 14-T8S-R22E**  
At top rod. interval reported below **2009' FNL, 2109' FWL - SENW - SEC 14-T8S-R22E**  
At total depth **2009' FNL, 2109' FWL - SENW - SEC 14-T8S-R22E**

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA  
**SEC 14-T8S-R22E**

14. PERMIT NO. <b>API # 43-047-35077</b>	DATE ISSUED	12. COUNTY OR PARISH <b>UINTAH</b>	13. STATE <b>UT</b>
---	-------------	---------------------------------------	------------------------

15. DATE SPUDDED <b>4/13/04</b>	16. DATE T.D. REACHED <b>5/15/04</b>	17. DATE COMPL. (Ready to prod.) <b>6/07/04</b>	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* <b>KB</b>	19. ELEV. CASINGHEAD <b>NO</b>
------------------------------------	---	--	--	-----------------------------------

20. TOTAL DEPTH, MD & TVD <b>9205'</b>	21. PLUG BACK TD., MD & TVD <b>9116'</b>	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY →	ROTARY TOOLS <b>NO</b>	CABLE TOOLS <b>NO</b>
---	---	-----------------------------------	-------------------------------	---------------------------	--------------------------

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)\*  
**6866' - 6944'**  
**7262' - 7270'**  
**7658' - 7666'**  
**8713' - 8726'**

25. WAS DIRECTIONAL SURVEY MADE  
**NO**

26. TYPE ELECTRIC AND OTHER LOGS RUN  
**SPECTRAL DENSITY DSN, CBL, HRI**

27. WAS WELL CORED  
**NO**

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	482'	12-1/4"	200 sxs	
4-1/2"	11.6#	9200'	7-7/8"	1675 sxs	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	8676'	

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	8676'	

31. PERFORATION RECORD (Interval, size and number)

6866' - 6944'
7262' - 7270'
7658' - 7666'
8713' - 8726'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6866' - 6944'	Frac w/ 127,200# in 52,374 Gals - Wasatch
7262' - 7270'	Frac w/ 40,000# in 22,008 Gals - Wasatch
7658' - 7666'	Frac w/ 35,000# in 20,580 Gals - Wasatch
8713' - 8726'	Frac w/ 30,000# in 20,454 Gals - MV

33.\* PRODUCTION

DATE FIRST PRODUCTION <b>6/7/04</b>	PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) <b>Flowing</b>	WELL STATUS (Producing or shut-in) <b>Producing</b>
DATE OF TEST <b>6/10/04</b>	HOURS TESTED <b>24</b>	CHOKE SIZE <b>21</b>
FLOW. TUBING PRESS. <b>283</b>	CASING PRESSURE <b>679</b>	CALCULATED 24-HOUR RATE →
OIL-BBL. <b>0</b> GAS-MCF. <b>552</b> WATER-BBL. <b>60</b>		GAS-OIL RATIO
OIL-BBL. GAS-MCF. WATER-BBL.		OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)  
**Sold**

TEST WITNESSED BY

35. LIST OF ATTACHMENTS  
**N/A**

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED **Jim Simonton** TITLE **Completion Supervisor** DATE **11/17/04**

(See Instructions and Spaces for Additional Data on Reverse Side)

CONFIDENTIAL

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS  
OU SG 6MU 14 8 22

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
UINTA	SURFACE		CONFIDENTIAL
GREEN RIVER	2590'		
MAHOGANY	3515'		
G-1 LIME	NA		
WASATCH	6015'		
MESA VERDE	8555'		
TD	9205'		

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
UINTA	SURFACE	
GREEN RIVER	2590'	
MAHOGANY	3515'	
G-1 LIME	NA	
WASATCH	6015'	
MESA VERDE	8555'	
TD	9205'	

**CONFIDENTIAL**

**Division of Oil, Gas and Mining**  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM: (Old Operator):</b> N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO: ( New Operator):</b> N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

**CA No.**

**Unit:**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: \_\_\_\_\_ Business Number: 764611-0143
- (R649-9-2)Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
FEDERAL 2-29-7-22	FEDERAL 2-29-7-22	NESW	29	070S	220E	4304715423	5266	Federal	GW	S
UTAH FED D-1	UTAH FED D-1	SWSW	14	070S	240E	4304715936	10699	Federal	GW	S
UTAH FED D-2	UTAH FED D-2	NESW	25	070S	240E	4304715937	9295	Federal	GW	S
PRINCE 1	PRINCE 1	SWSW	10	070S	240E	4304716199	7035	Federal	GW	P
UTAH FED D-4	UTAH FED D-4	SWSE	14	070S	240E	4304731215	9297	Federal	GW	S
FZ BB 1	<b>BRENNAN FZ-BB1</b>	NESE	20	070S	210E	4304731805	10952	Federal	GW	TA
EAST COYOTE FED 14-4-8-25	EAST COYOTE FED 14-4-8-25	SESW	04	080S	250E	4304732493	11630	Federal	OW	P
F S PRINCE 4	<b>PRINCE 4</b>	SWSW	03	070S	240E	4304732677	7035	Federal	OW	P
GYPSUM HILLS 21	<b>GH 21 WG</b>	SWSW	21	080S	210E	4304732692	11819	Federal	GW	P
SAGE GROUSE FED 6-14-8-22	<b>OU SG 6 14 8 22</b>	SESW	14	080S	220E	4304732746	11944	Federal	GW	P
GYPSUM HILLS 22WG	<b>GH 22 WG</b>	SWNW	22	080S	210E	4304732818	12336	Federal	GW	P
SAGE GROUSE 12A-14-8-22	SAGE GROUSE 12A-14-8-22	NWSW	14	080S	220E	4304733177	12524	Federal	GW	S
OU GB 12W-20-8-22	OU GB 12W-20-8-22	NWSW	20	080S	220E	4304733249	13488	Federal	GW	P
GBU 15-18-8-22	<b>OU GB 15 18 8 22</b>	SWSE	18	080S	220E	4304733364	12690	Federal	GW	P
GLEN BENCH FED 3W-17-8-22	<b>OU GB 3W 17 8 22</b>	NENW	17	080S	220E	4304733513	12950	Federal	GW	P
GLEN BENCH FED 5W-17-8-22	<b>OU GB 5W 17 8 22</b>	SWNW	17	080S	220E	4304733514	12873	Federal	GW	P
WV FED 9W-8-8-22	<b>WV 9W 8 8 22</b>	NESE	08	080S	220E	4304733515	13395	Federal	GW	P
GB FED 9W-18-8-22	<b>OU GB 9W 18 8 22</b>	NESE	18	080S	220E	4304733516	12997	Federal	GW	P
OU GB 3W-20-8-22	OU GB 3W-20-8-22	NENW	20	080S	220E	4304733526	13514	Federal	GW	P
GLEN BENCH 12W-30-8-22	<b>OU GB 12W 30 8 22</b>	NWSW	30	080S	220E	4304733670	13380	Federal	GW	P
WV FU 10W-8-8-22	<b>WV 10W 8 8 22</b>	NWSE	08	080S	220E	4304733814	13450	Federal	GW	P
GH 7W-21-8-21	GH 7W-21-8-21	SWNE	21	080S	210E	4304733845	13050	Federal	GW	P
GH 9W-21-8-21	GH 9W-21-8-21	NESE	21	080S	210E	4304733846	13074	Federal	GW	P
GH 11W-21-8-21	GH 11W-21-8-21	NESW	21	080S	210E	4304733847	13049	Federal	GW	P
GH 15W-21-8-21	GH 15W-21-8-21	SWSE	21	080S	210E	4304733848	13051	Federal	GW	P
WV 7W-22-8-21	WV 7W-22-8-21	SWNE	22	080S	210E	4304733907	13230	Federal	GW	P
WV 9W-23-8-21	WV 9W-23-8-21	NESE	23	080S	210E	4304733909	13160	Federal	GW	P
GHU 14W-20-8-21	<b>GH 14W 20 8 21</b>	SESW	20	080S	210E	4304733915	13073	Federal	GW	P
GB 4W-30-8-22	<b>OU GB 4W 30 8 22</b>	NWNW	30	080S	220E	4304733945	13372	Federal	GW	P
GB 9W-19-8-22	<b>OU GB 9W 19 8 22</b>	NESE	19	080S	220E	4304733946	13393	Federal	GW	P
GB 10W-30-8-22	<b>OU GB 10W 30 8 22</b>	NWSE	30	080S	220E	4304733947	13389	Federal	GW	P
GB 12W-19-8-22	<b>OU GB 12W 19 8 22</b>	NWSW	19	080S	220E	4304733948	13388	Federal	GW	P
GB 9W-25-8-21	GB 9W-25-8-21	NESE	25	080S	210E	4304733960	13390	Federal	GW	P
WV 1W-5-8-22	<b>SU 1W 5 8 22</b>	NENE	05	080S	220E	4304733985	13369	Federal	GW	P
WV 3W-5-8-22	<b>SU 3W 5 8 22</b>	NENW	05	080S	220E	4304733987	13321	Federal	OW	S
WV 7W-5-8-22	<b>SU 7W 5 8 22</b>	SWNE	05	080S	220E	4304733988	13235	Federal	GW	P
WV 9W-5-8-22	<b>SU 9W 5 8 22</b>	NESE	05	080S	220E	4304733990	13238	Federal	GW	P
WV 11W-5-8-22	<b>SU 11W 5 8 22</b>	NESW	05	080S	220E	4304733992	13239	Federal	GW	S
WV 13W-5-8-22	<b>SU 13W 5 8 22</b>	SWSW	05	080S	220E	4304733994	13236	Federal	GW	S
WV 15W-5-8-22	<b>SU 15W 5 8 22</b>	SWSE	05	080S	220E	4304733996	13240	Federal	GW	P
WV 8W-8-8-22	WV 8W-8-8-22	SENE	08	080S	220E	4304734005	13320	Federal	GW	P
WV 14W-8-8-22	WV 14W-8-8-22	SESW	08	080S	220E	4304734007	13322	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU GB 6W-20-8-22	OU GB 6W-20-8-22	SENW	20	080S	220E	4304734018	13518	Federal	GW	P
GB 5W-30-8-22	<b>OU GB 5W 30 8 22</b>	SWNW	30	080S	220E	4304734025	13502	Federal	GW	P
GB 11W-20-8-22	<b>OU GB 11W 20 8 22</b>	NESW	20	080S	220E	4304734039	13413	Federal	GW	P
OU GB 4W-20-8-22	OU GB 4W-20-8-22	NWNW	20	080S	220E	4304734043	13520	Federal	GW	P
GH 5W-21-8-21	GH 5W-21-8-21	SWNW	21	080S	210E	4304734147	13387	Federal	GW	P
GH 6W-21-8-21	GH 6W-21-8-21	SENW	21	080S	210E	4304734148	13371	Federal	GW	P
GH 8W-21-8-21	GH 8W-21-8-21	SENE	21	080S	210E	4304734149	13293	Federal	GW	P
GH 10W-20-8-21	GH 10W-20-8-21	NWSE	20	080S	210E	4304734151	13328	Federal	GW	P
GH 10W-21-8-21	GH 10W-21-8-21	NWSE	21	080S	210E	4304734152	13378	Federal	GW	P
GH 12W-21-8-21	GH 12W-21-8-21	NWSW	21	080S	210E	4304734153	13294	Federal	GW	P
GH 14W-21-8-21	GH 14W-21-8-21	SESW	21	080S	210E	4304734154	13292	Federal	GW	P
GH 16W-21-8-21	GH 16W-21-8-21	SESE	21	080S	210E	4304734157	13329	Federal	GW	P
GB 5W-20-8-22	<b>OU GB 5W 20 8 22</b>	SWNW	20	080S	220E	4304734209	13414	Federal	GW	P
WV 6W-22-8-21	WV 6W-22-8-21	SENW	22	080S	210E	4304734272	13379	Federal	GW	P
GH 1W-20-8-21	GH 1W-20-8-21	NENE	20	080S	210E	4304734327	13451	Federal	GW	P
GH 2W-20-8-21	GH 2W-20-8-21	NWNE	20	080S	210E	4304734328	13527	Federal	GW	P
GH 3W-20-8-21	GH 3W-20-8-21	NENW	20	080S	210E	4304734329	13728	Federal	GW	P
GH 7W-20-8-21	GH 7W-20-8-21	SWNE	20	080S	210E	4304734332	13537	Federal	GW	P
GH 9W-20-8-21	GH 9W-20-8-21	NESE	20	080S	210E	4304734333	13411	Federal	GW	P
GH 11W-20-8-21	GH 11W-20-8-21	NESW	20	080S	210E	4304734334	13410	Federal	GW	P
GH 15W-20-8-21	GH 15W-20-8-21	SWSE	20	080S	210E	4304734335	13407	Federal	GW	P
GH 16W-20-8-21	GH 16W-20-8-21	SESE	20	080S	210E	4304734336	13501	Federal	GW	P
WV 12W-23-8-21	WV 12W-23-8-21	NWSW	23	080S	210E	4304734343	13430	Federal	GW	P
OU GB 13W-20-8-22	OU GB 13W-20-8-22	SWSW	20	080S	220E	4304734348	13495	Federal	GW	P
OU GB 14W-20-8-22	OU GB 14W-20-8-22	SESW	20	080S	220E	4304734349	13507	Federal	GW	P
OU GB 11W-29-8-22	OU GB 11W-29-8-22	NESW	29	080S	220E	4304734350	13526	Federal	GW	P
WV 11G-5-8-22	<b>WVX 11G 5 8 22</b>	NESW	05	080S	220E	4304734388	13422	Federal	OW	P
WV 13G-5-8-22	<b>WVX 13G 5 8 22</b>	SWSW	05	080S	220E	4304734389	13738	Federal	OW	P
WV 15G-5-8-22	<b>WVX 15G 5 8 22</b>	SWSE	05	080S	220E	4304734390	13459	Federal	OW	P
SU BRENNAN W 15W-18-7-22	SU BRENNAN W 15W-18-7-22	SWSE	18	070S	220E	4304734403	13442	Federal	GW	TA
STIRRUP U 16W-5-8-22	<b>SU 16W 5 8 22</b>	SESE	05	080S	220E	4304734446	13654	Federal	GW	P
STIRRUP U 2W-5-8-22	<b>SU 2W 5 8 22</b>	NWNE	05	080S	220E	4304734455	13700	Federal	GW	P
WV 10W-5-8-22	<b>SU 10W 5 8 22</b>	NWSE	05	080S	220E	4304734456	13540	Federal	GW	P
WV 16W-8-8-22	WV 16W-8-8-22	SESE	08	080S	220E	4304734470	13508	Federal	GW	P
GB 16WX-30-8-22	<b>OU GB 16WX 30 8 22</b>	SESE	30	080S	220E	4304734506	13431	Federal	GW	P
OU GB 1W-19-8-22	OU GB 1W-19-8-22	NENE	19	080S	220E	4304734512	13469	Federal	GW	P
OU GB 2W-19-8-22	OU GB 2W-19-8-22	NWNE	19	080S	220E	4304734513	13461	Federal	GW	P
OU GB 5W-19-8-22	OU GB 5W-19-8-22	SWNW	19	080S	220E	4304734514	13460	Federal	GW	P
OU GB 7W-19-8-22	OU GB 7W-19-8-22	SWNE	19	080S	220E	4304734515	13462	Federal	GW	P
OU GB 8W-19-8-22	OU GB 8W-19-8-22	SENE	19	080S	220E	4304734516	13489	Federal	GW	P
OU GB 11W-19-8-22	OU GB 11W-19-8-22	NESW	19	080S	220E	4304734517	13467	Federal	GW	P
OU GB 16W-19-8-22	OU GB 16W-19-8-22	SESE	19	080S	220E	4304734522	13476	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 1W-30-8-22	<b>OU GB 1W 30 8 22</b>	NENE	30	080S	220E	4304734528	13487	Federal	GW	P
GB 3W-30-8-22	<b>OU GB 3W 30 8 22</b>	NENW	30	080S	220E	4304734529	13493	Federal	GW	P
GB 6W-30-8-22	<b>OU GB 6W 30 8 22</b>	SENE	30	080S	220E	4304734530	13519	Federal	GW	P
GB 7W-30-8-22	<b>OU GB 7W 30 8 22</b>	SWNE	30	080S	220E	4304734531	13494	Federal	GW	P
GB 8W-30-8-22	<b>OU GB 8W 30 8 22</b>	SENE	30	080S	220E	4304734532	13483	Federal	GW	P
GB 9W-30-8-22	<b>OU GB 9W 30 8 22</b>	NESE	30	080S	220E	4304734533	13500	Federal	GW	P
OU GB 6W-19-8-22	OU GB 6W-19-8-22	SENE	19	080S	220E	4304734534	13475	Federal	GW	P
OU GB 10W-19-8-22	OU GB 10W-19-8-22	NWSE	19	080S	220E	4304734535	13479	Federal	GW	P
OU GB 13W-19-8-22	OU GB 13W-19-8-22	SWSW	19	080S	220E	4304734536	13478	Federal	GW	P
OU GB 14W-19-8-22	OU GB 14W-19-8-22	SESW	19	080S	220E	4304734537	13484	Federal	GW	P
OU GB 15W-19-8-22	OU GB 15W-19-8-22	SWSE	19	080S	220E	4304734538	13482	Federal	GW	P
OU GB 12W-17-8-22	OU GB 12W-17-8-22	NWSW	17	080S	220E	4304734542	13543	Federal	GW	P
OU GB 6W-17-8-22	OU GB 6W-17-8-22	SENE	17	080S	220E	4304734543	13536	Federal	GW	P
OU GB 13W-17-8-22	OU GB 13W-17-8-22	SWSW	17	080S	220E	4304734544	13547	Federal	GW	P
OU GB 6W-29-8-22	OU GB 6W-29-8-22	SENE	29	080S	220E	4304734545	13535	Federal	GW	P
OU GB 3W-29-8-22	OU GB 3W-29-8-22	NENW	29	080S	220E	4304734546	13509	Federal	GW	P
OU GB 13W-29-8-22	OU GB 13W-29-8-22	SWSW	29	080S	220E	4304734547	13506	Federal	GW	P
OU GB 4W-29-8-22	OU GB 4W-29-8-22	NWNW	29	080S	220E	4304734548	13534	Federal	GW	P
OU GB 5W-29-8-22	OU GB 5W-29-8-22	SWNW	29	080S	220E	4304734549	13505	Federal	GW	P
OU GB 14W-17-8-22	OU GB 14W-17-8-22	SESW	17	080S	220E	4304734550	13550	Federal	GW	P
OU GB 11W-17-8-22	OU GB 11W-17-8-22	NESW	17	080S	220E	4304734553	13671	Federal	GW	P
OU GB 14W-29-8-22	OU GB 14W-29-8-22	SESW	29	080S	220E	4304734554	13528	Federal	GW	P
OU GB 2W-17-8-22	OU GB 2W-17-8-22	NWNE	17	080S	220E	4304734559	13539	Federal	GW	P
OU GB 7W-17-8-22	OU GB 7W-17-8-22	SWNE	17	080S	220E	4304734560	13599	Federal	GW	P
OU GB 16W-18-8-22	OU GB 16W-18-8-22	SESE	18	080S	220E	4304734563	13559	Federal	GW	P
OU GB 1W-29-8-22	OU GB 1W-29-8-22	NENE	29	080S	220E	4304734573	13562	Federal	GW	P
OU GB 7W-29-8-22	OU GB 7W-29-8-22	SWNE	29	080S	220E	4304734574	13564	Federal	GW	P
OU GB 8W-29-8-22	OU GB 8W-29-8-22	SENE	29	080S	220E	4304734575	13609	Federal	GW	S
OU GB 9W-29-8-22	OU GB 9W-29-8-22	NESE	29	080S	220E	4304734576	13551	Federal	GW	P
OU GB 10W-29-8-22	OU GB 10W-29-8-22	NWSE	29	080S	220E	4304734577	13594	Federal	GW	P
OU GB 15W-29-8-22	OU GB 15W-29-8-22	SWSE	29	080S	220E	4304734578	13569	Federal	GW	P
OU GB 2W-20-8-22	OU GB 2W-20-8-22	NWNE	20	080S	220E	4304734599	13664	Federal	GW	P
OU GB 2W-29-8-22	OU GB 2W-29-8-22	NWNE	29	080S	220E	4304734600	13691	Federal	GW	P
OU GB 15W-17-8-22	OU GB 15W-17-8-22	SWSE	17	080S	220E	4304734601	13632	Federal	GW	P
OU GB 16W-17-8-22	OU GB 16W-17-8-22	SESE	17	080S	220E	4304734602	13639	Federal	GW	P
OU GB 16W-29-8-22	OU GB 16W-29-8-22	SESE	29	080S	220E	4304734603	13610	Federal	GW	P
OU GB 1W-20-8-22	OU GB 1W-20-8-22	NENE	20	080S	220E	4304734604	13612	Federal	GW	P
OU GB 1W-17-8-22	OU GB 1W-17-8-22	NENE	17	080S	220E	4304734623	13701	Federal	GW	P
OU GB 9W-17-8-22	OU GB 9W-17-8-22	NESE	17	080S	220E	4304734624	13663	Federal	GW	P
OU GB 10W-17-8-22	OU GB 10W-17-8-22	NWSE	17	080S	220E	4304734625	13684	Federal	GW	P
OU GB 9W-20-8-22	OU GB 9W-20-8-22	NESE	20	080S	220E	4304734630	13637	Federal	GW	P
OU GB 10W-20-8-22	OU GB 10W-20-8-22	NWSE	20	080S	220E	4304734631	13682	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU GB 15W-20-8-22	OU GB 15W-20-8-22	SWSE	20	080S	220E	4304734632	13613	Federal	GW	P
WIH 15MU-21-8-22	<b>OU WIH 15MU 21 8 22</b>	SWSE	21	080S	220E	4304734634	13991	Federal	GW	P
OU WIH 13W-21-8-22	OU WIH 13W-21-8-22	SWSW	21	080S	220E	4304734646	13745	Federal	GW	P
OU GB 11W-15-8-22	OU GB 11W-15-8-22	NESW	15	080S	220E	4304734648	13822	Federal	GW	P
OU GB 13W-9-8-22	OU GB 13W-9-8-22	SWSW	09	080S	220E	4304734654	13706	Federal	GW	P
OU WIH 14W-21-8-22	OU WIH 14W-21-8-22	SESW	21	080S	220E	4304734664	13720	Federal	GW	P
OU GB 12WX-29-8-22	OU GB 12WX-29-8-22	NWSW	29	080S	220E	4304734668	13555	Federal	GW	P
OU WIH 10W-21-8-22	OU WIH 10W-21-8-22	NWSE	21	080S	220E	4304734681	13662	Federal	GW	P
OU GB 4G-21-8-22	OU GB 4G-21-8-22	NWNW	21	080S	220E	4304734685	13772	Federal	OW	P
OU GB 3W-21-8-22	OU GB 3W-21-8-22	NENW	21	080S	220E	4304734686	13746	Federal	GW	P
OU GB 16SG-30-8-22	OU GB 16SG-30-8-22	SESE	30	080S	220E	4304734688	13593	Federal	GW	S
OU WIH 7W-21-8-22	OU WIH 7W-21-8-22	SWNE	21	080S	220E	4304734689	13716	Federal	GW	P
OU GB 5W-21-8-22	OU GB 5W-21-8-22	SWNW	21	080S	220E	4304734690	13770	Federal	GW	P
WIH 1MU-21-8-22	WIH 1MU-21-8-22	NENE	21	080S	220E	4304734693	14001	Federal	GW	P
OU GB 5G-19-8-22	OU GB 5G-19-8-22	SWNW	19	080S	220E	4304734695	13786	Federal	OW	P
OU GB 7W-20-8-22	OU GB 7W-20-8-22	SWNE	20	080S	220E	4304734705	13710	Federal	GW	P
OU SG 14W-15-8-22	OU SG 14W-15-8-22	SESW	15	080S	220E	4304734710	13821	Federal	GW	P
OU SG 15W-15-8-22	OU SG 15W-15-8-22	SWSE	15	080S	220E	4304734711	13790	Federal	GW	P
OU SG 16W-15-8-22	OU SG 16W-15-8-22	SESE	15	080S	220E	4304734712	13820	Federal	GW	P
OU SG 4W-15-8-22	OU SG 4W-15-8-22	NWNW	15	080S	220E	4304734713	13775	Federal	GW	P
OU SG 12W-15-8-22	OU SG 12W-15-8-22	NWSW	15	080S	220E	4304734714	13838	Federal	GW	P
OU GB 5MU-15-8-22	OU GB 5MU-15-8-22	SWNW	15	080S	220E	4304734715	13900	Federal	GW	P
OU SG 8W-15-8-22	OU SG 8W-15-8-22	SENE	15	080S	220E	4304734717	13819	Federal	GW	P
OU SG 9W-15-8-22	OU SG 9W-15-8-22	NESE	15	080S	220E	4304734718	13773	Federal	GW	P
OU SG 10W-15-8-22	OU SG 10W-15-8-22	NWSE	15	080S	220E	4304734719	13722	Federal	GW	P
OU SG 2MU-15-8-22	OU SG 2MU-15-8-22	NWNE	15	080S	220E	4304734721	13887	Federal	GW	P
OU SG 7W-15-8-22	OU SG 7W-15-8-22	SWNE	15	080S	220E	4304734722	13920	Federal	GW	P
OU GB 14SG-29-8-22	OU GB 14SG-29-8-22	SESW	29	080S	220E	4304734743	14034	Federal	GW	P
OU GB 16SG-29-8-22	OU GB 16SG-29-8-22	SESE	29	080S	220E	4304734744	13771	Federal	GW	P
OU GB 13W-10-8-22	OU GB 13W-10-8-22	SWSW	10	080S	220E	4304734754	13774	Federal	GW	P
OU GB 6MU-21-8-22	OU GB 6MU-21-8-22	SENE	21	080S	220E	4304734755	14012	Federal	GW	P
OU SG 10W-10-8-22	OU SG 10W-10-8-22	NWSE	10	080S	220E	4304734764	13751	Federal	GW	P
OU GB 14M-10-8-22	OU GB 14M-10-8-22	SESW	10	080S	220E	4304734768	13849	Federal	GW	P
OU SG 9W-10-8-22	OU SG 9W-10-8-22	NESE	10	080S	220E	4304734783	13725	Federal	GW	P
OU SG 16W-10-8-22	OU SG 16W-10-8-22	SESE	10	080S	220E	4304734784	13781	Federal	GW	P
GB 3M-27-8-21	GB 3M-27-8-21	NENW	27	080S	210E	4304734900	14614	Federal	GW	P
WVX 11D-22-8-21	WVX 11D-22-8-21	NESW	22	080S	210E	4304734902	14632	Federal	GW	DRL
GB 11M-27-8-21	GB 11M-27-8-21	NESW	27	080S	210E	4304734952	13809	Federal	GW	P
GB 9D-27-8-21	GB 9D-27-8-21	NESE	27	080S	210E	4304734956	14633	Federal	GW	DRL
GB 1D-27-8-21	GB 1D-27-8-21	NENE	27	080S	210E	4304734957	14634	Federal	GW	DRL
WRU EIH 2M-35-8-22	WRU EIH 2M-35-8-22	NWNE	35	080S	220E	4304735052	13931	Federal	GW	P
GYPSUM HILLS 12MU-20-8-21	<b>GH 12MU 20 8 21</b>	NWSW	20	080S	210E	4304735069	14129	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU SG 4W-11-8-22	OU SG 4W-11-8-22	NWNW	11	080S	220E	4304735071	14814	Federal	GW	DRL
OU SG 5W-11-8-22	OU SG 5W-11-8-22	SWNW	11	080S	220E	4304735072	14815	Federal	GW	DRL
OU SG 6W-11-8-22	<b>SG 6ML 11 8 22</b>	SENE	11	080S	220E	4304735073	14825	Federal	GW	P
OU SG 5MU-14-8-22	OU SG 5MU-14-8-22	SWNW	14	080S	220E	4304735076	13989	Federal	GW	P
OU SG 6MU-14-8-22	OU SG 6MU-14-8-22	SENE	14	080S	220E	4304735077	14128	Federal	GW	P
SG 12MU-14-8-22	SG 12MU-14-8-22	NWSW	14	080S	220E	4304735078	13921	Federal	GW	P
OU SG 13MU-14-8-22	OU SG 13MU-14-8-22	SWSW	14	080S	220E	4304735079	13990	Federal	GW	P
OU SG 9MU-11-8-22	OU SG 9MU-11-8-22	NESE	11	080S	220E	4304735091	13967	Federal	GW	P
SG 11SG-23-8-22	SG 11SG-23-8-22	NESW	23	080S	220E	4304735099	13901	Federal	GW	S
OU SG 14W-11-8-22	OU SG 14W-11-8-22	SESW	11	080S	220E	4304735114	14797	Federal	GW	DRL
SG 5MU-23-8-22	SG 5MU-23-8-22	SWNW	23	080S	220E	4304735115	14368	Federal	GW	P
SG 6MU-23-8-22	SG 6MU-23-8-22	SENE	23	080S	220E	4304735116	14231	Federal	GW	P
SG 14MU-23-8-22	SG 14MU-23-8-22	SESW	23	080S	220E	4304735117	14069	Federal	GW	P
SG 13MU-23-8-22	SG 13MU-23-8-22	SWSW	23	080S	220E	4304735190	14103	Federal	GW	P
WH 7G-10-7-24	WH 7G-10-7-24	SWNE	10	070S	240E	4304735241	14002	Federal	GW	P
GB 4D-28-8-21	GB 4D-28-8-21	NWNW	28	080S	210E	4304735246	14645	Federal	GW	P
GB 7M-28-8-21	GB 7M-28-8-21	SWNE	28	080S	210E	4304735247	14432	Federal	GW	P
GB 14M-28-8-21	GB 14M-28-8-21	SESW	28	080S	210E	4304735248	13992	Federal	GW	P
SG 11MU-23-8-22	SG 11MU-23-8-22	NESW	23	080S	220E	4304735257	13973	Federal	GW	P
SG 15MU-14-8-22	SG 15MU-14-8-22	SWSE	14	080S	220E	4304735328	14338	Federal	GW	P
EIHX 14MU-25-8-22	EIHX 14MU-25-8-22	SESW	25	080S	220E	4304735330	14501	Federal	GW	P
EIHX 11MU-25-8-22	EIHX 11MU-25-8-22	NESW	25	080S	220E	4304735331	14470	Federal	GW	P
NBE 12ML-10-9-23	NBE 12ML-10-9-23	NWSW	10	090S	230E	4304735333	14260	Federal	GW	P
NBE 13ML-17-9-23	NBE 13ML-17-9-23	SWSW	17	090S	230E	4304735334	14000	Federal	GW	P
NBE 4ML-26-9-23	NBE 4ML-26-9-23	NWNW	26	090S	230E	4304735335	14215	Federal	GW	P
SG 7MU-11-8-22	SG 7MU-11-8-22	SWNE	11	080S	220E	4304735374	14635	Federal	GW	P
SG 1MU-11-8-22	SG 1MU-11-8-22	NENE	11	080S	220E	4304735375	14279	Federal	GW	P
OU SG 13W-11-8-22	OU SG 13W-11-8-22	SWSW	11	080S	220E	4304735377	14796	Federal	GW	DRL
SG 3MU-11-8-22	SG 3MU-11-8-22	NENW	11	080S	220E	4304735379	14978	Federal	GW	P
SG 8MU-11-8-22	SG 8MU-11-8-22	SENE	11	080S	220E	4304735380	14616	Federal	GW	P
SG 2MU-11-8-22	SG 2MU-11-8-22	NWNE	11	080S	220E	4304735381	14636	Federal	GW	P
SG 10MU-11-8-22	SG 10MU-11-8-22	NWSE	11	080S	220E	4304735382	14979	Federal	GW	P
OU GB 8MU-10-8-22	OU GB 8MU-10-8-22	SENE	10	080S	220E	4304735422	15321	Federal	GW	DRL
EIHX 2MU-25-8-22	EIHX 2MU-25-8-22	NWNE	25	080S	220E	4304735427	14666	Federal	GW	P
EIHX 1MU-25-8-22	EIHX 1MU-25-8-22	NENE	25	080S	220E	4304735428	14705	Federal	GW	P
EIHX 7MU-25-8-22	EIHX 7MU-25-8-22	SWNE	25	080S	220E	4304735429	14682	Federal	GW	P
EIHX 8MU-25-8-22	EIHX 8MU-25-8-22	SENE	25	080S	220E	4304735430	14706	Federal	GW	P
EIHX 9MU-25-8-22	EIHX 9MU-25-8-22	NESE	25	080S	220E	4304735433	14558	Federal	GW	P
EIHX 16MU-25-8-22	EIHX 16MU-25-8-22	SESE	25	080S	220E	4304735434	14502	Federal	GW	P
EIHX 15MU-25-8-22	EIHX 15MU-25-8-22	SWSE	25	080S	220E	4304735435	14571	Federal	GW	P
EIHX 10MU-25-8-22	EIHX 10MU-25-8-22	NWSE	25	080S	220E	4304735436	14537	Federal	GW	P
GB 3MU-3-8-22	GB 3MU-3-8-22	NENW	03	080S	220E	4304735457	14575	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
NBE 15M-17-9-23	NBE 15M-17-9-23	SWSE	17	090S	230E	4304735463	14423	Federal	GW	P
NBE 7ML-17-9-23	NBE 7ML-17-9-23	SWNE	17	090S	230E	4304735464	14232	Federal	GW	P
NBE 3ML-17-9-23	NBE 3ML-17-9-23	NENW	17	090S	230E	4304735465	14276	Federal	GW	P
NBE 11M-17-9-23	NBE 11M-17-9-23	NESW	17	090S	230E	4304735466	14431	Federal	GW	P
NBE 10ML-10-9-23	NBE 10ML-10-9-23	NWSE	10	090S	230E	4304735650	14377	Federal	GW	P
NBE 6ML-10-9-23	NBE 6ML-10-9-23	SENE	10	090S	230E	4304735651	14422	Federal	GW	P
NBE 12ML-17-9-23	NBE 12ML-17-9-23	NWSW	17	090S	230E	4304735652	14278	Federal	GW	P
NBE 6ML-26-9-23	NBE 6ML-26-9-23	SENE	26	090S	230E	4304735664	14378	Federal	GW	P
NBE 11ML-26-9-23	NBE 11ML-26-9-23	NESW	26	090S	230E	4304735665	14340	Federal	GW	P
NBE 15ML-26-9-23	NBE 15ML-26-9-23	SWSE	26	090S	230E	4304735666	14326	Federal	GW	P
SG 4MU-23-8-22	SG 4MU-23-8-22	NWNW	23	080S	220E	4304735758	14380	Federal	GW	P
RWS 8ML-14-9-24	RWS 8ML-14-9-24	SENE	14	090S	240E	4304735803	14539	Federal	GW	S
SG 11MU-14-8-22	SG 11MU-14-8-22	NESW	14	080S	220E	4304735829	14486	Federal	GW	P
RB DS FED 1G-7-10-18	RB DS FED 1G-7-10-18	NENE	07	100S	180E	4304735932	14457	Federal	OW	S
RB DS FED 14G-8-10-18	RB DS FED 14G-8-10-18	SESW	08	100S	180E	4304735933	14433	Federal	OW	P
OU SG 14MU-14-8-22	OU SG 14MU-14-8-22	SESW	14	080S	220E	4304735950	14479	Federal	GW	P
COY 10ML-14-8-24	COY 10ML-14-8-24	NWSE	14	080S	240E	4304736038		Federal	GW	APD
COY 12ML-24-8-24	COY 12ML-24-8-24	NWSW	24	080S	240E	4304736039	14592	Federal	OW	P
WIH 1AMU-21-8-22	WIH 1AMU-21-8-22	NENE	21	080S	220E	4304736060	14980	Federal	GW	P
NBE 4ML-10-9-23	NBE 4ML-10-9-23	NWNW	10	090S	230E	4304736098	15732	Federal	GW	P
NBE 8ML-10-9-23	NBE 8ML-10-9-23	SENE	10	090S	230E	4304736099	15733	Federal	GW	P
NBE 16ML-10-9-23	NBE 16ML-10-9-23	SESE	10	090S	230E	4304736100	14728	Federal	GW	P
NBE 8ML-12-9-23	NBE 8ML-12-9-23	SENE	12	090S	230E	4304736143	15859	Federal	GW	DRL
WH 12G-11-7-24	WH 12G-11-7-24	NWSW	11	070S	240E	4304736195		Federal	GW	APD
HC 16M-6-7-22	HC 16M-6-7-22	SESE	06	070S	220E	4304736197		Federal	GW	APD
HC 14M-6-7-22	HC 14M-6-7-22	SESW	06	070S	220E	4304736198		Federal	GW	APD
WWT 8ML-25-8-24	WWT 8ML-25-8-24	SENE	25	080S	240E	4304736199		Federal	GW	APD
GB 16D-28-8-21	GB 16D-28-8-21	SESE	28	080S	210E	4304736260	14981	Federal	GW	P
WH 7G-3-7-24	WH 7G-3-7-24	SWNE	03	070S	240E	4304736347		Federal	GW	APD
NBE 5ML-10-9-23	NBE 5ML-10-9-23	SWNW	10	090S	230E	4304736353	15227	Federal	GW	P
NBE 7ML-10-9-23	NBE 7ML-10-9-23	SWNE	10	090S	230E	4304736355	15850	Federal	GW	DRL
NBE 3ML-10-9-23	NBE 3ML-10-9-23	NENW	10	090S	230E	4304736356	15393	Federal	GW	P
WH 4G-10-7-24	WH 4G-10-7-24	NWNW	10	070S	240E	4304736359		Federal	GW	APD
EIHX 4MU-36-8-22	EIHX 4MU-36-8-22	NWNW	36	080S	220E	4304736444	14875	Federal	GW	P
EIHX 3MU-36-8-22	EIHX 3MU-36-8-22	NENW	36	080S	220E	4304736445	14860	Federal	GW	P
EIHX 2MU-36-8-22	EIHX 2MU-36-8-22	NWNE	36	080S	220E	4304736446	14840	Federal	GW	P
EIHX 1MU-36-8-22	EIHX 1MU-36-8-22	NENE	36	080S	220E	4304736447	14861	Federal	GW	P
WWT 2ML-24-8-24	WWT 2ML-24-8-24	NWNE	24	080S	240E	4304736515		Federal	GW	APD
RWS 1ML-1-9-24	RWS 1ML-1-9-24	NENE	01	090S	240E	4304736517		Federal	GW	APD
RWS 3ML-1-9-24	RWS 3ML-1-9-24	NENW	01	090S	240E	4304736518		Federal	GW	APD
RWS 9ML-1-9-24	RWS 9ML-1-9-24	NESE	01	090S	240E	4304736519		Federal	GW	APD
RWS 15ML-1-9-24	RWS 15ML-1-9-24	SWSE	01	090S	240E	4304736521		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
BSW 1ML-12-9-24	BSW 1ML-12-9-24	NENE	12	090S	240E	4304736522		Federal	GW	APD
BSW 11ML-13-9-24	BSW 11ML-13-9-24	NESW	13	090S	240E	4304736523		Federal	GW	APD
NBE 7ML-26-9-23	NBE 7ML-26-9-23	SWNE	26	090S	230E	4304736587	16008	Federal	GW	DRL
NBE 8ML-26-9-23	NBE 8ML-26-9-23	SENE	26	090S	230E	4304736588	15689	Federal	GW	P
NBE 1ML-26-9-23	NBE 1ML-26-9-23	NENE	26	090S	230E	4304736589	15880	Federal	GW	DRL
NBE 2ML-26-9-23	NBE 2ML-26-9-23	NWNE	26	090S	230E	4304736590	15898	Federal	GW	DRL
NBE 3ML-26-9-23	NBE 3ML-26-9-23	NENW	26	090S	230E	4304736591	15906	Federal	GW	DRL
NBE 5ML-26-9-23	NBE 5ML-26-9-23	SWNW	26	090S	230E	4304736592	15839	Federal	GW	DRL
NBE 9ML-10-9-23	NBE 9ML-10-9-23	NESE	10	090S	230E	4304736593	15438	Federal	GW	P
NBE 11ML-10-9-23	NBE 11ML-10-9-23	NESW	10	090S	230E	4304736594	15228	Federal	GW	P
NBE 15ML-10-9-23	NBE 15ML-10-9-23	SWSE	10	090S	230E	4304736595	15439	Federal	GW	P
NBE 1ML-12-9-23	NBE 1ML-12-9-23	NENE	12	090S	230E	4304736613		Federal	GW	APD
NBE 2ML-17-9-23	NBE 2ML-17-9-23	NWNE	17	090S	230E	4304736614	15126	Federal	GW	P
NBE 4ML-17-9-23	NBE 4ML-17-9-23	NWNW	17	090S	230E	4304736615	15177	Federal	GW	P
NBE 6ML-17-9-23	NBE 6ML-17-9-23	SENW	17	090S	230E	4304736616	15127	Federal	GW	P
NBE 10ML-17-9-23	NBE 10ML-17-9-23	NWSE	17	090S	230E	4304736617	15128	Federal	GW	P
NBE 14ML-17-9-23	NBE 14ML-17-9-23	SESW	17	090S	230E	4304736618	15088	Federal	GW	P
NBE 9ML-26-9-23	NBE 9ML-26-9-23	NESE	26	090S	230E	4304736619	15322	Federal	GW	P
NBE 10D-26-9-23	NBE 10D-26-9-23	NWSE	26	090S	230E	4304736620	15975	Federal	GW	DRL
NBE 12ML-26-9-23	NBE 12ML-26-9-23	NWSW	26	090S	230E	4304736621	15840	Federal	GW	DRL
NBE 13ML-26-9-23	NBE 13ML-26-9-23	SWSW	26	090S	230E	4304736622	15690	Federal	GW	P
NBE 14ML-26-9-23	NBE 14ML-26-9-23	SESW	26	090S	230E	4304736623	15262	Federal	GW	P
NBE 16ML-26-9-23	NBE 16ML-26-9-23	SESE	26	090S	230E	4304736624	15735	Federal	GW	P
RWS 13ML-14-9-24	RWS 13ML-14-9-24	SWSW	14	090S	240E	4304736737		Federal	GW	APD
RWS 12ML-14-9-24	RWS 12ML-14-9-24	NWSW	14	090S	240E	4304736738		Federal	GW	APD
SG 3MU-23-8-22	SG 3MU-23-8-22	SESW	14	080S	220E	4304736940	15100	Federal	GW	P
NBE 5ML-17-9-23	NBE 5ML-17-9-23	SWNW	17	090S	230E	4304736941	15101	Federal	GW	P
WWT 2ML-25-8-24	WWT 2ML-25-8-24	NWNE	25	080S	240E	4304737301		Federal	GW	APD
WWT 1ML-25-8-24	WWT 1ML-25-8-24	NENE	25	080S	240E	4304737302		Federal	GW	APD
HK 15ML-19-8-25	HK 15ML-19-8-25	SWSE	19	080S	250E	4304737303		Federal	GW	APD
WT 13ML-19-8-25	WT 13ML-19-8-25	SWSW	19	080S	250E	4304737304		Federal	GW	APD
HK 3ML-29-8-25	HK 3ML-29-8-25	NENW	29	080S	250E	4304737305		Federal	GW	APD
HK 5ML-29-8-25	HK 5ML-29-8-25	SWNW	29	080S	250E	4304737330		Federal	GW	APD
HK 2ML-30-8-25	HK 2ML-30-8-25	NWNE	30	080S	250E	4304737331		Federal	GW	APD
HK 5ML-30-8-25	HK 5ML-30-8-25	SWNW	30	080S	250E	4304737332		Federal	GW	APD
HK 10ML-30-8-25	HK 10ML-30-8-25	NWSE	30	080S	250E	4304737333		Federal	GW	APD
HK 14ML-30-8-25	HK 14ML-30-8-25	SESW	30	080S	250E	4304737334		Federal	GW	APD
HK 6ML-30-8-25	HK 6ML-30-8-25	SENW	30	080S	250E	4304737348		Federal	GW	APD
HK 8ML-30-8-25	HK 8ML-30-8-25	SENE	30	080S	250E	4304737349		Federal	GW	APD
WWT 7ML-25-8-24	WWT 7ML-25-8-24	SWNE	25	080S	240E	4304737407		Federal	GW	APD
WWT 9ML-25-8-24	WWT 9ML-25-8-24	NESE	25	080S	240E	4304737408		Federal	GW	APD
WWT 10ML-25-8-24	WWT 10ML-25-8-24	NWSE	25	080S	240E	4304737409		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WWT 15ML-25-8-24	WWT 15ML-25-8-24	SWSE	25	080S	240E	4304737410		Federal	GW	APD
BBS 15G-22-7-21	BBS 15G-22-7-21	SWSE	22	070S	210E	4304737443	15688	Federal	OW	P
WWT 15ML-13-8-24	WWT 15ML-13-8-24	SWSE	13	080S	240E	4304737524		Federal	GW	APD
WWT 16ML-13-8-24	WWT 16ML-13-8-24	SESE	13	080S	240E	4304737525		Federal	GW	APD
COY 6ML-23-8-24	COY 6ML-23-8-24	SENE	23	080S	240E	4304737526		Federal	GW	APD
NBZ 8ML-23-8-24	NBZ 8ML-23-8-24	SENE	23	080S	240E	4304737527		Federal	GW	APD
COY 9ML-23-8-24	COY 9ML-23-8-24	NESE	23	080S	240E	4304737528		Federal	GW	APD
NBZ 15ML-23-8-24	NBZ 15ML-23-8-24	SWSE	23	080S	240E	4304737529		Federal	GW	APD
COY 16ML-23-8-24	COY 16ML-23-8-24	SESE	23	080S	240E	4304737530		Federal	GW	APD
COY 5ML-24-8-24	COY 5ML-24-8-24	SWNW	24	080S	240E	4304737531		Federal	GW	APD
COY 6ML-24-8-24	COY 6ML-24-8-24	SENE	24	080S	240E	4304737532		Federal	GW	APD
COY 6ML-21-8-24	COY 6ML-21-8-24	SENE	21	080S	240E	4304737584		Federal	GW	APD
COY 4ML-21-8-24	COY 4ML-21-8-24	NWNW	21	080S	240E	4304737585		Federal	GW	APD
COY 14ML-21-8-24	COY 14ML-21-8-24	SESW	21	080S	240E	4304737586		Federal	GW	APD
COY 15ML-21-8-24	COY 15ML-21-8-24	SWSE	21	080S	240E	4304737587		Federal	GW	NEW
WWT 1ML-24-8-24	WWT 1ML-24-8-24	NENE	24	080S	240E	4304737590		Federal	GW	APD
RWS 13ML-23-9-24	RWS 13ML-23-9-24	SWSW	23	090S	240E	4304737591		Federal	GW	APD
WWT 8ML-24-8-24	WWT 8ML-24-8-24	SENE	24	080S	240E	4304737640		Federal	GW	APD
GB 16ML-20-8-22	GB 16ML-20-8-22	SESE	20	080S	220E	4304737664	15948	Federal	GW	DRL
NBZ 1ML-29-8-24	NBZ 1ML-29-8-24	NENE	29	080S	240E	4304737666		Federal	GW	APD
WWT 16ML-24-8-24	WWT 16ML-24-8-24	SESE	24	080S	240E	4304737930		Federal	GW	APD
WWT 15ML-24-8-24	WWT 15ML-24-8-24	SWSE	24	080S	240E	4304737931		Federal	GW	APD
COY 14ML-24-8-24	COY 14ML-24-8-24	SESW	24	080S	240E	4304737932		Federal	GW	APD
COY 13ML-24-8-24	COY 13ML-24-8-24	SWSW	24	080S	240E	4304737933		Federal	GW	APD
COY 11ML-24-8-24	COY 11ML-24-8-24	NESW	24	080S	240E	4304737934		Federal	GW	APD
COY 15ML-14-8-24	COY 15ML-14-8-24	SWSE	14	080S	240E	4304737935		Federal	GW	APD
COY 14ML-14-8-24	COY 14ML-14-8-24	SESW	14	080S	240E	4304737936		Federal	GW	APD
COY 12ML-14-8-24	COY 12ML-14-8-24	NWSW	14	080S	240E	4304737937		Federal	GW	APD
COY 11ML-14-8-24	COY 11ML-14-8-24	NESW	14	080S	240E	4304737938		Federal	GW	APD
WVX 8ML-5-8-22	WVX 8ML-5-8-22	SENE	05	080S	220E	4304738140		Federal	GW	APD
WVX 6ML-5-8-22	WVX 6ML-5-8-22	SENE	05	080S	220E	4304738141		Federal	GW	APD
BBS 5G-23-7-21	BBS 5G-23-7-21	SWNW	23	070S	210E	4304738471		Federal	OW	APD
GB 12SG-29-8-22	GB 12SG-29-8-22	NWSW	29	080S	220E	4304738766		Federal	GW	APD
GB 10SG-30-8-22	GB 10SG-30-8-22	NWSE	30	080S	220E	4304738767		Federal	GW	APD
NBE 12SWD-10-9-23	NBE 12SWD-10-9-23	NWSW	10	090S	230E	4304738875		Federal	WD	APD
OP 16MU-3-7-20	OP 16MU-3-7-20	SESE	03	070S	200E	4304738944		Federal	OW	APD
WF 1P-1-15-19	WF 1P-1-15-19	NWNW	06	150S	200E	4304736781	14862	Indian	GW	S

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
PHONE NUMBER: (303) 308-3068		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: Uintah		
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

  
Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.  
  
Jay B. Neese, Executive Vice President  
Questar Exploration and Production Company

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs

SIGNATURE  DATE 3/16/2007

(This space for State use only)

RECEIVED  
APR 19 2007

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3. ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.**

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

**RECEIVED**  
**APR 19 2007**  
DIV. OF OIL, GAS & MINING



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

January 23, 2008

#### Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Name Change Approval

Attached is a certified copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the merger from the Eastern States state office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **QEP Uinta Basin, Inc.** into **Questar Exploration and Production Co.** is effective May 1, 2007, which is a correction to the effective date stated in the decision letter. For verification of effective date, please refer to the name change certificate from the State of Texas.

/s/ Leslie Wilcken

Leslie Wilcken  
Land Law Examiner  
Branch of Fluid Minerals

cc: MMS  
State of Utah, DOGM,

bcc: Dave Mascarenas  
Susan Bauman  
Connie Seare

RECEIVED  
JAN 28 2008  
DIV. OF LAND, OIL & GAS

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

ROUTING  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM:</b> (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO:</b> ( New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:  
See attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
See attached

7. UNIT or CA AGREEMENT NAME:  
See attached

8. WELL NAME and NUMBER:  
See attached

9. API NUMBER:  
Attached

10. FIELD AND POOL, OR WILDCAT:  
See attached

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL  
OIL WELL  GAS WELL  OTHER \_\_\_\_\_

2. NAME OF OPERATOR:  
Questar Exploration and Production Company *N5085*

3. ADDRESS OF OPERATOR:  
1050 17th Street, Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 672-6900

4. LOCATION OF WELL  
FOOTAGES AT SURFACE: See attached COUNTY: Attached  
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*  
Utah State Bond Number: ~~965003033~~ *965010695*  
Fee Land Bond Number: ~~965003033~~  
BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst  
SIGNATURE *Morgan Anderson* DATE 6/23/2010

(This space for State use only)

RECEIVED  
JUN 28 2010

APPROVED 6/30/2009  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WEST RIVER BEND 3-12-10-15	12	100S	150E	4301331888	14542	Federal	OW	P	C
WEST RIVER BEND 16-17-10-17	17	100S	170E	4301332057	14543	Federal	OW	P	
WEST DESERT SPRING 11-20-10-17	20	100S	170E	4301332088	14545	Federal	OW	S	
GD 8G-35-9-15	35	090S	150E	4301333821		Federal	OW	APD	C
GD 9G-35-9-15	35	090S	150E	4301333822		Federal	OW	APD	C
GD 10G-35-9-15	35	090S	150E	4301333823		Federal	OW	APD	C
GD 11G-35-9-15	35	090S	150E	4301333824		Federal	OW	APD	C
GD 12G-35-9-15	35	090S	150E	4301333825		Federal	OW	APD	C
GD 13G-35-9-15	35	090S	150E	4301333826		Federal	OW	APD	C
GD 1G-34-9-15	34	090S	150E	4301333827	16920	Federal	OW	P	
GD 2G-34-9-15	34	090S	150E	4301333828		Federal	OW	APD	C
GD 7G-34-9-15	34	090S	150E	4301333829		Federal	OW	APD	C
GD 7G-35-9-15	35	090S	150E	4301333830		Federal	OW	APD	C
GD 14G-35-9-15	35	090S	150E	4301333831		Federal	OW	APD	C
GD 15G-35-9-15	35	090S	150E	4301333832		Federal	OW	APD	C
GD 16G-35-9-15	35	090S	150E	4301333833	16921	Federal	OW	P	
GD 1G-35-9-15	35	090S	150E	4301333834		Federal	OW	APD	C
GD 2G-35-9-15	35	090S	150E	4301333835		Federal	OW	APD	C
GD 3G-35-9-15	35	090S	150E	4301333836		Federal	OW	APD	C
GD 4G-35-9-15	35	090S	150E	4301333837		Federal	OW	APD	C
GD 5G-35-9-15	35	090S	150E	4301333838		Federal	OW	APD	C
GD 6G-35-9-15	35	090S	150E	4301333839		Federal	OW	APD	C
GD 8G-34-9-15	34	090S	150E	4301333840		Federal	OW	APD	C
GD 9G-34-9-15	34	090S	150E	4301333841		Federal	OW	APD	C
GD 10G-34-9-15	34	090S	150E	4301333842		Federal	OW	APD	C
GD 15G-34-9-15	34	090S	150E	4301333843		Federal	OW	APD	C
GD 16G-34-9-15	34	090S	150E	4301333844		Federal	OW	APD	C
GOVT 18-2	18	230S	170E	4301930679	2575	Federal	OW	P	
FEDERAL 2-29-7-22	29	070S	220E	4304715423	5266	Federal	GW	TA	
UTAH FED D-1	14	070S	240E	4304715936	10699	Federal	GW	S	
UTAH FED D-2	25	070S	240E	4304715937	9295	Federal	GW	S	
PRINCE 1	10	070S	240E	4304716199	7035	Federal	GW	P	
UTAH FED D-4	14	070S	240E	4304731215	9297	Federal	GW	S	
ISLAND UNIT 16	11	100S	180E	4304731505	1061	Federal	OW	S	
EAST COYOTE FED 14-4-8-25	04	080S	250E	4304732493	11630	Federal	OW	P	
PRINCE 4	03	070S	240E	4304732677	7035	Federal	OW	P	
GH 21 WG	21	080S	210E	4304732692	11819	Federal	GW	P	
OU SG 6-14-8-22	14	080S	220E	4304732746	11944	Federal	GW	S	
FLU KNOLLS FED 23-3	03	100S	180E	4304732754	12003	Federal	OW	P	
GH 22 WG	22	080S	210E	4304732818	12336	Federal	GW	P	
OU GB 12W-20-8-22	20	080S	220E	4304733249	13488	Federal	GW	P	
OU GB 15-18-8-22	18	080S	220E	4304733364	12690	Federal	GW	P	
OU GB 3W-17-8-22	17	080S	220E	4304733513	12950	Federal	GW	P	
OU GB 5W-17-8-22	17	080S	220E	4304733514	12873	Federal	GW	P	
WV 9W-8-8-22	08	080S	220E	4304733515	13395	Federal	GW	P	
OU GB 9W-18-8-22	18	080S	220E	4304733516	12997	Federal	GW	P	
OU GB 3W-20-8-22	20	080S	220E	4304733526	13514	Federal	GW	P	
OU GB 12W-30-8-22	30	080S	220E	4304733670	13380	Federal	GW	P	
WV 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P	
GH 7W-21-8-21	21	080S	210E	4304733845	13050	Federal	GW	P	
GH 9W-21-8-21	21	080S	210E	4304733846	13074	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
GH 11W-21-8-21	21	080S	210E	4304733847	13049	Federal	GW	P	
GH 15W-21-8-21	21	080S	210E	4304733848	13051	Federal	GW	P	
WV 2W-9-8-21	09	080S	210E	4304733905	13676	Federal	GW	P	
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P	
WV 9W-23-8-21	23	080S	210E	4304733909	13160	Federal	GW	P	
GH 14W-20-8-21	20	080S	210E	4304733915	13073	Federal	GW	P	
OU GB 4W-30-8-22	30	080S	220E	4304733945	13372	Federal	GW	P	
OU GB 9W-19-8-22	19	080S	220E	4304733946	13393	Federal	GW	P	
OU GB 10W-30-8-22	30	080S	220E	4304733947	13389	Federal	GW	P	
OU GB 12W-19-8-22	19	080S	220E	4304733948	13388	Federal	GW	P	
GB 9W-25-8-21	25	080S	210E	4304733960	13390	Federal	GW	P	
SU 1W-5-8-22	05	080S	220E	4304733985	13369	Federal	GW	P	
SU 3W-5-8-22	05	080S	220E	4304733987	13321	Federal	OW	S	
SU 7W-5-8-22	05	080S	220E	4304733988	13235	Federal	GW	P	
SU 9W-5-8-22	05	080S	220E	4304733990	13238	Federal	GW	P	
SU 13W-5-8-22	05	080S	220E	4304733994	13236	Federal	GW	TA	
SU 15W-5-8-22	05	080S	220E	4304733996	13240	Federal	GW	P	
WV 8W-8-8-22	08	080S	220E	4304734005	13320	Federal	GW	P	
WV 14W-8-8-22	08	080S	220E	4304734007	13322	Federal	GW	S	
OU GB 6W-20-8-22	20	080S	220E	4304734018	13518	Federal	GW	P	
OU GB 5W-30-8-22	30	080S	220E	4304734025	13502	Federal	GW	P	
OU GB 11W-20-8-22	20	080S	220E	4304734039	13413	Federal	GW	P	
OU GB 4W-20-8-22	20	080S	220E	4304734043	13520	Federal	GW	P	
GH 5W-21-8-21	21	080S	210E	4304734147	13387	Federal	GW	P	
GH 6W-21-8-21	21	080S	210E	4304734148	13371	Federal	GW	P	
GH 8W-21-8-21	21	080S	210E	4304734149	13293	Federal	GW	P	
GH 10W-20-8-21	20	080S	210E	4304734151	13328	Federal	GW	P	
GH 10W-21-8-21	21	080S	210E	4304734152	13378	Federal	GW	P	
GH 12W-21-8-21	21	080S	210E	4304734153	13294	Federal	GW	P	
GH 14W-21-8-21	21	080S	210E	4304734154	13292	Federal	GW	P	
GH 16W-21-8-21	21	080S	210E	4304734157	13329	Federal	GW	P	
WV 2W-3-8-21	03	080S	210E	4304734207	13677	Federal	GW	P	
OU GB 5W-20-8-22	20	080S	220E	4304734209	13414	Federal	GW	P	
WV 6W-22-8-21	22	080S	210E	4304734272	13379	Federal	GW	P	
GH 1W-20-8-21	20	080S	210E	4304734327	13451	Federal	GW	P	
GH 2W-20-8-21	20	080S	210E	4304734328	13527	Federal	GW	P	
GH 3W-20-8-21	20	080S	210E	4304734329	13728	Federal	GW	P	
GH 7W-20-8-21	20	080S	210E	4304734332	13537	Federal	GW	P	
GH 9W-20-8-21	20	080S	210E	4304734333	13411	Federal	GW	P	
GH 11W-20-8-21	20	080S	210E	4304734334	13410	Federal	GW	P	
GH 15W-20-8-21	20	080S	210E	4304734335	13407	Federal	GW	P	
GH 16W-20-8-21	20	080S	210E	4304734336	13501	Federal	GW	P	
WV 12W-23-8-21	23	080S	210E	4304734343	13430	Federal	GW	P	
OU GB 13W-20-8-22	20	080S	220E	4304734348	13495	Federal	GW	P	
OU GB 14W-20-8-22	20	080S	220E	4304734349	13507	Federal	GW	P	
OU GB 11W-29-8-22	29	080S	220E	4304734350	13526	Federal	GW	P	
SU PURDY 14M-30-7-22	30	070S	220E	4304734384	13750	Federal	GW	S	
WVX 11G-5-8-22	05	080S	220E	4304734388	13422	Federal	OW	P	
WVX 13G-5-8-22	05	080S	220E	4304734389	13738	Federal	OW	P	
WVX 15G-5-8-22	05	080S	220E	4304734390	13459	Federal	OW	P	
SU BRENNAN W 15W-18-7-22	18	070S	220E	4304734403	13442	Federal	GW	TA	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
SU 16W-5-8-22	05	080S	220E	4304734446	13654	Federal	GW	P	
SU 2W-5-8-22	05	080S	220E	4304734455	13700	Federal	GW	P	
SU 10W-5-8-22	05	080S	220E	4304734456	13540	Federal	GW	P	
WV 16W-8-8-22	08	080S	220E	4304734470	13508	Federal	GW	P	
OU GB 16WX-30-8-22	30	080S	220E	4304734506	13431	Federal	GW	P	
OU GB 1W-19-8-22	19	080S	220E	4304734512	13469	Federal	GW	P	
OU GB 2W-19-8-22	19	080S	220E	4304734513	13461	Federal	GW	P	
OU GB 5W-19-8-22	19	080S	220E	4304734514	13460	Federal	GW	P	
OU GB 7W-19-8-22	19	080S	220E	4304734515	13462	Federal	GW	P	
OU GB 8W-19-8-22	19	080S	220E	4304734516	13489	Federal	GW	P	
OU GB 11W-19-8-22	19	080S	220E	4304734517	13467	Federal	GW	P	
OU GB 16W-19-8-22	19	080S	220E	4304734522	13476	Federal	GW	P	
OU GB 1W-30-8-22	30	080S	220E	4304734528	13487	Federal	GW	S	
OU GB 3W-30-8-22	30	080S	220E	4304734529	13493	Federal	GW	P	
OU GB 6W-30-8-22	30	080S	220E	4304734530	13519	Federal	GW	P	
OU GB 7W-30-8-22	30	080S	220E	4304734531	13494	Federal	GW	P	
OU GB 8W-30-8-22	30	080S	220E	4304734532	13483	Federal	GW	P	
OU GB 9W-30-8-22	30	080S	220E	4304734533	13500	Federal	GW	P	
OU GB 6W-19-8-22	19	080S	220E	4304734534	13475	Federal	GW	P	
OU GB 10W-19-8-22	19	080S	220E	4304734535	13479	Federal	GW	P	
OU GB 13W-19-8-22	19	080S	220E	4304734536	13478	Federal	GW	P	
OU GB 14W-19-8-22	19	080S	220E	4304734537	13484	Federal	GW	P	
OU GB 15W-19-8-22	19	080S	220E	4304734538	13482	Federal	GW	P	
OU GB 12W-17-8-22	17	080S	220E	4304734542	13543	Federal	GW	P	
OU GB 6W-17-8-22	17	080S	220E	4304734543	13536	Federal	GW	P	
OU GB 13W-17-8-22	17	080S	220E	4304734544	13547	Federal	GW	P	
OU GB 6W-29-8-22	29	080S	220E	4304734545	13535	Federal	GW	P	
OU GB 3W-29-8-22	29	080S	220E	4304734546	13509	Federal	GW	P	
OU GB 13W-29-8-22	29	080S	220E	4304734547	13506	Federal	GW	P	
OU GB 4W-29-8-22	29	080S	220E	4304734548	13534	Federal	GW	P	
OU GB 5W-29-8-22	29	080S	220E	4304734549	13505	Federal	GW	P	
OU GB 14W-17-8-22	17	080S	220E	4304734550	13550	Federal	GW	P	
OU GB 11W-17-8-22	17	080S	220E	4304734553	13671	Federal	GW	P	
OU GB 14W-29-8-22	29	080S	220E	4304734554	13528	Federal	GW	P	
OU GB 2W-17-8-22	17	080S	220E	4304734559	13539	Federal	GW	P	
OU GB 7W-17-8-22	17	080S	220E	4304734560	13599	Federal	GW	P	
OU GB 16W-18-8-22	18	080S	220E	4304734563	13559	Federal	GW	P	
OU GB 1W-29-8-22	29	080S	220E	4304734573	13562	Federal	GW	P	
OU GB 7W-29-8-22	29	080S	220E	4304734574	13564	Federal	GW	P	
OU GB 8W-29-8-22	29	080S	220E	4304734575	13609	Federal	GW	S	
OU GB 9W-29-8-22	29	080S	220E	4304734576	13551	Federal	GW	P	
OU GB 10W-29-8-22	29	080S	220E	4304734577	13594	Federal	GW	P	
OU GB 15W-29-8-22	29	080S	220E	4304734578	13569	Federal	GW	P	
OU GB 2W-20-8-22	20	080S	220E	4304734599	13664	Federal	GW	P	
OU GB 2W-29-8-22	29	080S	220E	4304734600	13691	Federal	GW	P	
OU GB 15W-17-8-22	17	080S	220E	4304734601	13632	Federal	GW	P	
OU GB 16W-17-8-22	17	080S	220E	4304734602	13639	Federal	GW	P	
OU GB 16W-29-8-22	29	080S	220E	4304734603	13610	Federal	GW	P	
OU GB 1W-20-8-22	20	080S	220E	4304734604	13612	Federal	GW	P	
OU GB 1W-17-8-22	17	080S	220E	4304734623	13701	Federal	GW	P	
OU GB 9W-17-8-22	17	080S	220E	4304734624	13663	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
OU GB 10W-17-8-22	17	080S	220E	4304734625	13684	Federal	GW	P	
OU GB 9W-20-8-22	20	080S	220E	4304734630	13637	Federal	GW	P	
OU GB 10W-20-8-22	20	080S	220E	4304734631	13682	Federal	GW	P	
OU GB 15W-20-8-22	20	080S	220E	4304734632	13613	Federal	GW	P	
OU WIH 15MU-21-8-22	21	080S	220E	4304734634	13991	Federal	GW	P	
OU WIH 13W-21-8-22	21	080S	220E	4304734646	13745	Federal	GW	P	
OU GB 11W-15-8-22	15	080S	220E	4304734648	13822	Federal	GW	P	
OU GB 13W-9-8-22	09	080S	220E	4304734654	13706	Federal	GW	P	
OU WIH 14W-21-8-22	21	080S	220E	4304734664	13720	Federal	GW	P	
OU GB 12WX-29-8-22	29	080S	220E	4304734668	13555	Federal	GW	P	
OU WIH 10W-21-8-22	21	080S	220E	4304734681	13662	Federal	GW	P	
OU GB 4G-21-8-22	21	080S	220E	4304734685	13772	Federal	OW	P	
OU GB 3W-21-8-22	21	080S	220E	4304734686	13746	Federal	GW	P	
OU GB 16SG-30-8-22	30	080S	220E	4304734688	13593	Federal	GW	P	
OU WIH 7W-21-8-22	21	080S	220E	4304734689	13716	Federal	GW	P	
OU GB 5W-21-8-22	21	080S	220E	4304734690	13770	Federal	GW	P	
WIH 1MU-21-8-22	21	080S	220E	4304734693	14001	Federal	GW	P	
OU GB 5G-19-8-22	19	080S	220E	4304734695	13786	Federal	OW	P	
OU GB 7W-20-8-22	20	080S	220E	4304734705	13710	Federal	GW	P	
OU SG 14W-15-8-22	15	080S	220E	4304734710	13821	Federal	GW	P	
OU SG 15W-15-8-22	15	080S	220E	4304734711	13790	Federal	GW	P	
OU SG 16W-15-8-22	15	080S	220E	4304734712	13820	Federal	GW	P	
OU SG 4W-15-8-22	15	080S	220E	4304734713	13775	Federal	GW	P	
OU SG 12W-15-8-22	15	080S	220E	4304734714	13838	Federal	GW	P	
OU GB 5MU-15-8-22	15	080S	220E	4304734715	13900	Federal	GW	P	
OU SG 8W-15-8-22	15	080S	220E	4304734717	13819	Federal	GW	P	
OU SG 9W-15-8-22	15	080S	220E	4304734718	13773	Federal	GW	P	
OU SG 10W-15-8-22	15	080S	220E	4304734719	13722	Federal	GW	P	
OU SG 2MU-15-8-22	15	080S	220E	4304734721	13887	Federal	GW	P	
OU SG 7W-15-8-22	15	080S	220E	4304734722	13920	Federal	GW	P	
OU GB 14SG-29-8-22	29	080S	220E	4304734743	14034	Federal	GW	P	
OU GB 16SG-29-8-22	29	080S	220E	4304734744	13771	Federal	GW	P	
OU GB 13W-10-8-22	10	080S	220E	4304734754	13774	Federal	GW	P	
OU GB 6MU-21-8-22	21	080S	220E	4304734755	14012	Federal	GW	P	
OU SG 10W-10-8-22	10	080S	220E	4304734764	13751	Federal	GW	P	
OU GB 14M-10-8-22	10	080S	220E	4304734768	13849	Federal	GW	P	
OU SG 9W-10-8-22	10	080S	220E	4304734783	13725	Federal	GW	P	
OU SG 16W-10-8-22	10	080S	220E	4304734784	13781	Federal	GW	P	
SU BW 6M-7-7-22	07	070S	220E	4304734837	13966	Federal	GW	P	
GB 3M-27-8-21	27	080S	210E	4304734900	14614	Federal	GW	P	
WVX 11D-22-8-21	22	080S	210E	4304734902	14632	Federal	GW	P	
GB 11M-27-8-21	27	080S	210E	4304734952	13809	Federal	GW	P	
GB 9D-27-8-21	27	080S	210E	4304734956	14633	Federal	GW	P	
GB 1D-27-8-21	27	080S	210E	4304734957	14634	Federal	GW	P	
WRU EIH 2M-35-8-22	35	080S	220E	4304735052	13931	Federal	GW	P	
GH 12MU-20-8-21	20	080S	210E	4304735069	14129	Federal	GW	P	
OU SG 4W-11-8-22	11	080S	220E	4304735071	14814	Federal	GW	OPS	C
OU SG 5W-11-8-22	11	080S	220E	4304735072	14815	Federal	GW	OPS	C
SG 6ML-11-8-22	11	080S	220E	4304735073	14825	Federal	GW	P	
OU SG 5MU-14-8-22	14	080S	220E	4304735076	13989	Federal	GW	P	
OU SG 6MU-14-8-22	14	080S	220E	4304735077	14128	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
SG 12MU-14-8-22	14	080S	220E	4304735078	13921	Federal	GW	P	
OU SG 13MU-14-8-22	14	080S	220E	4304735079	13990	Federal	GW	P	
OU SG 9MU-11-8-22	11	080S	220E	4304735091	13967	Federal	GW	P	
SG 11SG-23-8-22	23	080S	220E	4304735099	13901	Federal	GW	TA	
OU SG 14W-11-8-22	11	080S	220E	4304735114	14797	Federal	GW	OPS	C
SG 5MU-23-8-22	23	080S	220E	4304735115	14368	Federal	GW	P	
SG 6MU-23-8-22	23	080S	220E	4304735116	14231	Federal	GW	P	
SG 14MU-23-8-22	23	080S	220E	4304735117	14069	Federal	GW	P	
SG 12MU-23-8-22	23	080S	220E	4304735188	14412	Federal	GW	P	
SG 13MU-23-8-22	23	080S	220E	4304735190	14103	Federal	GW	P	
WH 7G-10-7-24	10	070S	240E	4304735241	14002	Federal	GW	S	
GB 4D-28-8-21	28	080S	210E	4304735246	14645	Federal	GW	P	
GB 7M-28-8-21	28	080S	210E	4304735247	14432	Federal	GW	P	
GB 14M-28-8-21	28	080S	210E	4304735248	13992	Federal	GW	P	
SG 11MU-23-8-22	23	080S	220E	4304735257	13973	Federal	GW	P	
SG 15MU-14-8-22	14	080S	220E	4304735328	14338	Federal	GW	P	
EIHX 14MU-25-8-22	25	080S	220E	4304735330	14501	Federal	GW	P	
EIHX 11MU-25-8-22	25	080S	220E	4304735331	14470	Federal	GW	P	
NBE 12ML-10-9-23	10	090S	230E	4304735333	14260	Federal	GW	P	
NBE 13ML-17-9-23	17	090S	230E	4304735334	14000	Federal	GW	P	
NBE 4ML-26-9-23	26	090S	230E	4304735335	14215	Federal	GW	P	
SG 7MU-11-8-22	11	080S	220E	4304735374	14635	Federal	GW	S	
SG 1MU-11-8-22	11	080S	220E	4304735375	14279	Federal	GW	P	
OU SG 13W-11-8-22	11	080S	220E	4304735377	14796	Federal	GW	OPS	C
SG 3MU-11-8-22	11	080S	220E	4304735379	14978	Federal	GW	P	
SG 8MU-11-8-22	11	080S	220E	4304735380	14616	Federal	GW	P	
SG 2MU-11-8-22	11	080S	220E	4304735381	14636	Federal	GW	P	
SG 10MU-11-8-22	11	080S	220E	4304735382	14979	Federal	GW	P	
SU 11MU-9-8-21	09	080S	210E	4304735412	14143	Federal	GW	P	
OU GB 8MU-10-8-22	10	080S	220E	4304735422	15321	Federal	GW	OPS	C
EIHX 2MU-25-8-22	25	080S	220E	4304735427	14666	Federal	GW	P	
EIHX 1MU-25-8-22	25	080S	220E	4304735428	14705	Federal	GW	P	
EIHX 7MU-25-8-22	25	080S	220E	4304735429	14682	Federal	GW	P	
EIHX 8MU-25-8-22	25	080S	220E	4304735430	14706	Federal	GW	P	
EIHX 9MU-25-8-22	25	080S	220E	4304735433	14558	Federal	GW	P	
EIHX 16MU-25-8-22	25	080S	220E	4304735434	14502	Federal	GW	P	
EIHX 15MU-25-8-22	25	080S	220E	4304735435	14571	Federal	GW	P	
EIHX 10MU-25-8-22	25	080S	220E	4304735436	14537	Federal	GW	P	
GB 3MU-3-8-22	03	080S	220E	4304735457	14575	Federal	GW	P	
NBE 15M-17-9-23	17	090S	230E	4304735463	14423	Federal	GW	P	
NBE 7ML-17-9-23	17	090S	230E	4304735464	14232	Federal	GW	P	
NBE 3ML-17-9-23	17	090S	230E	4304735465	14276	Federal	GW	P	
NBE 11M-17-9-23	17	090S	230E	4304735466	14431	Federal	GW	P	
NBE 10ML-10-9-23	10	090S	230E	4304735650	14377	Federal	GW	P	
NBE 6ML-10-9-23	10	090S	230E	4304735651	14422	Federal	GW	P	
NBE 12ML-17-9-23	17	090S	230E	4304735652	14278	Federal	GW	P	
NBE 6ML-26-9-23	26	090S	230E	4304735664	14378	Federal	GW	P	
NBE 11ML-26-9-23	26	090S	230E	4304735665	14340	Federal	GW	P	
NBE 15ML-26-9-23	26	090S	230E	4304735666	14326	Federal	GW	P	
SG 4MU-23-8-22	23	080S	220E	4304735758	14380	Federal	GW	P	
SG 11MU-14-8-22	14	080S	220E	4304735829	14486	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RB DS FED 1G-7-10-18	07	100S	180E	4304735932	14457	Federal	OW	S	
RB DS FED 14G-8-10-18	08	100S	180E	4304735933	14433	Federal	OW	P	
OU SG 14MU-14-8-22	14	080S	220E	4304735950	14479	Federal	GW	P	
COY 12ML-24-8-24	24	080S	240E	4304736039	14592	Federal	OW	P	
WIH 1AMU-21-8-22	21	080S	220E	4304736060	14980	Federal	GW	P	
SU 8M-12-7-21	12	070S	210E	4304736096	16610	Federal	GW	OPS	C
NBE 4ML-10-9-23	10	090S	230E	4304736098	15732	Federal	GW	P	
NBE 8ML-10-9-23	10	090S	230E	4304736099	15733	Federal	GW	P	
NBE 16ML-10-9-23	10	090S	230E	4304736100	14728	Federal	GW	S	
SUBW 14M-7-7-22	07	070S	220E	4304736136	15734	Federal	GW	P	
NBE 8ML-12-9-23	12	090S	230E	4304736143	15859	Federal	GW	S	
GB 16D-28-8-21	28	080S	210E	4304736260	14981	Federal	GW	P	
NBE 5ML-10-9-23	10	090S	230E	4304736353	15227	Federal	GW	P	
NBE 7ML-10-9-23	10	090S	230E	4304736355	15850	Federal	GW	P	
NBE 3ML-10-9-23	10	090S	230E	4304736356	15393	Federal	GW	P	
EIHX 4MU-36-8-22	36	080S	220E	4304736444	14875	Federal	GW	P	
EIHX 3MU-36-8-22	36	080S	220E	4304736445	14860	Federal	GW	P	
EIHX 2MU-36-8-22	36	080S	220E	4304736446	14840	Federal	GW	S	
EIHX 1MU-36-8-22	36	080S	220E	4304736447	14861	Federal	GW	P	
NBE 7ML-26-9-23	26	090S	230E	4304736587	16008	Federal	GW	P	
NBE 8ML-26-9-23	26	090S	230E	4304736588	15689	Federal	GW	P	
NBE 1ML-26-9-23	26	090S	230E	4304736589	15880	Federal	GW	P	
NBE 2ML-26-9-23	26	090S	230E	4304736590	15898	Federal	GW	S	
NBE 3ML-26-9-23	26	090S	230E	4304736591	15906	Federal	GW	P	
NBE 5ML-26-9-23	26	090S	230E	4304736592	15839	Federal	GW	P	
NBE 9ML-10-9-23	10	090S	230E	4304736593	15438	Federal	GW	P	
NBE 11ML-10-9-23	10	090S	230E	4304736594	15228	Federal	GW	P	
NBE 15ML-10-9-23	10	090S	230E	4304736595	15439	Federal	GW	P	
NBE 2ML-17-9-23	17	090S	230E	4304736614	15126	Federal	GW	P	
NBE 4ML-17-9-23	17	090S	230E	4304736615	15177	Federal	GW	P	
NBE 6ML-17-9-23	17	090S	230E	4304736616	15127	Federal	GW	S	
NBE 10ML-17-9-23	17	090S	230E	4304736617	15128	Federal	GW	P	
NBE 14ML-17-9-23	17	090S	230E	4304736618	15088	Federal	GW	P	
NBE 9ML-26-9-23	26	090S	230E	4304736619	15322	Federal	GW	P	
NBE 10D-26-9-23	26	090S	230E	4304736620	15975	Federal	GW	S	
NBE 12ML-26-9-23	26	090S	230E	4304736621	15840	Federal	GW	P	
NBE 13ML-26-9-23	26	090S	230E	4304736622	15690	Federal	GW	P	
NBE 14ML-26-9-23	26	090S	230E	4304736623	15262	Federal	GW	P	
NBE 16ML-26-9-23	26	090S	230E	4304736624	15735	Federal	GW	P	
WF 1P-1-15-19	06	150S	200E	4304736781	14862	Indian	GW	P	
SG 3MU-23-8-22	14	080S	220E	4304736940	15100	Federal	GW	P	
NBE 5ML-17-9-23	17	090S	230E	4304736941	15101	Federal	GW	P	
TU 14-9-7-22	09	070S	220E	4304737345	16811	Federal	GW	OPS	C
WF 14C-29-15-19	29	150S	190E	4304737541	15178	Indian	GW	P	
NBE 2ML-10-9-23	10	090S	230E	4304737619	15860	Federal	GW	P	
GB 16ML-20-8-22	20	080S	220E	4304737664	15948	Federal	GW	P	
WVX 8ML-5-8-22	05	080S	220E	4304738140		Federal	GW	APD	C
WVX 6ML-5-8-22	05	080S	220E	4304738141		Federal	GW	APD	C
WVX 1MU-17-8-21	17	080S	210E	4304738156		Federal	GW	APD	C
GH 8-20-8-21	20	080S	210E	4304738157		Federal	GW	APD	C
WVX 4MU-17-8-21	17	080S	210E	4304738190		Federal	GW	APD	C

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WVX 16MU-18-8-21	18	080S	210E	4304738191		Federal	GW	APD	C
GH 7D-19-8-21	19	080S	210E	4304738267	16922	Federal	GW	P	
WF 8C-15-15-19	15	150S	190E	4304738405	17142	Indian	GW	OPS	C
WVX 1MU-18-8-21	18	080S	210E	4304738659		Federal	GW	APD	C
WVX 9MU-18-8-21	18	080S	210E	4304738660		Federal	GW	APD	C
GB 12SG-29-8-22	29	080S	220E	4304738766	16096	Federal	GW	S	
GB 10SG-30-8-22	30	080S	220E	4304738767	16143	Federal	GW	S	
FR 14P-20-14-20	20	140S	200E	4304739168	16179	Federal	GW	P	
SU 11M-8-7-22	08	070S	220E	4304739175		Federal	GW	APD	C
HB 2M-9-7-22	09	070S	220E	4304739176		Federal	GW	APD	C
SUMA 4M-20-7-22	20	070S	220E	4304739177		Federal	GW	APD	C
SU 16M-31-7-22	31	070S	220E	4304739178		Federal	GW	APD	C
FR 13P-20-14-20	20	140S	200E	4304739226	16719	Federal	GW	P	
SG 11BML-23-8-22	23	080S	220E	4304739230		Federal	GW	APD	C
SG 12DML-23-8-22	23	080S	220E	4304739231		Federal	GW	APD	C
GB 1CML-29-8-22	29	080S	220E	4304739232		Federal	GW	APD	C
NBE 8CD-10-9-23	10	090S	230E	4304739341	16513	Federal	GW	P	
NBE 15AD-10-9-23	10	090S	230E	4304739342		Federal	GW	APD	C
NBE 6DD-10-9-23	10	090S	230E	4304739343		Federal	GW	APD	C
NBE 6AD-10-9-23	10	090S	230E	4304739344		Federal	GW	APD	C
NBE 6BD-10-9-23	10	090S	230E	4304739345		Federal	GW	APD	C
NBE 5DD-10-9-23	10	090S	230E	4304739346	16574	Federal	GW	P	
NBE 7BD-17-9-23	17	090S	230E	4304739347		Federal	GW	APD	C
NBE 4DD-17-9-23	17	090S	230E	4304739348	16743	Federal	GW	P	
NBE 10CD-17-9-23	17	090S	230E	4304739349	16616	Federal	GW	P	
NBE 11CD-17-9-23	17	090S	230E	4304739350		Federal	GW	APD	C
NBE 8BD-26-9-23	26	090S	230E	4304739351	16617	Federal	GW	P	
NBE 3DD-26-9-23	26	090S	230E	4304739352		Federal	GW	APD	C
NBE 3CD-26-9-23	26	090S	230E	4304739353		Federal	GW	APD	C
NBE 7DD-26-9-23	26	090S	230E	4304739354		Federal	GW	APD	C
NBE 12AD-26-9-23	26	090S	230E	4304739355		Federal	GW	APD	C
NBE 5DD-26-9-23	26	090S	230E	4304739356		Federal	GW	APD	C
NBE 13AD-26-9-23	26	090S	230E	4304739357		Federal	GW	APD	C
NBE 14AD-26-9-23	26	090S	230E	4304739358		Federal	GW	APD	C
NBE 9CD-26-9-23	26	090S	230E	4304739359		Federal	GW	APD	C
FR 9P-20-14-20	20	140S	200E	4304739461	17025	Federal	GW	S	
FR 13P-17-14-20	17	140S	200E	4304739462		Federal	GW	APD	C
FR 9P-17-14-20	17	140S	200E	4304739463	16829	Federal	GW	P	
FR 10P-20-14-20	20	140S	200E	4304739465		Federal	GW	APD	C
FR 5P-17-14-20	17	140S	200E	4304739509		Federal	GW	APD	C
FR 15P-17-14-20	17	140S	200E	4304739510		Federal	GW	APD	C
FR 11P-20-14-20	20	140S	200E	4304739587		Federal	GW	APD	
FR 5P-20-14-20	20	140S	200E	4304739588		Federal	GW	APD	C
FR 9P-21-14-20	21	140S	200E	4304739589		Federal	GW	APD	C
FR 13P-21-14-20	21	140S	200E	4304739590		Federal	GW	APD	C
GB 7D-27-8-21	27	080S	210E	4304739661		Federal	GW	APD	C
GB 15D-27-8-21	27	080S	210E	4304739662	16830	Federal	GW	P	
WV 13D-23-8-21	23	080S	210E	4304739663	16813	Federal	GW	P	
WV 15D-23-8-21	23	080S	210E	4304739664	16924	Federal	GW	P	
FR 14P-17-14-20	17	140S	200E	4304739807		Federal	GW	APD	C
FR 12P-20-14-20	20	140S	200E	4304739808		Federal	GW	APD	C

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
FR 6P-20-14-20	20	140S	200E	4304739809	16925	Federal	GW	P	
FR 3P-21-14-20	21	140S	200E	4304739810		Federal	GW	APD	C
FR 4P-21-14-20	21	140S	200E	4304739811	16771	Federal	GW	P	
FR 8P-21-14-20	21	140S	200E	4304739812		Federal	GW	APD	C
FR 15P-21-14-20	21	140S	200E	4304739815		Federal	GW	APD	C
FR 2P-20-14-20	20	140S	200E	4304740053		Federal	GW	APD	
FR 2P-21-14-20	21	140S	200E	4304740200		Federal	GW	APD	C
WV 11-23-8-21	23	080S	210E	4304740303		Federal	GW	APD	C
GB 12-27-8-21	27	080S	210E	4304740304		Federal	GW	APD	C
GH 11C-20-8-21	20	080S	210E	4304740352		Federal	GW	APD	C
GH 15A-20-8-21	20	080S	210E	4304740353		Federal	GW	APD	C
GH 10BD-21-8-21	21	080S	210E	4304740354		Federal	GW	APD	C
FR 11P-21-14-20	21	140S	200E	4304740366		Federal	GW	APD	C
MELANGE U 1	09	140S	200E	4304740399		Federal	GW	APD	C
OP 16G-12-7-20	12	070S	200E	4304740481	17527	Federal	OW	DRL	C
OP 4G-12-7-20	12	070S	200E	4304740482		Federal	OW	APD	C
WF 8D-21-15-19	21	150S	190E	4304740489		Indian	GW	APD	C
WF 15-21-15-19	21	150S	190E	4304740490		Indian	GW	APD	
WF 4D-22-15-19	22	150S	190E	4304740491		Indian	GW	APD	C

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695



# United States Department of the Interior



## BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>

IN REPLY REFER TO:

3100

(UT-922)

JUL 28 2010

### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

*Roy L. Bankert*

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS