

EOG Resources, Inc.
P.O. 1910
Vernal, UT 84078

February 20, 2004

Utah Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, UT 84114-5801

RE: APPLICATION FOR PERMIT TO DRILL
CHAPITA WELLS UNIT 914-26
NE/NW, SEC. 26, T9S, R22E
UINTAH COUNTY, UTAH
LEASE NO.: U-0285A
FEDERAL LANDS

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter
P.O. Box 1910
Vernal, UT 84078
Phone: (435)789-4120
Fax: (435)789-1420

Sincerely,



Ed Trotter
Agent
EOG Resources, Inc.

RECEIVED
FEB 23 2004
DIV. OF OIL, GAS & MINING

Attachments

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

001

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: DRILL REENTER
1b. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone

5. Lease Serial No.
U-0285A
6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and No.
CHAPITA WELLS UNIT
8. Lease Name and Well No.
CHAPITA WELLS UNIT 914-26

2. Name of Operator
EOG RESOURCES, INC.

9. API Well No.
43-047-35542

3a. Address **P.O. BOX 1815
VERNAL, UT 84078**
3b. Phone No. (Include area code)
(435)789-0790

10. Field and Pool, or Exploratory
NATURAL BUTTES

4. Location of Well (Report location clearly and in accordance with any State requirements. *)
At surface **403' FNL, 1458' FWL** *4430209Y NE/NW 40.01308*
At proposed prod. Zone *635631X -109.41084*

11. Sec., T., R., M., or Blk. and Survey or Area
**SEC. 26, T9S, R22E,
S.L.B.&M.**

14. Distance in miles and direction from nearest town or post office*
19.3 MILES SOUTHEAST OF OURAY, UTAH

12. County or Parish **UINTAH**
13. State **UTAH**

15. Distance from proposed* location to nearest property or lease line, ft. 403' (Also to nearest drig. Unit line, if any)	16. No. of Acres in lease 1800	17. Spacing Unit dedicated to this well 6
--	--	---

18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. See Topo Map C	19. Proposed Depth 9175'	20. BLM/BIA Bond No. on file NM-2308
---	------------------------------------	--

21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4909.8 FEET GRADED GROUND	22. Approximate date work will start* UPON APPROVAL	23. Estimated duration 45 DAYS
---	---	--

24. Attachments

Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature 	Name (Printed/Typed) Ed Trotter	Date February 20, 2004
-------------------	---	----------------------------------

Title
Agent

RECEIVED

FEB 23 2004

DIV. OF OIL, GAS & MINING

Approved by (Signature)

**Federal Approval of this
Action is Necessary**

Name (Printed/Typed)
BRADLEY G. HILL
Office
ENVIRONMENTAL SCIENTIST III

Date
03-01-04

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of Approval, if any, are attached.


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

T9S, R22E, S.L.B.&M.


EOG RESOURCES, INC.

Well location, CWU #914-26, located as shown in the NE 1/4 NW 1/4 of Section 26, T9S, R22E, S.L.B.&M. Uintah County, Utah.



BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.



SCALE

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

ROBERT L. KAY
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 61319
 STATE OF UTAH

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.
 (NAD 27)
 LATITUDE = 40°00'47.40" (40.013167)
 LONGITUDE = 109°24'38.92" (109.410811)

UNTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 12-10-03	DATE DRAWN: 12-30-03
PARTY J.F. A.F. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE EOG RESOURCES, INC.	

EIGHT POINT PLAN

CHAPITA WELLS UNIT 914-26
NE/NW, SEC. 26, T9S, R22E, S.L.B.&M.
UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	DEPTH (KB)
Green River	1,597'
Wasatch	4,556'
Island	6,998'
KMV Price River	7,251'
KMV Price River Middle	7,870'
KMV Price River Lower	8,653'
Sego	9,089'

EST. TD: 9175

Anticipated BHP 4000 PSI

3. PRESSURE CONTROL EQUIPMENT: 5000 PSIG BOP Schematic Diagram attached.

4. CASING PROGRAM:

<u>HOLE SIZE</u>	<u>INTERVAL</u>	<u>LENGTH</u>	<u>SIZE</u>	<u>WEIGHT</u>	<u>GRADE</u>	<u>THREAD</u>	<u>RATING FACTOR</u>		
							<u>COLLAPSE</u>	<u>BURST</u>	<u>TENSILE</u>
<i>Option 1</i>									
17 1/2"	0' - 250'	250'	13 3/8"	48.0#	H-40	STC	770 PSI	1730 PSI	322,000#
12 1/4"	250' - 2700'+/- KB	2700' +/-	9 5/8"	36.0 #	J-55	ST&C	2020 PSI	3520 PSI	394,000#
7 7/8"	2700' - TD +/-KB	9175' +/-	4 1/2"	11.6 #	N-80	LT&C	6350 PSI	7780 PSI	223,000#
<i>Option 2</i>									
12 1/4"	0' - 2300'+/- KB	2300' +/-	9 5/8"	36.0 #	J-55	ST&C	2020 PSI	3520 PSI	394,000#
7 7/8"	2300' - TD +/-KB	9175' +/-	4 1/2"	11.6 #	N-80	LT&C	6350 PSI	7780 PSI	223,000#

The 12 1/4" Intermediate hole will be drilled to a total depth of 200' below the base of the Green River lost circulation zone and 9 5/8" casing will be set to that depth. Actual setting depth of the 9 5/8" casing may be less than 2700' in this well.

All casing will be new or inspected.

5. Float Equipment:

Surface Hole Procedure (0-250' Below GL):

Guide Shoe

Insert Baffle

Wooden wiper plug

Centralizers: 1 - 5-10' above shoe, every collar for next 3 joints (4 total).

EIGHT POINT PLAN

CHAPITA WELLS UNIT 914-26 NE/NW, SEC. 26, T9S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

Float Equipment (Continued):

Intermediate Hole Procedure (250'- 2700'):

Guide Shoe

Insert Float Collar (PDC drillable)

Cents.: 1-5' above shoe, top of jts. #2 and #3 then every 5th joint to surface. (15 total)

Production Hole Procedure (2700'-TD'):

FS, 1 joint of casing, FC, and balance of casing to surface. Run 11.6#, N-80 burst rating or equivalent marker collars or short casing joints at $\pm 7,251'$ (**Top of Price River**) and $\pm 4,100'$ (**400' above the Wasatch**) (alter depth if needed to avoid placing across any potentially- productive intervals). Centralize 5' above shoe on joint #1, top of joint #2, then every 2nd joint to **400' above Island top** (50 total). Thread lock FS, top and bottom of FC, and top of 2nd joint.

6. MUD PROGRAM

Surface Hole Procedure (0-250' below GL):

Air – Air Water Mist

Intermediate Hole Procedure (250'- 2700'):

Water (circulate through reserve pit) with Gel/LCM sweeps.

Production Hole Procedure (2700'-TD):

2700' - 4500' Water (circulate through reserve pit) with Gel/LCM sweeps.

4500' - 6900' Close in mud system. "Mud up" with **6.0 ppb** Diammonium Phosphate (DAP). Drill with DAP water, POLYPLUS for viscosity and hole cleaning, adding KLA-GARD B for supplemental inhibition. Also sweep hole periodically w/ Durogel / LCM sweeps to clean the hole and seal loss zones. Add additional LCM as hole dictates. Mud weight and vis as needed, water loss – no control.

6900' - TD Discontinue KLA-GARD B. Utilize POLYPAC-R for fluid loss control. Maintain **5.5 ppb** DAP. **Do not mix caustic or lime.** Maintain 7.5-8.5 pH. Weight up system and add vis as hole conditions require. Run LCM sweep periodically to seal off loss zones or more often as hole dictates. Water loss: 20 cc's maximum. Expect increasing gas shows requiring heavier mud weights from top of Island onward. Treat CO₂ contamination with DESCO CF and OSIL (Oxygen scavenger) if mud properties dictate.

EIGHT POINT PLAN

CHAPITA WELLS UNIT 914-26 NE/NW, SEC. 26, T9S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

7. VARIANCE REQUESTS:

- A. EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. EOG Resources, Inc. requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line. (Not required on aerated water system).
- C. EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be 75' in length.

8. EVALUATION PROGRAM:

Logs: RST (Reservoir Saturation Tool) Cased logs TD to Surface

9. CEMENT PROGRAM:

Surface Hole Procedure (0-250' Below GL)

Lead: 300 sks (100% excess volume) Class 'G' cement with 2% S1 (CaCl₂) & 0.25 pps D29 (cellophane flakes), mixed at 15.8 ppg, 1.16 ft³/sk., 4.95 gps water.

Top Out: Top out with Class 'G' cement with 2% S1 (CaCl₂) in mix water, 15.8 ppg, 1.16 ft³/sk., 4.95 gps via 1" tubing set at 25' if needed.

Intermediate Hole Procedure (250'- 2700'):

Option 1:

Lead: 85 sks: (50% excess volume) Class 'G' lead cement (coverage from 1700-1000') with 5% D44 (Salt), 12% D20 (Bentonite), 1% D79% (Extender), 0.25% D112 (Fluid Loss Additive), 0.2% D46 (Anti-Foamer) & 0.25 pps D29 (Cellophane flakes) mixed at 11.0 ppg, 3.91 ft³/sk., 24.5 gps water.

Tail: 290 sks: (50% excess volume) Class 'G' cement (coverage from 2700-1700') with 10% D53 (Gypsum), 2% S1 (CaCl₂) & 0.25 pps D29 (Cellophane flakes) mixed at 14.2 ppg, 1.61 ft³/sk., 7.9 gps water.

Option 2:

Lead: 210 sks: (60% excess volume) Class 'G' lead cement (coverage from 2300-1800') with 2% BWOC (Calcium Chloride), ¼#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps water.

Tail: 720 sks: (60% excess volume) Class 'G' cement (coverage from 1800'-Surface) with 2% BWOC (Calcium Chloride), ¼#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps water.

EIGHT POINT PLAN

CHAPITA WELLS UNIT 914-26
NE/NW, SEC. 26, T9S, R22E, S.L.B.&M.
UINTAH COUNTY, UTAH

CEMENT PROGRAM (Continued):

Production Hole Procedure (2700' to TD)

Lead: 110 sks 35:65 Poz G w/ 4% D20 (Bentonite), 2% D174 (Extender), 0.2% D65 (Dispersant), 0.2% D46 (Antifoam), 0.75% D112 (Fluid Loss Additive), 0.15% D13 (Retarder), 0.25 pps D29 (cello flakes), mixed at 13.0 ppg, 1.73 cu. ft./sk., 9.06 gps water

Tail: 190 sks: 50:50 Poz G w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.15% D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1 ppg, 1.28 cu. ft./sk., 5.9 gps water.

10. ABNORMAL CONDITIONS:

Intermediate Hole Procedure (250' - 2700'):

Lost circulation below 1800' and minor amounts of gas may be present.

Production Hole (2700'-TD):

Sloughing shales and key seat development are possible in the Wasatch Formation. CO₂ contamination in the mud is possible in the Price River (Mesa Verde).

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


(Attachment: BOP Schematic Diagram)

5000 PSIG DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 5000 PSIG RATED.
 CASING FLANGE IS 11" 5000 PSIG RATED.
 BOPE 11" 5000 PSIG

TESTING PROCEDURE:

1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.
2. Blind & Pipe rams will be tested to rated working pressure, 5000 psig.
3. Annular preventor will be tested to 50% of working pressure, 2500 psig.
4. Casing will be tested to 0.22 psi/ft. or 2500 psig. Not to exceed 70% of burst strength, whichever is greater.
5. All lines subject to well pressure will be pressure-tested to the same pressure as blind & pipe rams.
6. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 5000 psig BOPE specifications.



**CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL**

Company/Operator: EOG Resources, Inc.
Well Name & Number: Chapita Wells Unit 914-26
Lease Number: U-0285A
Location: 403' FNL & 1458' FWL, NE/NW, Sec. 26,
T9S, R22E, S.L.B.&M., Uintah County, Utah
Surface Ownership: Federal

NOTIFICATION REQUIREMENTS

Location Construction - forty-eight (48) hours prior to construction of location and access roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice: - at least twenty-four (24) hours prior to spudding the well.

Casing String and Cementing - twenty-four (24) hours prior to running casing and cementing all casing strings.

BOP and related Equipment Tests - twenty-four (24) hours prior to running casing and tests.

First Production Notice - within five (5) business days after new Well begins or production resumes after Well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

THIRTEEN POINT SURFACE USE PROGRAM

1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 19.3 miles southeast of Ouray, Utah - See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. PLANNED ACCESS ROAD

- A. An existing access road will be utilized to service this well. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/ 18 foot running surface.
- C. Maximum grade on access road will be 8%.
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges, or major cuts and fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards, or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. **LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION**

- A. Abandoned wells - 6*
- B. Producing wells - 40*
- C. Shut in wells - 3*

(*See attached TOPO map "C" for location)

4. **LOCATION OF EXISTING AND/OR PROPOSED FACILITIES**

A. **ON WELL PAD**

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of wellhead valves, combo separator-dehy unit with meter, 300 Bbl vertical or 200 Bbl low profile, condensate tank, and attaching piping.
- 2. Gas gathering lines - A 4" gathering line will be buried from dehy to the edge of the location.

B. **OFF WELL PAD**

- 1. Proposed location of attendant off pad flowlines shall be flagged prior to archaeological clearance.
- 2. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the largest tank within the facility/battery.

The production facilities will be placed on the South side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction

in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. **LOCATION & TYPE OF WATER SUPPLY**

- A. Water supply will be from Ouray Municipal Water Plant at Ouray, Utah, and/or Target Trucking Inc.'s water source in the SW/SW, Sec. 35, T9S, R22E, Uintah County, Utah (State Water Right #49-1501). Produced water from the Chapita Wells and Stagecoach Units will also be used.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. **SOURCE OF CONSTRUCTION MATERIAL**

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of the location.
- B. All construction material will come from Federal Land.
- C. No mineral materials will be required.

7. **METHODS OF HANDLING WASTE DISPOSAL**

A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
 - 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
 - 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County Landfill.
 - 4. Produced wastewater will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following three locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
 - 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in the reserve pit or be removed and disposed of at an authorized disposal site. Introduction of well bore

hydrocarbons to the reserve pit will be avoided by flaring them off in the flare pit at the time of recovery.

On BLM administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge. If the reserve pit requires padding prior to lining (due to rocky conditions) felt padding will be used.

The reserve pit shall be lined with a plastic liner. A felt liner will also be installed if rock is encountered during pit construction.

8. **ANCILLARY FACILITIES**

A. No airstrips or camps are planned for this well.

9. **WELLSITE LAYOUT**

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The approved seed mixture for this location is:

Gardner Salt Bush – 4 pounds per acre

Shad Scale – 3 pounds per acre

Hi-Crest Crested Wheat Grass – 2 pounds per acre

The reserve pit will be located on the Southwest corner of the location. The flare pit will be located downwind of the prevailing wind direction on the West side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled pit topsoil will be stored separate from the location topsoil Northwest of Corners B and 5. The stockpiled location topsoil will be stored South of Corner #6 . Upon completion of construction, the stockpiled topsoil from the location will be broadcast seeded with the approved seed mixture for this location and then walked down with a cat.

Access to the well pad will be from the North.

Corner #6 will be rounded off to minimize excavation.

FENCING REQUIREMENTS:

All pits will be fenced according to the following minimum standards:

- A. Thirty-nine inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner as to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and, upon completion of construction, the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly traveled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to crossing any fence located on Federal land, or any fence between Federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. PLANS FOR RESTORATION OF SURFACE

A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The stockpiled pit topsoil will then be spread over the pit area and broadcast

seeded with the prescribed seed mixture for this location. The seeded area will then be walked down with a cat.

B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP

Access road: Federal

Location: Federal

12. OTHER INFORMATION

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:
- whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used.
 - a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the

application of herbicides or other pesticides or possible hazardous chemicals.

- C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on BLM lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

Additional Surface Stipulations

None

LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION

PERMITTING AGENT

Ed Trotter
P.O. Box 1910
Vernal, UT 84078
Telephone: (435)789-4120
Fax: (435)789-1420

DRILLING OPERATIONS

Donald Presenkowski
EOG Resources, Inc.
P.O. Box 250
Big Piney, WY 83113
Telephone: (307)276-4865

All lease or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. EOG Resources, Inc. is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions that presently exist; that the statements made in the Plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

Please be advised that EOG Resources, Inc. is considered to be the operator of the **Chapita Wells Unit 914-26 Well, located in the NE/NW Section 26, T9S, R22E, Uintah County, Utah; Lease #U-0285A;** and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is provided under Bond #NM 2308.

2-20-2004
Date


Agent

EOG RESOURCES, INC.
CWU #914-26
SECTION 26, T9S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 2.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN AN SOUTHERLY, THEN SOUTHWESTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 50.3 MILES.

EOG RESOURCES, INC.

CWU #914-26

LOCATED IN UINTAH COUNTY, UTAH
SECTION 26, T9S, R22E, S.L.B.&M.




PHOTO: VIEW FROM PIT CORNER "C" TO LOCATION STAKE

CAMERA ANGLE: EASTERLY



PHOTO: VIEW OF EXISTING ACCESS

CAMERA ANGLE: SOUTHERLY



- Since 1964 -

EIS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

1 5 04
MONTH DAY YEAR

PHOTO

TAKEN BY: J.E.


DRAWN BY: J.L.G.

REVISED: 00-00-00

EOG RESOURCES, INC.


LOCATION LAYOUT FOR

CWU #914-26
SECTION 26, T9S, R22E, S.L.B.&M.
403' FNL 1458' FWL



SCALE: 1" = 50'
DATE: 12-31-03
Drawn By: D.R.B.

NOTE:
Flare Pit is to be located a min. of 100' from the Well Head.



Elev. Ungraded Ground at Location Stake = 4909.8'
Elev. Graded Ground at Location Stake = 4909.8'



UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

EOG RESOURCES, INC.


TYPICAL CROSS SECTIONS FOR

CWU #914-26

SECTION 26, T9S, R22E, S.L.B.&M.
403' FNL 1458' FWL




DATE: 12-31-03
Drawn By: D.R.B.



APPROXIMATE YARDAGES

(6") Topsoil Stripping	= 240	Cu. Yds.
Remaining Location	= 4,480	Cu. Yds.
TOTAL CUT	= 4,720	CU.YDS.
FILL	= 300	CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 4,400	Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 1,900	Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 2,500	Cu. Yds.



PROPOSED LOCATION:
CWU #914-26

SEE TOPO "B"

LEGEND:

⊙ PROPOSED LOCATION




EOG RESOURCES, INC.

CWU #914-26
SECTION 26, T9S, R22E, S.L.B.&M.
403' FNL 1458' FWL

U&L Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP	1	5	03	A TOPO
	MONTH	DAY	YEAR	
SCALE: 1:100,000		DRAWN BY: J.L.G.		REVISED: 00-00-00



LEGEND:

- EXISTING ROAD
- PROPOSED ACCESS ROAD



EOG RESOURCES, INC.

CWU #914-26
 SECTION 26, T9S, R22E, S.L.B.&M.
 403' FNL 1458' FWL




Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP	1	5	03
	MONTH	DAY	YEAR
SCALE: 1" = 2000'		DRAWN BY: J.L.G.	
		REVISED: 00-00-00	



T9S

R
22
E



LEGEND:

- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ⊗ WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED

EOG RESOURCES, INC.

CWU #914-26
 SECTION 26, T9S, R22E, S.L.B.&M.
 403' FNL 1458' FWL

Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC MAP	1 MONTH	5 DAY	03 YEAR	
SCALE: 1" = 2000'		DRAWN BY: J.L.G.		REVISED: 00-00-00

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 02/23/2004

API NO. ASSIGNED: 43-047-35542

WELL NAME: CWU 914-26

OPERATOR: EOG RESOURCES INC (N9550)

CONTACT: ED TROTTER

PHONE NUMBER: 435-789-4120

PROPOSED LOCATION:

NENW 26 090S 220E
SURFACE: 0403 FNL 1458 FWL
BOTTOM: 0403 FNL 1458 FWL
UINTAH
NATURAL BUTTES (630)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal

LEASE NUMBER: U-0285A

SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: PRRV

COALBED METHANE WELL? NO

LATITUDE: 40.01308

LONGITUDE: 109.41084

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. NM-2308)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 49-1501)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)


LOCATION AND SITING:

- R649-2-3.
- Unit CHAPITA WELLS
- R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
Board Cause No: 170-8
Eff Date: 8-10-1999
Siting: Suspends Jan 01 Siting
- R649-3-11. Directional Drill

COMMENTS: _____

STIPULATIONS: _____

1- Federal Approval
2- OIL SHALE




OPERATOR: EOG RESOURCES INC (N9550)

SEC. 26 T.9S, R.22E

FIELD: NATURAL BUTTES (630)

COUNTY: UINTAH

CAUSE: 179-8 / 8-10-1999



Utah Oil Gas and Mining

- Wells**
- GAS INJECTION
 - GAS STORAGE
 - LOCATION ABANDONED
 - NEW LOCATION
 - PLUGGED & ABANDONED
 - PRODUCING GAS
 - PRODUCING OIL
 - SHUT-IN GAS
 - SHUT-IN OIL
 - TEMP. ABANDONED
 - TEST WELL
 - WATER INJECTION
 - WATER SUPPLY
 - WATER DISPOSAL

- Unit Status**
- EXPLORATORY
 - GAS STORAGE
 - NF PP OIL
 - NF SECONDARY
 - PENDING
 - PI OIL
 - PP GAS
 - PP GEOTHERML
 - PP OIL
 - SECONDARY
 - TERMINATED

- Field Status**
- ABANDONED
 - ACTIVE
 - COMBINED
 - INACTIVE
 - PROPOSED
 - STORAGE
 - TERMINATED



PREPARED BY: DIANA WHITNEY
DATE: 26-FEBRUARY-2004

002

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:

3160

(UT-922)

February 27, 2004

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2004 Plan of Development Chapita Wells Unit
 Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2004 within the Chapita Wells Unit, Uintah County, Utah.

API#	WELL NAME	LOCATION
------	-----------	----------

(Proposed PZ Mesaverde)

43-047-35525	CWU 881-16 Sec 16 T09S R22E 2023	FSL 0766 FEL
43-047-35526	CWU 892-22 Sec 22 T09S R22E 2151	FSL 0707 FEL
43-047-35527	CWU 909-23 Sec 23 T09S R22E 0678	FNL 1995 FWL
43-047-35528	CWU 908-23 Sec 23 T09S R22E 0805	FNL 1277 FEL
43-047-35529	CWU 910-23 Sec 23 T09S R22E 1852	FSL 0575 FEL
43-047-35530	CWU 907-23 Sec 23 T09S R22E 1882	FSL 2025 FWL
43-047-35531	CWU 901-24 Sec 24 T09S R22E 1990	FNL 0482 FWL
43-047-35532	CWU 913-24 Sec 24 T09S R22E 2177	FSL 1930 FWL
43-047-35533	CWU 899-24 Sec 24 T09S R22E 0692	FSL 0333 FWL
43-047-35534	CWU 912-25 Sec 25 T09S R22E 0370	FNL 0381 FEL
43-047-35535	CWU 911-25 Sec 25 T09S R22E 0660	FNL 1971 FWL
43-047-35537	CWU 896-25 Sec 25 T09S R22E 1026	FSL 0502 FWL
43-047-35538	CWU 897-25 Sec 25 T09S R22E 2105	FNL 1142 FWL
43-047-35539	CWU 903-25 Sec 25 T09S R22E 1877	FSL 2060 FWL
43-047-35540	CWU 904-26 Sec 26 T09S R22E 0518	FSL 1624 FEL
43-047-35541	CWU 906-26 Sec 26 T09S R22E 1606	FSL 0711 FEL
43-047-35542	CWU 914-26 Sec 26 T09S R22E 0403	FNL 1458 FWL
43-047-35543	CWU 905-26 Sec 26 T09S R22E 0495	FNL 0468 FEL
43-047-35544	CWU 895-26 Sec 26 T09S R22E 2331	FSL 2129 FEL
43-047-35545	CWU 893-27 Sec 27 T09S R22E 1189	FNL 1172 FEL
43-047-35548	CWU 902-19 Sec 19 T09S R23E 0940	FSL 1097 FWL

page 2

(Proposed PZ Wasatch)

43-047-35536 CWU 652-25 Sec 25 T09S R22E 1956 FSL 1949 FEL
43-047-35547 CWU 651-6 Sec 6 T09S R23E 0820 FNL 0662 FEL
43-047-35553 CWU 655-6 Sec 6 T09S R23E 2084 FSL 0434 FWL
43-047-35554 CWU 653-1 Sec 1 T09S R22E 1827 FSL 0830 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Chapita Wells Unit
Division of Oil Gas and Mining
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:2-27-04



State of Utah

Department of
Natural Resources

Division of
Oil, Gas & Mining

ROBERT L. MORGAN
Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT
Governor

OLENE S. WALKER
Lieutenant Governor

March 1, 2004

EOG Resources, Inc.
P O Box 1815
Vernal, UT 84078

Re: Chapita Wells Unit 914-26 Well, 403' FNL, 1458' FWL, NE NW, Sec. 26,
T. 9 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35542.

Sincerely,

John R. Baza
Associate Director

pab
Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: EOG Resources, Inc.
Well Name & Number Chapita Wells Unit 914-26
API Number: 43-047-35542
Lease: U-0285A

Location: NE NW Sec. 26 T. 9 South R. 22 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.

006

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: DRILL REENTER

1b. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone

2. Name of Operator
EOG RESOURCES, INC.

3a. Address **P.O. BOX 1815
VERNAL, UT 84078**

3b. Phone No. (Include area code)
(435)789-0790

4. Location of Well (Report location clearly and in accordance with any State requirements. *)

At surface **403' FNL, 1458' FWL** **NE/NW**
At proposed prod. Zone

14. Distance in miles and direction from nearest town or post office*
19.3 MILES SOUTHEAST OF OURAY, UTAH

15. Distance from proposed* location to nearest property or lease line, ft. **403'**
(Also to nearest drig. Unit line, if any)

16. No. of Acres in lease
1800

17. Spacing Unit dedicated to this well

18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. See Topo Map C

19. Proposed Depth
9175'

20. BLM/BIA Bond No. on file
NM-2308

21. Elevations (Show whether DF, KDB, RT, GL, etc.)
4909.8 FEET GRADED GROUND

22. Approximate date work will start*
UPON APPROVAL

23. Esti mated duration
45 DAYS


24. Attachments

Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature



Name (Printed/Typed)
Ed Trotter


Date

February 20, 2004

Title

Agent

Approved by (Signature)



Name (Printed/Typed)

Date

Title **Assistant Field Manager
Mineral Resources**

Office

RECEIVED

06/04/2004

JUN 8 2004

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of Approval, if any, are attached.

DIV. OF OIL, GAS & MINING

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

all YMC

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: EOG Resources Inc.

Well Name & Number: CWU 914-26

API Number: 43-047-35542

Lease Number: UTU - 0285-A

Location: NENW Sec. 26 TWN: 09S RNG: 22E

Agreement: CHAPITA WELLS UNIT

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Submit an electronic copy of all logs run on this well in LAS format. This submission will replace the requirement for submittal of paper logs to the BLM.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands encountered to John Mayer this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a **5M** system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and other valuable resources shall be isolated and/or protected by having a cement top for the intermediate casing at least 200 ft. above the base of the usable water zone, identified at ± 660 ft. (option 1) and by having a cement top for the production casing at least 200 ft. above the top of the Wasatch Formation, identified at $\pm 4,510$ ft. (option 1 or 2). If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor proof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to top of the cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig. The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5(d) shall be submitted to the appropriate Field Office within 60 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (1).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries and tested for meter accuracy at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform to Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman (435) 828-7874
Petroleum Engineer

Kirk Fleetwood (435) 828-7875
Petroleum Engineer

BLM FAX Machine (435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator: EOG Resources Inc..

API Number: 43-047-35542

Well Name & Number: CWU 914-26

Lease number: U-0285A

Location: NE NW Sec, 26, T.9S. R. 22E.

Surface Ownership: BLM

Date NOS Received: 1/21/04

Date APD Received: 2/23/04

Conditions for Approval are in the APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: U-0285A
2. NAME OF OPERATOR: EOG RESOURCES, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: P.O. BOX 1910 CITY VERNAL STATE UT ZIP 84078		7. UNIT or CA AGREEMENT NAME: CHAPITA WELLS UNIT
PHONE NUMBER: (435) 789-4120		8. WELL NAME and NUMBER: CHAPITA WELLS UNIT 914-26
10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES		9. API NUMBER: 4304735542

4. LOCATION OF WELL

FOOTAGES AT SURFACE: 403' FNL, 1458' FWL COUNTY: UINTAH

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 26 9S 22E S STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

EOG Resources, Inc. requests authority to move the subject well from its present location to 382' FNL and 1459' FWL, Section 26, T9S, R22E. A copy of the revised staking plat is attached.

6356314 40.01315
44302164 -109.41084

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 09-20-04
By: [Signature]

COPY SENT TO OPERATOR
Date: 9-21-04
Initials: CHD

NAME (PLEASE PRINT) Ed Trotter TITLE Agent

SIGNATURE [Signature] DATE 8/18/2004


(This space for State use only)

RECEIVED
AUG 23 2004
DIV. OF OIL, GAS & MINING

T9S, R22E, S.L.B.&M.


EOG RESOURCES, INC.

Well location, CWU #914-26, located as shown in the NE 1/4 NW 1/4 of Section 26, T9S, R22E, S.L.B.&M. Uintah County, Utah.



BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

REVISED: 08-03-04 D.C.

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

(NAD 27)
LATITUDE = 40°00'47.60" (40.013222)
LONGITUDE = 109°24'38.91" (109.410808)

SCALE 1" = 1000'	DATE SURVEYED: 12-10-03	DATE DRAWN: 12-30-03
PARTY J.F. A.F. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE EOG RESOURCES, INC.	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

008

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		RECEIVED AUG 23 2004	5. Lease Serial No. U-0285A
2. Name of Operator EOG RESOURCES, INC.			6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 1910, VERNAL, UT 84078		3b. Phone No. (include area code) (435)789-4120	7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 403' FNL, 1458' FWL NE/NW SECTION 26, T9S, R22E, S.L.B.&M.		8. Well Name and No. CHAPITA WELLS UNIT 914-26	
		9. API Well No. 43-047-35542	
		10. Field and Pool, or Exploratory Area NATURAL BUTTES	
		11. County or Parish, State UINTAH COUNTY, UTAH	

12 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> NOTICE OF INTENT	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-off
<input type="checkbox"/> SUBSEQUENT REPORT	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> FINAL ABANDONMENT NOTICE	<input checked="" type="checkbox"/> Change Plans	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
		<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a form 3160-4 shall be filed once testing is completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. requests authority to move the subject well from its present location to 382' FNL and 1459' FWL, Section 26, T9S, R22E. A copy of the revised staking plat is attached.

Approved by the
Utah Division of
Oil, Gas and Mining
Date: 08-20-04
By: [Signature]

RECEIVED
SEP 07 2004

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct	
Name (Printed/Typed) Edy Trotter	Title Agent
Signature <u>[Signature]</u>	Date August 18, 2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by <u>[Signature]</u>	TITLE ES	DATE Aug 30, 04
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	COPY SENT TO OPERATOR Date: <u>9-21-04</u> Initials: <u>[Initials]</u>

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


(Instructions on page 2)

UDOGM

T9S, R22E, S.L.B.&M.


EOG RESOURCES, INC.

Well location, CWU #914-26, located as shown in the NE 1/4 NW 1/4 of Section 26, T9S, R22E, S.L.B.&M. Uintah County, Utah.



BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.



SCALE
CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert A. Gray
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

REVISED: 08-03-04 D.COX

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.
(NAD 27)
LATITUDE = 40°00'47.60" (40.013222)
LONGITUDE = 109°24'38.91" (109.410808)

SCALE 1" = 1000'	DATE SURVEYED: 12-10-03	DATE DRAWN: 12-30-03
PARTY J.F. A.F. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE EOG RESOURCES, INC.	

DIVISION OF OIL, GAS AND MINING**SPUDDING INFORMATION**Name of Company: EOG RESOURCES INCWell Name: CWU 914-26Api No: 43-047-35542 Lease Type: FEDERALSection 26 Township 09S Range 22E County UINTAHDrilling Contractor PETE MARTIN'S RIG # BUCKET**SPUDDED:**Date 01/15/2005Time 10:00 AMHow DRY**Drilling will commence:** _____Reported by DALL COOKTelephone # 1-435-828-3630Date 01/18/2005 Signed CHD

010

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: EOG RESOURCES Operator Account Number: N 9550
 Address: P.O. BOX 250
city BIG PINEY
state WY zip 83113 Phone Number: (307) 276-3331

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304735542	CHAPITA WELLS UNIT 914-26		NENW	26	9S	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
A	99999	14515	1/15/2005		1/20/05		
Comments: <u>PRRU = MVRD</u>							

K

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Kaylene R. Gardner

Name (Please Print)

Kaylene R. Gardner
Signature

Regulatory Assistant

Title

1/17/2005

Date

(6/2000)

RECEIVED

JAN 18 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

011

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26, T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. requests authorization for disposal of produced water from the referenced well to any of the following locations.

1. Natural Buttes Unit 21-20B SWD.
2. Ace Disposal
3. RN Industries.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature



Date

01/17/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

(Instructions on page 2)

JAN 21 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

012

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SECTION 26, T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other WELL
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	SPUD
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. spud a 20" surface hole at the referenced location 1/15/2005 at 10:00 a.m. The contractor was Pete Martin's Bucket Rig, Dall Cook, representative for EOG, notified Ed Forsman of the Vernal BLM office and Carol Daniels of the Utah Division of Oil Gas and Mining of the spud 1/14/2005 @ 11:00 a.m.


**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY**

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature



Date

01/17/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

JAN 21 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

013

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Serial No. U-0285A
2. Name of Operator EOG RESOURCES, INC.	6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 250 Big Piney WY, 83113	7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
3b. Phone No. (include area code) 307-276-3331	8. Well Name and No. CHAPITA WELLS UNIT 914-26
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SECTION 26 T9S, R22E 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON	9. API Well No. 43-047-35542
	10. Field and Pool, or Exploratory Area NATURAL BUTTES
	11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

RECEIVED

JAN 24 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Kaylene R. Gardner	Title Regulatory Assistant
Signature 	Date 01/21/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

014

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-0285A
2. Name of Operator EOG RESOURCES, INC.		6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 250 Big Piney WY, 83113	3b. Phone No. (include area code) 307-276-3331	7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
4. Location of Well (Footage, Sec., T, R, M., or Survey Description) SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON		8. Well Name and No. CHAPITA WELLS UNIT 914-26
		9. API Well No. 43-047-35542
		10. Field and Pool, or Exploratory Area NATURAL BUTTES
		11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final-Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

**RECEIVED
JAN 31 2005**

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Kaylene R. Gardner		Title Regulatory Assistant
Signature 	Date 01/28/2005	

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

015

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-0285A
2. Name of Operator EOG RESOURCES, INC.		6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 250 Big Piney WY, 83113	3b. Phone No. (include area code) 307-276-3331	7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON		8. Well Name and No. CHAPITA WELLS UNIT 914-26
		9. API Well No. 43-047-35542
		10. Field and Pool, or Exploratory Area NATURAL BUTTES
		11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

RECEIVED
FEB 08 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Kaylene R. Gardner	Title Regulatory Assistant
Signature 	Date 02/04/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

016

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Kaylene R. Gardner** Title **Regulatory Assistant**

Signature  Date **02/11/2005**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED
FEB 15 2005

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

017

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.


RECEIVED

FEB 24 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Kaylene R. Gardner** Title **Regulatory Assistant**

Signature  Date **02/18/2005**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

018

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T, R, M., or Survey Description)
SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

RECEIVED
MAR 01 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Kaylene R. Gardner** Title **Regulatory Assistant**

Signature  Date **02/25/2005**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

019

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
EOG RESOURCES, INC.

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)


No drilling activity has occurred since spud 1/15/2005.

RECEIVED
MAR 0 / 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Kaylene R. Gardner

Title **Regulatory Assistant**

Signature 

Date **03/04/2005**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

020

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
EOG RESOURCES, INC.

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

RECEIVED
MAR 21 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Kaylene R. Gardner	Title Regulatory Assistant
Signature 	Date 03/18/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office _____		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

021

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.		5. Lease Serial No. U-0285A
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator EOG RESOURCES, INC.		7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
3a. Address P.O. BOX 250 Big Piney WY, 83113		8. Well Name and No. CHAPITA WELLS UNIT 914-26
3b. Phone No. (include area code) 307-276-3331		9. API Well No. 43-047-35542
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SECTION 26 T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON		10. Field and Pool, or Exploratory Area NATURAL BUTTES
		11. County or Parish, State UINTAH COUNTY, UT


12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other DRILLING OPERATIONS

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activity has occurred since spud 1/15/2005.

RECEIVED
MAR 28 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct	
Name (Printed/Typed) Kaylene R. Gardner	Title Regulatory Assistant
Signature 	Date 03/24/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office _____		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

022

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26, T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activities have occurred since spud 1/15/2005.

EOG Resources, Inc. operates under Nationwide Bond #2308


RECEIVED
APR 05 2005
 DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature



Date

04/01/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

023

SUBMIT IN TRIPLICATE- Other instructions on reverse side.		5. Lease Serial No. U-0285A
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator EOG RESOURCES, INC.		7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
3a. Address P.O. BOX 250 Big Piney WY, 83113		8. Well Name and No. CHAPITA WELLS UNIT 914-26
3b. Phone No. (include area code) 307-276-3331		9. API Well No. 43-047-35542
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SECTION 26, T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON		10. Field and Pool, or Exploratory Area NATURAL BUTTES
		11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other DRILLING OPERATIONS

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

No drilling activities have occurred since spud 1/15/2005.

EOG Resources, Inc. operates under Nationwide Bond #2308

RECEIVED
APR 11 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Kaylene R. Gardner	Title Regulatory Assistant
Signature 	Date 04/08/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

024

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SECTION 26, T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CHAPITA WELLS UNIT

8. Well Name and No.
CHAPITA WELLS UNIT 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please see the attached well chronology report for completion operations from 4/4/2005 - 4/15/2005.

EOG Resources, Inc. operates under Nationwide Bond #2308

RECEIVED
APR 18 2005
 DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature



Date

04/15/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

WELL CHRONOLOGY REPORT

Report Generated On: 04-15-2005

Well Name	CWU 914-26	Well Type	DEVG	Division	DENVER
Field	CHAPITA WELLS DEEP	API #	43-047-35542	Well Class	DRIL
County, State	UINTAH, UT	Spud Date	04-12-2005	Class Date	
Tax Credit	N	TVD / MD	9,175/ 9,175	Property #	054041
Water Depth	0	Last CSG	9.625	Shoe TVD / MD	2,244/ 2,244
KB / GL Elev	4,926/ 4,910				
Location	Section 26, T9S, R22E, NENW, 382 FNL & 1459 FWL				

Event No	1.0	Description	DRILL & COMPLETE		
Operator	EOG RESOURCES, INC	WI %	27.5	NRI %	28.65

AFE No	302682	AFE Total		DHC / CWC	
Rig Contr	TRUE	Rig Name	TRUE #15	Start Date	03-11-2004
				Release Date	
03-11-2004	Reported By				
Daily Costs: Drilling	\$0	Completion	\$0	Daily Total	\$0
Cum Costs: Drilling	\$0	Completion	\$0	Well Total	\$0
MD	0	TVD	0	Progress	0
				Days	0
				MW	0.0
				Visc	0.0
Formation :	PBTD : 0.0		Perf :	PKR Depth : 0.0	

Activity at Report Time: LOCATION DATA

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LOCATION DATA (MOVED LOCATION BY SUNDRY 8/18/04) 382' FNL & 1459' FWL (NE/NW) SECTION 26, T9S, R22E UINTAH COUNTY, UTAH TRUE RIG #15 9175' KMV PRICE RIVER LOWER DW/GAS CHAPITA WELLS DEEP NATURAL BUTTES FIELD LEASE: U-0285A ELEVATION: 4910' NAT GL, 4910' PREP GL, 4926' KB (15') EOG WI 27.5%, NRI 28.65%

04-12-2005	Reported By					ED TROTTER
Daily Costs: Drilling		Completion		Daily Total		
Cum Costs: Drilling		Completion		Well Total		
MD	2,260	TVD	2,260	Progress	0	
				Days	0	
				MW	0.0	
				Visc	0.0	
Formation :	PBTD : 0.0		Perf :	PKR Depth : 0.0		

Activity at Report Time: WORT

Start	End	Hrs	Activity Description
06:00	06:00	24.0	MIRU BILL JR'S BUCKET RIG. SPUDDED 20" HOLE @ 10:00 AM, 1/15/05.

DRILLED 20" HOLE TO 45'. RAN 45' OF 13 3/8", 54#, H-40 CONDUCTOR PIPE AND CEMENTED TO SURFACE. DRILLED AND LINED RAT AND MOUSE HOLES. RD BUCKET RIG.

MIRU BILL JR'S AIR RIG. DRILLED 12 1/4" HOLE TO 2260'. HIT SMALL WATER FLOW AT 320' & HIT TRONA WATER FLOW. LOST CIRCULATION AT 1610'. RAN 52 JTS (2229.40') OF 9-5/8", 36.0#/FT, J-55, ST&C CASING & LANDED @ 2243.90' KB. RU BIG 4 CEMENTERS. PRESSURE TESTED LINES AND CEMENT VALVE TO 1500 PSIG. PUMPED 140 BBLs WATER AHEAD. MIXED & PUMPED 40 BBLs GELLED WATER AHEAD OF CEMENT.

LEAD CEMENT: MIXED & PUMPED 200 SX PREMIUM CEMENT W/16% GEL & 10#/SX GILSONITE-3% SALT, 2% CACL2 & 1#/SX FLOCELE. MIXED CEMENT @ 11.0 PPG W/YIELD OF 3.82 CF/SX (136 BBLs).

TAIL CEMENT: MIXED & PUMPED 200 SX PREMIUM CEMENT W/2% CACL2 & 1#/SX FLOCELE. MIXED CEMENT @ 15.6 PPG W/YIELD OF 1.18 CF/SX (41.5 BBLs). DISPLACED CEMENT W/168 BBLs WATER. BUMPED PLUG W/600#. CHECKED FLOAT, FLOAT HELD. SHUT-IN CASING VALVE. DID NOT GET CEMENT RETURNS TO SURFACE. RAN 1" PIPE DOWN ANNULUS.

TOP OUT #1: MIXED & PUMPED 150 SX PREMIUM CEMENT W/2% CACL2 & 1#/SX FLOCELE. MIXED CEMENT @ 16.0 PPG W/YIELD OF 1.18 CF/SX (30.7 BBLs). HAD 4 BBLs CEMENT RETURNS TO SURFACE, CEMENT FELL BACK.

TOP OUT #2: MIXED & PUMPED 100 SX PREMIUM CEMENT W/2% CACL2 & 1#/SX FLOCELE. MIXED CEMENT @ 16.0 PPG W/YIELD OF 1.18 CF/SX (20.5 BBLs). HAD 4 BBLs CEMENT RETURNS TO SURFACE, CEMENT FELL BACK.

TOP OUT #3: MIXED & PUMPED 45 SX PREMIUM CEMENT W/2% CACL2 & 1#/SX FLOCELE. MIXED CEMENT @ 16.0 PPG W/YIELD OF 1.18 CF/SX (7.4 BBLs). HAD CEMENT RETURNS TO SURFACE, CEMENT STAYED AT SURFACE. RD BIG 4 CEMENTERS.

PREPARED LOCATION FOR ROTARY RIG. WORT. WILL DROP FROM REPORT UNTIL FURTHER ACTIVITY.

DALL COOK NOTIFIED ED FORSMAN W/BLM & CAROL DANIELS W/UOGM AT 11:00 AM, 1/14/05 OF SPUDDING WELL.

8 CENTRALIZERS: ON 1ST, 2ND & 3RD COLLARS AND EVERY 5TH COLLAR.

04-13-2005		Reported By	T. STONE								
Daily Costs: Drilling			Completion		Daily Total						
Cum Costs: Drilling			Completion		Well Total						
MD	3,060	TVD	3,060	Progress	816	Days	1	MW	8.4	Visc	34.0
Formation :			PBTD : 0.0		Perf :		PKR Depth : 0.0				

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
07:00	08:00	1.0	NIPPLE UP BOPE. RIG ON DAYWORK AT 07:00 HRS, 4/12/05.
08:00	13:00	5.0	RU B&C QUICK TEST. TESTED BOPS, UPPER & LOWER KELLY VALVES, FLOOR VALVE, PIPE & BLIND RAMS, CHOKE & KILL LINES, VALVES & CHOKE MANIFOLD TO 250 PSI LOW FOR 5 MIN, 5000 PSI HIGH FOR 10 MIN. TESTED ANNULAR TO 250 PSI & 2500 PSI. TESTED CASING TO 1500 PSI FOR 30 MIN. RD TESTER.

13:00 17:00 4.0 PU BIT #1 & BHA. PU DRILL PIPE. TAGGED TOC AT 2175'. MM SN 2062, .16 RPG.
 17:00 19:30 2.5 DRILL CEMENT/FLOAT EQUIPMENT 2175' - 2244'. SPOTTED GEL PILL AT SHOE. RU B&C QUICK TEST. PERFORMED LEAKOFF TEST. LEAKOFF AT 725 PSI, 14.6 PPG EMW.
 19:30 21:30 2.0 DRILLED 2244' - 2458'.
 21:30 22:30 1.0 SURVEY AT 2379', 1 DEG.
 22:30 06:00 7.5 DRILLED 2458' - 3060', ROP 80.3 FPH, WOB 15/20, RPM 50/55 ROT, 65 MM, DP 400 PSI.

MUD LOGGER ON 4/12/05
 SAFETY MEETING: TEST BOPE/PU DRILL STRING

06:00 18.0 SPUD 7 7/8" HOLE AT 19:30 HRS, 4/12/05.

04-14-2005 Reported By DOUG GRINOLDS

DailyCosts: Drilling				Completion				Daily Total			
Cum Costs: Drilling				Completion				Well Total			
MD	4,880	TVD	4,880	Progress	1,820	Days	2	MW	8.9	Visc	32.0
Formation :			PBTD : 0.0			Perf :			PKR Depth : 0.0		

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	07:30	1.5	DRILL 3060' TO 3180', 120', 80' PH, WT 15/20, RPM 44/58, PSI 1400, SPM 124, GPM 405.
07:30	08:00	0.5	WIRELINE SURVEY @ 3119', 1 DEG.
08:00	10:00	2.0	DRLG 3180' TO 3458', 278', 139' PH, WT 18/20, RPM 44/60, PSI 1400, SPM 120, GPM 387.
10:00	10:30	0.5	RIG SERVICED. FUNCTION TESTED PIPE RAMS. CHECKED CROWN-O-MATIC.
10:30	14:30	4.0	DRILL 3458' TO 3835', 377', 94.20' PH, WT 18/20, RPM 48/60, PSI 1400, SPM 120, GPM 387.
14:30	15:00	0.5	WIRELINE SURVEY @ 3756', 1 1/2 DEG.
15:00	21:30	6.5	DRLG 3835' TO 4431', 596', 94.7' PH, WT 18/20, RPM 53/60, PSI 1420, SPM 125, GPM 410.
21:30	22:00	0.5	WIRELINE SURVEY @ 4352', 2 DEG.
22:00	06:00	8.0	DRILL 4431' TO 4880', 449', 56.1' PH, WT 18/20, RPM 53/60, PSI 1420, SPM 125, GPM 410.

FORMATION WASATCH TOP 4577', SHALE 75%, SANDSTONE 20%, LIMESTONE 5%
 BACK GROUND GAS 350-2000U, CONN 1000U OVER BG, DOWN TIME 2360-3299U, HIGH GAS 3299U @ 3119'

SAFETY MEETING: MAKING CONN/TONGS/PULL SLIPS
 FUEL 7277 GAL ON HAND

04-15-2005 Reported By DOUG GRINOLDS

DailyCosts: Drilling				Completion				Daily Total			
Cum Costs: Drilling				Completion				Well Total			
MD	5,860	TVD	5,860	Progress	980	Days	3	MW	9.4	Visc	32.0
Formation :			PBTD : 0.0			Perf :			PKR Depth : 0.0		

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	07:00	1.0	DRILL 4880' TO 4935', 55', 55' PH, WT 15/20, RPM 57/60, PSI 1500, SPM 124, GPM 605.
07:00	08:00	1.0	TWO WIRELINE SURVEYS, BOTH MIS-RUN.
08:00	09:00	1.0	DRILL 4935' TO 4966', 31', 31' PH, WT 15/20, RPM 57/60, PSI 1500, SPM 124, GPM 605.
09:00	09:30	0.5	WIRELINE SURVEY @ 4850', 2 3/4 DEG.

09:30	13:00	3.5 DRILL 4966' TO 5155', 189', 54' PH, WT 20/25, RPM 57/60, PSI 1500, SPM 124, GPM 605.
13:00	13:30	0.5 RIG SERVICED.
13:30	20:30	7.0 DRILL 5155' TO 5467', 312', 44.57' PH, WT 25/ RPM 57/60, PSI 1550, SPM 124, GPM 605.
20:30	21:00	0.5 WIRELINE SURVEY @ 5388', 2 1/2 DEG.
21:00	06:00	9.0 DRLG 5467' TO 5860', 393', 43.66' PH, WT 20/25, RPM 57/60, PSI 1550, SPM 120, GPM 387.

FORMATION WASATCH TOP 4577', SHALE 80%, SANDSTONE 20%

BG GAS 150-250U, CG 270U OVER BG, DOWN TIME 422-2104U, HIGH GAS 2104U @ 4966'

SAFETY MEETING: PIPE IN V DOOR/CHANGING SLIP & TONG DIES/HOUSE KEEPING

BOP DRILL 1MIN 10 SEC

BOILER 16 HRS, TOTAL 24 HRS

FUEL USED 682 GAL, ON HAND 7277 GAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-0285A
2. Name of Operator EOG RESOURCES, INC.		6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 250 Big Piney WY, 83113	3b. Phone No. (include area code) 307-276-3331	7. If Unit or CA/Agreement, Name and/or No. CHAPITA WELLS UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SECTION 26, T9S, R22E NE/NW 382 FNL 1459 FWL 40.013222 LAT 109.410808 LON		8. Well Name and No. CHAPITA WELLS UNIT 914-26
		9. API Well No. 43-047-35542
		10. Field and Pool, or Exploratory Area NATURAL BUTTES
		11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other COMPLETION
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please see the attached well chronology report for completion operations from 5/05/2005 - 6/3/2005.


EOG Resources, Inc. operates under Nationwide Bond #2308

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature



Date

06/03/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

JUN 0 / 2005

DIV. OF OIL, GAS & MINING

WELL CHRONOLOGY REPORT

Report Generated On: 06-03-2005

Well Name	CWU 914-26	Well Type	DEVG	Division	DENVER
Field	CHAPITA WELLS DEEP	API #	43-047-35542	Well Class	COMP
County, State	UINTAH, UT	Spud Date	04-12-2005	Class Date	
Tax Credit	N	TVD / MD	9,175/ 9,175	Property #	054041
Water Depth	0	Last CSG	4.5	Shoe TVD / MD	9,155/ 9,155
KB / GL Elev	4,926/ 4,910				
Location	Section 26, T9S, R22E, NENW, 382 FNL & 1459 FWL				

Event No	1.0	Description	DRILL & COMPLETE		
Operator	EOG RESOURCES, INC	WI %	27.5	NRI %	28.65

AFE No	AFE Total		DHC / CWC								
Rig Contr	TRUE	Rig Name	TRUE #15	Start Date	03-11-2004	Release Date	04-22-2005				
03-11-2004	Reported By										
Daily Costs: Drilling	\$0	Completion	\$0	Daily Total	\$0						
Cum Costs: Drilling	\$0	Completion	\$0	Well Total	\$0						
MD	0	TVD	0	Progress	0	Days	0	MW	0.0	Visc	0.0
Formation :	PBTD : 0.0			Perf :	PKR Depth : 0.0						

Activity at Report Time: LOCATION DATA

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LOCATION DATA (MOVED LOCATION BY SUNDRY 8/18/04) 382' FNL & 1459' FWL (NE/NW) SECTION 26, T9S, R22E UINTAH COUNTY, UTAH TRUE RIG #15 9175' KMV PRICE RIVER LOWER DW/GAS CHAPITA WELLS DEEP NATURAL BUTTES FIELD LEASE: U-0285A ELEVATION: 4910' NAT GL, 4910' PREP GL, 4926' KB (15') EOG WI 27.5%, NRI 28.65%

04-12-2005	Reported By		ED TROTTER										
Daily Costs: Drilling			Completion								Daily Total		
Cum Costs: Drilling			Completion								Well Total		
MD	2,260	TVD	2,260	Progress	0	Days	0	MW	0.0	Visc	0.0		
Formation :	PBTD : 0.0			Perf :	PKR Depth : 0.0								

13:00 16:00 3.0 CIRCULATE AND COND MUD WHILE WAITING ON ORDERS.
 16:00 16:30 0.5 RD T&M CASERS L/D MACHINE AND TONGS.
 16:30 17:00 0.5 HOLD PJSM AND REVIEW JSA, R/U CEMENTERS.

 17:00 19:00 2.0 CEMENT 4 1/2" CSG AS FOLLOWS: 495 SX 35:65 POZ "G" (163 BBLS) W/4% D020, 2% D174, 0.75% D112, 0.2% D46, 0.25 #/SX D29, 0.2% D013. MIXED @ 11.0 PPG, YIELD 3.91 CFS. FOLLOWED BY 1415 SX (325 BBLS) 50:50 POZ "G" W/2% D020, 0.1% D046, 0.2% D167, 0.2% D65, 0.075% D013 TAIL CMT. MIXED AT 14.1 PPG, YIELD 1.29 CFS. DISPLACED W/136.5 BBLS FW @ 4.5 BPM. FINAL PUMPING PRESS 2450 PSI, BUMP PLUG @ 3470 PSI, HELD 5 MIN, BLEED PRESS TO ZERO. FLOATS HELD.

 19:00 19:30 0.5 LAND CSG W/120K.
 19:30 22:00 2.5 CLEAN MUD TANKS.
 22:00 06:00 8.0 RD ROTARY TOOLS. WILL DROP FROM REPORT UNTIL COMPLETION COMMENCES. MOVING RIG TO CWU 894-14.

 06:00 18.0 RELEASED RIG AT 22:00 HRS, 4/22/05

24.0 LOG TOPS

WASATCH 4559'
 CHAPITA WELLS 5147'
 BUCK CANYON 5774'
 NORTH HORN 6477'
 ISLAND 6747'
 TOP MESAVERDE 6925'
 MIDDLE PRICE RIVER 7770'
 LWR PRICE RIVER 8589'

05-13-2005		Reported By		HANSEN							
Daily Costs: Drilling				Completion				Daily Total			
Cum Costs: Drilling				Completion				Well Total			
MD	9,175	TVD	9,175	Progress	0	Days	12	MW	0.0	Visc	0.0
Formation : MESA VERDE			PBTD : 9120.0			Perf : 7761-8912			PKR Depth : 0.0		

Activity at Report Time: FRAC MESAVERDE

Start	End	Hrs	Activity Description
07:00	17:30	10.5	SICP 0 PSIG. RU CUTTERS WIRELINE. PERFORATED LPR FROM 8676-77', 8714-15', 8730-31', 8736-38', 8749-50', 8827-28', 8874-76', & 8909-12' WITH 3-1/8" HSC PORTED CASING GUNS, @ 2 SPF & 180 DEGREE PHASING. RDWL. RU SCHLUMBERGER. BREAKDOWN PERFS @ 4357 PSIG. RU WIDESPREAD SERVICES. PUMP 165 GALS CHAMPION GYPTRON T-106 SCALE INHIBITOR. RD WSS. FRAC DOWN CASING WITH 4951 GALS YF125ST PAD, 10,516 GALS YF125ST, 34,524 GALS YF118ST, WITH 169,165 # 20/40 SAND @ 1-6 PPG. MTP 6383 PSIG. MTR 51.2 BPM. ATP 5415 PSIG. ATR 48.4 BPM. ISIP 3190 PSIG. RD SCHLUMBERGER. RUWL. SET 10K COMPOSITE FRAC PLUG @ 8635'. PERFORATED MPR FROM 8448'-51', 8475'-77', 8505'-07', 8514'-15', 8540'-42', & 8592'-94', @ 2 SPF & 180° PHASING. RDWL. RU SCHLUMBERGER. BREAKDOWN PERFS @ 3855 PSIG. RU WSS. PUMP 165 GALS GYPTRON T-106 SCALE INHIBITOR. RD WSS. FRAC DOWN CASING WITH 4966 GALS YF125ST PAD, 10,569 GALS YF125ST, 34,615 GALS YF118ST, WITH 168,074# 20/40 SAND @ 1-6 PPG. MTP 6383 PSIG. MTR 51.4 BPM. ATP 5391 PSIG. ATR 44.1 BPM. ISIP 3410 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE FRAC PLUG @ 8426'. PERFORATED MPR FROM 8301'-02', 8317'-19', 8334'-36', 8342'-44', 8373'-76', & 8394'-96' @ 2 SPF & 180° PHASING. RDWL. RU SCHLUMBERGER. BREAKDOWN PERFS @ 3492 PSIG. RU WSS. PUMP 165 GALS GYPTRON T-106 SCALE INHIBITOR. RD WSS. FRAC DOWN CASING WITH 4948 GALS YF125ST PAD, 10,521 GALS YF125ST, 23,375 GALS YF118ST, WITH 114,530# 20/40 SAND @ 1-6 PPG. MTP 6645 PSIG. MTR 52.0 BPM. ATP 6006 PSIG. ATR 45.8 BPM. ISIP 5250 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE FRAC PLUG @ 8285'. PERFORATED MPR FROM 8140'-42', 8167'-69', 8179'-81', 8190'-92', 8237'-38', & 8246'-49' @ 2 SPF & 180° PHASING. RDWL. RU SCHLUMBERGER. BREAKDOWN PERFS @ 3673 PSIG. RU WSS. PUMP 165 GALS GYPTRON T-106 SCALE INHIBITOR. RD WSS. FRAC DOWN CASING WITH 8720 GALS YF125ST PAD, 10,524 GALS YF125ST, 36,209 GALS YF118ST, WITH 179,179# 20/40 SAND @ 1-6 PPG. MTP 6416 PSIG. MTR 52.0 BPM. ATP 5691 PSIG. ATR 45.5 BPM. ISIP 3400 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE FRAC PLUG @ 8081'. PERFORATED MPR FROM 7961'-62', 7981'-83', 7995'-97', 8016'-18', 8030'-32', & 8049'-51' @ 3 SPF & 120° PHASING. RDWL. RU SCHLUMBERGER. BREAKDOWN PERFS @ 5909 PSIG. RU WSS. PUMP 165 GALS GYPTRON T-106 SCALE INHIBITOR. RD WSS. FRAC DOWN CASING WITH 4943 GALS YF125ST PAD, 10,560 GALS YF125ST, 34,570 GALS YF118ST, WITH 168,415# 20/40 SAND @ 1-6 PPG. MTP 6452 PSIG. MTR 52.1 BPM. ATP 5248 PSIG. ATR 47.3 BPM. ISIP 2540 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE FRAC PLUG @ 7943'. PERFORATED MPR FROM 7761'-62', 7794'-96', 7810'-12', 7865'-67', 7880'-81', 7900'-02', & 7911'-13' @ 2 SPF & 180° PHASING. RDWL. SDFN.

05-14-2005 Reported By HANSEN

Daily Costs: Drilling					Completion					Daily Total		
Cum Costs: Drilling					Completion					Well Total		
MD	9,175	TVD	9,175	Progress	0	Days	13	MW	0.0	Visc	0.0	
Formation : MESA VERDE	PBTD : 9120.0				Perf : 6969-8912				PKR Depth : 0.0			

Activity at Report Time: FRAC MESA VERDE

Start	End	Hrs	Activity Description
07:00	15:00	8.0	SICP 2045 PSIG. RU SCHLUMBERGER. FRAC DOWN CASING W/165 GALS CHAMPION GYPTRON T-106 SCALE INHIBITOR, 4963 GALS YF125ST PAD, 10,527 GALS YF125ST, 38,795 GALS YF118ST & 192,195# 20/40 SAND @ 1-6 PPG. TRACED SAND W/82 MCI IRIIDIUM 192. MTP 6194 PSIG. MTR 49.9 BPM. ATP 5335 PSIG. ATR 47.3 BPM. ISIP 3450 PSIG. RD SCHLUMBERGER.

RU CUTTERS WIRELINE. SET 10K COMPOSITE FRAC PLUG @ 7720'. PERFORATED UPFR FROM 7414'-16', 7429'-31', 7461'-62', 7508'-10', 7571'-72', 7603'-05', 7651'-52', 7680'-82', & 7687'-88' @ 2 SPF & 180° PHASING. RDWL. RU SCHLUMBERGER. FRAC DOWN CASING W/165 GALS GYPTRON T-106 SCALE INHIBITOR, 5942 GALS YF125ST PAD, 10,513 GALS YF125ST, 38,283 GALS YF118ST & 190,120# 20/40 SAND @ 1-6 PPG. TRACED SAND W/67 MCI SCANDIUM 46. MTP 6518 PSIG. MTR 51.5 BPM. ATP 5357 PSIG. ATR 41.2 BPM. ISIP 2300 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE FRAC PLUG @ 7394'. PERFORATED UPFR FROM 7239'-42', 7261'-62', 7266'-68', 7284'-86', 7324'-26', & 7362'-64' @ 2 SPF & 180° PHASING. RDWL. RU SCHLUMBERGER. FRAC DOWN CASING W/165 GALS GYPTRON T-106 SCALE INHIBITOR, 4935 GALS YF125ST PAD, 10,518 GALS YF125ST, 34,553 GALS YF118ST & 169,856# 20/40 SAND @ 1-6 PPG. TRACED SAND WITH 67 MCI ANTIMONY SB-124. MTP 6315 PSIG. MTR 50.6 BPM. ATP 4827 PSIG. ATR 44.8 BPM. ISIP 2600 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE FRAC PLUG @ 7106'. PERFORATED UPFR FROM 6969'-70', 7976'-78', 7019'-20', 7024'-26', 7049'-50', 7057'-59', & 7073'-76' @ 2 SPF & 180° PHASING. RDWL. RU SCHLUMBERGER. FRAC DOWN CASING W/165 GALS GYPTRON T-106 SCALE INHIBITOR, 4985 GALS YF125ST PAD, 10,568 GALS YF125ST, 33,738 GALS YF118ST & 168,474# 20/40 SAND @ 1-6 PPG. TRACED SAND W/72 MCI IRIIDIUM 192. MTP 5832 PSIG. MTR 51.0 BPM. ATP 4543 PSIG. ATR 47.5 BPM. ISIP 2500 PSIG. RD SCHLUMBERGER.

RUWL. SET 10K COMPOSITE BP @ 6940'. RDWL. BLED OFF PRESSURE. SDFN.

05-15-2005 Reported By ARNOLD

DailyCosts: Drilling					Completion			Daily Total			
Cum Costs: Drilling					Completion			Well Total			
MD	9,175	TVD	9,175	Progress	0	Days	14	MW	0.0	Visc	0.0
Formation : MESA VERDE	PBTD : 9120.0				Perf : 6969-8912		PKR Depth : 0.0				

Activity at Report Time: DRILL OUT PLUGS

Start	End	Hrs	Activity Description
06:00	06:00	24.0	MIRUSU. SICP 0 PSIG. RIH WITH 3-7/8" BIT, PUMP-OFF SUB & 214 JTS, 2-3/8", J-55 TUBING. TAGGED PLUG @ 6940'. POH 2 JTS. SDFW.

05-17-2005 Reported By ARNOLD

DailyCosts: Drilling					Completion			Daily Total			
Cum Costs: Drilling					Completion			Well Total			
MD	9,175	TVD	9,175	Progress	0	Days	15	MW	0.0	Visc	0.0
Formation : MESA VERDE	PBTD : 9120.0				Perf : 6969-8912		PKR Depth : 0.0				

Activity at Report Time: LAND TUBING

Start	End	Hrs	Activity Description
06:00	06:00	24.0	CLEANED OUT & DRILLED OUT PLUGS @ 6940', 7106', 7394', 7720', 7943', 8081', 8285', 8426' & 8635'. CLEANED OUT SAND FROM 8910' TO PBTD @ 9108'. POH WITH 67 JTS. SDFN.

FLOWED 12 HRS. 16/64" CHOKE. TP 0 PSIG. FCP 1550 PSIG. 40-45 BFPH. RECOVERED 1410 BLW. 10848 BLWTR.

05-18-2005 Reported By ARNOLD

DailyCosts: Drilling					Completion			Daily Total			
Cum Costs: Drilling					Completion			Well Total			
MD	9,175	TVD	9,175	Progress	0	Days	16	MW	0.0	Visc	0.0
Formation : MESA VERDE	PBTD : 9120.0				Perf : 6969-8912		PKR Depth : 0.0				

Activity at Report Time: FLOW TEST

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LANDED TUBING @ 6960' KB. ND BOPE & NU TREE. PUMPED OFF BIT & SUB. RD MOSU. FLOWED 19 HRS. 16/64" CHOKE. FTP 1900 PSIG. CP 2600 PSIG. 25-30 BFPH. 570 BLW. 10278 BLWTR.

TUBING DETAIL LENGTH

PUMP OFF SUB 0.90'
 1 JT 2-3/8", 4.7#, J55 32.58'
 XN NIPPLE 1.10'
 213 JTS 2-3/8", 4.7#, J55 6910.51'
 BELOW KB 15.00'
 LANDED @ 6960.09' KB

05-19-2005 Reported By ARNOLD

DailyCosts: Drilling					Completion			Daily Total		
-----------------------------	--	--	--	--	-------------------	--	--	--------------------	--	--

Cum Costs: Drilling			Completion				Well Total				
MD	9,175	TVD	9,175	Progress	0	Days	17	MW	0.0	Visc	0.0
Formation : MESA VERDE			PBTD : 9120.0		Perf : 6969-8912			PKR Depth : 0.0			

Activity at Report Time: SI - WO FACILITIES

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

		24.0	FLOWED 12 HRS, ON 16/64" CHOKE. FTP 1900 PSIG. CP 3200 PSIG. 19 BFPH. RECOVERED 274 BLWTR. 10,004 BLWTR. SI. WO FACILITIES.
--	--	------	---

FINAL COMPLETION DATE 5/19/05

05-21-2005	Reported By	ARNOLD
------------	-------------	--------

Daily Costs: Drilling			Completion				Daily Total				
Cum Costs: Drilling			Completion				Well Total				
MD	9,175	TVD	9,175	Progress	0	Days	18	MW	0.0	Visc	0.0
Formation : MESA VERDE			PBTD : 9120.0		Perf : 6969-8912			PKR Depth : 0.0			

Activity at Report Time: SI - WO FACILITIES

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	06:00	24.0	SITP 3500 PSIG. SICP 3700 PSIG. RU PRODUCTION LOGGING SERVICES & PROTECHNICS. RAN SPECTRASCAN FROM 9063' TO 6470'. RD PRODUCTION LOGGING SERVICES & PROTECHNICS. SI. WO FACILITIES.
-------	-------	------	---

FINAL COMPLETION DATE: 5/20/05

06-03-2005	Reported By	ARNOLD
------------	-------------	--------

Daily Costs: Drilling			Completion				Daily Total				
Cum Costs: Drilling			Completion				Well Total				
MD	9,175	TVD	9,175	Progress	0	Days	19	MW	0.0	Visc	0.0
Formation : MESA VERDE			PBTD : 9120.0		Perf : 6969-8912			PKR Depth : 0.0			

Activity at Report Time: COST UPDATE

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

		24.0	COST UPDATE
--	--	------	-------------

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

1a. Type of Well Oil Well Gas Well Dry Other
 b. Type of Completion: New Well Work Over Deepen Plug Back Diff. Resvr.,
 Other _____

2. Name of Operator **EOG RESOURCES, INC.**

3. Address **P.O. Box 250
Big Piney, WY 83113** 3a. Phone No. (include area code)
307-276-3331

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface **NENW 382 FNL 1459 FWL 40.01322 LAT 109.41081 LON**

At top prod. interval reported below **SAME**

At total depth **SAME**

14. Date Spudded **01/15/2005** 15. Date T.D. Reached **04/21/2005** 16. Date Completed **06/10/2005**
 D & A Ready to Prod.

18. Total Depth: MD **9175** 19. Plug Back T.D.: MD **9120** 20. Depth Bridge Plug Set: MD
 TVD TVD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
 RST/CBL/CCL/GR

22. Was well cored? No Yes (Submit analysis)
 Was DST run? No Yes (Submit report)
 Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4	9-5/8	J-55	36#	0-2244		695			
7-7/8	4-1/2	N-80	11.6#	0-9155		1910			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-3/8	6960							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH - MURD	6969	8912	8676-8912		2/SPF	
B)			8448-8594		2/SPF	
C)			8301-8396		2/SPF	
D)			8140-8249		2/SPF	

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
8676-8912	1190 BBLs GELLED WATER & 169,165 # 20/40 SAND
8448-8594	1194 BBLs GELLED WATER & 168,074 # 20/40 SAND
8301-8396	925 BBLs GELLED WATER & 114,530 # 20/40 SAND
8140-8249	1320 BBLs GELLED WATER & 179,179 # 20/40 SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/10/2005	06/17/2005	24	→	20	566	214			FLows FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	Production Method
10/64	SI 2300	3200	→	20	566	214			PRODUCING GAS WELL

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	Production Method
			→						

RECEIVED

JUL 20 2005

DIV. OF OIL, GAS & MINING

*(See instructions and spaces for additional data on page 2)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
MESAVERDE	6969	8912		WASATCH	4559
				CHAPITA WELLS	5147
				BUCK CANYON	5774
				NORTHORN	6477
				ISLAND	6747
				MESAVERDE	6925
				MIDDLE PRICE RIVER	7770
LOWER PRICE RIVER	8589				

32. Additional remarks (include plugging procedure):

SEE ATTACHED SHEET.


33. Indicate which items have been attached by placing a check in the appropriate boxes:

- Electrical/Mechanical Logs (1 full set req'd.)
 Geologic Report
 DST Report
 Directional Survey
 Sundry Notice for plugging and cement verification
 Core Analysis
 Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Kaylene R. Gardner

Title Regulatory Assistant

Signature 

Date 07/14/2005

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Chapita Wells Unit 914-26 - ADDITIONAL REMARKS (CONTINUED):

TURNED TO SALES THROUGH QUESTAR METER # 6732. Two 400 bbl tanks # 80597V & 80598V are on location.

27. PERFORATION RECORD

7961-8051	3/SPF
7761-7913	3/SPF
7414-7688	2/SPF
7239-7364	2/SPF
6969-7076	2/SPF

28. ACID, FRACTURE TREATMENT, CEMENT SQUEEZE, ETC.

7961-8051	1192 BBLS GELLED WATER & 168,415 # 20/40 SAND
7761-7913	1293 BBLS GELLED WATER & 192,195 # 20/40 SAND
7414-7688	1303 BBLS GELLED WATER & 190,120 # 20/40 SAND
7239-7364	1191 BBLS GELLED WATER & 169,856 # 20/40 SAND
6969-7076	1174 BBLS GELLED WATER & 168,474 # 20/40 SAND

Perforated the Lower Price River from 8676-77', 8714-15', 8730-31', 8736-38', 8749-50', 8827-28', 8874-76' & 8909-12' w/2 SPF.

Perforated the Middle Price River from 8448-51', 8475-77', 8505-07', 8514-15', 8540-42' & 8592-94' w/2 SPF.

Perforated the Middle Price River from 8301-02', 8317-19', 8334-36', 8342-44', 8373-76' & 8394-96' w/2 SPF.

Perforated the Middle Price River from 8140-42', 8167-69', 8179-81', 8190-92', 8237-38' & 8246-49' w/2 SFP.

Perforated the Middle Price River from 7961-62', 7981-83', 7995-97', 8016-18', 8030-32' & 8049-51' w/3 SPF.

Perforated the Middle Price River from 7761-62', 7794-96', 7810-12', 7865-67', 7880-81', 7900-02' & 7911-13' w/2 SPF.

Perforated the Upper Price River from 7414-16', 7429-31', 7461-62', 7508-10', 7571-72', 7603-05', 7651-52', 7680-82' & 7687-88' w/2 SPF.

Perforated the Upper Price River from 7239-42', 7261-62', 7266-68', 7284-86', 7324-26' & 7362-64' w/2 SPF.

Perforated the Upper Price River from 6969-70', 6976-78', 7019-20', 7024-26', 7049-50', 7057-59' & 7073-76' w/2 SPF.



EOG Resources, Inc.
600 Seventeenth Street
Suite 1100N
Denver, CO 80202
(303) 572-9000
Fax: (303) 824-5400

July 20, 2005

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, 84114-5801

43-047-35542
RE: Chapita Wells Unit 914-26
T09S-R22E- Section 26
Uintah County, Utah

Carol:

Enclosed herewith are the following logs and data associated with the subject well:

Chapita Wells Unit 914-26
Cement Bond Log Gamma Ray/CCL 04-28-05 (1)
Reservoir Saturation Log Gamma Ray/CCL 04-28-05 (1)

Please contact me if you have any questions.

Regards,

EOG RESOURCES, INC.

Cristal Messenger
Exploration & Operations Secretary
Denver Office

Enc. 2
cc: Well File

RECEIVED

JUL 26 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG
Amended Item # 25 from prior submission 7/14/05

1a. Type of Well Oil Well Gas Well Dry Other
b. Type of Completion: New Well Work Over Deepen Plug Back Diff. Resvr.
Other _____

2. Name of Operator **EOG RESOURCES, INC.**

3. Address **P.O. Box 250
Big Piney, WY 83113**

3a. Phone No. (include area code)
307-276-3331

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface **NENW 382 FNL 1459 FWL 40.01322 LAT 109.41081 LON**

At top prod. interval reported below **SAME**

At total depth **SAME**

14. Date Spudded
01/15/2005

15. Date T.D. Reached
04/21/2005

16. Date Completed **06/10/2005**
 D & A Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*
4926 KB

18. Total Depth: MD **9175**
TVD

19. Plug Back T.D.: MD **9120**
TVD

20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

RST/CBL/CCL/GR

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit report)
Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4	9-5/8	J-55	36#	0-2244		695			
7-7/8	4-1/2	N-80	11.6#	0-9155		1910			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-3/8	6960							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) MESAVERDE	6969	8912	8676-8912		2/SPF	
B)			8448-8594		2/SPF	
C)			8301-8396		2/SPF	
D)			8140-8249		2/SPF	

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
8676-8912	1190 BBLs GELLED WATER & 169,165 # 20/40 SAND
8448-8594	1194 BBLs GELLED WATER & 168,074 # 20/40 SAND
8301-8396	925 BBLs GELLED WATER & 114,530 # 20/40 SAND
8140-8249	1320 BBLs GELLED WATER & 179,179 # 20/40 SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/10/2005	06/17/2005	24	→	20	566	214			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
10/64	SI 2300	3200	→	20	566	214			PRODUCING GAS WELL

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
	SI		→						

*(See instructions and spaces for additional data on page 2)

RECEIVED

SEP 20 2005

DIV. OF OIL & GAS MINING

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
MESAVERDE	6969	8912		WASATCH CHAPITA WELLS BUCK CANYON NORTHORN ISLAND MESAVERDE MIDDLE PRICE RIVER LOWER PRICE RIVER	4559 5147 5774 6477 6747 6925 7770 8589

32. Additional remarks (include plugging procedure):

SEE ATTACHED SHEET.

33. Indicate which itmes have been attached by placing a check in the appropriate boxes:


- Electrical/Mechanical Logs (1 full set req'd.)
 Geologic Report
 DST Report
 Directional Survey
 Sundry Notice for plugging and cement verification
 Core Analysis
 Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) **Kaylene R. Gardner**

Title **Regulatory Assistant**

Signature



Date **09/14/2005**

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Chapita Wells Unit 914-26 - ADDITIONAL REMARKS (CONTINUED):

TURNED TO SALES THROUGH QUESTAR METER # 6732. Two 400 bbl tanks # 80597V & 80598V are on location.

27. PERFORATION RECORD

7961-8051	3/SPF
7761-7913	3/SPF
7414-7688	2/SPF
7239-7364	2/SPF
6969-7076	2/SPF

28. ACID, FRACTURE TREATMENT, CEMENT SQUEEZE, ETC.

7961-8051	1192 BBLS GELLED WATER & 168,415 # 20/40 SAND
7761-7913	1293 BBLS GELLED WATER & 192,195 # 20/40 SAND
7414-7688	1303 BBLS GELLED WATER & 190,120 # 20/40 SAND
7239-7364	1191 BBLS GELLED WATER & 169,856 # 20/40 SAND
6969-7076	1174 BBLS GELLED WATER & 168,474 # 20/40 SAND

Perforated the Lower Price River from 8676-77', 8714-15', 8730-31', 8736-38', 8749-50', 8827-28', 8874-76' & 8909-12' w/2 SPF.

Perforated the Middle Price River from 8448-51', 8475-77', 8505-07', 8514-15', 8540-42' & 8592-94' w/2 SPF.

Perforated the Middle Price River from 8301-02', 8317-19', 8334-36', 8342-44', 8373-76' & 8394-96' w/2 SPF.

Perforated the Middle Price River from 8140-42', 8167-69', 8179-81', 8190-92', 8237-38' & 8246-49' w/2 SPF.

Perforated the Middle Price River from 7961-62', 7981-83', 7995-97', 8016-18', 8030-32' & 8049-51' w/3 SPF.

Perforated the Middle Price River from 7761-62', 7794-96', 7810-12', 7865-67', 7880-81', 7900-02' & 7911-13' w/2 SPF.

Perforated the Upper Price River from 7414-16', 7429-31', 7461-62', 7508-10', 7571-72', 7603-05', 7651-52', 7680-82' & 7687-88' w/2 SPF.

Perforated the Upper Price River from 7239-42', 7261-62', 7266-68', 7284-86', 7324-26' & 7362-64' w/2 SPF.

Perforated the Upper Price River from 6969-70', 6976-78', 7019-20', 7024-26', 7049-50', 7057-59' & 7073-76' w/2 SPF.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

Operator: EOG RESOURCES Operator Account Number: N 9550
 Address: P.O. BOX 1815
city VERNAL
state UT zip 84078 Phone Number: (435) 781-9111

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
43-047-35542	CHAPITA WELLS UNIT 914-26		NENW	26	9S	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
C	14515	13650			4/12/06		
Comments: CHANGE TO PARTICIPATING AREA <i>MVRD</i> PER BLM EFFECTIVE 6/1/2005 <i>-K</i>							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
43-047-35553	CHAPITA WELLS UNIT 855-6		NWSW	6	9S	23E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
C	14583	4905			4/12/06		
Comments: CHANGE TO PARTICIPATING AREA <i>WSTC</i> PER BLM EFFECTIVE 2/1/2006 <i>-K</i>							

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
43-047-35579	CHAPITA WELLS UNIT 862-32		SWSW	32	9S	23E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
C	14678	14091			4/12/06		
Comments: CHANGE TO PARTICIPATING AREA <i>MVRD</i> PER BLM EFFECTIVE 7/1/2005 <i>-K</i>							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Kaylene R. Gardner

Name (Please Print)

Signature

Regulatory Assistant

Title

4/10/2006

Date

(5/2000)

RECEIVED

APR 11 2006

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

February 8, 2006

EOG Resources, Inc.
Attn: Debbie Spears
600 17th Street, Suite 1100N
Denver, Colorado 80202

Re: 9th Revision of the Consolidated
Mesaverde Formation PA "A-B-H"
Chapita Wells Unit
Uintah County, Utah

Gentlemen:

The 9th Revision of the Consolidated Mesaverde Formation Participating Area "A-B-H", Chapita Wells Unit, CRS No. UTU63013N, AFS No. 892000905N, is hereby approved effective as of June 1, 2005, pursuant to Section 11 of the Chapita Wells Unit Agreement, Uintah County, Utah.

The 9th Revision of the Consolidated Mesaverde Formation Participating Area "A-B-H" results in the addition of 160.00 acres to the participating area for a total of 4,000.00 acres and is based upon the completion of Well No. 894-14, API No. 43-047-35491 located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 14, Township 9 South, Range 22 East, SLM&B, Federal Unit Tract No. 2, Lease No. UTU0282 and Well No. 914-26, API No. 43-047-35542, located in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 26, Township 9 South, Range 22 East, SLM&B, Federal Unit Tract No. 5, Lease No. UTU0285A, as being wells capable of producing unitized substances in paying quantities.

Copies of the approved request are being distributed to the appropriate agencies and one copy is returned herewith. Please advise all interested parties of the approval of the 9th Revision of the Mesaverde Formation Participating Area, Chapita Wells Unit, and the effective date.

Sincerely,

/s/ Douglas F. Cook

Douglas F. Cook
Chief, Branch of Fluid Minerals

RECEIVED
FEB 10 2006

Enclosure

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **EOG Resources, Inc.**

3a. Address
600 17th Street, Suite 1000N, Denver, CO 80202

3b. Phone No. (include area code)
303-824-5526

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**382' FNL & 1459' FWL (NE/NW)
 Sec. 26-T9S-R22E 40.013222 LAT 109.410808 LON**

5. Lease Serial No.
U-0285A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
Chapita Wells Unit

8. Well Name and No.
Chapita Wells Unit 914-26

9. API Well No.
43-047-35542

10. Field and Pool, or Exploratory Area
Natural Buttes/Mesaverde

11. County or Parish, State
Uintah County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Pit reclamation
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

The reserve pit for the referenced location was closed on 5/30/2006 as per the APD procedure.

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Mary A. Maestas

Title **Regulatory Assistant**

Signature

Mary A. Maestas

Date

01/09/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

JAN 10 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: U-0285A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 914-26
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43047355420000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Vernal, UT, 84078	PHONE NUMBER: 435 781-9111 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0382 FNL 1459 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 26 Township: 09.0S Range: 22.0E Meridian: S	9. FIELD and POOL or WILDCAT: NATURAL BUTTES COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 9/28/2011	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: <input type="text" value="Temporarily Shut-in"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 EOG Resources, Inc. respectfully requests authorization to temporarily shut-in the referenced well, while drilling the Chapita Wells Unit 1487-26D, 1488-26D, 1489-26D, 1490-26D and 1491-26D pad well.

Accepted by the Utah Division of Oil, Gas and Mining

Date: 09/29/2011

By: *Derek Quist*

NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUMBER 435 781-9145	TITLE Operations Clerk
SIGNATURE N/A	DATE 9/28/2011	