

001

State

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT
(highlight changes)

APPLICATION FOR PERMIT TO DRILL

1A. TYPE OF WORK: DRILL <input checked="" type="checkbox"/> REENTER <input type="checkbox"/> DEEPEN <input type="checkbox"/>		5. MINERAL LEASE NO: 92061	6. SURFACE: State
B. TYPE OF WELL: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER _____ SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input checked="" type="checkbox"/>		7. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
2. NAME OF OPERATOR: THE HOUSTON EXPLORATION COMPANY		9. WELL NAME and NUMBER: ROCKHOUSE 4-36	
3. ADDRESS OF OPERATOR: 1100 LOUISIANA SUITE CITY HOUSTON STATE TX ZIP 77002		PHONE NUMBER: (713) 830-6800	10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 837' FNL & 646' FWL AT PROPOSED PRODUCING ZONE:		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 36 10S 22E	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: 78.0 MILES SOUTH OF VERNAL UT		12. COUNTY: UINTAH	13. STATE: UTAH
15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE (FEET) 646'	16. NUMBER OF ACRES IN LEASE: 320	17. NUMBER OF ACRES ASSIGNED TO THIS WELL: 40	
18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) 3,168' +/-	19. PROPOSED DEPTH: 8,475	20. BOND DESCRIPTION: 104155044	
21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): 5601.6' GR	22. APPROXIMATE DATE WORK WILL START: 9/15/2004	23. ESTIMATED DURATION: 30 DAYS	

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	CASING SIZE, GRADE, AND WEIGHT PER FOOT	SETTING DEPTH	CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT
12 1/4	9 5/8 J-55 36#	2,000	PRIMIUM LITE II 250 SK 3.38 CU FT 11.0 PPG
			CLASS"G" 329 SK 1.2 CU FT 15.6 PPG
			CALCIUM CHLORIDE 200 SK 1.10 CU FT 15.6 PPG
7 7/8	4 1/2 M-55 11.6#	8,475	PRIMIUM LITE II 200 SK 3.3 CU FT 11.0 PPG
			CLASS "G" 400 SK 1.56 CU FT 14.3 PPG

RECEIVED
AUG 30 2004

DIV. OF OIL, GAS & MINING

25. ATTACHMENTS

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES:

<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER	<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN
<input checked="" type="checkbox"/> EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER	<input type="checkbox"/> FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OWNER

NAME (PLEASE PRINT) WILLIAM A RYAN TITLE AGENT

SIGNATURE [Signature] DATE 8/23/2004

(This space for State use only)

API NUMBER ASSIGNED: 43-047-35901

APPROVAL:

Approved by the
Utah Division of
Oil, Gas and Mining
Date: 8/26/04
By: [Signature]

T10S, R22E, S.L.B.&M.


R
22
W

THE HOUSTON EXPLORATION COMPANY

Well location, ROCKHOUSE #4-36, located as shown in the NW 1/4 NW 1/4 of Section 36, T10S, R22E, S.L.B.&M. Uintah County, Utah.


1991 Alum. Cap.
Pile of Stones,
Steel Post

5280.00' (G.L.O.)



BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION LOCATED IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
 STATE OF UTAH
 161319
 [Signature]

T10S

T11S

N89°48'W - 2622.18' (G.L.O.)

S89°54'W - 2656.50' (G.L.O.)

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.
 (NAD 83)

LATITUDE = 39°54'36.94" (39.910261)
 LONGITUDE = 109°23'43.27" (109.395353)

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 7-29-04	DATE DRAWN: 7-31-04
PARTY K.K. K.G. K.G.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE THE HOUSTON EXPLORATION COMPANY	

Ten Point Plan**The Houston Exploration Company**

Rockhouse 4-36

Surface Location NW ¼ NW 1/4, Section 36, T. 10S., R. 22 E.

1. Surface Formation

Green River

2. Estimated Formation Tops and Datum:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Green River	Surface	+5,601.6' G.L.
Uteland Butte Limestone	3,946	+1,655.6'
Wasatch	4,080	+1,521.6'
Mesaverda	5,747	-145.4'
Buck Tounge	8,080	-2,478.4'
Castlegate	8,152	-2,550.4'
Mancos	8,447	-2,845.4'
TD	8,475	-2,873.4'

A 12 ¼ hole will be drilled to 2,000' +/- . The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its sub-members.

Off Set Well information:

Off set well: Rockhouse 11-36
 Rockhouse 11-31
 Rockhouse 2D-36
 Rockhouse 13-36

4. Proposed Casing:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Grade Weight/FT</u>	<u>Setting & Tread</u>	<u>Casing Depth</u>	<u>New/Used</u>
12 ¼	9 5/8	36#	J-55/STC	2000	NEW
7 7/8	4 ½	11.6#	M-55/LTC	T.D.	NEW

Cement Program:

The Surface Casing will be cemented to the Surface as follows:

	<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amounts</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
Lead:	9 5/8	Primium Lite II .05#/sk Static Free .25#/sk Cello Flake 5#/sk KOL Seal .002 gps FP-6L 10% Bentonite .5% Sodium Metasilicate 3% Potassium Chloride	250 sks. +/-	3.38ft ³ /sk	11.0 ppg
Tail:	9 5/8	Class "G" 2% Calcium Chloride .25#/sk Cello Flake	329 sks. +/-	1.2ft ³ /sk	15.6 ppg
Top Job:	9 5/8	4% Calcium Chloride .25#/sk Cello Flake	200 sks. +/-	1.10ft ³ /sk	15.6 ppg

Production casing will be cemented to 2,500' or higher as follows:

	<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amounts</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
Lead:	4 1/2	Primum Lite II .25#/sk Cello Flake .05#/sk Static Free 5#/sk Kol Seal 3% Potassium Chloride .055 gps FP-6L 10% Bentonite .5 Sodium Metasilicate	200 sks +/-	3.3ft ³ /sk	11.0 ppg
Tail:	4 1/2	Class "G" .05% Static Free 2 Sodium Chloride .1% R-3 2% Bentonite	400 sks +/-	1.56ft ³ /sk	14.3 ppg

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 9 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

<u>Interval</u>	<u>Mud weight lbs./gal.</u>	<u>Viscosity Sec./OT.</u>	<u>Fluid Loss Ml/30 Mins.</u>	<u>Mud Type</u>
0-2000	Air/Clear Water	-----	No Control	Water/Gel
2000-T.D.	8.4-8.6 (12.0)	30	8-10	Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 ½" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

- a) Test: None are anticipated.
- b) Coring: There is the possibility of sidewall coring.
- c) Sampling: Every 10' from 2000' to T.D.
- d) Logging:


Type	Interval
DLL/SFL W/GR and SP	T.D. to Surf. Csg
FDC/CNL W/GR and CAL	T.D. to Surf. Csg

9. Abnormalities (including sour gas):

No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H₂S.


10. Drilling Schedule:

The anticipated starting date is September 15, 2004. Duration of operations is expected to be 30 days.




THE HOUSTON EXPLORATION COMPANY

TYPICAL 3,000 p.s.i. BLOWOUT PREVENTER SCHEMATIC



TYPICAL 3,000 p.s.i. CHOKE MANIFOLD SCHEMATIC



THE HOUSTON EXPLORATION COMPANY

13 POINT SURFACE USE PLAN

FOR WELL

ROCKHOUSE 4-36

LOCATED IN NW $\frac{1}{4}$ NW $\frac{1}{4}$

SECTION 36, T.10S, R22E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: ML-

SURFACE OWNERSHIP: FEDERAL

1. Existing Roads:

To reach The Houston Exploration Co. well Rockhouse 4-36 in Section 36, T10S, R 22 E, Starting in Vernal, Utah.

Proceed in an easterly, then southerly direction from Vernal, Utah along US Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly direction approximately 41.5 miles on paved State Highway 45 to the junction of this road and an gravel State Highway 45 to the Southeast; turn left and proceed in a southeasterly direction approximately 3.8 miles to the junction of this road and State Highway 207 to the southwest; turn right and proceed in a southwesterly direction approximately 8.4 miles to the junction of this road and an existing road to the southwest; proceed in a southwesterly direction approximately 7.8 miles to the junction of this road and an existing road to the northwest; turn right and proceed in a northwesterly direction approximately 0.5 miles to the junction of this road and an existing road to the west; turn left and proceed in a westerly, then northerly direction approximately 2.7 miles to the junction of this road and an existing road to the northwest; turn left and proceed in a northwesterly direction approximately 2.7 miles to the junction of this road and an existing road to the west; turn left and proceed in a westerly, then northwesterly, then northerly direction approximately 5.8 miles to the junction of this road and an existing road to the east; turn right

and proceed in a easterly, then northeasterly direction approximately 0.8 miles to the beginning of the proposed access to the northwest; follow road flags in a northwesterly direction approximately 0.1 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 78.0 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 528' +/- of new construction on lease. The road will be graded once per year minimum and maintained.

- A) Approximate length 528 ft
- B) Right of Way width 30 Ft.
- C) Running surface 18 Ft.
- D) Surface material Native soil
- E) Maximum grade 5%
- F) Fence crossing None
- G) Culvert None
- H) Turnouts None
- I) Major cuts and fills None
- J) Road Flagged Yes
- K) Access road surface ownership
State
- L) All new construction on lease
Yes
- M) Pipe line crossing None

Please see the attached location plat for additional details.

A right of way will not be required. All surface disturbance for the road and location will be within the lease boundary.

3. Location of existing wells

The following wells are located within a one-mile radius of the location site.

A) Producing well	None
B) Water well	None
C) Abandoned well	None
D) Temp. abandoned well	None
E) Disposal well	None
F) Drilling /Permitted well	
Rockhouse 13-36	
Rockhouse 2D-36	
Rockhouse 13-31	
Rockhouse 11-36	
G) Shut in wells	None
H) Injection well	None
I) Monitoring or observation well	None

Please see the attached map for additional details.

4. Location of tank batteries, production facilities and production gathering service lines.

All production facilities are to be contained within the proposed location site. Please see the attached plat plan for a typical gas well separator installation and well site piping.

All permanent (on site for more than six months or longer) structures constructed or installed will be painted a Desert Tan color. Facilities required to comply with O.S.H.A. (Occupational Safety and

Health Act) will be excluded. The required paint color is Desert Tan.

All tanks will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank in the battery. The integrity of the dike will be maintained.

The operator will adhere to all site security guidelines and regulation identified in 43 cfr 3126.7.

All off lease storage, off lease measurement, commingling on lease or off lease, of production, will have prior written approval from the authorized officer.

If the well is capable of economic production a surface gas line will be required.

Approximately 528' +/- of 4" gathering line would be constructed on State Lands. The line would tie into the proposed pipeline in Section 17, T 10S, R22E. The line will be strung along side the proposed access road and boomed to the south side of the road.

Please see the attached location diagrams for pipeline location. There will be no additional surface disturbances required for the installation of a gathering line.

The gas meter run will be located within 500' of the wellhead. The gas line will be buried or anchored down from the wellhead to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meter-proving schedules. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah, Division of Oil, Gas, and Mining. All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas and liquid hydrocarbon measurement.

The reserve pit will be approximately 12 ft. deep and most of the depth shall be below the surface of the existing ground. Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to store water for drilling. A semi-closed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

5. Location and type of water supply

Water for drilling and cementing will come from the White River in Section 13, T10S, R22E, Permit # T75514. Water right #49-2184.

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90-day period an application for approval for permanent disposal method and location will be submitted to the authorized officer.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized landfill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout

Location dimensions are as follows:

- A) Pad length 330 ft.
- B) Pad width 240 ft.
- C) Pit depth 12 ft.
- D) Pit length 147 ft.
- E) Pit width 75 ft.
- F) Max cut 18.6 ft.
- G) Max fill 9.8 ft
- H) Total cut yds. 9,610 cu yds
- I) Pit location southwest side
- J) Top soil location northwest side
- K) Access road location East end
- L) Flare Pit corner B

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall

be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.

- C) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

- D) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.

- E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.

10. Plans for restoration of the surface

Prior to construction of the location, the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and piled will amount to approximately 1,940' cubic yards of material. Topsoil will be stockpiled in one distinct pile. Placement of the topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been

completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be re-contoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified. And left with a rough surface.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed.

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Seed Mix

Black Sage	1#/acre
Shad scale	3#/acre
Galleta grass	3#/acre
Gardners salt bush	3#/acre

11. Surface ownership:

Access road	State
Location	State
Pipe line	State

12. Other information:

A) Vegetation

The vegetation coverage is Slight. The majority of the existing vegetation consists of Sagebrush. Rabbit brush, bitter Brush, and Indian rice grass are also found on the location.

B) Dwellings:

There are no dwelling or other facilities within a one-mile radius of the location.

C) Archeology:

The location has been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of June 8, 1906) are discovered, all operations, which would affect such sites, will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is the White River, 3 miles to the North of the location.

E) Chemicals:

No pesticides, herbicides or Other possible hazardous chemicals will be used without prior application.

F) Notification:

- a) Location Construction
At least forty eight (48) hours prior to construction of location and access roads.
- b) Location completion

Prior to moving on the drilling rig.

- c) Spud notice
At least twenty-four (24) hours prior to spudding the well.
- d) Casing string and cementing
At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests
At least twenty-four (24) hours prior to initial pressure tests.
- f) First production notice
Within five (5) business days after the new well begins, or production resumes after well has been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in corner B of the reserve pit out side the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan


Rocky Mountain Consulting

Vernal, UT 84078

Office 435-789-0968
Fax 435-789-0970
Cellular 435-828-0968

Date Aug 20, 2004

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.


William A. Ryan, Agent
Rocky Mountain Consulting

Onsite Dates:

This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route, that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be performed by The Houston Exploration Company and its contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Statement of use of Hazardous Materials

No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986. Will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored transported, disposed, or associated with the proposed action.


If you require additional information please contact.

William A Ryan
Agent for The Houston Exploration Company
Rocky Mountain Consulting
350 S. 800 E.
Vernal UT 84078

435-789-9068 Office
435-828-968 Cell
435-789-0970 Fax

THE HOUSTON EXPLORATION COMPANY

LOCATION LAYOUT FOR
 ROCKHOUSE #4-36
 SECTION 36, T10S, R22E, S.L.B.&M.
 837' FNL 646' FWL




SCALE: 1" = 50'
 DATE: 7-31-04
 Drawn By: K.G.

NOTE:
 Flare Pit is to be located
 a min. of 100' from the
 Well Head.

F-5.3'
 El. 596.3'

Sta. 3+30




Approx.
 Top of
 Cut Slope

El. 608.2'
 C-18.6'
 (btm. pit)

Sta. 1+50

F-9.8'
 El. 591.8'

Sta. 0+00



NOTES:

CONSTRUCT DIVERSION DITCH
 Elev. Ungraded Ground At Loc. Stake = 5605.1'
 FINISHED GRADE ELEV. AT LOC. STAKE = 5601.6'

Existing
 Drainage


UINTAH ENGINEERING & LAND SURVEYING
 85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

FIGURE #1

THE HOUSTON EXPLORATION COMPANY

TYPICAL CROSS SECTIONS FOR

ROCKHOUSE #4-36
SECTION 36, T10S, R22E, S.L.B.&M.
837' FNL 646' FWL



DATE: 7-31-04
Drawn By: K.G.






FIGURE #2

APPROXIMATE YARDAGES

CUT		
(6") Topsoil Stripping	=	1,650 Cu. Yds.
Remaining Location	=	7,960 Cu. Yds.
TOTAL CUT	=	9,610 CU.YDS.
FILL	=	6,300 CU.YDS.

*** NOTE:**
FILL QUANTITY INCLUDES
5% FOR COMPACTION
EXCESS MATERIAL = 3,310 Cu. Yds.
Topsoil & Pit Backfill
(1/2 Pit Vol.) = 3,310 Cu. Yds.
EXCESS UNBALANCE
(After Rehabilitation) = 0 Cu. Yds.



LEGEND:

○ PROPOSED LOCATION



THE HOUSTON EXPLORATION COMPANY

ROCKHOUSE #4-36
SECTION 36, T10S, R22E, S.L.B.&M.
837' FNL 646' FWL



Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

7 30 04
 MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: K.G. REVISED: 00-00-00



THE HOUSTON EXPLORATION COMPANY

ROCKHOUSE #4-36

LOCATED IN UTAH COUNTY, UTAH
SECTION 36, T10S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: WESTERLY



- Since 1964 -

U E L S Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS			7	31	04	PHOTO
			MONTH	DAY	YEAR	
TAKEN BY: B.B.	DRAWN BY: K.G.	REVISED: 00-00-00				



LEGEND:		THE HOUSTON EXPLORATION COMPANY	
	PROPOSED ACCESS ROAD	ROCKHOUSE #4-36 SECTION 36, T10S, R22E, S.L.B.&M. 837' FNL 646' FWL	
	EXISTING ROAD		
Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 * FAX (435) 789-1813		TOPOGRAPHIC 7 30 04 MAP MONTH DAY YEAR	
		SCALE: 1" = 2000' DRAWN BY: K.G. REVISED: 00-00-00	

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 08/30/2004

API NO. ASSIGNED: 43-047-35901

WELL NAME: ROCKHOUSE 4-36
OPERATOR: HOUSTON EXPLORATION CO, (N2525)
CONTACT: BILL RYAN

PHONE NUMBER: 435-789-0968

PROPOSED LOCATION:

NWNW 36 100S 220E
SURFACE: 0837 FNL 0646 FWL
BOTTOM: 0837 FNL 0646 FWL
UINTAH
NATURAL BUTTES (630)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	Drd	10/8/04
Geology		
Surface		

LEASE TYPE: 3 - State
LEASE NUMBER: ML 47061 or 42061
SURFACE OWNER: 3 - State
PROPOSED FORMATION: MNCS
COALBED METHANE WELL? NO

LATITUDE: 39.91019
LONGITUDE: -109.3949

RECEIVED AND/OR REVIEWED:


- Plat
- Bond: Fed[] Ind[] Sta[] Fee[]
(No. 104155044)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 49-2184)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:


- R649-2-3.
- Unit _____
- R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- R649-3-11. Directional Drill

COMMENTS: Needs Permit (09-21-04)

STIPULATIONS: 1- Spacing Strip
2- Oil Shale
3- STATEMENT OF BASIS



OPERATOR: THE HOUSTON EXPL CO (N2525)
SEC. 36 T.10S R.22E
FIELD: NATURAL BUTTES (630)
COUNTY: UINTAH
SPACING: R649-3-2 / GENERAL SITING



Wells	Units.shp	Fields.shp
⊕ GAS INJECTION	□ EXPLORATORY	□ ABANDONED
⊕ GAS STORAGE	□ GAS STORAGE	□ ACTIVE
× LOCATION ABANDONED	□ NF PP OIL	□ COMBINED
⊕ NEW LOCATION	□ NF SECONDARY	□ INACTIVE
⊕ PLUGGED & ABANDONED	□ PENDING	□ PROPOSED
⊕ PRODUCING GAS	□ PI OIL	□ STORAGE
● PRODUCING OIL	□ PP GAS	□ TERMINATED
⊕ SHUT-IN GAS	□ PP GEOTHERML	
⊕ SHUT-IN OIL	□ PP OIL	
⊕ TEMP. ABANDONED	□ SECONDARY	
⊕ TEST WELL	□ TERMINATED	
⊕ WATER INJECTION		
⊕ WATER SUPPLY		
⊕ WATER DISPOSAL		



PREPARED BY: DIANA WHITNEY
 DATE: 9-SEPTEMBER-2004

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: THE HOUSTON EXPLORATION COMPANY

WELL NAME & NUMBER: ROCKHOUSE 4-36

API NUMBER: 43-047-35901

LEASE: ML-42061 **FIELD/UNIT:** NATURAL BUTTES

LOCATION: 1/4,1/4 NW/NW Sec: 36 TWP: 10S RNG: 22E 648' FWL 837' FNL

LEGAL WELL SITING: 460 F SEC. LINE; 460 F 1/4,1/4 LINE; 920 F ANOTHER WELL.

GPS COORD (UTM): 637216E 4418829N **SURFACE OWNER:** STATE OF UTAH

PARTICIPANTS

DAVID W. HACKFORD (DOGM), GINGER STRINGHAM (HOUSTON), ONE DIRT CONTRACTOR.

REGIONAL/LOCAL SETTING & TOPOGRAPHY

SITE IS ON TOP OF ARCHY BENCH. THIS BENCH IS A LARGE FLAT TOPPED RIDGE RUNNING SOUTH TO NORTH. THE WEST SIDE OF THIS BENCH DROPS OFF SHARPLY TO BITTER CREEK 1.5 MILES TO THE WEST. 600 FEET EAST OF LOCATION, THE EAST SIDE OF THIS BENCH DROPS OFF SHARPLY TO A DEEP UNNAMED CANYON. BOTH THIS CANYON AND BITTER CREEK DRAIN TO THE NORTH TO THE WHITE RIVER TWO MILES AWAY. VERNAL, UTAH IS 45 MILES TO THE NORTH.

SURFACE USE PLAN

CURRENT SURFACE USE: WILDLIFE AND LIVESTOCK GRAZING, HUNTING.

PROPOSED SURFACE DISTURBANCE: LOCATION WILL BE 330' BY 240'. ACCESS ROAD WILL BE 0.1 MILES, WITH 0.8 MILES OF ROAD NEEDING UPGRADED.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: SEE ATTACHED MAP FROM GIS DATABASE.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: ALL PRODUCTION FACILITIES WILL BE ON LOCATION AND ADDED AFTER DRILLING WELL. PIPELINE WILL FOLLOW ACCESS ROAD.

SOURCE OF CONSTRUCTION MATERIAL: ALL CONSTRUCTION MATERIAL WILL BE BORROWED FROM SITE DURING CONSTRUCTION OF LOCATION.

ANCILLARY FACILITIES: NONE WILL BE REQUIRED.

WILL DRILLING AT THIS LOCATION GENERATE PUBLIC INTEREST OR CONCERNS?
EXPLAIN: UNLIKELY.

WASTE MANAGEMENT PLAN:

DRILLED CUTTINGS WILL BE SETTLED INTO RESERVE PIT. LIQUIDS FROM PIT WILL

BE ALLOWED TO EVAPORATE. FORMATION WATER WILL BE CONFINED TO STORAGE TANKS. SEWAGE FACILITIES, STORAGE AND DISPOSAL WILL BE HANDLED BY COMMERCIAL CONTRACTOR. TRASH WILL BE CONTAINED IN TRASH BASKETS AND HAULED TO AN APPROVED LAND FILL.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: NONE

FLORA/FAUNA: SAGE, GREASEWOOD, SPINY HOPSAGE, PRICKLY PEAR, SHADSCALE, SALTBRUSH: PRONGHORN, RODENTS, SONGBIRDS, RAPTORS, COYOTE, RABBITS.

SOIL TYPE AND CHARACTERISTICS: LIGHT BROWN SANDY CLAY.

EROSION/SEDIMENTATION/STABILITY: VERY LITTLE NATURAL EROSION. SEDIMENTATION AND STABILITY ARE NOT A PROBLEM AND LOCATION CONSTRUCTION SHOULDN'T CAUSE AN INCREASE IN STABILITY OR EROSION PROBLEMS.

PALEONTOLOGICAL POTENTIAL: NONE OBSERVED

RESERVE PIT

CHARACTERISTICS: 147' BY 75' AND 12' DEEP.

LINER REQUIREMENTS (Site Ranking Form attached): A 12 MIL LINER WILL BE REQUIRED FOR RESERVE PIT.

SURFACE RESTORATION/RECLAMATION PLAN

AS PER SITLA.

SURFACE AGREEMENT: AS PER SITLA.

CULTURAL RESOURCES/ARCHAEOLOGY: SITE WAS INSPECTED BY SAGEBRUSH ARCHEOLOGICAL CONSULTANTS. A REPORT OF THIS INVESTIGATION WILL BE PLACED ON FILE.

OTHER OBSERVATIONS/COMMENTS

THIS PREDRILL INVESTIGATION WAS CONDUCTED ON A WARM DAY WITH NO SNOW COVER.

ATTACHMENTS

PHOTOS OF THIS SITE WERE TAKEN AND PLACED ON FILE.

DAVID W. HACKFORD
DOGM REPRESENTATIVE


9/21/04, 11:15 AM
DATE/TIME


**Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>0</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>0</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>20</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of hazardous constituents	20	<u>5</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>0</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>0</u>

Final Score 25 (Level I Sensitivity)

Sensitivity Level I = 20 or more; total containment is required.
Sensitivity Level II = 15-19; lining is discretionary.
Sensitivity Level III = below 15; no specific lining is required.





**DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS**

OPERATOR: THE HOUSTON EXPLORATION COMPANY
WELL NAME & NUMBER: ROCKHOUSE 4-36
API NUMBER: 43-047-35901
LOCATION: 1/4,1/4 NW/NW Sec: 36 TWP: 10S RNG: 22E 648' FWL 837' FNL

Geology/Ground Water:

The Houston Ex. Co. proposes to set 2,000 feet of surface casing cemented to the surface. The base of the moderately saline water is estimated at 4,500 feet. A search of Division of Water Rights records shows no water wells within a 10,000 foot radius of the proposed location. The surface formation at this location is the Uinta Formation. The Uinta Formation is made up of discontinuous sands interbedded with shales and are not expected to produce prolific aquifers. The proposed surface casing should adequately protect any potentially useable aquifers.

Reviewer: Brad Hill **Date:** 09-27-04

Surface:


The predrill investigation of the surface was performed on 09/21/04. Floyd Bartlett with DWR and Ed Bonner with SITLA were invited to this investigation on 09/14/04 Neither was present. This site is on State surface, with State minerals, and appears to be the best site for a location in the immediate area. A diversion ditch will be constructed along the east side of the location to keep runoff from crossing site. There are numerous sandstone outcroppings 600' northwest of this site.

Reviewer: David W. Hackford **Date:** 09/22/2004

Conditions of Approval/Application for Permit to Drill:

1. A synthetic liner with a minimum thickness of 12 mils shall be properly installed and maintained in the reserve pit.

- 09-04 Houston Rockhouse 436
Casing Schematic



BHP

$$(0.052)(8.8)(8475) = 3878$$

Anticipate $\leq 3,000$

G₆₀

$$(0.12)(8475) = 1017$$

MASP = 2861

BOPE = 3000 ✓

Seal/Csg = 3520
70% = 2464

Test to 2400psi ✓

w/ 18% Washout
Surface w/ 17% Washout

w/ 15% Washout
2838 w/ 0% Washout

Well name:	09-04 Houston Rockhouse 4-36		
Operator:	Houston Exploration		
String type:	Surface	Project ID:	43-047-35901

<p>Design parameters:</p> <p><u>Collapse</u> Mud weight: 8.400 ppg Design is based on evacuated pipe.</p> <p><u>Burst</u> Max anticipated surface pressure: 1,760 psi Internal gradient: 0.120 psi/ft Calculated BHP: 2,000 psi No backup mud specified.</p>	<p>Minimum design factors:</p> <p><u>Collapse:</u> Design factor: 1.125</p> <p><u>Burst:</u> Design factor: 1.00</p> <p><u>Tension:</u> 8 Round STC: 1.80 (J) 8 Round LTC: 1.80 (J) Buttress: 1.60 (J) Premium: 1.50 (J) Body yield: 1.50 (B)</p> <p>Tension is based on buoyed weight. Neutral point: 1,751 ft</p>	<p>Environment:</p> H2S considered? No Surface temperature: 75 °F Bottom hole temperature: 103 °F Temperature gradient: 1.40 °F/100ft Minimum section length: 1,500 ft <p>Cement top: 45 ft</p> <p>Non-directional string.</p> <p>Re subsequent strings:</p> Next setting depth: 8,475 ft Next mud weight: 8.600 ppg Next setting BHP: 3,786 psi Fracture mud wt: 19.250 ppg Fracture depth: 2,000 ft Injection pressure: 2,000 psi
---	---	--

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	2000	9.625	36.00	J-55	ST&C	2000	2000	8.796	142.4

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	873	2020	2.315	2000	3520	1.76	63	394	6.25 J

Prepared by: Clinton Dworshak
Utah Div. of Oil & Mining

Phone: (801) 538-5280
FAX: (801) 359-3940

Date: September 28, 2004
Salt Lake City, Utah

Remarks:
Collapse is based on a vertical depth of 2000 ft, a mud weight of 8.4 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	09-04 Houston Rockhouse 4-36		
Operator:	Houston Exploration		
String type:	Production	Project ID:	43-047-35901

<p>Design parameters:</p> <p><u>Collapse</u> Mud weight: 8.800 ppg Design is based on evacuated pipe.</p> <p><u>Burst</u> Max anticipated surface pressure: 2,857 psi Internal gradient: 0.120 psi/ft Calculated BHP: 3,874 psi No backup mud specified.</p>	<p>Minimum design factors:</p> <p><u>Collapse:</u> Design factor: 1.125</p> <p><u>Burst:</u> Design factor: 1.00</p> <p><u>Tension:</u> 8 Round STC: 1.80 (J) 8 Round LTC: 1.80 (J) Buttress: 1.60 (J) Premium: 1.50 (J) Body yield: 1.50 (B)</p> <p>Tension is based on buoyed weight. Neutral point: 7,360 ft</p>	<p>Environment:</p> H2S considered? No Surface temperature: 75 °F Bottom hole temperature: 194 °F Temperature gradient: 1.40 °F/100ft Minimum section length: 1,500 ft <p>Cement top: 4,992 ft</p> <p>Non-directional string.</p>
---	---	--

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	8475	4.5	11.60	M-65	LT&C	8475	8475	3.875	196.5

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	3874	5560	1.435	3874	6320	1.63	85	188	2.20 J

Prepared by: Clinton Dworshak Utah Div. of Oil & Mining	Phone: (801) 538-5280 FAX: (801) 359-3940	Date: September 28, 2004 Salt Lake City, Utah
--	--	--

Remarks:
Collapse is based on a vertical depth of 8475 ft, a mud weight of 8.8 ppg. The casing is considered to be evacuated for collapse purposes.
Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

From: Ed Bonner
To: Whitney, Diana
Date: 12/6/2004 1:53:39 PM
Subject: Well Clearance

The following wells have been given cultural resource clearance by the Trust Lands Cultural Resources Group:

The Houston Exploration Company
Rockhouse 4-36
Rockhouse 11-36
Rockhouse 13-36

If you have any questions regarding this matter please give me a call.

CC: Garrison, LaVonne; Hill, Brad; Hunt, Gil



State of Utah

Department of
Natural Resources

ROBERT L. MORGAN
Executive Director

Division of
Oil, Gas & Mining

LOWELL P. BRAXTON
Division Director

OLENE S. WALKER
Governor

GAYLE F. McKEACHNIE
Lieutenant Governor

December 6, 2004

Houston Exploration Company
1100 Louisiana, Ste 2000
Houston, TX 77002


Re: Rockhouse 4-36 Well, 837' FNL, 646' FWL, NW NW, Sec. 36, T. 10 South,
R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35901.

Sincerely,



John R. Baza
Associate Director

pab
Enclosures

cc: Uintah County Assessor
SITLA

Operator: Houston Exploration Company
Well Name & Number Rockhouse 4-36
API Number: 43-047-35901
Lease: ML-47061

Location: NW NW **Sec.** 36 **T.** 10 South **R.** 22 East

Conditions of Approval

1. **General**

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. **Notification Requirements**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. **Reporting Requirements**

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

5. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.

6. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

7. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

DIVISION OF OIL, GAS AND MINING**SPUDDING INFORMATION**Name of Company: THE HOUSTON EXPLORATION COMPANYWell Name: ROCKHOUSE 4-36Api No: 43-047-35901 Lease Type: STATESection 36 Township 10S Range 22E County UINTAHDrilling Contractor PETE MARTIN'S RIG # BUCKET**SPUDDED:**Date 12/9/2004Time 7:00 PMHow DRY**Drilling will commence:** _____Reported by BRENT STUBBSTelephone # 1-435-828-8100Date 12/10/2004 Signed CHD

006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: The Houston Exploration Company Operator Account Number: N 2525
Address: 1100 Louisiana, Suite 2000
city Houston
state TX zip 77002 Phone Number: (713) 830-6880

Well 1

API Number	Well Name	QC	Sec	Twp	Rng	County
43-047-35901	Rock House 4D-36	NWNW	36	10S	22E	Uintah
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
A	99999	14449	12/9/04		12/22/04	
Comments: <u>MNCS</u>						

K

Well 2

API Number	Well Name	QC	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
Comments:						

Well 3

API Number	Well Name	QC	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
Comments:						

RECEIVED

DEC 17 2004

DIV. OF OIL, GAS & MINING

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Theresa Overturf
Name (Please Print)
Theresa Overturf
Signature
Engineering Technician 12/17/04
Title Date

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

ML 42061

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

Rock House 4-36

2. NAME OF OPERATOR:
The Houston Exploration Company

9. API NUMBER:
4304735901

3. ADDRESS OF OPERATOR:
1100 Louisiana, Ste 2000 CITY **Houston** STATE **TX** ZIP **77002**

PHONE NUMBER:
(713) 830-6938

10. FIELD AND POOL, OR WILDCAT:
Natural Buttes

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **837' FNL & 646' FWL**

COUNTY: **Uintah**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **NWNW 36 10S 22E**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Waiting on Completion</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

12/17/04 - 12/23/04 Drl'd 20" hole to 40'. Ran 14" conductor to 52' & cmt'd. Dlrd to 2340'. Ran 8 5/8" csg, set @ 2317' & cmt'd.

5/4/05 - 5/31/05 Drl'd 2340'-8140'. Logged. Ran 4 1/2" csg, set @ 8225' & cmt'd. Waiting on completion.

NAME (PLEASE PRINT) **Theresa Overturf**

TITLE **Engineering Technician**

SIGNATURE *Theresa Overturf*

DATE **6/8/2005**

(This space for State use only)

RECEIVED

JUN 13 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG		5. LEASE DESIGNATION AND SERIAL NUMBER: ML47063
1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME
2. NAME OF OPERATOR: The Houston Exploration Company		8. WELL NAME and NUMBER: Rock House 4-36
3. ADDRESS OF OPERATOR: 1100 Louisiana, Ste 2000 CITY Houston STATE TX ZIP 77002		9. API NUMBER: 4304735901
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 837' FNL & 646' FWL AT TOP PRODUCING INTERVAL REPORTED BELOW: AT TOTAL DEPTH:		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 36 10S 22E
		12. COUNTY Uintah
		13. STATE UTAH

14. DATE SPUDDED: 5/8/2005	15. DATE T.D. REACHED: 5/13/2005	16. DATE COMPLETED: 8/13/2005	ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/>	17. ELEVATIONS (DF, RKB, RT, GL): 5601.6' GL
18. TOTAL DEPTH: MD 8,255 TVD	19. PLUG BACK T.D.: MD 8,181 TVD	20. IF MULTIPLE COMPLETIONS, HOW MANY? *		21. DEPTH BRIDGE MD PLUG SET: TVD
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) <i>Platform Express / Triple Combo / GR, PE / AI / GR</i> <i>CALIPER</i>			23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit copy)	

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
11"	8 5/8 J55	24#	0	2,317		CI G 495		surface	
7 7/8"	4 1/2 N80	11.6#	0	8,225		CI G 1,250		2117	

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

26. PRODUCING INTERVALS					27. PERFORATION RECORD				
FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
(A) Mesaverde	5,760	8,110			6,617 6,800		63	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(B) Mesaverde	5,760	8,110			7,200 7,298		54	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(C) Mesaverde	5,760	8,110			7,701 7,719		54	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(D) Mesaverde	5,760	8,110			7,908 7,963		33	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
6617'-6800'	149,640# 20/40 sd
7200'-7296'	136,760# 20/40 sd
7701'-7719'	78,320# 20/40 sd

29. ENCLOSED ATTACHMENTS: <input checked="" type="checkbox"/> ELECTRICAL/MECHANICAL LOGS <input type="checkbox"/> SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION	<input type="checkbox"/> GEOLOGIC REPORT <input type="checkbox"/> CORE ANALYSIS	<input type="checkbox"/> DST REPORT <input type="checkbox"/> OTHER: _____	<input type="checkbox"/> DIRECTIONAL SURVEY	30. WELL STATUS: Flowing
--	--	--	---	------------------------------------

31. INITIAL PRODUCTION

INTERVAL A (As shown in Item #26)

DATE FIRST PRODUCED: 8/17/2005		TEST DATE: 8/19/2005		HOURS TESTED: 24		TEST PRODUCTION RATES: →		OIL - BBL: 0	GAS - MCF: 1,075	WATER - BBL: 15	PROD. METHOD: Flow
CHOKE SIZE: 18/64	TBG. PRESS.	CSG. PRESS. 650	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 1,075	WATER - BBL: 15	INTERVAL STATUS: PGW	

INTERVAL B (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL C (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL D (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				Uteland Buttes	3,801
				Wasatch	3,888
				Mesaverde	5,760
				Sego	8,111
				Buck Tongue	8,208

35. ADDITIONAL REMARKS (Include plugging procedure)

Add'l fracture 7908'-7963' 118,200# 20/40 sd

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Theresa Overturf TITLE Engineering Technician
 SIGNATURE *Theresa Overturf* DATE 9/20/2005

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
 1594 West North Temple, Suite 1210
 Box 145801
 Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

- | |
|--------|
| 1. DJJ |
| 2. CDW |

Change of Operator (Well Sold)

X - Operator Merger

The operator of the well(s) listed below has changed, effective:

6/1/2007

FROM: (Old Operator):

N2525 - The Houston Exploration Company
 1100 Louisiana, Suite 2000
 Houston, TX 77002

Phone: 1-(713) 830-6800

TO: (New Operator):

N6965-Forest Oil Corporation
 707 17th St, Suite 3600
 Denver, CO 80202

Phone: 1 (303) 812-1755

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 7/30/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 7/30/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/31/2007
- a. Is the new operator registered in the State of Utah: Business Number: 571171-0143
- b. If **NO**, the operator was contacted on: _____
- a. (R649-9-2) Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: _____
- c. Reports current for Production/Disposition & Sundries on: YES
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 7/31/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 7/31/2007
- Bond information entered in RBDMS on: 7/31/2007
- Fee/State wells attached to bond in RBDMS on: 7/31/2007
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: pending

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: 6236351
- Indian well(s) covered by Bond Number: n/a
- a. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 6218963
- b. The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 8/1/2007

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See Attached List

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
See Attached List

9. API NUMBER:
various

10. FIELD AND POOL, OR WILDCAT:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
Forest Oil Corporation *N6965*

3. ADDRESS OF OPERATOR:
707 17th Street, #3600 CITY **Denver,** STATE **CO** ZIP **80202** PHONE NUMBER: **(303) 812-1755**

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **See attached list** COUNTY: _____
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. *N2525*

Effective 6/1/2007 please change the operator for the attached list of Utah wells from The Houston Exploration Company N-2525 to Forest Oil Corporation (N-6965). Forest merged with The Houston Exploration Company, a copy of the merger document is attached.. The contract operated wells will continue to be contract operated by Enduring.

Forest Oil Corporation as new operator, accepts all applicable terms, conditions, stipulations and restrictions concerning approved operations conducted on the lease or portion of the lease described.

Forest Oil Corporation meets the State of Utah bonding requirements under Safeco bond #6218963.

Please send all future correspondence to Forest Oil Corporation at the above listed address.

Forest Oil Corporation, 707 17th Street, Suite #3600, Denver, CO 80202

J.C. Ridens
J. C. Ridens, Senior Vice President - Western Region

7-5-07
Date

NAME (PLEASE PRINT) Joanne C. Hresko TITLE Vice President & General Mgr. - Northern Division

SIGNATURE *Joanne C. Hresko* DATE 7-5-07

(This space for State use only)

APPROVED *7/31/07*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

No wells in APD status or at this time

RECEIVED
JUL 30 2007

DIV OF OIL, GAS & MINING *WMP*

well_name	sec	twp	rng	api	entity	lease	well	stat	flag	unit	qtr_qtr	l_num	op no
FEDERAL 28-01	28	080S	250E	4304730098	10095	Federal	GW	S			SESE	UTU-016257	N2525
CONOCO STATE 32-2	32	080S	250E	4304730100	10096	State	GW	S			NENE	ML-11124	N2525
ROCK HOUSE 11-31	31	100S	230E	4304733312	13984	Federal	GW	P			NESW	UTU-76281	N2525
BONANZA 4B-12	12	090S	230E	4304733806	14593	Federal	D	PA			NWNW	UTU-74426	N2525
WALKER HOLLOW 13-31	31	060S	230E	4304735039		Federal	GW	LA			SESW	UTU-76280	N2525
ROCK HOUSE 6D-32	32	100S	230E	4304735409	14293	State	GW	S			SESW	ML-47063	N2525
BONANZA 2B-16	16	090S	240E	4304735694	14186	State	D	PA			NWNE	ML-46526	N2525
ROCK HOUSE 2D-36	36	100S	220E	4304735759	14357	State	GW	P			NWNE	ML-47061	N2525
ROCK HOUSE 2D-32	32	100S	230E	4304735760	14317	State	GW	S			NWNE	ML-47063	N2525
ROCK HOUSE 10D-32	32	100S	230E	4304735761	14318	State	GW	S			NWSE	ML-47063	N2525
ROCK HOUSE 12D-32	32	100S	230E	4304735762	14294	State	GW	P			NWSW	ML-47063	N2525
ROCK HOUSE 11-36	36	100S	220E	4304735900	14478	State	GW	P			NESW	ML-46907	N2525
ROCK HOUSE 4-36	36	100S	220E	4304735901	14449	State	GW	S			NWNW	ML42061	N2525
BONANZA 12A-22	22	090S	240E	4304735922	14520	Federal	D	PA			NWSW	UTU-78118	N2525
BONANZA 14-16	16	090S	240E	4304735941	14521	State	D	PA			SESW	ML-46526	N2525
ROCK HOUSE 11-2	02	110S	230E	4304736153	14695	State	GW	P	C		NESW	ML-47078	N2525
ROCK HOUSE 7-32-10-23	32	100S	230E	4304736306	14766	State	GW	S			SWNE	ML-47063	N2525
ROCK HOUSE 3-32-10-23	32	100S	230E	4304736307	14781	State	GW	P			NENW	ML-47063	N2525
ROCK HOUSE 5-32-10-23	32	100S	230E	4304736410	14727	State	GW	S			SWNW	ML-47063	N2525
GUSHER 6-2	02	060S	190E	4304736963		State	OW	LA			SESW	ML-49144	N2525
N HORSESHOE 3-16-6-21	16	060S	210E	4304737391	15716	State	GW	DRL	C		NENW	ML-49317	N2525
N HORSESHOE 12-7-6-22	07	060S	220E	4304737392		State	GW	LA			NWSW	ML-47969	N2525
N HORSESHOE 16-9-6-22	09	060S	220E	4304737393		State	GW	LA			SESE	ML-47969	N2525
N HORSESHOE 14-10-6-22	10	060S	220E	4304737394		State	GW	LA			SESW	ML-47969	N2525
N HORSESHOE 2-15-6-22	15	060S	220E	4304737395		State	GW	LA			NWNE	ML-47969	N2525
N HORSESHOE 4-15-6-22	15	060S	220E	4304737396		State	GW	LA			NWNW	ML-47969	N2525
N WALKER HOLLOW 12-32-6-23	32	060S	230E	4304737397		State	GW	LA			NWSW	ML-47777	N2525
N WALKER HOLLOW 16-32-6-23	32	060S	230E	4304737398		State	GW	LA			SESE	ML-47777	N2525
N WALKER HOLLOW 2-32-6-23	32	060S	230E	4304737399	15741	State	GW	DRL	C		NWNE	ML-47777	N2525
N WALKER HOLLOW 10-32-6-23	32	060S	230E	4304737400		State	GW	LA			NWSE	ML-47777	N2525
N WALKER HOLLOW 8-32-6-23	32	060S	230E	4304737401		State	GW	LA			SENE	ML-47777	N2525
N WALKER HOLLOW 11-36-6-23	36	060S	230E	4304737462		State	GW	LA			NESW	ML-47970	N2525
N WALKER HOLLOW 13-36-6-23	36	060S	230E	4304737463		State	GW	LA			SWSW	ML-47970	N2525
N WALKER HOLLOW 15-36-6-23	36	060S	230E	4304737464		State	GW	LA			SWSE	ML-47970	N2525
N WALKER HOLLOW 14-32-6-23	32	060S	230E	4304737478		State	GW	LA			SESW	ML-47777	N2525
HACKING RES 11-32-8-25	32	080S	250E	4304737479		State	GW	LA			NESW	ML-11124	N2525
HACKING RES 3-32-8-25	32	080S	250E	4304737480		State	GW	LA			NENW	ML-11124	N2525
HACKING RES 5-32-8-25	32	080S	250E	4304737481		State	GW	LA			SWNW	ML-11124	N2525
HACKING RES 15-32-8-25	32	080S	250E	4304737482		State	GW	LA			SWSE	ML-11124	N2525
HACKING RES 9-32-8-25	32	080S	250E	4304737483		State	GW	LA			NESE	ML-11124	N2525
HACKING RESERVOIR 7-32-8-25	32	080S	250E	4304737571	15885	State	GW	DRL	C		SWNE	ML-11124	N2525

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

ML47061

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
Rock House

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL

OIL WELL

GAS WELL

OTHER _____

8. WELL NAME and NUMBER:

4-36

2. NAME OF OPERATOR:

Forest Oil Corporation

9. API NUMBER:

4304735901

3. ADDRESS OF OPERATOR:

707 17th Street, Ste 3600

CITY

Denver

STATE

Co

ZIP

80202

PHONE NUMBER:

(303) 812-1554

10. FIELD AND POOL, OR WILDCAT:

Natural Buttes

4. LOCATION OF WELL

FOOTAGES AT SURFACE: 837' FNL & 646' FWL

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 36 10S 22E

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input checked="" type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The reseeding was completed for this location, in accordance with the rules and regulations set forth in the approved APD.

Top soil was laid back on the previously filled in reserve pit, as well as the disturbed area around the location and along the road. All areas were seeded utilizing a seeding drill with the following mixture:

Black Sage 1#/acre
Shad scale 3#/acre
Galleta grass 3#/acre
Gardners salt bush 3#/acre


NAME (PLEASE PRINT)

Cindy Bush

TITLE

Sr. Regulatory Tech

SIGNATURE



DATE

3/4/2009

(This space for State use only)

RECEIVED

MAR 09 2009

Forest Oil
Rock House 4-36

completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified. And left with a rough surface.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

All disturbed areas will be re-contoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

B) Seed Mix ^{B.F.}

- Black Sage 1#/acre
- Shad scale 3#/acre
- Galleta grass 3#/acre
- Gardners salt bush 3#/acre

10 lbs PLS

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

11. Surface ownership:

- Access road State
- Location State
- Pipe line State

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

12. Other information:

A) Vegetation

The vegetation coverage is slight. The majority of the existing vegetation consists of Sagebrush. Rabbit brush, bitter Brush, and Indian rice grass are also found on the location.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.


1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-47061
2. NAME OF OPERATOR: Forest Oil Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 707 17th St. Suite 3600 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 837' FNL & 646' FWL		8. WELL NAME and NUMBER: Rock House 4-36
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 36 10S 22E		9. API NUMBER: 4304735901
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Scale Removal</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Scale Removal
8-3-2009
MIRU Asa's WL, tbg 130#, Csg 270#, Blow plgr in (scale present), RIH w/1.910" tbg broach, tag plgr stop @ 7093' POH, scale on broach, drop 2 pad plgr & set to run, RDMO

NAME (PLEASE PRINT) Kelly Harris	TITLE Regulatory Tech
SIGNATURE 	DATE 8/17/2009

(This space for State use only)

RECEIVED
AUG 24 2009

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-42061
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: Rock House 4-36	
2. NAME OF OPERATOR: Forest Oil Corporation		9. API NUMBER: 4304735901
3. ADDRESS OF OPERATOR: 707 17th Street, Ste 3600 CITY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 812-1676	10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: 837' FNL & 646' FEL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNE 36 10S 22E		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 7-2-2009	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Weed Control
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Forest Oil Corporation would respectfully like to let you know that Pride Weed Control came out and applied weed control on 7/2/2009 at 5:54. Please see attached invoice that covers all of the wells that are listed on the attached spreadsheet, along with a copy of the Pesticide Application Report.

NAME (PLEASE PRINT) Kelly Harris	TITLE Regulatory Tech
SIGNATURE	DATE 1/12/2010

(This space for State use only)

RECEIVED
FEB 24 2010

Pride Weed Control, Inc.

8100 Hwy 550
Durango CO 81303

Invoice

Date	Invoice #
7/8/2009	13710

Bill To
Forest Oil Corporation

Service Location
Bare Ground Weed Control

P.O. No.	Terms	Due Date
	2% 10 Net 30	8/7/2009

Item	Description	Quantity	Rate	Amount
4.3	Bare Ground Vegetation Management: By Production Unit		1,922.50	1,922.50T
Mojave 70 EG	EPA 74477-9-81927	22.4	5.00%	0.00 96.13

Commercial applicators are licensed by the Colorado Department of Agriculture

Phone #	Fax #	E-mail	Total	\$2,018.63
(970) 247-9778	(970) 385-0967	pwc@animas.net		

RECEIVED
FEB 24 2010
DIV. OF OIL, GAS & MINING

BUREAU OF LAND MANAGEMENT
PESTICIDE APPLICATION REPORT

BLM Field Office: VERNAL, UT

Date: SEPTEMBER 30, 2009

Applicator Information:

1. Office Address: Pride Weed Control, Inc. 8100 Hwy 550 Durango, CO 81303
 - a. Phone Number: 970-247-9778
 - b. Project Name: Various Oil and Gas Facilities for Forest Oil
 - c. Pesticide Use Proposal Number: _____
2. Name of Applicator or Employee(s) Applying the Pesticide: Pride Weed Control, Inc.
3. Date(s) of Application (month, day, year): Various
4. Time of Application: Various
5. Location of Application: Various (see attached)
6. Type of Equipment Used: Truck mounted sprayer – handgun
7. Pesticide(s) Used:
 - a. Company or Manufacturer Name: ALLIGARE LLC
 - b. Trade Name: MOJAVE
 - c. Type of Formula: DISPERSABLE GRANUAL
8. Rate of Application Used (active ingredient per acre): 10 LBS / ACRE

Total amount of pesticide used: 24 LBS

Total amount of active ingredient used: 1.8672 LBS of Imazapyr and 14.9328 lbs of diuron
9. Total Area Treated: 3 Acres
10. Primary Pest(s) Involved: ALL VEGETATION

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

11. Stage of Pest Development: Various

12. Weather Conditions: Variable

13. Monitoring Record (if insufficient space-continue on back):

*This record if required by law and must completed except for monitoring within 24 hours after completion of application of pesticides. This record must be maintained for a minimum of 10 years.

RECEIVED
FEB 24 2010
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410

REFER TO: 9015 (UT-933)

TO: Mr. Clay W. Grant
Forest Oil Corporation
916 Upland Way
Green River WY 82935

Mr. George Thompson
Pride Weed Control
8100 Hwy 550
Durango CO 81303

FROM: Clayton Newberry, Minerals Dept Botanist
USDI Bureau of Land Management, Vernal Field Office

SUBJECT: PUP No. 09-LLUTG01000-17

Dear Mr. Grant and Mr. Thompson:

Your Pesticide Use Proposal (09-LLUTG01000-17) has been approved, with modifications and clarifications, by State Office in Salt Lake City. I have included a copy of the letter from State Office.

I have also included a Pesticide Application Record Form (PARF). Please send a copy of the PARF to your pesticide applicator. Instruct him that he should fill out a separate PARF every time he applies pesticide, one PARF per general area of application; and to submit all completed PARFs to our office every year by 01 November. I have included a completed PARF as a sample, to show how it should be filled out.

In addition, when submitting Pesticide Use Proposals from now on, please use the most current form posted on the Vernal BLM web page at the following URL:
http://www.blm.gov/style/medialib/blm/ut/vernal_fo/energy.Par.91962.File.dat/BLANK%20PUP%20FORM.pdf.

If you have any questions or need clarification, contact me by office phone at 435-781-3404 or by e-mail at Clayton_Newberry@blm.gov.

I wish you well in your operations in areas administered by Vernal Field Office.

Respectfully,

Clayton Newberry

Enclosures: PUP approval letter
Pesticide Application Record Form
sample completed Pesticide Application Record Form

Rock House file
10 August 2009

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING



United States Department of the Interior



MANAGEMENT SERVICES	<i>R</i>
LAND USE & PLANNING	
NEPA	<input checked="" type="checkbox"/>
Renewables	
IN REPLY REFER TO:	
9015	(UT-933)
BUREAU OF LAND MANAGEMENT VERNAL UT	
ALL EMPLOYEES	

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov/ut/st/en.html>

JUL 29 2009

Memorandum

To: Vernal Field Manager

From: Deputy State Director, Natural Resources

Subject: Pesticide Use Proposal Approvals

RECEIVED
JUL 29 2009
BLM VERNAL, UTAH

Your Pesticide Use Proposal (PUP) LLUTG01000 -17 with eleven herbicide formulations (eight active ingredients: Glyphosate, Dicamba, Triclopyr+Clopyralid, Metsulfuron Methyl, 2,4-D, Imazapyr+Diuron) and two adjuvants (surfactant and dye) is approved with one modification, shown below and on the PUP. The objective of these treatments is for bare ground control to improve worker safety and reduce fire hazards around oil and gas facilities and equipment. This PUP is approved for a period of one year from the date of approval, approximately July 31, 2010.

Modification: Items #10 and #11 Mojave 70EG and Sahara DG: The recommended use rate is ≤ 10 lbs/acre in a $< 15''$ rainfall zone. The proposed intended use rate of 10-12 lbs/acre is slightly higher. UTSO requests that the operator adhere to the recommendation guidelines in the label and limit applications to 10 lbs/ac/yr. If for some unforeseen reason this rate does not provide adequate control, this may be negotiated with the FO weed specialist to a maximum of 12/lbs/ac/yr after the first year, and approved in writing (notated on the original PUP).

Also, for future PUP submissions, it is requested that the Field Office submit the information on a single form rather than duplicate information on multiple forms. Invariably data does not match and it creates extra work to correct both forms. Additionally, herbicide labels should be included in future PUP submissions.

The Green River District is in the process of updating its Weed Management Plan and associated environmental analysis. As part of that process, field office staff is consulting with US Fish and Wildlife Service (USFWS) with regard to Threatened and Endangered Species (TES) and identifying appropriate standard operating procedures and mitigation measures, including treatment buffers, for the use of herbicides in or near potential habitat for TES plant species. This process is expected to be completed in 2010. In the interim, as a result of communication with USFWS, PUP approvals will be for a period of one year and the current conservation measures and prescribed buffers for surface disturbing activities in TES habitat will be utilized.

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING


Treatments will be made in accordance with the pesticide label, this PUP and Approval Memo, the current Decision Notice and Environmental Documents (UT-08-03-73, Rev. 3/25/85 and applicable Environmental Assessments for related APD's and pipeline development) and the Vegetation Treatments Using Herbicides PEIS 2007 (as directed by IM-2008-030). Treatments are required to be made by or under the direct supervision of a certified licensed applicator.

Prior to treatments, all sites should obtain sensitive species clearances. Continue to work with Vernal Field Office staff and representatives from USFWS to address TES plant concerns and implement appropriate mitigations and conservation measures, including buffers for surface disturbance as provided in informal and formal consultation. Additionally, applicators are strongly encouraged to take extra precautions with respect to drift control: assessing wind conditions, following label directions, and adjusting equipment and droplet size as much as practical to minimize drift potential. EA No. UT-08-73/Rev 03/25/85 specifies that spray application should not be done when wind speeds exceed 6 miles per hour or heavy rainfall or other adverse weather conditions exist, in addition to other applicable mitigation measures.

Please follow the label and MSDS directions for personal protective equipment, which generally includes long sleeved shirt and pants, shoes and socks, chemical resistant gloves, and protective eyewear. BLM handbook 9011 – 1 also strongly recommends the use of coveralls.

It is the responsibility of Forest Oil, its contractors, and the Vernal Field Office to monitor herbicide application to be sure that the approved PUP is followed and that Pesticide Application Records are completed within 24 hours after application of the pesticide and maintained in the office records for 10 years. Please coordinate efforts to ensure this documentation is provided to the FO in a timely manner.

If you have questions, please contact Lisa Bryant at (801) 539-4069 or Verlin Smith at (801) 539-4055.



Attachments

PUP No. 09-LLUTG010000-17

Herbicide Labels: Round-up Pro, Rifle, Redeem R&P, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D Low Vol 6, Escort XP, Glyphosate 4 Plus, Mojave, Sahara DG

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

U.S. DEPARTMENT OF INTERIOR
PESTICIDE USE PROPOSAL

EA NUMBER: UT - 08-73 / REV. 3/25/85

STATE: UT

COUNTY: Uintah

FIELD OFFICE: Vernal

DURATION OF PROPOSAL: ^{One} 3 Years

LOCATION: Various gas and oil well locations, compressor and pumping facilities, pipeline rights-of-way.

Attach map(s) and/or a list of sites * (Sites Listed)

ORIGINATOR - NAME: Clay Grant

ORIGINATOR - COMPANY: Forest Oil Corporation

ORIGINATOR - CONTACT INFORMATION: 916 Upland Way Green River, WY 82935

Include address and phone number (307) 875-1964 off. (307) 875-1967 fax (303) 406-1627 cell

DATE:

PROPOSAL NUMBER:

EA REFERENCE NUMBER:

DECISION RECORD (DR) NUMBER:

I. APPLICATION SITE DESCRIPTION:

1. ESTIMATED NUMBER OF ACRES: 70
2. GENERAL DESCRIPTION (Describe land type or use, size, stage of growth of target species, soil characteristics, and any additional information that may be important in describing the area to be treated.)

Previously leveled areas for the construction of roads, gas and oil well locations, reclaimed pits and pipeline rights-of-way, access roads.

II. DESIRED RESULTS OF APPLICATION: (List the anticipated results of the treatment, species that will be controlled or removed, or enhanced, etc.):

Bare ground and control if noxious species.

III. SENSITIVE ASPECTS AND PRECAUTIONS: (Describe sensitive areas - marsh, endangered, threatened, candidate, and sensitive species habitat - and distance to application site. List measures to be taken to avoid impact to these areas):

Spraying will be halted when winds present a danger of drift and damage to off-target species.

IV. NON-TARGET VEGETATION (Describe potential immediate and cumulative impacts to non-target pests in project area as a result of the pesticide application. Identify any planned mitigation measures that will be employed - BE GENERAL, SPECIFICS DISCUSSED IN THE EA):

None

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

V. INTEGRATED PEST MANAGEMENT PRACTICES CONSIDERED IN THE OVERALL PROJECT:

Spraying only

VI. Please submit the product labels (or copies of the product labels) and MSD Sheets along with this PUP.

Use the following tables to indicate which products will be used. The row number should be consistent throughout Tables 1, 2, 3 & 4 (i.e., row 1 in Table 1 should correspond to row 1 in Tables 2, 3 & 4). Add more rows if needed for additional products. Use Table 5 for adjuvants. You may fill this out electronically or print it, fill it out by hand and mail it in—but if your handwriting is illegible, this PUP will be returned without action.

1. PESTICIDES (row numbers in Table 1 should correspond to row numbers in Tables 2, 3 & 4)						
Row No.	TRADE NAME	COMMON NAME	EPA REG. No.	MANUFACTURER	FORMULATION (liquid or granule)	APPLICATION METHOD
1	Round-Up Pro	Glyphosate	524-475	Monsanto	liquid	backpack spray
2	Rifle	Dicamba	34704-861	Loveland Products	Liquid	Handgun, truck, tractor, ATV mounted booms
3	Redeem R&P	Triclopyr plus clopyralid	62719-337	Dow Agrosience	Liquid	Handgun, truck, tractor, ATV mounted booms
4	Cruise Control	Dicamba	42750-40-81927	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
5	Prescott Herbicide	Triclopyr plus clopyralid	81927-30	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
6	MSM 60	Metsulfuron Methyl	81927-7	Alligare	Granule	Handgun, truck, tractor, ATV mounted booms
7	2,4-D Low Vol 6	2,4-D	34704-125	Loveland Products	Liquid	Handgun, truck, ATV mounted booms
8	Escort XP	Metsulfuron Methyl	352-439	Dupont	Granular	Handgun, truck, tractor, ATV mounted booms
9	Glyphosate 4 plus	Glyphosate	81927-9	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
10	Mojave 70 EG	Imazapyr plus Diuron	74477-9-81927	Alligare	Granular	Handgun, truck, tractor, ATV mounted booms
11	Sahara DG	Imazapyr plus Diuron	241-372	BASF	Granular	Handgun, truck, tractor, ATV mounted booms

RECEIVED

FEB 24 2010

2. MAXIMUM APPLICATION RATE ACCORDING TO PRODUCT LABEL (row numbers correspond to Table 1)				
Row No.	TRADE NAME	APPLICATION RATE ON PRODUCT LABEL	POUNDS ACTIVE INGREDIENT PER ACRE	POUNDS ACID EQUIVALENT (AE) PER ACRE (IF GIVEN)
1	Round-Up Pro	10.6 qts / acre / yr	10.6 Lbs / acre / yr	7.95 Lbs / acre / yr
2	Rifle	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
3	Redeem R&P	4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
4	Cruise Control	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
5	Prescott Herbicide	Up to 4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
6	MSM 60	2 oz / acre / yr	1.2 oz / acre / yr	N/A
7	2,4-D Low Vol 6	5 1/3 pts / acre	3.73 Lbs ae / acre	3.73 Lbs / acre / yr
8	Escort XP	2 oz / acre / yr	1.2 oz / acre / yr	N/A
9	Glyphosate 4 plus	2 Gals / acre / yr	8 Lbs / acre / yr	6 Lbs / acre / yr
10	Mojave 70 EG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A
11	Sahara DG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A

2007 VELS
Max Rate
ae/acre/yr
7.0 lbs ae/ae
(9.3 qts produ
2.0 lbs ae
10 lbs T ae
1 lb C ae
2.0 lbs ae
10 lbs T ae
1 lb C ae
.15 lbs ai
1.9 lbs ae
.15 lbs ai
7.0 lbs ae/ae
(9.3 qts prod)
1.5 lbs ai
20)
1.5 lbs ai
20)

3. INTENDED APPLICATION RATE (rows correspond to Table 1)				
Row No.	TRADE NAME	INTENDED APPLICATION RATE	INTENDED POUNDS ACTIVE INGREDIENT PER ACRE	INTENDED POUNDS ACID EQUIVALENT PER ACRE
1	Round-Up Pro	Up to 2 qts / acre / yr	Up to 2 Lbs	Up to 1.5 Lbs
2	Rifle	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
3	Redeem R&P	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
4	Cruise Control	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
5	Prescott Herbicide	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
6	MSM 60	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
7	2,4-D Low Vol 6	Up to 2 2/3 pts./acre/yr	Up to 1.85 Lbs / acre / yr	Up to 1.85 Lbs
8	Escort XP	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
9	Glyphosate 4 plus	Up to 1 Gal / acre / yr	Up to 4 Lbs / acre / yr	Up to 3 Lbs
10	Mojave 70 EG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.
11	Sahara DG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.

RECEIVED

FEB 24 2010

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

4. PESTICIDE TIMING & TARGET (rows correspond to Table 1)				
Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr - 30 Oct	1-2 per year, as needed	All Vegetation
2	Rifle	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
3	Redeem R&P	Various Dated	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
4	Cruise Control	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
5	Prescott Herbicide	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian Knapweed, and Spotted Knapweed
6	MSM 60	Various Dates	1 application / yr	Halogeton, Whitetop, Perennial Pepperweed
7	2,4-D Low Vol 6	Various Dates	1 application / yr	Halogeton
8	Escort XP	Various Dates	1 application / yr	Whitetop, Halogeton, Black Henbane, Perennial Pepperweed, Russian Knapweed
9	Glyphosate 4 plus	Various Dates	1 application / yr	All Vegetation
10	Mojave 70 EG	Various Dates	1 application / yr	All vegetation
11	Sahara DG	Various Dates	1 application / yr	All vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)					
TRADE NAME	TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APP. RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mohave 70 EG, Sahara DG, Glyphosate 4 Plus, Round Up Pro
Activator 90	surfactant	Loveland Products	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D low vol 6, Escort XP

RECEIVED

FEB 24 2010

VII. The following must be filled out legibly and signed by the Applicator and Originator. If **DIV. OF OIL, GAS & MINING** in any way illegible, this PUP will be returned to the Originator without action.

"Applicator" refers to the company which will apply the pesticide (e.g., Joe's Weed Killer s. LLC) "Originator" refers to the company which originates this herbicide use request (e.g., Gas R Us, Inc.)

Applicator company name: Pride Weed Control, Inc.
Applicator contact name: George Thompson
Applicator contact phone number: 970-247-9778
Applicator address: 8100 Hwy 550 Durango CO 81303

Pesticide applicator signature: *George Thompson*
Pesticide applicator printed name: George Thompson
Pesticide applicator license no.: 4001-14068 Exp. Date: 12/31/2011

I will ensure that the pesticide(s) and pesticide products will be applied in accordance with product label restrictions and according to the information presented above, and according to BLM modifications (if any). I will also ensure that Pesticide Use Application Records and Pesticide Use Reports will be submitted to the BLM Rawlins Field Office monthly for the duration of this PUP.

Originator signature: *[Signature]* Date: 5/6/2009
Printed / typed name: Clay W. Grant SR. Production Foreman

To be signed and approved by BLM personnel:

FO Pesticide Coördinator signature: *[Signature]* Date: 4 Jun 2009
FO Manager approval: *William [Signature]* Date: 6/4/09
State Coördinator signature: *Sue Bryant* Date: 7/28/09
Deputy State Director approval: *[Signature]* Date: 7/28/09

- APPROVED
- DISAPPROVED
- APPROVED WITH MODIFICATIONS (see below):

Modifications:

Recommended use rates for Mojave 70EG - Sahara DG in <15" piece zone is <10 lbs/acre/yr. Operator should adhere to label recommendations unless they can show inadequate control. In such an instance a rate of up to 12 lbs product/acre may be negotiated in writing w/ FO weed special. 3 attached to this PUP.

Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr – 30 Oct	1-2 applications per year, as needed	all vegetation
2	Rifle	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
3	Redeem R&P	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
4	Cruise Control	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
5	Prescott	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
6	MSM 60	various dates	1 application per year	halogeton, whitetop, perennial pepperweed
7	2,4-D Low Vol 6	various dates	1 application per year	halogeton
8	Escort XP	various dates	1 application per year	black henbane, perennial pepperweed, Russian knapweed, whitetop, halogeton
9	Glyphosate 4 Plus	various dates	1 application per year	all vegetation
10	Mojave 70 EG	various dates	1 application per year	all vegetation
11	Sahara DG	various dates	1 application per year	all vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)					
TRADE NAME	ADJUVANT TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APPLICATION RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mojave 70 EG, Sahara DG, Glyphosate 4 Plus, Round-Up Pro
Activator 90	surfactant	Loveland	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem R&P, Cruise Control, Prescott, MSM 60, 2,4-D Low Vol 6, Escort XP

The following must be filled out legibly and signed. If your handwriting is in any way illegible, this PUP will be returned to the sender without action.

"Originator" refers to the company which needs herbicides applied—e.g., Basin Oil, Inc.

"Applicator" refers to the company which will apply the herbicide—e.g., Basin Annihilo-Weed, Inc.

Originator company: Forest Oil Corporation

Originator contact name: Clay Grant

Originator contact phone number(s): 307-875-1964 cell 303-406-1627 fax 307-875-1967

Originator mailing address: 916 Upland Way, Green River WY 82935

Applicator company name: Pride Weed Control, Inc.

Applicator name: George Thompson

Applicator license no.: 4001-14068 exp. 12/31/2011


Applicator phone & fax numbers: phone 970-247-9778

Applicator mailing address: 8100 Hwy 550, Durango, CO 81303

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING



RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

LI-105117-60

RECEIVED

FEB 24 2010

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

DIV. OF OIL, GAS & MINING

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	Phenology	Cover Class	Pattern	Infest. Size	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

RECEIVED

FEB 24 2010

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

DIV. OF OIL, GAS & MINING

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	Phenology	Cover Class	Pattern	Infest. Size	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing defement yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

COVER CLASS - estimated percent cover, by species, of the infestation

- 0 No weeds found
- 1 Less than 1% (trace)
- 2 One to five percent (low - occasional plants)
- 3 Six to twenty-five percent (moderate - scattered plants)
- 4 Twenty-five to 100% (high - fairly dense)

PATTERN - pattern of the infestation

- 0 No weeds found
- 1 Single plant or small area of many plants
- 2 Linear
- 3 Patchy
- 4 Block

INFESTATION SIZE - number of estimated acres of the infestation

- 0 No weeds found
- 1 Less than one acre
- 2 One to five acres
- 3 Five or more acres

PHENOLOGY - development stage

- 1 Vegetative
- 2 Bud stage
- 3 Flower
- 4 Seeded
- 5 Mature
- 6 Dormant

RECEIVED
FEB 24 2010
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.


		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-42061
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: Rock House 4-36
2. NAME OF OPERATOR: Forest Oil Corporation		9. API NUMBER: 4304735901
3. ADDRESS OF OPERATOR: 707 17th Street, Ste 3600 CITY Denver STATE CO ZIP 80202		PHONE NUMBER: (303) 812-1676
4. LOCATION OF WELL FOOTAGES AT SURFACE: 837' FNL & 646' FEL		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNE 36 10S 22E		COUNTY: Uintah
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 7/2/2009	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Weed Control</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Forest Oil Corporation would respectfully like to let you know that Pride Weed Control came out and applied Noxious weed control on 7/2/2009 at 4:15. Please see attached invoice that covers all of the wells that are listed on the attached spreadsheet, along with a copy of the Pesticide Application Report.

NAME (PLEASE PRINT) Kelly Harris	TITLE Regulatory Tech
SIGNATURE 	DATE 3/17/2010

(This space for State use only)

RECEIVED
MAR 23 2010
DIV. OF OIL, GAS & MINING

Pride Weed Control, Inc.

8100 Hwy 550
Durango CO 81303

Invoice

Date	Invoice #
7/8/2009	13709

Bill To
Forest Oil Corporation

Service Location
Noxious Weed Control

P.O. No.	Terms	Due Date
	2% 10 Net 30	8/7/2009

Item	Description	Quantity	Rate	Amount
2.3	Noxious Weed control by Acre	27.5	157.50	4,331.25T
Rifle	Pints: EPA Reg #42750-40-34704	27.39		0.00
2, 4-D LV 6#	Gallons EPA Reg#34704-12	6.85		0.00
			5.00%	216.56
Commercial applicators are licensed by the Colorado Department of Agriculture				
Phone #	Fax #	E-mail		Total \$4,547.81
(970) 247-9778	(970) 385-0967	pwc@animas.net		

RECEIVED
MAR 23 2010
DIV. OF OIL, GAS & MINING

Forest Oil Noxious Invoice #13709 July 8, 2009

PRIDE WEED CONTROL, INC.

BLOCK	NAME	NO	LOCATION	LEASE	DATE	TIME	ACRES	OZ	NET	TAXABLE	TAX EXEMPT	TAX EXEMPT CHG	TAX CHG	CHARGES	TAX	TOTAL
10-22	Rock House	4-36	NWNW 36, 10, 22	ML-42061	7/2/2009	4:15	3.94	157.7	3.94	3.94	0	\$0.00	\$620.55	\$620.55	\$31.03	\$651.58
10-23	Rock House	05-32-10-23	SWNE 32, 10, 23	ML-47063	7/1/2009	1:09	2.64	126.9	2.64	2.64	0	\$0.00	\$415.80	\$415.80	\$20.79	\$436.59
10-23	Rock House	7-32-10-23	SWNE 32, 10, 23	ML-47063	7/2/2009	1:45	1.42	63.5	1.42	1.42	0	\$0.00	\$223.65	\$223.65	\$11.18	\$234.83
10-23	Rock House	10D-32	NWSE 32, 10, 23	ML-47063	7/2/2009	12:58	1.82	87.5	1.82	1.82	0	\$0.00	\$286.65	\$286.65	\$14.33	\$300.98
11-23	Rock House (11-02)	11-23-23-02	NESW 2, 11, 23	ML-47078	7/2/2009	11:30	1.7	80.5	1.7	1.7	0	\$0.00	\$267.75	\$267.75	\$13.39	\$281.14
10-23	Rock House	11-31	NESW 31, 10, 23	UTU-76281	7/2/2009	2:18	2.23	107.2	2.23	2.23	0	\$0.00	\$351.23	\$351.23	\$17.56	\$368.79
10-23	Rock House	11-36	NESW 36, 10, 22	ML-42061	7/2/2009	3:30	1.44	108.5	1.44	1.44	0	\$0.00	\$226.80	\$226.80	\$11.34	\$238.14
10-23	Rock House	12D-32	NWSW 32, 10, 23	ML-47063	7/1/2009	1:05	2.92	140	2.92	2.92	0	\$0.00	\$459.90	\$459.90	\$23.00	\$482.90
10-23	Rock House	2D-32	NWNE 32, 10, 23	ML-47063	7/2/2009	12:58	1.42	63.5	1.42	1.42	0	\$0.00	\$223.65	\$223.65	\$11.18	\$234.83
10-23	Rock House	2D-36	NWNE 36, 10, 22	ML-42061	7/2/2009	3:18	3.07	150.8	3.07	3.07	0	\$0.00	\$483.53	\$483.53	\$24.18	\$507.70
10-23	Rock House	3-32-10-23	NENW 32, 10, 23	ML-41063	7/1/2009	1:50	2.81	135.5	2.81	2.81	0	\$0.00	\$442.58	\$442.58	\$22.13	\$464.70
10-23	Rock House	6D-32	SENEW 32, 10, 23	ML-47063	7/1/2009	1:20	2.09	92.8	2.09	2.09	0	\$0.00	\$329.18	\$329.18	\$16.46	\$345.63
							27.5	1314.4	27.5	27.5	0	\$0.00	\$4,331.27	\$4,331.27	\$216.57	\$4,547.81

BUREAU OF LAND MANAGEMENT
PESTICIDE APPLICATION REPORT

BLM Field Office: VERNAL, UT

Date: SEPTEMBER 30, 2009

Applicator Information:

1. Office Address: Pride Weed Control, Inc. 8100 Hwy 550 Durango, CO 81303

a. Phone Number: 970-247-9778

b. Project Name: Various Oil and Gas Facilities for Forest Oil

c. Pesticide Use Proposal Number: _____

2. Name of Applicator or Employee(s) Applying the Pesticide: Pride Weed Control, Inc.

3. Date(s) of Application (month, day, year): Various

4. Time of Application: Various

5. Location of Application: Various (see attached)

6. Type of Equipment Used: Truck mounted sprayer – handgun

7. Pesticide(s) Used:

a. Company or Manufacturer Name: ALLIGARE LLC

b. Trade Name: MOJAVE

c. Type of Formula: DISPERSABLE GRANUAL

8. Rate of Application Used (active ingredient per acre): 10 LBS / ACRE

Total amount of pesticide used: 24 LBS

Total amount of active ingredient used: 1.8672 LBS of Imazapyr and

14.9328 lbs of diuron

9. Total Area Treated: 3 Acres

10. Primary Pest(s) Involved: ALL VEGETATION

RECEIVED

MAR 23 2010

DIV. OF OIL, GAS & MINING

11. Stage of Pest Development: Various

12. Weather Conditions: Variable

13. Monitoring Record (if insufficient space-continue on back):

*This record if required by law and must completed except for monitoring within 24 hours after completion of application of pesticides. This record must be maintained for a minimum of 10 years.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410

REFER TO: 9015 (UT-933)

TO: Mr. Clay W. Grant
Forest Oil Corporation
916 Upland Way
Green River WY 82935

Mr. George Thompson
Pride Weed Control
8100 Hwy 550
Durango CO 81303

FROM: Clayton Newberry, Minerals Dept Botanist
USDI Bureau of Land Management, Vernal Field Office

SUBJECT: PUP No. 09-LLUTG01000-17

Rock House File

10 August 2009

Dear Mr. Grant and Mr. Thompson:

Your Pesticide Use Proposal (09-LLUTG01000-17) has been approved, with modifications and clarifications, by State Office in Salt Lake City. I have included a copy of the letter from State Office.

I have also included a Pesticide Application Record Form (PARF). Please send a copy of the PARF to your pesticide applicator. Instruct him that he should fill out a separate PARF every time he applies pesticide, one PARF per general area of application; and to submit all completed PARFs to our office every year by 01 November. I have included a completed PARF as a sample, to show how it should be filled out.

In addition, when submitting Pesticide Use Proposals from now on, please use the most current form posted on the Vernal BLM web page at the following URL:
http://www.blm.gov/style/medialib/blm/ut/vernal_fo/energy.Par.91962.File.dat/BLANK%20PUP%20FORM.pdf.

If you have any questions or need clarification, contact me by office phone at 435-781-3404 or by e-mail at Clayton_Newberry@blm.gov.

I wish you well in your operations in areas administered by Vernal Field Office.

Respectfully,

Clayton Newberry

Enclosures: PUP approval letter
Pesticide Application Record Form
sample completed Pesticide Application Record Form

RECEIVED

MAR 23 2010

DIV. OF OIL, GAS & MINING



United States Department of the Interior



Services	<i>R</i>
Land Use	
Minerals	<input checked="" type="checkbox"/>
NEPA	
Renewables	
IN REPLY REFER TO:	
9015	(UT-933)
BUREAU OF LAND MANAGEMENT VERNAL UTAH	
ALL EMPLOYEES	

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>

IN REPLY REFER TO:
9015 (UT-933)

JUL 29 2009

Memorandum

To: Vernal Field Manager

From: Deputy State Director, Natural Resources

Subject: Pesticide Use Proposal Approvals

RECEIVED
JUL 29 2009
BLM VERNAL, UTAH

Your Pesticide Use Proposal (PUP) LLUTG01000 -17 with eleven herbicide formulations (eight active ingredients: Glyphosate, Dicamba, Triclopyr+Clopyralid, Metsulfuron Methyl, 2,4-D, Imazapyr+Diuron) and two adjuvants (surfactant and dye) is approved with one modification, shown below and on the PUP. The objective of these treatments is for bare ground control to improve worker safety and reduce fire hazards around oil and gas facilities and equipment. This PUP is approved for a period of one year from the date of approval, approximately July 31, 2010.

Modification: Items #10 and #11 Mojave 70EG and Sahara DG: The recommended use rate is ≤ 10 lbs/acre in a $< 15''$ rainfall zone. The proposed intended use rate of 10-12 lbs/acre is slightly higher. UTSO requests that the operator adhere to the recommendation guidelines in the label and limit applications to 10 lbs/ac/yr. If for some unforeseen reason this rate does not provide adequate control, this may be negotiated with the FO weed specialist to a maximum of 12/lbs/ac/yr after the first year, and approved in writing (notated on the original PUP).

Also, for future PUP submissions, it is requested that the Field Office submit the information on a single form rather than duplicate information on multiple forms. Invariably data does not match and it creates extra work to correct both forms. Additionally, herbicide labels should be included in future PUP submissions.

The Green River District is in the process of updating its Weed Management Plan and associated environmental analysis. As part of that process, field office staff is consulting with US Fish and Wildlife Service (USFWS) with regard to Threatened and Endangered Species (TES) and identifying appropriate standard operating procedures and mitigation measures, including treatment buffers, for the use of herbicides in or near potential habitat for TES plant species. This process is expected to be completed in 2010. In the interim, as a result of communication with USFWS, PUP approvals will be for a period of one year and the current conservation measures and prescribed buffers for surface disturbing activities in TES habitat will be utilized.

Treatments will be made in accordance with the pesticide label, this PUP and Approval Memo, the current Decision Notice and Environmental Documents (UT-08-03-73, Rev. 3/25/85 and applicable Environmental Assessments for related APD's and pipeline development) and the Vegetation Treatments Using Herbicides PEIS 2007 (as directed by IM-2008-030). Treatments are required to be made by or under the direct supervision of a certified licensed applicator.

Prior to treatments, all sites should obtain sensitive species clearances. Continue to work with Vernal Field Office staff and representatives from USFWS to address TES plant concerns and implement appropriate mitigations and conservation measures, including buffers for surface disturbance as provided in informal and formal consultation. Additionally, applicators are strongly encouraged to take extra precautions with respect to drift control: assessing wind conditions, following label directions, and adjusting equipment and droplet size as much as practical to minimize drift potential. EA No. UT-08-73/Rev 03/25/85 specifies that spray application should not be done when wind speeds exceed 6 miles per hour or heavy rainfall or other adverse weather conditions exist, in addition to other applicable mitigation measures.

Please follow the label and MSDS directions for personal protective equipment, which generally includes long sleeved shirt and pants, shoes and socks, chemical resistant gloves, and protective eyewear. BLM handbook 9011 – 1 also strongly recommends the use of coveralls.

It is the responsibility of Forest Oil, its contractors, and the Vernal Field Office to monitor herbicide application to be sure that the approved PUP is followed and that Pesticide Application Records are completed within 24 hours after application of the pesticide and maintained in the office records for 10 years. Please coordinate efforts to ensure this documentation is provided to the FO in a timely manner.

If you have questions, please contact Lisa Bryant at (801) 539-4069 or Verlin Smith at (801) 539-4055.

Verlin Smith

Attachments

PUP No. 09-LLUTG010000-17

Herbicide Labels: Round-up Pro, Rifle, Redeem R&P, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D Low Vol 6, Escort XP, Glyphosate 4 Plus, Mojave, Sahara DG

U.S. DEPARTMENT OF INTERIOR
PESTICIDE USE PROPOSAL
EA NUMBER: UT-08-73 / REV. 3/25/85

STATE: UT

COUNTY: Uintah

FIELD OFFICE: Vernal

DURATION OF PROPOSAL: ^{One} 3 Years

LOCATION: Various gas and oil well locations, compressor and pumping facilities, pipeline rights-of-way.

DATE:
PROPOSAL NUMBER:
EA REFERENCE NUMBER:
DECISION RECORD (DR) NUMBER:

Attach map(s) and/or a list of sites * (Sites Listed)

ORIGINATOR – NAME: Clay Grant

ORIGINATOR – COMPANY: Forest Oil Corporation

ORIGINATOR – CONTACT INFORMATION: 916 Upland Way Green River, WY 82935
Include address and phone number (307) 875-1964 off. (307) 875-1967 fax (303) 406-1627 cell

I. APPLICATION SITE DESCRIPTION:

1. ESTIMATED NUMBER OF ACRES: 70
2. GENERAL DESCRIPTION (Describe land type or use, size, stage of growth of target species, soil characteristics, and any additional information that may be important in describing the area to be treated.)

Previously leveled areas for the construction of roads, gas and oil well locations, reclaimed pits and pipeline rights-of-way, access roads.

II. DESIRED RESULTS OF APPLICATION: (List the anticipated results of the treatment, species that will be controlled or removed, or enhanced, etc.):

Bare ground and control if noxious species.

III. SENSITIVE ASPECTS AND PRECAUTIONS: (Describe sensitive areas – marsh, endangered, threatened, candidate, and sensitive species habitat – and distance to application site. List measures to be taken to avoid impact to these areas):

Spraying will be halted when winds present a danger of drift and damage to off-target species.

IV. NON-TARGET VEGETATION (Describe potential immediate and cumulative impacts to non-target pests in project area as a result of the pesticide application. Identify any planned mitigation measures that will be employed – BE GENERAL, SPECIFICS DISCUSSED IN THE EA):

None

V. INTEGRATED PEST MANAGEMENT PRACTICES CONSIDERED IN THE OVERALL PROJECT:

Spraying only

VI. Please submit the product labels (or copies of the product labels) and MSD Sheets along with this PUP.

Use the following tables to indicate which products will be used. The row number should be consistent throughout Tables 1, 2, 3 & 4 (i.e., row 1 in Table 1 should correspond to row 1 in Tables 2, 3 & 4). Add more rows if needed for additional products. Use Table 5 for adjuvants. You may fill this out electronically or print it, fill it out by hand and mail it in—but if your handwriting is illegible, this PUP will be returned without action.

1. PESTICIDES (row numbers in Table 1 should correspond to row numbers in Tables 2, 3 & 4)						
Row No.	TRADE NAME	COMMON NAME	EPA REG. No.	MANUFACTURER	FORMULATION (liquid or granule)	APPLICATION METHOD
1	Round-Up Pro	Glyphosate	524-475	Monsanto	liquid	backpack spray
2	Rifle	Dicamba	34704-861	Loveland Products	Liquid	Handgun, truck, tractor, ATV mounted booms
3	Redeem R&P	Triclopyr plus clopyralid	62719-337	Dow Agrosience	Liquid	Handgun, truck, tractor, ATV mounted booms
4	Cruise Control	Dicamba	42750-40-81927	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
5	Prescott Herbicide	Triclopyr plus clopyralid	81927-30	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
6	MSM 60	Metsulfuron Methyl	81927-7	Alligare	Granule	Handgun, truck, tractor, ATV mounted booms
7	2,4-D Low Vol 6	2,4-D	34704-125	Loveland Products	Liquid	Handgun, truck, ATV mounted booms
8	Escort XP	Metsulfuron Methyl	352-439	Dupont	Granular	Handgun, truck, tractor, ATV mounted booms
9	Glyphosate 4 plus	Glyphosate	81927-9	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
10	Mojave 70 EG	Imazapyr plus Diuron	74477-9-81927	Alligare	Granular	Handgun, truck, tractor, ATV mounted booms
11	Sahara DG	Imazapyr plus Diuron	241-372	BASF	Granular	Handgun, truck, tractor, ATV mounted booms

2. MAXIMUM APPLICATION RATE ACCORDING TO PRODUCT LABEL
(row numbers correspond to Table 1)

Row No.	TRADE NAME	APPLICATION RATE ON PRODUCT LABEL	POUNDS ACTIVE INGREDIENT PER ACRE	POUNDS ACID EQUIVALENT (AE) PER ACRE (IF GIVEN)
1	Round-Up Pro	10.6 qts / acre / yr	10.6 Lbs / acre / yr	7.95 Lbs / acre / yr
2	Rifle	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
3	Redeem R&P	4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
4	Cruise Control	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
5	Prescott Herbicide	Up to 4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
6	MSM 60	2 oz / acre / yr	1.2 oz / acre / yr	N/A
7	2,4-D Low Vol 6	5 1/3 pts / acre	3.73 Lbs ae / acre	3.73 Lbs / acre / yr
8	Escort XP	2 oz / acre / yr	1.2 oz / acre / yr	N/A
9	Glyphosate 4 plus	2 Gals / acre / yr	8 Lbs / acre / yr	6 Lbs / acre / yr
10	Mojave 70 EG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A
11	Sahara DG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A

2007 VELS
Max Rate
ae/acre/yr

7.0 lbs ae/ac
(9.3 qts produ)

2.0 lbs ae

10 lbs T ae
1 lb C ae

2.0 lbs ae

10 lbs T ae
1 lb C ae

.15 lbs ai

1.9 lbs ae

.15 lbs ai

7.0 lbs ae/ac
(9.3 qts produ)

1.57 lbs ai
20)

1.57 lbs ai
20)

3. INTENDED APPLICATION RATE (rows correspond to Table 1)

Row No.	TRADE NAME	INTENDED APPLICATION RATE	INTENDED POUNDS ACTIVE INGREDIENT PER ACRE	INTENDED POUNDS ACID EQUIVALENT PER ACRE
1	Round-Up Pro	Up to 2 qts / acre / yr	Up to 2 Lbs	Up to 1.5 Lbs
2	Rifle	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
3	Redeem R&P	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
4	Cruise Control	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
5	Prescott Herbicide	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
6	MSM 60	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
7	2,4-D Low Vol 6	Up to 2 2/3 pts./acre/yr	Up to 1.85 Lbs / acre / yr	Up to 1.85 Lbs
8	Escort XP	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
9	Glyphosate 4 plus	Up to 1 Gal / acre / yr	Up to 4 Lbs / acre / yr	Up to 3 Lbs
10	Mojave 70 EG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.
11	Sahara DG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.

4. PESTICIDE TIMING & TARGET (rows correspond to Table 1)

Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr - 30 Oct	1-2 per year, as needed	All Vegetation
2	Rifle	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
3	Redeem R&P	Various Dated	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
4	Cruise Control	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
5	Prescott Herbicide	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian Knapweed, and Spotted Knapweed
6	MSM 60	Various Dates	1 application / yr	Halogeton, Whitetop, Perennial Pepperweed
7	2,4-D Low Vol 6	Various Dates	1 application / yr	Halogeton
8	Escort XP	Various Dates	1 application / yr	Whitetop, Halogeton, Black Henbane, Perennial Pepperweed, Russian Knapweed
9	Glyphosate 4 plus	Various Dates	1 application / yr	All Vegetation
10	Mojave 70 EG	Various Dates	1 application / yr	All vegetation
11	Sahara DG	Various Dates	1 application / yr	All vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)

TRADE NAME	TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APP. RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mohave 70 EG, Sahara DG, Glyphosate 4 Plus, Round Up Pro
Activator 90	surfactant	Loveland Products	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D low vol 6, Escort XP

VII. The following must be filled out legibly and signed by the Applicator and Originator. If your handwriting is in any way illegible, this PUP will be returned to the Originator without action.

"Applicator" refers to the company which will apply the pesticide (e.g., Joe's Weed Killers, LLC) "Originator" refers to the company which originates this herbicide use request (e.g., GWS R Us, Inc.)

Applicator company name: Pride Weed Control, Inc.
Applicator contact name: George Thompson
Applicator contact phone number: 970-247-9778
Applicator address: 8100 Hwy 550 Durango CO 81303
Pesticide applicator signature: *George Thompson*
Pesticide applicator printed name: George Thompson
Pesticide applicator license no.: 4001-14068 Exp. Date: 12/31/2011

I will ensure that the pesticide(s) and pesticide products will be applied in accordance with product label restrictions and according to the information presented above, and according to BLM modifications (if any). I will also ensure that Pesticide Use Application Records and Pesticide Use Reports will be submitted to the BLM Rawlins Field Office monthly for the duration of this PUP.

Originator signature: *[Signature]* Date: 5/6/2009
Printed / typed name: P. W. GRANT SR. Production Foreman

To be signed and approved by BLM personnel:

FO Pesticide Coordinator signature: *[Signature]* Date: 4 Jun 2009
FO Manager approval: *William Hume* Date: 6/4/09
State Coordinator signature: *Lisa Bryant* Date: 7/28/09
Deputy State Director approval: *[Signature]* Date: 7/28/09

APPROVED
 DISAPPROVED
 APPROVED WITH MODIFICATIONS (see below):

Modifications:

Recommended use rates for Mojave 70EG & Sahara DG in <15" precy zone is <10 lbs/acre/yr. Operator should adhere to label recommendations, unless they can show inadequate control. In such an instance a rate of up to 12 lbs product/acre may be negotiated in writing w/ FO weed specialist attached to this PUP.

1. PESTICIDES (row numbers in Table 1 should correspond to same row numbers in Tables 2, 3 & 4)						
Row No.	TRADE NAME	COMMON NAME	EPA REG. No.	MANUFACTURER	FORMULATION (liquid or granule)	APPLICATION METHOD
1	Round-Up Pro	glyphosate	524-475	Monsanto	liquid	backpack spray
2	Rifle	dicamba	34704-861	Loveland	liquid	hndgn, trctr, trk, ATV
3	Redeem R&P	triclopyr + clopyralid	62719-337	Dow	liquid	hndgn, trctr, trk, ATV
4	Cruise Control	dicamba	42750-40-81927	Alligare	liquid	hndgn, trctr, trk, ATV
5	Prescott	triclopyr + clopyralid	81927-30	Alligare	liquid	hndgn, trctr, trk, ATV
6	MSM 60	metsulfuron methyl	81927-7	Alligare	dry granular	hndgn, trctr, trk, ATV
7	Low Vol 6	2,4-D	34704-125	Loveland	liquid	hndgn, trctr, trk, ATV
8	Escort XP	metsulfuron methyl	352-439	DuPont	dry granular	hndgn, trctr, trk, ATV
9	Glyphosate 4 Plus	glyphosate	81927-9	Alligare	liquid	hndgn, trctr, trk, ATV
10	Mojave 70 EG	imazapyr + diuron	34477-9-81927	Alligare	dry granular	hndgn, trctr, trk, ATV
11	Sahara DG	imazapyr + diuron	241-372	BASF	dry granular	hndgn, trctr, trk, ATV

2. APPLICATION RATE ACCORDING TO PRODUCT LABEL (rows correspond to rows in Table 1)				
Row No.	TRADE NAME	MAXIMUM ALLOWABLE APPLICATION RATE ON PRODUCT LABEL	RATE PER ACRE RECOMMENDED ON PRODUCT LABEL	for liquid formulations only: POUNDS ACID EQUIVALENT (AE) PER ACRE
1	Round-Up Pro	(p.2) 10.6 qts / acre	(p. 8) 1 - 2 qts / acre	0.75 - 1.5 Lbs AE / acre
2	Rifle	(p.10) 2 qts / acre	(p.10-11) 1 - 2 qts / acre	1 - 2 Lbs AE / acre
3	Redeem R&P	(p.7) 4 pts / acre	(p.7) 3 - 4 pts / acre	0.844 - 1.125 Lbs AE / acre triclopyr 0.28 - 0.375 Lbs AE / acre clopyralid
4	Cruise Control	(p.7) 2 qts / acre	(p.8) 1 - 2 qts / acre	1 - 2 Lbs AE / acre
5	Prescott	(p.3) 4 pts / acre	(p.4) 3 - 4 pts / acre	0.844 - 1.125 Lbs AE / acre triclopyr 0.28 - 0.375 Lbs AE / acre clopyralid
6	MSM 60	(p.3) 2 oz / acre	1 - 2 oz / acre	NA
7	2,4-D Low Vol 6	(p.4) 5.33 pts / acre	(p.4) 2.67 - 5.33 pts / acre	1.87 - 3.73 Lbs AE / acre
8	Escort XP	(p.3) 4 oz / acre	(p. 5) 0.5 - 2.0 oz / acre	NA
9	Glyphosate 4 Plus	(p.14) 10 Gal / acre	(p.14) 3 - 10 Gal / acre	12 - 40 Lbs AE / acre
10	Mojave 70 EG	(p.5) 13 Lbs / acre	(p.4) 7 - 10 Lbs / acre	NA
11	Sahara DG	(p.4) 13 Lbs / acre	(p.4) 7 - 13 Lbs / acre	NA

3. INTENDED APPLICATION RATE (rows correspond to rows in Table 1)					
Row No.	TRADE NAME	INTENDED APPLICATION RATE	for dry formulations only: INTENDED POUNDS ACTIVE INGREDIENT / ACRE	for liquid formulation only: INTENDED POUNDS ACID EQUIVALENT / ACRE	for office use only: VEIS RATE / ACRE (AE, AI, or formulated product)
1	Round-Up Pro	2 qts / acre	NA	1.5 Lbs AE / acre	7.0 Lbs AE / acre
2	Rifle	2 pts / acre	NA	1.0 Lbs AE / acre	2.0 Lbs AE / acre
3	Redeem R&P	4 pts / acre	NA	1.125 Lbs AE / acre triclopyr .375 Lbs AE / acre clopyralid	10.0 Lbs AE / acre triclopyr 1.0 lbs AE / acre clopyralid
4	Cruise Control	2 pts / acre	NA	1.0 Lbs AE / acre	2.0 Lbs AE / acre
5	Prescott	4 pts / acre	NA	1.125 Lbs AE / acre triclopyr .375 Lbs AE / acre clopyralid	10.0 Lbs AE / acre triclopyr 1.0 lbs AE / acre clopyralid
6	MSM 60	1 oz / acre	0.0375 Lbs AI / acre	NA	0.15 Lbs AI / acre
7	2,4-D Low Vol 6	2.67 pts / acre	NA	1.85 Lbs AE / acre	1.9 Lbs AE / acre
8	Escort XP	1 oz / acre	0.0375 Lbs AI / acre	NA	0.15 Lbs AI / acre
9	Glyphosate 4 Plus	1 Gal / acre	NA	3 Lbs AE / acre	7.0 Lbs AE / acre
10	Mojave 70 EG	12 Lbs / acre	7.47 Lbs AI / acre diuron 0.93 Lbs AI / acre imazapyr	NA	20.0 Lbs AI / acre diuron 1.5 Lbs AI / acre imazapyr
11	Sahara DG	12 Lbs / acre	7.47 Lbs AI / acre diuron 0.93 Lbs AI / acre imazapyr	NA	20.0 Lbs AI / acre diuron 1.5 Lbs AI / acre imazapyr

4. PESTICIDE TIMING & TARGET (rows correspond to rows in Table 1)

Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr – 30 Oct	1-2 applications per year, as needed	all vegetation
2	Rifle	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
3	Redeem R&P	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
4	Cruise Control	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
5	Prescott	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
6	MSM 60	various dates	1 application per year	halogeton, whitetop, perennial pepperweed
7	2,4-D Low Vol 6	various dates	1 application per year	halogeton
8	Escort XP	various dates	1 application per year	black henbane, perennial pepperweed, Russian knapweed, whitetop, halogeton
9	Glyphosate 4 Plus	various dates	1 application per year	all vegetation
10	Mojave 70 EG	various dates	1 application per year	all vegetation
11	Sahara DG	various dates	1 application per year	all vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)

TRADE NAME	ADJUVANT TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APPLICATION RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mojave 70 EG, Sahara DG, Glyphosate 4 Plus, Round-Up Pro
Activator 90	surfactant	Loveland	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem R&P, Cruise Control, Prescott, MSM 60, 2,4-D Low Vol 6, Escort XP

The following must be filled out legibly and signed. If your handwriting is in any way illegible, this PUP will be returned to the sender without action.

*"Originator" refers to the company which needs herbicides applied—e.g., Basin Oil, Inc.
 "Applicator" refers to the company which will apply the herbicide—e.g., Basin Annihilo-Weed, Inc.*

Originator company: Forest Oil Corporation

Originator contact name: Clay Grant

Originator contact phone number(s): 307-875-1964 cell 303-406-1627 fax 307-875-1967

Originator mailing address: 916 Upland Wav, Green River WY 82935


Applicator company name: Pride Weed Control, Inc.

Applicator name: George Thompson

Applicator license no.: 4001-14068 exp. 12/31/2011

Applicator phone & fax numbers: phone 970-247-9778

Applicator mailing address: 8100 Hwy 550, Durango, CO 81303



09-LUT-501-17

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

Weed Management Area:
 Vegetation/Community Type:
 Complex _____ %
 Watershed _____
 Allotment: _____
 Quad Name(s): _____
 Location T. _____, R. _____, Sec. _____, ¼ _____ ¼ _____
 GPS Reading _____

Site Name: _____
 Weed Site # _____ Quad # _____
 Applicator: _____
 Address: _____
 License No.: _____ Phone # _____
 County: _____
 Aerial Photo # _____
 Slide Photo _____

WEED SPECIES	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	ECOLOGICAL SITE DESCRIPTION	APPLICATION DATA
					Name:	Rate/Ac. Volume:
					Condition:	Active/Acre:
					Soil Map Unit #	Total Volume:
					WEATHER	Acres treated:
					Wind speed:	Acres on site:
					Direction:	MECHANICAL TREATMENT (circle one)
					Temperature:	Hand pull, hand tool, clip seed heads
					PEST TREATMENT (circle one)	Plow, other
					crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	BIOLOGICAL TREATMENT
						Bio Agent:
					WEED TREATMENT DATA	Method applied:
					Date:	Monitoring
Recovery Species					Time:	Original treatment
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name:	Site Recovery Needs
Width Track:					Active Ingredient:	Grazing deferment yn
Weed Ac. Est.					Company Name:	Vegetative seed yn
Ac. Inventoried:					EPA Reg. No.:	Method seed
Site Characteristics					PUP No.:	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation:					Liquid, Powder, Granular	Acres Rehabilitated:
Aspect (direction):						Species seeded:
Slope (%):						Date:
TOPOGRAPHY (circle one)						Species established:
Ridge, Upper Slope						Date:
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

COVER CLASS - estimated percent cover, by species, of the infestation

- 0 No weeds found
- 1 Less than 1% (trace)
- 2 One to five percent (low - occasional plants)
- 3 Six to twenty-five percent (moderate - scattered plants)
- 4 Twenty-five to 100% (high - fairly dense)

PATTERN - pattern of the infestation

- 0 No weeds found
- 1 Single plant or small area of many plants
- 2 Linear
- 3 Patchy
- 4 Block

INFESTATION SIZE - number of estimated acres of the infestation

- 0 No weeds found
- 1 Less than one acre
- 2 One to five acres
- 3 Five or more acres

PHENOLOGY - development stage

- 1 Vegetative
- 2 Bud stage
- 3 Flower
- 4 Seeded
- 5 Mature
- 6 Dormant

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

5/31/2013

FROM: (Old Operator):
 N6965-Forest Oil Corporation
 707 17th Street, Suite 3600
 Denver, CO, 80202
 Phone: 1 (303) 812-1676

TO: (New Operator):
 N2750-Enduring Resources, LLC
 511 16th Street, Suite 700
 Denver, CO, 80202
 Phone: 1 (303) 573-1222

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 28-01	28	080S	250E	4304730098	10095	Federal	D	PA
N HORSESHOE 13-20-6-22	20	060S	220E	4304738020	16441	Federal	D	PA
ROCK HOUSE 11-31	31	100S	230E	4304733312	13984	Federal	GW	P
ROCK HOUSE 6D-32	32	100S	230E	4304735409	14293	State	GW	P
ROCK HOUSE 2D-36	36	100S	220E	4304735759	14357	State	GW	P
ROCK HOUSE 2D-32	32	100S	230E	4304735760	14317	State	GW	P
ROCK HOUSE 10D-32	32	100S	230E	4304735761	14318	State	GW	P
ROCK HOUSE 12D-32	32	100S	230E	4304735762	14294	State	GW	P
ROCK HOUSE 11-36	36	100S	220E	4304735900	14478	State	GW	P
ROCK HOUSE 4-36	36	100S	220E	4304735901	14449	State	GW	P
ROCK HOUSE 11-2	02	110S	230E	4304736153	14695	State	GW	P
ROCK HOUSE 7-32-10-23	32	100S	230E	4304736306	14766	State	GW	P
ROCK HOUSE 3-32-10-23	32	100S	230E	4304736307	14781	State	GW	P
ROCK HOUSE 5-32-10-23	32	100S	230E	4304736410	14727	State	GW	P
N WALKER HOLLOW 2-32-6-23	32	060S	230E	4304737399	15741	State	GW	S
N HORSESHOE 3-16-6-21	16	060S	210E	4304737391	15716	State	GW	TA

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/4/2013
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/4/2013
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/4/2013
- 4a. Is the new operator registered in the State of Utah: Y Business Number: 5771233-0161
- 5a. (R649-9-2)Waste Management Plan has been received on: Y
- 5b. Inspections of LA PA state/fee well sites complete on: N/A
- 5c. Reports current for Production/Disposition & Sundries on: 5/29/2013
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA N/A
- Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/18/2013
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/18/2013
- Bond information entered in RBDMS on: (Blanket Bond already established) 6/24/2013
- Fee/State wells attached to bond in RBDMS on: 6/24/2013
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: N/A

BOND VERIFICATION:

- 1. Federal well(s) covered by Bond Number: UTB000173
- 2. Indian well(s) covered by Bond Number: N/A
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number RLB0008031
- 3b. The **FORMER** operator has requested a release of liability from their bond on: 6/4/2013

LEASE INTEREST OWNER NOTIFICATION:

- 4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

From Forest Oil Corporation (N6965) to Enduring Resources LLC (N2750)
Effective 31-May-2013

Well Name	Sec	Township	Range	Well API Number	Utah Entity Number	Mineral Lease Type	Well Type	Well Status
FEDERAL 28-01	28	080S	250E	4304730098	10095	Federal	Dry Hole	Plugged & Abandoned
N HORSESHOE 13-20-6-22	20	060S	220E	4304738020	16441	Federal	Dry Hole	Plugged & Abandoned
ROCK HOUSE 11-31	31	100S	230E	4304733312	13984	Federal	Gas Well	Producing Well
ROCK HOUSE 6D-32	32	100S	230E	4304735409	14293	State	Gas Well	Producing Well
ROCK HOUSE 2D-36	36	100S	220E	4304735759	14357	State	Gas Well	Producing Well
ROCK HOUSE 2D-32	32	100S	230E	4304735760	14317	State	Gas Well	Producing Well
ROCK HOUSE 10D-32	32	100S	230E	4304735761	14318	State	Gas Well	Producing Well
ROCK HOUSE 12D-32	32	100S	230E	4304735762	14294	State	Gas Well	Producing Well
ROCK HOUSE 11-36	36	100S	220E	4304735900	14478	State	Gas Well	Producing Well
ROCK HOUSE 4-36	36	100S	220E	4304735901	14449	State	Gas Well	Producing Well
ROCK HOUSE 11-2	02	110S	230E	4304736153	14695	State	Gas Well	Producing Well
ROCK HOUSE 7-32-10-23	32	100S	230E	4304736306	14766	State	Gas Well	Producing Well
ROCK HOUSE 3-32-10-23	32	100S	230E	4304736307	14781	State	Gas Well	Producing Well
ROCK HOUSE 5-32-10-23	32	100S	230E	4304736410	14727	State	Gas Well	Producing Well
N WALKER HOLLOW 2-32-6-23	32	060S	230E	4304737399	15741	State	Gas Well	Shut-In well
N HORSESHOE 3-16-6-21	16	060S	210E	4304737391	15716	State	Gas Well	TA-Temporarily Abandoned

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: SEE ATTACHED LIST
3. ADDRESS OF OPERATOR: 511 16th Street, Suite 700 CITY Denver STATE CO ZIP 80202		9. API NUMBER:
PHONE NUMBER: (303) 573-1222		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE:		COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>5/31/2013</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Utah State Bond #RLB0008031 - Operator No. N2750


Change of operator from Forest Oil Corporation to Enduring Resources, LLC effective 5/31/2013

Enduring Resources, LLC
51116th Street, Suite 700
Denver, Colorado 80202


Operator No. N2750
Utah State Bond #RLB0008031

RECEIVED
JUN 04 2013
Div. of Oil, Gas & Mining

FOREST OIL CORPORATION

X 
BY: Scott Laverde
TITLE: Vice President **N6965**

DATE: 5/31/2013

NAME (PLEASE PRINT) <u>Alex B. Campbell</u>	TITLE <u>Vice President</u>
SIGNATURE <u></u>	DATE <u>5/31/2013</u>

(This space for State use only)

APPROVED * Subject to Conditions of Approval.

(5/2000)

JUN 18 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING

BY: Zeke Clements for Rachel Medina.

* Subject to Conditions of Approval

CONDITIONS OF APPROVAL

CONDITIONS OF APPROVAL

CONDITIONS OF APPROVAL for
Change Of Operator
from Forest Oil Corporation (N6965)
to Enduring Resources, LLC (N2750)
effective 31-May-2013

The Conditions Of Approval are applicable to the following 2 wells:

Well Name and No.	Well API Number	Section	Township	Range	Meridian
N WALKER HOLLOW 2-32-6-23	4304737399	32	6 South	23 East	SLB&M
N HORSESHOE 3-16-6-21	4304737391	16	6 South	21 East	SLB&M

The Conditions Of Approval are:

1. If the wells are not producing commercial quantities within 60 days, then an additional bond will be required from Enduring Resources LLC. This should be ongoing commercial production.
2. If the plan is to plug the well, then approved plugging sundries should be in place and the wells plugged by Enduring Resources LLC no later than September 15, 2013.
3. If Enduring Resources LLC plans to review the wells further, then the following is required by August 15, 2013:
 - a. Additional Bonding, and
 - b. Plan for Wells future, and
 - c. Completed MIT showing integrity

The plan for the wells future should be submitted on a sundry notice, with the MIT and a request for extended SI/TA (Shut-In/Temporarily Abandoned) status. Approval by the Division is required to keep wells in ongoing SI/TA status. These 2 wells have been in SI/TA status over 4 years, so good justification is needed for an extension.

Well Name	API Well Number	Lease Number	Well Status	Field Name	Surface Owners	Mineral Lease	County	Qtr/Qtr	Sec	Twn Rge	FNL/FSL	FEL/FWL
COYOTE BASIN 28-01	43-047-30098	UTU-16257	P & A	WILDCAT	Federal	Federal	UINTAH	SESE	28	8S-25E	851 S	1039 E
N HORSESHOE 13-20-6-22	43-047-38020	UTU-76768	DRY HOLE	WILDCAT	Federal	Federal	UINTAH	SWSW	20	6S-22E	984 S	760 W
ROCK HOUSE 11-31	43-047-33312	UTU-76281	Producing	NATURAL BUTTES	Federal	Federal	UINTAH	NESW	31	10S-23E	1980 S	1980 W
ROCK HOUSE 6D-32	43-047-35409	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	SENE	32	10S-23E	1938 N	2121 W
ROCK HOUSE 2D-36	43-047-35759	ML 47061	Producing	NATURAL BUTTES	State	State	UINTAH	NWNE	36	10S-22E	1012 N	1654 E
ROCK HOUSE 2D-32	43-047-35760	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NWNE	32	10S-23E	932 N	2291 E
ROCK HOUSE 10D-32	43-047-35761	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NWSE	32	10S-23E	2367 S	1595 E
ROCK HOUSE 12D-32	43-047-35762	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NWSW	32	10S-23E	1611 S	951 W
ROCK HOUSE 11-36	43-047-35900	ML 46907	Producing	NATURAL BUTTES	State	State	UINTAH	NESW	36	10S-22E	2137 S	1801 W
ROCK HOUSE 4-36	43-047-35901	ML 47061	Producing	NATURAL BUTTES	State	State	UINTAH	NWNW	36	10S-22E	837 N	646 W
ROCK HOUSE 11-2	43-047-36153	ML 47078	Producing	ROCK HOUSE	State	State	UINTAH	NESW	2	11S-23E	2233 S	1863 W
ROCK HOUSE 7-32-10-23	43-047-36306	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	SWNE	32	10S-23E	1866 N	2064 E
ROCK HOUSE 3-32-10-23	43-047-36307	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NENW	32	10S-23E	524 N	2151 W
ROCK HOUSE 5-32-10-23	43-047-36410	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	SWNW	32	10S-23E	2405 N	852 W
N WALKER HOLLOW 2-32-6-23	43-047-37399	ML 47777	SHUT-IN	UNDESIGNATED	State	State	UINTAH	NWNE	32	6S-23E	581 N	1945 E
N HORSESHOE 3-16-6-21	43-047-37391	ML 49317	T/A	WILDCAT	State	State	UINTAH	NENW	16	6S-21E	825 N	2067 W

RECEIVED
JUN 04 2013
Div. of Oil, Gas & Mining