

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED  
OMB No. 1004-0136  
Expires November 30, 2000

5. Lease Serial No.  
**UTU-28652**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and No.

1a. Type of Work:  DRILL  REENTER

b. Type of Well:  Oil Well  Gas Well  Other  Single Zone  Multiple Zone

8. Lease Name and Well No.  
**GLEN BENCH 822-221**

9. API Well No.  
**43-047-36056**

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY L.P.**

3A. Address  
**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435)-781-7024**

10. Field and Pool, or Exploratory  
**NATURAL BUTTES**

11. Sec., T., R., M., or Blk, and Survey or Area  
**SECTION 22-T8S-R22E**

4. Location of Well (Report location clearly and in accordance with any State requirements.)\*  
At surface **NESE 2110'FSL & 831'FEL 634729X 40.107102**  
At proposed prod. Zone **4440632Y -109.419238**

14. Distance in miles and direction from nearest town or post office\*  
**39.7 MILES SOUTH OF VERNAL, UTAH**

12. County or Parish  
**UINTAH**

13. State  
**UTAH**

15. Distance from proposed\* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) **831'**

16. No. of Acres in lease  
**1480.00**

17. Spacing Unit dedicated to this well  
**40.00**

18. Distance from proposed location\* to nearest well, drilling, completed, applied for, on this lease, ft. **REFER TO TOPO C**

19. Proposed Depth  
**10,200'**

20. BLM/BIA Bond No. on file  
**CO-1203**

21. Elevations (Show whether DF, KDB, RT, GL, etc.)  
**4997'GL**

22. Approximate date work will start\*

23. Estimated duration

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- 1. Well plat certified by a registered surveyor.
- 2. A Drilling Plan.
- 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- 5. Operator certification.
- 6. Such other site specific information and/or plans as may be required by the authorized office.

25. Signature  Name (Printed/Typed) **SHEILA UPCHEGO** Date **11/4/2004**

Title **REGULATORY ANALYST**

Approved by (Signature)  Name (Printed/Typed) **BRADLEY G. HILL** Date **11-15-04**

Title **ENVIRONMENTAL SCIENTIST III**


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on reverse)

**Federal Approval of this Action is Necessary**



# T8S, R22E, S.L.B.&M.

## WESTPORT OIL AND GAS COMPANY, L.P.



Well location, GLEN BENCH #822-22I, located as shown in the NE 1/4 SE 1/4 of Section 22, T8S, R22E, S.L.B.&M. Uintah County, Utah.

### BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



SCALE  
CERTIFIED REGISTERED LAND SURVEYOR

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Robert A. Kay*  
REGISTERED LAND SURVEYOR  
REGISTRATION NO. 151319  
STATE OF UTAH

### LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°06'25.55" (40.107097)  
 LONGITUDE = 109°25'12.25" (109.420069)  
 (NAD 27)  
 LATITUDE = 40°06'25.68" (40.107133)  
 LONGITUDE = 109°25'09.79" (109.419386)

**UINTAH ENGINEERING & LAND SURVEYING**  
 85 SOUTH 200 EAST - VERNAL, UTAH 84078  
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 8-27-04	DATE DRAWN: 9-8-04
PARTY K.K. B.W. C.G.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE WESTPORT OIL AND GAS COMPANY, L.P.	

**GLEN BENCH #822-22I  
NE/SE Sec. 22, T8S,R22E  
UINTAH COUNTY, UTAH  
UTU-28652**

**ONSHORE ORDER NO. 1**

***DRILLING PROGRAM***

**1. Estimated Tops of Important Geologic Markers:**

<u>Formation</u>	<u>Depth</u>
Uinta	0- Surface
Green River	2,375'
Wasatch	5,775'
Mesaverde	8,550'
TD	10,200'

**2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:**

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
	Green River	2,375'
Gas	Wasatch	5,775'
Gas	Mesaverde	8,550'
Water	N/A	
Other Minerals	N/A	

**3. Pressure Control Equipment (Schematic Attached)**

*Please refer to the attached Drilling Program.*

**4. Proposed Casing & Cementing Program:**

*Please refer to the attached Drilling Program.*

**5. Drilling Fluids Program:**

*Please refer to the attached Drilling Program.*

**6. Evaluation Program:**

*Please refer to the attached Drilling Program.*

**7. Abnormal Conditions:**

Maximum anticipated bottomhole pressure calculated at 10,200' TD, approximately equals 4,080 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1,836 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. **Anticipated Starting Dates:**

*Drilling is planned to commence immediately upon approval of this application.*

9. **Variances:**

*Please refer to the attached Drilling Program.*

10. **Other Information:**

*Please refer to the attached Drilling Program.*





**Westport Oil and Gas Company, L.P.**  
**DRILLING PROGRAM**

**CASING PROGRAM**

	SIZE	INTERVAL	WT.	GR.	CPLG.	DESIGN FACTORS		
						BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'				2270	1370	254000
SURFACE	9-5/8"	0 to 2800	32.30	H-40	STC	0.74*****	1.05	3.21
PRODUCTION	4-1/2"	0 to 10200	11.60	I-80	LTC	7780	6350	201000
						2.54	1.20	1.95

1) Max Anticipated Surf. Press. (MASP) (Surface Casing) = (Pore Pressure at next csg point - (0.22 psi/ft - partial evac gradient x TVD of next csg point))  
 2) MASP (Prod Casing) = Pore Pressure at TD - (.22 psi/ft - partial evac gradient x TD)  
 (Burst Assumptions: TD = 10.0 ppg) .22 psi/ft = gradient for partially evac wellbore  
 (Collapse Assumption: Fully Evacuated Casing, Max MW) (Tension Assumptions: Air Weight of Casing \* Buoy. Fact. of water)  
 MASP 3060 psi

\*\*\*\*\* Burst SF is low but csg is much stronger than formation at 2000'. EMW @ 2000' for 2270# is 21.8 ppg or 1.13 psi/ft

**CEMENT PROGRAM**

		FT. OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
SURFACE	LEAD	500	Premium cmt + 2% CaCl + .25 pps flocele	215	60%	15.60	1.18
<b>Option 1</b>	TOP OUT CMT (1)	200	20 gals sodium silicate + Premium cmt + 2% CaCl + .25 pps flocele	50		15.60	1.18
	TOP OUT CMT (2)	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
SURFACE			<b>NOTE: If well will circulate water to surface, option 2 will be utilized</b>				
<b>Option 2</b>	LEAD	1500	Prem cmt + 16% Gel + 10 pps gilsonite + .25 pps Flocele + 3% salt BWOC	170	35%	11.00	3.82
	TAIL	500	Premium cmt + 2% CaCl + .25 pps flocele	180	35%	15.60	1.18
	TOP OUT CMT	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
PRODUCTION	LEAD	5,270'	Premium Lite II + 3% KCl + 0.25 pps celloflake + 5 pps gilsonite + 10% gel + 0.5% extender	570	60%	11.00	3.38
	TAIL	4,930'	50/50 Poz/G + 10% salt + 2% gel + .1% R-3	1380	60%	14.30	1.31

\*Substitute caliper hole volume plus 0% excess for LEAD if accurate caliper is obtained  
 \*Substitute caliper hole volume plus 15% excess for TAIL if accurate caliper is obtained

**FLOAT EQUIPMENT & CENTRALIZERS**

SURFACE	Guide shoe, 1 jt, insert float. Centralize first 3 joints with bow spring centralizers. Thread lock guide shoe.
PRODUCTION	Float shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to top of tail cement with bow spring centralizers.

**ADDITIONAL INFORMATION**

Test casing head to 750 psi after installing. Test surface casing to 1,500 psi prior to drilling out.  
 BOPE: 11" 3M with one annular and 2 rams. Test to 3,000 psi (annular to 1,500 psi) prior to drilling out. Record on chart recorder & tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper & lower kelly valves.  
 Drop Totco surveys every 2000'. Maximum allowable hole angle is 5 degrees.

**DRILLING ENGINEER:** \_\_\_\_\_ **DATE:** \_\_\_\_\_  
 Brad Laney  
**DRILLING SUPERINTENDENT:** \_\_\_\_\_ **DATE:** \_\_\_\_\_  
 Randy Bayne DHD\_GB822-221\_APD.xls

**GLEN BENCH #822-221  
NE/SE SEC. 22, T8S, R22E  
UINTAH COUNTY, UTAH  
UTU-28652**

**ONSHORE ORDER NO. 1**

***MULTI-POINT SURFACE USE & OPERATIONS PLAN***

**1. Existing Roads:**

Directions to the proposed location are attached.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

**2. Planned Access Roads:**

The proposed access road is approximately 0.1 Miles +/- . Refer to Topo Map B.

The access road will be crowned (2 to 3%), ditched and constructed with a running surface of 18 feet and a maximum disturbed width of 30 feet. Graveling or capping the roadbed will be performed as necessary to provide a well constructed, safe road. Prior to construction or upgrading, the proposed road shall be cleared of any snow and allowed to dry completely.

Surface disturbance and vehicular traffic will be limited to the proposed location and proposed access route. Any additional area needed will be approved in advance. All construction shall be in conformance with the standards outlined in the BLM and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development. 1989.

The road surface and shoulders will be kept in a safe and usable condition and will be maintained in accordance with the original construction standards. All drainage ditches will be kept clear and free-flowing and will be maintained according to original construction standards. The access road surface will be kept free of trash during operations. All traffic will be confined to the approved disturbed surface. Road drainage crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing or shall the drainages be blocked by the road bed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Should mud holes develop, they shall be filled in and detours around them avoided. When snow is removed from the road during the winter months, the snow shall be pushed outside of the borrow ditches, and the turnouts kept clear so that snowmelt will be channeled away from the road.

**3. Location of Existing Wells Within a 1-Mile Radius:**

Please refer to Topo Map C.

**4. Location of Existing & Proposed Facilities:**

*The following guidelines will apply if the well is productive.*

All production facilities will be located on the disturbed portion of the well pad and at a minimum of 25 feet from the toe of the back slope or the top of the fill slope.

A dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks, and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

All permanent (on-site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon (2.5 Y 6/2) as determined during the on-site inspection.

Any necessary pits will be properly fenced to protect livestock and prevent wildlife entry.

Approximately 1700' of pipeline is proposed. Up to 8" pipeline shall be installed and butt-welded. Please refer to the attached Topo Map "D" for the location of the proposed pipeline.

**5. Location and Type of Water Supply:**

Water for drilling purposes will be obtained from Dalbo Inc.'s underground well located in Ouray, Utah, Sec.32, T4S,R3E, Water User Claim #43-8496, Application #53617.

Water will be hauled to location over the roads marked on Maps A and B.

No water well is to be drilled on this lease.

**6. Source of Construction Materials:**

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

**7. Methods of Handling Waste Materials:**

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated.

The reserve pit will be constructed on the location and will not be located within natural drainage, where a flood hazard exists or surface runoff will destroy or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

A plastic reinforced liner is to be used as discussed during on-site inspection. It will be a minimum of 16 mil thick and felt, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical porta-toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. No trash will be burned on location.

All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig.

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

*Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec.35, T9S, R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E. (Request is in lieu of filing Form 3160-5, after initial production).*

**8. Ancillary Facilities:**

None are anticipated.

**9. Well Site Layout: (See Location Layout Diagram)**

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched, by using a stretching device, before it is attached to corner posts.

Location size may change prior to the drilling of the well location due to current rig availability. If the Proposed location is not large enough to accommodate the drilling rig. The location will be re-surveyed and a form 3160-5 will be submitted.

The reserve pit fencing will be on three sides during drilling operations, and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

#### **10. Plans for Reclamation of the Surface:**

##### *Producing Location:*

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Before any dirt work associated with location restoration takes place, the reserve pit shall be as dry as possible. All debris in it will be removed. Other waste and spoil materials will be disposed of immediately upon completion of operations.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion, weather permitting.

To prevent surface water (s) from standing (ponding) on the reclaimed reserve pit area, final reclamation of the reserve pit will consist of "mounding" the surface three feet above surrounding ground surface to allow the reclaimed pit area to drain effectively.

Upon completion of backfilling, leveling, and recontouring, the stockpiled topsoil will be spread evenly over the reclaimed area(s).

##### *Dry Hole/Abandoned Location:*

Abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and re-establishment of vegetation as specified.

All disturbed surfaces will be recontoured to the approximate natural contours, with reclamation of the well pad and access road to be performed as soon as practical after final abandonment. Reseeding operations will be performed after completion of other reclamation operations.

**11. Surface Ownership:**

United States of America  
Bureau of Land Management  
170 South 500 East  
Vernal, UT 84078  
(435) 789-4400

**12. Other Information:****STIPULATIONS:**

**CRITICAL SOILS:** -NO CONSTRUCTION WHEN WET. (*WAIVED*)

**WILDLIFE:**

**FERRUGINOUS HAWK:** -NO CONSTRUCTION OR DRILLING MARCH 1<sup>ST</sup> THOROUGH JULY 15<sup>TH</sup>.

A Class III archaeological survey has been conducted and a copy of this report shall be submitted when report becomes available.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, the approved Plan of Operations, and any applicable Notice of Lessees. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance. The Operator will control noxious weeds along Rights-Of-Way for roads, pipelines, well sites, or other applicable facilities.

**Seed Mixture:**

Needle & Thread Grass 3 lb/acre  
Indian Ricegrass 3 lb/acre  
Shadscale 3 lb/acre  
Fourwing Salt Brush 3 lb/acre

**13. Lessee's or Operators's Representative & Certification:**

Sheila Upchego  
Regulatory Analyst  
Westport O&G Co.  
P.O. Box 1148  
Vernal, UT 84078  
(435) 781-7024

Randy Bayne  
Drilling Manager  
Westport O&G Co.  
P.O. Box 1148  
Vernal, UT 84078  
(435)781-7018

**Certification:** All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Westport Oil & Gas Company is considered to be the operator of the subject well. Westport Oil & Gas Company agrees to be responsible under the terms and the conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104 for the lease activities is being provided by BLM Nationwide Bond #CO-1203.

I hereby certify that the proposed drill site and access route has been inspected and that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

/s/ Sheila Upchego   
Sheila Upchego

11/4/04  
Date

WESTPORT OIL AND GAS COMPANY, L.P.  
GLEN BENCH #822-22I  
SECTION 22, T8S, R22E, S.L.B.&M.

PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF STATE HIGHWAY 45; EXIT RIGHT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 19.2 MILES ON STATE HIGHWAY 45 TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 7.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.7 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE EAST; FOLLOW ROAD FLAGS IN AN EASTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 31.8 MILES.

WESTPORT OIL AND GAS COMPANY, L.P.





FIGURE #2

TYPICAL CROSS SECTIONS FOR

GLEN BENCH #822-221  
SECTION 22, T8S, R22E, S.L.B.&M.  
2110' FSL 831' FEL

1" = 20'  
X-Section  
Scale  
1" = 50'

DATE: 9-8-04  
Drawn By: C.G.



\* NOTE:  
FILL QUANTITY INCLUDES  
5% FOR COMPACTION

NOTE:  
Topsoil should not be  
Stripped Below Finished  
Grade on Substructure Area.

APPROXIMATE YARDAGES



CUT	
(6") Topsoil Stripping	= 1,770 Cu. Yds.
Remaining Location	= 10,570 Cu. Yds.
<b>TOTAL CUT</b>	<b>= 12,340 CU.YDS.</b>
<b>FILL</b>	<b>= 1,050 CU.YDS.</b>

EXCESS MATERIAL	= 11,290 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 3,730 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 7,560 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING  
85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017

3,000 PSI


# BOP STACK



WESTPORT OIL AND GAS COMPANY, L.P.


FIGURE #1

LOCATION LAYOUT FOR  
 GLEN BENCH #822-221  
 SECTION 22, T8S, R22E, S.L.B.&M.  
 2110' FSL 831' FEL




SCALE: 1" = 50'  
 DATE: 9-8-04  
 Drawn By: C.G.

NOTE:  
 Flare Pit is to be located  
 a min. of 100' from the  
 Well Head.



NOTES:  
 Elev. Ungraded Ground At Loc. Stake = 4996.8'  
 FINISHED GRADE ELEV. AT LOC. STAKE = 4996.1'



**PROPOSED LOCATION:  
GLEN BENCH #822-221**

R	R
22	23
E	E

**LEGEND:**

⊙ PROPOSED LOCATION



**WESTPORT OIL AND GAS COMPANY, L.P.**

**GLEN BENCH #822-221  
SECTION 22, T8S, R22E, S.L.B.&M.  
2110' FSL 831' FEL**




**Uintah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC** 08 31 04  
**MAP** MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: L.K. REVISED: 00-00-00





**LEGEND:**

- EXISTING ROAD
- PROPOSED ACCESS ROAD



**Uintah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813



**WESTPORT OIL AND GAS COMPANY, L.P.**


**GLEN BENCH #822-22I**  
 SECTION 22, T8S, R22E, S.L.B.&M.  
 2110' FSL 831' FEL

**TOPOGRAPHIC MAP**

**08 31 04**  
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: L.K. REVISED: 00-00-00





**PROPOSED LOCATION:  
GLEN BENCH #822-22I**

**R  
22  
E**

**LEGEND:**

- ⊘ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ⊘ WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED

**WESTPORT OIL AND GAS COMPANY, L.P.**

**GLEN BENCH #822-22I  
SECTION 22, T8S, R22E, S.L.B.&M.  
2110' FSL 831' FEL**




**Uintah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813





**TOPOGRAPHIC MAP** 08 31 04  
MONTH DAY YEAR  
SCALE: 1" = 2000' DRAWN BY: L.K. REVISED: 00-00-00





**APPROXIMATE TOTAL PIPELINE DISTANCE = 1700' +/-**

**LEGEND:**

-  PROPOSED ACCESS ROAD
-  EXISTING PIPELINE
-  PROPOSED PIPELINE

**WESTPORT OIL AND GAS COMPANY, L.P.**

**GLEN BENCH #822-22I**  
**SECTION 22, T8S, R22E, S.L.B.&M.**  
**2110' FSL 831' FEL**



**Uintah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC MAP**

**08 31 04**  
 MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: L.K. REVISED: 00-00-00

**D**  
**TOPO**

# WESTPORT OIL AND GAS COMPANY, L.P.

## GLEN BENCH #822-22I

LOCATED IN UINTAH COUNTY, UTAH

SECTION 22, T8S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHEASTERLY



- Since 1964 -

**UELS** Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
435-789-1017 uels@uelsinc.com

<b>LOCATION PHOTOS</b>	<b>08</b>	<b>31</b>	<b>04</b>	<b>PHOTO</b>
	MONTH	DAY	YEAR	
TAKEN BY: K.K.	DRAWN BY: L.K.		REVISED: 00-00-00	

WORKSHEET  
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 11/09/2004

API NO. ASSIGNED: 43-047-36056

WELL NAME: GLEN BENCH 822-22I  
OPERATOR: WESTPORT OIL & GAS CO ( N2115 )  
CONTACT: SHEILA UPCHEGO

PHONE NUMBER: 435-781-7024

PROPOSED LOCATION:

NESE 22 080S 220E  
SURFACE: 2110 FSL 0831 FEL  
BOTTOM: 2110 FSL 0831 FEL  
UINTAH  
NATURAL BUTTES ( 630 )

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal  
LEASE NUMBER: UTU-28652  
SURFACE OWNER: 1 - Federal  
PROPOSED FORMATION: WSMVD  
COALBED METHANE WELL? NO

LATITUDE: 40.10710  
LONGITUDE: -109.4192

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]  
(No. CO-1203 )
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit  
(No. 43-8496 )
- RDCC Review (Y/N)  
(Date: \_\_\_\_\_ )
- Fee Surf Agreement (Y/N)


LOCATION AND SITING:

- \_\_\_ R649-2-3.
- Unit \_\_\_\_\_
- R649-3-2. General  
Siting: 460 From Qtr/Qtr & 920' Between Wells
- \_\_\_ R649-3-3. Exception
- \_\_\_ Drilling Unit  
Board Cause No: \_\_\_\_\_  
Eff Date: \_\_\_\_\_  
Siting: \_\_\_\_\_
- \_\_\_ R649-3-11. Directional Drill


COMMENTS: \_\_\_\_\_

STIPULATIONS: \_\_\_\_\_

1- Federal Approval  
2- Spacing Slip



**OPERATOR: WESTPORT O&G CO (N2115)**  
**SEC. 22 T8S R.22E**  
**FIELD: NATURAL BUTTES (630)**  
**COUNTY: UINTAH**  
**SPACING: R649-3-2/ GENERAL SITING**



Utah Oil Gas and Mining

- |                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Wells</b></p> <ul style="list-style-type: none"> <li>♣ GAS INJECTION</li> <li>☆ GAS STORAGE</li> <li>✕ LOCATION ABANDONED</li> <li>⊕ NEW LOCATION</li> <li>⊕ PLUGGED &amp; ABANDONED</li> <li>★ PRODUCING GAS</li> <li>● PRODUCING OIL</li> <li>★ SHUT-IN GAS</li> <li>★ SHUT-IN OIL</li> <li>✕ TEMP. ABANDONED</li> <li>○ TEST WELL</li> <li>▲ WATER INJECTION</li> <li>▲ WATER SUPPLY</li> <li>♣ WATER DISPOSAL</li> </ul> | <p><b>Units.shp</b></p> <ul style="list-style-type: none"> <li>□ EXPLORATORY</li> <li>□ GAS STORAGE</li> <li>□ NF PP OIL</li> <li>□ NF SECONDARY</li> <li>□ PENDING</li> <li>□ PI OIL</li> <li>□ PP GAS</li> <li>□ PP GEOTHERML</li> <li>□ PP OIL</li> <li>□ SECONDARY</li> <li>□ TERMINATED</li> </ul> | <p><b>Fields.shp</b></p> <ul style="list-style-type: none"> <li>□ ABANDONED</li> <li>□ ACTIVE</li> <li>□ COMBINED</li> <li>□ INACTIVE</li> <li>□ PROPOSED</li> <li>□ STORAGE</li> <li>□ TERMINATED</li> </ul> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



PREPARED BY: DIANA WHITNEY  
 DATE: 12-NOVEMBER-2004



State of Utah

Department of  
Natural Resources

ROBERT L. MORGAN  
*Executive Director*

Division of  
Oil, Gas & Mining

LOWELL P. BRAXTON  
*Division Director*

OLENE S. WALKER  
*Governor*

GAYLE F. McKEACHNIE  
*Lieutenant Governor*

November 15, 2004

Westport Oil & Gas Company L P  
1368 South 1200 East  
Vernal, UT 84078


Re: Glen Bench 822-22I Well, 2110' FSL, 831' FEL, NE SE, Sec. 22, T. 8 South,  
R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36056.

Sincerely,

  
John R. Baza  
Associate Director

pab  
Enclosures

cc: Uintah County Assessor  
Bureau of Land Management, Vernal District Office

Operator: \_\_\_\_\_ Westport Oil & Gas Company L P  
Well Name & Number \_\_\_\_\_ Glen Bench 822-221  
API Number: \_\_\_\_\_ 43-047-36056  
Lease: \_\_\_\_\_ UTU-28652

Location: NE SE                      Sec. 22                      T. 8 South                      R. 22 East

### Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0136  
Expires November 30, 2000

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. UTU-28652
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input checked="" type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator WESTPORT OIL & GAS COMPANY, LP Contact: SHEILA UPCHEGO E-Mail: SUPCHEGO@KMG.COM		7. If Unit or CA Agreement, Name and No.
3a. Address 1368 SOUTH 1200 EAST VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.7024	8. Lease Name and Well No. GLEN BENCH 822-221
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface NESE 2110FSL 831FEL At proposed prod. zone NESE 2110FSL 831FEL		9. API Well No. 43-047-36656
14. Distance in miles and direction from nearest town or post office* 39.7 MILES SOUTH OF VERNAL, UTAH		10. Field and Pool, or Exploratory NATURAL BUTTES
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 831'	16. No. of Acres in Lease 1480.00	11. Sec., T., R., M., or Blk. and Survey or Area Sec 22 T8S R22E Mer SLB
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. REFER TO TOPO C	19. Proposed Depth 10200 MD	12. County or Parish UINTAH
21. Elevations (Show whether DF, KB, RT, GL, etc.) 4997 GL	22. Approximate date work will start	13. State UT
17. Spacing Unit dedicated to this well 40.00		
20. BLM/BIA Bond No. on file CO-1203		
23. Estimated duration		

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature (Electronic Submission)	Name (Printed/Typed) SHEILA UPCHEGO Ph: 435.781.7024	Date 11/04/2004
Title OPERATIONS		
Approved by (Signature) 	Name (Printed/Typed)	Date 07/11/2005
Title Assistant Field Manager Mineral Resources	Office	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

**CONDITIONS OF APPROVAL ATTACHED**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

JUL 26 2005

DIV. OF OIL, GAS & MINING

Electronic Submission #50691 verified by the BLM Well Information System  
For WESTPORT OIL & GAS COMPANY, LP, sent to the Vernal  
Committed to AFMSS for processing by LESLIE WALKER on 11/05/2004 ()

NOTICE OF APPROVAL

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

**CONDITIONS OF APPROVAL**  
**APPLICATION FOR PERMIT TO DRILL**

Company/Operator: Westport Oil & Gas Company LP.  
Well Name & Number: Glen Bench 822-22I  
Lease Number: U-28652  
API Number: 43-047-36056  
Location: NESE Sec. 22 T. 8S R. 22E  
Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

**CONDITIONS OF APPROVAL FOR NOTICE TO DRILL**

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to John Mayers of this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable.

2. Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the intermediate casing must extend at least 200' above the top of the Green River formation which has been identified at  $\pm 2319'$ .

3. Mud Program and Circulating Medium

None

4. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

A cement bond log must be run from the intermediate casing shoe to the top of cement or the surface casing shoe, whichever is lower.

**Please submit an electronic copy of all logs run on this well in LAS format. This submission will supersede the requirement for submittal of paper logs to the BLM. The cement bond log must be submitted in raster format (TIF, PDF or other).**

5. Notifications of Operations

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

6. Other Information

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Kirk Fleetwood (435) 828-7874  
Petroleum Engineer

Michael Lee (435) 828-7875  
Petroleum Engineer

BLM FAX Machine (435) 781-4410

**SURFACE USE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

- If any paleontological or cultural materials are encountered, stop work immediately and report the find to this office.
- No construction or drilling may occur from March 1 through July 15 to protect Ferruginous Hawks during their nesting season.
- The seed mix for this location shall be:

Indian Ricegrass	<i>Achnatherum hymenoides</i>	3 lbs./acre
Fourwing saltbush	<i>Atriplex canescens</i>	3 lbs./acre
shadscale	<i>Atriplex confertifolia</i>	3 lbs./acre
Needle and Threadgrass	<i>Hesperostipa comata ssp. comata</i>	3 lbs./acre

  - All pounds are in pure live seed.
  - Reseeding may be required if first seeding is not successful.
- 4 to 6 inches of topsoil shall be stripped from the location and windrowed as shown on the cut sheet. The topsoil shall then be broadcast seeded with the recommended seed mix immediately after it has been windrowed and the seed walked into the soil with a dozer.
- The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural contours, topsoil respread where appropriate, and the entire location seeded with the recommended seed mix. Seeding shall take place by broadcasting the seed and walking it into the soil with a dozer immediately after the dirt work is completed.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

**Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.**

5. Lease Serial No.  
**UTU-28652**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**GLEN BENCH 822-221**

9. API Well No.  
**43-047-36056**

10. Field and Pool, or Exploratory Area  
**NATURAL BUTTES**

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY L.P.**

3a. Address  
**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435) 781-7024**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**NESE SECTION 22-T8S-R22E 2110'FSL & 831'FEL**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <b>DOGM APD EXTENSION</b>

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION FOR AN ONE YEAR EXTENSION FOR THE SUBJECT WELL LOCATION, SO THAT THE DRILLING OPERATIONS MAY BE COMPLETED. THE ORIGINAL APD WAS APPROVED ON NOVEMBER 15, 2004.

**Approved by the  
Utah Division of  
Oil, Gas and Mining**

Date: **10-25-05**  
By: *[Signature]*

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

**Sheila Upchego**

Title

**Regulatory Analyst**

Signature

*[Signature]*

Date

**October 17, 2005**

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

**RECEIVED**

**OCT 24 2005**

**DIV. OF OIL, GAS & MINING**

**Application for Permit to Drill  
Request for Permit Extension  
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

**API:** 4304736056  
**Well Name:** GLEN BENCH 822-22I  
**Location:** NESE SECTION 22-T8S-R22E  
**Company Permit Issued to:** WESTPORT OIL & GAS CO., L.P.  
**Date Original Permit Issued:** 11/15/2004

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes  No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes  No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes  No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes  No

Has the approved source of water for drilling changed? Yes  No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes  No

Is bonding still in place, which covers this proposed well? Yes  No

  
Signature

10/17/2005  
Date

Title: REGULATORY ANALYST

Representing: WESTPORT OIL & GAS COMPANY L.P.

RECEIVED  
OCT 24 2005  
DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: WESTPORT OIL & GAS COMPANY L.P. Operator Account Number: N 2115  
 Address: 1368 SOUTH 1200 EAST  
 city VERNAL  
 state UT zip 84078 Phone Number: (435) 781-7024

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304736056	GLEN BENCH 822-221		NESE	22	8S	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
1	99999	15146	1/8/2006		1/19/06		
Comments: MIRU PETE MARTIN BUCKET RIG. <i>WSM VD</i> SPUD WELL LOCATION ON 01/08/2006 AT 8 AM. <span style="float: right;">- J</span>							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

SHEILA UPCHEGO

Name (Please Print) \_\_\_\_\_  
 Signature *[Handwritten Signature]*  
 REGULATORY ANALYST 1/11/2006  
 Title \_\_\_\_\_ Date \_\_\_\_\_

RECEIVED  
 JAN 10 2006

DIV. OF OIL, GAS & MINING

(5/2000)

To EARLENE KUSSELL From SHEILA UPCHEGO  
 Co./Dept. UTDOGMI Co. WESTPORT OIL & GAS  
 Phone # (801) 539-5330 Phone # (435) 781-7024  
 Fax # (800) 359-3940 Fax # (435) 781-7024

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**

**Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.**

5. Lease Serial No.

UTU-28652

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

**GLEN BENCH 822-221**

9. API Well No.

43-047-36056

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UTAH

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

Oil Well  Gas Well  Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NESE SECTION 22-T8S-R22E 2110'FSL & 831'FEL

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>WELL SPUD</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

MIRU PETE MARTIN BUCKET RIG. DRILLED 20" CONDUCTOR HOLE TO 80'. RAN 14" 36.7# SCHEDULE 10 PIPE. CMT W/ 28 SX READY MIX.

SPUD WELL LOCATION ON 01/08/2006 AT 8 AM.

14. I hereby certify that the foregoing is true and correct


Name (Printed/Typed)

Sheila Upchego

Title

Regulatory Analyst

Signature



Date

January 10, 2006

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
**UTU-28652**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**GLEN BENCH 822-221**

9. API Well No.  
**43-047-36056**

10. Field and Pool, or Exploratory Area  
**NATURAL BUTTES**

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**SUBMIT IN TRIPLICATE – Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY L.P.**

3a. Address  
**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435) 781-7024**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**NESE SECTION 22-T8S-R22E 2110'FSL & 831'FEL**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Alter Casing <input type="checkbox"/> Casing Repair <input type="checkbox"/> Change Plans <input type="checkbox"/> Convert to Injection
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen <input type="checkbox"/> Fracture Treat <input type="checkbox"/> New Construction <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Plug Back
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Reclamation <input type="checkbox"/> Recomplete <input type="checkbox"/> Temporarily Abandon <input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Well Integrity <input checked="" type="checkbox"/> Other <b>SET SURFACE CSG WITH DRILLING RIG</b>

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

MIRU PIONEER RIG 54. DRILLED 12 1/4" SURFACE HOLE TO 2820'. RAN 9 5/8" 36# J-55 SURFACE CSG. LEAD CMT W/290 SX PREM CLASS G @11.0 PPG 3.82 YIELD. TAILED CMT W/200 SX PREM CLASS G @15.8 PPG 1.15 YIELD. TOP OUT W/475 SX PREM CLASS G @15.8 PPG 1.15 YIELD. CMT TO SURFACE. N/ND & CUT 14" CONDUCTOR MAKE ROUGH CUT ON 9-5/8" L/OUT 14" & 9 5/8" FINAL CUT 9 5/8" WELD ON 11" X 5M WELL HEAD N/UP BOP. DRILLING AHEAD.

**FEB 08 2006**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) <b>Sheila Upchego</b>	Title <b>Regulatory Analyst</b>
Signature 	Date <b>February 3, 2006</b>

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
UTU-28652

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**GLEN BENCH 822-221**

9. API Well No.  
43-047-36056

10. Field and Pool, or Exploratory Area  
NATURAL BUTTES

11. County or Parish, State  
UINTAH COUNTY, UTAH

**SUBMIT IN TRIPLICATE – Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
WESTPORT OIL & GAS COMPANY L.P.

3a. Address  
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)  
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
NESE SECTION 22-T8S-R22E 2110'FSL & 831'FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <b>FINAL DRILLING OPERATIONS</b>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

FINISHED DRILLING FROM 2820' TO 10250'. RAN 4 1/2" 11.6# I-80 PRODUCTION CSG. LEAD CMT W/415 SX PREM LITE II @11.0 PPG 3.38 YIELD. FOLLOWED BY 1000 SX 50/50 POZ @14.3 PPG 1.31 YIELD. DROP PLUG & DISPLACED W/154.4 BBLs WATER & BUMP PLUG W/500 OVER FINAL CIRC PSI OF 2385 PLUG DID NOT HOLD. RE PUMP VOLUME AND PLUG STILL NOT HOLDING RE PUMP & SHUT-IN VALVE SET 3 HRS AND BLEED DOWN AND HAD FULL RETURNS 18 BBLs GOOD CMT TO PIT. HOLD 2800 PSI ON PLUG WASH & CLEAN PITS ND SET SLIPS W.112,000 STRING WT & CUT OFF 4-1/2 CSG.

RELEASED PIONEER RIG 54 ON 02/18/2006 AT 1800 HRS.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Title

Regulatory Analyst

**FEB 27 2006**

Date

February 20, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
**UTU-28652**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
**GLEN BENCH 822-221**

9. API Well No.  
**43-047-36056**

10. Field and Pool, or Exploratory Area  
**NATURAL BUTTES**

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**SUBMIT IN TRIPLICATE – Other instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY L.P.**

3a. Address  
**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)  
**(435) 781-7024**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**NESE SECTION 22-T8S-R22E 2110'FSL & 831'FEL**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <b>PRODUCTION START-UP</b>

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE SUBJECT WELL LOCATION WAS PLACED ON PRODUCTION ON 03/03/2006 AT 10:00 AM.

PLEASE REFER TO THE ATTACHED CHRONOLOGICAL WELL HISTORY.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) <b>Sheila Upchego</b>	Title <b>Regulatory Analyst</b>
Signature 	Date <b>March 9, 2006</b>

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

**RECEIVED**

**MAR 23 2006**

DIV. OF OIL, GAS & MINING

WESTPORT OIL & GAS COMPANY, LP

CHRONOLOGICAL HISTORY

GLEN BENCH 822-22I

	SPUD	Surface Casing	Activity	Status
12/16/05			Build Location, 5% Complete	Pioneer 54
12/19/05			Build Location, 20% Complete	Pioneer 54
12/20/05			Build Location, 30% Complete	Pioneer 54
12/21/05			Build Location, 40% Complete	Pioneer 54
12/22/05			Build Location, 45% Complete	Pioneer 54
12/27/05			Build Location, 70% Complete	Pioneer 54
12/28/05			Build Location, 70% Complete	Pioneer 54
12/29/05			Build Location, 80% Complete	Pioneer 54
01/03/06			Location complete, WOBR	Pioneer 54
01/17/06	1/8/06		Set conductor, WOAR	Pioneer 54
01/23/06	1/20/06	9-5/8" @ 1000'	Drld pilot hole f/drlg rig, WORT	Pioneer 54
01/24/06	1/20/06	9-5/8" @ 1000'	Drld pilot hole f/drlg rig, Ring in, WORT	Pioneer 54
01/30/06	TD: 1000'	Csg. 9 5/8" @XX	MW: 8.4 SD: 1/XX/06	DSS: 0 Move to Glen Bench 822-21I. RURT. NU on 14" conductor. PU bit and BHA @ report time
01/31/06	TD: 1600'	Csg. 9 5/8" @XX	MW: 8.4 SD: 1/30/06	DSS: 1 PU bit and BHA. Drill from 1000'-1600'. DA @ report time.
02/01/06	TD: 2350'	Csg. 9 5/8" @XX	MW: 8.4 SD: 1/30/06	DSS: 2 Drill from 1600'-2350'. DA @ report time.
02/02/06	TD: 2820'	Csg. 9 5/8" @XX	MW: 8.4 SD: 1/30/06	DSS: 3 Drill from 2350'-2820'. CCH for casing. POOH @ report time.
02/03/06	TD: 2820'	Csg. 9 5/8" @XX	MW: 8.4 SD: 1/30/06	DSS: 3 POOH and lay down 8" drill collars. Run and cement 9 5/8" surface casing @ 2800'. Install well head and NU BOPE @ report time.

02/06/06 TD: 5990' Csg. 9 5/8" @2800 MW: 8.7 SD: 1/30/06 DSS: 7  
 NU and test BOPE. PU 7 7/8" PDC bit, MM and BHA and drill cement and FE. Drill from 2820'-5990'. DA @ report time.

02/07/06 TD: 7065' Csg. 9 5/8" @2800 MW: 9.0 SD: 1/30/06 DSS: 8  
 Drill from 5990'-6988'. Repair rotary chain. Drill to 7065'. DA @ report time.

02/08/06 TD: 7680' Csg. 9 5/8" @2800 MW: 9.5 SD: 1/30/06 DSS: 9  
 Drill from 7065'-7680'. DA @ report time.

02/09/06 TD: 8103' Csg. 9 5/8" @2800 MW: 9.6 SD: 1/30/06 DSS: 10  
 Drill from 7680'-7730'. TFNB and MM. Repair low drum chain. Drill to 8103'. DA @ report time.

02/10/06 TD: 8103' Csg. 9 5/8" @2800 MW: 9.6 SD: 1/30/06 DSS: 10  
 Drill from 7680'-7730'. TFNB and MM. Repair low drum chain. Drill to 8103'. DA @ report time.

02/13/06 TD: 9771' Csg. 9 5/8" @ 2800 MW: 9.9 SD: 1/30/06 DSS: 14  
 Drill from 8957'-9771. TFNB @ report time.

02/14/06 TD: 10080' Csg. 9 5/8" @ 2800 MW: 10.4 SD: 1/30/06 DSS: 15  
 FIH. Drill from 9771'-10080'. DA @ report time.

02/15/06 TD: 10250' Csg. 9 5/8" @ 2800 MW: 10.9 SD: 1/30/06 DSS: 16  
 Drill from 10080'-10250' TD. CCH and raise mud weight to control gas. Hole seeping. Raise LCM from 6% to 30% to control loss. CCM @ report time.

02/16/06 TD: 10250' Csg. 9 5/8" @ 2800 MW: 11.2 SD: 1/30/06 DSS: 17  
 CCM and raise mud weight to control gas. Short trip 10 stds. CCH. POOH and run triple combo @ report time.

02/17/06 TD: 10250' Csg. 9 5/8" @ 2800 MW: 11.3 SD: 1/30/06 DSS: 18  
 Finish running triple combo. Staged in hole. CCH and LDDP @ report time.

02/20/06 TD: 10250' Csg. 9 5/8" @ 2800 MW: 11.3 SD: 1/30/06 DSS: 20  
 Finish laying down drill string. Run and cement 4 1/2" Production Casing. ND BOPE and set slips. Release rig @ 1800 hrs 2/18/06. RDRT and move to the Mulligan 822-24G.

02/22/06 PROG: 7:00 AM (DAY1) HELD SAFETY MEETING, DISTRACTED DRIVING. RDMO BONANZA 1023-11K. ROAD RIG TO GLEN BENCH 822-22I. MIRU, SPOT EQUIPMENT. NDWH, NUBOP. RU FLOOR & TBG EQUIPMENT. PU 3-7/8" MILL & 203 JTS NEW 2-3/8" L-80 TBG. (SLM) TBG WAS DRIFTED. EOT @ 6419'. 4:00 PM SWI-SDFN. PREP TO RIH & C/O TO PBTD IN AM.

02/23/06 PROG: 7:00 AM (DAY 2) HELD SAFETY MEETING. POWER SWIVELS. WHP: 0#. EOT @ 6419'. CONTINUE PU 2-3/8" NEW L-80 TBG. (SLM) TBG WAS DRIFTED. TAG SOFT CMT @ 10,204'. RU PMP. C/O 6' SOFT CMT TO 10,210' (PBTD) CIRC WL CLEAN W/110 BBLS 2% KCL WATER. RD PMP. POOH & LD 18 JTS ON FLOAT. CONTINUE POOH. STANDING BACK 152 STANDS TBG. LD MILL. 3:30 PM SWI-SDFN PREP TO LOG & PT IN AM.

02/24/06 PROG: 7:00 AM RIG CREW HELD SAFETY MEETING IN TOWN (LIFTING AND HEARING) 9:00 AM WAIT ON SCHLUMBERGER TO LOG WL SCHLUMBERGER SHOW UP @ 9:30 AM COULD NOT RU FORGOT SHEAVES, HOT SHOTED SHEAVES OUT OF VERNAL. RU SCHLUMBERGER. COMPUTER FAILED SENT TEC OUT OF VERNAL, FIX

COMPUTER. RIH W/TOOL TO 10129', TOOLS FAILED. POOH. REPLACE TOOL, RIH STARED TO LOG WL @ 2:30 PM, RAN A RST & CBL LOG FROM 10180' TO 4520'. CONT RUN CBL TO 450' W/CEMENT TOP @ 1310'. RD SCHLUMBERGER. ND BOPS, NU FRAC VALVES. SWI 6:00 PM, SDFD.

02/27/06

PROG: 6:00 AM (DAY 4) HELD SAFETY MEETING W/CREWS. MIRU DOUBLE JACK. PT CSG & FRAC VALVES TO 7500#. (HELD GOOD) RDMO DOUBLE JACK. MIRU BJ & CUTTERS.

STAGE #1: RIH W/PERF GUNS & PERF THE MV @ 10,002'-10,005', 10,069'-10,074' & 10,175'-10,179' USING 3-3/8" EXP GUNS, 23 GM, 0.35, 90\* PHASING, 4 SPF, (48 HLS) PT SURFACE LINES TO 8312#. WHP=700#. BRK DN PERFS @ 3413# @ 3 BPM. PMPD 168 BBLs @ 5800 @ 45 BPM W/6 BBLs ACID AHEAD. ISIP: 3350, FG: .77. PMPD 1737 BBLs LGHTG 24 GEL, 210,270# 20/40 MESH SD W/3155# FLEX SD @ TAIL. ISIP: 3500, FG: .78, NPI: 150, MP: 6080, MR: 46.3, AP: 5965, AR: 45.5 BPM.

STAGE #2: TOP HCR FRAC VALVE WOULD NOT OPEN TO FULL BORE. WORKED VALVE. NO LUCK. COULD NOT GET CBP THROUGH VALVE. CALL FOR REPLACEMENT. CHANGE OUT VALVE. RIH W/BAKER 8K CBP & PERF GUNS. SET CBP @ 9925'. PERF THE MV @ 9737'-9741', 9807'-9811' & 9890'-9895' USING 3-3/8" EXP GUNS, 23 GM, 0.35, 90\* PHASING, 4 SPF, (52 HLS) WHP: 150#. BRK DN PERFS @ 3909 @ 3 BPM. PMPD 128 BBLs @ 6000 @ 31 BPM. ISIP: 3100, FG: .75. PMPD 1861 BBLs LGHTG 22 GEL, 242,241# 20/40 MESH SD W/3486# FLEX SD @ TAIL. ISIP: 4450, FG: .89, NPI: 1350, MP: 6230, MR: 45, AP: 5890, AR: 45 BPM.

STAGE #3: RIH W/BAKER 8K CBP & PERF GUNS. SET CBP @ 9470'. PERF THE MV @ 9077'-9080', 9280'-9283' & 9426'-9430' USING 3-3/8" EXP GUNS, 23 GM, 0.35, 90\* PHASING, 4 SPF, (40 HLS) WHP: 90#. BRK DN PERFS @ 2725 @ 2 BPM. PMPD 50 BBLs @ 5500 @ 34 BPM. ISIP: 2460, FG: .70. PMPD 1181 BBLs LGHTG 22 GEL, 149,795# 20/40 MESH SD W/1957# FLEX SD @ TAIL. ISIP: 2750, FG: .73, NPI: 290, MP: 4765, MR: 34.7, AP: 4453, AR: 34.5 BPM.

STAGE #4: RIH W/BAKER 8K CBP & PERF GUNS. SET CBP @ 8765'. PERF THE WASATCH @ 8396'-8400', THE MV @ 8522'-8526' & 8720'-8724' USING 3-3/8" EXP GUNS, 23 GM, 0.35, 90\* PHASING, 4 SPF, (48 HLS) WHP: 50#. 6:00 PM SWI-SDFN PREP TO FRAC STGS 4, 5 & 6 IN AM.

02/28/06

PROG: 7:00 AM (DAY 5) HELD SAFETY MEETING W/CREWS.

STAGE #4: CONTINUE ON. PT SURFACE LINES TO 8000#. SICP: 290#. BRK DN PERFS @ 2975# @ 4 BPM. PMPD 63 BBLs @ 5200# @ 44 BPM. ISIP: 1650, FG: .63. PMPD 2137 BBLs LGHTG 20 GEL, 283,854# 20/40 MESH SD W/4502# FLEX SD @ TAIL. ISIP: 2600, FG: .74, NPI: 950, MP: 4355, MR: 46, AP: 4145, AR: 45 BPM.

STAGE #5: RIH W/BAKER 8K CBP & PERF GUNS. SET CBP @ 7945'. PERF THE WASATCH @ 7674'-7677', 7820'-7824' & 7911'-7915' USING 3-1/8" HSC GUNS, 12 GM, 0.34, 90\* PHASING, 4 SPF, (44 HLS) WHP: 110#. BRK DN PERFS @ 2380# @ 5 BPM. PMPD 42 BBLs @ 3900# @ 35 BPM. ISIP: 1400, FG: .61. PMPD 1177 BBLs LGHTG 18 GEL, 152,590# 20/40 MESH SD W/2043# FLEX SD @ TAIL. ISIP: 1650, FG: .65, NPI: 250, MP: 3805, MR: 47, AP: 3440, AR: 47 BPM.

STAGE #6: RIH W/BAKER 8K CBP & PERF GUNS. SET CBP @ 7376'. PERF THE WASATCH @ 7219'-7222', 7297'-7300' & 7342'-7346' USING 3-1/8" HSC GUNS, 12 GM, 0.34, 90\* PHASING, 4 SPF, (40 HLS) WHP: 150#. BRK DN PERFS @ 2438# @ 3 BPM. PMPD 17 BBLs @ 3700# @ 38 BPM. ISIP: 1150, FG: .59. PMPD 515 BBLs LGHTG 18 GEL, 62,305#

20/40 MESH SD W/2938# FLEX SD @ TAIL. ISIP: 1750, FG: .68, NPI: 600, MP: 2885, MR: 40, AP: 2680, AP: 39 BPM.

RIH W/BAKER 8K CBP & SET @ 6950'. POOH & LD WIRELINE TOOLS. RDMO BJ & CUTTERS. GRAND TOTAL 20/40 MESH SD & FLEX SD: 1,101,055#, TOTAL FLEX SD: 18,081# & TOTAL FLUID: 8608 BBLs. ND FRAC VALVES, NUBOP. RU FLOOR & TBG EQUIPMENT. PU 3-7/8" BIT, XTRA FLOAT, POBS W/R NIPPLE & RIH OUT OF DERRICK W/2-3/8" L-80 TBG. EOT @ 5758'. SHUT DN DUE TO HIGH WIND. 4:00 PM SWI-SDFN. PREP TO DRL OUT (6) CBPS IN AM.

03/01/06

PROG: 7:00 AM (DAY 6) HELD SAFETY MEETING, ON SWIVELS. EOT @ 5758'. CONTINUE RIH ON 2-3/8" L-80 TBG. TAG CBP @ 6950'. RU SWVL & PMP. ESTABLISH CIRC W/2% KCLWATER.

(DRLG CBP#1) @ 6950'. DRL OUT BAKER 8K CBP IN 4 MIN. 0# DIFF. RIH, TAG SD @ 7316'. C/O 60' SD.

(DRLG CBP#2) @ 7376'. DRL OUT BAKER 8K CBP IN 8 MIN. 50# DIFF. RIH, TAG SD @ 7900'. C/O 45' SD.

(DRLG CBP#3) @ 7945'. DRL OUT BAKER 8K CBP IN 8 MIN. 0# DIFF. RIH, TAG SD @ 8625'. C/O 140' SD.

(DRLG CBP#4) @ 8765'. DRL OUT BAKER 8K CBP IN 4 MIN. 100# DIFF. RIH, TAG SD @ 9330'. C/O 140' SD.

(DRLG CBP#5) @ 9470'. DRL OUT BAKER 8K CBP IN 6 MIN. 50# DIFF. RIH, TAG SD @ 9805'. C/O 120' SD.

(DRLG CBP#6) @ 9925'. DRL OUT BAKER 8K CBP IN 7 MIN. 50# DIFF. RIH, TAG PBTD @ 10210'. CIRC WL CLEAN.

RD SWVL. POOH & LD 40 JTS ON FLOAT. LAND TBG ON HANGER W/283 JTS NEW 2-3/8" L-80 TBG. EOT @ 8958.24' & POBS W/R NIPPLE @ 8956.82'. AVG 6 MIN/PLUG & C/O 505' SD. RD FLOOR & TBG EQUIPMENT. NDBOP, NUWH. DROP BALL & PMP OFF THE BIT @ 2100#.

OPEN WL TO PIT ON 20/64 CHK. FTP: 850#, SICP: 1000#. 4:30 PM TURN WL OVER TO FLWBACK CREW. LTR @ 4:30 PM, 7600 BBLs. RACK EQUIPMENT. RD RIG. 5:00 PM SDFN.

NOTE: 330 JTS OUTBOUND 2-3/8" L-80 TBG, 283 JTS LANDED IN WL, 47 JTS RETURNED.

03/02/06

PROG: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 650#, TP: 875#, 20/64 CHK, 30 BWPH, 24 HRS, SD: LIGHT, TTL BBLs FLWD: 755, TODAY'S LTR: 6840 BBLs, LOAD REC TODAY: 755 BBLs, REMAINING LTR: 6085 BBLs, TOTAL LOAD REC TO DATE: 1515 BBLs.

03/03/06

PROG: WELL WENT ON SALES: 03/03/06, 10:00 AM. 550 MCF, 20/64 CHK, SICP: 1100#, FTP: 890#, 30 BWPH. FINAL REPORT FOR COMPLETION.

3/4/06: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 825#, TP: 1025#, 20/64 CHK, 22 BWPH, 24 HRS, SD: LIGHT, TTL BBLs FLWD: 603, TODAY'S LTR: 6085 BBLs, LOAD REC TODAY: 603 BBLs, REMAINING LTR: 5482 BBLs, TOTAL LOAD REC TO DATE: 2118

BBLS.

3/5/06: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1060#, TP: 1075#, 20/64 CHK, 22 BWPH, 24 HRS, SD: LIGHT, TTL BBLS FLWD: 450, TODAYS LTR: 5482 BBLS, LOAD REC TODAY: 450 BBLS, REMAINING LTR: 5032 BBLS, TOTAL LOAD REC TO DATE: 2568 BBLS.

3/6/06: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1400#, TP: 1060#, 20/64 CHK, 12 BWPH, 24 HRS, SD: CLEAN, TTL BBLS FLWD: 315, TODAYS LTR: 5032 BBLS, LOAD REC TODAY: 315 BBLS, REMAINING LTR: 4717 BBLS, TOTAL LOAD REC TO DATE: 2883 BBLS.

03/06/06

**ON SALES**

03/03/06: 333 MCF, 0 BC, 396 BW, TP: 1025#, CP: 825#, 20/64 CHK, 18 HRS, LP: 128#.

03/04/06: 796 MCF, 0 BC, 360 BW, TP: 1075#, CP: 1160#, 20/64 CHK, 18 HRS, LP: 133#.

03/07/06

**ON SALES**

03/05/06: 1105 MCF, 0 BC, 240 BW, TP: 1060#, CP: 1450#, 20/64 CHK, 24 HRS, LP: 128#.

03/08/06

**ON SALES**

03/06/06: 1254 MCF, 0 BC, 200 BW, TP: 971#, CP: 1772#, 21/64 CHK, 18 HRS, LP: 131#.

03/09/06

**ON SALES**

03/07/06: 1483 MCF, 5 BC, 283 BW, TP: 838#, CP: 1696#, 22/64 CHK, 24 HRS, LP: 126#.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.  
**UTU-28652**

1a. Type of Well  Oil Well  Gas  Dry  Other  
b. Type of Completion:  New  Work Over  Deepen  Plug Back  Diff. Resrv.  
Other \_\_\_\_\_

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

2. Name of Operator  
**WESTPORT OIL & GAS COMPANY L.P.**

8. Lease Name and Well No.  
**GLEN BENCH 822-221**

3. Address **1368 SOUTH 1200 EAST VERNAL, UTAH 84078**  
3a. Phone No. (include area code) **(435)-781-7024**

9. API Well No.  
**4304736056**

4. Location of Well (Report locations clearly and in accordance with Federal requirements)\*  
At surface **NESE 2110'FSL, 831'FEL**

10. Field and Pool, or Exploratory  
**NATURAL BUTTES**

At top prod. interval reported below

11. Sec., T., R., M., or Block and Survey or Area **SEC 22, T8S, R22E**

At total depth

12. County or Parish **UINTAH** 13. State **UTAH**

14. Date Spudded **01/08/06** 15. Date T.D. Reached **02/15/06** 16. Date Completed  D & A  Ready to Prod. **03/03/06**

17. Elevations (DF, RKB, RT, GL)\*  
**4997'GL**

18. Total Depth: MD **10250'** TVD **MD 10210'** TVD **10210'** 20. Depth Bridge Plug Set: MD **MD** TVD **TVD**

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)  
**CBL-CCL-GR**

22. Was well cored?  No  Yes (Submit copy)  
Was DST run?  No  Yes (Submit copy)  
Directional Survey?  No  Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
20"	14"	36.7#		80'		28 SX			
12 1/4"	9 5/8"	36#		2820'		965 SX			
7 7/8"	4 1/2"	11.6#		10250'		1415 SX			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)
2 3/8"	8958'							

25. Producing Intervals **WSMVD** 26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH	7219'	7915'	7219'-7915'	0.34	84	OPEN
B) WASATCH/MESAVERDE	8396'	8724'	8396'-8724'	0.35	48	OPEN
C) MESAVERDE	9077'	10179'	9077'-10179'	0.35	140	OPEN
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
7219'-7915'	PMP 1692 BBLs LIGHTNING 18 & 214,895# 20/40 MESH SD
8396'-8724'	PMP 2137 BBLs LIGHTNING 20 & 283,854# 20/40 MESH SD
9077'-10179'	PMP 4779 BBLs LIGHTNING 22, 24 & 602,306# 20/40 MESH SD

**RECEIVED**  
**APR 12 2006**

**DIV. OF OIL, GAS & MINING**

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
03/03/06	03/07/06	24	→	5	1,483	283			FLows FROM WELL
Choke Size	Tbg. Press. Flwg. 838#	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
22/64	SI	1696#	→	0	1483	283			PRODUCING GAS WELL

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
03/03/06	03/07/06	24	→	0	1483	283			FLows FROM WELL
Choke Size	Tbg. Press. Flwg. 838#	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
22/64	SI	1696#	→	0	1483	283			PRODUCING GAS WELL

(See instructions and spaces for additional data on reverse side)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
03/03/06	03/07/06	24	→	5	1483	283			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. 838# SI	Csg. Press. 1696#	24 Hr. Rate →	Oil BBL 5	Gas MCF 1483	Water BBL 283	Gas : Oil Ratio	Well Status	PRODUCING GAS WELL

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
WASATCH MESAVERDE	5635' 8230'	8230'			


32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 5. Core Analysis
- 7. Other:

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)\*

Name (please print) SHEILA UPCHEGO Title REGULATORY ANALYST

Signature  Date 4/3/2006

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

**X Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: 1/6/2006

<b>FROM:</b> (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	<b>TO:</b> ( New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024
-----------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
-----------	--------	-----	-----	-----	--------	-----------	------------	-----------	-------------

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on: \_\_\_\_\_
- (R649-9-2)Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: \_\_\_\_\_
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

**COMMENTS:**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.

**MULTIPLE LEASES**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

Oil Well  Gas Well  Other

8. Well Name and No.

**MUTIPLE WELLS**

2. Name of Operator

**KERR-McGEE OIL & GAS ONSHORE LP**

9. API Well No.

3a. Address

**1368 SOUTH 1200 EAST VERNAL, UT 84078**

3b. Phone No. (include area code)

**(435) 781-7024**

10. Field and Pool, or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**SEE ATTACHED**

11. County or Parish, State

**UINTAH COUNTY, UTAH**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.  
KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

**RECEIVED**

**MAY 10 2006**

DIV. OF OIL, GAS & MINING

*BLM BOND = C01203  
BIA BOND = RLB0005239*

**APPROVED 5116106**

*Earlene Russell*

**Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

**RANDY BAYNE**

Title

**DRILLING MANAGER**

Signature

Date

**May 9, 2006**

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

Oil Well  Gas Well  Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06  
Earlene Russell  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

RECEIVED  
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

*Brad Laney*

Title

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



## United States Department of the Interior

BUREAU OF LAND MANAGEMENT  
Colorado State Office  
2850 Youngfield Street  
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)  
3106  
COC017387 et. al.

March 23, 2006

### NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :  
1999 Broadway, Suite 3700 : Oil & Gas  
Denver, CO 80202 :

#### Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell  
Martha L. Maxwell  
Land Law Examiner  
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



# United States Department of the Interior



BUREAU OF LAND MANAGEMENT  
Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov>

IN REPLY REFER TO:  
3106  
(UT-922)

March 27, 2006

## Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of  
Fluid Minerals

## Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225  
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114  
Teresa Thompson  
Joe Incardine  
Connie Seare  
Dave Mascarenas  
Susan Bauman

RECEIVED

MAR 28 2006

CH. OF OIL, GAS & MIN. B.