

March 8, 2005

RE: The Houston Exploration Company
Rock House 5-32-10-23
Sec. 32, T10S, R23E

Utah Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
PO BOX 145801
SLC, UT 84114

RECEIVED

MAR 18 2005

DIV. OF OIL, GAS & MINING

Dear Sir or Madam,

The Houston Exploration Company respectfully requests a spacing exception for the subject well. The well has been moved from the center of the forty-acre spacing.


The well is located at 2,405' FNL & 852' FWL, which has changed from the proposed location at 1980' FNL & 660' FWL.

The location was moved due to topographic considerations. Please see the plat maps.

The Houston Exploration Company is the only lease owner within a 460' radius.

If you have additional questions please contact William A Ryan, Agent
290 S 800 E
Vernal, UT 84078
435-789-0968

Sincerely,


William A Ryan

001

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT
(highlight changes)

APPLICATION FOR PERMIT TO DRILL

1A. TYPE OF WORK: DRILL <input checked="" type="checkbox"/> REENTER <input type="checkbox"/> DEEPEN <input type="checkbox"/>		5. MINERAL LEASE NO. ML-47063	6. SURFACE State
B. TYPE OF WELL: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER _____ SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input checked="" type="checkbox"/>		7. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
2. NAME OF OPERATOR: THE HOUSTON EXPLORATION COMPANY		8. UNIT or CA AGREEMENT NAME:	
3. ADDRESS OF OPERATOR: 1100 LOUISIANA, SUITE HOUSTON TX 77002		9. WELL NAME and NUMBER: ROCK HOUSE 5-32 -10-23	10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 2405' FNL & 852' FWL AT PROPOSED PRODUCING ZONE: SAME AS ABOVE		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: 76.5 MILES SOUTH OF VERNAL, UTAH		12. COUNTY: UINTAH	13. STATE: UTAH
15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE (FEET) 852'	16. NUMBER OF ACRES IN LEASE: 640	17. NUMBER OF ACRES ASSIGNED TO THIS WELL: 40	
18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) 1000' +/-	19. PROPOSED DEPTH: 7,534	20. BOND DESCRIPTION: 104155044	
21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): 5249.2GR	22. APPROXIMATE DATE WORK WILL START: 4/15/2005	23. ESTIMATED DURATION: 30 DAYS	

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	CASING SIZE, GRADE, AND WEIGHT PER FOOT			SETTING DEPTH	CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT			
11"	9 5/8	J-55	36#	2,000	PREMIUM LITE II	250 SKS	3.38 CF	11.0 PPG
					CLASS "G"	329 SKS	1.2 CF	15.6 PPG
					CALCIUM CHLORIDE	200 SKS	1.10 CF	15.6 PPG
7 7/8"	4 1/2	N-80	11.6#	7,534	PREMIUM LITE II	200 SKS	3.3 CF	11.0 PPG
					CLASS "G"	400 SKS	1.56 CF	14.3 PPG

RECEIVED

25. ATTACHMENTS

MAR 18 2005

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES:

DIV. OF OIL, GAS & MINING

- | | |
|--|--|
| <input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER | <input checked="" type="checkbox"/> COMPLETE DRILLING PLAN |
| <input checked="" type="checkbox"/> EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER | <input type="checkbox"/> FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OWNER |

NAME (PLEASE PRINT) WILLIAM A RYAN TITLE AGENT

SIGNATURE William A Ryan DATE 3/8/2005

(This space for State use only)

API NUMBER ASSIGNED: 43-047-36410

Approved by the
Utah Division of
Oil, Gas and Mining


CONFIDENTIAL

Date: 04-21-05
By: [Signature]

T10S, R23E, S.L.B.&M.

1994 Alum. Cap,
0.5' High, Pile
of Stones

1994 Alum. Cap,
0.2' High, Pile
of Stones



THE HOUSTON EXPLORATION COMPANY


Well location, ROCK HOUSE #5-32, located as shown in the SW 1/4 NW 1/4 of Section 32, T10S, R23E, S.L.B.&M. Uintah County, Utah.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

BASIS OF ELEVATION


TWO WATER TRIANGULATION STATION LOCATED IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



SCALE

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.

(AUTONOMOUS NAD 83)
 LATITUDE = $39^{\circ}54'21.61''$ (39.906003)
 LONGITUDE = $109^{\circ}21'25.84''$ (109.357178)
 (AUTONOMOUS NAD 27)
 LATITUDE = $39^{\circ}54'21.73''$ (39.906036)
 LONGITUDE = $109^{\circ}21'23.40''$ (109.356500)

UINTAH ENGINEERING & SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 1-27-05	DATE DRAWN: 2-1-05
PARTY B.B. J.M. E.C.O.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE THE HOUSTON EXPLORATION COMPANY	

003

The Houston Exploration Company
1100 Louisiana, Suite 2000
Houston, TX 77002
713-830-6800

Please hold all information associated with this Application for Permit to Drill and all associated logs confidential for a minimum of six (6) months.

Ten Point Plan

The Houston Exploration Company

Rock House #5-32-10-23

Surface Location SW ¼ NW ¼, Section 32, T. 10S., R. 23E.

1. Surface Formation

Green River

2. Estimated Formation Tops and Datum:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Green River	Surface	+5,249' G.L.
Uteland Butte Limestone	3,204	+2,045'
Wasatch	3,286	+1,963'
Mesaverda	5,786	-540'
Buck Tounge	7,486	-2,237'
Castlegate	7,566	-2,317'
TD	7,534	-2,285'

A 11" hole will be drilled to 2,000' +/- . The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its sub-members.

Off Set Well information

Permitted/Drilled: Rock House #4-32-10-23, Rock House 3-32-10-23,
Rock House 2D-32, ,
Rock House 6D-32, Rock House 7-32-10-23,
Rock House 9-32-10-23 Rock House 10D-32,
Rock House 11-32-10-23, Rock House 12D-32,
Rock House 13-32-10-23, Rock House 15-32-10-23

Producing Wells:

Rock House #11-31

4. **Proposed Casing:**

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight/FT</u>	<u>Grade</u>	<u>Coupling & Tread</u>	<u>Casing Depth</u>	<u>New/Used</u>
11	8 5/8	36#	J-55	STC	2000	NEW
7 7/8	4 1/2	11.6#	N-80	LTC	T.D.	NEW

Cement Program:

The Surface Casing will be cemented to the Surface as follows:

	<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amounts</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
Lead:	8 5/8	Premium Lite II .05#/sk Static Free .25#/sk Cello Flake 5#/sk KOL Seal .002 gps FP-6L 10% Bentonite .5% Sodium Metasilicate 3% Potassium Chloride	250 sks. +/-	3.38ft ³ /sk	11.0 ppg
Tail:	8 5/8	Class "G" 2% Calcium Chloride .25#/sk Cello Flake	329 sks. +/-	1.2ft ³ /sk	15.6 ppg
Top Job:	8 5/8	4% Calcium Chloride .25#/sk Cello Flake	200 sks. +/-	1.10ft ³ /sk	15.6 ppg

Production casing will be cemented to 2,500' or higher as follows:

	<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amounts</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
Lead:	4 1/2	Premium Lite II .25#/sk Cello Flake .05#/sk Static Free 5#/sk Kol Seal 3% Potassium Chloride .055 gps FP-6L 10% Bentonite .5 Sodium Metasilicate	200 sks +/-	3.3ft ³ /sk	11.0 ppg
Tail:	4 1/2	Class "G" .05% Static Free 2 Sodium Chloride .1% R-3 2% Bentonite	400 sks +/-	1.56ft ³ /sk	14.3 ppg

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

<u>Interval</u>	<u>Mud weight lbs./gal.</u>	<u>Viscosity Sec./OT.</u>	<u>Fluid Loss Ml/30 Mins.</u>	<u>Mud Type</u>
0-2000	Air/Clear Water	-----	No Control	Water/Gel
2000-T.D.	8.4-12.0	30	8-10	Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 1/2" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

- a) Test: None are anticipated.
- b) Coring: There is the possibility of sidewall coring.
- c) Sampling: Every 10' from 2000' to T.D.
- d) Logging:

Type	Interval
DLL/SFL W/GR and SP	T.D. to Surf. Csg
FDC/CNL W/GR and CAL	T.D. to Surf. Csg

9. Abnormalities (including sour gas):


No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H₂S.

10. Drilling Schedule:


The anticipated starting date is 04/15/05. Duration of operations is expected to be 30 days.

THE HOUSTON EXPLORATION COMPANY


TYPICAL 3,000 p.s.i. BLOWOUT PREVENTER SCHEMATIC



TYPICAL 3,000 p.s.i. CHOKER MANIFOLD SCHEMATIC



TYPICAL
GAS WELL



THE HOUSTON EXPLORATION COMPANY

13 POINT SURFACE USE PLAN

FOR WELL

ROCKHOUSE 5-32-10-23

LOCATED IN SW ¼ NW ¼

SECTION 32, T. 10S, R23E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: ML-47063

SURFACE OWNERSHIP: STATE

1. Existing Roads:

To reach The Houston Exploration Co well Rock House #5-32-10-23 in Section 32, T10S, R 23E, starting in Vernal, Utah.

Proceed in a easterly, then southerly direction from Vernal, Utah along US Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly, direction approximately 41.5 miles on paved State Highway 45 to the junction of this road and gravel State Highway 45 to southeast; turn left and proceed in an southeasterly direction, approximately 3.8 miles to the junction of this road and State Highway 207 to the southwest; turn right and proceed in a southeasterly direction approximately 8.4 miles to the junction of this road and an existing road to the southwest; proceed in a southwesterly direction approximately 7.8 miles to the junction of this road and an existing road to the northwest; turn right and proceed in a northwesterly, direction approximately 0.5 miles to the junction of this road and an existing road to the west; turn left and proceed in a westerly, then northerly direction approximately 2.7 miles to the junction of this road and an existing road to the northwest; turn left and proceed in a northwesterly, then northerly direction approximately 5.4 miles to the junction of this road and an existing road to the north; proceed in a northerly, then northwesterly,

then northeasterly direction approximately 2.5 miles to the beginning of the proposed access to the northwest; follow road flags in a northwesterly direction approximately 0.1 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 76.5 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 528' +/- of new construction on lease. The road will be graded once per year minimum and maintained.

A) Approximate length	528 ft
B) Right of Way width	30 ft
C) Running surface	18 ft
D) Surface material	Native soil
E) Maximum grade	5%
F) Fence crossing	None
G) Culvert	None
H) Turnouts	None
I) Major cuts and fills	None
J) Road Flagged	Yes
K) Access road surface ownership	State
L) All new construction on lease	Yes
M) Pipe line crossing	None

Please see the attached location plat for additional details.

An off lease right of way will not be required.

All surface disturbances for the road and location will not be within the lease boundary.

3. Location of existing wells

The following wells are located within a one-mile radius of the location site.

- A) **Producing well**
 - Rock House #2D-32
 - Rock House #6D-32
 - Rock House #10D-32
 - Rock House #12D-32
- B) **Water well** None
- C) **Abandoned well** None
- D) **Temp. abandoned well** None
- E) **Disposal well** None
- F) **Drilling /Permitted well**
 - Rock House #3-32-10-23
 - Rock House #4-32-10-23
 - Rock House #7-32-10-23
 - Rock House #9-32-10-23
 - Rock House #11-32-10-23
 - Rock House #13-32-10-23
 - Rock House #15-32-10-23
- G) **Shut in wells** None
- H) **Injection well** None
- I) **Monitoring or observation well** None

Please see the attached map for additional details.

4. Location of tank batteries, production facilities and production gathering service lines.

All production facilities are to be contained within the proposed location site. Please see the attached

plat plan for a typical gas well separator installation and well site piping.

All permanent (on site for more than six months or longer) structures constructed or installed will be painted a Desert Tan color. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is Desert Tan.

All tanks will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank in the battery. The integrity of the dike will be maintained.

The operator will adhere to all site security guidelines and regulation identified in 43 cfr 3126.7.

All off lease storage, off lease measurement, commingling on lease or off lease, of production, will have prior written approval from the authorized officer.

If the well is capable of economic production a surface gas line will be required.

Approximately 515' +/- of 3" gathering line would be constructed on State Lands. The line would tie into the existing pipeline in Sec. 32, T10S, R23E. The line will be strung and boomed to the south and west of the access road and location.

An off lease right of way will not be required.

Please see the attached location diagrams for pipeline location. There will be no additional surface disturbances required for the installation of a gathering line.

The gas meter run will be located within 500' of the wellhead. The gas line will be buried or anchored down from the wellhead to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meter-proving schedules. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah, Division of Oil, Gas, and Mining. All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas and liquid hydrocarbon measurement.

5. Location and type of water supply

Water for drilling and cementing will come from the White River at Saddle Tree Draw, Permit # T-75514.

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately **12 ft.** deep and most of the depth shall be below the surface of the existing ground. Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to store water for drilling. A semi-closed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90-day period an application for approval for permanent disposal method and location will

be submitted to the authorized officer.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized landfill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout

Location dimensions are as follows:

- A) Pad length 340 ft.
- B) Pad width 210 ft.
- C) Pit depth 12 ft.
- D) Pit length 180 ft.
- E) Pit width 50 ft.
- F) Max cut 25.0 ft.
- G) Max fill 13.4 ft
- H) Total cut yds. 13,260 cu yds.
- I) Pit location West side
- J) Top soil location Northeast end
- K) Access road location

**South end
corner B**

L) Flare Pit

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.
- E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.

10. Plans for restoration of the surface

Prior to construction of the location, the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and

piled will amount to approximately **1,890** cubic yards of material.

Topsoil will be stockpiled in one distinct pile. Placement of the topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be re-contoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified and left with a rough surface.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed.

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Seed Mix

To be determined by the Authorized Officer.

11. Surface ownership:

Access road	State
Location	State
Pipe line	State

12. Other information:

A) Vegetation

The vegetation coverage is

Slight. The majority of the existing vegetation consists of non-native species. Rabbit brush, bitter brush, and Indian Rice grass and Sagebrush are also found on the location.

B) Dwellings:

There are no dwelling or other facilities within a one-mile radius of the location.

C) Archeology:

The location has been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of June 8, 1906) are discovered, all operations, which would affect such sites, will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is the White River located 2 miles to the North.

E) Chemicals:

No pesticides, herbicides or other possible hazardous chemicals will be used without prior application.

F) Notification:

- a) Location Construction
At least forty eight (48) hours prior to construction of location and access roads.
- b) Location completion
Prior to moving on the drilling rig.
- c) Spud notice
At least twenty-four (24) hours prior to spudding the well.
- d) Casing string and cementing
At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests
At least twenty-four (24) hours prior to initial pressure tests.
- f) First production notice
Within five (5) business days after the new well begins, or production resumes after well has been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in **corner B** of the reserve pit outside the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan
290 S 800 E
Rocky Mountain Consulting
Vernal, UT 84078

Office 435-789-0968
Fax 435-789-0970
Cellular 435-828-0968

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.


This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true

and correct, and that the work associated with the operation proposed herein will be preformed by The Houston Exploration Company and its contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Date 3/8/05



William A. Ryan, Agent
Rocky Mountain Consulting

Onsite Dates:

Statement of use of Hazardous Materials

No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986 will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored, transported, disposed, or associated with the proposed action.

If you require additional information please contact:

William A Ryan
Agent for The Houston Exploration Company
Rocky Mountain Consulting
290 S 800 E
Vernal, UT 84078

435-789-0968 Office
435-828-0968 Cell
435-789-0970 Fax

THE HOUSTON EXPLORATION COMPANY

ROCK HOUSE #5-32

LOCATED IN UINTAH COUNTY, UTAH
SECTION 32, T10S, R23E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHWESTERLY



- Since 1964 -

UELS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

01 28 05
MONTH DAY YEAR

PHOTO

TAKEN BY: B.B.

DRAWN BY: C.P.


REVISED: 00-00-00

SCALE: 1" = 50'
 DATE: 2-1-05
 Drawn By: E.C.O.

THE HOUSTON EXPLORATION COMPANY

LOCATION LAYOUT FOR
 ROCK HOUSE #5-32
 SECTION 32, T10S, R23E, S.L.B.&M.
 2405' FNL 852' FWL

CONSTRUCT
 DIVERSION
 DITCH



NOTE:
 Flare Pit is to be located
 a min. of 100' from the
 Well Head.

Pit Capacity W/2'
 of Freeboard =
 ± 8,340 Bbls.
 Total Pit Volume =
 ± 2,350 Cu. Yds

NOTES:

Elev. Ungraded Ground At Loc. Stake = 5253.6'
 FINISHED GRADE ELEV. AT LOC. STAKE = 5249.2'

FIGURE #1



THE HOUSTON EXPLORATION COMPANY

FIGURE #2

TYPICAL CROSS SECTIONS FOR
 ROCK HOUSE #5-32
 SECTION 32, T10S, R23E, S.L.B.&M.
 2405' FNL 852' FWL

1" = 20'
 X-Section Scale
 1" = 50'

DATE: 2-1-05
 Drawn By: E.C.O.



* NOTE:
 FILL QUANTITY INCLUDES
 5% FOR COMPACTION

APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,890 Cu. Yds.
Remaining Location	= 11,370 Cu. Yds.
TOTAL CUT	= 13,260 CU.YDS.
FILL	= 10,190 CU.YDS.

EXCESS MATERIAL	= 3,070 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 3,070 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
 85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

R
22
E

R
23
E

**PROPOSED LOCATION:
ROCK HOUSE #5-32**

SEE TOPO "B"

T10S
T11S

2.5 MI. +/-

5.4 MI. +/-

0.5 MI. +/-

2.7 MI. +/-

7.8 MI. +/-

STATE HIGHWAY 45 8.4 MI. +/-
BONANZA 17.6 MI. +/-
VERNAL 57.6 MI. +/-

LEGEND:

○ PROPOSED LOCATION



THE HOUSTON EXPLORATION COMPANY

**ROCK HOUSE #5-32
SECTION 32, T10S, R23E, S.L.B.&M.
2405' FNL 852' FWL**




Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP 01 28 05
MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: C.P. REVISED: 00-00-00





LEGEND:

-  EXISTING ROAD
-  PROPOSED ACCESS ROAD



THE HOUSTON EXPLORATION COMPANY


ROCK HOUSE #5-32
SECTION 32, T10S, R23E, S.L.B.&M.
2405' FNL 852' FWL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 01 28 05
MAP MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00





**PROPOSED LOCATION:
ROCK HOUSE #5-32**

**ROCKHOUSE
#11-31**

**T10S
T11S**

LEGEND:

- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ⊗ WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED



THE HOUSTON EXPLORATION COMPANY


**ROCK HOUSE #5-32
SECTION 32, T10S, R23E, S.L.B.&M.
2405' FNL 852' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP 01 28 05
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 515' +/-

LEGEND:

-  PROPOSED ACCESS ROAD
-  EXISTING PIPELINE
-  PROPOSED PIPELINE



THE HOUSTON EXPLORATION COMPANY

**ROCK HOUSE #5-32
SECTION 32, T10S, R23E, S.L.B.&M.
2405' FNL 852' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 01 28 05
MAP MONTH DAY YEAR
SCALE: 1" = 1000' DRAWN BY: C.P. REVISED: 00-00-00



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 03/18/2005

API NO. ASSIGNED: 43-047-36410

WELL NAME: ROCK HOUSE 5-32-10-23
OPERATOR: HOUSTON EXPLORATION CO, (N2525)
CONTACT: BILL RYAN

PHONE NUMBER: 435-789-0968

PROPOSED LOCATION:

SWNW 32 100S 230E
SURFACE: 2405 FNL 0852 FWL
BOTTOM: 2405 FNL 0852 FWL
UINTAH
NATURAL BUTTES (630)

LEASE TYPE: 3 - State
LEASE NUMBER: ML-47063
SURFACE OWNER: 3 - State
PROPOSED FORMATION: CSLGT
COALBED METHANE WELL? NO

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	DKD	4/15/05
Geology		
Surface		

LATITUDE: 39.90602
LONGITUDE: -109.3563

RECEIVED AND/OR REVIEWED:


- Plat
- Bond: Fed[] Ind[] Sta[] Fee[]
(No. 104155044)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. T-75514)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:

- ___ R649-2-3.
Unit _____
- ___ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- ___ Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- ___ R649-3-11. Directional Drill

COMMENTS: Needs Permit (03-31-05)

STIPULATIONS: 1- Spaling Strip
2- STATEMENT OF BASIS



OPERATOR- THE HOUSTON EXPL CO (N2525)


SEC. 32 T.10S R.23E

FIELD: NATURAL BUTTES (630)

COUNTY: UINTAH

SPACING: R649-3-3 / EXCEPTION LOCATION

Wells		Units.shp		Fields.shp	
♣	GAS INJECTION	□	EXPLORATORY	■	ABANDONED
○	GAS STORAGE	□	GAS STORAGE	■	ACTIVE
×	LOCATION ABANDONED	□	NF PP OIL	■	COMBINED
⊙	NEW LOCATION	□	NF SECONDARY	■	INACTIVE
◇	PLUGGED & ABANDONED	□	PENDING	■	PROPOSED
★	PRODUCING GAS	□	PP GAS	■	STORAGE
●	PRODUCING OIL	□	PP GEOTHERML	■	TERMINATED
✱	SHUT-IN GAS	□	PP OIL		
➔	SHUT-IN OIL	□	SECONDARY		
×	TEMP. ABANDONED	□	TERMINATED		
○	TEST WELL				
△	WATER INJECTION				
◆	WATER SUPPLY				
♣	WATER DISPOSAL				



Utah Oil Gas and Mining



PREPARED BY: DIANA WHITNEY
DATE: 21-MARCH-2005

From: Lisha Cordova
To: Ed Bonner; FLOYDBARTLETT@utah.gov
Date: 3/28/2005 11:18:10 AM
Subject: Presite Correction

Hi Ed & Floyd,

I need to make a big correction to the presite meeting time at the 4-32 well site, I originally said around 9:30-10:00 am, I need to change that time to around noon, it's a lot further than I anticipated.

Thanks,
Lisha

CC: Brad Hill

From: Lisha Cordova
To: Ed Bonner; FLOYDBARTLETT@utah.gov
Subject: Presites 3/28/05

Hi Ed (SITLA) & Floyd (DWR),

You are invited to attend presites scheduled for Wednesday, March 30th, for the wells listed below.

Rockhouse 4-32-10-23 Sec. 32, T10S, R23E, Uintah County, ML-47063 & State surface.
Rockhouse 5-32-10-23 "
Rockhouse 7-32-10-23 "
Rockhouse 9-32-10-23 "

I plan to meet Ginger/Houston Rep. at 9:00 a.m. in Vernal, at Betty's Cafe (north end of main road), you are welcome to meet us there or at the 4-32 well site around ~~9:30-10:00~~ noon.

If you are unable to make it, you may e-mail me at lishacordova@utah.gov with any questions or comments regarding the proposed wells.

Thank you,
Lisha


CC: Brad Hill

UINTA BASIN

		FEET		
Q	Recent alluvium	0-100		
	Outwash, older alluvium	0-200		
OLIG	Duchesne River Formation	0-3000		Ephippius subsurface
	Uinta Formation	0-5000		
EOCENE	Green River Formation	2000-6000		42 m.y. K-Ar ealine tuff 44 m.y. wavy tuff Mahogany oil-shale marker bed middle marker on well logs carbonate marker
	Colton Formation	0-1500		red ss. silt & shale
	Flagstaff Formation (or member of the Green River Fm)	0-1500		gray to green clay and ss and limestone
PALEOCENE	North Horn Formation	0-2000		channel ss and red clay and silt
	Mesaverde Group	1200-2700		thins northeastward coal
CRETACEOUS	Mancos Shale	3200-5000		thickens northeastward
	Frontier-Mowry Fms	300-350		Note - Pipiringos & O-Sullivan (1978) show formations listed below under part of Uinta Basin
	Dakota-Cedar Fms	50-200		
JURASSIC	Morrison Fm	500-600		Summerville Fm
	Curtis Fm	0-300		
	Entrada Sandstone	180-220		
	Carmel Fm	0-100		
	Navajo Sandstone	500-650		Page Sandstone
TRI	Chinle Fm & Garra Mbr	70-150		Pre-Triassic rocks
	Moenkopi Fm	100-760		were all eroded from the Uncompahgre block
M.P.	Weber and Park City Fms	0-900		
	Limestones, undivided	0-1500		
D	Devonian undivided	0-160		
	Ls & ss undivided	0-200		
P	Granite	basement		


QUATERNARY - Hood, 1976; Hood, & Fields, 1978; UINTE-DUCHESNE RIVER - Kay, 1957; Warner, 1966; EOCENE-PALEOCENE - Fouch, 1976; Ryder et al, 1976; Mauger, 1977; Johnson, 1985; PRE-TERTIARY - Heylman et al, 1965; STRUCTURE - Smith & Cook, 1985; Bryant, 1985; OIL & GAS - Clem, 1985.

42 UINTE BASIN MAPS & CROSS SECTION




REFERENCES - Fouch, 1976; Johnson, 1985.

MONANZA, UTAH - RANGELY, COLO



MAP REFERENCES - COLLINS, 1971; PIPERINGOS, 1977; TERTIARY - RYDER ET AL., 1976; PICARD & HIGH, 1978; SURDAM & STANLEY, 1980; CASHION & DONNELL, 1974; JOHNSON, 1984, 1985; CRETACEOUS - YOUNG, 1975; PALEOZOIC - CAMPBELL, 1955; WEISS & BASSELL 1979; GILSONITE - JACKSON, 1985.

44 GRAND JUNCTION AREA, COLORADO



MAPS WITH TEXT - CASHION, 1973; LOHMAN, 1965a, b; QUATERNARY - WHITNEY, 1961; GREEN RIVER - JOHNSON, 1984; WASATCH - DONNELL, 1969; CRETACEOUS - YOUNG, 1955, 1966, 1983b; FISHER ET AL., 1960; GILL & HALL, 1973; CRAIG, 1981; JOHNSON & MAY, 1980; JOHNSON ET AL., 1980; JURASSIC - GADIGAN, 1967; O'SULLIVAN & PIPERINGOS, 1983; TRIASSIC - STEWART, 1969; PREGAMBRIAN - BICKFORD & CUDDELOE, TWETO, 1977.



State Online Services

Agency List

Business.utah.gov

Search Utah.gov



UTAH DIVISION OF WATER RIGHTS

WRPLAT Point of Diversion Query Program

Version: 2004.12.30.00 Rupdate: 03/28/2005 12:32 PM

Section Query Page

Fill in the information below and press either the **Search** or **Browse** button to perform a point of diversion search using a radius from a point. Hint: Browse allows you to zoom and pan to customize the map display area before printing, Search goes straight to the print ready screen.

Search Radius (feet): *Rockhouse 9-32-10-23*
 from a point located feet feet
 from the Corner, Section
 Township , Range , b&m.

QUERY TYPE LIMITATIONS

STATUS OF RIGHT	TYPE OF DIVERSION	APPLICATION TYPE	WATER USE TYPE
<input checked="" type="checkbox"/> Unapproved	<input checked="" type="checkbox"/> Underground	<input checked="" type="checkbox"/> Water Right	<input checked="" type="checkbox"/> Irrigation
<input checked="" type="checkbox"/> Approved	<input checked="" type="checkbox"/> Surface	<input checked="" type="checkbox"/> Changes	<input checked="" type="checkbox"/> Stock Water
<input checked="" type="checkbox"/> Perfected	<input checked="" type="checkbox"/> Springs	<input checked="" type="checkbox"/> Exchanges	<input checked="" type="checkbox"/> Domestic
<input type="checkbox"/> Terminated	<input checked="" type="checkbox"/> Drains	<input type="checkbox"/> Test Wells	<input checked="" type="checkbox"/> Municipal
	<input checked="" type="checkbox"/> Point to Point	<input type="checkbox"/> Sewage Reuse	<input checked="" type="checkbox"/> Mining
	<input checked="" type="checkbox"/> Redirection		<input checked="" type="checkbox"/> Dewater



State Online Services

Agency List

Business.utah.gov

Search Utah.gov

GO

UTAH DIVISION OF WATER RIGHTS

Sorry. No diversion points. Try browsing!

[Natural Resources](#) | [Contact](#) | [Disclaimer](#) | [Privacy Policy](#) | [Accessibility Policy](#)

OURAY 4 NE, UTAH (426568)**Period of Record Monthly Climate Summary****Period of Record : 8/17/1955 to 9/30/2004**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	29.1	37.5	54.0	65.7	77.1	87.6	94.6	91.7	81.2	67.5	47.5	32.9	63.9
Average Min. Temperature (F)	2.5	9.5	23.5	33.3	42.7	50.1	55.9	53.9	43.9	32.0	20.3	7.4	31.3
Average Total Precipitation (in.)	0.36	0.36	0.46	0.67	0.72	0.50	0.59	0.65	0.80	0.89	0.46	0.37	6.84
Average Total SnowFall (in.)	4.1	2.9	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.4	1.9	4.0	15.5
Average Snow Depth (in.)	3	2	0	0	0	0	0	0	0	0	0	1	1

Percent of possible observations for period of record.

Max. Temp.: 93.7% Min. Temp.: 93.9% Precipitation: 98.9% Snowfall: 92.6% Snow Depth: 87.1%

Check [Station Metadata](#) or [Metadata graphics](#) for more detail about data completeness.*Western Regional Climate Center, wrcc@dri.edu*

Ouray 4 NE / Bonanza
 Avg. max Temp. - 63.25
 Avg. min Temp. - 32.4
 Avg. Precip. - 7.855"
 Avg. Snowfall - 20"
 Avg. Snow Depth - 1"

BONANZA, UTAH (420802)**Period of Record Monthly Climate Summary****Period of Record : 7/ 2/1948 to 2/25/1993**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	30.4	37.2	49.9	63.3	73.3	85.3	92.3	89.6	80.9	66.2	48.3	34.8	62.6
Average Min. Temperature (F)	7.3	13.4	25.1	34.1	42.1	50.1	57.0	54.6	46.5	35.5	23.6	12.7	33.5
Average Total Precipitation (in.)	0.58	0.43	0.70	0.79	1.03	0.73	0.83	0.91	0.83	1.05	0.49	0.52	8.87
Average Total SnowFall (in.)	6.4	5.3	4.3	1.0	0.0	0.0	0.0	0.0	0.0	0.5	1.7	5.3	24.5
Average Snow Depth (in.)	4	3	1	0	0	0	0	0	0	0	0	1	1

Percent of possible observations for period of record.

Max. Temp.: 80.1% Min. Temp.: 80% Precipitation: 82.9% Snowfall: 70.6% Snow Depth: 67%

Check [Station Metadata](#) or [Metadata graphics](#) for more detail about data completeness.

Western Regional Climate Center, wrcc@dri.edu

Casing Schematic

Green River

Surface

8-5/8"
MW 8.4
Frac 19.3

4-1/2"
MW 10.

TOC @
0.

Surface
2000. MD

TOC @
3723.
4200 Bmsw

Production
7534. MD

1230 TOC Tail

w/18% Washout

3286 Wosatch

Stip
TOC +/- 3200
protect Wosatch

5682 TOC Tail
5786 Mosavende

w/15% Washout

BHP
 $(.052)(10)(7534) = 3917$
 Anticipate < 3000

Gas
 $(.12)(7534) = 904$
 Masp = 3013

Fluid
 $(.22)(7534) = 1657$
 Masp = 2260

BOP - 3,000 ✓

Surf Esq - 4460
 70% = 3122
 Operator's Max Pressure @ Shoe < 1782 psi
 Max pressure @ Surf Shoe = 2700
 proposed test to 1500 #
 Test to 1700 # ✓

✓ Adequate DDD 4/15/05

**DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS**

OPERATOR: The Houston Exploration Company (N2525)
WELL NAME & NUMBER: Rock House 5-32-10-23
API NUMBER: 43-047-36410
LOCATION: 1/4,1/4 SWNW Sec: 32 TWP: 10S RNG: 23E 2405 FNL 852 FWL

Geology/Ground Water:

Houston proposes to set 2,000' of surface casing at this location. The depth to the base of the moderately saline water at this location is estimated to be at a depth of 4,200'. A search of Division of Water Rights records shows no water wells within a 10,000 foot radius of the proposed location. The surface formation at this site is the Green River Formation. The Green River Formation is made up of interbedded limestones, shales and sandstones. The proposed casing and cementing program should adequately protect any underground sources of useable water.

Reviewer: Brad Hill **Date:** 04-06-05

Surface:

An operator representative "Ginger Stringham", dirt contractor "Cory Stubbs", and DWR "Floyd Bartlett" were present at the onsite conducted on March 31, 2005. SITLA "Ed Bonner" was invited but was unable to attend. Reserve pit backfill & spoils will be stockpiled west & south of the pit, west of well pad. The reserve pit liner will need to be properly installed and maintained in the reserve pit with a synthetic liner with a minimum thickness of 12 mils, and if the pit is built in rock "straw, felt liner, or some other Division approved material" will be required to underlay the liner. The Division would like to be notified prior to lining the reserve pit to allow for Division inspection.

Reviewer: Lisha Cordova **Date:** April 5, 2005

Conditions of Approval/Application for Permit to Drill:

1. A synthetic liner with a minimum thickness of 12 mils shall be properly installed and maintained in the reserve pit.
2. If the reserve pit is built in rock "straw, felt liner or some other Division approved material" will be required to underlay the liner.
3. The Division shall be notified prior to lining the reserve pit to allow for Division inspection.

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: The Houston Exploration Company (N2525)

WELL NAME & NUMBER: Rock House 5-32-10-23

API NUMBER: 43-047-36410

LEASE: ML-47063 **FIELD/UNIT:** Natural Buttes Field (630)

LOCATION: 1/4,1/4 SWNW Sec:32 TWP:10S RNG:23E 2405 FNL 852 FWL

LEGAL WELL SITING: 460 FR SEC. LINE;460 FR 1/4,1/4 LINE;920 FR ANOTHER WELL.

GPS COORD (UTM): X = 640502 E; Y = 4418410 N SURFACE OWNER: SITLA/State

PARTICIPANTS

Lisha Cordova (DOGM), Ginger Stringham (Houston/Agent), Cory Stubbs (Stubbs & Stubbs/Dirt Contractor), and Floyd Bartlett (DWR). Ed Bonner (SITLA) was invited but was unable to attend.

REGIONAL/LOCAL SETTING & TOPOGRAPHY

The well site is approx. 77 miles southeast of Vernal, Utah, off Highway 45, and is located on State lands & minerals surrounded by Federal & Fee lands. The well site is located on valley lands, surrounded by (Grrv) mountains, on a sloped hillside adjacent to the mountain edge. The existing access road runs east of location. The Rock House 6D-32 & 12D-32 PGW's are visible from the proposed site. Existing access roads to the site are either State or BLM maintained, or County Class D roads.

SURFACE USE PLAN

CURRENT SURFACE USE: Wildlife & livestock grazing, recreation & hunting.

PROPOSED SURFACE DISTURBANCE: Pad 340'X170', attached reserve pit 180'X50' surrounded by a 15-20' berm, and backfill & spoils stockpile(s) around portions of pad. Approx. 528' of new road on lease, 18' wide, will be constructed from the main access road to the well site.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: 5 PGW's, see attached ArcView/Gis map.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: Wellhead, production & drain line(s), separator, gas meter, and water drain pit at site. The production pipeline will tie into the existing pipeline in Sec. 32, south and west of the access road & location. All production pipelines in the area are above ground, and run parallel to access roads to the well sites. Small sections are buried where roads intercept with the pipeline.

SOURCE OF CONSTRUCTION MATERIAL: All construction material will be obtained from the site during construction of the location.

ANCILLARY FACILITIES: None required.

WILL DRILLING AT THIS LOCATION GENERATE PUBLIC INTEREST OR CONCERNS?
(EXPLAIN): No anticipated public interest and/or concerns. Wells have already been drilled in the surrounding area(s).

WASTE MANAGEMENT PLAN:

Portable chemical toilets will be emptied into the municipal waste treatment system; garbage cans on location will be emptied into centralized dumpsters, which will be emptied into an approved landfill. Drilling fluid, and completion/frac fluid will be removed from the pit upon completion of the well. Cuttings will be buried in the pit unless oil based mud is used. If oil based mud is used disposal of the cuttings should be discussed with the Division. Used oil from drilling operations and support will be hauled to a used oil recycling facility. Produced water will be disposed of at an approved facility.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: None

FLORA/FAUNA: Sage brush, greasewood, horse brush, prickly pear cactus, shadscale, juniper trees; deer, elk, antelope, rodents, birds, coyote, rabbits, and possibly raptor(s)?

SOIL TYPE AND CHARACTERISTICS: Light brown to brown in color, sandy & clayey, with small-medium sized rocks, and large boulders.

SURFACE FORMATION & CHARACTERISTICS: Eocene Age, Green River Formation and Quaternary alluvium sediments derived from the Green River Formation; consists chiefly of barren (of oil-shale) shale and marlstone that weathers brown or brown gray. Forms gently rounded slopes broken by irregular discontinuous ledges. Shale is limy, thin-bedded, platy or chippy, and locally sandy. Marlstone is sandy. Has a few claystone and medium-grained dark brown sandstone beds. The oil-shale beds present are thin and discontinuous.

EROSION/SEDIMENTATION/STABILITY: Very little natural erosion at site, sedimentation and stability are good.

PALEONTOLOGICAL POTENTIAL: None observed.

RESERVE PIT

CHARACTERISTICS: After grading & leveling site, pit will be built on a flat surface in cut, 180'X50'X12'deep surrounded by a 15-20' berm. Depth of soil and hard rock underlying pit is unknown at present. Hard rock may be encountered.

LINER REQUIREMENTS (Site Ranking Form attached): A 12 mil liner is required. If hard rock is encountered while constructing reserve pit, and if blasting occurs, operator/dirt contractor says they will make sure sharp edges are smoothed over, and will line the reserve pit with a 12 oz. or double (24 oz.) felt liner depending on the condition of the

pit bottom, followed by a 16 mil liner its' outer edges will be tucked & buried 8" below surface. Houston has been lining all of their reserve pits in the area with 16 mil liners per operator/dirt contractor.

SURFACE RESTORATION/RECLAMATION PLAN

SURFACE AGREEMENT: As per agreement with SITLA (surface owner).

CULTURAL RESOURCES/ARCHAEOLOGY: Sagebrush Archaeological Consultants has conducted an area archaeological survey, no cultural resources were found as per operator, and none were observed at presite. A copy of the survey will be submitted to DOGM when finalized.

OTHER OBSERVATIONS/COMMENTS

Floyd (DWR) stated that although this area shows sign of deer & elk use, it is not a critical area, and no sign of raptor(s). DWR has no wildlife concerns for this site, and has provided Ginger/Houston with a seed mixture for reclamation purposes.

ATTACHMENTS

Photos of this location were taken and placed on file.

Lisha Cordova
DOGM REPRESENTATIVE

March 31, 2005
DATE/TIME

**Evaluation Ranking Criteria and Ranking Scale
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	5
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	
Distance to Surf. Water (feet)		
>1000	0	0
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	
Distance to Nearest Municipal Well (feet)		
>5280	0	0
1320 to 5280	5	
500 to 1320	10	
<500	20	
Distance to Other Wells (feet)		
>1320	0	0
300 to 1320	10	
<300	20	
Native Soil Type		
Low permeability	0	
Mod. permeability	10	10
High permeability	20	
Fluid Type		
Air/mist	0	
Fresh Water	5	5
TDS >5000 and <10000	10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of hazardous constituents	20	
Drill Cuttings		
Normal Rock	0	0
Salt or detrimental	10	
Annual Precipitation (inches)		
<10	0	0
10 to 20	5	
>20	10	
Affected Populations		
<10	0	0
10 to 30	6	
30 to 50	8	
>50	10	
Presence of Nearby Utility Conduits		
Not Present	0	0
Unknown	10	
Present	15	

Final Score 20 (Level I Sensitivity)


Sensitivity Level I = 20 or more; total containment is required, consider criteria for excluding pit use.

Sensitivity Level II = 15-19; lining is discretionary.

Sensitivity Level III = below 15; no specific lining is required.








Legend

Wells


- GAS INJECTION
- GAS STORAGE
- × LOCATION ABANDONED
- ⊙ NEW LOCATION
- ◇ PLUGGED & ABANDONED
- PRODUCING GAS
- PRODUCING OIL
- SHUT-IN GAS
- SHUT-IN OIL
- × TEMP. ABANDONED
- TEST WELL
- △ WATER INJECTION
- ◆ WATER SUPPLY
- ◊ WATER DISPOSAL

Field Status

- ABANDONED
- ACTIVE
- COMBINED
- INACTIVE
- PROPOSED
- STORAGE
- TERMINATED
- Sections



Utah Oil Gas and Mining



Prepared by: Lisha Cordova
 Date: March 28, 2005
 Quad: Q1940 / Asphalt Wash

Well name:	04-05 Houston Rock House 5-32-10-23	
Operator:	The Houston Exploration Company	
String type:	Surface	Project ID: 43-047-36410
Location:	Uintah County	

Design parameters:

Collapse

Mud weight: 8.400 ppg
Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 1,760 psi
Internal gradient: 0.120 psi/ft
Calculated BHP: 2,000 psi

No backup mud specified.

Minimum design factors:

Collapse:

Design factor: 1.125

Burst:

Design factor: 1.00

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on buoyed weight.
Neutral point: 1,749 ft

Environment:

H2S considered? No
Surface temperature: 65 °F
Bottom hole temperature: 93 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 250 ft

Cement top: Surface

Non-directional string.

Re subsequent strings:

Next setting depth: 7,534 ft
Next mud weight: 10.000 ppg
Next setting BHP: 3,914 psi
Fracture mud wt: 19.250 ppg
Fracture depth: 2,000 ft
Injection pressure: 2,000 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	2000	8.625	36.00	J-55	ST&C	2000	2000	7.7	143.5
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	873	3450	3.954	2000	4460	2.23	63	434	6.89 J

Prepared by: Clinton Dworshak
Utah Div. of Oil & Mining

Phone: 801-538-5280
FAX: 810-359-3940

Date: April 7, 2005
Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 2000 ft, a mud weight of 8.4 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:

04-05 Houston Rock House 5-32-10-23

Operator: **The Houston Exploration Company**

String type: Production

Project ID:
43-047-36410

Location: Uintah County

Design parameters:

Collapse

Mud weight: 10,000 ppg
Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Environment:

H2S considered? No
Surface temperature: 65 °F
Bottom hole temperature: 170 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 1,500 ft

Cement top: 3,723 ft

Burst

Max anticipated surface pressure: 3,010 psi
Internal gradient: 0.120 psi/ft
Calculated BHP 3,914 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Non-directional string.

Tension is based on buoyed weight.
Neutral point: 6,408 ft

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	7534	4.5	11.60	N-80	LT&C	7534	7534	3.875	174.6
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	3914	6350	1.622	3914	7780	1.99	74	223	3.00 J

Prepared by: Clinton Dworshak
Utah Div. of Oil & Mining

Phone: 801-538-5280
FAX: 810-359-3940

Date: April 7, 2005
Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 7534 ft, a mud weight of 10 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

From: Ed Bonner
To: Whitney, Diana
Date: 4/21/2005 2:34:20 PM
Subject: Well Clearance

The following wells have been given cultural resource clearance by the Trust Lands Cultural Resources Group:

The Houston Exploration Company

- Buck Camp 2-2
- Buck Camp 4-36
- Hanging Rock 1-32
- Hanging Rock 16-32
- Rockhouse 3-32-10-23
- Rockhouse 7-32-10-23
- Rockhouse 9-32-10-23
- Rock House 4-32
- Rock House 5-32 ✓
- Rock House 13-32
- Rock House 1-36-10-22
- Rock House 3-36-10-22
- Rock House 7-36-10-22
- Rock House 12-36-10-22

If you have any questions regarding this matter please give me a call.

CC: Garrison, LaVonne; ginger_stringham@yahoo.com; Hill, Brad; Hunt, Gil



State of Utah

**Department of
Natural Resources**

MICHAEL R. STYLER
Executive Director

**Division of
Oil, Gas & Mining**

MARY ANN WRIGHT
Acting Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

April 21, 2005

The Houston Exploration Company
1100 Louisiana, Suite 2000
Houston, Texas 77002

Re: Rock House 5-32-10-23 Well, 2405' FNL, 852' FWL, SW NW, Sec. 32,
T. 10 South, R. 23 East, Uintah County, Utah


Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36410.

Sincerely,



John R. Baza
Associate Director

jc
Enclosures

cc: Uintah County Assessor
SITLA

Operator: The Houston Exploration Company

Well Name & Number Rock House 5-32-10-23

API Number: 43-047-36410

Lease: ML-47063

Location: SW NW **Sec.** 32 **T.** 10 South **R.** 23 East

Conditions of Approval

1. **General**

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. **Notification Requirements**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. **Reporting Requirements**

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

Page 2

API # 43-047-36410

April 21, 2005

6. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATIONName of Company: THE HOUSTON EXPLORATION COMPANYWell Name: ROCK HOUSE 5-32-10-23Api No: 43-047-36410 Lease Type: STATESection 32 Township 10S Range 23E County UINTAHDrilling Contractor PETE MARTIN'S RIG # RATHOLE**SPUDDED:**Date 05/21/05Time 5:00 PMHow DRY**Drilling will Commence:** _____Reported by BRENT STUBBSTelephone # 1-435-828-8100Date 05/23/2005 Signed CHD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: The Houston Exploration Company
Address: 1100 Louisiana, Suite 2000
City Houston
state TX zip 77002

Operator Account Number: N 2525

Phone Number: (713) 830-6800

Well 1

API Number	Well Name	DD	Sec	Twp	Rng	County
43-047-36410	Rock House 5-32-10-23	S	32	10S	23E	Uintah
Action Code	Current Entity Number	New Entity Number	Start Date	Entity Assignment Effective Date		
A	99999	14727	5/21/05	5/30/05		
Comments: <u>CSLGT = MVRD</u>						
CONFIDENTIAL						

K

Well 2

API Number	Well Name	DD	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Start Date	Entity Assignment Effective Date		
Comments:						

Well 3

API Number	Well Name	DD	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Start Date	Entity Assignment Effective Date		
Comments:						

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Theresa Overturf
Name (Please Print)
Theresa Overturf
Signature
Engineering Technician 5/23/05
Title Date

(8/2000)

RECEIVED

MAY 23 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

ML 47063

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
Rock House 5-32-10-23

2. NAME OF OPERATOR:
The Houston Exploration Company

CONFIDENTIAL

9. API NUMBER:
4304736410

3. ADDRESS OF OPERATOR:
1100 Louisiana, Ste 2000 CITY Houston STATE TX ZIP 77002

PHONE NUMBER:
(713) 830-6938

10. FIELD AND POOL, OR WILDCAT:
Wildcat

4. LOCATION OF WELL

FOOTAGES AT SURFACE: 2405' FNL & 852' FWL

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

5/21/05 - 5/31/05 Drld 20" hole. Ran 14" conductor to 72' & cmtd. Dlrld to 2040'. Ran 8 5/8" csg, set @ 1971' & cmtd.

NAME (PLEASE PRINT) Theresa Overturf

TITLE Engineering Technician

SIGNATURE 

DATE 6/8/2005

(This space for State use only)

RECEIVED
JUN 13 2005

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-47063
2. NAME OF OPERATOR: The Houston Exploration Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1100 Louisiana CITY Houston STATE TX ZIP 77002		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2,405 FNL & 852 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: S32, T10S, R23E		8. WELL NAME and NUMBER: Rock House 5-32
PHONE NUMBER: 713-830-6800		9. API NUMBER: 43-047-36410
STATE: UTAH		10. FIELD AND POOL, OR WILDCAT: Natural Buttes

CONFIDENTIAL

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Perf'd 6,552 - 7,244' Frac'd Flow tested and Went to Sales on 7-25-05.

NAME (PLEASE PRINT) <u>Debbie Snow</u>	TITLE <u>Engineering Technician</u>
SIGNATURE <u><i>Debbie Snow</i></u>	DATE <u>8/4/05</u>

(This space for State use only)

RECEIVED
AUG 08 2005

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL GAS WELL DRY OTHER

b. TYPE OF WORK: NEW WELL HORIZ. LATS. DEEP-EN RE-ENTRY DIFF. RESVR. OTHER

2. NAME OF OPERATOR: The Houston Exploration Company

3. ADDRESS OF OPERATOR: 1100 Louisiana, Ste 2000 CITY Houston STATE TX ZIP 77002 PHONE NUMBER: (713) 830-6938

4. LOCATION OF WELL (FOOTAGES): AT SURFACE: 2405' FNL & 850' FWL

AT TOP PRODUCING INTERVAL REPORTED BELOW:

AT TOTAL DEPTH:

5. LEASE DESIGNATION AND SERIAL NUMBER: ML47063

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT or CA AGREEMENT NAME

8. WELL NAME and NUMBER: Rock House 5-32-10-23

9. API NUMBER: 4304736307 36410

10. FIELD AND POOL, OR WILDCAT: Wildcat

11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E

12. COUNTY: Uintah 13. STATE: UTAH

14. DATE SPUDDED: 5/21/2005 15. DATE T.D. REACHED: 6/9/2005 16. DATE COMPLETED: 7/20/2005 ABANDONED READY TO PRODUCE

17. ELEVATIONS (DF, RKB, RT, GL): 5249.2' GL

18. TOTAL DEPTH: MD 7,525 TVD 19. PLUG BACK T.D.: MD 7,399 TVD 20. IF MULTIPLE COMPLETIONS, HOW MANY? *

21. DEPTH BRIDGE MD PLUG SET: TVD

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each): Platform Express; Tool Combo Print Gamma Ray

23. WAS WELL CORED? NO YES (Submit analysis)
WAS DST RUN? NO YES (Submit report)
DIRECTIONAL SURVEY? NO YES (Submit copy)

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
20"	14" A 53B	36.75	0	72		CI G 6		surface	
11"	8 5/8 J55	24#	0	1,971		CI G 310		surface	
7 7/8"	4 1/2 N80	11.6#	0	7,443		GI G 1,275		1772	

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
(A) Mesaverde	5,042	7,317			6,552 6,696		27	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(B) Mesaverde	5,042	7,317			7,094 7,244		39	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(C)								Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
6552'-6696'	154,000# 20/40 sd
7094'-7244'	104,200# 20/40 sd

29. ENCLOSED ATTACHMENTS:

- ELECTRICAL/MECHANICAL LOGS GEOLOGIC REPORT DST REPORT DIRECTIONAL SURVEY
 SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION CORE ANALYSIS OTHER: **RECEIVED**

30. WELL STATUS:

Flowing

AUG 24 2005

31. INITIAL PRODUCTION

INTERVAL A (As shown in Item #26)

DATE FIRST PRODUCED: 7/22/2005		TEST DATE: 7/24/2005		HOURS TESTED: 24		TEST PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 1,257	WATER - BBL: 20	PROD. METHOD: Flow
CHOKE SIZE: 18/64	TBG. PRESS.	CSG. PRESS. 1,300	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 1,257	WATER - BBL: 20	INTERVAL STATUS: PGW

INTERVAL B (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL C (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL D (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				Uteland Buttes	3,218
				Wasatch	3,298
				Mesaverde	5,042
				Sego	7,318
				Buck Tongue	7,471

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Theresa Overturf TITLE Engineering Technician
 SIGNATURE *Theresa Overturf* DATE 8/17/2005

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
 1594 West North Temple, Suite 1210
 Box 145801
 Salt Lake City, Utah 84114-5801

Phone: 801-538-5340
 Fax: 801-359-3940

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-47063
2. NAME OF OPERATOR: The Houston Exploration Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1100 Louisiana CITY Houston STATE TX ZIP 77002		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2,405 FNL & 852 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: S32, T10S, R23E		8. WELL NAME and NUMBER: Rock House 5-32 -10-23
PHONE NUMBER: 713-830-6800		9. API NUMBER: 43-047-36410
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
STATE: UTAH		

CONFIDENTIAL

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Perf'd 6,552 - 7,244' Frac'd Flow tested and Went to Sales on 7-25-05.

NAME (PLEASE PRINT) Debbie Snow TITLE Engineering Technician
SIGNATURE *Debbie Snow* DATE 8/4/05

(This space for State use only)

RECEIVED

SEP 19 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

ML 47063

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL

OIL WELL

GAS WELL

OTHER _____

8. WELL NAME and NUMBER:

Rock House 5-32-10-23

2. NAME OF OPERATOR:

The Houston Exploration Company

9. API NUMBER:

4304736410

3. ADDRESS OF OPERATOR:

1100 Louisiana, Ste 2000
CITY Houston

STATE TX ZIP 77002

PHONE NUMBER:

(713) 830-6938

10. FIELD AND POOL, OR WILDCAT:

Wildcat

4. LOCATION OF WELL

FOOTAGES AT SURFACE: 2405' FNL & 852' FWL

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

5/21/05 - 5/31/05 Drld 20" hole. Ran 14" conductor to 72' & cmtd. Dlrld to 2040'. Ran 8 5/8" csg, set @ 1971' & cmtd.

NAME (PLEASE PRINT) Theresa Overturf

TITLE Engineering Technician

SIGNATURE

Theresa Overturf

DATE 6/8/2005

(This space for State use only)

RECEIVED
SEP 19 2005

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Merger

The operator of the well(s) listed below has changed, effective:

6/1/2007

FROM: (Old Operator): N2525 - The Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, TX 77002 Phone: 1-(713) 830-6800	TO: (New Operator): N6965-Forest Oil Corporation 707 17th St, Suite 3600 Denver, CO 80202 Phone: 1 (303) 812-1755
---	---

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 7/30/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 7/30/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/31/2007
- 4a. Is the new operator registered in the State of Utah: Business Number: 571171-0143
- 4b. If **NO**, the operator was contacted on:
- 5a. (R649-9-2) Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: _____
- 5c. Reports current for Production/Disposition & Sundries on: YES
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 7/31/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 7/31/2007
- Bond information entered in RBDMS on: 7/31/2007
- Fee/State wells attached to bond in RBDMS on: 7/31/2007
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: pending

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: 6236351
- Indian well(s) covered by Bond Number: n/a
- 3a. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 6218963
- 3b. The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 8/1/2007

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See Attached List

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
See Attached List

2. NAME OF OPERATOR:
Forest Oil Corporation *N6965*

9. API NUMBER:
various

3. ADDRESS OF OPERATOR:
707 17th Street, #3600 CITY Denver, STATE CO ZIP 80202 PHONE NUMBER (303) 812-1755

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **See attached list**

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. *N2525*

Effective 6/1/2007 please change the operator for the attached list of Utah wells from The Houston Exploration Company N-2525 to Forest Oil Corporation (N-6965). Forest merged with The Houston Exploration Company, a copy of the merger document is attached.. The contract operated wells will continue to be contract operated by Enduring.

Forest Oil Corporation as new operator, accepts all applicable terms, conditions, stipulations and restrictions concerning approved operations conducted on the lease or portion of the lease described.

Forest Oil Corporation meets the State of Utah bonding requirements under Safeco bond #6218963.

Please send all future correspondence to Forest Oil Corporation at the above listed address.

Forest Oil Corporation, 707 17th Street, Suite #3600, Denver, CO 80202

J.C. Ridens
J. C. Ridens, Senior Vice President - Western Region

7-5-07
Date

NAME (PLEASE PRINT) Joanne C. Hresko TITLE Vice President & General Mgr. - Northern Division
SIGNATURE *Joanne C. Hresko* DATE 7-5-07

(This space for State use only)

APPROVED 7131107
Earlene Russell
Earlene Russell, Engineering Technician

*No wells in APD status or
at New status
at this time*

RECEIVED
JUL 30 2007

(5/2000)

(See Instructions on Reverse Side)

DIV OF OIL, GAS & MINING *WMP*

well_name	sec	twp	rng	api	entity	lease	well	stat	flag	unit	qtr_qtr	l_num	op no
FEDERAL 28-01	28	080S	250E	4304730098	10095	Federal	GW	S			SESE	UTU-016257	N2525
CONOCO STATE 32-2	32	080S	250E	4304730100	10096	State	GW	S			NENE	ML-11124	N2525
ROCK HOUSE 11-31	31	100S	230E	4304733312	13984	Federal	GW	P			NESW	UTU-76281	N2525
BONANZA 4B-12	12	090S	230E	4304733806	14593	Federal	D	PA			NWNW	UTU-74426	N2525
WALKER HOLLOW 13-31	31	060S	230E	4304735039		Federal	GW	LA			SESW	UTU-76280	N2525
ROCK HOUSE 6D-32	32	100S	230E	4304735409	14293	State	GW	S			SESW	ML-47063	N2525
BONANZA 2B-16	16	090S	240E	4304735694	14186	State	D	PA			NWNE	ML-46526	N2525
ROCK HOUSE 2D-36	36	100S	220E	4304735759	14357	State	GW	P			NWNE	ML-47061	N2525
ROCK HOUSE 2D-32	32	100S	230E	4304735760	14317	State	GW	S			NWNE	ML-47063	N2525
ROCK HOUSE 10D-32	32	100S	230E	4304735761	14318	State	GW	S			NWSE	ML-47063	N2525
ROCK HOUSE 12D-32	32	100S	230E	4304735762	14294	State	GW	P			NWSW	ML-47063	N2525
ROCK HOUSE 11-36	36	100S	220E	4304735900	14478	State	GW	P			NESW	ML-46907	N2525
ROCK HOUSE 4-36	36	100S	220E	4304735901	14449	State	GW	S			NWNW	ML42061	N2525
BONANZA 12A-22	22	090S	240E	4304735922	14520	Federal	D	PA			NWSW	UTU-78118	N2525
BONANZA 14-16	16	090S	240E	4304735941	14521	State	D	PA			SESW	ML-46526	N2525
ROCK HOUSE 11-2	02	110S	230E	4304736153	14695	State	GW	P	C		NESW	ML-47078	N2525
ROCK HOUSE 7-32-10-23	32	100S	230E	4304736306	14766	State	GW	S			SWNE	ML-47063	N2525
ROCK HOUSE 3-32-10-23	32	100S	230E	4304736307	14781	State	GW	P			NENW	ML-47063	N2525
ROCK HOUSE 5-32-10-23	32	100S	230E	4304736410	14727	State	GW	S			SWNW	ML-47063	N2525
GUSHER 6-2	02	060S	190E	4304736963		State	OW	LA			SESW	ML-49144	N2525
N HORSESHOE 3-16-6-21	16	060S	210E	4304737391	15716	State	GW	DRL	C		NENW	ML-49317	N2525
N HORSESHOE 12-7-6-22	07	060S	220E	4304737392		State	GW	LA			NWSW	ML-47969	N2525
N HORSESHOE 16-9-6-22	09	060S	220E	4304737393		State	GW	LA			SESE	ML-47969	N2525
N HORSESHOE 14-10-6-22	10	060S	220E	4304737394		State	GW	LA			SESW	ML-47969	N2525
N HORSESHOE 2-15-6-22	15	060S	220E	4304737395		State	GW	LA			NWNE	ML-47969	N2525
N HORSESHOE 4-15-6-22	15	060S	220E	4304737396		State	GW	LA			NWNW	ML-47969	N2525
N WALKER HOLLOW 12-32-6-23	32	060S	230E	4304737397		State	GW	LA			NWSW	ML-47777	N2525
N WALKER HOLLOW 16-32-6-23	32	060S	230E	4304737398		State	GW	LA			SESE	ML-47777	N2525
N WALKER HOLLOW 2-32-6-23	32	060S	230E	4304737399	15741	State	GW	DRL	C		NWNE	ML-47777	N2525
N WALKER HOLLOW 10-32-6-23	32	060S	230E	4304737400		State	GW	LA			NWSE	ML-47777	N2525
N WALKER HOLLOW 8-32-6-23	32	060S	230E	4304737401		State	GW	LA			SENE	ML-47777	N2525
N WALKER HOLLOW 11-36-6-23	36	060S	230E	4304737462		State	GW	LA			NESW	ML-47970	N2525
N WALKER HOLLOW 13-36-6-23	36	060S	230E	4304737463		State	GW	LA			SWSW	ML-47970	N2525
N WALKER HOLLOW 15-36-6-23	36	060S	230E	4304737464		State	GW	LA			SWSE	ML-47970	N2525
N WALKER HOLLOW 14-32-6-23	32	060S	230E	4304737478		State	GW	LA			SESW	ML-47777	N2525
HACKING RES 11-32-8-25	32	080S	250E	4304737479		State	GW	LA			NESW	ML-11124	N2525
HACKING RES 3-32-8-25	32	080S	250E	4304737480		State	GW	LA			NENW	ML-11124	N2525
HACKING RES 5-32-8-25	32	080S	250E	4304737481		State	GW	LA			SWNW	ML-11124	N2525
HACKING RES 15-32-8-25	32	080S	250E	4304737482		State	GW	LA			SWSE	ML-11124	N2525
HACKING RES 9-32-8-25	32	080S	250E	4304737483		State	GW	LA			NESE	ML-11124	N2525
HACKING RESERVOIR 7-32-8-25	32	080S	250E	4304737571	15885	State	GW	DRL	C		SWNE	ML-11124	N2525

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML47063
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: Rock House
2. NAME OF OPERATOR: Forest Oil Corporation		8. WELL NAME and NUMBER: 5-32-10-23
3. ADDRESS OF OPERATOR: 707 17th Street, Ste 3600 CITY Denver STATE Co ZIP 80202	PHONE NUMBER: (303) 812-1554	9. API NUMBER: 4304736410
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2405' FNL & 852' FWL		10. FIELD AND POOL, OR WILDCAT: Wildcat
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E		COUNTY: Unintah
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input checked="" type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The reseeding was completed for this location, in accordance with the rules and regulations set forth in the approved APD.

Top soil was laid back on the previously filled in reserve pit, as well as the disturbed area around the location and along the road. All areas were seeded utilizing a seeding drill with the following Mixture:

Grasses:

Russian wildrye 5#/acre, Indian ricegrass 1#/acre, Crested wheatgrass 2#/acre, Thickspike wheatgrass 2#/acre

Forbs:

Alfalfa 1#/acre

Shrubs: Fourwing saltbrush 2#/acre, Forage Kochia 1/2#/acre, Wyoming big sagebrush 1/2#/acre

NAME (PLEASE PRINT) <u>Cindy Bush</u>	TITLE <u>Sr. Regulatory Tech</u>
SIGNATURE	DATE <u>3/4/2009</u>

(This space for State use only)

RECEIVED
MAR 09 2009

Date..... Well Site.....Rock House 5-32

**STABILIZATION PLANTINGS
UPLAND PINYON-JUNIPER
BIG SAGEBRUSH/GRASS COMMUNITIES
(12-16" PRECIP) (LBS/AC. PLS)**

SPECIES	Seed Mix Options			Comments
	A Sandy/ Shallow	B Clayey	C Other	
GRASSES				
Siberian wheatgrass, <i>Agropyron frillie</i>	2			
Russian wildrye, <i>Psathyrostachys juneca</i>	2	5		
Indian ricegrass, <i>Stypia hymenoides</i>	1	1		
Crested wheatgrass, <i>Agropyron cristatum</i>	2	2		
Thickspike wheatgrass, <i>Elymus lanceolatus</i>	3	2		
Intermediate wheatgrass, <i>Elytrigia intermedia</i>	3	2		
FORBS				
Alfalfa, <i>Medicago sativa</i>		1		
Globe mallow, <i>Sphaeralcea coccinea</i>				
SHRUBS				
Famwing salthrush, <i>Atriplex confertifolia</i>		2		
Forage kochia, <i>Kochia prostrata</i>	1	1/2		
Winterfat, <i>Eurotia lanata</i>				
Wyoming big sagebrush, <i>Artemisia tridentata Wyomingensis</i>	1/2	1/2		
Total pounds per acre	14.5	16 PLS		

Recommended by _____
Utah Division of Wildlife Resources

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-47063
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: Rock House 5-32-10-23	
2. NAME OF OPERATOR: Forest Oil Corporation		9. API NUMBER: 4304736410
3. ADDRESS OF OPERATOR: 707 17th St. Suite 3600 CITY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 812-1676	10. FIELD AND POOL, OR WILDCAT: Wildcat
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2405' FNL & 852' FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Scale Removal</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Scale Removal
8-3-2009
MIRU Asa's WL, Tbg 119#, Csg 260#, Blow in plgr, RIH w/1.910" Tbg Broach, Tag plgr stop @ 7142' GL, POH, Broach was clean, drop 2 pad plgr, set to run, RDMO.

NAME (PLEASE PRINT) <u>Kelly Harris</u>	TITLE <u>Regulatory Tech</u>
SIGNATURE	DATE <u>8/17/2009</u>

(This space for State use only)

RECEIVED
AUG 24 2009

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9


SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-47063
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Forest Oil Corporation		8. WELL NAME and NUMBER: Rock House 5-32-10-23
3. ADDRESS OF OPERATOR: 707 17th Street, Ste 3600 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 4304736410
PHONE NUMBER: (303) 812-1676		10. FIELD AND POOL, OR WILDCAT: Wildcat
4. LOCATION OF WELL		
FOOTAGES AT SURFACE: 2405' FNL & 852' FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 6-30-2009	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Weed Control</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Forest Oil Corporation would respectfully like to let you know that Pride Weed Control came out and applied weed control on 6/30/2009 at 2:30. Please see attached invoice that covers all of the wells that are listed on the attached spreadsheet, along with a copy of the Pesticide Application Report.

NAME (PLEASE PRINT) <u>Kelly Harris</u>	TITLE <u>Regulatory Tech</u>
SIGNATURE 	DATE <u>1/12/2010</u>

(This space for State use only)

RECEIVED

FEB 24 2010

Pride Weed Control, Inc.

8100 Hwy 550
Durango CO 81303

Invoice

Date	Invoice #
7/8/2009	13710

Bill To
Forest Oil Corporation

Service Location
Bare Ground Weed Control

P.O. No.	Terms	Due Date
	2% 10 Net 30	8/7/2009

Item	Description	Quantity	Rate	Amount
4.3	Bare Ground Vegetation Management: By Production Unit		1,922.50	1,922.50T
Mojave 70 EG	EPA 74477-9-81927	22.4	5.00%	0.00
				96.13

Commercial applicators are licensed by the Colorado Department of Agriculture

Phone #	Fax #	E-mail	Total	\$2,018.63
(970) 247-9778	(970) 385-0967	pwc@animas.net		

RECEIVED
FEB 24 2010
DIV OF OIL, GAS & MINES

BUREAU OF LAND MANAGEMENT
PESTICIDE APPLICATION REPORT

BLM Field Office: VERNAL, UT

Date: SEPTEMBER 30, 2009

Applicator Information:

1. Office Address: Pride Weed Control, Inc. 8100 Hwy 550 Durango, CO 81303
 - a. Phone Number: 970-247-9778
 - b. Project Name: Various Oil and Gas Facilities for Forest Oil
 - c. Pesticide Use Proposal Number: _____
2. Name of Applicator or Employee(s) Applying the Pesticide: Pride Weed Control, Inc.
3. Date(s) of Application (month, day, year): Various
4. Time of Application: Various
5. Location of Application: Various (see attached)
6. Type of Equipment Used: Truck mounted sprayer – handgun
7. Pesticide(s) Used:
 - a. Company or Manufacturer Name: ALLIGARE LLC
 - b. Trade Name: MOJAVE
 - c. Type of Formula: DISPERSABLE GRANUAL
8. Rate of Application Used (active ingredient per acre): 10 LBS / ACRE

Total amount of pesticide used: 24 LBS

Total amount of active ingredient used: 1.8672 LBS of Imazapyr and
14.9328 lbs of diuron
9. Total Area Treated: 3 Acres
10. Primary Pest(s) Involved: ALL VEGETATION

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINERALS

11. Stage of Pest Development: Various

12. Weather Conditions: Variable

13. Monitoring Record (if insufficient space-continue on back):

*This record if required by law and must completed except for monitoring within 24 hours after completion of application of pesticides. This record must be maintained for a minimum of 10 years.

RECEIVED
FEB 24 2010
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410

REFER TO: 9015 (UT-933)

TO: Mr. Clay W. Grant
Forest Oil Corporation
916 Upland Way
Green River WY 82935

Mr. George Thompson
Pride Weed Control
8100 Hwy 550
Durango CO 81303

FROM: Clayton Newberry, Minerals Dept Botanist
USDI Bureau of Land Management, Vernal Field Office

SUBJECT: PUP No. 09-LLUTG01000-17

Dear Mr. Grant and Mr. Thompson:

Your Pesticide Use Proposal (09-LLUTG01000-17) has been approved, with modifications and clarifications, by State Office in Salt Lake City. I have included a copy of the letter from State Office.

I have also included a Pesticide Application Record Form (PARF). Please send a copy of the PARF to your pesticide applicator. Instruct him that he should fill out a separate PARF every time he applies pesticide, one PARF per general area of application; and to submit all completed PARFs to our office every year by 01 November. I have included a completed PARF as a sample, to show how it should be filled out.

In addition, when submitting Pesticide Use Proposals from now on, please use the most current form posted on the Vernal BLM web page at the following URL:
http://www.blm.gov/style/medialib/blm/ut/vernal_fo/energy.Par.91962.File.dat/BLANK%20PUP%20FORM.pdf

If you have any questions or need clarification, contact me by office phone at 435-781-3404 or by e-mail at Clayton_Newberry@blm.gov.

I wish you well in your operations in areas administered by Vernal Field Office.

Respectfully,

Clayton Newberry

Enclosures: PUP approval letter
Pesticide Application Record Form
sample completed Pesticide Application Record Form

Rock House file

10 August 2009

RECEIVED

FEB 24 2009

DIV. OF OIL, GAS & MINERALS



United States Department of the Interior



Services	<i>R</i>
Land Use	
Wilderness	<input checked="" type="checkbox"/>
NEPA	
Renewables	
IN REPLY REFER TO:	
9015	(UT-933)
BUREAU OF LAND MANAGEMENT VERNAL UTAH	
ALL EMPLOYEES	

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>

IN REPLY REFER TO:
9015 (UT-933)

JUL 29 2009

Memorandum

To: Vernal Field Manager

From: Deputy State Director, Natural Resources

Subject: Pesticide Use Proposal Approvals

RECEIVED

JUL 29 2009

BLM VERNAL, UTAH

Your Pesticide Use Proposal (PUP) LLUTG01000 -17 with eleven herbicide formulations (eight active ingredients: Glyphosate, Dicamba, Triclopyr+Clopyralid, Metsulfuron Methyl, 2,4-D, Imazapyr+Diuron) and two adjuvants (surfactant and dye) is approved with one modification, shown below and on the PUP. The objective of these treatments is for bare ground control to improve worker safety and reduce fire hazards around oil and gas facilities and equipment. This PUP is approved for a period of one year from the date of approval, approximately July 31, 2010.

Modification: Items #10 and #11 Mojave 70EG and Sahara DG: The recommended use rate is ≤ 10 lbs/acre in a $< 15''$ rainfall zone. The proposed intended use rate of 10-12 lbs/acre is slightly higher. UTSO requests that the operator adhere to the recommendation guidelines in the label and limit applications to 10 lbs/ac/yr. If for some unforeseen reason this rate does not provide adequate control, this may be negotiated with the FO weed specialist to a maximum of 12/lbs/ac/yr after the first year, and approved in writing (notated on the original PUP).

Also, for future PUP submissions, it is requested that the Field Office submit the information on a single form rather than duplicate information on multiple forms. Invariably data does not match and it creates extra work to correct both forms. Additionally, herbicide labels should be included in future PUP submissions.

The Green River District is in the process of updating its Weed Management Plan and associated environmental analysis. As part of that process, field office staff is consulting with US Fish and Wildlife Service (USFWS) with regard to Threatened and Endangered Species (TES) and identifying appropriate standard operating procedures and mitigation measures, including treatment buffers, for the use of herbicides in or near potential habitat for TES plant species. This process is expected to be completed in 2010. In the interim, as a result of communication with USFWS, PUP approvals will be for a period of one year and the current conservation measures and prescribed buffers for surface disturbing activities in TES habitat will be utilized.

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

Treatments will be made in accordance with the pesticide label, this PUP and Approval Memo, the current Decision Notice and Environmental Documents (UT-08-03-73, Rev. 3/25/85 and applicable Environmental Assessments for related APD's and pipeline development) and the Vegetation Treatments Using Herbicides PEIS 2007 (as directed by IM-2008-030). Treatments are required to be made by or under the direct supervision of a certified licensed applicator.

Prior to treatments, all sites should obtain sensitive species clearances. Continue to work with Vernal Field Office staff and representatives from USFWS to address TES plant concerns and implement appropriate mitigations and conservation measures, including buffers for surface disturbance as provided in informal and formal consultation. Additionally, applicators are strongly encouraged to take extra precautions with respect to drift control: assessing wind conditions, following label directions, and adjusting equipment and droplet size as much as practical to minimize drift potential. EA No. UT-08-73/Rev 03/25/85 specifies that spray application should not be done when wind speeds exceed 6 miles per hour or heavy rainfall or other adverse weather conditions exist, in addition to other applicable mitigation measures.

Please follow the label and MSDS directions for personal protective equipment, which generally includes long sleeved shirt and pants, shoes and socks, chemical resistant gloves, and protective eyewear. BLM handbook 9011 – 1 also strongly recommends the use of coveralls.

It is the responsibility of Forest Oil, its contractors, and the Vernal Field Office to monitor herbicide application to be sure that the approved PUP is followed and that Pesticide Application Records are completed within 24 hours after application of the pesticide and maintained in the office records for 10 years. Please coordinate efforts to ensure this documentation is provided to the FO in a timely manner.

If you have questions, please contact Lisa Bryant at (801) 539-4069 or Verlin Smith at (801) 539-4055.

Verlin Smith

Attachments

PUP No. 09-LLUTG010000-17

Herbicide Labels: Round-up Pro, Rifle, Redeem R&P, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D Low Vol 6, Escort XP, Glyphosate 4 Plus, Mojave, Sahara DG

RECEIVED

FEB 24 2009

DIV OF OIL, GAS & MINING

U.S. DEPARTMENT OF INTERIOR
PESTICIDE USE PROPOSAL
EA NUMBER: UT-08-73 / REV. 3/25/85

STATE: UT

COUNTY: Uintah

FIELD OFFICE: Vernal

DURATION OF PROPOSAL: ^{One} 3 Years

LOCATION: Various gas and oil well locations, compressor and pumping facilities, pipeline rights-of-way.

Attach map(s) and/or a list of sites * (Sites Listed)

ORIGINATOR – NAME: Clay Grant

ORIGINATOR – COMPANY: Forest Oil Corporation

ORIGINATOR – CONTACT INFORMATION: 916 Upland Way Green River, WY 82935

Include address and phone number (307) 875-1964 off. (307) 875-1967 fax (303) 406-1627 cell

DATE:
PROPOSAL NUMBER:
EA REFERENCE NUMBER:
DECISION RECORD (DR) NUMBER:

I. APPLICATION SITE DESCRIPTION:

1. ESTIMATED NUMBER OF ACRES: 70
2. GENERAL DESCRIPTION (Describe land type or use, size, stage of growth of target species, soil characteristics, and any additional information that may be important in describing the area to be treated.)

Previously leveled areas for the construction of roads, gas and oil well locations, reclaimed pits and pipeline rights-of-way, access roads.

II. DESIRED RESULTS OF APPLICATION: (List the anticipated results of the treatment, species that will be controlled or removed, or enhanced, etc.):

Bare ground and control if noxious species.

III. SENSITIVE ASPECTS AND PRECAUTIONS: (Describe sensitive areas – marsh, endangered, threatened, candidate, and sensitive species habitat – and distance to application site. List measures to be taken to avoid impact to these areas):

Spraying will be halted when winds present a danger of drift and damage to off-target species.

IV. NON-TARGET VEGETATION (Describe potential immediate and cumulative impacts to non-target pests in project area as a result of the pesticide application. Identify any planned mitigation measures that will be employed – BE GENERAL, SPECIFICS DISCUSSED IN THE EA):

None

RECEIVED

FEB 24 2008

V. INTEGRATED PEST MANAGEMENT PRACTICES CONSIDERED IN THE OVERALL PROJECT:

Spraying only

VI. Please submit the product labels (or copies of the product labels) and MSD Sheets along with this PUP.

Use the following tables to indicate which products will be used. The row number should be consistent throughout Tables 1, 2, 3 & 4 (i.e., row 1 in Table 1 should correspond to row 1 in Tables 2, 3 & 4). Add more rows if needed for additional products. Use Table 5 for adjuvants. You may fill this out electronically or print it, fill it out by hand and mail it in—but if your handwriting is illegible, this PUP will be returned without action.

1. PESTICIDES (row numbers in Table 1 should correspond to row numbers in Tables 2, 3 & 4)						
Row No.	TRADE NAME	COMMON NAME	EPA REG. No.	MANUFACTURER	FORMULATION (liquid or granule)	APPLICATION METHOD
1	Round-Up Pro	Glyphosate	524-475	Monsanto	liquid	backpack spray
2	Rifle	Dicamba	34704-861	Loveland Products	Liquid	Handgun, truck, tractor, ATV mounted booms
3	Redeem R&P	Triclopyr plus clopyralid	62719-337	Dow Agroscience	Liquid	Handgun, truck, tractor, ATV mounted booms
4	Cruise Control	Dicamba	42750-40-81927	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
5	Prescott Herbicide	Triclopyr plus clopyralid	81927-30	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
6	MSM 60	Metsulfuron Methyl	81927-7	Alligare	Granule	Handgun, truck, tractor, ATV mounted booms
7	2,4-D Low Vol 6	2,4-D	34704-125	Loveland Products	Liquid	Handgun, truck, ATV mounted booms
8	Escort XP	Metsulfuron Methyl	352-439	Dupont	Granular	Handgun, truck, tractor, ATV mounted booms
9	Glyphosate 4 plus	Glyphosate	81927-9	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
10	Mojave 70 EG	Imazapyr plus Diuron	74477-9-81927	Alligare	Granular	Handgun, truck, tractor, ATV mounted booms
11	Sahara DG	Imazapyr plus Diuron	241-372	BASF	Granular	Handgun, truck, tractor, ATV mounted booms

RECEIVED

FEB 24 2010

2. MAXIMUM APPLICATION RATE ACCORDING TO PRODUCT LABEL (row numbers correspond to Table 1)				
Row No.	TRADE NAME	APPLICATION RATE ON PRODUCT LABEL	POUNDS ACTIVE INGREDIENT PER ACRE	POUNDS ACID EQUIVALENT (AE) PER ACRE (IF GIVEN)
1	Round-Up Pro	10.6 qts / acre / yr	10.6 Lbs / acre / yr	7.95 Lbs / acre / yr
2	Rifle	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
3	Redeem R&P	4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
4	Cruise Control	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
5	Prescott Herbicide	Up to 4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
6	MSM 60	2 oz / acre / yr	1.2 oz / acre / yr	N/A
7	2,4-D Low Vol 6	5 1/3 pts / acre	3.73 Lbs ae / acre	3.73 Lbs / acre / yr
8	Escort XP	2 oz / acre / yr	1.2 oz / acre / yr	N/A
9	Glyphosate 4 plus	2 Gals / acre / yr	8 Lbs / acre / yr	6 Lbs / acre / yr
10	Mojave 70 EG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A
11	Sahara DG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A

2007 VELS
Max Rate
ae/acre/yr

7.0 lbs ae/ae
(9.3 qts produ)

2.0 lbs ae

10 lbs T ae
1 lb C ae

2.0 lbs ae

10 lbs T ae
1 lb C ae

.15 lbs ai

1.9 lbs ae

.15 lbs ai

7.0 lbs ae/ae
(9.3 qts produ)

1.5 lbs ai
20)

1.5 lbs ai
20)

3. INTENDED APPLICATION RATE (rows correspond to Table 1)				
Row No.	TRADE NAME	INTENDED APPLICATION RATE	INTENDED POUNDS ACTIVE INGREDIENT PER ACRE	INTENDED POUNDS ACID EQUIVALENT PER ACRE
1	Round-Up Pro	Up to 2 qts / acre / yr	Up to 2 Lbs	Up to 1.5 Lbs
2	Rifle	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
3	Redeem R&P	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
4	Cruise Control	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
5	Prescott Herbicide	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
6	MSM 60	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
7	2,4-D Low Vol 6	Up to 2 2/3 pts./acre/yr	Up to 1.85 Lbs / acre / yr	Up to 1.85 Lbs
8	Escort XP	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
9	Glyphosate 4 plus	Up to 1 Gal / acre / yr	Up to 4 Lbs / acre / yr	Up to 3 Lbs
10	Mojave 70 EG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.
11	Sahara DG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.

RECEIVED

FEB 24 2008

3

DIV. OF OIL, GAS & MINES

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING

4. PESTICIDE TIMING & TARGET (rows correspond to Table 1)				
Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr - 30 Oct	1-2 per year, as needed	All Vegetation
2	Rifle	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
3	Redeem R&P	Various Dated	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
4	Cruise Control	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
5	Prescott Herbicide	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian Knapweed, and Spotted Knapweed
6	MSM 60	Various Dates	1 application / yr	Halogeton, Whitetop, Perennial Pepperweed
7	2,4-D Low Vol 6	Various Dates	1 application / yr	Halogeton
8	Escort XP	Various Dates	1 application / yr	Whitetop, Halogeton, Black Henbane, Perennial Pepperweed, Russian Knapweed
9	Glyphosate 4 plus	Various Dates	1 application / yr	All Vegetation
10	Mojave 70 EG	Various Dates	1 application / yr	All vegetation
11	Sahara DG	Various Dates	1 application / yr	All vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)					
TRADE NAME	TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APP. RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mohave 70 EG, Sahara DG, Glyphosate 4 Plus, Round Up Pro
Activator 90	surfactant	Loveland Products	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D low vol 6, Escort XP

RECEIVED

FEB 24 2010

VII. The following must be filled out legibly and signed by the Applicator and Originator. If ~~DIV. OF OIL, GAS & MINING~~ in any way illegible, this PUP will be returned to the Originator without action.

"Applicator" refers to the company which will apply the pesticide (e.g., Joe's Weed Killers, LLC). "Originator" refers to the company which originates this herbicide use request (e.g., Gas R Us, Inc).

Applicator company name: Pride Weed Control, Inc.
Applicator contact name: George Thompson
Applicator contact phone number: 970-247-9778
Applicator address: 8100 Hwy 550 Durango CO 81303

Pesticide applicator signature: [Signature]
Pesticide applicator printed name: George Thompson
Pesticide applicator license no.: 4001-14068 Exp. Date: 12/31/2011

I will ensure that the pesticide(s) and pesticide products will be applied in accordance with product label restrictions and according to the information presented above, and according to BLM modifications (if any). I will also ensure that Pesticide Use Application Records and Pesticide Use Reports will be submitted to the BLM Rawlins Field Office monthly for the duration of this PUP.

Originator signature: [Signature] Date: 5/6/2009
Printed / typed name: P. W. GRANT SR. Production Foreman

To be signed and approved by BLM personnel:

FO Pesticide Coordinator signature: [Signature] Date: 4 Jun 2009
FO Manager approval: William Hager Date: 6/4/09
State Coordinator signature: Lisa Bryant Date: 7/28/09
Deputy State Director approval: [Signature] Date: 7/28/09

- APPROVED
- DISAPPROVED
- APPROVED WITH MODIFICATIONS (see below):

Modifications:

Recommended use rates for Mojave 70EG & Sahara DG in <15" piece zone is <10 lbs/acre/yr. Operator should adhere to label recommendations unless they can show inadequate control. In such an instance a rate of up to 12 lbs product/acre may be negotiated in writing att. FO weed special. 3 attached to this PUP.

Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr – 30 Oct	1-2 applications per year, as needed	all vegetation
2	Rifle	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
3	Redeem R&P	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
4	Cruise Control	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
5	Prescott	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
6	MSM 60	various dates	1 application per year	halogeton, whitetop, perennial pepperweed
7	2,4-D Low Vol 6	various dates	1 application per year	halogeton
8	Escort XP	various dates	1 application per year	black henbane, perennial pepperweed, Russian knapweed, whitetop, halogeton
9	Glyphosate 4 Plus	various dates	1 application per year	all vegetation
10	Mojave 70 EG	various dates	1 application per year	all vegetation
11	Sahara DG	various dates	1 application per year	all vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)					
TRADE NAME	ADJUVANT TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APPLICATION RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mojave 70 EG, Sahara DG, Glyphosate 4 Plus, Round-Up Pro
Activator 90	surfactant	Loveland	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem R&P, Cruise Control, Prescott, MSM 60, 2,4-D Low Vol 6, Escort XP

The following must be filled out legibly and signed. If your handwriting is in any way illegible, this PUP will be returned to the sender without action.

"Originator" refers to the company which needs herbicides applied—e.g., Basin Oil, Inc.
"Applicator" refers to the company which will apply the herbicide—e.g., Basin Annihilo-Weed, Inc.

Originator company: Forest Oil Corporation

Originator contact name: Clay Grant

Originator contact phone number(s): 307-875-1964 cell 303-406-1627 fax 307-875-1967

Originator mailing address: 916 Upland Way, Green River WY 82935

Applicator company name: Pride Weed Control, Inc.

Applicator name: George Thompson

Applicator license no.: 4001-14068 exp. 12/31/2011


Applicator phone & fax numbers: phone 970-247-9778

Applicator mailing address: 8100 Hwy 550, Durango, CO 81303

RECEIVED

FEB 24 2010

DIV. OF OIL, GAS & MINING



RECEIVED

FEB 24 2010

DIV OF OIL, GAS & MINING

LI-105117-60

RECEIVED

FEB 24 2010

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

DIV. OF OIL, GAS & MINING

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. s i z e	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

RECEIVED

FEB 24 2010

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

DIV. OF OIL, GAS & MINING

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

COVER CLASS - estimated percent cover, by species, of the infestation

- 0 No weeds found
- 1 Less than 1% (trace)
- 2 One to five percent (low - occasional plants)
- 3 Six to twenty-five percent (moderate - scattered plants)
- 4 Twenty-five to 100% (high - fairly dense)

PATTERN - pattern of the infestation

- 0 No weeds found
- 1 Single plant or small area of many plants
- 2 Linear
- 3 Patchy
- 4 Block

INFESTATION SIZE - number of estimated acres of the infestation

- 0 No weeds found
- 1 Less than one acre
- 2 One to five acres
- 3 Five or more acres

PHENOLOGY - development stage

- 1 Vegetative
- 2 Bud stage
- 3 Flower
- 4 Seeded
- 5 Mature
- 6 Dormant

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-47063
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: Rock House 5-32-10-23
2. NAME OF OPERATOR: Forest Oil Corporation		9. API NUMBER: 4304736410
3. ADDRESS OF OPERATOR: 707 17th Street, Ste 3600 CITY Denver STATE CO ZIP 80202		10. FIELD AND POOL, OR WILDCAT: Wildcat
PHONE NUMBER: (303) 812-1676		
4. LOCATION OF WELL		
FOOTAGES AT SURFACE: 2405' FNL & 852' FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 32 10S 23E		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 7/1/2009	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Weed Control
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Forest Oil Corporation would respectfully like to let you know that Pride Weed Control came out and applied Noxious weed control on 7/1/2009 at 1:09. Please see attached invoice that covers all of the wells that are listed on the attached spreadsheet, along with a copy of the Pesticide Application Report.

NAME (PLEASE PRINT) Kelly Harris	TITLE Regulatory Tech
SIGNATURE	DATE 3/17/2010

(This space for State use only)

RECEIVED
MAR 23 2010
DIV. OF OIL, GAS & MINING

Pride Weed Control, Inc.

8100 Hwy 550
Durango CO 81303

Invoice

Date	Invoice #
7/8/2009	13709

Bill To
Forest Oil Corporation

Service Location
Noxious Weed Control

P.O. No.	Terms	Due Date
	2% 10 Net 30	8/7/2009

Item	Description	Quantity	Rate	Amount
2.3	Noxious Weed control by Acre	27.5	157.50	4,331.25T
Rifle	Pints: EPA Reg #42750-40-34704	27.39		0.00
2, 4-D LV 6#	Gallons EPA Reg#34704-12	6.85		0.00
			5.00%	216.56
Commercial applicators are licensed by the Colorado Department of Agriculture				
Phone #	Fax #	E-mail		Total \$4,547.81
(970) 247-9778	(970) 385-0967	pwc@animas.net		

RECEIVED
MAR 23 2010
DIV. OF OIL, GAS & MINING

Forest Oil Noxious Invoice #13709 July 8, 2009

PRIDE WEED CONTROL, INC.

BLOCK	NAME	NO	LOCATION	LEASE	DATE	TIME	ACRES	OZ	NET	TAXABLE	TAX EXEMPT	TAX EXEMPT CHG	TAX CHG	CHARGES	TAX	TOTAL
10-22	Rock House	4-36	NWNW 36, 10, 22	ML-42061	7/2/2009	4:15	3.94	157.7	3.94	3.94	0	\$0.00	\$620.55	\$620.55	\$31.03	\$651.58
10-23	Rock House	05-32-10-23	SWNE 32, 10, 23	ML-47063	7/1/2009	1:09	2.64	126.9	2.64	2.64	0	\$0.00	\$415.80	\$415.80	\$20.79	\$436.59
10-23	Rock House	7-32-10-23	SWNE 32, 10, 23	ML-47063	7/2/2009	1:45	1.42	63.5	1.42	1.42	0	\$0.00	\$223.65	\$223.65	\$11.18	\$234.83
10-23	Rock House	10D-32	NWSE 32, 10, 23	ML-47063	7/2/2009	12:58	1.82	87.5	1.82	1.82	0	\$0.00	\$286.65	\$286.65	\$14.33	\$300.98
11-23	Rock House (11-02)	11-23-23-02	NESW 2, 11, 23	ML-47078	7/2/2009	11:30	1.7	80.5	1.7	1.7	0	\$0.00	\$267.75	\$267.75	\$13.39	\$281.14
10-23	Rock House	11-31	NESW 31, 10, 23	UTU-76281	7/2/2009	2:18	2.23	107.2	2.23	2.23	0	\$0.00	\$351.23	\$351.23	\$17.56	\$368.79
10-23	Rock House	11-36	NESW 36, 10, 22	ML-42061	7/2/2009	3:30	1.44	108.5	1.44	1.44	0	\$0.00	\$226.80	\$226.80	\$11.34	\$238.14
10-23	Rock House	12D-32	NWSW 32, 10, 23	ML-47063	7/1/2009	1:05	2.92	140	2.92	2.92	0	\$0.00	\$459.90	\$459.90	\$23.00	\$482.90
10-23	Rock House	2D-32	NWNE 32, 10, 23	ML-47063	7/2/2009	12:58	1.42	63.5	1.42	1.42	0	\$0.00	\$223.65	\$223.65	\$11.18	\$234.83
10-23	Rock House	2D-36	NWNE 36, 10, 22	ML-42061	7/2/2009	3:18	3.07	150.8	3.07	3.07	0	\$0.00	\$483.53	\$483.53	\$24.18	\$507.70
10-23	Rock House	3-32-10-23	NENW 32, 10, 23	ML-41063	7/1/2009	1:50	2.81	135.5	2.81	2.81	0	\$0.00	\$442.58	\$442.58	\$22.13	\$464.70
10-23	Rock House	6D-32	SENEW 32, 10, 23	ML-47063	7/1/2009	1:20	2.09	92.8	2.09	2.09	0	\$0.00	\$329.18	\$329.18	\$16.46	\$345.63
							27.5	1314.4	27.5	27.5	0	\$0.00	\$4,331.27	\$4,331.27	\$216.57	\$4,547.81

BUREAU OF LAND MANAGEMENT
PESTICIDE APPLICATION REPORT

BLM Field Office: VERNAL, UT

Date: SEPTEMBER 30, 2009

Applicator Information:

1. Office Address: Pride Weed Control, Inc. 8100 Hwy 550 Durango, CO 81303
 - a. Phone Number: 970-247-9778
 - b. Project Name: Various Oil and Gas Facilities for Forest Oil
 - c. Pesticide Use Proposal Number: _____
2. Name of Applicator or Employee(s) Applying the Pesticide: Pride Weed Control, Inc.
3. Date(s) of Application (month, day, year): Various
4. Time of Application: Various
5. Location of Application: Various (see attached)
6. Type of Equipment Used: Truck mounted sprayer – handgun
7. Pesticide(s) Used:
 - a. Company or Manufacturer Name: ALLIGARE LLC
 - b. Trade Name: MOJAVE
 - c. Type of Formula: DISPERSABLE GRANUAL
8. Rate of Application Used (active ingredient per acre): 10 LBS / ACRE

Total amount of pesticide used: 24 LBS

Total amount of active ingredient used: 1.8672 LBS of Imazapyr and 14.9328 lbs of diuron
9. Total Area Treated: 3 Acres
10. Primary Pest(s) Involved: ALL VEGETATION

RECEIVED

MAR 23 2010

DIV. OF OIL, GAS & MINING

11. Stage of Pest Development: Various

12. Weather Conditions: Variable

13. Monitoring Record (if insufficient space-continue on back):

*This record if required by law and must completed except for monitoring within
24 hours after completion of application of pesticides. This record must be
maintained for a minimum of 10 years.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office
170 South 500 East
Vernal, UT 84078
(435) 781-4400 Fax: (435) 781-4410

REFER TO: 9015 (UT-933)

TO: Mr. Clay W. Grant
Forest Oil Corporation
916 Upland Way
Green River WY 82935

Mr. George Thompson
Pride Weed Control
8100 Hwy 550
Durango CO 81303

FROM: Clayton Newberry, Minerals Dept Botanist
USDI Bureau of Land Management, Vernal Field Office

SUBJECT: PUP No. 09-LLUTG01000-17

Dear Mr. Grant and Mr. Thompson:

Your Pesticide Use Proposal (09-LLUTG01000-17) has been approved, with modifications and clarifications, by State Office in Salt Lake City. I have included a copy of the letter from State Office.

I have also included a Pesticide Application Record Form (PARF). Please send a copy of the PARF to your pesticide applicator. Instruct him that he should fill out a separate PARF every time he applies pesticide, one PARF per general area of application; and to submit all completed PARFs to our office every year by 01 November. I have included a completed PARF as a sample, to show how it should be filled out.

In addition, when submitting Pesticide Use Proposals from now on, please use the most current form posted on the Vernal BLM web page at the following URL:
http://www.blm.gov/style/medialib/blm/ut/vernal_fo/energy.Par.91962.File.dat/BLANK%20PUP%20FORM.pdf.

If you have any questions or need clarification, contact me by office phone at 435-781-3404 or by e-mail at Clayton_Newberry@blm.gov.

I wish you well in your operations in areas administered by Vernal Field Office.

Respectfully,

Clayton Newberry

Enclosures: PUP approval letter
Pesticide Application Record Form
sample completed Pesticide Application Record Form

Rock House File

10 August 2009

RECEIVED

MAR 23 2010

DIV. OF OIL, GAS & MINING



United States Department of the Interior



Services	RC
Land Use	
Minerals	✓
NEPA	
Renewables	
IN REPLY REFER TO:	
9015	(UT-933)
BUREAU OF LAND MANAGEMENT VERNAL, UT	
ALL EMPLOYEES	

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>

IN REPLY REFER TO:

9015 (UT-933)

BUREAU OF LAND MANAGEMENT VERNAL, UT

ALL EMPLOYEES

JUL 29 2009

RECEIVED

JUL 29 2009

BLM VERNAL, UTAH

Memorandum

To: Vernal Field Manager

From: Deputy State Director, Natural Resources

Subject: Pesticide Use Proposal Approvals

Your Pesticide Use Proposal (PUP) LLUTG01000 -17 with eleven herbicide formulations (eight active ingredients: Glyphosate, Dicamba, Triclopyr+Clopyralid, Metsulfuron Methyl, 2,4-D, Imazapyr+Diuron) and two adjuvants (surfactant and dye) is approved with one modification, shown below and on the PUP. The objective of these treatments is for bare ground control to improve worker safety and reduce fire hazards around oil and gas facilities and equipment. This PUP is approved for a period of one year from the date of approval, approximately July 31, 2010.

Modification: Items #10 and #11 Mojave 70EG and Sahara DG: The recommended use rate is <= 10 lbs/acre in a < 15" rainfall zone. The proposed intended use rate of 10-12 lbs/acre is slightly higher. UTISO requests that the operator adhere to the recommendation guidelines in the label and limit applications to 10 lbs/ac/yr. If for some unforeseen reason this rate does not provide adequate control, this may be negotiated with the FO weed specialist to a maximum of 12/lbs/ac/yr after the first year, and approved in writing (notated on the original PUP).

Also, for future PUP submissions, it is requested that the Field Office submit the information on a single form rather than duplicate information on multiple forms. Invariably data does not match and it creates extra work to correct both forms. Additionally, herbicide labels should be included in future PUP submissions.

The Green River District is in the process of updating its Weed Management Plan and associated environmental analysis. As part of that process, field office staff is consulting with US Fish and Wildlife Service (USFWS) with regard to Threatened and Endangered Species (TES) and identifying appropriate standard operating procedures and mitigation measures, including treatment buffers, for the use of herbicides in or near potential habitat for TES plant species. This process is expected to be completed in 2010. In the interim, as a result of communication with USFWS, PUP approvals will be for a period of one year and the current conservation measures and prescribed buffers for surface disturbing activities in TES habitat will be utilized.

Treatments will be made in accordance with the pesticide label, this PUP and Approval Memo, the current Decision Notice and Environmental Documents (UT-08-03-73, Rev. 3/25/85 and applicable Environmental Assessments for related APD's and pipeline development) and the Vegetation Treatments Using Herbicides PEIS 2007 (as directed by IM-2008-030). Treatments are required to be made by or under the direct supervision of a certified licensed applicator.

Prior to treatments, all sites should obtain sensitive species clearances. Continue to work with Vernal Field Office staff and representatives from USFWS to address TES plant concerns and implement appropriate mitigations and conservation measures, including buffers for surface disturbance as provided in informal and formal consultation. Additionally, applicators are strongly encouraged to take extra precautions with respect to drift control: assessing wind conditions, following label directions, and adjusting equipment and droplet size as much as practical to minimize drift potential. EA No. UT-08-73/Rev 03/25/85 specifies that spray application should not be done when wind speeds exceed 6 miles per hour or heavy rainfall or other adverse weather conditions exist, in addition to other applicable mitigation measures.

Please follow the label and MSDS directions for personal protective equipment, which generally includes long sleeved shirt and pants, shoes and socks, chemical resistant gloves, and protective eyewear. BLM handbook 9011 – 1 also strongly recommends the use of coveralls.

It is the responsibility of Forest Oil, its contractors, and the Vernal Field Office to monitor herbicide application to be sure that the approved PUP is followed and that Pesticide Application Records are completed within 24 hours after application of the pesticide and maintained in the office records for 10 years. Please coordinate efforts to ensure this documentation is provided to the FO in a timely manner.

If you have questions, please contact Lisa Bryant at (801) 539-4069 or Verlin Smith at (801) 539-4055.

Verlin Smith

Attachments

PUP No. 09-LLUTG010000-17

Herbicide Labels: Round-up Pro, Rifle, Redeem R&P, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D Low Vol 6, Escort XP, Glyphosate 4 Plus, Mojave, Sahara DG

U.S. DEPARTMENT OF INTERIOR
PESTICIDE USE PROPOSAL
EA NUMBER: UT-08-73 / REV. 3/25/85

STATE: UT

COUNTY: Uintah

FIELD OFFICE: Vernal

DURATION OF PROPOSAL: ^{One} 3 Years

LOCATION: Various gas and oil well locations, compressor and pumping facilities, pipeline rights-of-way.

Attach map(s) and/or a list of sites * (Sites Listed)

ORIGINATOR – NAME: Clay Grant

ORIGINATOR – COMPANY: Forest Oil Corporation

ORIGINATOR – CONTACT INFORMATION: 916 Upland Way Green River, WY 82935
Include address and phone number (307) 875-1964 off. (307) 875-1967 fax (303) 406-1627 cell

DATE:
PROPOSAL NUMBER:
EA REFERENCE NUMBER:
DECISION RECORD (DR) NUMBER:

I. APPLICATION SITE DESCRIPTION:

1. ESTIMATED NUMBER OF ACRES: 70
2. GENERAL DESCRIPTION (Describe land type or use, size, stage of growth of target species, soil characteristics, and any additional information that may be important in describing the area to be treated.)

Previously leveled areas for the construction of roads, gas and oil well locations, reclaimed pits and pipeline rights-of-way, access roads.

II. DESIRED RESULTS OF APPLICATION: (List the anticipated results of the treatment, species that will be controlled or removed, or enhanced, etc.):

Bare ground and control if noxious species.

III. SENSITIVE ASPECTS AND PRECAUTIONS: (Describe sensitive areas – marsh, endangered, threatened, candidate, and sensitive species habitat – and distance to application site. List measures to be taken to avoid impact to these areas):

Spraying will be halted when winds present a danger of drift and damage to off-target species.

IV. NON-TARGET VEGETATION (Describe potential immediate and cumulative impacts to non-target pests in project area as a result of the pesticide application. Identify any planned mitigation measures that will be employed – BE GENERAL, SPECIFICS DISCUSSED IN THE EA):

None

V. INTEGRATED PEST MANAGEMENT PRACTICES CONSIDERED IN THE OVERALL PROJECT:

Spraying only

VI. Please submit the product labels (or copies of the product labels) and MSD Sheets along with this PUP.

Use the following tables to indicate which products will be used. The row number should be consistent throughout Tables 1, 2, 3 & 4 (i.e., row 1 in Table 1 should correspond to row 1 in Tables 2, 3 & 4). Add more rows if needed for additional products. Use Table 5 for adjuvants. You may fill this out electronically or print it, fill it out by hand and mail it in—but if your handwriting is illegible, this PUP will be returned without action.

1. PESTICIDES (row numbers in Table 1 should correspond to row numbers in Tables 2, 3 & 4)						
Row No.	TRADE NAME	COMMON NAME	EPA REG. No.	MANUFACTURER	FORMULATION (liquid or granule)	APPLICATION METHOD
1	Round-Up Pro	Glyphosate	524-475	Monsanto	liquid	backpack spray
2	Rifle	Dicamba	34704-861	Loveland Products	Liquid	Handgun, truck, tractor, ATV mounted booms
3	Redeem R&P	Triclopyr plus clopyralid	62719-337	Dow Agrosience	Liquid	Handgun, truck, tractor, ATV mounted booms
4	Cruise Control	Dicamba	42750-40-81927	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
5	Prescott Herbicide	Triclopyr plus clopyralid	81927-30	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
6	MSM 60	Metsulfuron Methyl	81927-7	Alligare	Granule	Handgun, truck, tractor, ATV mounted booms
7	2,4-D Low Vol 6	2,4-D	34704-125	Loveland Products	Liquid	Handgun, truck, tractor, ATV mounted booms
8	Escort XP	Metsulfuron Methyl	352-439	Dupont	Granular	Handgun, truck, tractor, ATV mounted booms
9	Glyphosate 4 plus	Glyphosate	81927-9	Alligare	Liquid	Handgun, truck, tractor, ATV mounted booms
10	Mojave 70 EG	Imazapyr plus Diuron	74477-9-81927	Alligare	Granular	Handgun, truck, tractor, ATV mounted booms
11	Sahara DG	Imazapyr plus Diuron	241-372	BASF	Granular	Handgun, truck, tractor, ATV mounted booms

2. MAXIMUM APPLICATION RATE ACCORDING TO PRODUCT LABEL
(row numbers correspond to Table 1)

Row No.	TRADE NAME	APPLICATION RATE ON PRODUCT LABEL	POUNDS ACTIVE INGREDIENT PER ACRE	POUNDS ACID EQUIVALENT (AE) PER ACRE (IF GIVEN)
1	Round-Up Pro	10.6 qts / acre / yr	10.6 Lbs / acre / yr	7.95 Lbs / acre / yr
2	Rifle	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
3	Redeem R&P	4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
4	Cruise Control	2 qt / acre/yr	2 lbs / acre / yr	2 lbs / acre / yr
5	Prescott Herbicide	Up to 4 pts / acre / yr	1.125 Lbs ae triclopyr and .375 ae clopyralid / acre / yr	1.125 Lbs triclopyr .375 Lbs clopyralid / acre / yr
6	MSM 60	2 oz / acre / yr	1.2 oz / acre / yr	N/A
7	2,4-D Low Vol 6	5 1/3 pts / acre	3.73 Lbs ae / acre	3.73 Lbs / acre / yr
8	Escort XP	2 oz / acre / yr	1.2 oz / acre / yr	N/A
9	Glyphosate 4 plus	2 Gals / acre / yr	8 Lbs / acre / yr	6 Lbs / acre / yr
10	Mojave 70 EG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A
11	Sahara DG	13 Lbs / acre / yr	Imazapyr 1.245 Lbs / acre / yr Diuron 8.09 Lbs / acre / yr	N/A

2007 VELS
Max Rate
ae/acre/yr

7.0 lbs ae/ae
(9.3 qts produ)

2.0 lbs ae

10 lbs T ae
1 lb C ae

2.0 lbs ae

10 lbs T ae
1 lb C ae

.15 lbs ai

1.9 lbs ae

.15 lbs ai

7.0 lbs ae/ae
(9.3 qts produ)

1.57 lbs ai
20)

1.57 lbs ai
20)

3. INTENDED APPLICATION RATE (rows correspond to Table 1)

Row No.	TRADE NAME	INTENDED APPLICATION RATE	INTENDED POUNDS ACTIVE INGREDIENT PER ACRE	INTENDED POUNDS ACID EQUIVALENT PER ACRE
1	Round-Up Pro	Up to 2 qts / acre / yr	Up to 2 Lbs	Up to 1.5 Lbs
2	Rifle	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
3	Redeem R&P	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
4	Cruise Control	Up to 2 pts / acre / yr	Up to 1 lb	Up to 1 lb
5	Prescott Herbicide	Up to 4 pts / acre / yr	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid	Up to 1.125 lb ae triclopyr; .375 lb ae clopyralid
6	MSM 60	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
7	2,4-D Low Vol 6	Up to 2 2/3 pts./acre/yr	Up to 1.85 Lbs / acre / yr	Up to 1.85 Lbs
8	Escort XP	Up to 1 oz / acre / yr	Up to .0375 Lbs / acre / yr	N/A
9	Glyphosate 4 plus	Up to 1 Gal / acre / yr	Up to 4 Lbs / acre / yr	Up to 3 Lbs
10	Mojave 70 EG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.
11	Sahara DG	Up to 12 Lbs / acre / yr	Up to 7.47 Lbs / acre / yr Diuron Imazapyr .93 Lbs / acre / yr	N/A * see mod.

4. PESTICIDE TIMING & TARGET (rows correspond to Table 1)				
Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr - 30 Oct	1-2 per year, as needed	All Vegetation
2	Rifle	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
3	Redeem R&P	Various Dated	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
4	Cruise Control	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian and Spotted Knapweed
5	Prescott Herbicide	Various Dates	1 application / yr	Canada Thistle, Musk Thistle, Houndstongue, Black Henbane, Russian Knapweed, and Spotted Knapweed
6	MSM 60	Various Dates	1 application / yr	Halogeton, Whitetop, Perennial Pepperweed
7	2,4-D Low Vol 6	Various Dates	1 application / yr	Halogeton
8	Escort XP	Various Dates	1 application / yr	Whitetop, Halogeton, Black Henbane, Perennial Pepperweed, Russian Knapweed
9	Glyphosate 4 plus	Various Dates	1 application / yr	All Vegetation
10	Mojave 70 EG	Various Dates	1 application / yr	All vegetation
11	Sahara DG	Various Dates	1 application / yr	All vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)					
TRADE NAME	TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APP.RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mohave 70 EG, Sahara DG, Glyphosate 4 Plus, Round Up Pro
Activator 90	surfactant	Loveland Products	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem, Cruise Control, Prescott Herbicide, MSM 60, 2,4-D low vol 6, Escort XP

VII. The following must be filled out legibly and signed by the Applicator and Originator. If your handwriting is in any way illegible, this PUP will be returned to the Originator without action.

"Applicator" refers to the company which will apply the pesticide (e.g., Joe's Weed Killers, LLC) "Originator" refers to the company which originates this herbicide use request (e.g., Gas R Us, Inc.)

Applicator company name: Pride Weed Control, Inc.

Applicator contact name: George Thompson

Applicator contact phone number: 970-247-9778

Applicator address: 8100 Hwy 550 Durango CO 81303

Pesticide applicator signature: *George Thompson*

Pesticide applicator printed name: George Thompson

Pesticide applicator license no.: 4001-14068 Exp. Date: 12/31/2011

I will ensure that the pesticide(s) and pesticide products will be applied in accordance with product label restrictions and according to the information presented above, and according to BLM modifications (if any). I will also ensure that Pesticide Use Application Records and Pesticide Use Reports will be submitted to the BLM Rawlins Field Office monthly for the duration of this PUP.

Originator signature: *[Signature]* Date: 5/6/2009
Printed / typed name: P. W. GRANT SR. Production Foreman

To be signed and approved by BLM personnel:

FO Pesticide Coordinator signature: *[Signature]* Date: 4 Jun 2009

FO Manager approval: *William Hays* Date: 6/14/09

State Coordinator signature: *Laura Bryant* Date: 7/28/09

Deputy State Director approval: *[Signature]* Date: 7/28/09

- APPROVED
- DISAPPROVED
- APPROVED WITH MODIFICATIONS (see below):

Modifications:

Recommended use rates for Mojave 70EG > Sahara DG in <15" precy zone is <10 lbs/acre/yr. Operator should adhere to label recommendations, unless they can show inadequate control. In such an instance a rate of up to 12lbs product/acre may be negotiated in writing w/ FO weed specialist & attached to this PUP.

1. PESTICIDES (row numbers in Table 1 should correspond to same row numbers in Tables 2, 3 & 4)						
Row No.	TRADE NAME	COMMON NAME	EPA REG. No.	MANUFACTURER	FORMULATION (liquid or granule)	APPLICATION METHOD
1	Round-Up Pro	glyphosate	524-475	Monsanto	liquid	backpack spray
2	Rifle	dicamba	34704-861	Loveland	liquid	hndgn, trctr, trk, ATV
3	Redeem R&P	triclopyr + clopyralid	62719-337	Dow	liquid	hndgn, trctr, trk, ATV
4	Cruise Control	dicamba	42750-40-81927	Alligare	liquid	hndgn, trctr, trk, ATV
5	Prescott	triclopyr + clopyralid	81927-30	Alligare	liquid	hndgn, trctr, trk, ATV
6	MSM 60	metsulfuron methyl	81927-7	Alligare	dry granular	hndgn, trctr, trk, ATV
7	Low Vol 6	2,4-D	34704-125	Loveland	liquid	hndgn, trctr, trk, ATV
8	Escort XP	metsulfuron methyl	352-439	DuPont	dry granular	hndgn, trctr, trk, ATV
9	Glyphosate 4 Plus	glyphosate	81927-9	Alligare	liquid	hndgn, trctr, trk, ATV
10	Mojave 70 EG	imazapyr + diuron	34477-9-81927	Alligare	dry granular	hndgn, trctr, trk, ATV
11	Sahara DG	imazapyr + diuron	241-372	BASF	dry granular	hndgn, trctr, trk, ATV

2. APPLICATION RATE ACCORDING TO PRODUCT LABEL (rows correspond to rows in Table 1)				
Row No.	TRADE NAME	MAXIMUM ALLOWABLE APPLICATION RATE ON PRODUCT LABEL	RATE PER ACRE RECOMMENDED ON PRODUCT LABEL	for liquid formulations only: POUNDS ACID EQUIVALENT (AE) PER ACRE
1	Round-Up Pro	(p.2) 10.6 qts / acre	(p. 8) 1 - 2 qts / acre	0.75 - 1.5 Lbs AE / acre
2	Rifle	(p.10) 2 qts / acre	(p.10-11) 1 - 2 qts / acre	1 - 2 Lbs AE / acre
3	Redeem R&P	(p.7) 4 pts / acre	(p.7) 3 - 4 pts / acre	0.844 - 1.125 Lbs AE / acre triclopyr 0.28 - 0.375 Lbs AE / acre clopyralid
4	Cruise Control	(p.7) 2 qts / acre	(p.8) 1 - 2 qts / acre	1 - 2 Lbs AE / acre
5	Prescott	(p.3) 4 pts / acre	(p.4) 3 - 4 pts / acre	0.844 - 1.125 Lbs AE / acre triclopyr 0.28 - 0.375 Lbs AE / acre clopyralid
6	MSM 60	(p.3) 2 oz / acre	1 - 2 oz / acre	NA
7	2,4-D Low Vol 6	(p.4) 5.33 pts / acre	(p.4) 2.67 - 5.33 pts / acre	1.87 - 3.73 Lbs AE / acre
8	Escort XP	(p.3) 4 oz / acre	(p. 5) 0.5 - 2.0 oz / acre	NA
9	Glyphosate 4 Plus	(p.14) 10 Gal / acre	(p.14) 3 - 10 Gal / acre	12 - 40 Lbs AE / acre
10	Mojave 70 EG	(p.5) 13 Lbs / acre	(p.4) 7 - 10 Lbs / acre	NA
11	Sahara DG	(p.4) 13 Lbs / acre	(p.4) 7 - 13 Lbs / acre	NA

3. INTENDED APPLICATION RATE (rows correspond to rows in Table 1)					
Row No.	TRADE NAME	INTENDED APPLICATION RATE	for dry formulations only: INTENDED POUNDS ACTIVE INGREDIENT / ACRE	for liquid formulation only: INTENDED POUNDS ACID EQUIVALENT / ACRE	for office use only: VEIS RATE / ACRE (AE, AI, or formulated product)
1	Round-Up Pro	2 qts / acre	NA	1.5 Lbs AE / acre	7.0 Lbs AE / acre
2	Rifle	2 pts / acre	NA	1.0 Lbs AE / acre	2.0 Lbs AE / acre
3	Redeem R&P	4 pts / acre	NA	1.125 Lbs AE / acre triclopyr .375 Lbs AE / acre clopyralid	10.0 Lbs AE / acre triclopyr 1.0 lbs AE / acre clopyralid
4	Cruise Control	2 pts / acre	NA	1.0 Lbs AE / acre	2.0 Lbs AE / acre
5	Prescott	4 pts / acre	NA	1.125 Lbs AE / acre triclopyr .375 Lbs AE / acre clopyralid	10.0 Lbs AE / acre triclopyr 1.0 lbs AE / acre clopyralid
6	MSM 60	1 oz / acre	0.0375 Lbs AI / acre	NA	0.15 Lbs AI / acre
7	2,4-D Low Vol 6	2.67 pts / acre	NA	1.85 Lbs AE / acre	1.9 Lbs AE / acre
8	Escort XP	1 oz / acre	0.0375 Lbs AI / acre	NA	0.15 Lbs AI / acre
9	Glyphosate 4 Plus	1 Gal / acre	NA	3 Lbs AE / acre	7.0 Lbs AE / acre
10	Mojave 70 EG	12 Lbs / acre	7.47 Lbs AI / acre diuron 0.93 Lbs AI / acre imazapyr	NA	20.0 Lbs AI / acre diuron 1.5 Lbs AI / acre imazapyr
11	Sahara DG	12 Lbs / acre	7.47 Lbs AI / acre diuron 0.93 Lbs AI / acre imazapyr	NA	20.0 Lbs AI / acre diuron 1.5 Lbs AI / acre imazapyr

4. PESTICIDE TIMING & TARGET (rows correspond to rows in Table 1)

Row No.	TRADE NAME	TREATMENT DATE	NUMBER OF TREATMENTS	TARGET WEED
1	Round-Up Pro	15 Apr – 30 Oct	1-2 applications per year, as needed	all vegetation
2	Rifle	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
3	Redeem R&P	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
4	Cruise Control	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
5	Prescott	various dates	1 application per year	Canada thistle, musk thistle, houndstongue, black henbane, Russian knapweed, spotted knapweed
6	MSM 60	various dates	1 application per year	halogeton, whitetop, perennial pepperweed
7	2,4-D Low Vol 6	various dates	1 application per year	halogeton
8	Escort XP	various dates	1 application per year	black henbane, perennial pepperweed, Russian knapweed, whitetop, halogeton
9	Glyphosate 4 Plus	various dates	1 application per year	all vegetation
10	Mojave 70 EG	various dates	1 application per year	all vegetation
11	Sahara DG	various dates	1 application per year	all vegetation

5. ADJUVANTS (COLORANTS, DILUENTS, MARKERS, SURFACTANTS, ETC)					
TRADE NAME	ADJUVANT TYPE	MANUFACTURER	APPLICATION RATE ON PRODUCT LABEL	INTENDED APPLICATION RATE	FOR USE WITH WHICH HERBICIDES?
Hi-Light	colorant	Becker Underwood	16 oz / 100 Gal solution	16 oz / 100 Gal	Mojave 70 EG, Sahara DG, Glyphosate 4 Plus, Round-Up Pro
Activator 90	surfactant	Loveland	4 pts / 100 Gal solution	4 pts / 100 Gal	Rifle, Redeem R&P, Cruise Control, Prescott, MSM 60, 2,4-D Low Vol 6, Escort XP

The following must be filled out legibly and signed. If your handwriting is in any way illegible, this PUP will be returned to the sender without action.

"Originator" refers to the company which needs herbicides applied—e.g., Basin Oil, Inc.
"Applicator" refers to the company which will apply the herbicide—e.g., Basin Annihilo-Weed, Inc.

Originator company: Forest Oil Corporation

Originator contact name: Clay Grant

Originator contact phone number(s): 307-875-1964 cell 303-406-1627 fax 307-875-1967

Originator mailing address: 916 Upland Wav, Green River WY 82935


Applicator company name: Pride Weed Control, Inc.

Applicator name: George Thompson

Applicator license no.: 4001-14068 exp. 12/31/2011

Applicator phone & fax numbers: phone 970-247-9778

Applicator mailing address: 8100 Hwy 550, Durango, CO 81303



09-LUT-601-17

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

Weed Management Area: _____ Site Name: _____
 Vegetation/Community Type: _____ Weed Site # _____ Quad # _____
 Complex _____ % _____ Applicator: _____
 Watershed _____ Address: _____
 Allotment: _____ License No.: _____ Phone # _____
 Quad Name(s): _____ County: _____
 Location T. _____, R. _____, Sec. _____, ¼ _____ ¼ _____ Aerial Photo # _____
 GPS Reading _____ Slide Photo _____

WEED SPECIES	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	ECOLOGICAL SITE DESCRIPTION	APPLICATION DATA
					Name:	Rate/Ac. Volume:
Condition:	Active/Acre:					
Soil Map Unit #	Total Volume:					
					WEATHER	Acres treated:
					Wind speed:	Acres on site:
					Direction:	MECHANICAL TREATMENT (circle one)
					Temperature:	Hand pull, hand tool, clip seed heads
					PEST TREATMENT (circle one)	Plow, other
					crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	BIOLOGICAL TREATMENT
						Bio Agent:
					WEED TREATMENT DATA	Method applied:
					Date:	Monitoring
Recovery Species					Time:	Original treatment
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name:	Site Recovery Needs
Width Track:					Active Ingredient:	Grazing defement yn
Weed Ac. Est.					Company Name:	Vegetative seed yn
Ac. Inventoried:					EPA Reg. No.:	Method seed
Site Characteristics					PUP No.:	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation:					Liquid, Powder, Granular	Acres Rehabilitated:
Aspect (direction):						Species seeded:
Slope (%):						Date:
TOPOGRAPHY (circle one)						Species established:
Ridge, Upper Slope						Date:
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

PESTICIDE (WEED) APPLICATION RECORD FORM
BLM-Vernal, 170 South 500 East Phone (435) 781-4400

Weed Management Area Clay Basin or Company Name

Site Name Clay Basin #12

Veg (Com.) Type Sagebrush

Weed Site SL045051

Quad # _____

Complex _____

% _____

Applicator John Smith

Watershed: Red Creek

Address _____

Allotment _____

License No. xyz123

Phone # 123.456.7891

Quad Name(s) _____

County: Daggett

Location T. 3N , R. 24E , Sec. 31 , SW ¼ NW ¼

Aerial Photo # _____

GPS Reading _____

Slide Photo _____

Weed Species	P h e n o l o g y	C o v e r C l a s s	P a t t e r n	I n f e s t. S i z e	Eco Site	APPLICATION DATA
					Name	Rate/Ac. Vol: 0.334 gallons/acre
					Condition	Active/Ac.: 1.8 lbs/acre
					Soil Map Unit #	Total Vol.: (1.8 lbs ac X 28.81 acres = 51.85 lbs ac/acre) 51.85 lbs ac/acre
Canada thistle	2	2	2	2	WEATHER	Ac. Treated: 28.81 acres
Musk thistle	3	1	3	1	Wind speed: 4 mph	Acre on site
					Direction: south	MECHANICAL TREATMENT (circle one)
					Temp: 85	Hand pull, hand tool
					PEST TREATMENT (circle one)	Plow, other
					Veg. site treated - crop, seeded, native, roadside, agriculture, reservoir bank, oil well, other	Biological Treatment
						Bio Agent
					WEED TREATMENT DATA	Method applied
					Date 8/15/07	Monitoring
Recovery Species					Time 3:22 p	
					EQUIPMENT TYPE (circle one)	Original Acres
					Power Boom, Power hand	Follow-up
					Backpack, ATV	Photo point
					Aerial	Photo #
					TREATMENT METHOD (circle one)	Veg Study
					Pesticide, Mechanical, Biological	Frequency, Cover, Step point
					Trade Name: 2,4-d 6# Low Vol	Site Recovery Needs
Width Track					Active Ingredient: 2,4-D	Grazing deferment yn
Weed Ac. Est.					Company Name: Platte Chemical Co	Vegetative seed yn
Ac. Inventoried					EPA Reg. No. 34704-125	Method seed
Site Characteristics					PUP No. 07-UT-080-12	Hand broadcast, Spreader ATV, Drill, Disc, Other
					FORMULATION (circle one)	
Elevation					Liquid, Powder, Granular	Acres Rehabed
Aspect (direction)						Species seeded
Slope (%)						Date
Topography						Species established
Ridge, Upper Slope						Date
Midslope, Lower slope						
Bench/Flat, Stream Bottom						
Meadow						
Comments						

COVER CLASS - estimated percent cover, by species, of the infestation

- 0 No weeds found
- 1 Less than 1% (trace)
- 2 One to five percent (low - occasional plants)
- 3 Six to twenty-five percent (moderate - scattered plants)
- 4 Twenty-five to 100% (high - fairly dense)

PATTERN - pattern of the infestation

- 0 No weeds found
- 1 Single plant or small area of many plants
- 2 Linear
- 3 Patchy
- 4 Block

INFESTATION SIZE - number of estimated acres of the infestation

- 0 No weeds found
- 1 Less than one acre
- 2 One to five acres
- 3 Five or more acres

PHENOLOGY - development stage

- 1 Vegetative
- 2 Bud stage
- 3 Flower
- 4 Seeded
- 5 Mature
- 6 Dormant

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

5/31/2013

FROM: (Old Operator):
 N6965-Forest Oil Corporation
 707 17th Street, Suite 3600
 Denver, CO, 80202
 Phone: 1 (303) 812-1676

TO: (New Operator):
 N2750-Enduring Resources, LLC
 511 16th Street, Suite 700
 Denver, CO, 80202
 Phone: 1 (303) 573-1222

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 28-01	28	080S	250E	4304730098	10095	Federal	D	PA
N HORSESHOE 13-20-6-22	20	060S	220E	4304738020	16441	Federal	D	PA
ROCK HOUSE 11-31	31	100S	230E	4304733312	13984	Federal	GW	P
ROCK HOUSE 6D-32	32	100S	230E	4304735409	14293	State	GW	P
ROCK HOUSE 2D-36	36	100S	220E	4304735759	14357	State	GW	P
ROCK HOUSE 2D-32	32	100S	230E	4304735760	14317	State	GW	P
ROCK HOUSE 10D-32	32	100S	230E	4304735761	14318	State	GW	P
ROCK HOUSE 12D-32	32	100S	230E	4304735762	14294	State	GW	P
ROCK HOUSE 11-36	36	100S	220E	4304735900	14478	State	GW	P
ROCK HOUSE 4-36	36	100S	220E	4304735901	14449	State	GW	P
ROCK HOUSE 11-2	02	110S	230E	4304736153	14695	State	GW	P
ROCK HOUSE 7-32-10-23	32	100S	230E	4304736306	14766	State	GW	P
ROCK HOUSE 3-32-10-23	32	100S	230E	4304736307	14781	State	GW	P
ROCK HOUSE 5-32-10-23	32	100S	230E	4304736410	14727	State	GW	P
N WALKER HOLLOW 2-32-6-23	32	060S	230E	4304737399	15741	State	GW	S
N HORSESHOE 3-16-6-21	16	060S	210E	4304737391	15716	State	GW	TA

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/4/2013
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/4/2013
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/4/2013
- 4a. Is the new operator registered in the State of Utah: Y Business Number: 5771233-0161
- 5a. (R649-9-2)Waste Management Plan has been received on: Y
- 5b. Inspections of LA PA state/fee well sites complete on: N/A
- 5c. Reports current for Production/Disposition & Sundries on: 5/29/2013
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA N/A
- Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/18/2013
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/18/2013
- Bond information entered in RBDMS on: (Blanket Bond already established) 6/24/2013
- Fee/State wells attached to bond in RBDMS on: 6/24/2013
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: N/A

BOND VERIFICATION:

- 1. Federal well(s) covered by Bond Number: UTB000173
- 2. Indian well(s) covered by Bond Number: N/A
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number RLB0008031
- 3b. The **FORMER** operator has requested a release of liability from their bond on: 6/4/2013

LEASE INTEREST OWNER NOTIFICATION:

- 4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

From Forest Oil Corporation (N6965) to Enduring Resources LLC (N2750)
Effective 31-May-2013

Well Name	Sec	Township	Range	Well API Number	Utah Entity Number	Mineral Lease Type	Well Type	Well Status
FEDERAL 28-01	28	080S	250E	4304730098	10095	Federal	Dry Hole	Plugged & Abandoned
N HORSESHOE 13-20-6-22	20	060S	220E	4304738020	16441	Federal	Dry Hole	Plugged & Abandoned
ROCK HOUSE 11-31	31	100S	230E	4304733312	13984	Federal	Gas Well	Producing Well
ROCK HOUSE 6D-32	32	100S	230E	4304735409	14293	State	Gas Well	Producing Well
ROCK HOUSE 2D-36	36	100S	220E	4304735759	14357	State	Gas Well	Producing Well
ROCK HOUSE 2D-32	32	100S	230E	4304735760	14317	State	Gas Well	Producing Well
ROCK HOUSE 10D-32	32	100S	230E	4304735761	14318	State	Gas Well	Producing Well
ROCK HOUSE 12D-32	32	100S	230E	4304735762	14294	State	Gas Well	Producing Well
ROCK HOUSE 11-36	36	100S	220E	4304735900	14478	State	Gas Well	Producing Well
ROCK HOUSE 4-36	36	100S	220E	4304735901	14449	State	Gas Well	Producing Well
ROCK HOUSE 11-2	02	110S	230E	4304736153	14695	State	Gas Well	Producing Well
ROCK HOUSE 7-32-10-23	32	100S	230E	4304736306	14766	State	Gas Well	Producing Well
ROCK HOUSE 3-32-10-23	32	100S	230E	4304736307	14781	State	Gas Well	Producing Well
ROCK HOUSE 5-32-10-23	32	100S	230E	4304736410	14727	State	Gas Well	Producing Well
N WALKER HOLLOW 2-32-6-23	32	060S	230E	4304737399	15741	State	Gas Well	Shut-In well
N HORSESHOE 3-16-6-21	16	060S	210E	4304737391	15716	State	Gas Well	TA-Temporarily Abandoned

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: SEE ATTACHED LIST
3. ADDRESS OF OPERATOR: 511 16th Street, Suite 700 CITY Denver STATE CO ZIP 80202		9. API NUMBER:
PHONE NUMBER: (303) 573-1222		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE:		COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>5/31/2013</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Utah State Bond #RLB0008031 - Operator No. N2750


Change of operator from Forest Oil Corporation to Enduring Resources, LLC effective 5/31/2013

Enduring Resources, LLC
51116th Street, Suite 700
Denver, Colorado 80202


Operator No. N2750
Utah State Bond #RLB0008031

RECEIVED
JUN 04 2013
Div. of Oil, Gas & Mining

FOREST OIL CORPORATION

X 
BY: Scott Laverde
TITLE: Vice President **N6965**

DATE: 5/31/2013

NAME (PLEASE PRINT) <u>Alex B. Campbell</u>	TITLE <u>Vice President</u>
SIGNATURE <u></u>	DATE <u>5/31/2013</u>

(This space for State use only)

APPROVED * Subject to Conditions of Approval.

(5/2000)

JUN 18 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING

BY: Zeke Clements for Rachel Medina.

* Subject to Conditions of Approval

CONDITIONS OF APPROVAL

CONDITIONS OF APPROVAL

CONDITIONS OF APPROVAL for
Change Of Operator
from Forest Oil Corporation (N6965)
to Enduring Resources, LLC (N2750)
effective 31-May-2013

The Conditions Of Approval are applicable to the following 2 wells:

Well Name and No.	Well API Number	Section	Township	Range	Meridian
N WALKER HOLLOW 2-32-6-23	4304737399	32	6 South	23 East	SLB&M
N HORSESHOE 3-16-6-21	4304737391	16	6 South	21 East	SLB&M

The Conditions Of Approval are:

1. If the wells are not producing commercial quantities within 60 days, then an additional bond will be required from Enduring Resources LLC. This should be ongoing commercial production.
2. If the plan is to plug the well, then approved plugging sundries should be in place and the wells plugged by Enduring Resources LLC no later than September 15, 2013.
3. If Enduring Resources LLC plans to review the wells further, then the following is required by August 15, 2013:
 - a. Additional Bonding, and
 - b. Plan for Wells future, and
 - c. Completed MIT showing integrity

The plan for the wells future should be submitted on a sundry notice, with the MIT and a request for extended SI/TA (Shut-In/Temporarily Abandoned) status. Approval by the Division is required to keep wells in ongoing SI/TA status. These 2 wells have been in SI/TA status over 4 years, so good justification is needed for an extension.

Well Name	API Well Number	Lease Number	Well Status	Field Name	Surface Owners	Mineral Lease	County	Qtr/Qtr	Sec	Twn Rge	FNL/FSL	FEL/FWL
COYOTE BASIN 28-01	43-047-30098	UTU-16257	P & A	WILDCAT	Federal	Federal	UINTAH	SESE	28	8S-25E	851 S	1039 E
N HORSESHOE 13-20-6-22	43-047-38020	UTU-76768	DRY HOLE	WILDCAT	Federal	Federal	UINTAH	SWSW	20	6S-22E	984 S	760 W
ROCK HOUSE 11-31	43-047-33312	UTU-76281	Producing	NATURAL BUTTES	Federal	Federal	UINTAH	NESW	31	10S-23E	1980 S	1980 W
ROCK HOUSE 6D-32	43-047-35409	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	SENE	32	10S-23E	1938 N	2121 W
ROCK HOUSE 2D-36	43-047-35759	ML 47061	Producing	NATURAL BUTTES	State	State	UINTAH	NWNE	36	10S-22E	1012 N	1654 E
ROCK HOUSE 2D-32	43-047-35760	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NWNE	32	10S-23E	932 N	2291 E
ROCK HOUSE 10D-32	43-047-35761	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NWSE	32	10S-23E	2367 S	1595 E
ROCK HOUSE 12D-32	43-047-35762	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NWSW	32	10S-23E	1611 S	951 W
ROCK HOUSE 11-36	43-047-35900	ML 46907	Producing	NATURAL BUTTES	State	State	UINTAH	NESW	36	10S-22E	2137 S	1801 W
ROCK HOUSE 4-36	43-047-35901	ML 47061	Producing	NATURAL BUTTES	State	State	UINTAH	NWNW	36	10S-22E	837 N	646 W
ROCK HOUSE 11-2	43-047-36153	ML 47078	Producing	ROCK HOUSE	State	State	UINTAH	NESW	2	11S-23E	2233 S	1863 W
ROCK HOUSE 7-32-10-23	43-047-36306	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	SWNE	32	10S-23E	1866 N	2064 E
ROCK HOUSE 3-32-10-23	43-047-36307	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	NENW	32	10S-23E	524 N	2151 W
ROCK HOUSE 5-32-10-23	43-047-36410	ML 47063	Producing	NATURAL BUTTES	State	State	UINTAH	SWNW	32	10S-23E	2405 N	852 W
N WALKER HOLLOW 2-32-6-23	43-047-37399	ML 47777	SHUT-IN	UNDESIGNATED	State	State	UINTAH	NWNE	32	6S-23E	581 N	1945 E
N HORSESHOE 3-16-6-21	43-047-37391	ML 49317	T/A	WILDCAT	State	State	UINTAH	NENW	16	6S-21E	825 N	2067 W

RECEIVED
JUN 04 2013
Div. of Oil, Gas & Mining