

001

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

5. LEASE DESIGNATION AND SERIAL NO.
UTU-74426

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
na

1a TYPE OF WORK
DRILL **DEEPEN** **PLUG BACK**
 B TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

7. UNIT AGREEMENT NAME
na

8. FARM OR LEASE NAME
na

2. NAME OF OPERATOR
The Houston Exploration Company

9. WELL NO.
Bonanza 14-11-9-23

3. ADDRESS OF OPERATORS
1100 Louisiana Suite 2000 Houston, TX 77002

10. FIELD OR LEASE NAME
Natural Buttes

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirement)
 at surface **756' FSL & 1859' FWL SESW 645340X 40.045335**
 At proposed prod. Zone **same as above 4433969Y -109.296282**

11. Sec., T., R., M., OR BLK AND SURVEY OR AREA
Sec, 11, T9S, R23E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
49.7 miles south of Vernal, UT

12. COUNTY OR PARISH **Uintah** 13. STATE **Utah**

15. DISTANCE FROM PROPOSED LOC. TO NEAREST PROP. OR LEASE LINE, FT. (Also to nearest drlg. Unit line, if any)
756'

16. NO. OF ACRES IN LEASE
1,200

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

16. DISTANCE FROM PROPOSED LOCATION * TO NEAREST WELL, DRILLING COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1,100

19. PROPOSED DEPTH
8,265

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATION (SHOW WHETHER DF. RT. GR, etc.)
5001.5 GR

22. APPROX. DATE WORK WILL START
April 15 2005

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	36#	2000'	779 sks
7 7/8"	4 1/2"	11.6#	T.D.	600 sks

The operator requests permission to drill the subject well. Please find the attached 10 point plan and 13 point plan.

**William A Ryan
290 S 800 E
Vernal, UT 84078
435-789-0968**

RECEIVED

APR 26 2005

DIV. OF OIL, GAS & MINING

Federal Approval of this Action is Necessary

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM. If proposed in to deepen or plug back, give data on proposed productive zone and proposed new productive zone. If proposal is to drill or deepen directional, give pertinent data on subsurface location and measure and true vertical depths. Give blowout preventer program, if any.

24. SIGNATURE William A. Ryan TITLE Agent DATE Mar. 30, 2005


(This space for Federal or State Office use)

PERMIT NO. 438047-136651 APPROVAL DATE _____
 APPROVED BY [Signature] TITLE BRADLEY G. HILL DATE 04-28-05
 CONDITIONS OF APPROVAL, IF ANY: ENVIRONMENTAL SCIENTIST III

***See Instructions on Reverse Side**

CONFIDENTIAL

T9S, R23E, S.L.B.&M.



BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

(AUTONOMOUS NAD 83)

LATITUDE = 40°02'43.16" (40.045322)

LONGITUDE = 109°17'49.29" (109.297025)

(AUTONOMOUS NAD 27)

LATITUDE = 40°02'43.28" (40.045356)

LONGITUDE = 109°17'46.85" (109.296347)

LEGEND:


- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.

THE HOUSTON EXPLORATION COMPANY

Well location, BONANZA #14-11-9-23, located as shown in the SE 1/4 SW 1/4 of Section 11, T9S, R23E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK (54EAM) LOCATED IN THE NW 1/4 OF SECTION 14, T9S, R23E, S.L.B.&M. TAKEN FROM THE RED WASH SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5031 FEET.



SCALE

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert A. Key
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 161319
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 02-03-05	DATE DRAWN: 02-10-05
PARTY G.O. B.C. P.M.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE THE HOUSTON EXPLORATION COMPANY	

SELF-CERTIFICATION STATEMENT


The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that The Houston Exploration Company are considered to be the operator of the following well.

**Bonanza 14-11-9-23
Section 11, T.9S, R.23E.
SE 1/4, SW 1/4
Lease UTU-74426
Uintah County, Utah**

The Houston Exploration Company is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond UTB-000062 provides state-wide bond coverage on all Federal lands.



**William A. Ryan
Agent
Rocky Mountain Consulting
290 S. 800 E.
Vernal UT 84078
435-789-0968 Office
435-828-0968 Cell
435-789-0970 Fax
rmcwar@hotmail.com**

Ten Point Plan**The Houston Exploration Company**

Bonanza 14-11-9-23

Surface Location SE ¼ SW ¼, Section 11, T. 9S., R. 23E.

1. Surface Formation

Green River

2. Estimated Formation Tops and Datum:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Green River	Surface	+5,002' G.L.
Uteland Butte Limestone	4,440	+562'
Wasatch	4,575	+427'
Mesaverda	6,415	-1,413'
Buck Tounge	8,210	-3,208'
Castlegate	8,285	-3,283'
TD	8,265	-3,263'

A 11" hole will be drilled to 2,000' +/- . The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its sub-members.

Off set well information

Off set wells:

Permitted/Drilled:

Bonanza #2-11-9-23

Bonanza #3-11-9-23

Bonanza #5-11-9-23

Bonanza #6-11-9-23

Bonanza #7-11-9-23

Bonanza #9-11-9-23

Bonanza #11-11-9-23

Bonanza #13-11-9-23

Bonanza #15-11-9-23

Bonanza #5-12-9-23

Producing Wells: Bonanza #12D-12

Abandoned Wells: SR #23-11

Shut in Wells: Bonanza #1-11

4. Proposed Casing:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight/FT</u>	<u>Grade</u>	<u>Coupling & Tread</u>	<u>Casing Depth</u>	<u>New/Used</u>
11	8 5/8	36#	J-55	STC	2000	NEW
7 7/8	4 1/2	11.6#	N-80	LTC	T.D.	NEW

Cement Program:

The Surface Casing will be cemented to the Surface as follows:

	<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amounts</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
Lead:	8 5/8	Primium Lite II .05#/sk Static Free .25#/sk Cello Flake 5#/sk KOL Seal .002 gps FP-6L 10% Bentonite .5% Sodium Metasilicate 3% Potassium Chloride	250 sks. +/-	3.38ft ³ /sk	11.0 ppg
Tail:	8 5/8	Class "G" 2% Calcium Chloride .25#/sk Cello Flake	329 sks. +/-	1.2ft ³ /sk	15.6 ppg
Top Job:	8 5/8	4% Calcium Chloride .25#/sk Cello Flake	200 sks. +/-	1.10ft ³ /sk	15.6 ppg

Production casing will be cemented to 2,500' or higher as follows:

	<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amounts</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
Lead:	4 1/2	Primium Lite II .25#/sk Cello Flake .05#/sk Static Free 5#/sk Kol Seal 3% Potassium Chloride .055 gps FP-6L 10% Bentonite .5 Sodium Metasilicate	200 sks +/-	3.3ft ³ /sk	11.0 ppg
Tail:	4 1/2	Class "G" .05% Static Free 2 Sodium Chloride .1% R-3 2% Bentonite	400 sks +/-	1.56ft ³ /sk	14.3 ppg

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

<u>Interval</u>	<u>Mud weight lbs./gal.</u>	<u>Viscosity Sec./OT.</u>	<u>Fluid Loss MI/30 Mins.</u>	<u>Mud Type</u>
0-2000	Air/Clear Water	-----	No Control	Water/Gel
2000-T.D.	8.4-12.0	30	8-10	Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 ½" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

- a) Test: None are anticipated.
- b) Coring: There is the possibility of sidewall coring.
- c) Sampling: Every 10' from 2000' to T.D.
- d) Logging:

Type	Interval
DLL/SFL W/GR and SP	T.D. to Surf. Csg
FDC/CNL W/GR and CAL	T.D. to Surf. Csg


9. Abnormalities (including sour gas):

No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H₂S.

10. Drilling Schedule:


The anticipated starting date is April 15, 2005. Duration of operations is expected to be 30 days.

TYPICAL
C&S WELL




THE HOUSTON EXPLORATION COMPANY

TYPICAL 3,000 p.s.i. BLOWOUT PREVENTER SCHEMATIC



TYPICAL 3,000 p.s.i. CHOKER MANIFOLD SCHEMATIC



THE HOUSTON EXPLORATION COMPANY

13 POINT SURFACE USE PLAN

FOR WELL

BONANZA 14-11-9-23

LOCATED IN SE $\frac{1}{4}$ SW $\frac{1}{4}$

SECTION 11, T. 9S, R23E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: UTU-74426

SURFACE OWNERSHIP: FEDERAL

1. Existing Roads:

To reach The Houston Exploration Co well Bonanza #14-11-9-23 in Section 11, T9S, R23E, starting in Vernal, Utah.

Proceed in an easterly, then southerly direction from Vernal, Utah along US Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly, then southeasterly direction approximately 36.6 miles on State Highway 45 to the junction of this road and an existing road to the west; turn right and proceed in a westerly, then northwesterly direction approximately 7.8 miles to the junction of this road and an existing road to the north; turn right and proceed in a northerly, then northeasterly direction approximately 0.8 miles to the junction of this road and an existing two-track to the southeast; turn right and proceed in a southeasterly direction approximately 0.2 miles to the beginning of the proposed access for the #10-11 to the southeast; follow road flags in a southeasterly direction approximately 0.1 miles to the beginning of the proposed access for the #15-11 to the southeast; follow road flags in a southeasterly direction approximately 0.1 miles to the beginning of the proposed access to the southwest; follow road flags in a southwesterly direction approximately 0.2 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 49.7 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 1056' +/- of new construction on lease. The road will be graded once per year minimum and maintained.

A) Approximate length	1056 ft
B) Right-of-Way width	30 ft
C) Running surface	18 ft
D) Surface material	Native soil
E) Maximum grade	5%
F) Fence crossing	None
G) Culvert	None
H) Turnouts	None
I) Major cuts and fills	None
J) Road Flagged	Yes
K) Access road surface ownership	Federal
L) All new construction on lease	Yes
M) Pipe line crossing	No

Please see the attached location plat for additional details.

An off lease Right-of-Way will not be required.

All surface disturbances for the road and location will be within the lease boundary.

Please see the attached location diagrams for pipe-line location. There will be no additional surface disturbances required for the installation of a gathering line.

The gas meter run will be located within 500' of the wellhead. The gas line will be buried or anchored down from the wellhead to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meter-improving schedules. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah, Division of Oil, Gas, and Mining. All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas and liquid hydrocarbon measurement.

5. Location and type of water supply

Water for drilling and cementing will come from The White River at the Bonanza Bridge, Permit # - T75376.

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately 12 ft. deep and most of the depth shall be below the surface of the existing ground. Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to store water for drilling. A semi-closed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90-day period an application for approval for permanent disposal method and location will

be submitted to the authorized officer.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized landfill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout

Location dimensions are as follows:

- A) Pad length 345 ft
- B) Pad width 245 ft
- C) Pit depth 12 ft
- D) Pit length 150 ft
- E) Pit width 75 ft
- F) Max cut 28.3 ft
- G) Max fill 9.2 ft
- H) Total cut yds. 12,170 cu yds
- I) Pit location east end
- J) Top soil location north end
- K) Access road location

L) Flare Pit

east end corner C

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.
- E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.

10. Plans for restoration of the surface

Prior to construction of the location, the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and piled will amount to approximately

1,869 cubic yards of material. Topsoil will be stockpiled in one distinct pile. Placement of the topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be re-contoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the

soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified. And left with a rough surface.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed.

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Seed Mix:

To be determined by the Authorized Officer.

11. Surface ownership:

Access road	Federal
Location	Federal
Pipe line	Federal

12. Other information:

A) Vegetation

The vegetation coverage is Slight. The majority of the existing vegetation consists of

Sagebrush, Rabbit brush, Bitter Brush, and Indian Rice grass are also found on the location.

B) Dwellings:

There are no dwelling or other facilities within a one-mile radius of the location.

C) Archeology:

The location has been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of June 8, 1906) are discovered, all operations which would affect such sites will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is the White River located approximately 7 miles to the South.

E) Chemicals:

No pesticides, herbicides or other possible hazardous chemicals will be used without prior application.

F) Notification:

- a) Location Construction
At least forty eight (48) hours prior to construction of location and access roads.
- b) Location completion
Prior to moving on the drilling rig.
- c) Spud notice
At least twenty-four (24) hours prior to spudding the well.
- d) Casing string and cementing
At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests
At least twenty-four (24) hours prior to initial pressure tests.
- f) First production notice
Within five (5) business days after the new well begins, or production resumes after well has been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in **corner C** of the reserve pit outside the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan
Rocky Mountain Consulting
Vernal, UT 84078

Office 435-789-0968
Fax 435-789-0970
Cellular 435-828-0968

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.


This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route, that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be

performed by The Houston Exploration Company and its contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Date 04/11/05



William A. Ryan, Agent
Rocky Mountain Consulting

Onsite Dates: 3/18/05

Statement of use of Hazardous Materials

No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986 will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored, transported, disposed, or associated with the proposed action.

If you require additional information please contact:


William A Ryan
Agent for The Houston Exploration Company
Rocky Mountain Consulting
290 S 800 E
Vernal, UT 84078

435-789-0968 Office
435-828-0968 Cell
435-789-0970 Fax

THE HOUSTON EXPLORATION COMPANY


FIGURE #1

LOCATION LAYOUT FOR
 BONANZA #14-11-9-23
 SECTION 11, T9S, R23E, S.L.B.&M.
 756' FSL 1859' FWL



SCALE: 1" = 50'
 DATE: 02-10-05
 Drawn By: P.M.

NOTE:
 Flare Pit is to be located
 a min. of 100' from the
 Well Head.




NOTES:

Elev. Ungraded Ground At Loc. Stake = 5003.1'
 FINISHED GRADE ELEV. AT LOC. STAKE = 5001.5'



THE HOUSTON EXPLORATION COMPANY

FIGURE #2

TYPICAL CROSS SECTIONS FOR
 BONANZA #14-11-9-23
 SECTION 11, T9S, R23E, S.L.B.&M.
 756' FSL 1859' FWL



DATE: 02-10-05
 Drawn By: P.M.




* NOTE:
 FILL QUANTITY INCLUDES
 5% FOR COMPACTION

APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,860 Cu. Yds.
Remaining Location	= 10,310 Cu. Yds.
TOTAL CUT	= 12,170 CU.YDS.
FILL	= 8,620 CU.YDS.

EXCESS MATERIAL	= 3,550 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 3,550 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.



**PROPOSED LOCATION:
BONANZA #14-11-9-23**

SEE TOPO "B"

VERNAL 40.5 MI. +/-

7.8 MI. +/-

BONANZA

R 23 E
R 24 E

T8S
T9S

LEGEND:

⊙ PROPOSED LOCATION



THE HOUSTON EXPLORATION COMPANY

BONANZA #14-11-9-23
SECTION 11, T9S, R23E, S.L.B.&M.
756' FSL 1859' FWL



Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

02 16 05
MONTH DAY YEAR

SCALE: 1:100,000 **DRAWN BY: C.P.** **REVISED: 00-00-00**



THE HOUSTON EXPLORATION COMPANY

BONANZA #14-11-9-23

LOCATED IN UTAH COUNTY, UTAH
SECTION 11, T9S, R23E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHWESTERLY



- Since 1964 -

UELS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS


02 16 05
MONTH DAY YEAR

PHOTO

TAKEN BY: G.O.

DRAWN BY: C.P.

REVISED: 00-00-00



LEGEND:

- EXISTING ROAD
- PROPOSED ACCESS ROAD
- EXISTING 2-TRACK NEEDS UPGRADED



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



THE HOUSTON EXPLORATION COMPANY

BONANZA #14-11-9-23
 SECTION 11, T9S, R23E, S.L.B.&M.
 756' FSL 1859' FWL


TOPOGRAPHIC MAP
 SCALE: 1" = 2000'

02 16 05
 MONTH DAY YEAR
 DRAWN BY: C.P. REVISED: 00-00-00



T9S

R
23
E



**PROPOSED LOCATION:
BONANZA #14-11-9-23**

LEGEND:

- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ⊗ WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED

THE HOUSTON EXPLORATION COMPANY

**BONANZA #14-11-9-23
SECTION 11, T9S, R23E, S.L.B.&M.
756' FSL 1859' FWL**




Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



**TOPOGRAPHIC
MAP**

02 16 05
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 1,180' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- - - - - EXISTING PIPELINE
- - - - - PROPOSED PIPELINE
- EXISTING 2-TRACK NEEDS UPGRADED

THE HOUSTON EXPLORATION COMPANY

BONANZA #14-11-9-23
SECTION 11, T9S, R23E, S.L.B.&M.
756' FSL 1859' FWL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC 02 16 05
MAP MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: C.P. REVISED: 00-00-00



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 04/26/2005

API NO. ASSIGNED: 43-047-36651

WELL NAME: BONANZA 14-11-9-23
OPERATOR: HOUSTON EXPLORATION CO, (N2525)
CONTACT: BILL RYAN

PHONE NUMBER: 435-789-0968

PROPOSED LOCATION:

SESW 11 090S 230E
SURFACE: 0756 FSL 1859 FWL
BOTTOM: 0756 FSL 1859 FWL
UINTAH
NATURAL BUTTES (630)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
LEASE NUMBER: UTU-74426
SURFACE OWNER: 1 - Federal
PROPOSED FORMATION: CSLGT
COALBED METHANE WELL? NO

LATITUDE: 40.04534
LONGITUDE: -109.2963

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. UTB-000062)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. T75376)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)


LOCATION AND SITING:

- ___ R649-2-3.
Unit _____
- R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- ___ R649-3-3. Exception
- ___ Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- ___ R649-3-11. Directional Drill


COMMENTS: _____

STIPULATIONS: _____

1- Federal Approval
2- Spacing Strip



OPERATOR: THE HOUSTON EXPL CO (N2525)
SEC: 11 & 12 T. 9S R. 23E
FIELD: NATURAL BUTTES (630)
COUNTY: UINTAH
SPACING: R649-3-2 / GENERAL SITING



- | Wells | Units.shp | Fields.shp |
|-----------------------|----------------|--------------|
| ● GAS INJECTION | □ EXPLORATORY | □ ABANDONED |
| ○ GAS STORAGE | □ GAS STORAGE | □ ACTIVE |
| × LOCATION ABANDONED | □ NF PP OIL | □ COMBINED |
| ⊕ NEW LOCATION | □ NF SECONDARY | □ INACTIVE |
| ◇ PLUGGED & ABANDONED | □ PENDING | □ PROPOSED |
| ★ PRODUCING GAS | □ PI OIL | □ STORAGE |
| ● PRODUCING OIL | □ PP GAS | □ TERMINATED |
| ○ SHUT-IN GAS | □ PP GEOTHERML | |
| ○ SHUT-IN OIL | □ PP OIL | |
| × TEMP. ABANDONED | □ SECONDARY | |
| ○ TEST WELL | □ TERMINATED | |
| ▲ WATER INJECTION | | |
| ▲ WATER SUPPLY | | |
| ▲ WATER DISPOSAL | | |



PREPARED BY: DIANA WHITNEY
DATE: 28-APRIL-2005



State of Utah

**Department of
Natural Resources**

MICHAEL R. STYLER
Executive Director

**Division of
Oil, Gas & Mining**

MARY ANN WRIGHT
Acting Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

April 28, 2005

The Houston Exploration Company
1100 Louisiana, Suite 2000
Houston, Texas 77002

Re: Bonanza 14-11-9-23 Well, 756' FSL, 1859' FWL, SE SW, Sec. 11, T. 9 South,
R. 23 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36651.

Sincerely,

for John R. Baza
Associate Director

jc
Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: The Houston Exploration Company
Well Name & Number Bonanza 14-11-9-23
API Number: 43-047-36651
Lease: UTU-74426

Location: SE SW **Sec.** 11 **T.** 9 South **R.** 23 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: The Houston Exploration Company <i>Nasas</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1100 Louisiana, Ste 2000 CITY Houston STATE TX ZIP 77002		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List		8. WELL NAME and NUMBER: See Attached List
PHONE NUMBER: (713) 830-6938		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: Uintah

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>Effective 9/1/05</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE <u>9/1/05</u>	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Enduring Resources, LLC Operator #N 2750 Utah State Bond #RLB0008031
475 17th Street, Ste 1500
Denver, CO 80202

Contact: Frank Hutto 303-350-5102

Frank Hutto VP. OPS
Signature & Title
Date 9/19/05

NAME (PLEASE PRINT) Joanne Hresko TITLE Vice President/General Manager Onshore
SIGNATURE *Joanne Hresko* DATE 9/2/2005

(This space for State use only) **APPROVED** 9/29/2005

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician (Actions on Reverse Side)

RECEIVED

SEP 26 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	Bonanza 14-11-9-23
API number:	4304736651
Location:	Qtr-Qtr: SESW Section: 11 Township: 9S Range: 23E
Company that filed original application:	HOUSTON EXPLORATION COMPANY
Date original permit was issued:	04/28/2005
Company that permit was issued to:	HOUSTON EXPLORATION COMPANY

Check one	Desired Action:
<input type="checkbox"/>	Transfer pending (unapproved) Application for Permit to Drill to new operator
<input type="checkbox"/>	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	Transfer approved Application for Permit to Drill to new operator
<input type="checkbox"/>	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If so, has the surface agreement been updated?	<input type="checkbox"/>	<input type="checkbox"/>
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Has the approved source of water for drilling changed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Is bonding still in place, which covers this proposed well? Bond No. <u>RLB0008031</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) ALEX CAMPBELL Title VICE PRESIDENT OF LAND
Signature  Date 09/19/2005
Representing (company name) ENDURING RESOURCES, LLC

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

RECEIVED
SEP 26 2005

TRANSFER OF OPERATOR

NATURAL BUTTES FIELD, UINTAH COUNTY, UTAH
DRILLED WELLS, TO BE OPERATED BY ENDURING RESOURCES, LLC

API Well Number	Well Name	Well Status	Qtr/Qtr	Section	Township-Range	FNL/FSL	FEL/FWL	Latitude	Longitude
43047355550000	Bonanza #10D-18	SI	NWSE	18	9S-24E	1437 S	1800 E	40.03340	-109.25282
43047355510000	Bonanza #12D-12	Producing	NWSW	12	9S-23E	1556 S	867 W	40.04788	-109.28055
43047356930000	Bonanza #2D-27	Producing	NWNE	27	9S-24E	1064 N	1824 E	40.01123	-109.19600
43047359080000	Bonanza 10-11	Producing	NWSE	11	9S-23E	1991 S	1755 E	40.04866	-109.29035
43047356920000	Bonanza 10D-8	SI	NWSE	8	9S-24E	1510 S	1768 E	40.04789	-109.23383
43047355520000	Bonanza 1-11	Producing	NWNW	11	9S-23E	990 N	990 E	40.05431	-109.29891
43047359290000	Bonanza 12-20	Drig	NWSW	20	9S-25E	1998 S	825 W	40.01947	-109.13150
43047-359210000	Bonanza 12A-18	Producing	NWSW	18	9S-24E	2067 S	813 W	40.03430	-109.26242
43047359090000	Bonanza 14-12	Evaluating	SESW	12	9S-23E	505 S	2001 W	40.04455	-109.27693
43047359940000	Bonanza 4-18	WOPL	NWNW	18	9S-24E	706 N	682 W	40.04119	-109.26288
43047-356220000	Bonanza 4D-16	Producing	NWNW	16	9S-24E	1152 N	1209 W	40.04000	-109.22349
43047358600000	Bonanza 6-36	Producing	SESW	36	9S-24E	2217 N	2009 W	39.99336	-109.16393
43047359120000	Bonanza 6B-8	Producing	SESW	8	9S-24E	2017 N	1878 W	40.05213	-109.24004
43047359200000	Bonanza 8D-7	Producing	SENE	7	9S-24E	1992 N	477 E	40.05220	-109.24845
43047359050000	Buck Canyon 15-24	P&A	SW/SE	24	12S-21E	700 S	2139 E	39.75386	-109.5134
43047348150000	Cartwright 2-35	TA	NWNE	35	9S-24E	858 N	2104 E	39.99733	-109.17882
43047332510000	East Bench 11-16	WOC	NESW	16	11S-22E	S S	1980 W	39.85889	-109.46172
43047347560000	Hoss 15	Producing	SWSE	20	9S-25E	1291 S	2088 E	40.01767	-109.12236
43047348140000	Little Joe 11-7	TA	NENE	7	9S-25E	710 N	644 E	40.05562	-109.13601
43047361500000	Rainbow 14-17	WOC	SESW	17	11S-24E	780 S	1726 W	39.85689	-109.25731
43047361840000	Rainbow 2-16	WOC	NWNE	16	11S-24E	837 N	2136 E	39.86708	-109.23348
43047353630000	Southman Canyon 10D-36	Producing	NWSE	36	9S-23E	1757 S	1650 E	39.98991	-109.27148
43047353640000	Southman Canyon 12D-36	Producing	NWSW	36	9S-23E	1518 S	1069 W	39.98977	-109.28040
43047357700000	Southman Canyon 14C-36	Producing	SESW	36	9S-23E	648 S	1717 W	39.98689	-109.27716
43047357720000	Southman Canyon 16C-36	Producing	SESE	36	9S-23E	542 S	736 E	39.98607	-109.26912
43047356910000	Southman Canyon 2D-30	Producing	NWNE	30	9S-24E	1171 N	1502 E	40.01111	-109.25269
43047353650000	Southman Canyon 2D-36	Producing	NWNE	36	9S-23E	960 N	1751 E	39.99711	-109.27228
43047353610000	Southman Canyon 4D-36	Producing	NWNW	36	9S-23E	1163 N	1137 W	39.99623	-109.28012
43047353620000	Southman Canyon 6D-36	Producing	SESW	36	9S-23E	2466 N	2271 W	39.99336	-109.27635
43047357710000	Southman Canyon 8C-36	Producing	SENE	36	9S-23E	2185 N	694 E	39.99358	-109.26783
43047355590000	Thurston Federal #12-1	Producing	SESW	12	12S-21E	692 S	1959 W	39.78280	-109.51768

TRANSFER OF OPERATOR BLM APPROVED WELLS #2

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC

EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	T	R	Lease Number	Footages f/ Sec Lines - SL	API Number
Asphalt Wash 13-7	SW/SW	7	11S	24E	UTU-73010	739' FSL & 029' FWL	43-047-36234
Bonanza 16-18	SE/SE	18	9S	24E	UTU-73457	861' FSL & 715' FEL	43-047-35992
Bonanza 4-11	NW/NW	11	9S	23E	UTU-74426	671' FNL & 729' FWL	43-047-35968
Bonanza 10D-12	NW/SE	12	9S	23E	UTU-74426	1,785' FSL & 1,855' FEL	43-047-35919
Bonanza 12-11	NW/SW	11	9S	23E	UTU-74426	1748' FSL & 420' FWL	43-047-35916
Bonanza 14-18	SE/SW	18	9S	24E	UTU-73457	472' FSL & 2,010' FWL	43-047-35993
Bonanza 14A-8	SE/SW	8	9S	24E	UTU-73457	907' FSL & 2,298' FWL	43-047-35952
Bonanza 16A-27	SE/SE	27	9S	24E	UTU-80571	862' FSL & 581' FEL	43-047-35923
Bonanza 2-21	NW/NE	21	8S	25E	UTU-73470	1,207' FNL & 1,541' FEL	43-047-35926
Bonanza 3-8	NW/NW	8	9S	24E	UTU-73457	573' FNL & 1,518' FWL	43-047-35966
Bonanza 6D-7	SE NW	7	9S	24E	UTU-73457	2,310' FNL & 2,310' FWL	43-047-35690
Bonanza 8-11	SE/NE	11	9S	23E	UTU-74426	2,163 FNL & 615' FEL	43-047-35907
Bonanza 8B-27	SE/NE	27	9S	24E	UTU-80571	1,830' FNL & 735' FEL	43-047-35923
Buck Camp 4-25	NW/NW	25	11S	22E	UTU-74424	804 FNL & 695 FWL	43-047-36276
Buck Camp 4-26	NW/NW	26	11S	22E	UTU-74974	660' FNL & 660' FWL	43-047-36274
Buck Canyon 1-24	NE/NE	24	12S	21E	UTU-73440	488' FNL & 833' FEL	43-047-35606
Buck Canyon 15-24	SW/SE	24	12S	21E	UTU-73440	700' FSL & 2,139' FEL	43-047-35985
Buck Canyon 7-24	SW/NE	24	12S	21E	UTU-73440	2,041' FNL & 2,171' FEL	43-047-35904
Buck Canyon 9-24	NE/SE	24	12S	21E	UTU-73440	1784' FSL & 855' FEL	43-047-35903
Rainbow 1-17	NE/NE	17	11S	24E	UTU-73920	795' FNL & 586' FEL	43-047-36151
Southman Canyon #14-30	SE/SW	30	9S	24E	UTU-80571	740' FSL & 1,737' FWL	43-047-35914
Southman Canyon #4C-30	NW/NW	30	9S	24E	UTU-80571	676' FNL & 568' FWL	43-047-35913
Southman Canyon 12-30	NW/SW	30	9S	24E	UTU-80571	1,912' FSL & 513' FWL	43-047-36104
Southman Canyon 8-30	SE/NE	30	9S	24E	UTU-80571	1,875' FNL & 818' FEL	43-047-35994
Southman Canyon 9-30	NE/SE	30	9S	24E	UTU-80571	2,089' FSL & 831' FEL	43-047-36019

* 43047-35906
• 43047-35953

TRANSFER OF OPERATOR STATE OF UTAH APPROVED AND PENDING #3

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC

EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	T	R	Lease Number	Footages f/ Sec Lines - SL	API Number	FIELD	Well Type
Asphalt Wash 11-16-11-24	NESW	16	11S	24E	ML-73921	2000 FSL & 1900 FWL	43-047-37088	Undesignated	Gas
Asphalt Wash 12-16-11-24	NWSW	16	11S	24E	ML-47080	2060 FSL & 839 FWL	43-047-36873	Undesignated	Gas
Asphalt Wash 14-16-11-24	SESW	16	11S	24E	ML-47080	537 FSL & 2140 FWL	43-047-36876	Undesignated	Gas
Asphalt Wash 3-16-11-24	NENW	16	11S	24E	ML-47080	825 FNL & 2116 FWL	43-047-36886	Undesignated	Gas
Asphalt Wash 4-16-11-24	NWNW	16	11S	24E	ML-47080	521 FNL & 766 FWL	43-047-36885	Undesignated	Gas
Asphalt Wash 5-16-11-24	SWNW	16	11S	24E	ML-47080	1880 FNL & 630 FWL	43-047-37089	Undesignated	Gas
Asphalt Wash 7-16-11-24	SWNE	16	11S	24E	ML-47080	1781 FNL & 1676 FEL	43-047-36874	Undesignated	Gas
Asphalt Wash 8-16-11-24	SENE	16	11S	24E	ML-47080	1905 FNL & 642 FEL	43-047-36875	Undesignated	Gas
Bonanza 14-20	SESW	20	9S	25E	ML-45558	838' FSL & 1,922' FWL	43-047-35930	Chapita Wells	Gas
Bonanza 4-20	NWNW	20	9S	25E	ML-45558	933' FNL & 583 FWL	43-047-35924	Chapita Wells	Gas
Bonanza 4-29	NWNW	29	9S	25E	ML-45559	600' FNL & 596' FWL	43-047-36010	Chapita Wells	Gas
Bonanza 4-36	NWNW	36	9S	24E	ML-46527	258' FNL & 862' FWL	43-047-35861	Natural Buttes	Gas
Bonanza 6-20	SESW	20	9S	25E	ML-45558	2,178' FNL & 1,839' FWL	43-047-35928	Chapita Wells	Gas
Buck Canyon 9-16-12-21	NESE	16	12S	21E	ML-47085	1980' FSL & 660' FEL	43-047-37091	Buck Canyon	Gas
Buck Canyon 11-16-12-21	NESW	16	12S	21W	ML-47085	NA	43-047-37119	Undesignated	Gas
Buck Canyon 13-16-21-21	SWSW	16	21S	21W	ML-47085	NA	43-047-37118	Undesignated	Gas
Buck Canyon 15-16-12-21	SWSE	16	12S	21W	ML-47085	NA	43-047-37120	Buck Canyon	Gas
East Bench 1-16	NENE	16	11S	22E	ML-46911	660' FNL & 660' FEL	43-047-36126	Undesignated	Gas
East Bench 15-16	SWSE	16	11S	22E	ML-46911	545' FSL & 1,848' FEL	43-047-36128	Undesignated	Gas
East Bench 3-16	NENW	16	11S	22E	ML-46911	832' FNL & 1,978' FWL	43-047-36125	Undesignated	Gas
East Bench 7-16	SWNE	16	11S	22E	ML-46911	1,909' FNL & 1,643' FEL	43-047-36127	Undesignated	Gas
East Bench 12-16-11-22	NWSW	16	11S	22E	ML-46911	1862 FSL & 838 FEL	43-047-37128	Undesignated	Gas
East Bench 13-16-11-22	SWSW	16	11S	22E	ML-46911	880 FSL & 750 FWL	43-047-37130	Undesignated	Gas
East Bench 14-16-11-22	SESW	16	11S	22E	ML-46911	848 FSL & 1930 FWL	43-047-37122	Undesignated	Gas
East Bench 16-16-11-22	SESE	16	11S	22E	ML-46911	663 FSL & 1055 FEL	43-047-37121	Undesignated	Gas
East Bench 2-16-11-22	NWNE	16	11S	22E	ML-46911	705 FNL & 2077 FEL	43-047-37125	Undesignated	Gas
East Bench 4-16-11-22	NWNW	16	11S	22E	ML-46911	760 FNL & 860 FWL	43-047-37126	Undesignated	Gas
East Bench 5-16-11-22	SWNW	16	11S	22E	ML-46911	1980 FNL & 758 FWL	43-047-37129	Undesignated	Gas
East Bench 6-16-11-22	SESW	16	11S	22E	ML-46911	1887 FNL & 2138 FWL	43-047-37124	Undesignated	Gas
East Bench 8-16-11-22	SENE	16	11S	22E	ML-46911	1880 FNL & 780 FEL	43-047-37127	Undesignated	Gas
East Bench 9-16-11-22	NESE	16	11S	22E	ML-46911	2035 FSL & 1422 FEL	43-047-37123	Undesignated	Gas
Gusher 6-2	SESW	2	6S	19E	ML-49144	1550 FNL & 1025 FWL	43-047-36963	Moffit Canal	Oil
Hanging Rock 1-32	NENE	32	11S	23E	ML-47079	542' FNL & 690' FEL	43-047-36309	Undesignated	Gas
Little Pack Mountain 1-16	NWNW	16	12S	20E	ML-47082	609 FNL & 688 FEL	43-047-36981	Wildcat	Gas
Little Pack Mountain 7-32	SWNE	32	12S	20E	ML-47083	1792 FNL & 1797 FEL	43-047-36980	Wildcat	Gas
Rock House 12-36-10-23	NWSW	36	10S	23E	ML-47907	1844 FSL & 755 FWL	43-047-36534	Natural Buttes	Gas
Rock House 13-32-10-23	SWSW	32	10S	23E	ML-47063	564 FSL & 471 FWL	43-047-36411	Natural Buttes	Gas
Rock House 1-36-10-22	NENE	36	10S	22E	ML-47061	620 FNL & 850 FEL	43-047-36408	Natural Buttes	Gas
Rock House 3-36-10-22	NENW	36	10S	22E	ML-47061	934 FNL & 1783 FWL	43-047-36407	Natural Buttes	Gas
Rock House 4-32-10-23	SWNW	32	10S	23E	ML-47063	1406 FNL & 562 FWL	43-047-36412	Natural Buttes	Gas
Rock House 7-36-10-22	SWNE	36	10S	22E	ML-47061	2209 FNL & 2445 FEL	43-047-36409	Natural Buttes	Gas
Rock House 9-32-10-23	NESE	32	10S	23E	ML-47063	2098 FSL & 1042 FEL	43-047-36337	Natural Buttes	Gas
Rockhouse #13-36	SWSW	36	10S	22E	ML-46907	486 FSL & 844' FWL	43-047-35902	Natural Buttes	Gas
Rockhouse 16-2	SESE	2	11S	23E	ML-47078	909' FSL & 748' FEL	43-047-36152	Rockhouse	Gas
Seep Springs 10-13-12-24	NWSE	13	12S	24E	ML-49275	1950 FSL & 1802 FEL	43-047-36634	Undesignated	Gas
Seep Springs 1-13-12-24	NENE	13	12S	24E	ML-49275	753 FNL & 487 FEL	43-047-36628	Undesignated	Gas
Seep Springs 15-11-12-24	SWSE	11	12S	24E	ML-49274	829 FSL & 2178 FEL	43-047-36626	Undesignated	Gas
Seep Springs 15-13-12-24	SWSE	13	12S	24E	ML-49275	622 FSL & 1806 FEL	43-047-36630	Undesignated	Gas
Seep Springs 16-11-12-24	SESE	11	12S	24E	ML-49274	659 FSL & 466 FEL	43-047-36625	Undesignated	Gas
Seep Springs 16-13-12-24	SESE	13	12S	24E	ML-49275	686 FSL & 640 FEL	43-047-36629	Undesignated	Gas
Seep Springs 2-13-12-24	NWNE	13	12S	24E	ML-49275	465 FNL & 1807 FEL	43-047-36627	Undesignated	Gas
Seep Springs 7-13-12-24	SWNE	13	12S	24E	ML-49275	FNL & FEL	43-047-36631	Undesignated	Gas
Seep Springs 8-13-12-24	SENE	13	12S	24E	ML-49275	1969 FNL & 642 FEL	43-047-36632	Undesignated	Gas
Seep Springs 9-13-12-24	NESE	13	12S	24E	ML-49275	663 FSL & 1960 FEL	43-047-36633	Undesignated	Gas
Southman Canyon 11-36-9-23	NESW	36	9S	23E	ML-47782	1965 FSL & 1953 FWL	43-047-36535	Natural Buttes	Gas
Southman Canyon 13-36-9-23	SWSW	36	9S	23E	ML-47782	467 FSL & 823 FWL	43-047-36532	Natural Buttes	Gas

**TRANSFER OF OPERATOR
STATE OF UTAH APPROVED AND PENDING**

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC

EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	T	R	Lease Number	Footages f/ Sec Lines - SL	API Number	FIELD	Well Type
Southman Canyon 1-36-9-23	NENE	36	9S	23E	ML-47782	681 FNL & 496 FEL	43-047-36537	Natural Buttes	Gas
Southman Canyon 15-36-9-23	SWSE	36	9S	23E	ML-47782	529 FSL & 1784 FEL	43-047-36529	Natural Buttes	Gas
Southman Canyon 3-36-9-23	NENW	36	9S	23E	ML-47782	464 FNL & 1815 FWL	43-047-36530	Natural Buttes	Gas
Southman Canyon 5-36-9-23	SWNW	36	9S	23E	ML-47782	2028 FNL & 499 FWL	43-047-36531	Natural Buttes	Gas
Southman Canyon 7-36-9-23	SENE	36	9S	23E	ML-47782	2184 FNL & 1994 FEL	43-047-36536	Natural Buttes	Gas
Southman Canyon 9-36-9-23	NESE	36	9S	23E	ML-47782	1978 FNL & 657 FEL	43-047-36533	Natural Buttes	Gas

TRANSFER OF OPERATOR BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC

EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	T	R	Lease Number	Footages f/ Sec Lines - SL	API Number
Asphalt Wash 13-6	SW/SW	6	11S	24E	UTU-73919	400' FSL & 550' FWL	
Asphalt Wash 10-9-11-24	NW SE	9	11S	24E	UTU-73920	1846 FSL & 1942 FEL	43-047-37071
Asphalt Wash 11-9-11-24	NE SW	9	11S	24E	UTU-73920	1799 FSL & 1782 FWL	43-047-37073
Asphalt Wash 12-6-11-24	NW SW	6	11S	24E	UTU-73919	1844 FSL & 683 FWL	43-047-37066
Asphalt Wash 14-6-11-24	SE SW	6	11S	24E	UTU-73919	704 FSL & 2123 FWL	43-047-37067
Asphalt Wash 14-9-11-24	SE SW	9	11S	24E	UTU-73920	460 FSL & 2115 FWL	43-047-37076
Asphalt Wash 15-9-11-24	SW SE	9	11S	24E	UTU-73920	804 FSL & 1990 FEL	43-047-37074
Asphalt Wash 16-9-11-24	SE SE	9	11S	24E	UTU-73920	826 FSL & 472 FEL	43-047-37075
Asphalt Wash 2-6-11-24	NW NE	6	11S	24E	UTU-73919	735 FNL & 1590 FEL	43-047-37061
Asphalt Wash 2-7-11-24	NW NE	7	11S	24E	UTU-73919	621 FNL & 2462 FEL	43-047-37068
Asphalt Wash 2-9-11-24	NW NE	9	11S	24E	UTU-73920	829 FNL & 1774 FEL	43-047-37070
Asphalt Wash 3-6-11-24	NE NW	6	11S	24E	UTU-73919	792 FNL & 1925 FWL	43-047-37062
Asphalt Wash 4-6-11-24	NW NW	6	11S	24E	UTU-73919	820 FNL & 1007 FWL	43-047-37063
Asphalt Wash 5-6-11-24	SW NW	6	11S	24E	UTU-73919	1738 FNL & 716 FWL	43-047-37064
Asphalt Wash 6-7-11-24	SE NW	7	11S	24E	UTU-73919	2013 FNL & 2241 FWL	43-047-37069
Asphalt Wash 7-6-11-24	SW NE	6	11S	24E	UTU-73919	1616 FNL & 1615 FEL	43-047-37065
Asphalt Wash 7-9-11-24	SE NE	9	11S	24E	UTU-73920	1883 FNL & 1854 FEL	43-047-37072
Asphalt Wash 1-7-11-24	NE NE	7	11S	24E	UTU-73919	426 FNL & 270 FEL	43-047-37084
Asphalt Wash 4-7-11-24	NW NW	7	11S	24E	UTU-73919	856 FNL & 860 FWL	43-047-37085
Asphalt Wash 7-7-11-24	SW NE	7	11S	24E	UTU-73919	1909 FNL & 1893 FEL	43-047-37087
Asphalt Wash 8-7-11-24	SE NE	7	11S	24E	UTU-73919	1998 FNL & 683 FEL	43-047-37086
Bonanza 4-7	NW/NW	7	9S	24E	UTU-73457	809' FNL & 670' FWL	43-047-36017
Bonanza 8-17	SW/NE	17	9S	24E	UTU-73457	1865' FNL & 584' FEL	43-047-36041
Bonanza 11-11-9-23	NE SW	11	9S	23E	UTU-74426	2036 FSL & 2043 FWL	43-047-36649
Bonanza 11-12-9-23	NE SW	12	9S	23E	UTU-74426	1799 FSL & 1948 FWL	43-047-36655
Bonanza 11-18-9-24	NE SW	18	9S	24E	UTU-73457	1785 FSL & 2133 FWL	43-047-36637
Bonanza 12-23-9-24	NW/SW	23	9S	24E	UTU-81311	1882 FSL & 699 FWL	43-047-36640
Bonanza 12-35	NW/SW	35	9S	24E	UTU 73459	1374' FSL & 858' FWL	43-047-36020
Bonanza 13-11-9-23	SW SW	11	9S	23E	UTU-74426	463 FSL & 773 FWL	43-047-36650
Bonanza 13-12-9-23	SW SW	12	9S	23E	UTU-74426	661 FSL & 656 FWL	43-047-36528
Bonanza 13-18-9-24	SW SW	18	9S	24E	UTU-73457	767 FSL & 583 FWL	43-047-36638
Bonanza 14-11-9-23	SE SW	11	9S	23E	UTU-74426	756 FSL & 1859 FWL	43-047-36651
Bonanza 14-23-9-24	SE/SW	23	9S	24E	UTU-81311	560 FSL & 1878 FWL	43-047-36641
Bonanza 15-11-9-23	SW SE	11	9S	23E	UTU-74426	660 FSL & 1980 FEL	43-047-36652
Bonanza 15-12-9-23	SW SE	12	9S	23E	UTU-74426	607 FSL & 1920 FEL	43-047-36656
Bonanza 15-18-9-24	SW SE	18	9S	24E'	UTU-73457	463 FSL & 2162 FEL	43-047-36639
Bonanza 16-12-9-23	SE SE	12	9S	23E	UTU-74426	855 FSL & 536 FEL	43-047-36657
Bonanza 16-8	SE/SE	8	9S	24E	UTU-73457	588' FSL & 524' FEL	43-047-36101
Bonanza 2-11-9-23	NW NE	11	9S	23E	UTU 74426	664 FNL & 1925 FEL	43-047-36643
Bonanza 2-12-9-23	NW NE	12	9S	23E	UTU-74426	743 FNL & 1962 FEL	43-047-36527
Bonanza 3-11-9-23	NE NW	11	9S	23E	UTU 74426	499 FNL & 1898 FWL	43-047-36644
Bonanza 3-12-9-23	NE NW	12	9S	23E	UTU-74426	734 FNL & 1866 FWL	43-047-36524
Bonanza 4-35	NW/NW	35	9S	24E	UTU 73459	789' FNL & 807' FWL	43-047-35925
Bonanza 5-11-9-23	SW NW	11	9S	23E	UTU 74426	1794 FNL & 609 FWL	43-047-36645

TRANSFER OF OPERATOR BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC

EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	T	R	Lease Number	Footages f/ Sec Lines - SL	API Number
Bonanza 5-12-9-23	SW NW	12	9S	23E	UTU-74426	1996 FNL & 558 FWL	43-047-36526
Bonanza 5-18-9-24	SW NW	18	9S	24E	UTU-73457	2147 FNL & 662 FWL	43-047-36635
Bonanza 5-22	SW/NW	22	8S	25E	UTU-73470	1,932' FNL & 415' FWL	43-047-35918
Bonanza 5-24-9-24	SW/NW	24	9S	24E	UTU-73458	2167 FNL & 714 FWL	43-047-36642
Bonanza 6-11-9-23	SE NW	11	9S	23E	UTU-74426	2069 FNL & 1801 FWL	43-047-36646
Bonanza 6-12-9-23	SE NW	12	9S	23E	UTU-74426	2114 FNL & 1871 FWL	43-047-36525
Bonanza 7-11-9-23	SW NE	11	9S	23E	UTU-74426	2060 FNL & 2134 FEL	43-047-36647
Bonanza 7-12-9-23	SW NE	12	9S	23E	UTU-74426	2065 FNL & 2159 FEL	43-047-36653
Bonanza 8-35	SENE	35	9S	24E	UTU-73459	1987' FNL & 909' FEL	43-047-36105
Bonanza 9-11-9-23	NE SE	11	9S	23E	UTU-74426	2008 FSL & 553 FEL	43-047-36648
Bonanza 9-12-9-23	NE SE	12	9S	23E	UTU-74426	1980 FSL & 660 FEL	43-047-36654
Bonanza 9-18-9-24	NE SE	18	9S	24E	UTU-73457	2009 FSL & 852 FEL	43-047-36636
Bonanza 9-22	NE/SE	22	9S	24E	UTU-75118	1,969' FSL & 495' FEL	43-047-36102
East Bench 9-20	NE/SE	20	11S	22E	UTU-73905	2,170' FSL & 472' FEL	43-047-36275
Rock House 12-30-10-23	NE SW	30	10S	23E	UTU-76281	2320 FSL & 1980 FWL	43-047-36548
Rock House 12-31-10-23	NW SW	31	10S	23E	UTU-76281	1900 FSL & 460 FWL	43-047-36552
Rock House 13-30-10-23	SW SW	30	10S	23E	UTU-76281	553 FSL & 573 FWL	43-047-36549
Rock House 14-31-10-23	SE SW	31	10S	23E	UTU-76281	860 FSL & 1890 FWL	43-047-36553
Rock House 3-31-10-23	NE NW	31	10S	23E	UTU-76281	854 FNL & 1940 FWL	43-047-36551
Rock House 5-30-10-23	SW NW	30	10S	23E	UTU-76281	1858 FNL & 703 FWL	43-047-36547
Rock House 5-31-10-23	SW NW	31	10S	23E	UTU-76281	2055 FNL & 2097 FWL	43-047-36550
Rock House 6-31-10-23	SE NW	31	10S	23E	UTU-76281	2059 FNL & 2111 FWL	43-047-36554
Rockhouse #12-30	NW/SW	30	10S	23E	UTU-80571	1,980' FSL & 660' FWL	43-047-36018 X
Rockhouse 13C-31	SW/SW	31	10S	23E	UTU-76281	135' FSL & 365' FWL	43-047-35911
Rockhouse 4D-30	NW NW	30	10S	23E	UTU-76281	1,116 FNL & 1,135' FWL	43-047-35882
Rockhouse 4D-31	NW NW	31	10S	23E	UTU-76281	990' FNL & 990' FWL	43-047-35807
Southman Canyon 12-3-11-24	NW/SW	3	11S	24E	UTU-73918	1,950' FSL & 514' FWL	43-047-36272
Southman Canyon 12-30-10-24	NW/SW	30	10S	24E	UTU-65371	2,118' FSL & 502' FWL	43-047-36238
Southman Canyon 13-30	SW/SW	30	9S	24E	UTU-80571	765' FSL & 303' FWL	43-047-36018
Southman Canyon 16-31-10-24	SE/SE	31	10S	24E	UTU-65371	621' FSL & 575' FEL	43-047-36270
Southman Canyon 4-30-10-24	NW/NW	30	10S	24E	UTU 65371	649' FNL & 607' FWL	43-047-36237
Southman Canyon 5-19-10-24	SW/NW	19	10S	24E	UTU-65371	1,978' FNL & 855' FWL	43-047-36236
Southman Canyon 6-30	SE/NW	30	9S	24E	UTU-80571	2,015' FNL & 2,581' FWL	43-047-36103

X Duplicate API -
Different well name

OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **9/1/2005**

FROM: (Old Operator): N2525-The Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, TX 77002 Phone: 1-(713) 830-6938	TO: (New Operator): N2750-Enduring Resources, LLC 475 17th Street, Suite 1500 Denver, CO 80202 Phone: 1-(303) 350-5102
---	--

CA No. _____ **Unit:** _____

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
BONANZA 2-11-9-23	11	090S	230E	4304736643		Federal	GW	APD	C
BONANZA 3-11-9-23	11	090S	230E	4304736644		Federal	GW	APD	C
BONANZA 5-11-9-23	11	090S	230E	4304736645		Federal	GW	APD	C
BONANZA 6-11-9-23	11	090S	230E	4304736646		Federal	GW	APD	C
BONANZA 7-11-9-23	11	090S	230E	4304736647		Federal	GW	APD	C
BONANZA 9-11-9-23	11	090S	230E	4304736648		Federal	GW	APD	C
BONANZA 11-11-9-23	11	090S	230E	4304736649		Federal	GW	APD	C
BONANZA 13-11-9-23	11	090S	230E	4304736650		Federal	GW	APD	C
BONANZA 14-11-9-23	11	090S	230E	4304736651		Federal	GW	APD	C
BONANZA 15-11-9-23	11	090S	230E	4304736652		Federal	GW	APD	C
BONANZA 7-12-9-23	12	090S	230E	4304736653		Federal	GW	APD	C
BONANZA 9-12-9-23	12	090S	230E	4304736654		Federal	GW	APD	C
BONANZA 11-12-9-23	12	090S	230E	4304736655		Federal	GW	APD	C
BONANZA 15-12-9-23	12	090S	230E	4304736656		Federal	GW	APD	C
BONANZA 16-12-9-23	12	090S	230E	4304736657		Federal	GW	APD	C
BONANZA 9-18-9-24	18	090S	240E	4304736636		Federal	GW	APD	C
BONANZA 11-18-9-24	18	090S	240E	4304736637		Federal	GW	APD	C
BONANZA 13-18-9-24	18	090S	240E	4304736638		Federal	GW	APD	C
BONANZA 15-18-9-24	18	090S	240E	4304736639		Federal	GW	APD	C
BONANZA 12-23-9-24	23	090S	240E	4304736640		Federal	GW	APD	C
BONANZA 14-23-9-24	23	090S	240E	4304736641		Federal	GW	APD	C
ASPHALT WASH 2-6-11-24	06	110S	240E	4304737061		Federal	GW	APD	C

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/26/2005
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/26/2005
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 9/29/2005
- Is the new operator registered in the State of Utah: YES Business Number: 5771233-0161
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: Requested 9/29/05
- Inspections of LA PA state/fee well sites complete on: n/a

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: n/a
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: Bonanza 14-11-9-23
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 4304736651
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S		10. FIELD AND POOL, OR WILDCAT: Natural Buttes COUNTY: Uintah STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>3/23/2006</u> <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>Request for APD Extension</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Enduring Resources, LLC respectfully request an extension to the expiration date of this Application for Permit to Drill

FROM: 4-28-2006
TO: 4-28-2007

Approved by the
Utah Division of
Oil, Gas and Mining
Date: 04-05-2006
By: [Signature]

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE <u>[Signature]</u>	DATE <u>3/23/2006</u>

(This space for State use only)

MAR 23 2006

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 4304736651
Well Name: Bonanza 14-11-9-23
Location: 756' FSL - 1,859' FWL , SESW, Sec. 11 T9S-R23E
Company Permit Issued to: The Houston Exploration Company
Date Original Permit Issued: 4/28/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes No

Has the approved source of water for drilling changed? Yes No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

Is bonding still in place, which covers this proposed well? Yes No



Signature

3/23/2006

Date

Title: Landman - Regulatory Specialist

Representing: Enduring Resources, LLC

MAR 28 2006

~~APR 15 2005~~

SEP 21 2005

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

5. Lease Serial No. UTU-74426	
6. If Indian, Allottee or Tribe Name N/A	
7. If Unit or CA Agreement, Name and No. N/A	
8. Lease Name and Well No. Bonanza 14-11-9-23	
9. API Well No. 43-047-36651	
10. Field and Pool, or Exploratory	
11. Sec., T. R. M. or Blk. and Survey or Area SESW Sec 11, T9S, R23E	
12. County or Parish Uintah	13. State UT
14. Distance in miles and direction from nearest town or post office*	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No. of acres in lease
17. Spacing Unit dedicated to this well	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed Depth 8,265'
20. BLM/BIA Bond No. on file UTB000173	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5,003' Graded Elevation	22. Approximate date work will start*
23. Estimated duration	


24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature 	Name (Printed/Typed) Alex Campbell	Date 09/19/2005
--	--	---------------------------

Title
Vice President of Land

Approved by (Signature) 	Name (Printed/Typed) JERRY KENCZKA	Date 8-10-2006
--	--	--------------------------

Title
**Assistant Risk Manager
Lands & Mineral Resources**

Office
VERNAL FIELD OFFICE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on page 2)

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

RECEIVED

SEP 01 2006

DIV. OF OIL, GAS & MINING



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE

170 South 500 East VERNAL, UT 84078 (435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Enduring Resources
Well No: Bonanza 14-11-9-23
API No: 43-047- 36651

Location: SESW, Sec 11, T9S, R23E
Lease No: UTU-74426
Agreement: N/A

Petroleum Engineer:	Matt Baker	Office: 435-781-4490	Cell: 435-828-4470
Petroleum Engineer:	Michael Lee	Office: 435-781-4432	Cell: 435-828-7875
Supervisory Petroleum Technician:	Jamie Sparger	Office: 435-781-4502	Cell: 435-828-3913
Environmental Scientist:	Paul Buhler	Office: 435-781-4475	Cell: 435-828-4029
Environmental Scientist:	Karl Wright	Office: 435-781-4484	
Natural Resource Specialist:	Holly Villa	Office: 435-781-4404	
Natural Resource Specialist:	Melissa Hawk	Office: 435-781-4476	
Natural Resource Specialist:	Chris Carusona	Office: 435-781-4441	
Natural Resource Specialist:	Scott Ackerman	Office: 435-781-4437	
After Hours Contact Number:	435-781-4513	Fax: 435-781-4410	

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a one-year period. An additional year extension may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

- | | | |
|---|---|---|
| Location Construction
(Notify Chris Carusona) | - | Forty-Eight (48) hours prior to construction of location and access roads. |
| Location Completion
(Notify Chris Carusona) | - | Prior to moving on the drilling rig. |
| Spud Notice
(Notify Petroleum Engineer) | - | Twenty-Four (24) hours prior to spudding the well. |
| Casing String & Cementing
(Notify Jamie Sparger) | - | Twenty-Four (24) hours prior to running casing and cementing all casing strings |
| BOP & Related Equipment Tests
(Notify Jamie Sparger) | - | Twenty-Four (24) hours prior to initiating pressure tests |
| First Production Notice
(Notify Petroleum Engineer) | - | Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days |

***SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)***

This well is being approved in accordance with Washington Instruction Memorandum 2005-247 and Section 390 (Category 3) of the Energy Policy Act which establishes statutory categorical exclusions (CX) under the National Environmental Policy Act (NEPA). Category 3 states that an oil or gas well can be drilled within a developed field for which an approved land use plan or any environmental document prepared pursuant to NEPA analyzed drilling as a reasonably foreseeable activity, so long as such plan or document was approved within five (5) years prior to the date of spudding the well. This well is covered under the Environmental Assessment West Bonanza Area Natural Gas Well Development Project Uintah County, Utah, signed July 18, 2006. If the well has not been spudded by July 18, 2011; a new environmental document will have to be prepared prior to the approval of the APD.

All applicable local, state, and/or federal laws, regulations, and/or statutes must be complied with.

The proposed buried pipelines will be laid adjacent to the access roads, using the road as a working surface. The pipeline trench shall be dug in the borrow ditch of the road and the trench material side cast into the existing vegetation. Upon completion of backfilling the trenches, reclaim with a seed drill using the seed mix listed below. Seeding shall include the area where the trench material was set aside.

Construction related traffic shall be restricted to approved routes. Cross-country vehicle travel will not be allowed.

If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.

The reserve pit will be lined with a 16 ml or greater liner.

No vehicle travel, construction or routine maintenance activities shall be performed during periods when the soil is too wet to adequately support vehicles and/or construction equipment. If such equipment creates ruts in excess of four inches deep, the soil shall be deemed too wet to adequately support construction equipment.

The liner is to be cut at the level of the cuttings or treated to prevent the reemergence of the pit liner and pit material to the surface or its interference with long-term successful re-vegetation. Any excess liner material removed from the pit is to be disposed of at an authorized disposal site.

When the reserve pit contains fluids or toxic substances, the operator must ensure that animals do not ingest or become entrapped in pit fluids.

Drill cuttings and mud will remain in the reserve pit until DRY. The reserve pit must be free of oil and other liquid and solid wastes, allowed to dry, be pumped dry, or solidified in-situ prior to filling. The reserve pit will not be "squeezed," (filled with soil while still containing fluids) or "cut" (puncturing the pit liner while still containing fluids to allow pit fluids to drain from the pit).

Prevent fill and stock piles from entering drainages.

CULTURAL AND PALEONTOLOGICAL RESOURCES STIPULATION. Any cultural and/or paleontological resource (historic or prehistoric site or object or fossil) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written

authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and a decision as to proper mitigation measures shall be made by the authorized officer after consulting with the holder.

WILDLIFE

Due to the sites being in close proximity to an active prairie dog colony (considered habitat for Burrowing owl) a timing restriction from April 1- August 15 will be in affect to protect the owl during the nesting season.

The access road will be crowned and ditched. Flat-bladed roads are NOT allowed.

Notify the Authorized Officer 48 hours prior to surface disturbance.

All well facilities not OSHA regulated will be painted Carlsbad Canyon.

Trees which must be removed from the location must be piled separately off location and saved for final reclamation purposes.

Interim Reclamation (see below):

The first 4-6 inches of topsoil from the construction site will be stripped and piled separately from other excavated material.

Where areas will be set aside on an interim basis (areas due to receive further disturbance prior to final reclamation) these sites will be re-contoured as much as possible, have needed top soil re-spread and planted with the seed mix below:

Indian Rice grass	Pleuraphis hymenoides	4 lbs. /acre
Needle and Thread grass	Stipa comata	4 lbs. /acre
Hyccress Crested Wheat grass	Agropyron cristatum	4 lbs. /acre
		12 lbs. per acre

All pounds are in pure live seed.

Reseeding may be required if first seeding is not successful.

Once the location is plugged and abandoned contact the Authorized Officer for final reclamation plans.

The seed mix listed in the APD (black sage, shadscale, Indian rice grass) shall be used to seed all unused portions of the pad no longer needed for ongoing or future operation. Re-seeding may be required if the first seeding is not successful.

All seed mixtures shall be weed free.

The seed shall be drilled or hand broadcast and harrowed into the ground during September of the year following earthwork for initial or final reclamation. Planting depth shall not exceed one-half inch using a seed drill. Weed seed free mulch shall also be applied to the planting area sufficiently to uniformly cover 80% of the seeded area. Hydroseeding and mulching can also be used, but seeding rates will need to be doubled.

DOWNHOLE CONDITIONS OF APPROVAL

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

- None

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- **Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.**
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- All shows of fresh water and minerals shall be reported and protected. A sample shall be taken of any water flows and a water analysis furnished the BLM, Vernal Field Office. All oil and gas shows shall be adequately tested for commercial possibilities, reported, and protected.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM, Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM, Vernal Field Office shall be obtained and notification given before resumption of operations.
- Chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a

weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.

- Any change in the program shall be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) shall be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan pursuant to Onshore Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field Office.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.
- A cement bond log (CBL) will be run from the production casing shoe to the surface casing shoe and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease shall have prior written approval from the BLM, Vernal Field Office.
- All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement.

- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM, Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- This APD is approved subject to the requirement that, should the well be successfully completed for production, the BLM, Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and / or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: Enduring Resources, LLC
Address: 475 17th Street, Suite 1500
city Denver
state CO zip 80202

Operator Account Number: N 2750
Phone Number: (303) 350-5114

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304736651	Bonanza 9-23-24-11		SESW	11	9S	23E	Uintah
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	15696	10/6/2006			10/12/06	
Comments: <u>MVRD</u> CONFIDENTIAL							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
Comments:							

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
Comments:							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Alvin R. (Al) Arlian

Name (Please Print)

Signature
Regulatory Assistant

10/11/2006

Title

Date

RECEIVED

OCT 11 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <u>CONFIDENTIAL</u>		7. UNIT or CA AGREEMENT NAME: n/a
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: Bonanza 9-23-24-11
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 4304736651
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S		COUNTY: Uintah
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 10/17/2006	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>Conductor/Surface Pipe Report</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

10-5-2006 MIRU Pete Martin and drill 40' of 20" hole for conductor. Run 40' of 14" conductor and cement with 3 yards of Readymix.

10-12-2006 MIRU Bill Martin and drill to 2010'. Run 46 joints of 8-5/8", 32#, J55 casing to 1,903' Big 4 cemented with 230 sx lead, 200 sx Tail and 150 sx top.

Stage: 1, Lead, 0, 230, 16% GEL 1/4# FLOWCELE, Class G, 3.85, 11.1
 Stage: 1, Tail, 0, 200, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8
 Stage: 1, Top, 0, 100, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8
 Stage: 1, Top, 0, 50, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8

8 CENTRALIZERS ON EVERY OTHER COLLAR OFF BOTTOM, CEMENT GUIDE SHOE, FLOAT COLLAR AND 2 CEMENT BASKETS AT 200 AND 400 FT FROM SURFACE.

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE	DATE <u>10/17/2006</u>

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a	
7. UNIT or CA AGREEMENT NAME: n/a	
8. WELL NAME and NUMBER: Bonanza 9-23-24-11	
9. API NUMBER: 4304736651	
10. FIELD AND POOL, OR WILDCAT: Natural Buttes	
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____	
2. NAME OF OPERATOR: Enduring Resources, LLC	
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 350-5114
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL COUNTY: Uintah QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S STATE: UTAH	

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 11/21/2006	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Conductor/Surface Pipe Correction</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

11-21-2006 8-5/8" WAS SET AT 1,985.60', NOT AS SET FORTH BELOW.


10-5-2006 MIRU Pete Martin and drill 40' of 20" hole for conductor. Run 40' of 14" conductor and cement with 3 yards of Readymix.

10-12-2006 MIRU Bill Martin and drill to 2010'. Run 46 joints of 8-5/8", 32#, J55 casing to 1,903' Big 4 cemented with 230 sx lead, 200 sx Tail and 150 sx top.

Stage: 1, Lead, 0, 230, 16% GEL 1/4# FLOWCELE, Class G, 3.85, 11.1
 Stage: 1, Tail, 0, 200, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8
 Stage: 1, Top, 0, 100, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8
 Stage: 1, Top, 0, 50, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8

8 CENTRALIZERS ON EVERY OTHER COLLAR OFF BOTTOM, CEMENT GUIDE SHOE, FLOAT COLLAR AND 2 CEMENT BASKETS AT 200 AND 400 FT FROM SURFACE.

NAME (PLEASE PRINT) Alvin R. (Al) Arlian TITLE Landman - Regulatory Specialist

SIGNATURE  DATE 11/21/2006

(This space for State use only)

RECEIVED
NOV 24 2006

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500

Denver, Colorado 80202

Telephone: 303-573-1222

Facsimile: 303-573-0461

CONFIDENTIAL

December 13, 2006

State of Utah
Division of Oil, Gas and Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

**RE: Well Logs
Bonanza 9-23-24-11
SESW Sec 11-T9S-R23E
Uintah County, Utah**

43-047-36651

Ladies and Gentlemen:

Attached is one original copy of the log run on the above-referenced well.

Please hold this information as "confidential" as long as allowed.

Should you have any questions concerning this matter, please do not hesitate to call 303-350-5114 (aarlian@enduringresources.com).

Very truly yours

ENDURING RESOURCES, LLC



Alvin R. (Al) Arlian
Landman – Regulatory Specialist

ara/
Enclosures as stated:

**RECEIVED
DEC 19 2006
DIV. OF OIL, GAS & MINING**

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500

Denver, Colorado 80202

Telephone: 303-573-1222

Facsimile: 303-573-0461

January 3, 2007

RECEIVED

JAN 05 2007

State of Utah
Division of Oil, Gas and Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

DIV. OF OIL, GAS & MINING

RE: Well Logs
Bonanza 9-23-24-11
SESW Sec 11-T9S-R23E
Uintah County, Utah

43-047-36651

Ladies and Gentlemen:

Attached is one original copy of the **REVISED** log run on the above-referenced well.

Please hold this information as "confidential" as long as allowed.

Should you have any questions concerning this matter, please do not hesitate to call 303-350-5114 (aarlian@enduringresources.com).

Very truly yours

ENDURING RESOURCES, LLC



Alvin R. (Al) Arlian
Landman – Regulatory Specialist

ara/
Enclosures as stated:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <u>CONFIDENTIAL</u>		7. UNIT or CA AGREEMENT NAME: n/a
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: Bonanza 9-23-24-11
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 4304736651
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S		COUNTY: Uintah STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 2/26/2007	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input checked="" type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>First Gas Sales</u> Notice
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

2-2-2007 First Gas Sales.

Sold 267 mcf overnight w/ 501#'s FTP and 1,300#'s FCP.

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE	DATE <u>2/26/2007</u>

(This space for State use only)

RECEIVED
MAR 01 2007



Enduring Resources, LLC

475 17th Street
Denver, CO 80202
(303) 573-1222

43,047,36651

CONFIDENTIAL
Drilling Chronological
Regulatory

Well Name: BONANZA 09-23-24-11			
Field Name:	Natural Buttes	S/T/R:	11/9S/23E
Operator:	Enduring Resources, LLC	Location Desc:	
Project AFE:	DV00531	AFEs Associated:	/ / /
		County, State:	UINTAH, UT
		District:	Northern

Daily Summary			
Activity Date :	9/13/2006	Days From Spud :	0
Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:	
Formation :		Weather:	

Operations						
Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	WAITING ON CONSTRUCTION	0	0	NIH
8:00	9.00	22	MI PONDEROSA AND START BUILDING LOCATION	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:	24.00					

Daily Summary			
Activity Date :	9/14/2006	Days From Spud :	0
Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:	
Formation :		Weather:	

Operations						
Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:	24.00					

Daily Summary			
Activity Date :	9/15/2006	Days From Spud :	0
Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:	
Formation :		Weather:	

Operations						
Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:	24.00					

Daily Summary			
Activity Date :	9/18/2006	Days From Spud :	0
Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:	
Formation :		Weather:	

Operations						
Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFW	0	0	NIH
Total:	24.00					

RECEIVED

MAR 02 2007

2/27/2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	9/19/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:	24.00					

Daily Summary

Activity Date :	9/20/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:	24.00					

Daily Summary

Activity Date :	9/21/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:	24.00					

Daily Summary

Activity Date :	9/22/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	21	SDFN	0	0	NIH
Total:	24.00					

Daily Summary

Activity Date :	9/25/2006	Days From Spud :	-62	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFW	0	0	NIH
Total:	24.00					

RECEIVED

MAR 02 2007

2/27/2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	9/26/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:		24.00				

Daily Summary

Activity Date :	9/27/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:		24.00				

Daily Summary

Activity Date :	9/28/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:		24.00				

Daily Summary

Activity Date :	9/29/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	21	Building Location	0	0	NIH
17:00	13.00	24	SDFN	0	0	NIH
Total:		24.00				

Daily Summary

Activity Date :	9/30/2006	Days From Spud :	0	Current Depth :	0 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	SDFN	0	0	NIH
8:00	9.00	22	FINISHED BUILDING LOCATION	0	0	NIH
17:00	13.00	24	WAITING ON CONDUCTOR	0	0	NIH
Total:		24.00				

RECEIVED

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	10/5/2006	Days From Spud :	0	Current Depth :	40 Ft	24 Hr. Footage Made :	40 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	WAITING ON CONDUCTOR	0	0	NIH
8:00	4.00	02	MI PETE MARTIN AND DRILL 40 FT OF 20" HOLE FOR CONDUCTOR. RUN 40 FT OF 14" CONDUCTOR AND CEMENT WITH 3 YARDS OF READYMIX.	0	40	NIH
12:00	18.00	24	WAITING ON SURFACE.	40	40	NIH
Total:	24.00					

Daily Summary

Activity Date :	10/11/2006	Days From Spud :	0	Current Depth :	1110 Ft	24 Hr. Footage Made :	1070 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	24	WAITING ON SURFACE	40	40	NIH
8:00	22.00	02	MI BILL MARTIN AND DRILL 12 1/4" HOLE TO 1110 FT	40	1110	NIH
Total:	24.00					

Daily Summary

Activity Date :	10/12/2006	Days From Spud :	0	Current Depth :	2010 Ft	24 Hr. Footage Made :	900 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	24.00	02	DRILL 12 1/4" HOLE TO 2010 FT	1110	2010	NIH
Total:	24.00					

Daily Summary

Activity Date :	10/13/2006	Days From Spud :	0	Current Depth :	2010 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :		Rig Name:		Formation :		Weather:	

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	8.00	12	RUN 46 JTS OF 8 5/8" 32# J55 CASING TO 1903 FT. Big 4 cemented with 230 sx LEAD ,200SX TAIL AND 150 SX TOP.	2010	2010	NIH
14:00	16.00	24	WORT	2010	2010	NIH
Total:	24.00					

RECEIVED

MAR 02 2007

DIV. OF OIL, GAS & MINING

2/27/2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	11/22/2006	Days From Spud :	0	Current Depth :	2010 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	12.00	01	Load out Rig on Southman Canyon 9-23-34-36 & move to Bonanza 9-23-24-11. 50% of Rig on location. Not set in.	2010	2010	NIH
18:00	12.00	21	Rig Idle. W.O. Daylight.	2010	2010	NIH
Total:		24.00				

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
2010	6:00	8.30	0.00	26	0	0	0/0/0	0.0	0.0	0	0.00	0.0%	0.0%	0.0%	0.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	9.80	0.00	0.00	0.00	1800	60	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	0.0	0		Reserve Pit Water Check										

Daily Summary

Activity Date :	11/23/2006	Days From Spud :	0	Current Depth :	2010 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	12.00	01	SPOT ALL EQUIPMENT, ON LOCATION AND RIG UP, W/ R.W. JONES TRUCKING,	2010	2010	NIH
18:00	12.00	21	WAIT ON DAYLIGHT	2010	2010	NIH
Total:		24.00				

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
2010	6:00	8.30	0.00	26	0	0	0/0/0	0.0	0.0	0	0.00	0.0%	0.0%	0.0%	0.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	9.80	0.00	0.00	0.00	1800	60	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	0.0	0		Reserve Pit Water Check										

Daily Summary

Activity Date :	11/24/2006	Days From Spud :	0	Current Depth :	2010 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	12.00	01	FINISH RIG UP, FUNCTION TEST BOP'S	2010	2010	NIH
18:00	12.00	22	WAIT ON DAYLIGHT	2010	2010	NIH
Total:		24.00				

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
2010	6:00	8.30	0.00	26	0	0	0/0/0	0.0	0.0	0	0.00	0.0%	0.0%	0.0%	0.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	9.80	0.00	0.00	0.00	1800	60	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	0.0	0		Reserve Pit Water Check										

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	11/25/2006	Days From Spud :	0	Current Depth :	2010 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :				Rig Name:			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	14.00	01	RAISE DERRICK AND RIG UP FLOOR	2010	2010	NIH
20:00	6.00	15	TEST BOP'S AND ALL SURFACE EQUIPMENT, 3000 PSI HIGH & 250 LO.	2010	2010	NIH
2:00	4.00	06	PICK UP AND T.I.H. W/ SECURITY 7.785 FM-3555Z (PDC) BIT, AND BHA,	2010	2010	NIH
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
2010	6:00	8.30	0.00	26	0	0	0/0/0	0.0	0.0	0	0.00	0.0%	0.0%	0.0%	0.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	9.80	0.00	0.00	0.00	1800	60	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	0.0	0		Reserve Pit Water Check										

Daily Summary

Activity Date :	11/26/2006	Days From Spud :	1	Current Depth :	2470 Ft	24 Hr. Footage Made :	460 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	4.00	06	FINISH TRIP IN HOLE W/ B.H.A.	2010	2010	NIH
10:00	1.50	06	TAG CMT @ 1809' INSTALL RUBBER, ESTABLISH CIRCULATION	2010	2010	NIH
11:30	0.50	07	SERVICE RIG	2010	2010	NIH
12:00	5.50	02	DRILL CMT, DRILL FLOAT COLLAR @ 1,862' AND SHOE @ 1,907' DRILL TO 2,020' AND 5' NEW FORMATION TO 2,025' CIRCULATE CLEAN	2010	2025	1
17:30	0.50	22	PERFORM F.I.T. = E.M.W. 10.5 PPG FOR 10 MIN.	2025	2025	1
18:00	1.00	10	SURVEY @ 1,954' 1.2 DEG , AZMT = 169.2	2025	2025	1
19:00	11.00	02	DRILL F/ 2025 T/ 2470	2025	2470	1
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
2010	6:00	8.30	0.00	26	0	0	0/0/0	0.0	0.0	0	0.00	0.0%	0.0%	0.0%	0.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	9.80	0.00	0.00	0.00	1600	60	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	0.0	0		Reserve Pit Water Check										

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	11/27/2006	Days From Spud :	2	Current Depth :	3714 Ft	24 Hr. Footage Made :	1244 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	1.50	02	DRILL F/ 2470 T/ 2563	2470	2563	1
7:30	1.00	10	SURVEY @ 2487 = 1.0 DEG , AZMT = 159.8	2563	2563	1
8:30	6.50	02	DRILL F/ 2563 T/ 2875	2563	2875	1
15:00	0.50	07	SERVICE RIG	2875	2875	1
15:30	2.50	02	DRILL F/ 2875 T/ 3031	2875	3031	1
18:00	1.00	02	DRILL F/ 3031 T/ 3124, GOOD GAS SHOW 20' FLARE, MUD UP TO 9.1	3031	3124	1
19:00	0.50	10	SURVEY @ 3049 = 1.8 DEG AZMT = 141.8	3124	3124	1
19:30	0.50	05	CIRCULATE AND CONDITION MUD ON GAS BUSTER	3124	3124	1
20:00	8.00	02	DRILL F/ 3124 T/ 3652	3124	3652	1
4:00	0.50	10	SURVEY @ 3577 = 1.4 AZMT = 162.6	3652	3652	1
4:30	1.50	02	DRILL F/ 3652 T/ 3714 AND DRILLING AHEAD	3652	3714	1
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
2902	15:00	8.60	8.60	27	5	0	0/1/0	0.0	0.0	0	0.00	3.0%	97.0%	0.0%	0.1%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	2.00	2.20	2.40	3200	200	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	0.0	72												

Daily Summary

Activity Date :	11/28/2006	Days From Spud :	3	Current Depth :	4834 Ft	24 Hr. Footage Made :	1120 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	6.00	02	DRILL F/ 3714 T/ 4087	3714	4087	1
12:00	1.00	10	SURVEY @ 4011 = 1.2 DEG, AZMT = 104.1	4087	4087	1
13:00	3.50	02	DRILL F/ 4087 T/ 4305	4087	4305	1
16:30	0.50	07	SERVICE RIG, FUNCTION TEST BOP'S	4305	4305	1
17:00	7.50	02	DRILL F/ 4305 T/ 4586	4305	4586	1
0:30	0.50	10	SURVEY @ 4511 = 1.4 DEG, AZMT = 155.8	4586	4586	1
1:00	5.00	02	DRILL F/ 4586 T/ 4834 AND DRILLING AHEAD	4586	4834	1
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
4195	14:10	9.10	9.10	37	11	10	6/11/0	12.0	0.0	0	0.00	6.0%	94.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	2.00	1.60	2.00	3200	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
12	0.0	0.0	92												

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	11/29/2006	Days From Spud :	4	Current Depth :	5612 Ft	24 Hr. Footage Made :	778 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	5.50	02	DRILL F/ 4834 T/ 5084	4834	5084	1
11:30	1.00	10	SURVEY @ 5004 = .6 DEG, AZMT = 148.3	5084	5084	1
12:30	5.00	02	DRILL F/ 5084 T/ 5302	5084	5302	1
17:30	0.50	07	SERVICE RIG	5302	5302	1
18:00	11.00	02	DRILL F/ 5302 T/ 5582	5302	5582	1
5:00	0.50	10	SURVEY 5507 = 1.4 DEG, AZMT = 134.4	5582	5582	1
5:30	0.50	02	DRILL F/ 5582 T/ 5612 AND DRILLING AHEAD	5582	5612	1
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
5053	10:45	9.50	9.50	44	13	7	3/6/0	8.0	0.0	0	0.00	9.0%	91.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.10	0.00	0.90	0.80	3200	120	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
8	0.0	0.0	91												

Daily Summary

Activity Date :	11/30/2006	Days From Spud :	5	Current Depth :	6080 Ft	24 Hr. Footage Made :	468 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Wasatch			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	11.50	02	Drill F/5612' to 5924', WOB 12K, RPM 50, MTR 59	5612	5924	1
17:30	0.50	07	Service Rig	5924	5924	1
18:00	9.00	02	Drill F/5924' to 6080' WOB 12K, RPM 50, MTR 59	5924	6080	1
3:00	1.50	05	Circ Hi-Vis Sweep Around	6080	6080	1
4:30	1.25	10	Drop Survey and Flow Check , and Pump Slug.(Prep for Trip)	6080	6080	1
5:45	0.25	06	POOH For Bit	6080	6080	1
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
5924	5:50	9.60	9.60	46	12	10	4/6/0	7.8	0.0	0	0.00	9.0%	91.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.30	0.80	0.60	0.90	2800	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
8	0.0	9.8	89												

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11																		
Field Name:		Natural Buttes			S/T/R:		11/9S/23E			County, State:		UINTAH, UT						
Operator:		Enduring Resources, LLC			Location Desc:					District:		Northern						
Daily Summary																		
Activity Date :		12/1/2006			Days From Spud :		6			Current Depth :		6200 Ft			24 Hr. Footage Made :		120 Ft	
Rig Company :		Ensign			Rig Name:		Ensign 79											
Formation :		Wasatch			Weather:													
Operations																		
Start	Hrs	Code	Remarks											Start Depth	End Depth	Run		
6:00	12.00	06	TOH, L/D Mtr, 2- RMR's and Bit, (Note:Had lots of Miscellaneous downtime due to freezing weather)											6080	6080	2		
18:00	8.00	06	Pick Up New MTR and Bit and TIH & Wash 30' to Bottom, SLM Drillpipe, Install new Rotating head sealing element.											6080	6080	2		
2:00	4.00	02	Drill F/ 6080' to 6200' WOB 5K, RPM 50, MTR 58											6080	6200	2		
Total:		24.00																
Mud Properties																		
Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand			
6191	10:00	10.10	10.10	44	9	6	4/6/0	11.2	0.0	2	0.00	11.0%	89.0%	0.0%	0.2%			
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss				
0.0	10.10	1.80	2.00	2.40	2500	120	0	0.00	0.00	0	0	0.00		0				
Water Loss	LCM	ECD	FL Temp	UFT	Remarks													
8	0.0	10.2	92		This is a pit check done while tripping													
Daily Summary																		
Activity Date :		12/2/2006			Days From Spud :		7			Current Depth :		6877 Ft			24 Hr. Footage Made :		677 Ft	
Rig Company :		Ensign			Rig Name:		Ensign 79											
Formation :		Mesaverde			Weather:													
Operations																		
Start	Hrs	Code	Remarks											Start Depth	End Depth	Run		
6:00	5.50	02	Drill F/6200' to 6370', WOB 8 K, RPM 50, MTR 59											6200	6370	2		
11:30	0.50	05	Pump Hi-Vis Sweep											6370	6370	2		
12:00	5.25	02	Drill F/6370' to 6504' WOB 10K, RPM 50, MTR 59											6370	6504	2		
17:15	0.50	07	Service Rig											6504	6504	2		
17:45	2.75	02	Drill F/6504' to 6597' WOB 10K, RPM 50, MTR 58											6504	6597	2		
20:30	1.50	10	Wireline Survey @ 6517' Azi 153.2 Inc 2.9 (Corrected)											6597	6597	2		
22:00	8.00	02	Drill F/6597' to 6877' WOB 10K, RPM 50, MTR 58											6597	6877	2		
Total:		24.00																
Mud Properties																		
Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand			
6405	13:00	10.40	10.40	42	10	15	4/8/	11.4	0.0	2	0.00	7.0%	93.0%	0.0%	0.5%			
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss				
0.0	10.00	1.00	0.60	1.10	1500	120	0	0.00	0.00	0	0	0.00		0				
Water Loss	LCM	ECD	FL Temp	UFT	Remarks													
8	0.0	11.0	100															

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	12/3/2006	Days From Spud :	8	Current Depth :	7593 Ft	24 Hr. Footage Made :	716 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	8.50	02	Drill F/6877' to 7126' WOB 5-10K, RPM 45-60, MTR 58	6877	7126	2
14:30	1.00	10	Wireline Survey @ 7046' Azi.157 Inc 3,(Corrected)	7126	7126	2
15:30	14.50	02	Drill F/7126' to 7593' WOB 10-12K, RPM 55. MTR 58	7126	7593	2
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
	14:30	10.70	10.70	54	19	12	10/14/	8.6	0.0	2	0.00	16.0%	84.0%	0.0%	0.5%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	4.00	3.10	5.10	1200	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	11.0	89		Mud Check										

Daily Summary

Activity Date :	12/4/2006	Days From Spud :	9	Current Depth :	8078 Ft	24 Hr. Footage Made :	485 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	4.00	02	Drill F/7593' to 7679' WOB 12K, RPM 50, MTR 58	7593	7679	2
10:00	1.00	10	Wireline Survey @ 7604' Azi 164.2, Inc 2.5 Deg. (Corrected)	7679	7679	2
11:00	3.00	02	Drill F/7679' to 7842' WOB 12K, RPM 50, MTR 58	7679	7842	2
14:00	0.50	07	Service Rig	7842	7842	2
14:30	15.50	02	Drill F/7842' to 8078' WOB 2-5K, RPM 50, MTR 58	7842	8078	2
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
7715	8:45	10.50	10.50	54	18	17	8/16/	7.8	0.0	2	0.00	13.0%	84.0%	0.0%	1.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	6.00	5.00	8.00	1100	80	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	10.9	104												

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	12/5/2006	Days From Spud :	10	Current Depth :	8078 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	7.50	06	Pump Slug & POOH, L/D Mtr and Bit (Note: Mtr had signs of being shot)	8078	8078	3
13:30	6.00	06	M/U Bha #3 and TIH to 6834' hit bridge	8078	8078	3
19:30	2.00	06	Wash and Ream F/6834' to 6988'	8078	8078	3
21:30	0.50	06	RIH F/ Derrick 6988' to 7211' Hit bridge	8078	8078	3
22:00	1.25	06	Wash and Ream F/ 7211' to 7238'	8078	8078	3
23:15	1.50	06	RIH F/ Derrick F/7238' to 7826' (Hit Bridge)	8078	8078	3
0:45	5.25	06	Wash and Ream F/7826' to 7953' (Hard to wash and ream Sticky and tight when wt applied lots of shale coming across shaker, Conditioning mud have lost app 150 bbls mud)	8078	8078	3

Total: 24.00

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8078	13:30	10.80	0.00	55	20	10	5/8/0	6.8	0.0	2	0.00	16.0%	84.0%	0.0%	0.7%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	1.00	0.80	1.00	1000	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	11.0	104		Trip Check										

Daily Summary

Activity Date :	12/6/2006	Days From Spud :	11	Current Depth :	8440 Ft	24 Hr. Footage Made :	362 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	4.00	06	Wash and Ream F/7953' to 8078'	8078	8078	3
10:00	2.50	02	Drill F/ 8078' to 8210' WOB 8K, RPM 50, MTR 58	8078	8210	3
12:30	2.00	08	Repair Union on Mudline	8210	8210	3
14:30	0.50	07	Service Rig	8210	8210	3
15:00	15.00	02	Drill F/8210' to 8440' WOB 15K, RPM 50, MTR 58	8210	8440	3

Total: 24.00

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8158	11:30	10.60	10.60	48	18	12	4/6/	9.6	0.0	2	0.00	13.0%	87.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.10	1.10	0.70	1.10	1000	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0		100		Mud check was while we were conditioning mud after loss and trip, mud wts and vis are as they are now. from derrickmans checks.										

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	12/7/2006	Days From Spud :	12	Current Depth :	8651 Ft	24 Hr. Footage Made :	211 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	1.00	02	Drill F/ 8,440' to 8,445'	8440	8445	3
7:00	4.00	08	Replace Hydramatic Chain (Rig Repair)	8445	8445	3
11:00	1.00	02	Drill F/ 8,445' to 8,455'	8445	8455	3
12:00	0.50	07	Rig Service	8455	8455	3
12:30	13.50	02	Drill F/ 8,455' to 8,651'. WOB 10-18K, RPM 40-55, MTR 58. T.D. 7-7/8" hole @ 02:00 hrs. 12-07-2006.	8455	8651	3
2:00	3.50	05	Circulate hole clean. MW 10.7 ppg., Vis. 50	8651	8651	3
5:30	0.50	06	Slug Pipe. Short Trip.	8651	8651	3
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8651	6:30	10.70	10.70	50	14	16	6/12/	7.2	0.0	2	0.00	15.0%	85.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	4.00	1.10	2.50	800	60	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	10.8	101												

Daily Summary

Activity Date :	12/8/2006	Days From Spud :	13	Current Depth :	8651 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	1.00	06	Continue Short Trip out to 7,200'. (Work Thru Tight Places @ 8,170' & 8,257')	8651	8651	3
7:00	1.00	06	Trip in hole to 8,651'. (No Fill)	8651	8651	3
8:00	1.50	05	Circulate & Condition @ 8,651'	8651	8651	3
9:30	0.50	10	Drop Survey. Wait on clock.	8651	8651	3
10:00	3.50	06	Slug Pipe. P.O.O.H. to 4,980'. Hole Swabbing.	8651	8651	3
13:30	2.00	05	M/U Kelly. Fill hole via drill pipe. Mix & Pump High Vis. Nut Plug sweep around. Slug Pipe.	8651	8651	3
15:30	4.00	06	P.O.O.H. F/ 4,980'. (Strap Out) Deviation Survey @ 8,651' 4.4 deg., Azi. 120.9 (Corrected 132.5)	8651	8651	3
19:30	5.50	11	Safety Meeting with Schlumberger & all Personnel. R/U Schlumberger. G.I.H. with Triple-Combo. Tagged bridge @ 4,600'. Tried to work thru numerous times. No Success. P.O.O.H. with tools. R/D Schlumberger.	8651	8651	4
1:00	3.50	06	P/U Mud Motor. M/U Bit #4 (R.R.) Trip in hole. Tagged @ 3,925'.	8651	8651	4
4:30	1.50	05	M/U Kelly. Break Circulation. No Returns. Circulate across top & build mud volume.	8651	8651	4
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8651	6:30	10.60	10.60	54	17	12	6/12/0	6.9	0.0	2	0.00	15.0%	85.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	2.50	1.00	2.00	900	80	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
0	0.0	10.9	99												

RECEIVED

MAR 02 2007

2/27/2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	12/9/2006	Days From Spud :	14	Current Depth :	8651 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	3.00	05	Build mud volume @ 3,925'.	8651	8651	4
9:00	21.00	03	Wash / Ream F/ 3,925' to 5,187'. (Break out stands from derrick)	8651	8651	4
Total: 24.00						

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8651	6:30	10.50	10.50	45	14	12	3/7/	8.2	0.0	2	0.00	15.0%	85.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	0.70	0.60	1.20	800	80	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	10.7	98		Lost Approximately 260 bbls. Of mud while reaming.										

Daily Summary

Activity Date :	12/10/2006	Days From Spud :	15	Current Depth :	8651 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	1.00	05	Pump high viscosity sweep around @ 5,187'.	8651	8651	4
7:00	0.50	06	Set Kelly back. Blow Dry. Trip in hole. Tag bridge @ 5,994'. L/D 6 jts., Run 2 Stands.	8651	8651	4
7:30	22.50	03	Wash & Ream from 5,994' to 8,651'. Raised MW to 10.6+ ppg., Viscosity 60. Hole unloading large amounts of shale.	8651	8651	4
Total: 24.00						

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8651	6:30	10.60	10.50	60	12	22	7/18/	8.0	0.0	2	0.00	14.0%	86.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	5.00	4.00	4.20	900	80	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	10.8	98		No mud lost last 24 hrs.										

Daily Summary

Activity Date :	12/11/2006	Days From Spud :	16	Current Depth :	8651 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	2.00	05	Pump High Viscosity Sweep around @ 8,651'.	8651	8651	4
8:00	15.00	05	Circulate & Condition Mud. Raise mud weight to 10.8 ppg., Viscosity to 55+, & lower Water Loss to 7.2.	8651	8651	4
23:00	7.00	06	Slug Pipe. P.O.O.H., Hole Swabbing first 18 stands off bottom. Fill hole down drill pipe every 5 stands. (Strap Out).	8651	8651	4
Total: 24.00						

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8651	6:30	10.80	10.60	57	7	-2	1/2/	7.2	0.0	2	0.00	8.0%	92.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.00	0.40	0.90	1.50	1200	80	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	11.0	98		No mud lost last 24 hrs.										

RECEIVED

MAR 02 2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	12/12/2006	Days From Spud :	17	Current Depth :	8712 Ft	24 Hr. Footage Made :	61 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	3.00	06	Continue Trip out of hole. L/D Mud Motor & Monel drill Collar. Strap Line Measurement = 8,712.11' M.D. Make Correction to T.D. drilled.	8651	8712	4
9:00	6.50	11	Safety Meeting with Schlumberger. R/U Same. Run Triple Combo. R/D Schlumberger.	8712	8712	4
15:30	6.00	06	Trip in hole to 8,650'. (Fill pipe @ 3,000' & 6,000')	8712	8712	4
21:30	0.50	05	P/U Kelly, Break Circulation. (Lost 164 bbls. of mud tripping in hole)	8712	8712	4
22:00	0.50	03	Wash F/ 8,650' to 8,712'. No fill.	8712	8712	4
22:30	4.50	05	Circulate & Condition. Built 125 bbls. Mud. (6' flare @ bottoms up). Safety Meeting with Caliber & R/U L/D Machine while circulating.	8712	8712	4
3:00	3.00	06	Lay Down 4-1/2" drill pipe.	8712	8712	4
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8712	6:30	10.50	10.20	45	20	20	6/14/	7.2	0.0	3	0.00	17.0%	83.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.10	0.60	0.80	1.20	1100	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	11.1	98		Lost 164 bbls. of Mud tripping in hole.										

Daily Summary

Activity Date :	12/13/2006	Days From Spud :	18	Current Depth :	8712 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign			Rig Name:	Ensign 79		
Formation :	Mesaverde			Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	8.50	06	L/D 4-1/2" drill pipe. Pump down drill pipe every 15 jts., hole swabbing.	8712	8712	4
14:30	1.00	05	Circulate bottoms up @ 2,360'. (Hole not taking proper amount of fill)	8712	8712	4
15:30	1.00	06	L/D 4-1/2" drill pipe.	8712	8712	4
16:30	0.50	21	Flow check well.	8712	8712	4
17:00	1.00	21	Break kelly.	8712	8712	4
18:00	2.00	06	L/D 4-1/2" drill pipe & HWDP.	8712	8712	4
20:00	0.50	21	PJSM. (L/D drill collars / running casing)	8712	8712	4
20:30	0.50	21	Pull Rotating rubber.	8712	8712	4
21:00	1.50	06	L/D 6-1/4" drill collars. Pull wear bushing.	8712	8712	4
22:30	1.50	21	R/U Caliber 4-1/2" casing tools.	8712	8712	NIH
0:00	6.00	12	M/U Shoe Trac. Test Float equipment. Run 4-1/2" casing. Fill Pipe @ 3,200' & 6,400'. (Lost 110 bbls. Mud running casing to 6,400')	8712	8712	NIH
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8712	6:30	10.50	10.20	45	20	20	6/14/	7.2	0.0	3	0.00	17.0%	83.0%	0.0%	0.2%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	10.10	0.60	0.80	1.20	1100	100	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	11.1	98		Lost 110 bbls. of Mud running casing to 6,400'.										

RECEIVED

MAR 02 2007

2/27/2007

Well Name: BONANZA 09-23-24-11

Field Name:	Natural Buttes	S/T/R:	11/9S/23E	County, State:	UINTAH, UT
Operator:	Enduring Resources, LLC	Location Desc:		District:	Northern

Daily Summary

Activity Date :	12/14/2006	Days From Spud :	19	Current Depth :	8712 Ft	24 Hr. Footage Made :	0 Ft
Rig Company :	Ensign		Rig Name:	Ensign 79			
Formation :				Weather:			

Operations

Start	Hrs	Code	Remarks	Start Depth	End Depth	Run
6:00	5.00	12	Continue Running 4-1/2" Csg. Ran 204 Jts. 4-1/2" 11.6# M-80 LT&C Casing Total 8,692.87'. Set @ 8,708.47' K.B.	8712	8712	NIH
11:00	1.50	05	Circulate & Condition. (Safety meeting with Superior & all personnel) R/D 4-1/2" Csg. Tools. R/U Superior. (Bottoms up had 5' to 6' flare. mud cut from 10.6 ppg to 9.8 ppg)	8712	8712	NIH
12:30	4.00	12	Switch lines to Superior. Test lines to 3,000 psi. Pump 10 bbls. Fresh water. Pump 20 bbls. Spacer. Pump 10 bbls. Water. Mix & pump 245 sx. Class "A" Lead Cement (166 bbls.) w/ 16% gel, .25#/sk. Superflake, 1% Supersil-SP, 10#/sk. gilsonite, .2% Super CR-1, 3% Salt (@ 11.0 ppg, Yield 3.81). Mix & Pump 1,265 sx. 50/50 Poz. "H" cement (275 bbls.) w/ 2% gel, 5% salt (BWOW), .3% Super FL-200, .25#/sk. Superflake, .2% CR-1 (@ 14.3 ppg, Yield 1.22) Drop Top Plug. Displace w/ 134.6 bbls. Water w/ clay stabilizer. Bumped plug @ 2,900 psi. Check Floats. Floats holding. Full Returns Entire Job. R/D Superior.	8712	8712	NIH
16:30	5.00	21	Clean mud tanks. Rig Released @ 21:30 hrs. 12-13-2006.	8712	8712	NIH
21:30	8.50	01	R/D Ensign 79.	8712	8712	NIH
Total:	24.00					

Mud Properties

Depth	Time	Wt In	Wt Out	Vis	PV	YP	Gels	FL	HTFL	FC	HTFC	Solid	Water	Oil	Sand
8712	6:30	0.00	0.00	0	0	0	0/0/0	0.0	0.0	0	0.00	0.0%	0.0%	0.0%	0.0%
MBT	pH	Pm	Pf	Mf	Cl	Ca	ES	Pom	Lime	Total Sal.	CaCl2	EDTA	O/W Ratio	Mud Loss	
0.0	0.00	0.00	0.00	0.00	0	0	0	0.00	0.00	0	0	0.00		0	
Water Loss	LCM	ECD	FL Temp	UFT	Remarks										
	0.0	0.0	0	0											

Formation

Formation Name	Current Well Top	Subsea Datum	Ref Well Top	Elec Top	Comments

Casing

Date In	Setting Depth	Jts Run	Type	Size	Weight	Grade	MINID	HoleDiam	TD
10/12/2006	1903	46	3. Surface	8.625	32	J-55		12.25	2010
Stage: 1, Lead, 0, 230, 16% GEL 1/4# FLOWCELE, Class G, 3.85, 11.1									
Stage: 1, Tail, 0, 200, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8									
Stage: 1, , 0, 100, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8									
Stage: 1, , 0, 50, 2% CACL2 1/4# FLOWCELE, Class G, 1.15, 15.8									
12/13/2006	8661.479	204	5. Production	4.5	11.6	M-80	0	7.875	8712
Stage: 2, Tail, 0, 1265, 50/50 POZ, Class H, 1.22, 14.3									

RECEIVED

MAR 02 2007

2/27/2007

CONFIDENTIAL

AMENDED REPORT
(highlight changes)

FORM 8

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL GAS WELL DRY OTHER _____

b. TYPE OF WORK: NEW WELL HORIZ. LATS. DEEP-EN RE-ENTRY DIFF. RESVR. OTHER _____

2. NAME OF OPERATOR: **Enduring Resources, LLC**

3. ADDRESS OF OPERATOR: **475 17th St, Suite 1500** CITY **Denver** STATE **CO** ZIP **80202** PHONE NUMBER: **(303) 573-1222**

4. LOCATION OF WELL (FOOTAGES)
AT SURFACE: **756' FSL - 1,859' FWL**
AT TOP PRODUCING INTERVAL REPORTED BELOW: **same as above**
AT TOTAL DEPTH: **same as above**

5. LEASE DESIGNATION AND SERIAL NUMBER: **UTU-74426**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME: **N/A**

7. UNIT OR CA AGREEMENT NAME: **N/A**

8. WELL NAME and NUMBER: **Bonanza 09-23-24-11**

9. API NUMBER: **4304736651**

10. FIELD AND POOL, OR WILDCAT: **Undesignated**

11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SESW 11 9S 23E S**

12. COUNTY: **Uintah** 13. STATE: **UTAH**

14. DATE SPURRED: **11/25/2006** 15. DATE T.D. REACHED: **12/7/2006** 16. DATE COMPLETED: **2/2/2007** ABANDONED READY TO PRODUCE

17. ELEVATIONS (DF, RKB, RT, GL): **5017 RKB**

18. TOTAL DEPTH: MD **8,712** TVD _____ 19. PLUG BACK T.D.: MD **8,685** TVD _____ 20. IF MULTIPLE COMPLETIONS, HOW MANY? * **4**

21. DEPTH BRIDGE MD **8,240** PLUG SET: TVD _____

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)
Previously submitted. Litho den / GR, Pe, CN, AI

23. WAS WELL CORED? NO YES (Submit analysis)
WAS DST RUN? NO YES (Submit report)
DIRECTIONAL SURVEY? NO YES (Submit copy)

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
20"	14"	line pipe	0	40		3 yards		0 (CIR)	0
12-1/4"	8 5/8 J55	32#	16	1,903		CI G 580	229	16 (CIR)	0
7-7/8"	4 1/2 M80	11.60#	16	8,661		CI G 1,265	275	950 (CBL)	0

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 3/8"	6,480							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
(A) Wasatch	5,655	6,527			5,655 6,527	.36"	30	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(B) Mesaverde	7,278	7,960			7,278 7,960	.36"	40	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(C)					8,607 8,562	.36"	20	Open <input type="checkbox"/> Squeezed <input checked="" type="checkbox"/>
(D)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
5,655 - 6,527	Placed 5,700 lbs Ottawa 30/50 proppant in Wasatch formation
7,278 - 7,960	Placed 181,578 lbs Ottawa 30/50 proppant in Mesaverde formation

29. ENCLOSED ATTACHMENTS: ELECTRICAL/MECHANICAL LOGS GEOLOGIC REPORT DST REPORT DIRECTIONAL SURVEY
 SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION CORE ANALYSIS OTHER: _____

30. WELL STATUS: **Producing**

(CONTINUED ON BACK)

RECEIVED
MAR 02 2007

DIV. OF OIL, GAS & MINING

31. INITIAL PRODUCTION

INTERVAL A (As shown in Item #26)

DATE FIRST PRODUCED: 2/2/2007		TEST DATE: 2/21/2007		HOURS TESTED: 456		TEST PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 10	WATER - BBL: 0	PROD. METHOD: 19 day avg
CHOKE SIZE: 64/64	TBG. PRESS. 1,700	CSG. PRESS. 1,700	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 22	WATER - BBL: 0	INTERVAL STATUS: Producing

INTERVAL B (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL C (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL D (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

SOLD

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
Green River	1,243				
Wasatch	4,543				
Mesaverde	6,581				

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Kevin Lee TITLE Engineering Tech
 SIGNATURE *[Signature]* DATE 2/27/2007

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation

- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
 1594 West North Temple, Suite 1210
 Box 145801
 Salt Lake City, Utah 84114-5801

Phone: 801-538-5340
 Fax: 801-359-3940

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

CONFIDENTIAL

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: n/a
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: Bonanza 9-23-24-11
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 Denver CO 80202		9. API NUMBER: 4304736651
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S		COUNTY: Uintah
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input type="checkbox"/> OTHER: _____
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 3/7/2008	<input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

In order to prevent waste of gas, as defined by law; to protect the correlative rights of all parties concerned; to prevent the drilling of un-necessary wells; and to insure proper and efficient development and promote conservation of the gas resources of the State of Utah, Enduring Resources, LLC respectfully request approval to perforate and commingle the Wasatch and Mesaverde formations "pools" in the same well bore.

1. Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs.
2. These formations shall be commingled in the well bore and produced concurrently in a single string of 2-3/8" production tubing.
3. Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units.
4. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas lease or production units overlying the "pool."

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE	DATE <u>3/7/2008</u>

(This space for State use only)

RECEIVED
MAR 12 2008
DIV. OF OIL, GAS & MINING

AFFIDAVIT OF MAILING

State of Colorado)
City and)ss.
County of Denver)

Alvin R. Arlian (hereinafter sometimes referred to as "Affiant"), of lawful age, being first duly sworn upon oath, deposes and says:

1. Affiant is a Landman-Regulatory Specialist for Enduring Resources, LLC (hereinafter sometimes referred to as "Enduring") whose address is 475 17th Street, Denver, Colorado 80202,
2. Enduring is the operator of the following described oil and gas well:

**Bonanza 9-23-24-11
SESW Section 11, T9S-R24E
Uintah County, Utah**

3. A cursory search of applicable records confirmed that the following parties are the only leasehold interest owners in the contiguous oil and gas wells, contiguous oil and gas leases, or contiguous oil and gas well production units overlying the "pool."
 1. Forest Oil Corporation
 2. Anadarko Petroleum Corporation
4. On Monday, March 10, 2008 Affiant mailed (or caused to be mailed) in U.S. Mail, with postage prepaid, a copy of the attached Application for Commingling two or more pools (formations) in one well bore of the well described in Paragraph No. 2 above which said Application for Commingling (Form 9) has/had concurrently been filed with the State of Utah Division of Oil, Gas, and Mining (and if applicable, copies sent to SITLA, and the Bureau of Land Management), and
5. Attached is a map showing the location of wells' located on contiguous oil and gas leases and/or production units.


Affiant saith no more.



Alvin R. Arlian, Affiant

Scribed and sworn to before me on March 10, 2008, by Alvin R. Arlian.

9/23/2009
My Commission Expires:



Sharon E. Hanna
Notary Public.

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500

Denver, Colorado 80202

Telephone: 303-573-1222

Facsimile: 303-573-0461

March 10, 2008

Anadarko Petroleum Corporation
1099 18th Street, Suite 1200
Denver, Colorado 80202

CERTIFIED MAIL
ARTICLE NO: 7006 3450 0001 4272 9352

Attention: Land Department

RE: Commingling Application
Bonanza 9-23-24-11
SESW Section 11, T9S-R24E
Uintah County, Utah

Dear Leasehold Interest Owner:

Enduring Resources, LLC ("Enduring") has filed an application with the State of Utah Division of Oil, Gas, and Mining requesting approval of the Wasatch and Mesaverde formations (pools) in the above-referenced well to be commingled.

Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs. These formations (pools) shall be commingled in the well's well bore.

Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas leases or production units overlying the commingled pools (commingled formations).

Should you have any questions concerning this matter, please do not hesitate to call (303-350-5114)

Very truly yours

ENDURING RESOURCES, LLC



COPY

Alvin R. (Al) Arlian
Landman – Regulatory Specialist

ara/

Attachments as stated:

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500

Denver, Colorado 80202

Telephone: 303-573-1222

Facsimile: 303-573-0461

March 10, 2008

Forest Oil Corporation
707 17th Street, Suite 3600
Denver, Colorado 80202

CERTIFIED MAIL

ARTICLE NO: 7006 3450 0001 4272 9345

Attention: Land Department

**RE: Commingling Application
Bonanza 9-23-24-11
SESW Section 11, T9S-R24E
Uintah County, Utah**

Dear Leasehold Interest Owner:

Enduring Resources, LLC ("Enduring") has filed an application with the State of Utah Division of Oil, Gas, and Mining requesting approval of the Wasatch and Mesaverde formations (pools) in the above-referenced well to be commingled.

Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs. These formations (pools) shall be commingled in the well's well bore.

Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas leases or production units overlying the commingled pools (commingled formations).

Should you have any questions concerning this matter, please do not hesitate to call (303-350-5114)

Very truly yours


ENDURING RESOURCES, LLC


COPY
Alvin R. (Al) Arlian
Landman – Regulatory Specialist

ara/

Attachments as stated:

MAP ATTACHED TO ENDURING RESOURCES LLC COMMINGLING APPLICATION FOR BONANZA 9-23-24-11 LOCATED IN THE SE-SW SEC. 11, T9S-R23E



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
		7. UNIT or CA AGREEMENT NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: Bonanza 9-23-24-11	
2. NAME OF OPERATOR: Enduring Resources, LLC		9. API NUMBER: 4304736651
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL		
FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 3/24/2008	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CORRECTION IN NOTICE AND AFFIDAVIT OF LOCATION FROM R24E TO R23E.

In order to prevent waste of gas, as defined by law; to protect the correlative rights of all parties concerned; to prevent the drilling of un-necessary wells; and to insure proper and efficient development and promote conservation of the gas resources of the State of Utah, Enduring Resources, LLC respectfully request approval to perforate and commingle the Wasatch and Mesaverde formations "pools" in the same well bore.

1. Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs.
2. These formations shall be commingled in the well bore and produced concurrently in a single string of 2-3/8" production tubing.
3. Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units.
4. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas lease or production units overlying the "pool."

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE _____	DATE <u>3/24/2008</u>

(This space for State use only)

RECEIVED
MAR 26 2008
DIV. OF OIL, GAS & MINING

AFFIDAVIT OF MAILING

Statue of Colorado)
City and)ss.
County of Denver)

Alvin R. Arlian (hereinafter sometimes referred to as "Affiant"), of lawful age, being first duly sworn upon oath, deposes and says:

1. Affiant is a Landman-Regulatory Specialist for Enduring Resources, LLC (hereinafter sometimes referred to as "Enduring") whose address is 475 17th Street, Denver, Colorado 80202,
2. Enduring is the operator of the following described oil and gas well:

THE PRIOR AFFIDAVIT IDENTIFIED THE LOCATION AS: R24E AND THE CORRECT LOCATION IS R23E. NO OTHER CORRECTIONS HAVE BEEN MADE.

**Bonanza 9-23-24-11
SESW Section 11, T9S-R23E
Uintah County, Utah**

3. A cursory search of applicable records confirmed that the following parties are the only leasehold interest owners in the contiguous oil and gas wells, contiguous oil and gas leases, or contiguous oil and gas well production units overlying the "pool."
 1. Forest Oil Corporation
 2. Anadarko Petroleum Corporation
4. On Monday, March 24, 2008 Affiant mailed (or caused to be mailed) in U.S. Mail, with postage prepaid, a copy of the attached Application for Commingling two or more pools (formations) in one well bore of the well described in Paragraph No. 2 above which said Application for Commingling (Form 9) has/had concurrently been filed with the State of Utah Division of Oil, Gas, and Mining (and if applicable, copies sent to SITLA, and the Bureau of Land Management), and
5. Attached is a map showing the location of wells' located on contiguous oil and gas leases and/or production units.


Affiant saith no more.



Alvin R. Arlian, Affiant

Scribed and sworn to before me on March 24, 2008, by Alvin R. Arlian.

9/23/2009
My Commission Expires:



Thason E. Stemo
Notary Public.

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500

Denver, Colorado 80202

Telephone: 303-573-1222

Facsimile: 303-573-0461

March 24, 2008

Forest Oil Corporation
707 17th Street, Suite 3600
Denver, Colorado 80202

CERTIFIED MAIL

ARTICLE NO: 7006 3450 0001 4272 9390

Attention: Land Department

**RE: Commingling Application CORRECTION
Bonanza 9-23-24-11
SESW Section 11, T9S-R23E
Uintah County, Utah**

Dear Leasehold Interest Owner:

THE PRIOR LETTER IDENTIFIED THE LOCATION AS: R24E AND THE CORRECT LOCATION IS R23E. NO OTHER CORRECTIONS HAVE BEEN MADE.

Enduring Resources, LLC ("Enduring") has filed an application with the State of Utah Division of Oil, Gas, and Mining requesting approval of the Wasatch and Mesaverde formations (pools) in the above-referenced well to be commingled.

Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs. These formations (pools) shall be commingled in the well's well bore.

Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas leases or production units overlying the commingled pools (commingled formations).

Should you have any questions concerning this matter, please do not hesitate to call (303-350-5114)

Very truly yours

ENDURING RESOURCES, LLC



Alvin R. (Al) Arlian
Landman – Regulatory Specialist

ara/

Attachments as stated:

RECEIVED
MAR 26 2008
DIV. OF OIL, GAS & MINING

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500
Denver, Colorado 80202
Telephone: 303-573-1222
Facsimile: 303-573-0461

March 24, 2008

Anadarko Petroleum Corporation
1099 18th Street, Suite 1200
Denver, Colorado 80202

CERTIFIED MAIL
ARTICLE NO: 7006 3450 0001 4272 9376

Attention: Land Department

RE: Commingling Application
Bonanza 9-23-24-11
SESW Section 11, T9S-R24E
Uintah County, Utah

Dear Leasehold Interest Owner:

THE PRIOR LETTER IDENTIFIED THE LOCATION AS: R24E AND THE CORRECT LOCATION IS R23E. NO OTHER CORRECTIONS HAVE BEEN MADE.

Enduring Resources, LLC ("Enduring") has filed an application with the State of Utah Division of Oil, Gas, and Mining requesting approval of the Wasatch and Mesaverde formations (pools) in the above-referenced well to be commingled.

Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs. These formations (pools) shall be commingled in the well's well bore.

Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas leases or production units overlying the commingled pools (commingled formations).

Should you have any questions concerning this matter, please do not hesitate to call (303-350-5114)

Very truly yours

ENDURING RESOURCES, LLC



Alvin R. (Al) Arlian
Landman – Regulatory Specialist


ara/
Attachments as stated:

RECEIVED

MAR 26 2008

DIV. OF OIL, GAS & MINING

MAP ATTACHED TO ENDURING RESOURCES LLC COMMINGLING APPLICATION FOR BONANZA 9-23-24-11 LOCATED IN THE SE-SW SEC. 11, T9S-R23E



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: n/a
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: Bonanza 9-23-24-11
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 4304736651
		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL COUNTY: Uintah		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Pits Closed</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

8-29-2008 Drilling and Completion Pits have been closed.

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE	DATE <u>8/29/2008</u>

(This space for State use only)

RECEIVED
SEP 02 2008

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: n/a
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: n/a
2. NAME OF OPERATOR: Enduring Resources, LLC		8. WELL NAME and NUMBER: Bonanza 9-23-24-11
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 4304736651
		10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: 756' FSL - 1,859' FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 11 9S 23E S		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 9/24/2008	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>Conformation of Commingling</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

2-2-2007 First Gas Sales.

Conformation of Commingling.

Wasatch and Mesaverde formations "pools" commingled in initial completion attempt.

NAME (PLEASE PRINT) <u>Alvin R. (Al) Arlian</u>	TITLE <u>Landman - Regulatory Specialist</u>
SIGNATURE	DATE <u>9/24/2008</u>

(This space for State use only)

RECEIVED

SEP 29 2008

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
---	--

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
--	--

1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: BONANZA 9-23-24-11
------------------------------------	---

2. NAME OF OPERATOR: Enduring Resources, LLC	9. API NUMBER: 43047366510000
--	---

3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 , Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
---	--	--

4. LOCATION OF WELL FOOTAGES AT SURFACE: 0756 FSL 1859 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESW Section: 11 Township: 09.0S Range: 23.0E Meridian: S	COUNTY: UINTAH STATE: UTAH
---	---

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 11/9/2009	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input checked="" type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: Interim Seeding

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The location was reseeded on 11/9/2009. The location was disked to prepare the seed bed, the seed broadcast over the seed bed and harrowed to bury the seed. The location was seeded with the following seed mix. Double the BLM's COA recommended PLS per acre were used because the seed could not be drilled due to rocky location and was broadcast instead. 12# Needles Thread Grass 12# Galleta Grass 12# Indian Rice Grass 8# Crested Wheat Grass The Packing Slip and bag tags for the seed will be kept in the Vernal Well File and available on request.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
 November 17, 2009

NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory
SIGNATURE N/A		DATE 11/17/2009

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: BONANZA 9-23-24-11
2. NAME OF OPERATOR: Enduring Resources, LLC	9. API NUMBER: 43047366510000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 , Denver, CO, 80202	PHONE NUMBER: 303 350-5114 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0756 FSL 1859 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESW Section: 11 Township: 09.0S Range: 23.0E Meridian: S	9. FIELD and POOL or WILDCAT: NATURAL BUTTES COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: Initial Re seeding
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 11/11/2009			
<input type="checkbox"/> SPUD REPORT Date of Spud:			
<input type="checkbox"/> DRILLING REPORT Report Date:			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The location was reseeded 11-11-2009. The location was disked to prepare the seed bed, the seed broadcast over the seed bed, and harrowed to bury the seed. The location was seeded with the following seed mix. Double the BLM's COA recommended PLS per acre were used because the seed could not be drilled due to rocky location and was broadcast instead. 18# Gardner Saltbush 3# Black Sagebrush 18# Shadscale Saltbush 18# Needle and Thread Grass 24# Squirrel Tail 18# Rubber Rabbit Brush The Packing Slip and bag tags for the seed will be kept in the Vernal, UT Office's Well File and available on request.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
 November 19, 2009

NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory
SIGNATURE N/A		DATE 11/17/2009