

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*

FORM APPROVED  
OMB NO. 1040-0136  
Expires: February 28, 1995

<b>APPLICATION FOR PERMIT TO DRILL OR DEEPEN</b>		5. LEASE DESIGNATION AND SERIAL NO. UTU-01089
TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
TYPE OF WELL <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> SINGLE <input checked="" type="checkbox"/> MULTIPLE <input type="checkbox"/> OIL WELL GAS WELL OTHER ZONE ZONE		7. UNIT AGREEMENT NAME WHITE RIVER UNIT
2. NAME OF OPERATOR QEP UINTA BASIN, INC.		8. FARM OR LEASE NAME, WELL NO. WRU EIH 11C-ML-35-8-22
3. ADDRESS 11002 E. 17500 S. Vernal, Ut 84078		9. API NUMBER: 43-047-37300
Contact: Jan Nelson E-Mail: jan.nelson@questar.com		10. FIELD AND POOL, OR WILDCAT WHITE RIVER <del>Natural</del> Butte
Telephone number Phone 435-781-4331 Fax 435-781-4323		11. SEC., T, R, M, OR BLK & SURVEY OR AREA SEC.35 T8S R22E Mer SLB
4. LOCATION OF WELL (Report location clearly and in accordance with and State requirements*) At Surface 635475X 2615' FSL 1360' FWL, NESW, SECTION 35, T8S, R22E At proposed production zone 4437564Y 40.079349.109.411135		12. COUNTY OR PARISH Uintah
14. DISTANCE IN MILES FROM NEAREST TOWN OR POSTOFFICE* 33 +/- SOUTHEAST OF VERNAL, UTAH		13. STATE UT
15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (also to nearest drig,unit line if any) 1360' +/-	16. NO. OF ACRES IN LEASE 640.00	17. NO. OF ACRES ASSIGNED TO THIS WELL 20
18. DISTANCE FROM PROPOSED location to nearest well, drilling, completed, applied for, on this lease, ft 750' +/-	19. PROPOSED DEPTH 10300'	20. BLM/BIA Bond No. on file ESB000024
21. ELEVATIONS (Show whether DF, RT, GR, ect.) 4898.5' GR	22. DATE WORK WILL START ASAP	23. Estimated duration 10 days
24. Attachments		

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan
- A surface Use Plan ( if location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

SIGNED Jan Nelson Name (printed/typed) Jan Nelson DATE 10-21-05

TITLE Regulatory Affairs

(This space for Federal or State office use)

PERMIT NO. 43-047-37300 APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify the applicant holds any legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

CONDITIONS OF APPROVAL IF ANY:

APPROVED BY Bradley G. Hill TITLE BRADLEY G. HILL ENVIRONMENTAL SCIENTIST III DATE 11-14-05

\*See Instructions On Reverse Side

Title 18 U.S.C Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Federal Approval of this  
Action is Necessary

RECEIVED

OCT 24 2005


DIV. OF OIL, GAS & MINING

CONFIDENTIAL

# T8S, R22E, S.L.B.&M.

# QUESTAR EXPLR. & PROD.

Well location, WRU EIH #11C-ML-35-8-22, located as shown in the NE 1/4 SW 1/4 of Section 35, T8S, R22E, S.L.B.&M. Uintah County, Utah.



### BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



SCALE

### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*[Signature]*  
 REGISTERED LAND SURVEYOR  
 REGISTRATION NO. 161319  
 STATE OF UTAH

### LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°04'45.67" (40.079353)  
 LONGITUDE = 109°24'42.40" (109.411778)  
 (NAD 27)  
 LATITUDE = 40°04'45.80" (40.079389)  
 LONGITUDE = 109°24'39.94" (109.411094)

**UINTAH ENGINEERING & LAND SURVEYING**  
 85 SOUTH 200 EAST - VERNAL, UTAH 84078  
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 09-06-05	DATE DRAWN: 09-12-05
PARTY D.A. T.A. L.K.	REFERENCES G.L.O. PLAT	
WEATHER HOT	FILE QUESTAR EXPLR. & PROD.	

T8S, R22E, S.L.B.&M.

QUESTAR EXPLR. & PROD.

Well location, WRU EIH #6B-ML-35-8-22, located as shown in the SW 1/4 NW 1/4 of Section 35, T8S, R22E, S.L.B.&M. Uintah County, Utah.

**BASIS OF ELEVATION**

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

**BASIS OF BEARINGS**

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.




SCALE

**CERTIFICATE**

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Robert H. Gray*

REGISTERED LAND SURVEYOR  
REGISTRATION NO. 161319  
STATE OF UTAH



Badlands Unit

1967 Brass Cap, 0.8' High, Steel Post    N89°47'11"E - 2635.03' (Meas.)    T9S  
1967 Brass Cap, 0.4' High, Scattered Stones

**LEGEND:**

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
LATITUDE = 40°04'57.23" (40.082564)  
LONGITUDE = 109°24'43.63" (109.412119)  
(NAD 27)  
LATITUDE = 40°04'57.36" (40.082600)  
LONGITUDE = 109°24'41.17" (109.411436)

**UINTAH ENGINEERING & LAND SURVEYING**  
85 SOUTH 200 EAST - VERNAL, UTAH 84078  
(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 09-06-05	DATE DRAWN: 09-09-05
PARTY D.A. T.A. L.K.	REFERENCES G.L.O. PLAT	
WEATHER HOT	FILE QUESTAR EXPLR. & PROD.	

## **Additional Operator Remarks**

QEP Uinta Basin, Inc. proposes to drill a well to 10300' to test the MesaVerde. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 and 24 East.

See attached Onshore No. 1

See attached notice of intent to complete into multiple pools.

Please be advised that QEP Uinta Basin Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is QEP Uinta Basin Inc. via surety as consent as provided for the 43 CFR 3104.2.

NOTICE OF INTENT TO COMPLETE INTO MULTIPLE POOLS

WRU EIH 11C-ML-35-8-22


In compliance with the stated objectives of section R649-3-22 of the Utah Administrative Code and the Utah Oil and Gas Conservation Act, Questar Exploration and Production Company hereby requests the commingling of production between intervals in the WRU EIH 11C-ML-35-8-22. Questar considers this commingling to be in the public interest in that it promotes maximum ultimate economic recovery, prevents waste, provides for orderly and efficient production of oil and gas and presents no detrimental effects from commingling the two gas streams.

Questar requests approval for the commingling between the Mesa Verde and Wasatch intervals. As the well is not in a Unit PA and the ownership is the same between formations, production will be reported as combined Mesa Verde / Wasatch production.

This well will be completed using multiple stage hydraulic fracturing. Bridge plugs will be used to isolate completion intervals during fracturing operations and will be drilled up prior to putting the well on production. Mesa Verde and Wasatch intervals will be fractured separately, except where they occur too close together to make isolation unfeasible.


A plat of all contiguous owners will follow along with an affidavit stating that all contiguous owners have been notified and given a 15 day objection period.

I hereby certify that the foregoing is true and correct



Matt Nikkel  
Engineer  
Questar Exploration & Production






- WELLS:**
- SG 3MU 23-8-22
  - WRU EIH 9ML 23-8-22
  - WRU EIH 11ML 24-8-22
  - WRU EIH 12ML 24-8-22
  - WRU EIH 14ML 24-8-22
  - WRU EIH 13MU 25-8-22
  - WRU EIH 3A-ML 35-8-22
  - WRU EIH 6B-ML 35-8-22
  - WRU EIH 11C-ML 35-8-22
  - WRU EIH 7D-ML 35-8-22

**QUESTAR**  
 Tw /Kmv  
**COMMINGLED PRODUCTION**  
 Uinta Basin—Uintah County, Utah

**T8S-R22E**

 40-acre pool



Qep Uinta Basin, Inc.  
WRU EIH 11C-ML-35-8-22

ONSHORE OIL & GAS ORDER NO. 1  
Approval of Operations on Onshore  
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<b>Formation</b>	<b>Depth</b>
Uinta	Surface
Green River	2210'
Wasatch	5235'
Mesa Verde	7830'
TD	10300'

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

<b>Substance</b>	<b>Formation</b>	<b>Depth</b>
Oil/Gas	Mese Verde	10300'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 4467.0 psi.

**QEP UINTA BASIN, INC.  
WRU EIH 11C-ML-35-8-22  
2615' FSL 1360' FWL  
NESW, SECTION 35, T8S, R22E  
UINTAH COUNTY, UTAH  
LEASE # UTU-01089**

**ONSHORE ORDER NO. 1**

**MULTI – POINT SURFACE USE & OPERATIONS PLAN**

An onsite inspection was conducted for the WRU EIH 11C-ML-35-8-22 on October 12, 2005. Weather conditions were clear and sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Paul Buhler	Bureau of Land Management
Todd McGrath	Bureau of Land Management
Jan Nelson	QEP Uinta Basin Inc.

**1. Existing Roads:**

The proposed well site is approximately 33 miles southeast of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

There will be no improvements made to existing access road.

**2. Planned Access Roads:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map B for the location of the proposed access road.

**3. Location of Existing Wells Within a 1 – Mile Radius:**

Please refer to Topo Map C.

**4. Location of Existing & Proposed Facilities:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map D for the location of the proposed pipeline.

QEP requests a surface pipeline based on the following justification included in the attached "Request for Exception".

**5. Location and Type of Water Supply:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

6. **Source of Construction Materials:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

7. **Methods of Handling Waste Materials:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

8. **Ancillary Facilities:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

10. **Plans for Reclamation of the Surface:**

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

**Interim Reclamation**

Please see attached Interim Reclamation plan.

Once the well is put onto production, QEP will reclaim as much of the well pad as possible that will allow for operations to continue in a safe and reasonable manner. Reseeding will be done in the spring or fall of every year to allow winter precipitation to aid in the success of reclamation.

**Seed Mix:**

*Interim Reclamation:*

6 lbs Hycrest Crested Wheatgrass

6 lbs Indian Rice Grass

*Final Reclamation:*

Seed Mix # 1 3 lbs. Fourwing Saltbush, 4 lbs. Hycrest Crested Wheat Grass, 3 lbs. Indian Rice Grass and 1 lbs. Needle & Thread Grass.

**11. Surface Ownership:**

Bureau of Land Management

170 South 500 East

Vernal, Utah 84078

(435) 781-4400

**12. Other information**

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted directly to the appropriate agencies by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleontologist should be immediately notified. QEP will provide paleo monitor if needed.

There is a Ferruginous Hawk Stipulation from March 1st to July 15th. No construction or drilling will commence during this period unless otherwise determined by a wildlife biologist that the site is inactive.

**QEP Uinta Basin, Inc.**  
**Request for Exception to Buried Pipeline**  
**for**  
**WRU EIH 11C-ML-35-8-22**

QEP respectfully requests an exception to burying this pipeline. We understand the standard Condition of Approval (COA) that may be included in the approved Application for Permit to Drill (APD) is: *“As a Best Management Practice (BMP), the pipeline would be buried within the identified construction width of an access corridor that contains the access road and pipelines. The construction width for the access corridor would increase from 30 feet, by an additional 20 feet, to a total of 50 feet. Exceptions to this BMP may be granted where laterally extensive, hard indurated bedrock, such as sandstone, is at or within 2 feet of the surface; and, soil types with a poor history of successful rehabilitation.”* QEP will install the pipeline within the access corridor and will avoid cross-country installation when possible. Our reason for requesting a surface line is based on the following justification:

**Class IV VRM**

- ◆ This area’s designated Visual Resource Management is classified as Class IV. The Class IV objective is to provide for management activities that require major modification to the existing character of the landscape. The level of change to the landscape can be high. The management activities may dominate the view and may be the major focus of the viewer attention. However, every attempt should be made to minimize the impact of these activities through careful location, minimal disturbance, and repetition of the basic visual elements of form, line, color, and texture.
- ◆ QEP feels that surface pipe will comply with this classification more so than buried pipe due to the amount of surface disturbance that will be required to bury it. We believe surface installation within the access corridor will minimize the disturbance so that the pipeline does not dominate the view.

**Environmental and Safety Concerns**

- ◆ Buried pipe will greatly increase surface disturbance and habitat fragmentation. The soil in this area has a poor history of successful rehabilitation. Buried pipe will have an increased corrosion rate and would need to be dug up for repairs or replacement; the constant surface disturbance will not allow time for successful reclamation.
- ◆ Increasing surface disturbance will greatly increase noxious and invasive weed infestation.

- ◆ With the increased corrosion rate, buried pipe may have undetectable leaks that could go unnoticed for months. Small leaks may turn into large plumes of underground hazards because they are not easily monitored and not seen right away. An undetected leak also increases the potential for explosive incidents. Once detected, the surface will need to be disturbed, once again, to dig up the line and replace or repair it.
- ◆ Accidents associated with pipe breaks during construction activities could increase substantially as the number of buried lines increases.
- ◆ The additional surface disturbance will increase the risk of disturbing paleontological sites.

### **Operational and Mechanical Concerns for Gas Lines**

- ◆ Cathodic protection will be required for buried pipe. Cathodic protection requires anode beds that must be maintained. This will add substantial costs in labor and material. Additional power lines will need to be installed to the anode beds. The additional costs for equipment and labor will be approximately \$50,000.00 per section.
- ◆ Pipeline markers need to be used with buried pipe. This will add costs in labor and material.
- ◆ Every tie in requires a valve. The average distance between valves is approximately ¼ mile. Valves will have to be placed in “freeze boxes” or “valve boxes”. Valve boxes will be considered confined space which increases the manpower needed to repair or replace valves. Every valve box will also require bright yellow guard rails.
- ◆ Additional equipment required for buried pipe can include blades/dozers, trenchers (cutting or blasting in hard rock), side booms, etc. which increases installation costs.
- ◆ Buried pipe must have fusion bonded epoxy (FBE) coating. FBE pipe will cost an additional \$2.00 per foot compared to bare pipe.
- ◆ This pipeline has the potential for being upgraded/upsized to a larger pipe diameter depending on production volumes. If upsizing is required, the pipe will need to be dug up which will cause additional surface disturbance and will not allow adequate time for successful reclamation.
- ◆ Surface lines are sometimes relocated to accommodate new locations; this is done in an effort to minimize the amount of pipe needed and the amount of surface disturbed. If this pipe is buried, this will no longer be an option.

**Lessee's or Operator's Representative:**

Jan Nelson  
Red Wash Rep.  
QEP Uinta Basin, Inc.  
11002 East 17500 South  
Vernal, Utah 84078  
(435) 781-4331


**Certification:**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

QEP Uinta Basin Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by QEP Uinta Basin, Inc. it's contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

  
\_\_\_\_\_  
Jan Nelson  
Red Wash Representative

21-Oct-05

\_\_\_\_\_  
Date

**QUESTAR EXPLR. & PROD.**  
**WRU EIH #11C-ML-35-8-22**  
 LOCATED IN UINTAH COUNTY, UTAH  
 SECTION 35, T8S, R22E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHEASTERLY



- Since 1964 -


**UELS** Uintah Engineering & Land Surveying  
 85 South 200 East Vernal, Utah 84078  
 435-789-1017 uels@uelsinc.com

<b>LOCATION PHOTOS</b>	<b>06</b>	<b>10</b>	<b>05</b>	<b>PHOTO</b>
	MONTH	DAY	YEAR	
TAKEN BY: D.A.	DRAWN BY: C.P.		REVISED: 00-00-00	

QUESTAR EXPLR. & PROD.



FIGURE #1

LOCATION LAYOUT FOR  
 WRU EIH #11C-ML-35-8-22  
 SECTION 35, T8S, R22E, S.L.B.&M.  
 2615' FSL 1360' FWL



SCALE: 1" = 50'  
 DATE: 09-12-05  
 Drawn By: L.K.

NOTE:  
 Flare Pit is to be located  
 a min. of 100' from the  
 Well Head.



NOTES:

Elev. Ungraded Ground At Loc. Stake = 4900.8'  
 FINISHED GRADE ELEV. AT LOC. STAKE = 4898.5'

UINTAH ENGINEERING & LAND SURVEYING  
 85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017



QUESTAR EXPLR. & PROD.

FIGURE #2

TYPICAL CROSS SECTIONS FOR  
 WRU EIH #11C-ML-35-8-22  
 SECTION 35, T8S, R22E, S.L.B.&M.  
 2615' FSL 1360' FWL

1" = 20'  
 X-Section  
 Scale  
 1" = 50'

DATE: 09-12-05  
 Drawn By: L.K.



NOTE:  
 Topsoil should not be Stripped Below Finished Grade on Substructure Area.

\* NOTE:  
 FILL QUANTITY INCLUDES 5% FOR COMPACTION  
 Excess Material = 3,100 Cu. Yds.  
 Topsoil & Pit Backfill (1/2 Pit Vol.) = 3,100 Cu. Yds.  
 EXCESS UNBALANCE (After Rehabilitation) = 0 Cu. Yds.

APPROXIMATE YARDAGES


CUT	
(6") Topsoil Stripping	= 1,660 Cu. Yds.
Remaining Location	= 4,970 Cu. Yds.
<b>TOTAL CUT</b>	<b>= 6,630 CU.YDS.</b>
<b>FILL</b>	<b>= 3,530 CU.YDS.</b>

QUESTAR EXPLR. & PROD.



FIGURE #3

INTERIM RECLAMATION PLAN FOR


WRU EIH #11C-ML-35-8-22  
SECTION 35, T8S, R22E, S.L.B.&M.  
2615' FSL 1360' FWL



SCALE: 1" = 50'  
DATE: 09-12-05  
Drawn By: L.K.



 INTERIM RECLAMATION



**PROPOSED LOCATION:  
WRU EIH #11C-ML-35-8-22**

**LEGEND:**

○ PROPOSED LOCATION



**QUESTAR EXPLR. & PROD.**


**WRU EIH #11C-ML-35-8-22  
SECTION 35, T8S, R22E, S.L.B.&M.  
2615' FSL 1360' FWL**



**Utah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC** 09 08 05  
**MAP** MONTH DAY YEAR  
SCALE: 1:100,000 | DRAWN BY: C.P. | REVISED: 00-00-00





**LEGEND:**

- EXISTING ROAD
- PROPOSED ACCESS ROAD



**Uintah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813



**QUESTAR EXPLR. & PROD.**

**WRU EIH #11C-ML-35-8-22**  
**SECTION 35, T8S, R22E, S.L.B.&M.**  
**2615' FSL 1360' FWL**


**TOPOGRAPHIC**  
**MAP**

**09 08 05**  
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00







**APPROXIMATE TOTAL PIPELINE DISTANCE = 605' +/-**

**LEGEND:**

-  PROPOSED ACCESS ROAD
-  EXISTING PIPELINE
-  PROPOSED PIPELINE



**QUESTAR EXPLR. & PROD.**

**WRU EIH #11C-ML-35-8-22**  
**SECTION 35, T8S, R22E, S.L.B.&M.**  
**2615' FSL 1360' FWL**



**Uintah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC** **09 08 05**  
**MAP** MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: C.P. REVISED: 00-00-00

**D**  
 TOPO

**WORKSHEET  
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 10/24/2005

API NO. ASSIGNED: 43-047-37300

WELL NAME: WRU EIH 11C-ML-35-8-22  
 OPERATOR: QEP UINTA BASIN, INC. ( N2460 )  
 CONTACT: JAN NELSON

PHONE NUMBER: 435-781-4331

PROPOSED LOCATION:  
 NESW 35 080S 220E  
 SURFACE: 2615 FSL 1360 FWL  
 BOTTOM: 2615 FSL 1360 FWL  
 UINTAH  
 NATURAL BUTTES ( 630 )

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	DND	11/14/05
Geology		
Surface		

LEASE TYPE: 1 - Federal  
 LEASE NUMBER: UTU-01089  
 SURFACE OWNER: 1 - Federal  
 PROPOSED FORMATION: WSMVD  
 COALBED METHANE WELL? NO

LATITUDE: 40.07935  
 LONGITUDE: -109.4111

RECEIVED AND/OR REVIEWED:


Plat  
 Bond: Fed[1] Ind[] Sta[] Fee[]  
 (No. ESB000024 )  
 Potash (Y/N)  
 Oil Shale 190-5 (B) or 190-3 or 190-13  
 Water Permit  
 (No. 43-8496 )  
 RDCC Review (Y/N)  
 (Date: \_\_\_\_\_ )  
 Fee Surf Agreement (Y/N)  
 Intent to Commingle (Y/N)  
(wasatch, Mesaverde)

LOCATION AND SITING:

\_\_\_ R649-2-3.  
 Unit WHITE RIVER  
 \_\_\_ R649-3-2. General  
 Siting: 460 From Qtr/Qtr & 920' Between Wells  
 R649-3-3. Exception  
 \_\_\_ Drilling Unit  
 Board Cause No: \_\_\_\_\_  
 Eff Date: \_\_\_\_\_  
 Siting: \_\_\_\_\_  
 \_\_\_ R649-3-11. Directional Drill

COMMENTS: Sop, Separate file


STIPULATIONS: 1- Federal Approval  
2- Spacing Strip  
3- commingle



OPERATOR: QEP UINTA BASIN INC (N2460)  
 SEC: 35 T. 8S R. 22E  
 FIELD: NATURAL BUTTES (630)  
 COUNTY: UNITAH  
 SPACING: R649-3-3 / EXCEPTION LOCATION

- |                     |                    |
|---------------------|--------------------|
| <b>Field Status</b> | <b>Unit Status</b> |
| ABANDONED           | EXPLORATORY        |
| ACTIVE              | GAS STORAGE        |
| COMBINED            | NF PP OIL          |
| INACTIVE            | NF SECONDARY       |
| PROPOSED            | PENDING            |
| STORAGE             | PI OIL             |
| TERMINATED          | PP GAS             |
|                     | PP GEOTHERML       |
|                     | PP OIL             |
|                     | SECONDARY          |
|                     | TERMINATED         |

- Wells Status**
- ☉ GAS INJECTION
  - ☼ GAS STORAGE
  - ⊗ LOCATION ABANDONED
  - ⊕ NEW LOCATION
  - ⊖ PLUGGED & ABANDONED
  - ⊙ PRODUCING GAS
  - ⊙ PRODUCING OIL
  - ⊙ SHUT-IN GAS
  - ⊙ SHUT-IN OIL
  - ⊙ TEMP. ABANDONED
  - ⊙ TEST WELL
  - ⊙ WATER INJECTION
  - ⊙ WATER SUPPLY
  - ⊙ WATER DISPOSAL
  - ⊙ DRILLING



Utah Oil Gas and Mining



PREPARED BY: DIANA WHITNEY  
 DATE: 26-OCTOBER-2005



QEP Uinta Basin, Inc.

11002 East 17500 South

Vernal, UT 84078

Tel 435 781 4300 • Fax 435 781 4329

October 27, 2005

Division of Oil, Gas & Mining  
1594 W. N. Temple STE 1210  
Salt Lake City, UT 84114-5801

To Whom It May Concern:

In reference to the State Oil and Gas Conservation rule R649-3-3 QEP Uinta Basin, Inc. WRU EIH 6B-ML-35-8-22 and WRU EIH 11C-ML-35-8-22 is an exception to this rule due to a part of a 20 acre pilot program that has been approved by Gil Hunt at the Division of Oil Gas and Mining. If Questar is successful with our program the necessary steps will be taken to receive an exception from the cited rule.

There are no additional lease owners within 460' of the proposed location. If you have any question please contact Jan Nelson @ (435) 781-4331.

Thank you,

Jan Nelson

RECEIVED

NOV 07 2005

DIV. OF OIL, GAS & MINING



**State of Utah**

**Department of  
Natural Resources**

MICHAEL R. STYLER  
*Executive Director*

**Division of  
Oil, Gas & Mining**

JOHN R. BAZA  
*Division Director*

JON M. HUNTSMAN, JR.  
*Governor*

GARY R. HERBERT  
*Lieutenant Governor*

November 14, 2005

QEP Uinta Basin, Inc.  
11002 E 17500 S  
Vernal, UT 84078

Re: WRU EIH 11C-ML-35-8-22 Well, 2615' FSL, 1360' FWL, NE SW,  
Sec. 35, T. 8 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

Administrative approval for commingling the production from the Wasatch formation and the Mesaverde formation in this well is hereby granted. Appropriate information has been submitted to DOGM in accordance with R649-3-22. No written objections from owners were received by DOGM.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37300.

Sincerely,

Gil Hunt  
Associate Director

pab  
Enclosures

cc: Uintah County Assessor  
Bureau of Land Management, Vernal District Office

Operator: QEP Uinta Basin, Inc.  
Well Name & Number WRU EIH 11C-ML-35-8-22  
API Number: 43-047-37300  
Lease: UTU-01089

Location: NE SW                      Sec. 35                      T. 8 South                      R. 22 East

### Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
SUBMIT IN TRIPLICATE\*  
OCT 21 2005

FORM APPROVED  
OMB NO. 1040-0136  
Expires: February 28, 1995

**APPLICATION FOR PERMIT TO DRILL OR DEEPEN**

TYPE OF WORK  
 DRILL  DEEPEN

TYPE OF WELL  
 SINGLE ZONE  MULTIPLE ZONE  
 OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
 QEP UINTA BASIN, INC. Contact: Jan Nelson  
 E-Mail: jan.nelson@questar.com

3. ADDRESS  
 11002 E. 17500 S. Vernal, Ut 84078 Telephone number  
 Phone 435-781-4331 Fax 435-781-4323

4. LOCATION OF WELL (Report location clearly and in accordance with and State requirements\*)  
 At Surface 2615' FSL 1360' FWL, NESW, SECTION 35, T8S, R22E  
 At proposed production zone

5. LEASE DESIGNATION AND SERIAL NO.  
 UTU-01089

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 N/A

7. UNIT AGREEMENT NAME  
 WHITE RIVER UNIT

8. FARM OR LEASE NAME, WELL NO.  
 WRU EIH 11C-ML-35-8-22

9. API NUMBER:  
 1304737300

10. FIELD AND POOL, OR WILDCAT  
 WHITE RIVER

11. SEC., T, R, M, OR BLK & SURVEY OR AREA  
 SEC.35 T8S R22E Mer SLB

12. COUNTY OR PARISH  
 Uintah 13. STATE  
 UT

14. DISTANCE IN MILES FROM NEAREST TOWN OR POSTOFFICE\*  
 33 +/- - SOUTHEAST OF VERNAL, UTAH

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.  
 (also to nearest drig,unit line if any)  
 1360' +/-

16. NO. OF ACRES IN LEASE  
 640.00

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 20

18. DISTANCE FROM PROPOSED location to nearest well, drilling, completed, applied for, on this lease, ft  
 750' +/-

19. PROPOSED DEPTH  
 10300'

20. BLM/BIA Bond No. on file  
 ESB000024

21. ELEVATIONS (Show whether DF, RT, GR, ect.)  
 4898.5' GR

22. DATE WORK WILL START  
 ASAP

23. Estimated duration  
 10 days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan
- A surface Use Plan ( if location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

RECEIVED  
OCT 21 2005

BLM VERNAL, UTAH

SIGNED Jan Nelson Name (printed/typed) Jan Nelson DATE 10-21-05

TITLE Regulatory Affairs

Accepted by the  
Utah Division of  
Oil, Gas and Mining

FOR RECORD ONLY

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify the applicant holds any legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY Robert B. Clavens TITLE Assistant Field Manager Mineral Resources

\*See Instructions On Reverse Side

RECEIVED  
JAN 25 2005  
DATE 01/18/2005  
DIV. OF OIL, GAS & MINING

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

CONFIDENTIAL



UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
VERNAL FIELD OFFICE

170 South 500 East VERNAL, UT 84078 (435) 781-4400



**CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL**

Company: QEP Uinta Basin, Inc.  
Well No: WRU EIH 11C-ML-35-8-22  
API No: 43-047-37300

Location: NESW, Sec 35, T8S, R22E  
Lease No: UTU-01089  
Agreement: White River Unit

Petroleum Engineer:	Matt Baker	Office: 435-781-4490	Cell: 435-828-4470
Petroleum Engineer:	Michael Lee	Office: 435-781-4432	Cell: 435-828-7875
Supervisory Petroleum Technician:	Jamie Sparger	Office: 435-781-4502	Cell: 435-828-3913
Environmental Scientist:	Paul Buhler	Office: 435-781-4475	Cell: 435-828-4029
Environmental Scientist:	Karl Wright	Office: 435-781-4484	
Natural Resource Specialist:	Holly Villa	Office: 435-781-4404	
Natural Resource Specialist:	Melissa Hawk	Office: 435-781-4476	
<b>After hours contact number: (435) 781-4513</b>		FAX: (435) 781-4410	

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR  
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations.

**NOTIFICATION REQUIREMENTS**

- |   |   |  |
|---|---|--|
| Location Construction<br>(Notify Paul Buhler)           | - | Forty-Eight (48) hours prior to construction of location and access roads.   |
| Location Completion<br>(Notify Paul Buhler)             |   | Prior to moving on the drilling rig.   |
| Spud Notice<br>(Notify PE)                              | - | Twenty-Four (24) hours prior to spudding the well.   |
| Casing String & Cementing<br>(Notify Jamie Sparger)     | - | Twenty-Four (24) hours prior to running casing and cementing all casing strings.   |
| BOP & Related Equipment Tests<br>(Notify Jamie Sparger) | - | Twenty-Four (24) hours prior to initiating pressure tests.   |
| First Production Notice<br>(Notify PE)                  | - | Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days. |

**SURFACE USE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

- Within 90 calendar days of the approval date for this Application for Permit to Drill (APD), the operator/lessee shall submit to the Authorized Officer (AO), on Sundry Notice Form 3160-5, an Interim Surface Reclamation Plan for surface disturbance on well pads, access roads, and pipelines. At a minimum, this will include the reshaping of the pad to the original contour to the extent possible; the respreading of the top soil up to the rig anchor points; and, the area reseeded using appropriate reclamation methods. The AO will provide written approval or concurrence within 30 calendar days of receipt.
- A Paleontologist acceptable to the BLM will monitor construction activity for surface disturbing activities described in the APD. If paleontologic resources are uncovered during construction activities, the operator shall immediately suspend all operations that will further disturb such resources, and immediately notify the Authorized Officer (AO). The AO will arrange for a determination of significance and, if necessary, recommend a recovery or avoidance plan.
- If paleontologic materials are uncovered during construction, the operator shall immediately stop work that might further disturb such materials and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation will be necessary for the discovered paleontologic material.
- Following well plugging and abandonment, the location, access roads, pipelines, and other facilities shall be reclaimed. All disturbed surfaces shall be reshaped to approximate the original contour; the top soil respread over the surface; and, the surface revegetated. The surface of approved staging areas where construction activities did not occur may require disking or ripping and reseeded.
- The pipeline shall be buried within the identified construction width of an access corridor that contains the access road and pipelines. The operator may request in writing an exception to this COA. Exceptions to this COA may include but are not limited to: laterally extensive, hard indurated bedrock, such as sandstone, which is at or within 2 feet of the surface; and, soil types with a poor history for successful rehabilitation. The exception request will be reviewed by the authorized officer (AO) and a determination made.
- The buried pipeline exception request has been received. It has been determined that the pipeline route has bedrock exposed at the surface. The exception is granted for a surface pipeline.
- Prior to abandonment of a buried pipeline, the operator will obtain authorization from the appropriate regulatory agency. BLM will determine whether the pipeline and all above ground pipeline facilities shall be removed and unsalvageable materials disposed of at approved sites or abandoned in place. Reshaping and revegetation of disturbed land areas will be completed where necessary.

The following seed mixture shall be used:

Type		lbs./acre
Shadscale	<i>Atriplex confertifolia</i>	3
Fourwing salt bush	<i>Atriplex canescens</i>	3
Galleta grass	<i>Hilaria jamesii</i>	3
Gardners salt brush	<i>Atriplex gardneri</i>	3
** Seed shall be drilled; but if broadcasted double the pounds per acre used and work the solids mechanically to cover the seed.		

- Other reclamation methods including but not limited to mulching or soil treatments may be required on a site-specific basis.

## **DOWNHOLE CONDITIONS OF APPROVAL**

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

### **SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL**

- The operator must report encounters of Gilsonite to the Vernal Field Office in writing to Peter Sokolosky within 5 working days of encounter. The report(s) shall include the date(s) and depth(s) (from KB or GL) of encounter(s) and the vertical footage(s) of the encounter(s).
- The production casing cement top shall be at a minimum of 1700'
- A Cement Bond Log shall be run from TD to the surface casing shoe.

### **DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS**

- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- **Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.**
- Blowout prevention equipment (BOPE) will remain in use until the well is completed or abandoned. Closing unit controls must remain unobstructed and readily accessible at all times. Choke manifolds must be located outside of the rig substructure.
- All BOPE components will be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests must be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test must be reported in the driller's log.
- BOP drills must be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.

- All shows of fresh water and minerals will be reported and protected. A sample will be taken of any water flows and a water analysis furnished the BLM, Vernal Field Office. All oil and gas shows will be adequately tested for commercial possibilities, reported, and protected.
- No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the BLM, Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM, Vernal Field Office must be obtained and notification given before resumption of operations.
- Chronologic drilling progress reports must be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- Any change in the program must be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) must be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, will require the filing of a suitable plan pursuant to Onshore Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field Office.
- In accordance with 43 CFR 3162.4-3, this well must be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) will be submitted only when requested by the BLM, Vernal Field Office.
- **Please submit an electronic copy of all logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM. The cement bond log must be submitted in raster format (TIF, PDF other).**

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the BLM, Vernal Field Office.
- All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.
- Oil and gas meters will be calibrated in place prior to any deliveries. The Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM, Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- This APD is approved subject to the requirement that, should the well be successfully completed for production, the BLM, Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and / or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
  - Any venting or flaring of gas will be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.
  - All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL

3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, will be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.

- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires July 31, 1996

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
**UTU-01089**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA/Agreement, Name and/or No.  
**WHITE RIVER UNIT**

8. Well Name and No.  
**WRU EIH 11CML-35-8-22**

9. API Well No.  
**43-047-37300**

10. Field and Pool, or Exploratory Area  
**WHITE RIVER**

11. County or Parish, State  
**Uintah**

**SUBMIT IN TRIPLICATE - Other Instructions on reverse side**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**QEP Uinta Basin, Inc.** Contact: **Jan Nelson**

3a. Address **11002 East 17500 South, Vernal, UT 84078** 3b. Phone No. (include area code) **435-781-4331**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**2615' FSL 1360' FWL, NESW, SECTION 35, T8S, R22E**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <b>NAME CHANGE</b>

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

QEP Uinta Basin, Inc. proposes to change the well of the WRU EIH 11CML-35-8-22 to WRU EIH 11BML-35-8-22.

**RECEIVED**  
**FEB 07 2006**  
DIV. OF OIL, GAS & MINERAL

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) <b>Jan Nelson</b>	Title <b>Regulatory Affairs</b>
Signature 	Date <b>February 3, 2006</b>

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by	Title	Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.  
**UTU-01089**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**WHITE RIVER UNIT**

8. Well Name and No.  
**WRU EI11 B-ML 35 8 22**

9. API Well No.  
**43-047-37300**

10. Field and Pool, or Exploratory Area  
**WHITE RIVER**

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil  Gas   
Well  Well  Other

2. Name of Operator  
**QEP, UINTA BASIN, INC.**

3. Address and Telephone No. **11002 E. 17500 S. VERNAL, UT 84078-8526**  
Contact: **Dahn.Caldwell@questar.com**  
**435-781-4342 Fax 435-781-4357**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**NESW, 2615' FSL, 1360' FWL, SEC 35-T8S-R22E**

**CONFIDENTIAL**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <b>SPUD</b>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**On 3/17/06, Drilled 80' of 20" conductor hole. Ran 2 Jts 80' of 14" conductor pipe. Cemented w/ Ready Mix**

3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Word file-server

*Dahn F. Caldwell*

RECEIVED  
MAR 27 2006

DIV. OF OIL, GAS & MINERALS

14. I hereby certify that the foregoing is true and correct.  
Signed Dahn F. Caldwell Title Office Administrator II Date 3/23/06

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**CONFIDENTIAL**

ENTITY ACTION FORM - FORM 6

OPERATOR: QEP Uinta Basin, Inc.  
ADDRESS: 11002 East 17500 South  
Vernal, Utah 84078-8526

OPERATOR ACCT. No. N-2460

(435)781-4300

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
	99999	see below	43-047-37300	WRU EI# 11 B-ML 35 8 22	NESW	35	8S	22E	Uintah	3/17/06	3/30/06
WELL 1 COMMENTS: WSMVD = WSTC = 12528. = MVRD = 15282										CONFIDENTIAL K	
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

*John F Caldwell*

Signature

Office Administrator II

Title

3/23/06

Date

Phone No. (435)781-4342

**CONFIDENTIAL**

RECEIVED

MAR 27 2006

**Division of Oil, Gas and Mining**  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

1/1/2007

<b>FROM: (Old Operator):</b> N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO: (New Operator):</b> N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	---

CA No.		Unit:			WHITE RIVER UNIT			
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WHITE RIVER UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WHITE RIVER 31-4	WR 31-4	SWSE	04	080S	220E	4304715090	4915	Federal	WS	A
WRU 15-35-8-22	WRU EIH 15-35-8-22	SWSE	35	080S	220E	4304733061	12528	Federal	GW	P
E IRON HORSE 12W-35-8-22	WRU EIH 12W-35-8-22	NWSW	35	080S	220E	4304733393	12528	Federal	GW	P
WRU 13W-3-8-22	WR 13W-3-8-22	SWSW	03	080S	220E	4304733651	13544	Federal	GW	P
GB 6W-9-8-22	OU GB 6W-9-8-22	SENW	09	080S	220E	4304734010	13545	Federal	GW	P
E IRON HORSE 4W-35-8-22	WRU EIH 4W-35-8-22	NWNW	35	080S	220E	4304734042	12528	Federal	GW	P
E IRON HORSE 3W-35-8-22		NENW	35	080S	220E	4304734044	12528	Federal	GW	P
GB 4W-9-8-22	WRU GB 4WRG-9-8-22	NWNW	09	080S	220E	4304734208	4915	Federal	GW	DRL
WRU 13WX-35-8-22	WRU EIH 13WX-35-8-22	SWSW	35	080S	220E	4304734210	12528	Federal	GW	P
WRU EIH 5W-35-8-22	WRU EIH 5W-35-8-22	SWNW	35	080S	220E	4304734572	12528	Federal	GW	P
OU GB 14W-9-8-22	OU GB 14W-9-8-22	SESW	09	080S	220E	4304734649	13545	Federal	GW	P
WRU GB 9MU-9-8-22	WRU GB 9MU-9-8-22	NESE	09	080S	220E	4304734650	13545	Federal	GW	P
OU GB 10W-9-8-22	OU GB 10W-9-8-22	NWSE	09	080S	220E	4304734651	13545	Federal	GW	P
OU GB 12W-9-8-22	OU GB 12W-9-8-22	NWSW	09	080S	220E	4304734652	13712	Federal	GW	S
OU GB 15W-9-8-22	OU GB 15W-9-8-22	SWSE	09	080S	220E	4304734678	13545	Federal	GW	P
OU GB 16W-9-8-22	OU GB 16W-9-8-22	SESE	09	080S	220E	4304734679	13545	Federal	GW	P
WRU EIH 6W-35-8-22	WRU EIH 6W-35-8-22	SENW	35	080S	220E	4304734684	12528	Federal	GW	P
GB 11ML-10-8-22	GB 11ML-10-8-22	NESW	10	080S	220E	4304734691	14818	Federal	GW	P
WRU EIH 11W-35-8-22	WRU EIH 11W-35-8-22	NESW	35	080S	220E	4304734708	12528	Federal	GW	P
WRU GB 5M-9-8-22	WRU GB 5M-9-8-22	SWNW	09	080S	220E	4304734753	13545	Federal	GW	P
OU GB 12W-4-8-22	OU GB 12W-4-8-22	NWSW	04	080S	220E	4304734762	13718	Federal	GW	P
OU GB 12M-10-8-22	OU GB 12M-10-8-22	NWSW	10	080S	220E	4304734769	13864	Federal	GW	P
WRU EIH 14W-26-8-22	WRU EIH 14W-26-8-22	SESW	26	080S	220E	4304734835	12528	Federal	GW	S
WRU EIH 11MU-26-8-22	WRU EIH 11MU-26-8-22	NESW	26	080S	220E	4304734836	12528	Federal	GW	P
WRU EIH 10W-35-8-22	WRU EIH 10W-35-8-22	NWSE	35	080S	220E	4304735046	12528	Federal	GW	P
WRU EIH 9MU-26-8-22	WRU EIH 9MU-26-8-22	NESE	26	080S	220E	4304735047	14003	Federal	GW	P
WRU EIH 15MU-26-8-22	WRU EIH 15MU-26-8-22	SWSE	26	080S	220E	4304735048	12528	Federal	GW	P
WRU EIH 1MU-35-8-22	WRU EIH 1MU-35-8-22	NENE	35	080S	220E	4304735049	12528	Federal	GW	P
WRU EIH 9M-35-8-22	WRU EIH 9M-35-8-22	NESE	35	080S	220E	4304735050	12528	Federal	GW	P
WRU EIH 7MU-35-8-22	WRU EIH 7MU-35-8-22	SWNE	35	080S	220E	4304735051	12528	Federal	GW	P
WRU EIH 1MU-26-8-22	WRU EIH 1MU-26-8-22	NENE	26	080S	220E	4304735118	12528	Federal	GW	P
WRU EIH 7MU-26-8-22	WRU EIH 7MU-26-8-22	SENE	26	080S	220E	4304735119	12528	Federal	GW	P
WRU EIH 10MU-26-8-22	WRU EIH 10MU-26-8-22	NWSE	26	080S	220E	4304735120	12528	Federal	GW	P
WRU EIH 15MU-35-8-22	WRU EIH 15MU-35-8-22	SWSE	35	080S	220E	4304735121	12528	Federal	GW	P
WRU EIH 10ML-23-8-22	WRU EIH 10ML-23-8-22	NWSE	23	080S	220E	4304735187	12528	Federal	GW	P
SG 12MU-23-8-22	SG 12MU-23-8-22	NWSW	23	080S	220E	4304735188	12528	Federal	GW	P
WRU EIH 9ML-23-8-22	WRU EIH 9ML-23-8-22	NESE	23	080S	220E	4304735189	12528	Federal	GW	P
WRU EIH 16MU-26-8-22	WRU EIH 16MU-26-8-22	SESE	26	080S	220E	4304735191	12528	Federal	GW	P
WRU EIH 2MU-26-8-22	WRU EIH 2MU-26-8-22	NWNE	26	080S	220E	4304735192	12528	Federal	GW	P
WRU EIH 8MU-26-8-22	WRU EIH 8MU-26-8-22	SENE	26	080S	220E	4304735193	12528	Federal	GW	P
WRU EIH 16MU-35-8-22	WRU EIH 16MU-35-8-22	SESE	35	080S	220E	4304735194	12528	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
WHITE RIVER UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WRU EIH 8MU-35-8-22	WRU EIH 8MU-35-8-22	SENE	35	080S	220E	4304735195	12528	Federal	GW	P
WRU EIH 13MU-25-8-22	WRU EIH 13MU-25-8-22	SWSW	25	080S	220E	4304735329	12528	Federal	GW	P
WRU EIH 15ML-23-8-22	WRU EIH 15ML-23-8-22	SWSE	23	080S	220E	4304735387	12528	Federal	GW	P
WRU EIH 4MU-25-8-22	WRU EIH 4MU-25-8-22	NWNW	25	080S	220E	4304735388	12528	Federal	GW	P
WRU EIH 3MU-25-8-22	EIH 3MU-25-8-22	NENW	25	080S	220E	4304735389	12528	Federal	GW	P
WRU EIH 12ML-24-8-22	WRU EIH 12ML-24-8-22	NWSW	24	080S	220E	4304735425	12528	Federal	GW	P
WRU EIH 14ML-24-8-22	WRU EIH 14ML-24-8-22	SESW	24	080S	220E	4304735426	12528	Federal	GW	P
WRU EIH 6MU-25-8-22	WRU EIH 6MU-25-8-22	SENW	25	080S	220E	4304735431	12528	Federal	GW	P
WRU EIH 5MU-25-8-22	WRU EIH 5MU-25-8-22	SWNW	25	080S	220E	4304735432	12528	Federal	GW	P
WRU EIH 12MU-25-8-22	WRU EIH 12MU-25-8-22	NWSW	25	080S	220E	4304735601	12528	Federal	GW	P
WRU EIH 14MU-35-8-22	WRU EIH 14MU-35-8-22	SESW	35	080S	220E	4304735667	12528	Federal	GW	P
WRU EIH 13ML-24-8-22	WRU EIH 13ML-24-8-22	SESW	24	080S	220E	4304735793	12528	Federal	GW	P
WRU EIH 16ML-23-8-22	WRU EIH 16ML-23-8-22	SWSE	23	080S	220E	4304735804	12528	Federal	GW	P
WRU EIH 11ML-24-8-22	WRU EIH 11ML-24-8-22	NWSW	24	080S	220E	4304735805	12528	Federal	GW	P
WRU EIH 6B-ML-35-8-22	WRU EIH 6B-ML-35-8-22	SWNW	35	080S	220E	4304737299	12528	Federal	GW	P
WRU EIH 6B-ML-35-8-20	WRU EIH 6B-ML-35-8-21	SWNW	35	080S	220E	4304737299	15281 12528	Federal	GW	S
WRU EIH 11BML-35-8-22	WRU EIH 11BML-35-8-22	NESW	35	080S	220E	4304737300	12528	Federal	GW	P
WRU EIH 3D-ML-35-8-22	WRU EIH 3D-ML-35-8-22	SENW	35	080S	220E	4304737465	12528	Federal	GW	P
WRU EIH 7D-ML-35-8-22	WRU EIH 7D-ML-35-8-22	SWNE	35	080S	220E	4304737466	12528	Federal	GW	P
WRU EIH 4AML-25-8-22	WRU EIH 4AD-25-8-22	NWNW	25	080S	220E	4304738636		Federal	GW	APD
WRU EIH 7AML-26-8-22	WRU EIH 7AD-26-8-22	SWNE	26	080S	220E	4304738637		Federal	GW	APD
WRU EIH 8DML-26-8-22	WRU EIH 8DML-26-8-22	SENE	26	080S	220E	4304738638		Federal	GW	APD
WRU EIH 9DML-26-8-22	WRU EIH 9DML-26-8-22	NESE	26	080S	220E	4304738639		Federal	GW	APD
WRU EIH 6DML-35-8-22	WRU EIH 6DD-35-8-22	SENW	35	080S	220E	4304738640		Federal	GW	APD
WRU EIH 7AD-35-8-22	WRU EIH 7AD-35-8-22	SWNE	35	080S	220E	4304738641		Federal	GW	APD
WRU EIH 13AML-35-8-22	WRU EIH 14BD-35-8-22	SWSW	35	080S	220E	4304738642		Federal	GW	APD
WRU EIH 2AML-35-8-22	WRU EIH 2AML-35-8-22	NWNE	35	080S	220E	4304738643		Federal	GW	APD
WRU EIH 3AD-35-8-22	WRU EIH 3AD-35-8-22	NENW	35	080S	220E	4304738644		Federal	GW	APD
WRU EIH 10AML-26-8-22	WRU EIH 10AML-26-8-22	NWSE	26	080S	220E	4304738647		Federal	GW	APD
WRU EIH 14AML-26-8-22	WRU EIH 14AML-26-8-22	SESW	26	080S	220E	4304738648		Federal	GW	APD
WRU EIH 9CML-26-8-22	WRU EIH 9CD-26-8-22	NESE	26	080S	220E	4304738649		Federal	GW	APD
WRU EIH 6BML-25-8-22	WRU EIH 6BML-25-8-22	SENW	25	080S	220E	4304738650		Federal	GW	APD
WRU EIH 15AG-35-8-22	WRU EIH 15AG-35-8-22	SWSE	35	080S	220E	4304738772		Federal	OW	APD
WRU EIH 15AML-35-8-22	WRU EIH 15AD-35-8-22	SWSE	35	080S	220E	4304738773		Federal	GW	APD

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**


Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
Federal Bond Number: 965002976 (BLM Reference No. ESB000024)  
Utah State Bond Number: 965003033  
Fee Land Bond Number: 965003033

  
 Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

  
 Jay B. Neese, Executive Vice President  
 Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

**RECEIVED**  
APR 19 2007

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3. ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

**RECEIVED**  
**APR 19 2007**  
DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: White River Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the White River Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the White River Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the White River Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

### Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - White River Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

**CONFIDENTIAL**  
SUBMIT IN DUPLICATE  
(Other instructions on reverse side).

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.  
**UTU-01089**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**N/A**

7. UNIT AGREEMENT NAME  
**WHITE RIVER UNIT**

8. FARM OR LEASE NAME

9. WELL NO.  
**WRU EIH 11BML 35 8 22**

10. FIELD AND POOL, OR WILDCAT  
**WHITE RIVER**

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA  
**SEC 35-T8S-R22E**

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG \***

1a. TYPE OF WELL  
 OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_

b. TYPE OF COMPLETION  
 NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR  Other \_\_\_\_\_

2. NAME OF OPERATOR  
**QEP UINTA BASIN, INC.**

3. ADDRESS OF OPERATOR  
**1571 E. 1700 S. - VERNAL, UT 84078**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
 At surface **NESW, 2615' FSL, 1360' FWL, SEC 35-T8S-R22E**  
 At top rod. interval reported below **NESW, 2615' FSL, 1360' FWL, SEC 35-T8S-R22E**  
 At total depth **NESW, 2615' FSL, 1360' FWL, SEC 35-T8S-R22E**

14. PERMIT NO. **43-047-37300** DATE ISSUED \_\_\_\_\_  
 12. COUNTY OR PARISH **UINTAH** 13. STATE **UT**

15. DATE SPUNDED **3/17/06** 16. DATE T.D. REACHED **5/8/06** 17. DATE COMPL. (Ready to prod.) **6/24/06**  
 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\* **KB** 19. ELEV. CASINGHEAD \_\_\_\_\_

20. TOTAL DEPTH, MD & TVD **10313'** 21. PLUG BACK T.D., MD & TVD **10221' (6-15-06)** 22. IF MULTIPLE COMPL., HOW MANY\* \_\_\_\_\_  
 23. INTERVALS DRILLED BY \_\_\_\_\_ ROTARY TOOLS \_\_\_\_\_ CABLE TOOLS \_\_\_\_\_

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
**SEE ATTACHMENT PG 1**

25. WAS DIRECTIONAL SURVEY MADE  
**NO**

26. TYPE ELECTRIC AND OTHER LOGS RUN  
**DENSITY POROSITY/GR & CBL/GR**

27. WAS WELL CORED  
**NO**

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB/FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	784'	12-1/4"	350 SXS	
4-1/2"	11.6#	10,308'	7-7/8"	2096 SXS	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	9735'	

30. TUBING RECORD

SIZE	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
		<b>SEE ATTACHMENT PG 1</b>

31. PERFORATION RECORD (Interval, size and number)  
**SEE ATTACHMENT PG 1**

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.  
 DEPTH INTERVAL (MD) \_\_\_\_\_ AMOUNT AND KIND OF MATERIAL USED \_\_\_\_\_  
**SEE ATTACHMENT PG 1** **SEE ATTACHMENT PG 1**

33.\* PRODUCTION

DATE FIRST PRODUCTION **6/24/06** PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) **FLOWING** WELL STATUS (Producing or shut-in) **PRODUCING**

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
<b>6/27/06</b>	<b>24</b>	<b>20</b>	<b>→</b>	<b>53</b>	<b>997</b>	<b>145</b>	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)  
**SOLD**

35. LIST OF ATTACHMENTS  
**WELBORE & PERFORATION DETAIL - ATTACHMENT PAGE ONE**

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED **JIM SIMONTON** TITLE **COMPLETION SUPERVISOR** DATE **1/26/07**

DIV. OF OIL, GAS & MINING

**RECEIVED**  
**MAR 05 2007**

(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries);

38. GEOLOGIC MARKERS  
WRU EIH 11 BML 35 8 22

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
GREEN RIVER	2275'			GREEN RIVER	2275'	
WASATCH	5250'			WASATCH	5250'	
MESA VERDE	7700'			MESA VERDE	7700'	
SEGO	10125'			SEGO	10125'	
TD	10313'			TD	10313'	

CONFIDENTIAL


**WRU EIH 11BML 35 8 22 – ATTACHMENT PAGE ONE**  
**PERFORATION DETAIL:**

<u>Open Perfs</u>	<u>Stimulation</u>	<u>Perf Status</u>
5666' – 5670' } 5761' – 5765' } 5883' – 5891' }	Frac w/ 95,040 Lbs in 37,758 Gals	Open - Wasatch Open - Wasatch Open - Wasatch
6197' – 6205' } 6330' – 6332' } 6557' – 6563' }	Frac w/ 83,550 Lbs in 34,356 Gals	Open - Wasatch Open - Wasatch Open - Wasatch
7583' – 7593' } 7792' – 7796' } 7860' – 7862' }	Frac w/ 86,000 Lbs in 36,918 Gals	Open - Mesa Verde Open - Mesa Verde Open - Mesa Verde
8188' – 8196' } 8456' – 8464' }	Frac w/ 48,800 Lbs in 30,618 Gals	Open - Mesa Verde Open - Mesa Verde
9065' – 9067' } 9114' – 9120' } 9267' – 9269' } 9414' – 9420' }	Frac w/ 100,000 Lbs in 59,094 Gals	Open - LMV Open - LMV Open - LMV Open - LMV
9782' – 9784' } 9959' – 9961' } 10008' – 10012' } 10032' – 10036' } 10083' – 10087' }	Frac w/ 77,500 Lbs in 49,896 Gals	Open - LMV Open - LMV Open - LMV Open - LMV Open - Sego

**CONFIDENTIAL**

<b>FIELD:</b> White River	GL: 4,904' KBE: 4,916'	Spud Date 3-19-06 Date of last work 6-28-06
<b>Well:</b> WRUEIH 11BML-35-8-22	TD: 10,313' PBD: 10,265'	Current Well Status: Flowing gas well
Location - surface: 2516' FSL, 1360' FWL, NESW Sec. 35, T8S, R22E	<b>Reason for Pull/Workover:</b> Initial completion	
Location - bottom hole: Same		
API#: 43-047 37300	Utah County, Utah	

**Wellbore Schematic**



**Deviation:** Max - 4\*

**Tubing Landing Detail:**

Description	Size	Footage	Depth
KB		12.00	12.00
Hanger		0.41	12.41
285' jts.	2-3/8"	8,982.71	8,995.12
F-nipple w/1.81" ID	2-3/8"	1.81	8,996.93
1 jt.	2-3/8"	30.54	9,027.47
PO sub & mill		1.70	9,029.17
<b>EOT @</b>			<b>9,029.17</b>

**Tubing Information:**  
 Condition: \_\_\_\_\_  
 New:  Used: \_\_\_\_\_ Rerun: \_\_\_\_\_  
 Grade: N-80  
 Weight (#/ft): 4.7#

**Wellhead Data** Example: 7-1/16" 3000#  
 4-1/16" 10K  
 \_\_\_\_\_  
 \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Hanger: Yes  No \_\_\_\_\_

**SUMMARY**  
**Sego & Lower Mesa Verde**  
 Zone 1 - Interval 9782' - 10087'. Frac w/77,500# 30/50 Econoprop.  
 Zone 2 - Interval 9065' - 9420'. Frac w/100,000# 30/50 Econoprop.  
**Mesa Verde**  
 Zone 3 - Interval 8188' - 8464'. Frac w/48,800# 30/50 Econoprop.  
 Zone 4 - Interval 7583' - 7862'. Frac w/86,000# 20/40 white.  
**Wasatch**  
 Zone 5 - Interval 6197' - 6563'. Frac w/83,550# 20/40 white.  
 Zone 6 - Interval 5666' - 5891'. Frac w/95,040# 20/40 white.

**Note:** Tubing perforated @ 9015'. Mill & PO sub are intact at EOT.

**CONFIDENTIAL**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**CONFIDENTIAL**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Gas  
 Well  Well  Other

2. Name of Operator  
**QUESTAR EXPLORATION & PRODUCTION CO.**

3. Address and Telephone No. **Contact: dahn.caldwell@questar.com**  
**1571 E. 1700 S. Vernal, UT 84078** **435.781.4342 Fax 435.781.4357**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**NESW, SEC 35-T8S-R22E, 2615' FSL, 1360' FWL**

5. Lease Designation and Serial No.  
**UTU-01089**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**WHITE RIVER UNIT**

8. Well Name and No.  
**WRU EIH 11 BML 35 8 22**

9. API Well No.  
**43-047-37300**

10. Field and Pool, or Exploratory Area  
**WHITE RIVER**

11. County or Parish, State  
**UINTAH, UT**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Work Over</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**This Work Over was to clean out, raise tbg & possibly install a rod. It was completed between 2/16/07 - 2/22/07.**

- 2/20/07, Removed hanger. 1 jt tbg. LD bottom 4 jts tbg due to scale on ID. Removed bumper spring ( stuck in scale & composite BP parts). Also had scale on OD @ 8400' - 8500' & 9200' - 9500'.
- RIH w/NC, 1 jt 2-3/8" tbg, 1.81" F-nipple & 258 jts 2-3/8" tbg. Land on hanger @ 8198'.
- ND BOP & NUWH. RU flow manifold.
- Swab
- 02/22/07, Well still flowing. RDMO Gudac Bros Well Service. Tubing Tail @ 8199'.

RECEIVED  
JUN 28 2007

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct  
 Signed Jim Simonton Title Completion Supervisor Date 5/16/07

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title **CONFIDENTIAL** Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

UTO8726P32  
**FIELD:** White River      GL: 4,904' KBE: 4,916'      Spud Date 3-19-06 Date of last wor 2-23-07  
**Well:** WRUEIH 11BML-35-8-22      TD: 10,313' PBDT: 10,265'      Current Well Status: SI gas well  
Location - surface: 2516' FSL, 1360' FWL, NESW Sec. 35, T8S, R22E      Reason for Pull/Workove Raise tbg.  
Location - bottom hole: Same  
API#:43-04737300      Uintah County, Utah  
**Deviation:** Max - 4\*

**Wellbore Schematic**

**Surface casing**  
Size: 9-5/8"  
Weight: 36#  
Grade: J-55  
Set @ 784'  
Cmtd w/ 350 sks  
Hole size: 12-1/4"

EXCLUDED PERES

TOC @ 1060'

OPEN PERES

**Wasatch**  
5666' - 5670' w/3 jpf  
5761' - 5765' w/3 jpf

**F nipple @ 8,166**  
**EOT @ 8,198**  
5883' - 5891' w/3 jpf

6197' - 6205' w/3 jpf  
6330' - 6332' w/3 jpf  
6557' - 6563' w/3 jpf

**Mesa Verde**  
7583' - 7593' w/3 jpf

7792' - 7796' w/3 jpf  
7860' - 7862' w/3 jpf  
8188' - 8196' w/3 jpf  
**F-NIPPLE @ 8167**  
**EOT @ 8198**

8456' - 8464' w/3 jpf

**Lower Mesa Verde**  
9065' - 9067' w/3 jpf  
9114' - 9120' w/3 jpf  
9267' - 9269' w/3 jpf  
9414' - 9420' w/3 jpf

9782' - 9784' w/3 jpf  
9959' - 9961' w/3 jpf  
10008' - 10012' w/3 jpf  
10032' - 10036' w/3 jpf

**Sego**  
10083' - 10087' w/3 jpf

**Production Casing**  
Size: 4-1/2"  
Weight: 11.6#  
Grade: M-80 & P-110  
Set @ 10308'  
Cmtd w/ 2096 sks  
Hole size: 7-7/8"

PBDT @ 10265'

TD @ 10313'

**Tubing Landing Detail:**

Description	Size	Footage	Depth
KB		12.00	12.00
Hanger		0.85	12.85
Compression		0.00	12.85
258 2 3/8" jts N-80	2-3/8"	8,152.75	8,165.60
F Nipple w/1.81" ID	2-3/8"	0.91	8,166.51
1 2 3/8" jts N-80	2-3/8"	31.60	8,198.11
NC		0.35	8,198.46
<b>EOT @</b>			<b>8,198.46</b>

**Tubing Information:**

Condition:  
New: \_\_\_\_\_ Used: \_\_\_\_\_ Rerun: **XXXXX**  
Grade: N-80  
Weight (#/ft): 4.7#

**Wellhead Data** Example: 7-1/16" 3000#  
4-1/16" 10K

Other:  
Hanger: Yes  No

**SUMMARY**

**Sego & Lower Mesa Verde**  
Zone 1 - Interval 9782' - 10087'. Frac w/77,500# 30/50 Econoprop.  
Zone 2 - Interval 9065' - 9420'. Frac w/100,000# 30/50 Econoprop.  
**Mesa Verde**  
Zone 3 - Interval 8188' - 8464'. Frac w/48,800# 30/50 Econoprop.  
Zone 4 - Interval 7583' - 7862'. Frac w/86,000# 20/40 white.  
**Wasatch**  
Zone 5 - Interval 6197' - 6563'. Frac w/83,550# 20/40 white.  
Zone 6 - Interval 5666' - 5891'. Frac w/95,040# 20/40 white.

2-16-07 MIRU Gudac Bros. POOH w/ tbg. LD bottom 4 jts tbg due to scale on  
Remove bumper spring in f-nipple, stuck in scale & comp. BP parts. Also had sc  
on OD @ 8400'-8500' & 9200'-9500'. RIH w/ NC, 1 jt tbg, 1.81" f-nipple & 258  
2 3/8" tbg. Land on hanger. Made 5 swab runs & well kicked off. Turn over  
to production.

**CONFIDENTIAL**

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

**ROUTING**  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM: (Old Operator):</b> N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO: ( New Operator):</b> N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

**CA No. Unit: WHITE RIVER**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- 4a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- 5a. (R649-9-2) Waste Management Plan has been received on: Requested
- 5b. Inspections of LA PA state/fee well sites complete on: n/a
- 5c. Reports current for Production/Disposition & Sundries on: ok
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
7. **Federal and Indian Units:**  
 The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
8. **Federal and Indian Communization Agreements ("CA"):**  
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9. **Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 6/30/2010
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
3. Bond information entered in RBDMS on: 6/30/2010
4. Fee/State wells attached to bond in RBDMS on: 6/30/2010
5. Injection Projects to new operator in RBDMS on: 6/30/2010
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024
2. Indian well(s) covered by Bond Number: 965010693
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- 3b. The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		8. WELL NAME and NUMBER: See attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 Denver STATE CO ZIP 80265		9. API NUMBER: Attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		10. FIELD AND POOL, OR WILDCAT: See attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: Attached
		STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion: _____			

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*

Utah State Bond Number: ~~965003033~~

Fee Land Bond Number: ~~965003033~~ } *965010695*

BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

RECEIVED  
JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED 6/13/2009  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**WHITE RIVER**  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WR 16-9	09	080S	220E	4304715081	4915	Federal	OW	S	
WRU EIH 15-35-8-22	35	080S	220E	4304733061	12528	Federal	GW	P	
WRU EIH 12W-35-8-22	35	080S	220E	4304733393	12528	Federal	GW	P	
WR 13W-3-8-22	03	080S	220E	4304733651	13544	Federal	GW	P	
OU GB 6W-9-8-22	09	080S	220E	4304734010	13545	Federal	GW	P	
WRU EIH 4W-35-8-22	35	080S	220E	4304734042	12528	Federal	GW	P	
WRU EIH 3W-35-8-22	35	080S	220E	4304734044	12528	Federal	GW	P	
WRU GB 4WRG-9-8-22	09	080S	220E	4304734208	4915	Federal	OW	P	
WRU EIH 13WX-35-8-22	35	080S	220E	4304734210	12528 13456	Federal	GW	P	
WRU EIH 5W-35-8-22	35	080S	220E	4304734572	12528	Federal	GW	P	
OU GB 14W-9-8-22	09	080S	220E	4304734649	13545	Federal	GW	P	
WRU GB 9MU-9-8-22	09	080S	220E	4304734650	13545	Federal	GW	P	
OU GB 10W-9-8-22	09	080S	220E	4304734651	13545	Federal	GW	P	
OU GB 15W-9-8-22	09	080S	220E	4304734678	13545	Federal	GW	P	
OU GB 16W-9-8-22	09	080S	220E	4304734679	13545	Federal	GW	P	
WRU EIH 6W-35-8-22	35	080S	220E	4304734684	12528 16723	Federal	GW	P	
GB 11ML-10-8-22	10	080S	220E	4304734691	14818	Federal	GW	P	
WRU EIH 11W-35-8-22	35	080S	220E	4304734708	12528	Federal	GW	P	
WRU GB 5M-9-8-22	09	080S	220E	4304734753	13545 14447	Federal	GW	S	
OU GB 12W-4-8-22	04	080S	220E	4304734762	13718	Federal	GW	P	
OU GB 12M-10-8-22	10	080S	220E	4304734769	13545	Federal	GW	P	
WRU EIH 14W-26-8-22	26	080S	220E	4304734835	12528	Federal	GW	TA	
WRU EIH 11MU-26-8-22	26	080S	220E	4304734836	12528 13713	Federal	GW	P	
WRU EIH 10W-35-8-22	35	080S	220E	4304735046	12528 15700	Federal	GW	P	
WRU EIH 9MU-26-8-22	26	080S	220E	4304735047	12528 14003	Federal	GW	P	
WRU EIH 15MU-26-8-22	26	080S	220E	4304735048	12528	Federal	GW	P	
WRU EIH 1MU-35-8-22	35	080S	220E	4304735049	12528	Federal	GW	P	
WRU EIH 9M-35-8-22	35	080S	220E	4304735050	12528 14005	Federal	GW	P	
WRU EIH 7MU-35-8-22	35	080S	220E	4304735051	12528 14106	Federal	GW	P	
WRU EIH 1MU-26-8-22	26	080S	220E	4304735118	12528 14349	Federal	GW	P	
WRU EIH 7MU-26-8-22	26	080S	220E	4304735119	12528 14102	Federal	GW	P	
WRU EIH 10MU-26-8-22	26	080S	220E	4304735120	12528 14107	Federal	GW	P	
WRU EIH 15MU-35-8-22	35	080S	220E	4304735121	12528 14197	Federal	GW	P	
WRU EIH 10ML-23-8-22	23	080S	220E	4304735187	12528 14503	Federal	GW	P	
WRU EIH 9ML-23-8-22	23	080S	220E	4304735189	12528 14504	Federal	GW	S	

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
 WHITE RIVER  
 effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
WRU EIH 16MU-26-8-22	26	080S	220E	4304735191	12528	Federal	GW	P	
					14351				
WRU EIH 2MU-26-8-22	26	080S	220E	4304735192	12528	Federal	GW	P	
					14104				
WRU EIH 8MU-26-8-22	26	080S	220E	4304735193	12528	Federal	GW	P	
					14234				
WRU EIH 16MU-35-8-22	35	080S	220E	4304735194	12528	Federal	GW	P	
					14198				
WRU EIH 8MU-35-8-22	35	080S	220E	4304735195	12528	Federal	GW	P	
					17329				
WRU EIH 13MU-25-8-22	25	080S	220E	4304735329	12528	Federal	GW	P	
					14168				
WRU EIH 15ML-23-8-22	23	080S	220E	4304735387	12528	Federal	GW	S	
					14681				
WRU EIH 4MU-25-8-22	25	080S	220E	4304735388	12528	Federal	GW	P	
					14339				
WRU EIH 3MU-25-8-22	25	080S	220E	4304735389	12528	Federal	GW	P	
					14341				
WRU EIH 12ML-24-8-22	24	080S	220E	4304735425	12528	Federal	GW	P	
					14536				
WRU EIH 14ML-24-8-22	24	080S	220E	4304735426	12528	Federal	GW	P	
					14646				
WRU EIH 6MU-25-8-22	25	080S	220E	4304735431	12528	Federal	GW	P	
					14379				
WRU EIH 5MU-25-8-22	25	080S	220E	4304735432	12528	Federal	GW	P	
					14240				
WRU EIH 12MU-25-8-22	25	080S	220E	4304735601	12528	Federal	GW	P	
					14214				
WRU EIH 14MU-35-8-22	35	080S	220E	4304735667	12528	Federal	GW	P	
					14615				
WRU EIH 13ML-24-8-22	24	080S	220E	4304735793	12528	Federal	GW	S	
					14644				
WRU EIH 16ML-23-8-22	23	080S	220E	4304735804	12528	Federal	GW	P	
					14683				
WRU EIH 11ML-24-8-22	24	080S	220E	4304735805	12528	Federal	GW	P	
					14540				
WRU EIH 6B-ML-35-8-22	35	080S	220E	4304737299	12528	Federal	GW	P	
					15281				
WRU EIH 11BML-35-8-22	35	080S	220E	4304737300	12528	Federal	GW	P	
					15282				
WRU EIH 3D-ML-35-8-22	35	080S	220E	4304737465	12528	Federal	GW	P	
					15552				
WRU EIH 7D-ML-35-8-22	35	080S	220E	4304737466	12528	Federal	GW	P	
					15637				
WRU EIH 4AD-25-8-22	25	080S	220E	4304738636	12528	Federal	GW	P	
					16651				
WRU EIH 7AD-26-8-22	26	080S	220E	4304738637	12528	Federal	GW	P	
					16579				
WRU EIH 6DD-35-8-22	35	080S	220E	4304738640	12528	Federal	GW	P	
					16511				

Bonds: BLM = ESB000024  
 BIA = 956010693  
 State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**WHITE RIVER**  
 effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
WRU EIH 7AD-35-8-22	35	080S	220E	4304738641	16180	Federal	GW	P	
WRU EIH 14BD-35-8-22	35	080S	220E	4304738642	17143	Federal	GW	OPS	C
WRU EIH 9CD-26-8-22	26	080S	220E	4304738649	12528 16446	Federal	GW	P	
GB 1M-4-8-22R (RIGSKID)	04	080S	220E	4304738990	15879	Federal	GW	P	
WRU EIH 6D-5-8-23	05	080S	230E	4304738994	16415	Federal	GW	P	
WRU GB 13G-3-8-22	03	080S	220E	4304739792	4915	Federal	OW	P	
WRU GB 14G-4-8-22	04	080S	220E	4304740097	4915	Federal	OW	P	
GB 3D-4-8-22R(RIGSKID)	04	080S	220E	4304740345	17099	Federal	GW	P	



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

#### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

*Roger L. Bankert*

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV OF OIL, GAS & MINERAL