

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and No.

8. Lease Name and Well No.
BITTER CREEK 1122-3K

9. API Well No.
43-047-38981

10. Field and Pool, or Exploratory
BITTER CREEK

11. Sec., T., R., M., or Blk, and Survey or Area

SEC. 3, T11S, R22E

12. County or Parish
UINTAH

13. State
UTAH

1a. Type of Work: DRILL REENTER

b. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone

2. Name of Operator
KERR MCGEE OIL & GAS ONSHORE LP

3A. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Report location clearly and in accordance with any State requirements.)*
At surface **NESW 1897'FSL, 1626'FWL 633036X 39.887494**
At proposed prod. Zone **4416219Y -109.444092**

14. Distance in miles and direction from nearest town or post office*
38.2 MILES SOUTH EAST OF OURAY, UTAH

17. Spacing Unit dedicated to this well

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)
1626'

16. No. of Acres in lease
701.24

40.00

18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.
REFER TO TOPO C

19. Proposed Depth
8180'

20. BLM/BIA Bond No. on file
BOND NO: WYB000291

21. Elevations (Show whether DF, KDB, RT, GL, etc.)
5653'


22. Approximate date work will start*

23. Estimated duration


24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|--|---|
| <p>1. Well plat certified by a registered surveyor.</p> <p>2. A Drilling Plan.</p> <p>3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office.</p> | <p>4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).</p> <p>5. Operator certification.</p> <p>6. Such other site specific information and/or plans as may be required by the authorized office.</p> |
|--|---|

25. Signature  Name (Printed/Typed) **SHEILA UPCHEGO** Date **1/10/2007**

Title **SENIOR LAND ADMIN SPECIALIST**

Approved by (Signature)  Name (Printed/Typed) **BRADLEY G. HILL** Date **02-21-07**

Title **ENVIRONMENTAL MANAGER**

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

RECEIVED

JAN 16 2007


DIV. OF OIL, GAS & MINING

**Federal Approval of this
Action is Necessary**

T11S, R22E, S.L.B.&M.

Kerr-McGee Oil & Gas Onshore LP

Well location, BITTER CREEK #1122-3K, located as shown in the NE 1/4 SW 1/4 of Section 3, T11S, R22E, S.L.B.&M. Uintah County, Utah.




BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION LOCATED IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE, QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE
 THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.
 ROBERT L. KAY
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 16319
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.
- △ = SECTION CORNERS RE-ESTABLISHED.
(Not Set On Ground)

(NAD 83)
 LATITUDE = 39°53'15.03" (39.887508)
 LONGITUDE = 109°26'41.26" (109.444794)
 (NAD 27)
 LATITUDE = 39°53'15.15" (39.887542)
 LONGITUDE = 109°26'38.81" (109.444114)

SCALE 1" = 1000'	DATE SURVEYED: 5-23-06	DATE DRAWN: 5-30-06
PARTY D.K. J.R. C.H.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE Kerr-McGee Oil & Gas Onshore LP	

**BITTER CREEK 1122-3K
NE/SW SECTION 3, T11S, R22E
UINTAH COUNTY, UTAH
UTU-29797**

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

<u>Formation</u>	<u>Depth</u>
Uinta	0- Surface
Green River	901'
Top of Birds Nest Water	1193'
Mahogany	1679'
Wasatch	3874'
Mesaverde	6187'
MVU2	7141'
MVL1	7711'
TD	8180'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Water	Green River	901'
	Top of Birds Nest Water	1193'
	Mahogany	1679'
Gas	Wasatch	3874'
	Mesaverde	6187'
Gas	MVU2	7141'
Gas	MVL1	7711'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment (Schematic Attached)

Please refer to the attached Drilling Program.

4. Proposed Casing & Cementing Program:

Please refer to the attached Drilling Program.

5. Drilling Fluids Program:

Please refer to the attached Drilling Program.

6. Evaluation Program:

Please refer to the attached Drilling Program.

7. **Abnormal Conditions:**

Maximum anticipated bottomhole pressure calculated at 8180' TD, approximately equals 5072 psi (calculated at 0.62 psi/foot).

Maximum anticipated surface pressure equals approximately 3272 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. **Anticipated Starting Dates:**

Drilling is planned to commence immediately upon approval of this application.

9. **Variations:**

Please refer to the attached Drilling Program.


10. **Other Information:**

Please refer to the attached Drilling Program.



KERR-McGEE OIL & GAS ONSHORE LP DRILLING PROGRAM

COMPANY NAME KERR-McGEE OIL & GAS ONSHORE LP DATE January 10, 2007
 WELL NAME BITTER CREEK 1122-3K TD 8,180' MD/TVD _____
 FIELD Natural Buttes COUNTY Uintah STATE Utah ELEVATION 5,651' GL KB 5,666'
 SURFACE LOCATION NESW SEC. 3, T11S, R22E 1897'FSL, 1626'FWL BHL Straight Hole
 Latitude: 39.887508 Longitude: 109.444794
 OBJECTIVE ZONE(S) Wasatch/Mesaverde
 ADDITIONAL INFO Regulatory Agencies: BLM (SURF & MINERALS), UDOGM, Tri-County Health Dept.





**KERR-McGEE OIL & GAS ONSHORE LP
DRILLING PROGRAM**

CASING PROGRAM

	SIZE	INTERVAL	WT.	GR.	CPLG.	DESIGN FACTORS		
						BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'						
SURFACE	9-5/8"	0 to 1750	32.30	H-40	STC	2270 0.79*****	1370 1.67	254000 5.13
PRODUCTION	4-1/2"	0 to 8180	11.60	I-80	LTC	7780 2.70	6350 1.36	201000 2.43

- 1) Max Anticipated Surf. Press.(MASP) (Surface Casing) = (Pore Pressure at next csg point-(0.22 psi/ft-partial evac gradient x TVD of next csg point))
 2) MASP (Prod Casing) = Pore Pressure at TD - (.22 psi/ft-partial evac gradient x TD)
 (Burst Assumptions: TD = 11.0 ppg) .22 psi/ft = gradient for partially evac wellbore
 (Collapse Assumption: Fully Evacuated Casing, Max MW) (Tension Assumptions: Air Weight of Casing*Buoy.Fact. of water)
 MASP 2879 psi

***** Burst SF is low but csg is much stronger than formation at 2000'. EMW @ 2000' for 2270# is 21.8 ppg or 1.13 psi/ft

CEMENT PROGRAM

		FT. OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
SURFACE	LEAD	500	Premium cmt + 2% CaCl + .25 pps flocele	215	60%	15.60	1.18
Option 1	TOP OUT CMT (1)	200	20 gals sodium silicate + Premium cmt + 2% CaCl + .25 pps flocele	50		15.60	1.18
	TOP OUT CMT (2)	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
SURFACE	Option 2	LEAD	NOTE: If well will circulate water to surface, option 2 will be utilized				
	LEAD	1500	Prem cmt + 16% Gel + 10 pps gilsonite +.25 pps Flocele + 3% salt BWOC	170	35%	11.00	3.82
	TAIL	500	Premium cmt + 2% CaCl + .25 pps flocele	180	35%	15.60	1.18
	TOP OUT CMT	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
PRODUCTION	LEAD	3,370'	Premium Lite II + 3% KCl + 0.25 pps celloflake + 5 pps gilsonite + 10% gel + 0.5% extender	370	60%	11.00	3.38
	TAIL	4,810'	50/50 Poz/G + 10% salt + 2% gel +.1% R-3	1350	60%	14.30	1.31

*Substitute caliper hole volume plus 0% excess for LEAD if accurate caliper is obtained
 *Substitute caliper hole volume plus 10% excess for TAIL if accurate caliper is obtained

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, insert float. Centralize first 3 joints with bow spring centralizers. Thread lock guide shoe.
PRODUCTION	Float shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to top of tail cement with bow spring centralizers.

ADDITIONAL INFORMATION

Test casing head to 750 psi after installing. Test surface casing to 1,500 psi prior to drilling out.

BOPE: 11" 5M with one annular and 2 rams. Test to 5,000 psi (annular to 2,500 psi) prior to drilling out. Record on chart recorder & tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper & lower kelly valves.

Drop Totco surveys every 2000'. Maximum allowable hole angle is 5 degrees.

Most rigs have PVT Systems for mud monitoring. If no PVT is available, visual monitoring will be utilized.


DRILLING ENGINEER: _____
Brad Laney

DATE: _____

DRILLING SUPERINTENDENT: _____
Randy Bayne

DATE: _____

5M BOP STACK and CHOKE MANIFOLD SYSTEM



**BITTER CREEK 1122-3K
NE/SW SECTION 3, T11S, R22E
UINTAH COUNTY, UTAH
UTU-29797**

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

Directions to the proposed location are attached.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

2. Planned Access Roads:

The proposed access road is approximately 0.15 +/- miles of proposed access road. Refer to Topo Map B.

The access road will be crowned (2 to 3%), ditched and constructed with a running surface of 18 feet and a maximum disturbed width of 30 feet. Graveling or capping the roadbed will be performed as necessary to provide a well constructed, safe road. Prior to construction or upgrading, the proposed road shall be cleared of any snow and allowed to dry completely.

Surface disturbance and vehicular traffic will be limited to the proposed location and proposed access route. Any additional area needed will be approved in advance. All construction shall be in conformance with the standards outlined in the BLM and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, 1989.

The road surface and shoulders will be kept in a safe and usable condition and will be maintained in accordance with the original construction standards. All drainage ditches will be kept clear and free-flowing and will be maintained according to original construction standards. The access road surface will be kept free of trash during operations. All traffic will be confined to the approved disturbed surface. Road drainage crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing or shall the drainages be blocked by the road bed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Should mud holes develop, they shall be filled in and detours around them avoided. When snow is removed from the road during the winter months, the snow shall be pushed outside of the borrow ditches, and the turnouts kept clear so that snowmelt will be channeled away from the road.

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. **Location of Existing & Proposed Facilities & Pipelines:**

The following guidelines will apply if the well is productive.

All production facilities will be located on the disturbed portion of the well pad and at a minimum of 25 feet from the toe of the back slope or the top of the fill slope.

A dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks, and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

All permanent (on-site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon (2.5 Y 6/2) as determined during the on-site inspection.

Any necessary pits will be properly fenced to protect livestock and prevent wildlife entry.

Variations to Best Management Practices (BMP) Requests:

Approximately 720' +/- of 4" steel pipeline is proposed. The pipeline will be butt-welded together. The pipeline shall be installed on surface within access corridor for the well location. As a Best Management Practice (BMP), the pipeline would be buried within the access road corridor if possible. The construction of pipelines requires the corridor of 30 feet.

This exception to the BMP should be granted by the BLM Authorized Officer because indurated bedrock, such as sandstone, is at or within 2 feet of the surface and the soil has a poor history for successful rehabilitation.

5. **Location and Type of Water Supply:**

Water for drilling purposes will be obtained from Dalbo Inc.'s underground well located in Ouray, Utah, Sec.32, T4S,R3E, Water User Claim #43-8496, Application #53617.

Water will be hauled to location over the roads marked on Maps A and B.

No water well is to be drilled on this lease.

6. **Source of Construction Materials:**

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

7. **Methods of Handling Waste Materials:**

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated.

The reserve pit will be constructed on the location and will not be located within natural drainage, where a flood hazard exists or surface runoff will destroy or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

A plastic reinforced liner is to be used as discussed during on-site inspection. It will be a minimum of 20 mil thick and felt (**Double Layer**) with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical porta-toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. No trash will be burned on location.

All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig.

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec.35, T9S, R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E. (Request is in lieu of filing Form 3160-5, after initial production).

8. **Ancillary Facilities:**

None are anticipated.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

The operator shall install low profile tanks. As discussed at the on-site inspection.

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched, by using a stretching device, before it is attached to corner posts.

The reserve pit fencing will be on three sides during drilling operations, and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. **Plans for Reclamation of the Surface:**

Producing Location:

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Before any dirt work associated with location restoration takes place, the reserve pit shall be as dry as possible. All debris in it will be removed. Other waste and spoil materials will be disposed of immediately upon completion of operations.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion, weather permitting.

To prevent surface water (s) from standing (ponding) on the reclaimed reserve pit area, final reclamation of the reserve pit will consist of "mounding" the surface three feet above surrounding ground surface to allow the reclaimed pit area to drain effectively.

Upon completion of backfilling, leveling, and recontouring, the stockpiled topsoil will be spread evenly over the reclaimed area(s).

Dry Hole/Abandoned Location:

Abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and re-establishment of vegetation as specified.

All disturbed surfaces will be recontoured to the approximate natural contours, with reclamation of the well pad and access road to be performed as soon as practical after final abandonment. Reseeding operations will be performed after completion of other reclamation operations.

When the pit is backfilled, the topsoil pile shall be spread on the location up to the rig anchor points. The location will be reshaped to the original contour to the extent possible. The following seed mixture will be used to reclaim the surface for interim reclamation using appropriate reclamation methods. A total of 12 lbs/acre will be used if the seeds are drilled (24 lbs/acre if the seeds are broadcast). The per acre requirements for drilled seeds are:

Galleta Grass	20 lbs.
---------------	---------

The operator shall call BLM for the seed mixture when final reclamation occurs.

11. Surface Ownership:

United States of America
Bureau of Land Management
170 South 500 East
Vernal, UT 84078
(435) 781-4400

12. Other Information:

A Class III Archaeological Survey has been performed and completed on July 11, 2006, the Archaeological Report No. 06-267.

The Paleontological Reconnaissance Survey has been performed and completed on August 25, 2006 the Paleontological Reconnaissance Survey Report No. 06-177. These reports are being submitted along with the Application for Permit to Drill (APD).

WILDLIFE STIPULATIONS:

SAGE GROUSE: No construction or drilling March 15th – June 14th.

MEXICAN SPOTTED OWL: No construction or drilling March 1st – August 31st. –The operator will be committed to perform a one year survey for the MSO in the buffer zone. After a one year survey is completed and no findings of the MSO is found, the operator will not commence any construction or drilling activities from March 15th – June 15th.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, the approved Plan of Operations, and any applicable Notice of Lessees. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance. The Operator will control noxious weeds along Rights-Of-Way for roads, pipelines, well sites, or other applicable facilities.

13. **Lessee's or Operators's Representative & Certification:**

Sheila Upchego
Senior Land Admin Specialist
Kerr-McGee Oil & Gas Onshore LP
1368 South 1200 East
Vernal, UT 84078
(435) 781-7024

Randy Bayne
Drilling Manager
Kerr-McGee Oil & Gas Onshore LP
1368 South 1200 East
Vernal, UT 84078
(435)781-7018


Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Kerr-McGee Oil & Gas Onshore LP is considered to be the operator of the subject well. Westport Oil & Gas Company agrees to be responsible under the terms and the conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104 for the lease activities is being provided by BLM Nationwide Bond #WYB000291.

I hereby certify that the proposed drill site and access route has been inspected and that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


Sheila Upchego

January 10, 2007
Date

Kerr-McGee Oil & Gas Onshore LP
BITTER CREEK #1122-3K
SECTION 3, T11S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 11.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 3.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN LEFT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #1122-10C TO THE SOUTHEAST; FOLLOW ROAD FLAGS IN A SOUTHEASTERLY, THEN EASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #1122-3N TO THE NORTH; FOLLOW ROAD FLAGS IN A NORTHERLY DIRECTION APPROXIMATELY 0.35 MILES TO THE PROPOSED #1122-3N AND THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTH; FOLLOW ROAD FLAGS IN A NORTHERLY DIRECTION APPROXIMATELY 0.15 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 57.1 MILES.

Kerr-McGee Oil & Gas Onshore LP

BITTER CREEK #1122-3K

LOCATED IN UTAH COUNTY, UTAH

SECTION 3, T11S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHEASTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: NORTHEASTERLY



- Since 1964 -

UELS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS	05	25	06	PHOTO
	MONTH	DAY	YEAR	
TAKEN BY: J.R.	DRAWN BY: C.P.		REVISED: 00-00-00	



**PROPOSED LOCATION:
BITTER CREEK #1122-3K**

**R
21
E**

**R
22
E**

T10S

T11S

SEE TOPO "B"

LEGEND:

○ PROPOSED LOCATION



Kerr-McGee Oil & Gas Onshore LP


BITTER CREEK #1122-3K
SECTION 3, T11S, R22E, S.L.B.&M.
1897' FSL 1626' FWL

U&Ls Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 05 25 06
 MAP MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: C.P. REVISED: 00-00-00

A
TOPO



LEGEND:

- EXISTING ROAD
- PROPOSED ACCESS ROAD



Kerr-McGee Oil & Gas Onshore LP


BITTER CREEK #1122-3K
SECTION 3, T11S, R22E, S.L.B.&M.
1897' FSL 1626' FWL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC	05	25	06
	MONTH	DAY	YEAR
MAP			
SCALE: 1" = 2000'	DRAWN BY: C.P.	REVISED: 00-00-00	





LEGEND:

- DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED



Kerr-McGee Oil & Gas Onshore LP

BITTER CREEK #1122-3K
SECTION 3, T11S, R22E, S.L.B.&M.
1897' FSL 1626' FWL


U&L S Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 05 25 06
MAP MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00




T11S

R
22
E



APPROXIMATE TOTAL PIPELINE DISTANCE = 720' +/-

LEGEND:

-  PROPOSED ACCESS ROAD
-  EXISTING PIPELINE
-  PROPOSED PIPELINE
-  PROPOSED PIPELINE (SERVICING OTHER WELLS)



Kerr-McGee Oil & Gas Onshore LP

BITTER CREEK #1122-3K
 SECTION 3, T11S, R22E, S.L.B.&M.
 1897' FSL 1626' FWL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP	05	25	06
	MONTH	DAY	YEAR
SCALE: 1" = 1000'	DRAWN BY: C.P.		REVISED: 00-00-00



Kerr-McGee Oil & Gas Onshore LP
BITTER CREEK #1122-3K
 PIPELINE ALIGNMENT
 LOCATED IN UINTAH COUNTY, UTAH
 SECTION 3, T11S, R22E, S.L.B.&M.




PHOTO: VIEW FROM TIE-IN POINT

CAMERA ANGLE: NORTHEASTERLY




PHOTO: VIEW OF PIPELINE ALIGNMENT

CAMERA ANGLE: NORTHWESTERLY




Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 435-789-1017 uels@uelsinc.com

- Since 1964 -

PIPELINE PHOTOS	05	25	06	PHOTO
	MONTH	DAY	YEAR	
TAKEN BY: J.R.	DRAWN BY: C.P.	REVISED: 00-00-00		


Kerr-McGee Oil & Gas Onshore LP

LOCATION LAYOUT FOR
 BITTER CREEK #1122-3K
 SECTION 3, T11S, R22E, S.L.B.&M.
 1897' FSL 1626' FWL



SCALE: 1" = 50'
 DATE: 12-14-06
 Drawn By: C.H.

NOTE:
 Flare Pit is to be located
 a min. of 100' from the
 Well Head.



NOTES:

Elev. Ungraded Ground At Loc. Stake = 5652.6'
 FINISHED GRADE ELEV. AT LOC. STAKE = 5650.5'

FIGURE #1



Kerr-McGee Oil & Gas Onshore LP

FIGURE #2

TYPICAL CROSS SECTIONS FOR BITTER CREEK #1122-3K SECTION 3, T11S, R22E, S.L.B.&M. 1897' FSL 1626' FWL

1" = 20'
X-Section
Scale
1" = 50'

DATE: 12-14-06
Drawn By: C.H.



NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

*** NOTE:**

FILL QUANTITY INCLUDES 5% FOR COMPACTION

APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,800 Cu. Yds.
Remaining Location	= 9,590 Cu. Yds.
TOTAL CUT	= 11,390 CU.YDS.
FILL	= 8,200 CU.YDS.

EXCESS MATERIAL	= 3,190 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 3,190 Cu. Yds.
EXCESS UNBALANCE (After Interim Rehabilitation)	= 0 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 01/16/2007

API NO. ASSIGNED: 43-047-38981

WELL NAME: BITTER CREEK 1122-3K
 OPERATOR: KERR-MCGEE OIL & GAS (N2995)
 CONTACT: SHEILA UPCHEGO

PHONE NUMBER: 435-781-7024

PROPOSED LOCATION:
 NESW 03 110S 220E
 SURFACE: 1897 FSL 1626 FWL
 BOTTOM: 1897 FSL 1626 FWL
 COUNTY: UINTAH
 LATITUDE: 39.88749 LONGITUDE: -109.4441
 UTM SURF EASTINGS: 633036 NORTHINGS: 4416219
 FIELD NAME: BITTER CREEK (547)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
 LEASE NUMBER: UTU-29797
 SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: WSMVD
 COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:


Plat
 Bond: Fed[1] Ind[] Sta[] Fee[]
 (No. WYB000291)
 Potash (Y/N)
 Oil Shale 190-5 (B) or 190-3 or 190-13
 Water Permit
 (No. 43-8496)
 RDCC Review (Y/N)
 (Date: _____)
 Fee Surf Agreement (Y/N)
 Intent to Commingle (Y/N)

LOCATION AND SITING:

___ R649-2-3.
 Unit: _____
 ___ R649-3-2. General
 Siting: 460 From Qtr/Qtr & 920' Between Wells
 R649-3-3. Exception
 Drilling Unit
 Board Cause No: 210-04
 Eff Date: 4-12-2004
 Siting: 460' fr ext w/drg & 920' fr other wells
 ___ R649-3-11. Directional Drill

COMMENTS: _____

STIPULATIONS: 1- Pending Approval



OPERATOR: KERR MCGEE O&G (N2995)

SEC: 3,10 T.11S R. 22E

FIELD: BITTER CREEK (547)

COUNTY: UINTAH


CAUSE: 210-04 / 4-12-2004

Field Status	
	ABANDONED
	ACTIVE
	COMBINED
	INACTIVE
	PROPOSED
	STORAGE
	TERMINATED

Unit Status	
	EXPLORATORY
	GAS STORAGE
	NF PP OIL
	NF SECONDARY
	PENDING
	PI OIL
	PP GAS
	PP GEOTHERML
	PP OIL
	SECONDARY
	TERMINATED

Wells Status

- GAS INJECTION
- GAS STORAGE
- LOCATION ABANDONED
- NEW LOCATION
- PLUGGED & ABANDONED
- PRODUCING GAS
- PRODUCING OIL
- SHUT-IN GAS
- SHUT-IN OIL
- TEMP. ABANDONED
- TEST WELL
- WATER INJECTION
- WATER SUPPLY
- WATER DISPOSAL
- DRILLING



Utah Oil Gas and Mining



PREPARED BY: DIANA MASON
DATE: 19-JANUARY-2007



43-047-38981

Kerr-McGee Oil & Gas OnShore LP
1999 Broadway, Suite 3700, Denver, Colorado 80202
303-296-3600 • Fax 303-296-3601

February 13, 2007

Ms. Diana Mason
Division of Oil, Gas and Mining
P.O. Box 145801
Salt Lake City, UT 84114-6100

RE: Bitter Creek 1122-3K
T11S-R22E
Section 3: NESW
1,897' FSL, 1,626' FWL
Uintah County, Utah

Dear Ms. Mason:

Kerr-McGee Oil & Gas Onshore LP has submitted a permit to drill the captioned well to test the Wasatch and Mesaverde formations. Pursuant to Spacing Order 210-04 the well is located at an exception location to State Rule 649-3-2. The well location is less than 920' from the proposed Bitter Creek 1122-3N well which may produce from the same pool. Both wells are located within the same lease and the proximity between wells does not interfere with the correlative rights of the royalty and working interest owners.

Kerr-McGee requests your approval of this exception location. If you have any questions or require any additional information, please do not hesitate to call me at 720-264-2618.

Sincerely,

W. Chris Latimer, CPL
Senior Landman

cc: Raleen White

RECEIVED

FEB 20 2007

DIV. OF OIL, GAS & MINING



State of Utah

**Department of
Natural Resources**

MICHAEL R. STYLER
Executive Director

**Division of
Oil, Gas & Mining**

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

February 21, 2007

Kerr-McGee Oil & Gas Onshore LP
1368 South 1200 East
Vernal, UT 84078

Re: Bitter Creek 1122-3K Well, 1897' FSL, 1626' FWL, NE SW, Sec. 3,
T. 11 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-38981.

Sincerely,

Gil Hunt
Associate Director

pab
Enclosures

cc: Uintah County Assessor (via e-mail)
Bureau of Land Management, Vernal District Office

Operator: Kerr-McGee Oil & Gas Onshore LP
Well Name & Number Bitter Creek 1122-3K
API Number: 43-047-38981
Lease: UTU-29797

Location: NE SW **Sec.** 3 **T.** 11 South **R.** 22 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BITTER CREEK 1122-3K

9. API Well No.
43-047-38981

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR MCGEE OIL AND GAS ONSHORE, LP

3a. Address
1099 18TH ST, STE 1200, DENVER, CO 80202

3b. Phone No. (include area code)
720-929-6666

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1897' FSL, 1626' FWL
NESW, SECTION 3, T11S, R22E, SLB&M**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other APD EXTENSION
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	DOGM
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION FOR A ONE YEAR EXTENSION FOR THE SUBJECT WELL LOCATION SO THAT THE DRILLING OPERATIONS MAY BE COMPLETED. THE ORIGINAL APD WAS APPROVED BY THE DIVISION OF OIL, GAS AND MINING ON FEBRUARY 21, 2007

Approved by the
**Utah Division of
Oil, Gas and Mining**

COPY SENT TO OPERATOR

Date: 2-21-2008
Initials: KS

Date: 02-20-08
By: [Signature]

RECEIVED
FEB 19 2008
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) RALEEN WHITE	Title SR. REGULATORY ANALYST
Signature <u>Raleen White</u>	Date February 8, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RESET

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-38981
Well Name: BITTER CREEK 1122-3K
Location: 1897' FWL, 1626' FWL, NESW, SEC. 3, T11S, R22E
Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, LP
Date Original Permit Issued: 2/21/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes No

Has the approved source of water for drilling changed? Yes No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

Is bonding still in place, which covers this proposed well? Yes No


Signature

2/8/2008
Date

Title: SR. REGULATORY ANALYST

Representing: KERR-MCGEE OIL & GAS ONSHORE, LP

RECEIVED
FEB 19 2008
DIV. OF OIL, GAS & MINING

RECEIVED
VERNAL FIELD OFFICE

2007 JAN 16 AM 11:31

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. UTU-29797
b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input checked="" type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator KERR MCGEE OIL & GAS ONSHORE LP		7. If Unit or CA Agreement, Name and No.
3A. Address 1368 SOUTH 1200 EAST VERNAL, UT 84078	3b. Phone No. (include area code) (435) 781-7024	8. Lease Name and Well No. BITTER CREEK 1122-3K
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface NESW 1897'FSL, 1626'FWL At proposed prod. Zone		9. API Well No. 43-047-38981
14. Distance in miles and direction from nearest town or post office* 38.2 MILES SOUTH EAST OF OURAY, UTAH		10. Field and Pool, or Exploratory BITTER CREEK
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1626'	16. No. of Acres in lease 701.24	11. Sec., T., R., M., or Blk, and Survey or Area SEC. 3, T11S, R22E
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. REFER TO TOPO C	17. Spacing Unit dedicated to this well 40.00	12. County or Parish UINTAH
19. Proposed Depth 8180'	20. BLM/BIA Bond No. on file BOND NO: WYB000291	13. State UTAH
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5653'	22. Approximate date work will start*	23. Estimated duration

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification. |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized office. |

25. Signature 	Name (Printed/Typed) SHEILA UPCHEGO	Date 1/10/2007
Title SENIOR LAND ADMIN SPECIALIST		
Approved by (Signature) 	Name (Printed/Typed) Terry Keneka	Date 7-2-2008
Title Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

RECEIVED

JUL 09 2008

DIV. OF OIL, GAS & MINING

WDDGM

06 B.M. 8174

WCS 10/15/06

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED



**UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE**

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: EOG Resources Inc.
Well No: Bitter Creek 1122-3K
API No: 43-047-38981

Location: NESW, Sec. 3, T11S, R22E
Lease No: UTU-29797
Agreement: N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
Supervisory NRS:	Karl Wright	(435) 781-4484	(435) 828-7381
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	(435) 828-3544
NRS/Enviro Scientist:	James Hereford	(435) 781-3412	
NRS/Enviro Scientist:	Chuck Macdonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Dan Emmett	(435) 781-3414	
NRS/Enviro Scientist:	Paul Percival	(435) 781-4493	
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	(435) 828-3546
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	(435) 828-4029
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545

Fax: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

SITE SPECIFIC CONDITIONS OF APPROVAL

- Adhere to Executive Order 5327 of April 15, 1930, stipulations for lands in oil shale withdrawal.
- All applicable local, state, and/or federal laws, regulations, and/or statutes will be complied with.
- All traffic related to this action will be restricted to approved routes. Cross-country vehicle travel will not be allowed.
- No vehicle travel, construction or routine maintenance activities shall be performed during periods when the soil is too wet to adequately support vehicles and/or construction equipment. If such equipment creates ruts in excess of four inches deep, the soil shall be deemed too wet to adequately support construction equipment.
- The access roads will be crowned and ditched. Flat-bladed roads are not allowed.
- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.
- All secondary drainages should be rerouted around the location, as needed.
- Low-water crossings will be appropriately constructed to avoid sedimentation of drainage ways and other water resources.
- Pipelines will be buried at all major drainage crossings.
- Prevent fill and stock piles from entering drainages.
- The reserve pit will be lined with a 16 ml or greater liner and doubled felted prior to spudding.
- The liner is to be cut 5 feet below ground surface or at the level of the cuttings, whichever is deeper, and the excess liner material is to be disposed of at an authorized disposal site.
- When the reserve pit contains fluids or toxic substances, the operator must ensure animals do not ingest or become entrapped in pit fluids.
- If paleontologic or cultural materials are uncovered during construction, the operator shall immediately stop work that might further disturb or move such materials and contact the

Authorized Officer (AO) within 48 hours. A determination will be made by the AO as to necessary mitigation for the discovered paleontologic/cultural material.

- If Uinta Basin hookless cactus or other special status plants are found, construction will cease and the AO will be notified to determine the appropriate mitigation.
- The interim seed mix for this location shall be:

Galleta grass	Hilaria jamesii	10lbs./acre
Indian rice grass	Oryzopsis hymenoides	10lbs./acre
Needle & Thread grass	Stipa comata	10lbs./acre

All pounds are in pure live seed.

- Rates are set for drill seeding; double the rate if broadcasting.
 - Reseeding may be required if initial seeding is not successful.
- The operator will be responsible for treatment and control of invasive and noxious weeds following the operator submitted PUP plan provided the BLM before this project construction begins.
 - The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit and posted/marked topsoil. When the reserve pit is closed, it shall be contoured and the topsoil spread, and the area shall be seeded in the same manner as the location topsoil to comply with natural topography.
 - Once the location is plugged and abandoned, it shall be contoured to natural topography, topsoil shall be spread, and the entire location shall be seeded with a seed mix recommended by the AO (preferably of native origin). Seed application will follow all guidelines in the interim seed mix bullet statement above. Seeding guidelines will be provided by the BLM to the operator with prescribed seeding recommendations.
 - The authorized officer may prohibit surface disturbing activities during severe winter conditions to minimize watershed damage. This limitation does not apply to operation and maintenance of producing wells.
 - The authorized officer may prohibit surface disturbing activities during wet or muddy conditions to minimize watershed damage. This limitation does not apply to operation and maintenance of producing wells.
 - All well facilities not regulated by OSHA will be painted Carlsbad Canyon.
 - All boulders with a length or diameter greater than 3 feet, that are found showing at the surface, will be stockpiled for use during final reclamation.
 - The habitat will be protected (no or little development) within 2 miles (3.2 km) of active leks.
 - a. All human disturbances will be minimized within sight or 0.3 mile (0.5 km) of active leks during breeding season during early morning or evening when birds are likely to be found on the leks; and
 - a. Avoid constructing above ground powerlines, or other tall structures within 2 miles of seasonal habitat.

- Well pads will be located out of the line of sight/hearing at the leks by considering topographical or vegetative screening features as well as centralized tank batteries, use of low profile tanks, and pointing exhaust from heater-treater to the north and northeast at proposed locations.
 - a. Proper placement of well locations could reduce the impact out of hearing >10 dBA above natural ambient noise.
- Construction, drilling, completion and workover activities will not be allowed within two miles of active leks from March 1 through June 15.
- Other structures such as fences, poles, utilities, will not be constructed within the two mile buffer of active leks, unless the proposed project is reviewed by BLM and UDWR and a waiver issued for this measure on an approved design.
- Operational activities (trucks driving to well locations, well, road, pipeline surveys, pipeline maintenance etc.) will be minimized March 1 through June 15 one hour prior to sunrise to three hours after sunrise.
- No construction, drilling, completion activities will be allowed from May 15-June 20 to help protect pronghorn kidding in the area.
- Golden eagle nesting a timing restriction from February 1 through July 30 will be applied to the following well locations:

Bitter Creek Well 1121 6K Location NESW Section 6, T 11 S R22 E.
Bitter Creek Well 1121 6E Location SWNW Section 6, T 11 S R22 E.
Bitter Creek Well 1121 6D Location NWNW Section 6, T 11 S R22 E.

- Notify the Authorized Officer 48 hours prior to surface disturbing activities.

**DOWNHOLE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

SITE SPECIFIC DOWNHOLE COAs:

- Production casing cement shall be brought up and into the surface casing. The minimum cement top is 750 ft above the surface casing shoe. Cmmt Top (TOC) standard will place cmnt behind casing across formation lost circulation zone, Birds Nest Zone.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person

making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.



United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, Utah 84078-2799

<http://www.blm.gov/utah/vernal>

Phone: (435) 781-4400

Fax: (435) 781-4410

IN REPLY REFER TO:

3160

UT08300

July 2, 2008

Kerr McGee Oil & Gas Onshore, LP
Attn: Sheila Upchego
1368 South 1200 East
Vernal, UT 84078

43-047-389 81

Re: Application for Permit to Drill
Well No. Bitter Creek 1122-3K
NESW, Sec.3, T11S, R22E
Lease No. UTU-29797
Uintah County, Utah

Dear Ms. Upchego:

Enclosed are two copies of the approved Application for Permit to Drill (APD) with attached Conditions of Approval for the above referenced well.

If you have any questions concerning APD processing, please contact me at (435) 781-4429.

Sincerely,

Johnetta Magee
Legal Instruments Examiner

Enclosure

bcc: well file

reading file

ES

RECEIVED

AUG 05 2008

DIV. OF OIL, GAS & MINING

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: KERR-McGEE OIL & GAS ONSHORE, L.P.

Well Name: BITTER CREEK 1122-3K

Api No: 43-047-38981 Lease Type: FEDERAL

Section 03 Township 11S Range 22E County UINTAH

Drilling Contractor PETE MARTIN DRLG RIG # BUCKET

SPUDDED:

Date 09/23/08

Time 8:00 PM

How DRY

Drilling will Commence: _____

Reported by LEW WELDON

Telephone # (435) 828-7035

Date 09/24/08 Signed CHD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: KERR McGEE OIL & GAS ONSHORE LP Operator Account Number: N 2995
 Address: 1368 SOUTH 1200 EAST
city VERNAL
state UT zip 84078 Phone Number: (435) 781-7024

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304740116	NBU 922-3201T		SWSE	32	9S,	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
<i>B</i>	99999	<i>2900</i>	9/22/2008			<i>9/30/08</i>	
Comments: MIRU PETE MARTIN BUCKET RIG. <i>W57MVD</i> SPUD WELL LOCATION ON 09/22/2008 AT 9:00 AM.							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304739751	BITTER CREEK 1122-3L		NWSW	3	11S	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
<i>A</i>	99999	<i>17109</i>	9/24/2008			<i>9/30/08</i>	
Comments: MIRU PETE MARTIN BUCKET RIG. <i>W57MVD</i> SPUD WELL LOCATION ON 09/24/2008 AT 8:00 AM.							

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304738981	BITTER CREEK 1122-3K		NESW	3	11S	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
<i>A</i>	99999	<i>17110</i>	9/23/2008			<i>9/30/08</i>	
Comments: MIRU PETE MARTIN BUCKET RIG. <i>W57MVD</i> SPUD WELL LOCATION ON 09/23/2008 AT 8:00 PM							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

SHEILA UPCHEGO

Name (Please Print)

Signature
REGULATORY ANALYST

Title

[Signature]
9/25/2008

Date

RECEIVED

SEP 25 2008

(5/2000)

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BITTER CREEK 1122-3K

9. API Well No.
4304738981

10. Field and Pool, or Exploratory Area
UNDESIGNATED

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NE/SW SEC. 3, T11S, R22E 1897'FSL, 1626'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other WELL SPUD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

MIRU PETE MARTIN BUCKET RIG. DRILLED 20" CONDUCTOR HOLE TO 40'. RAN 14" 36.7# SCHEDULE 10 PIPE. CMT W/28 SX READY MIX.

SPUD WELL LOCATION ON 09/23/2008 AT 8:00 AP

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) SHEILA UPCHEGO	Title REGULATORY ANALYST
Signature 	Date September 25, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED
OCT 06 2008
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BITTER CREEK 1122-3K

9. API Well No.
4304738981

10. Field and Pool, or Exploratory Area
UNDESIGNATED

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NE/SW SEC. 3, T11S, R22E 1897'FSL, 1626'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other SET SURFACE
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon CSG
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

MIRU PROPETRO AIR RIG ON 09/24/2008. DRILLED 12 1/4" SURFACE HOLE TO 1850'. RAN 9 5/8" 36# J-55 SURFACE CSG. LEAD CMT W/150 SX HIFILL CLASS G @11.0 PPG 3.82 YIELD. TAILED CMT W/ 200 SX PREM LITE II @15.8 PPG 1.15 YIELD. GOOD RETURNS THROUGH OUT JOB 10 BBL CMT TO PIT RAN 200' OF 1" PIPE. CMT W/100 SX PREM CLASS G @15.8 PPG 1.15 YIELD. DOWN 1" PIPE. GOOD CMT TO SURFACE AND FELL BACK. TOP OUT W/85 SX PREM CLASS G @15.8 PPG 1.15 YIELD. DOWN BACKSIDE GOOD CMT TO SURFACE HOLE STAYED FULL. WORT.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

SHEILA UPCHEGO

Title

REGULATORY ANALYST

Signature

Date

September 30, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

OCT 06 2008

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.*

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BITTER CREEK 1122-3K

9. API Well No.
4304738981

10. Field and Pool, or Exploratory Area
BITTER CREEK

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1897' FSL, 1626' FWL,
NESW, SEC.3, T11S-R22E**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other FINAL DRILLING OPERATIONS
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

FINISHED DRILLING FROM 1850' TO 8290' ON 10/26/2008. RAN 4 1/2" 11.6# I-80 PRODUCTION CSG. LEAD CMT W/150 SX PREM LITE II @11.3 PPG 3.02 YIELD. TAILED CMT W/200 SX 50/50 POZ @ 14.3 PPG 1.31 YIELD. BUMP PLUG 500 PSI OVER FLOATS HELD. 3 BBLs BACK TO PIT. LAND CSG TEST NIPPLE DOWN BOPE CLEAN TANKS.

RELEASED PIONEER RIG 69 ON 10/26/08 AT 0600 HRS

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) SHEILA UPCHEGO	Title REGULATORY ANALYST
Signature 	Date October 27, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

NOV 04 2008

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.*

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BITTER CREEK 1122-3K

9. API Well No.
4304738981

10. Field and Pool, or Exploratory Area
BITTER CREEK

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1897' FSL, 1626' FWL
NESW, SEC.3, T11S-R22E**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other PRODUCTION START-UP
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE SUBJECT WELL LOCATION WAS PLACED ON PRODUCTION ON 11/16/2008 AT 1400 HRS.


PLEASE REFER TO THE ATTACHED CHRONOLOGICAL WELL HISTORY.

RECEIVED

DEC 08 2008

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) SHEILA UPCHEGO	Title SENIOR LAND ADMIN SPECIALIST
Signature 	Date November 26, 2008

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Wins No.: 95710

BITTER CREEK 1122-3K

Well Operations Summary Long

Operator KERR-MCGEE OIL & GAS ONSHORE LP	FIELD NAME NATURAL BUTTES	SPUD DATE 09/24/2008	GL 5,651	KB 5651	ROUTE V44
API 4304738981	STATE UTAH	COUNTY UINTAH	DIVISION ROCKIES		
Long/Lat.: 39.88751 / -109.44479		Q-Q/Sect/Town/Range: NESW / 3 / 11S / 22E		Footages: 1,897.00' FSL 1,626.00' FWL	

Wellbore: BITTER CREEK 1122-3K

MTD 8,290	TVD 8,277	PBMD 8,240	PBTVD
EVENT INFORMATION:		START DATE: 9/24/2008	AFE NO.: 2012034
OBJECTIVE: DEVELOPMENT		END DATE: 10/26/2008	
OBJECTIVE 2: ORIGINAL		DATE WELL STARTED PROD.: 9/24/2008	
REASON:		Event End Status: COMPLETE	

RIG OPERATIONS:	Begin Mobilization	Rig On Location	Rig Charges	Rig Operation Start	Finish Drilling	Rig Release	Rig Off Location
PIONEER 69 / 69	10/13/2008	10/13/2008	10/12/2008	10/15/2008	10/24/2008	10/26/2008	10/27/2008

Date	Time Start-End	Duration (hr)	Phase	Code	Subcode	P/U	Operation
9/24/2008	SUPERVISOR: LEW WELDON		DWC:		CWC:		MD:
	12:00 - 0:00	12.00	DRLSUR	02		P	MOVE IN AND RIG UP AIR RIG SPUD WELL @ 1200 HR 9/24/08 DA AT REPORT TIME 840'
9/25/2008	SUPERVISOR: LEW WELDON		DWC:		CWC:		MD:
	0:00 - 12:00	12.00	DRLSUR	02		P	RIG DRILLING AHEAD NO WATER 1250'
	12:00 - 0:00	12.00	DRLSUR	02		P	RIG DRILLING AHEAD NO WATER 1710'
9/26/2008	SUPERVISOR: LEW WELDON		DWC:		CWC:		MD:
	0:00 - 6:00	6.00	DRLSUR	02		P	RIG T/D @ 1850' CONDITION HOLE 1 HR
	6:00 - 9:00	3.00	DRLSUR	05		P	TRIP DP OUT OF HOLE
	9:00 - 12:30	3.50	DRLSUR	11		P	RUN 1822' OF 9 5/8 CSG AND 200' OF 1" PIPE RIG DOWN AIR RIG
	12:30 - 13:30	1.00	DRLSUR	15		P	CEMENT 1ST STAGE WITH 150 SKS LEAD @ 11# 3.82 23 GAL/SK AND 200 SKS TAIL @ 15.8# 1.15 5.0 GAL/SK GOOD RETURNS THRUOUT JOB + - 10 BBL EAD CMT TO PIT
	13:30 - 14:00	0.50	DRLSUR	15		P	1ST TOP JOB 100 SKS DOWN 1" PIPE GOOD CMT TO SURFACE AND FELL BACK WOC
	14:00 - 15:00	1.00	DRLSUR	15		P	2ND TOP JOB 85 SKS DOWN BS GOOD CMT TO SURFACE AND STAYED AT SURFACE
	15:00 - 15:00	0.00	DRLSUR				NO VISIBLE LEAKS PIT HAD 3 FEET IN IT WORT
10/12/2008	SUPERVISOR: BRAD PEDERSEN		DWC:		CWC:		MD:
	6:00 - 0:00	18.00	MIRU	01	E	P	RDRT,PREPARE RIG FOR MOVE
10/13/2008	SUPERVISOR: BRAD PEDERSEN		DWC:		CWC:		MD:
	0:00 - 0:00	24.00	MIRU	01	B	P	RDRT ,MOVE TO BITTER CREEK 1122-3K ,RURT ,9 TRUCKS ,2-FORKLIFTS ,1 CRANE TRUCKS RELEASED @ 17:00 ,CRANE RELEASED @ 21:00 ,80 % RIGGED UP
10/14/2008	SUPERVISOR: BRAD PEDERSEN		DWC:		CWC:		MD:
	0:00 - 2:00	2.00	MIRU	01	B	P	RURT

0:00 - 2:00	2.00	MIRU	01	B	P	RURT
2:00 - 9:00	7.00	MIRU	13	A	P	NIPPLE UP BOPS ,TIGHEN KELLY
9:00 - 20:00	11.00	MIRU	13	C	P	SAFETY MEETING W/ B&C QUICK TEST,TESTERS TRUCK FROZE UP 1 HR , TEST BOP TO 5000 PSI ,ANNULAR TO 2500 PSI,CASING TO 1500 PSI ,CHANGED CHECK VALVE OUT ON KILL LINE SIDE
20:00 - 0:00	4.00	MIRU	05	A	P	INSTALL WEAR RING ,SAFETY MEETING W/ TESCO R/U & P/U DRILL STRING

10/15/2008	SUPERVISOR:	BRAD PEDERSEN	DWC:			CWC:	MD:
0:00 - 1:00	1.00	DRLPRO	05	A	P	FINISH P/U DRILL STRING,R/D TESCO	
1:00 - 2:30	1.50	DRLPRO	06	D	P	CUT & SLIP DRLG LINE	
2:30 - 3:30	1.00	DRLPRO	17		P	PRESPOD INSPECTION	
3:30 - 6:00	2.50	DRLPRO	02	B	P	DRLG GMT & F.E.	
6:00 - 6:30	0.50	DRLPRO	02	B	P	SPUD @ 06:00 10/15 2008 ,DRLG F/ 1868' TO 1931' (63' 126' HR) WATER	
6:30 - 7:00	0.50	DRLPRO	09	A	P	SURVEY @ 1861' 2.54 DEG.	
7:00 - 10:30	3.50	DRLPRO	02	B	P	DRLG F/ 1931' TO 2184' (253' 72.2' HR) WATER	
10:30 - 11:00	0.50	DRLPRO	09	A	P	SURVEY @ 2073' 2.51 DEG.	
11:00 - 13:30	2.50	DRLPRO	02	B	P	DRLG F/ 2184' TO 2374' (190' 76' HR) WATER	
13:30 - 14:00	0.50	DRLPRO	06	A	P	RIG SERVICE	
14:00 - 15:00	1.00	DRLPRO	02	B	P	DRLG F/ 2374' TO 2437' (63' 63' HR) WT 8.7/32	
15:00 - 15:30	0.50	DRLPRO	09	A	P	SURVEY @ 2322' 2.72 DEG.	
15:30 - 0:00	8.50	DRLPRO	02	B	P	DRLG F/ 2437' TO 2679' (242' 28.4' HR) WT 8.9/36	

10/16/2008	SUPERVISOR:	BRAD PEDERSEN	DWC:			CWC:	MD:
0:00 - 0:30	0.50	DRLPRO	02	B	P	DRLG F/ 2679' TO 2690' WT 8.9/36	
0:30 - 1:00	0.50	DRLPRO	09	A	P	SURVEY @ 2607' 2.77 DEG.	
1:00 - 10:00	9.00	DRLPRO	02	B	P	DRLG F/ 2690' TO 2943' (253' 28.1' HR) WT 9/36	
10:00 - 10:30	0.50	DRLPRO	09	A	P	SURVEY @ 2832' 2.57 DEG.	
10:30 - 15:30	5.00	DRLPRO	02	B	P	DRLG F/ 2943' TO 3133' (190' 38' HR) WT 9.1/38	
15:30 - 16:00	0.50	DRLPRO	06	A	P	RIG SERVICE	
16:00 - 20:00	4.00	DRLPRO	02	B	P	DRLG F/ 3133' TO 3449' (316' 79' HR) WT 9.2/37	
20:00 - 20:30	0.50	DRLPRO	09	A	P	SURVEY @ 3366' 3.93 DEG.	
20:30 - 0:00	3.50	DRLPRO	02	B	P	DRLG F/ 3449' TO 3566' (117' 33.4' HR) WT 9.2/39	

10/17/2008	SUPERVISOR:	TIM HEINS	DWC:			CWC:	MD:
------------	-------------	-----------	------	--	--	------	-----

0:00 - 3:30	3.50	DRLPRO	02	B	P	DRLG F/ 3566' TO 3702' (136' 38.8' HR) WT 9.3/40
3:30 - 4:00	0.50	DRLPRO	09	A	P	SURVEY @ 3619' 3.81 DEG.
4:00 - 12:00	8.00	DRLPRO	02	B	P	DRLG F/ 3702' TO 3986' (284' - 36'HR) WT = 9.4 VIS 40
12:00 - 12:30	0.50	DRLPRO	09	A	P	SURVEY @ 3869' = 3.92 DEG
12:30 - 14:00	1.50	DRLPRO	02	B	P	DRLG F/ 3986' TO 4049' - 63' - 42' HR WT = 9.7 VIS 40
14:00 - 14:30	0.50	DRLPRO	06	A	P	LUBRICATE RIG
14:30 - 21:30	7.00	DRLPRO	02	B	P	DRLG F/ 4049' TO 4302' 253' - 36' HR WT = 10.0 VIS = 40
21:30 - 22:00	0.50	DRLPRO	09	A	P	SURVEY @ 4219' 4.0 DEG
22:00 - 0:00	2.00	DRLPRO	02	B	P	DRLG F/ 4302' TO 4353' - 51' - 26' HR

10/18/2008	SUPERVISOR:	TIM HEINS	DWC:			CWC:	MD:
0:00 - 9:30	9.50	DRLPRO	02	B	P	DRLG F/ 4353' TO 4586' - 233' 25' HR MUD WT = 10.5 VIS = 40	
9:30 - 10:00	0.50	DRLPRO	09	A	P	SURVEY @ 4474' = 3.87 DEG	
10:00 - 17:00	7.00	DRLPRO	02	B	P	DRLG F/ 4586' TO 4839' - 253' - 36' HR MUD WT = 10.5 VIS 42	
17:00 - 17:30	0.50	DRLPRO	06	A	P	LUBRICATE RIG	
17:30 - 0:00	6.50	DRLPRO	02	B	P	DRLG F/ 4839' TO 5000' - 161' - 25'HR MUD WT = 10.7 VIS = 42	

10/19/2008	SUPERVISOR:	TIM HEINS	DWC:			CWC:	MD:
0:00 - 3:30	3.50	DRLPRO	02	B	P	DRLG F/ 5000' TO 5061' - 61' 18' HR MUD WT = 10.7 VIS 42	
3:30 - 4:00	0.50	DRLPRO	09	A	P	SURVEY @ 4978' = 4.15 DEG	
4:00 - 14:00	10.00	DRLPRO	02	B	P	DRLG F/ 5061' TO 5314' - 253' - 25' HR MUD WT = 11.1 VIS 45	
14:00 - 14:30	0.50	DRLPRO	09	A	P	SURVEY @ 5203' = 4.12 DEG	
14:30 - 17:00	2.50	DRLPRO	02	B	P	DRLG F/ 5314' TO 5377' - 63' - 25' HR MUD WT = 11.2 VIS 46	
17:00 - 17:30	0.50	DRLPRO	06	A	P	LUBRICATE RIG	
17:30 - 0:00	6.50	DRLPRO	02	B	P	DRLG F/ 5377' TO 5577' - 200' - 30' HR MUD WT = 11.3+ VIS 47	

10/20/2008	SUPERVISOR:	TIM HEINS	DWC:			CWC:	MD:
0:00 - 7:00	7.00	DRLPRO	02	B	P	DRLG F/ 5577' TO 5726' - 149' - 21' HR MUD WT = 11.4 VIS = 46	
7:00 - 8:00	1.00	DRLPRO	04	C	P	CIRC, BUILD AND PUMP SLUG	
8:00 - 17:00	9.00	DRLPRO	05	A	P	DROP SURVEY, TOOH F/ BIT # 1 TIGHT F/ 4807' TO 4415' AND 3019' TO 2790' L / D MM AND BIT, (SURVEY = 4.90 DEG)	
17:00 - 21:00	4.00	DRLPRO	05	A	P	P/U MM AND BIT # 2 (DROPPING BIT) TRIP IN HOLE NO PROBLEMS, FILL PIPE AT 2000'	
21:00 - 21:30	0.50	DRLPRO	03	D	P	WASH AND REAM 70' TO BOTTOM (11' FILL)	
21:30 - 0:00	2.50	DRLPRO	02	B	P	DRLG F/ 5726' TO 5813' - 87' - 35' HR MUD WT = 11.4 VIS = 48	

DATE	TIME	DEPTH	DRILLER	SIZE	TYPE	STATUS	DESCRIPTION	DWC:	CWC:	MD:
	21:30 - 0:00	2.50	DRLPRO	02	B	P	DRLG F/ 5728' TO 5813' = 87' - 35' HR MUD WT = 11.4 VIS = 48			
10/21/2008	SUPERVISOR: TIM HEINS							DWC:	CWC:	MD:
	0:00 - 17:30	17.50	DRLPRO	02	B	P	DRLG F/ 5813' TO 6445' = 632' - 36' HR MUD WT = 11.4 VIS = 45			
	17:30 - 18:00	0.50	DRLPRO	06	A	P	LUBRICATE RIG			
	18:00 - 0:00	6.00	DRLPRO	02	B	P	DRLG F/ 6445' TO 6669' = 224' - 36' HR MUD WT = 11.8 VIS = 46			
10/22/2008	SUPERVISOR: TIM HEINS							DWC:	CWC:	MD:
	0:00 - 16:00	16.00	DRLPRO	02	B	P	DRLG F/ 6669' TO 7203' = 534' - 33' HR MUD WT = 12.0 VIS = 46			
	16:00 - 16:30	0.50	DRLPRO	06	A	P	LUBRICATE RIG			
	16:30 - 0:00	7.50	DRLPRO	02	B	P	DRLG F/ 7203' TO 7419' = 216' - 29' HR MUD WT = 12.0 VIS = 48			
10/23/2008	SUPERVISOR: TIM HEINS							DWC:	CWC:	MD:
	0:00 - 7:30	7.50	DRLPRO	02	B	P	DRLG F/ 7419' TO 7590' = 171' - 23' HR MUD WT = 12.0 VIS = 50			
	7:30 - 8:00	0.50	DRLPRO	04	C	P	CIRC,BUILD SLUG			
	8:00 - 12:00	4.00	DRLPRO	05	A	P	PUMP SLUG, DROP SURVEY, TRIP F/ BIT # 2 (SURVEY = 2.35 DEGREE) L/D BIT # 2 AND MM			
	12:00 - 12:30	0.50	DRLPRO	06	A	P	LUBRICATE RIG			
	12:30 - 16:00	3.50	DRLPRO	05	A	P	P / U BIT # 3 & MM TRIP IN HOLE (NO PROBLEMS FILL PIPE @ 2000')			
	16:00 - 16:30	0.50	DRLPRO	03	D	P	WASH AND REAM 75' TO BTM NO FILL			
	16:30 - 0:00	7.50	DRLPRO	02	B	P	DRLG F/ 7590' TO 7983' = 393' - 52' HR			
10/24/2008	SUPERVISOR: TIM HEINS							DWC:	CWC:	MD:
	0:00 - 7:00	7.00	DRLPRO	02	B	P	DRLG F/ 7983' TO 8290' = 307' - 44' HR MUD WT = 12.2 VIS = 46			
	7:00 - 8:30	1.50	DRLPRO	04	C		CIRC F/ SHORT TRIP			
	8:30 - 9:30	1.00	DRLPRO	05	E	P	SHORT TRIP TO 7800' NO PROBLEMS			
	9:30 - 11:00	1.50	DRLPRO	04	C	P	CIRC F / LOGS			
	11:00 - 11:30	0.50	DRLPRO	06	A	P	LUBRICATE RIG			
	11:30 - 15:00	3.50	DRLPRO	05	B	P	PUMP SLUG, TRIP F/ LOGS L/D BIT # 3 & MM			
	15:00 - 0:00	9.00	DRLPRO	10	C	P	HELD SAFETY MTNG W/ LOGGERS AND RIG CREW, R/U AND RUN TRIPLE COMBO LOGS DEPTH = 8296' RESISTIVITY TOOL FAILED, RAN A SECOND RUN WITH BACKUP TOOL			
10/25/2008	SUPERVISOR: 1							DWC:	CWC:	MD:
	0:00 - 11:30	11.50	DRLPRO	05	D	P	TRIP IN HOLE TO 4150' HELD SAFETY MTNG W/ TESCO & RIG CREW,L.D.D.P. TRIP IN TO 4100' L.D.D.P & BHA (PULL WEAR BUSHING)			
	11:30 - 18:00	6.50	DRLPRO	05	D	P	HELD SAFETY MTNG W/ CASERS & RIG CREW RUN 196 JOINTS 4 1/2			
	18:00 - 19:00	1.00	DRLPRO	04	E	P	WASH 30' CSNG TO BTM			

Wins No.: 95710 BITTER CREEK 1122-3K API No.: 4304738981

	19:00 - 20:00	1.00	DRLPRO	04	A	P	CIRC F/ CMNT
	20:00 - 23:00	3.00	DRLPRO	15	A	P	CMNT PROD STRING - 20SX MUD CLEAN, LEAD CMNT = 355 SX PL+10%GEL+3&KCL+5#KOL+0.5%SMS+0.25#CF- TAIL CMNT = 1054SX50/50POS+10%NaCL+0.2%R-3+0.05#SF+0.002FP+-6L BUMP PLUG 500 OVER, FLOATS HELD 3 BBLS TO PIT, R/D BJ
	23:00 - 0:00	1.00	DRLPRO	11	C	P	LAND AND TEST HANGER
10/26/2008	<u>SUPERVISOR:</u> 1				<u>DWC:</u>		<u>CWC:</u>
	0:00 - 6:00	6.00	DRLPRO	13	A	P	NIPPLE DOWN BOPE AND CLEAN TANKS, RELEASE RIG AT 6:00 AM 10/26/2008

EVENT INFORMATION: EVENT ACTIVITY: COMPLETION START DATE: 11/6/2008 AFE NO.: 2012034
 OBJECTIVE: DEVELOPMENT END DATE: 11/12/2008
 OBJECTIVE 2: ORIGINAL DATE WELL STARTED PROD.: 9/24/2008
 REASON: MV Event End Status: COMPLETE

RIG OPERATIONS: Begin Mobilization Rig On Location Rig Charges Rig Operation Start Finish Drilling Rig Release Rig Off Location
 11/06/2008 11/13/2008

Date	Time Start-End	Duration (hr)	Phase	Code	Subcode	P/U	Operation
11/6/2008	SUPERVISOR: JD FOREMAN						DWC: CWC: MD:
	7:00 - 7:30	0.50	COMP	48		P	SAFETY MEETING
	7:30 - 18:00	10.50	COMP	31		P	MIRU TALLY & PICK UP 2,3/8 TAG @ 8210' CLEAN OUT TO 8240' CIRC CLEAN SDFN
11/7/2008	SUPERVISOR: JD FOREMAN						DWC: CWC: MD:
	7:00 - 7:30	0.50	COMP	48		P	SAFETY MEETING
	7:30 - 17:00	9.50	COMP	37		P	POOH W/ 2,3/8 TEST CSG TO 7500# GOOD TEST MIRU CUTTERS RIO W/ 3,3/8 GUNS 23 GM .36 HOLES PERF @ 8127'-30' 3 SPF 8166'-70' 3 SPF 8220'-26' 3 SPF NO BLOW SDFN
11/8/2008	SUPERVISOR: JD FOREMAN						DWC: CWC: MD:
	8:00 - 15:00	7.00	COMP	31		P	ROLL FRAC WATER CHECK F/ H2S NO H2S FOUND
11/10/2008	SUPERVISOR: JD FOREMAN						DWC: CWC: MD:
	7:00 - 7:30	0.50	COMP	48		P	SAFETY MEETING
	7:30 - 18:00	10.50	COMP	36		P	MIRU WEATHERFORD & CUTTERS FRAC STAGE #1 BRK PERF @3930# INJ RT 50.5 BPM INJ PSI 5017# ISIP 2447# FG .74 FRAC W/ 74847# 30/50 SAND + 5000# 20/40 RESIN COATED SAND + 2378 BBL SLICKWATER MP 7125# MR 51.3 BP AP 5079# AR 44.5 BPM ISIP 2667# FG .77 NPI 220# PUMPED 125 BBL SWEEP AT END OF 1.5 RAMP STAGE #2 RIH SET 8K CBP @ 7850' PERF @ 7710'-14' 4 SPF 7814'-20' 4 SPF BRK PERF @ 2922# INJ RT 40 BPM INJ PSI 4166# ISIP 2296# FG .74 FRCA W/ 50451# 30/50 SAND + 5000# 20/40 RESIN COATED SAND + 1381 BBL SLICKWATER MP 5123# MR 42.6 BPM AP 3687# AR 40.8 BPM ISIP 2971# FG .82 NPI 775# STAGE #3 RIH SET 8K CBP @ 7640' PERF @ 7522'-26' 4 SPF 7604'-10' 4 SPF BRK PERF @ 7261# INJ RT 50 BPM INJ PSI 5310# ISIP 2674# FG .79 FRAC W/ 77276# 30/50 SAND + 5000# 20/40 SAND + 1924 BBL SLICKWATER MP 7385# MR 50.7 BPM AP 4564# AR 50.3 BPM ISIP 2511# FG .77 NPI 163# PUPMED 125 BBL SWEEP AT END OF 1.5# RAMP RIH SET 8K CBP # 7416' PERF @ 7306'-12' 4 SPF 7382'-86' 4 SPF BRK PERF @ 5593# INJ RT 50 BPM INJ PSI 4185# ISIP 2090# FG .73 FRAC W/ 57445# 30/50 SAND + 5000# 20/40 RESIN COATED SAND + 1569 BBL SLICKWATER MP 7046# MR 50.7 BPM AP 4723# AR 48.5 BPM ISIP 2169# FG .74 NPI 79# STAGE #5 RIH SET 8K CBP @ 7178' PERF @ 7109'-11' 4 SPF 7140'-48' 4 SPF BRK PERF @ 4413# INJ RT 50 BPM INJ PSI 3960# ISIP 2144# FG .74 FRAC W/ 71871# 30/50 SAND + 5000# 20/40 RESIN COATED SAND + 2034 BBL SLICKWATER MP 4026#MR 50.2 BPM AP 3454# AR 50 BPM ISIP 2337# FG .77 NPI 193# SWISDFN
11/11/2008	SUPERVISOR: GARTH MCCONKIE						DWC: CWC: MD:
	7:00 - 7:30	0.50	COMP	48		P	SEAFETY MEETING

7:30 - 18:00 10.50 COMP 36 P
 STAGE #6 RIH SET 8K CBP @ 7009' PERF @ 6911'-15' 4 SPF
 6973'-79' 4 SPF BRK PERF @ 2625# INJ RT 51 BPM INJ PSI 4292#
 ISIP 1728# FG .69 FRAC W/ 47296# 30/50 SAND + 5000# 20/40
 RESIN COATEDSAND + 1320 BBL SLICKWATER MP 4787# MR
 51.2 BPM AP 3904# AR 51 BPM ISIP 2386# FG .78 NPI 658#

STAGE @7 RIH SET 8K CBP @ 6862' PERF @ 6736'-38' 4 SPF
 6908'-10' 4 SPF 6828'-32' 4 SPF BRK PERF @ 40593 INJ RT 51
 BPM INJ PSI 4177# ISIP 2594# FG .82 FRAC W/ 52042# 30/50
 SAND + 5000# 20/40 RESIN COATED SAND MP 4326# MR 51.2
 BPM AP 3873# AR 51 BPM ISIP 2621# FG .83 NPI 27#

STAGE #8 RIH SET 8K CBP @ 5440' PERF @ 5372'78' 4 SPF
 5406'-10' 4 SPF BRK PERF @ 1539# INJ RT 51 BPM INJ PSI
 3154@ ISIP 1182# FG .62 FRAC W/ 47875# 30/50 SAND + 5000#
 20/40 SAND + 1172 BBL SLICKWATER MP 3408# MR 51.2 BPM AP
 3221# AR 51.1 BPN ISIP 1963# FG .73 NPI 781#
 RIH SET 8K CBP @5322' RIG DOWN WEATHERFORD &
 CUTTERS
 NIPPLE DOWN FRAC VALVES NIPPLE UP BOP TEST BOP TO
 2500# GOOD TEST RIH W/ POBS & MILL TAG CBP RIG UP
 DRILLING EQUIP SDFN

11/12/2008 SUPERVISOR: \ DW: CWC: MD:

7:00 - 7:30 0.50 COMP 48 P
 7:30 - 18:00 10.50 COMP 31 P

SAFETY MEETING

BRCK CIRC DRILL OUT CBP @ 5322' 100# KICK RIH TAG @ 5410'
 30' SAND ON CBP DRILL OUT SAND & CBP @ 5440' 400# KICK
 RIH TAG @ 6832' 30' SAND ON CBP DRILL OUT SAND & CBP @
 6862' 400# KICK RIH TAG @ 6980' 30' SAND ON CBP @ 7009' 200#
 KICK RIH TAG @ 7148' 30' SAND ON CBP DRILL OUT SAND & CBP
 @ 7178' 100# KICK RIH TAG @ 7385' 30' SAND ON CBP DRILL
 OUT SAND & CBP @ 7416'400# RIH TAG @ 7610' 30' SAND ON
 CBP DRILL OUT SAND & CBP @ 7640' 400# KICK RIH TAG @
 7820' 30' SAND ON CBP DRILL OUT SAND & CBP @ 7850'100#
 KICK RIH TAG @ 8226' CLEAN OUT FILL TO PB @ 8240' CIRC
 CLEAN PULL & LAY DOWN 18 JTS 2,3/8 LAND ON WELL HEAD W/
 245 JTS 2,3/8 J-55 TGB EOT 7688.35' NIPPLE DOWN BOP NIPPLE
 UP TREE PUMP OFF BIT TRUN TO FLOWBACK CREW SDFN

TBG DETAIL
 KB
 HANGE
 245 JTS 2,3/8 J-55 TBG
 XN-NIPPLE
 EOT
 RETURN TO YARD

11/13/2008 SUPERVISOR: TUCKER CALDWELL DW: CWC: MD:

7:00 - 33 A

7 AM FLBK REPORT: CP 950#, TP 900#, 20/64" CK, 45 BWPB,
 TRACE SAND, - GAS
 TTL BBLs RECOVERED: 3941
 BBLs LEFT TO RECOVER: 9250

11/14/2008 SUPERVISOR: TUCKER CALDWELL DW: CWC: MD:

7:00 - 33 A

7 AM FLBK REPORT: CP 850#, TP 1000#, 20/64" CK, 40 BWPB,
 TRACE SAND, - GAS
 TTL BBLs RECOVERED: 4951
 BBLs LEFT TO RECOVER: 8240

11/15/2008 SUPERVISOR: TUCKER CALDWELL DW: CWC: MD:

7:00 - 33 A

7 AM FLBK REPORT: CP 850#, TP 1150#, 20/64" CK, 40 BWPB,
 TRACE SAND, - GAS
 TTL BBLs RECOVERED: 5991
 BBLs LEFT TO RECOVER: 7200

11/16/2008 SUPERVISOR: TUCKER CALDWELL DW: CWC: MD:

7:00 - 33 A

7 AM FLBK REPORT: CP 850#, TP 1200#, 20/64" CK, 35 BWPB,
 TRACE SAND, - GAS
 TTL BBLs RECOVERED: 6861
 BBLs LEFT TO RECOVER: 5490

14:00 - PROD

WELL TURNED TO SALES @ 1400 HR ON 11/16/2008 - FTP 1200#,
 CP 950#, CK 20/64", 1600 MCFD, 840 BWPB

11/17/2008 SUPERVISOR: TUCKER CALDWELL DW: CWC: MD:

Wins No.: 95710		BITTER CREEK 1122-3K		API No.: 4304738981	
	7:00 -	33	A		7 AM FLBK REPORT: CP 900#, TP 1300#, 20/64" CK, 35 BWPH, TRACE SAND, 1106 GAS TTL BBLS RECOVERED: 7701 BBLS LEFT TO RECOVER: 5490
11/18/2008	<u>SUPERVISOR:</u> TUCKER CALDWELL			<u>DWC:</u>	<u>CWC:</u> <u>MD:</u>
	7:00 -	33	A		7 AM FLBK REPORT: CP 900#, TP 1250#, 20/64" CK, 30 BWPH, TRACE SAND, - GAS TTL BBLS RECOVERED: 8441 BBLS LEFT TO RECOVER: 4750
11/19/2008	<u>SUPERVISOR:</u> TUCKER CALDWELL			<u>DWC:</u>	<u>CWC:</u> <u>MD:</u>
	7:00 -	33	A		7 AM FLBK REPORT: CP 950#, TP 1225#, 20/64" CK, 23 BWPH, TRACE SAND, - GAS TTL BBLS RECOVERED: 9041 BBLS LEFT TO RECOVER: 4150
11/20/2008	<u>SUPERVISOR:</u> TUCKER CALDWELL			<u>DWC:</u>	<u>CWC:</u> <u>MD:</u>
	7:00 -	33	A		7 AM FLBK REPORT: CP 900#, TP 850#, 20/64" CK, 35 BWPH, TRACE SAND, - GAS TTL BBLS RECOVERED: 9831 BBLS LEFT TO RECOVER: 3360
11/21/2008	<u>SUPERVISOR:</u> TUCKER CALDWELL			<u>DWC:</u>	<u>CWC:</u> <u>MD:</u>
	7:00 -	33	A		7 AM FLBK REPORT: CP 800#, TP 800#, 20/64" CK, 25 BWPH, TRACE SAND, - GAS TTL BBLS RECOVERED: 10456 BBLS LEFT TO RECOVER: 2735

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
UTU29797

1a. Type of Well Oil Well Gas Well Dry Other
 b. Type of Completion New Well Work Over Deepen Plug Back Diff. Resvr.
 Other _____

2. Name of Operator **KERR-MCGEE OIL & GAS ONSHORE** Contact: SHEILA UPCHEGO
 Mail: sheila.upcheگو@anadarko.com

3. Address **1368 SOUTH 1200 EAST VERNAL, UT 84078** 3a. Phone No. (include area code)
 Ph: 435-781-7024

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
 At surface **NESW 1897FSL 1626FWL**
 At top prod interval reported below **NESW 1897FSL 1626FWL**
 At total depth **NESW 1897FSL 1626FWL**

6. If Indian, Allottee or Tribe Name
 7. Unit or CA Agreement Name and No.
 8. Lease Name and Well No.
BITTER CREEK 1122-3K
 9. API Well No.
43-047-38981
 10. Field and Pool, or Exploratory
UNDESIGNATED
 11. Sec., T., R., M., or Block and Survey
 or Area **Sec 3 T11S R22E Mer SLB**
 12. County or Parish
UINTAH 13. State
UT
 14. Date Spudded
09/23/2008 15. Date T.D. Reached
10/24/2008 16. Date Completed
 D & A Ready to Prod.
11/16/2008 17. Elevations (DF, KB, RT, GL)*
5653 GL

18. Total Depth: MD **8290** TVD **8290** 19. Plug Back T.D.: MD **8240** TVD **8240** 20. Depth Bridge Plug Set: MD **8240** TVD **8240**

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
CBL-CCL-GR, COMP 2, CN, CAL, HDI

22. Was well cored? No Yes (Submit analysis)
 Was DST run? No Yes (Submit analysis)
 Directional Survey? No Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
20.000	14.000 STEEL	36.7		40		28			
12.250	9.625 J-55	36.0		1850		535			
7.875	4.500 I-80	11.6		8290		1409			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.375	7688							

25. Producing Intervals 26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH	5372	5410	5372 TO 5410	0.360	31	OPEN
B) MESAVERDE	6736	8226	6736 TO 8226	0.360	206	OPEN
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
5372 TO 5410	PMP 1172 BBLs SLICK H2O & 52,875# 39/50 SD
6736 TO 8226	PMP 12,019 BBLs SLICK H2O & 455,228# 30/50 SD

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/16/2008	11/21/2008	24	→	0.0	1954.0	600.0			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. 800 SI	Csg. Press. 800.0	24 Hr. Rate →	Oil BBL 0	Gas MCF 1954	Water BBL 600	Gas:Oil Ratio	Well Status PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/16/2008	11/21/2008	24	→	0.0	1954.0	600.0			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. 800 SI	Csg. Press. 800.0	24 Hr. Rate →	Oil BBL 0	Gas MCF 1954	Water BBL 600	Gas:Oil Ratio	Well Status PGW	

(See Instructions and spaces for additional data on reverse side)
 ELECTRONIC SUBMISSION #63546 VERIFIED BY THE BLM WELL INFORMATION SYSTEM
**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

RECEIVED
DEC 18 2008

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
GREEN RIVER	894				
MAHOGANY	1592				
WASATCH	3894	5412			
MESAVERDE	6162	8262			

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 6. Core Analysis
- 7 Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #65546 Verified by the BLM Well Information System.
For KERR-MCGEE OIL & GAS ONSHORE L, sent to the Vernal

Name (please print) SHEILA UPCHEGO Title OPERATIONS

Signature  (Electronic Submission) Date 12/12/2008

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL

RECEIVED
DEC 18 2008
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-29797

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

7. If Unit of CA/Agreement, Name and/or No.

1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.
BITTER CREEK 1122-3K

2. Name of Operator
KERR MCGEE OIL & GAS ONSHORE LP

9. API Well No.
4304738981

3a. Address
1368 SOUTH 1200 EAST VERNAL, UTAH 84078

3b. Phone No. (include area code)
435.781.7024

10. Field and Pool or Exploratory Area
UNDESIGNATED

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NE/SW SEC. 3, T11S, R22E 1897'FSL, 1626'FWL

11. Country or Parish, State
UINTAH COUNTY, UTAH

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>COMMINGLE</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

THE OPERATOR REQUESTS AUTHORIZATION TO COMMINGLE THE SUBJECT WELL LOCATION. THE OPERATOR HAS COMMINGLED THE WASATCH AND MESAVERDE FORMATIONS. THE OPERATOR HAS PLACED THE SUBJECT WELL LOCATION ON 11/16/2008 AT 1400 HRS.

COPY SENT TO OPERATOR

Date: 1.8.2009
Initials: KS

RECEIVED
DEC 18 2008

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Name (Printed/Typed)
SHEILA UPCHEGO

Title REGULATORY ANALYST


Signature



Date 12/12/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by



Title

Pet-Eng

Date

1/6/09

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

DOGm

Federal Approval Of This Action Is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

* Cause 210-04