

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPLICATE\*

FORM APPROVED  
OMB NO. 1040-0136  
Expires: February 28, 1995

<b>APPLICATION FOR PERMIT TO DRILL OR DEEPEN</b>		5. LEASE DESIGNATION AND SERIAL NO. UTU-0806
TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME UTE TRIBE
TYPE OF WELL <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE		7. UNIT AGREEMENT NAME WONSITS VALLEY UNIT
2. NAME OF OPERATOR QUESTAR EXPLORATION & PRODUCTION, CO.		8. FARM OR LEASE NAME, WELL NO. WV14BML-12-8-21
3. ADDRESS 1571 E 1700 S VERNAL, UT 84078		9. API NUMBER: <u>4304739036</u>
Contact: Jan Nelson E-Mail: jan.nelson@questar.com		10. FIELD AND POOL, OR WILDCAT WONSITS VALLEY
Telephone number Phone 435-781-4032 Fax 435-781-4045		11. SEC., T, R, M, OR BLK & SURVEY OR AREA SEC. 12, T8S, R21E Mer SLB
4. LOCATION OF WELL (Report location clearly and in accordance with and State requirements*) At Surface <u>627395x</u> 946' FSL 1962' FWL SESW SECTION 12 T8S R21E At proposed production zone <u>4443461y</u> <u>40.33727</u> <u>-109.504704</u>		12. COUNTY OR PARISH Uintah
14. DISTANCE IN MILES FROM NEAREST TOWN OR POSTOFFICE* 11 +/- EAST OF OURAY, UTAH		13. STATE UT
15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (also to nearest drig, unit line if any) 946' +/-	16. NO. OF ACRES IN LEASE 2480.00	17. NO. OF ACRES ASSIGNED TO THIS WELL 20
18. DISTANCE FROM PROPOSED location to nearest well, drilling, completed, applied for, on this lease, ft 920' +/-	19. PROPOSED DEPTH 11,700'	20. BLM/BIA Bond No. on file ESB000024
21. ELEVATIONS (Show whether DF, RT, GR, ect.) 5005.9' GR	22. DATE WORK WILL START ASAP	23. Estimated duration 14 Days

**24. Attachments**

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

1. Well plat certified by a registered surveyor.
2. A Drilling Plan
3. A surface Use Plan ( if location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
5. Operator certification.
6. Such other site specific information and/or plans as may be required by the authorized officer.

SIGNED  Name (printed/typed) Jan Nelson DATE 2-1-07


TITLE Regulatory Affairs

(This space for Federal or State office use)

PERMIT NO. 43-047-39036 APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify the applicant holds a legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY  TITLE BRADLEY G. HILL ENVIRONMENTAL MANAGER DATE 02-08-07

\*See Instructions On Reverse Side

Title 18 U.S.C Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction


*Federal Approval of this Action is Necessary*

**RECEIVED**  
**FEB 05 2007**  
DIV. OF OIL, GAS & MINING  
**CONFIDENTIAL**

T8S, R21E, S.L.B.&M.

R  
21  
E

R  
22  
E



QUESTAR EXPLR. & PROD.


Well location, WV #14BML-12-8-21, located as shown in the SE 1/4 SW 1/4 of Section 12, T8S, R21E, S.L.B.&M., Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M., TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.


BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°08'00.97" (40.133603)  
 LONGITUDE = 109°30'18.95" (109.505264)  
 (NAD 27)  
 LATITUDE = 40°08'01.10" (40.133639)  
 LONGITUDE = 109°30'16.47" (109.504575)

UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 09-20-06	DATE DRAWN: 10-12-06
PARTY D.A. J.B. P.M.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE QUESTAR EXPLR. & PROD.	

### **Additional Operator Remarks**

Questar Explor. & Prod. Co. proposes to drill a well to 11,700' to test the MesaVerde. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see Questar Explor. & Prod. Co. Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Please be advised that Questar Explor. & Prod. Co. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is Questar Explor. & Prod. Co. via surety as consent as provided for the 43 CFR 3104.2.

Questar Exploration & Production, Co.  
WV 14BML-12-8-21

ONSHORE OIL & GAS ORDER NO. 1  
Approval of Operations on Onshore  
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<b>Formation</b>	<b>Depth</b>
Uinta	Surface
Green River	2895'
Mahogany Ledge	3645'
Wasatch	6225'
Mesa Verde	9185'
Sego	11,600'
TD	11,700'

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

<b>Substance</b>	<b>Formation</b>	<b>Depth</b>
Oil/Gas	Mesa Verde	11,700'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 6997.0 psi.

5M BOP STACK

11" Rotating Head


11" Spacer Spool


11" 5M Annular

11" 5M Double Ram

11" 5M x 5M Multi-Bowl Head

9 5/8" 5M Casing Head





② SM CHOKE MANIFOLD EQUIPMENT — CONFIGURATION OF CHOKES MAY VARY

QUESTAR EXPLORATION & PRODUCTION, CO.  
WV 14BML-12-8-21  
946' FSL 1962' FWL  
SESW, SECTION 12, T8S, R21E  
UINTAH COUNTY, UTAH  
LEASE # UTU-0806

ONSHORE ORDER NO. 1

MULTI – POINT SURFACE USE & OPERATIONS PLAN

1. **Existing Roads:**

The proposed well site is approximately 11 miles east of Ouray, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

There will be no improvements made to existing roads.

2. **Planned Access Roads:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Refer to Topo Map B for the location of the proposed access road.

3. **Location of Existing Wells Within a 1 – Mile Radius:**

Please refer to Topo Map C.

4. **Location of Existing & Proposed Facilities:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Refer to Topo Map D for the location of the proposed pipeline.

5. **Location and Type of Water Supply:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

6. **Source of Construction Materials:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

7. **Methods of Handling Waste Materials:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

8. **Ancillary Facilities:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

10. **Plans for Reclamation of the Surface:**

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

**Interim Reclamation**

Please see attached Interim Reclamation plan.

Once the well is put onto production, QEP will reclaim as much of the well pad as possible that will allow for operations to continue in a safe and reasonable manner. Reseeding will be done in the spring or fall of every year to allow winter precipitation to aid in the success of reclamation.

**Seed Mix:**

*Interim Reclamation:*

6 lbs Hycrest Crested Wheatgrass

6 lbs Needle & Threadgrass

*Final Reclamation:*

Seed Mix # 1      3 lbs. Fourwing Saltbush, 3 lbs. Indian Rice Grass, 4 lbs. Hycrest Crested Wheat Grass,

1 lb. Needle & Threadgrass

11. **Surface Ownership:**

The well pad and access road are located on lands owned by:

Ute Tribe

PO Box 70

FT. Duchesne, UT 84026

12. **Other Information**

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

**Lessee's or Operator's Representative:**

Jan Nelson  
Red Wash Rep.  
Questar Exploration & Production, Co.  
1571 East 1700 South  
Vernal, Utah 84078  
(435) 781-4032


**Certification:**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

QEP will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by QEP it's contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

  
\_\_\_\_\_  
Jan Nelson  
Red Wash Representative

01-Feb-07  
\_\_\_\_\_  
Date

# QUESTAR EXPLR. & PROD.

WV #14BML-12-8-21

LOCATED IN UINTAH COUNTY, UTAH  
SECTION 12, T8S, R21E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHEASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHWESTERLY



**UELS** Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
435-789-1017 uels@uelsinc.com

- Since 1964 -

LOCATION PHOTOS

10 05 06

MONTH DAY YEAR

PHOTO

TAKEN BY: D.A.


DRAWN BY: L.K.

REVISED: 00-00-00

QUESTAR EXPLR. & PROD.

FIGURE #1


LOCATION LAYOUT FOR  
 WV #14BML-12-8-21  
 SECTION 12, T8S, R21E, S.L.B.&M.  
 946' FSL 1962' FWL



SCALE: 1" = 50'  
 DATE: 10-12-06  
 Drawn By: P.M.


Approx. Toe of Fill Slope  
 F-2.2'  
 El. 5003.7'

C-4.4'  
 El. 5010.3'



Approx. Top of Cut Slope

NOTE:  
 Flare Pit is to be located a min. of 100' from the Well Head.



Total Pit Capacity W/2' of Freeboard = 10,610 Bbls. ±  
 Total Pit Volume = 2,870 Cu. Yds.

NOTES:

Elev. Ungraded Ground At Loc. Stake = 5006.0'  
 FINISHED GRADE ELEV. AT LOC. STAKE = 5005.9'



QUESTAR EXPLR. & PROD.

FIGURE #2

TYPICAL CROSS SECTIONS FOR  
 WV #14BML-12-8-21  
 SECTION 12, T8S, R21E, S.L.B.&M.  
 946' FSL 1962' FWL

1" = 20'  
 X-Section  
 Scale  
 1" = 50'

DATE: 10-12-06  
 Drawn By: P.M.



NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

\* NOTE:

FILL QUANTITY INCLUDES 5% FOR COMPACTION

APPROXIMATE YARDAGES

CUT	
(12") Topsoil Stripping	= 3,350 Cu. Yds.
Remaining Location	= 6,120 Cu. Yds.
<b>TOTAL CUT</b>	<b>= 9,470 CU.YDS.</b>
<b>FILL</b>	<b>= 970 CU.YDS.</b>



EXCESS MATERIAL	= 8,500 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 4,790 Cu. Yds.
EXCESS UNBALANCE (After Interim Rehabilitation)	= 3,710 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING  
 85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017


QUESTAR EXPLR. & PROD.

FIGURE #3

INTERIM RECLAMATION PLAN FOR  
WV #14BML-12-8-21  
SECTION 12, T8S, R21E, S.L.B.&M.  
946' FSL 1962' FWL




SCALE: 1" = 50'  
DATE: 10-12-06  
Drawn By: P.M.



 INTERIM RECLAMATION

UINTAH ENGINEERING & LAND SURVEYING  
85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017



**PROPOSED LOCATION:  
WV #14BML-12-8-21**

**SEE TOPO "B"  
WONSITS VALLEY OIL FIELD**

**0.3 MI. +/-**

**OURAY**

**4.0 MI. +/-**

**White**

**River**

**6.7 MI. +/-**

**Wonsits**

**Valley**

**T8S**

**T9S**

**LEGEND:**

○ PROPOSED LOCATION

N

**QUESTAR EXPLR. & PROD.**


WV #14BML-12-8-21  
SECTION 12, T8S, R21E, S.L.B.&M.  
946' FSL 1962' FWL



**Uintah Engineering & Land Surveying**  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC** 10 05 06  
**MAP** MONTH DAY YEAR  
SCALE: 1:100,000 DRAWN BY: L.K. REVISED: 00-00-00





**LEGEND:**

- EXISTING ROAD
- PROPOSED ACCESS ROAD



**QUESTAR EXPLR. & PROD.**

WV #14BML-12-8-21  
 SECTION 12, T8S, R21E, S.L.B.&M.  
 946' FSL 1962' FWL



**Utah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC MAP** 10 05 06  
 MONTH DAY YEAR  
 SCALE: 1" = 2000' DRAWN BY: L.K. REVISED: 00-00-00







**WORKSHEET  
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 02/05/2007

API NO. ASSIGNED: 43-047-39036

WELL NAME: WV 14BML-12-8-21  
 OPERATOR: QUESTAR EXPLORATION & ( N5085 )  
 CONTACT: JAN NELSON

PHONE NUMBER: 435-781-4032

PROPOSED LOCATION:

SESW 12 080S 210E  
 SURFACE: 0946 FSL 1962 FWL  
 BOTTOM: 0946 FSL 1962 FWL  
 COUNTY: UINTAH  
 LATITUDE: 40.13373 LONGITUDE: -109.5047  
 UTM SURF EASTINGS: 627395 NORTHINGS: 4443461  
 FIELD NAME: WONSITS VALLEY ( 710 )

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal  
 LEASE NUMBER: UTU-0806  
 SURFACE OWNER: 2 - Indian

PROPOSED FORMATION: MVRD  
 COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]  
(No. ESB000024 )
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit  
(No. 43-8496 )
- RDCC Review (Y/N)  
(Date: \_\_\_\_\_ )
- Fee Surf Agreement (Y/N)
- Intent to Commingle (Y/N)

LOCATION AND SITING:


- \_\_\_ R649-2-3.
- Unit: WONSITS VALLEY
- \_\_\_ R649-3-2. General  
Siting: 460 From Qtr/Qtr & 920' Between Wells
- \_\_\_ R649-3-3. Exception
- Drilling Unit  
Board Cause No: 187-06  
Eff Date: 8-2-2007  
Siting: Suspect Genl Strat
- \_\_\_ R649-3-11. Directional Drill

COMMENTS:

See Separate file

STIPULATIONS:

1 - Federal Approval



OPERATOR: QUESTAR EXPL & PROD (N5085)

SEC: 11,12,13,14,15,23 T.8S R. 21E

FIELD: WONSITS VALLEY (710)

COUNTY: UINTAH

CAUSE: 187-6 / 8-2-2001

- Field Status**
- ABANDONED
  - ACTIVE
  - COMBINED
  - INACTIVE
  - PROPOSED
  - STORAGE
  - TERMINATED

- Unit Status**
- EXPLORATORY
  - GAS STORAGE
  - NF PP OIL
  - NF SECONDARY
  - PENDING
  - PI OIL
  - PP GAS
  - PP GEOTHERML
  - PP OIL
  - SECONDARY
  - TERMINATED

**Wells Status**

- \* GAS INJECTION
- \* GAS STORAGE
- x LOCATION ABANDONED
- o NEW LOCATION
- o PLUGGED & ABANDONED
- \* PRODUCING GAS
- \* PRODUCING OIL
- \* SHUT-IN GAS
- \* SHUT-IN OIL
- x TEMP. ABANDONED
- o TEST WELL
- \* WATER INJECTION
- \* WATER SUPPLY
- \* WATER DISPOSAL
- \* DRILLING



PREPARED BY: DIANA MASON  
DATE: 8-FEBRUARY-2007

# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:  
3160  
(UT-922)

February 8, 2007

Memorandum

To: Assistant District Manager Minerals, Vernal District  
From: Michael Coulthard, Petroleum Engineer  
Subject: 2007 Plan of Development Wonsits Valley Unit Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2007 within the Wonsits Valley Unit, Uintah County, Utah.

API #	WELL NAME	LOCATION
(Proposed PZ MesaVerde)		
43-047-39042	WV 07CML-11-8-21	Sec. 11 T. 8S R. 21E 2608 FNL 2629 FEL
43-047-39035	WV 07AML-12-8-21	Sec. 12 T. 8S R. 21E 1446 FNL 1368 FEL
43-047-39036	WV 14BML-12-8-21	Sec. 12 T. 8S R. 21E 0946 FSL 1962 FWL
43-047-39037	WV 14BML-13-8-21	Sec. 13 T. 8S R. 21E 1125 FSL 1464 FWL
43-047-39038	WV 04BML-14-8-21	Sec. 14 T. 8S R. 21E 0300 FNL 0179 FWL
43-047-39039	WV 13AML-15-8-21	Sec. 15 T. 8S R. 21E 1340 FSL 1334 FWL
43-047-39040	WV 09AML-15-8-21	Sec. 15 T. 8S R. 21E 2609 FSL 0289 FEL
43-047-39041	WV 04BML-23-8-21	Sec. 23 T. 8S R. 21E 0189 FNL 0101 FWL
43-047-39044	WV 07BML-23-8-21	Sec. 23 T. 8S R. 21E 1418 FNL 2559 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard



**State of Utah**

**Department of  
Natural Resources**

MICHAEL R. STYLER  
*Executive Director*

**Division of  
Oil, Gas & Mining**

JOHN R. BAZA  
*Division Director*

JON M. HUNTSMAN, JR.  
*Governor*

GARY R. HERBERT  
*Lieutenant Governor*

February 8, 2007

Questar Exploration & Production, Co.  
1571 E 1700 S  
Vernal, UT 84078

Re: Wonsits Valley 14BML-12-8-21 Well, 946' FSL, 1962' FWL, SE SW, Sec. 12,  
T. 8 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-39036.

Sincerely,

Gil Hunt  
Associate Director

pab  
Enclosures

cc: Uintah County Assessor (via e-mail)  
Bureau of Land Management, Vernal District Office

Operator: Questar Exploration & Production, Co.  
Well Name & Number Wonsits Valley 14BML-12-8-21  
API Number: 43-047-39036  
Lease: UTU-0806

Location: SE SW                      Sec. 12                      T. 8 South                      R. 21 East

### Conditions of Approval

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division with 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281 office  
(801) 733-0983 home

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

#### 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*

FORM APPROVED  
OMB NO. 1040-0136  
Expires: February 28, 1995

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

TYPE OF WORK

DRILL  DEEPEN

JAN 31 2007

TYPE OF WELL

OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

BLM VERNAL UTAH

5. LEASE DESIGNATION AND SERIAL NO.

UTU-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UTE TRIBE

7. UNIT AGREEMENT NAME

WONSITS VALLEY UNIT

8. FARM OR LEASE NAME, WELL NO.

WV14BML-12-8-21

2. NAME OF OPERATOR  
QUESTAR EXPLORATION & PRODUCTION, CO.

Contact: Jan Nelson  
E-Mail: jan.nelson@questar.com

9. API NUMBER:  
4310471390316

3. ADDRESS  
1571 E 1700 S VERNAL, UT 84078

Telephone number  
Phone 435-781-4032 Fax 435-781-4045

10. FIELD AND POOL, OR WILDCAT  
WONSITS VALLEY

4. LOCATION OF WELL (Report location clearly and in accordance with and State requirements\*)

At Surface 946' FSL 1962' FWL SESW SECTION 12 T8S R21E  
At proposed production zone

11. SEC., T, R, M, OR BLK & SURVEY OR AREA

SEC. 12, T8S, R21E Mer SLB

14. DISTANCE IN MILES FROM NEAREST TOWN OR POSTOFFICE\*

11 +/- EAST OF OURAY, UTAH

12. COUNTY OR PARISH

Uintah

13. STATE

UT

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (also to nearest drig, unit line if any)

946' +/-

16. NO. OF ACRES IN LEASE

2480.00

17. NO. OF ACRES ASSIGNED TO THIS WELL

20

18. DISTANCE FROM PROPOSED location to nearest well, drilling, completed, applied for, on this lease, ft

920' +/-

19. PROPOSED DEPTH

11,700'

20. BLM/BIA Bond No. on file

ESB000024

21. ELEVATIONS (Show whether DF, RT, GR, ect.)

5005.9' GR

22. DATE WORK WILL START

ASAP

23. Estimated duration

14 Days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- 1. Well plat certified by a registered surveyor.
- 2. A Drilling Plan
- 3. A surface Use Plan ( if location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- 5. Operator certification.
- 6. Such other site specific information and/or plans as may be required by the authorized officer.

SIGNED Jan Nelson Name (printed/typed) Jan Nelson

DATE 2-1-07

TITLE Regulatory Affairs

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify the applicant holds any legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Assistant Field Manager

Lands & Mineral Resources

DATE 10-9-2007

\*See Instructions On Reverse Side

Title 18 U.S.C Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any mater within its jurisdiction

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED RECEIVED

OCT 11 2007

CONFIDENTIAL

DIV. OF OIL, GAS & MINING

07PP2222A



**UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
VERNAL FIELD OFFICE**

170 South 500 East      VERNAL, UT 84078      (435) 781-4400



**CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL**

**Company:** Questar Exploration & Production Co.      **Location:**    SESW, Sec 12, T8S, R21E  
**Well No:**    WV 14BML-12-8-21      **Lease No:**    UTU-0806  
**API No:**    43-047-39036      **Agreement:** Wonsits Valley Unit

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
NRS/Enviro Scientist:	Paul Buhler	(435) 781-4475	(435) 828-4029
NRS/Enviro Scientist:	Karl Wright	(435) 781-4484	(435) 828-7381
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	
NRS/Enviro Scientist:		(435) 781-4476	
NRS/Enviro Scientist:	Chuck MacDonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Jannice Cutler	(435) 781-3400	(435) 828-3544
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	(435) 828-3546
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545

Fax: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR  
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

**NOTIFICATION REQUIREMENTS**

Location Construction (Notify NRS/Enviro Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify NRS/Enviro Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings
BOP & Related Equipment Tests (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to initiating pressure tests
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days

**SURFACE USE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

**Surface COAs:**

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

**Additional Stipulations:**

- A 30 foot corridor right-of-way shall be approved. Upon completion of each pipeline in corridor, they shall be identified and filed with the Ute Tribe.
- A qualified Archaeologist accompanied by a Tribal Technician will monitor trenching construction of pipeline.
- The Ute Tribe Energy & Minerals Department is to be notified, in writing 48 hours prior to construction of pipeline.
- Construction Notice shall be given to the department on the Ute Tribe workdays, which are Monday through Thursday. The Company understands that they may be responsible for costs incurred by the Ute Tribe after hours.
- The Company shall inform contractors to maintain construction of pipelines within the approved ROWs.
- The Company shall assure the Ute Tribe that "ALL CONTRACTORS, INCLUDING SUB-CONTRACTORS, LEASING CONTRACTORS, AND ETC." have acquired a current and valid Ute Tribal Business License and have "Access Permits" prior to construction, and will have these permits in all vehicles at all times.
- You are hereby notified that working under the "umbrella" of a company does not allow you to be in the field, and can be subject to those fines of the Ute Tribe Severance Tax Ordinance.
- Any deviation of submitted APDs and ROW applications the Companies will notify the Ute Tribe and BIA in writing and will receive written authorization of any such change with appropriate authorization.
- The Company will implement "Safety and Emergency Plan." The Company's safety director will ensure its compliance.
- All Company employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- All personnel shall refrain from collecting artifacts, any paleontological fossils, and from disturbing any significant cultural resources in the area.
- The personnel from the Ute Tribe Energy & Minerals Department shall be notified shall cultural remains from subsurface deposits be exposed or identified during construction. All construction will cease.
- All mitigative stipulations contained in the Bureau of Indian Affairs Site Specific Environmental Assessment (EA) will be strictly adhered.
- Upon completion of Application for Corridor Right-Way, the company will notify the Ute Tribe Energy & Minerals Department, so that a Tribal Technician can verify Affidavit of Completion.
- Paint tanks Desert Tan
- Two feet berm around location
- Use rock and gravel where needed
- For any other additional stipulations, see concurrence letter.

## **DOWNHOLE CONDITIONS OF APPROVAL**

### **SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL**

- The 9 5/8" surface casing shall be 1200 feet long.
- The top of the production casing cement shall extend a minimum of 200 feet above the surface casing shoe.

**All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to.** The following items are emphasized:

### **DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS**

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- Chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to [UT\\_VN\\_Welllogs@BLM.gov](mailto:UT_VN_Welllogs@BLM.gov). This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

## OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and/or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>UTU-0806</b>
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>UTE INDIAN TRIBE</b>
		7. UNIT or CA AGREEMENT NAME: <b>WONSITS VALLEY UNIT</b>
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: <b>WV 14BML-12-8-21</b>
2. NAME OF OPERATOR: <b>QUESTAR EXPLORATION &amp; PRODUCTION CO.</b>		9. API NUMBER: <b>4304739036</b>
3. ADDRESS OF OPERATOR: <b>11002 E. 17500 S.</b> CITY <b>VERNAL</b> STATE <b>UT</b> ZIP <b>84078</b>		10. FIELD AND POOL, OR WILDCAT: <b>WONSITS VALLEY</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>946' FSL 1962' FWL</b>		COUNTY: <b>UINTAH</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>SESW 12 8S 21E</b>		STATE: <b>UTAH</b>

**11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u><b>APD EXTENSION</b></u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Please be advised that the state APD for the above captioned well will expired on February 8, 2008. Questar Exploration and Production Company respectfully requests a one year extension.

Approved by the  
Utah Division of  
Oil, Gas and Mining

Date: 02-07-08  
By: [Signature]

**COPY SENT TO OPERATOR**

Date: 2-7-2008

Initials: KS

NAME (PLEASE PRINT) <u>Laura Bills</u>	TITLE <u>Regulatory Affairs</u>
SIGNATURE <u>[Signature]</u>	DATE <u>2/4/2008</u>

(This space for State use only)

**RECEIVED**  
**FEB 05 2008** **CONFIDENTIAL**  
DIV. OF OIL, GAS & MINING

**Application for Permit to Drill  
Request for Permit Extension  
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

**API:** 43-047-39036  
**Well Name:** WV 14BML-12-8-21  
**Location:** 946' FSL 1962' FWL, SESW, SEC. 12, T8S, R21E  
**Company Permit Issued to:** Questar Exploration & Production Co.  
**Date Original Permit Issued:** 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes  No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes  No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes  No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes  No

Has the approved source of water for drilling changed? Yes  No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes  No

Is bonding still in place, which covers this proposed well? Yes  No

  
Signature

2/4/2008  
Date

Title: REGULATORY AFFAIRS

Representing: Questar Exploration & Production Co.

**RECEIVED**  
**FEB 05 2008**  
DIV. OF OIL, GAS & MINING

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>UTU-0806</b>
2. NAME OF OPERATOR: <b>QUESTAR EXPLORATION &amp; PRODUCTION COMPANY</b>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>UTE TRIBE</b>
3. ADDRESS OF OPERATOR: <b>11002 E. 17500 S. CITY VERNAL STATE UT ZIP 84078</b>		7. UNIT or CA AGREEMENT NAME: <b>WONSITS VALLEY UNIT</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>946' FSL 1962' FWL</b>		8. WELL NAME and NUMBER: <b>WV 14BML-12-8-21</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>SESW 12 8S 21E</b>		9. API NUMBER: <b>4304739036</b>
COUNTY: <b>UINTAH</b>		10. FIELD AND POOL, OR WILDCAT: <b>WONSITS VALLEY</b>
STATE: <b>UTAH</b>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>APD EXTENSION</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Questar Exploration & Production Company hereby requests a 1 year extension on the WV 14BML-12-8-21.

Approved by the  
Utah Division of  
Oil, Gas and Mining

Date: 02-05-09  
By: [Signature]

NAME (PLEASE PRINT) <u>Laura Bills</u>	TITLE <u>Associate Regulatory Affairs Analyst</u>
SIGNATURE <u>[Signature]</u>	DATE <u>1/29/2009</u>

(This space for State use only)

COPY SENT TO OPERATOR

Date: 2.5.2009

Initials: KS

(5/2000)

(See Instructions on Reverse Side)

**RECEIVED**

**FEB 02 2009**

DIV. OF OIL, GAS & MINING

**CONFIDENTIAL**

**Application for Permit to Drill  
Request for Permit Extension  
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

**API:** 43-047-39036  
**Well Name:** WV 14BML-12-8-21  
**Location:** 946' FSL 1962' FWL, SESW, SEC. 12, T8S, R21E  
**Company Permit Issued to:** Questar Exploration & Production Co.  
**Date Original Permit Issued:** 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes  No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes  No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes  No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes  No

Has the approved source of water for drilling changed? Yes  No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes  No

Is bonding still in place, which covers this proposed well? Yes  No

*Travis Bills*  
Signature

1/29/2009  
Date

Title: Associate Regulatory Affairs Analyst

Representing: Questar Exploration & Production Company

**RECEIVED**

**FEB 02 2009**

DIV. OF OIL, GAS & MINING

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0806
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE  <b>7. UNIT or CA AGREEMENT NAME:</b> WONSITS VALLEY
<b>1. TYPE OF WELL</b> Gas Well	<b>8. WELL NAME and NUMBER:</b> WV 14BML-12-8-21
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION & PRODUCTION CO	<b>9. API NUMBER:</b> 43047390360000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, UT, 84078	<b>PHONE NUMBER:</b> 435 781-4362 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0946 FSL 1962 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 12 Township: 08.0S Range: 21.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> WONSITS VALLEY  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 2/5/2011	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER:

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Questar Exploration and Production Company hereby requests a one year extension for the APD on the above captioned well.

**Approved by the  
Utah Division of  
Oil, Gas and Mining**

Date: February 01, 2010

By: 

<b>NAME (PLEASE PRINT)</b> Jan Nelson	<b>PHONE NUMBER</b> 435 781-4331	<b>TITLE</b> Permit Agent
<b>SIGNATURE</b> N/A	<b>DATE</b> 2/1/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources
Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047390360000

API: 43047390360000

Well Name: WV 14BML-12-8-21

Location: 0946 FSL 1962 FWL QTR SESW SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QUESTAR EXPLORATION & PRODUCTION CO

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?
• Has the approved source of water for drilling changed?
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?
• Is bonding still in place, which covers this proposed well?

Approved by the Utah Division of Oil, Gas and Mining

Signature: Jan Nelson

Date: 2/1/2010

Title: Permit Agent Representing: QUESTAR EXPLORATION & PRODUCTION CO

Date: February 01, 2010

By: [Handwritten Signature]

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

ROUTING  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM:</b> (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO:</b> (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	--

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:  
See attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
See attached

7. UNIT or CA AGREEMENT NAME:  
See attached

8. WELL NAME and NUMBER:  
See attached

9. API NUMBER:  
Attached

10. FIELD AND POOL, OR WILDCAT:  
See attached

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL: OIL WELL  GAS WELL  OTHER \_\_\_\_\_

2. NAME OF OPERATOR:  
Questar Exploration and Production Company *N5085*

3. ADDRESS OF OPERATOR:  
1050 17th Street, Suite 500 Denver, STATE CO ZIP 80265 PHONE NUMBER: (303) 672-6900

4. LOCATION OF WELL:  
FOOTAGES AT SURFACE: See attached COUNTY: Attached  
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*  
Utah State Bond Number: ~~965003033~~  
Fee Land Bond Number: ~~965003033~~ *965010695*  
BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affairs Analyst

SIGNATURE *Morgan Anderson* DATE 6/23/2010

(This space for State use only)

RECEIVED  
JUN 28 2010  
DIV. OF OIL, GAS & MINING

APPROVED 6/13/2010  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

(5/2000) (See Instructions on Reverse Side)

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)

WONSITS VALLEY

effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8- 21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13- 8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**WONSITS VALLEY**  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
WONSITS VALLEY  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

#### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

*Roy L Bankert*

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0806
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE  <b>7. UNIT or CA AGREEMENT NAME:</b> WONSITS VALLEY
<b>1. TYPE OF WELL</b> Gas Well	<b>8. WELL NAME and NUMBER:</b> WV 14BML-12-8-21
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047390360000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0946 FSL 1962 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 12 Township: 08.0S Range: 21.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> WONSITS VALLEY  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 2/8/2012  <input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:  <input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:  <input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input checked="" type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the  
Utah Division of  
Oil, Gas and Mining**

Date: 02/03/2011  
By: 

<b>NAME (PLEASE PRINT)</b> Jan Nelson	<b>PHONE NUMBER</b> 435 781-4331	<b>TITLE</b> Permit Agent
<b>SIGNATURE</b> N/A	<b>DATE</b> 2/3/2011	

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9  <b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0806
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE  <b>7.UNIT or CA AGREEMENT NAME:</b> WONSITS VALLEY
<b>1. TYPE OF WELL</b> Gas Well	<b>8. WELL NAME and NUMBER:</b> WV 14BML-12-8-21
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047390360000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0946 FSL 1962 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 12 Township: 08.0S Range: 21.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> WONSITS VALLEY  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 2/8/2013	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the Utah Division of Oil, Gas and Mining**

**Date:** February 13, 2012

**By:**

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 2/6/2012	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047390360000**

API: 43047390360000

Well Name: WV 14BML-12-8-21

Location: 0946 FSL 1962 FWL QTR SESW SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 2/6/2012

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806
1. TYPE OF WELL Gas Well	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
2. NAME OF OPERATOR: QEP ENERGY COMPANY	7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, Ut, 84078	8. WELL NAME and NUMBER: WV 14BML-12-8-21
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0946 FSL 1962 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESW Section: 12 Township: 08.0S Range: 21.0E Meridian: S	9. API NUMBER: 43047390360000
9. FIELD and POOL or WILDCAT: WONSITS VALLEY	COUNTY: UINTAH
STATE: UTAH	

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 2/8/2014	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the Utah Division of Oil, Gas and Mining**

**Date:** February 19, 2013

**By:** 

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 2/7/2013	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047390360000**

API: 43047390360000

Well Name: WV 14BML-12-8-21

Location: 0946 FSL 1962 FWL QTR SESW SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 2/7/2013

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9  <b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0806
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE  <b>7.UNIT or CA AGREEMENT NAME:</b> WONSITS VALLEY
<b>1. TYPE OF WELL</b> Gas Well	<b>8. WELL NAME and NUMBER:</b> WV 14BML-12-8-21
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047390360000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0946 FSL 1962 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 12 Township: 08.0S Range: 21.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> WONSITS VALLEY  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 2/8/2015	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the  
Utah Division of  
Oil, Gas and Mining**

**Date:** February 12, 2014

**By:** 

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 2/6/2014	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah  
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047390360000**

API: 43047390360000

Well Name: WV 14BML-12-8-21

Location: 0946 FSL 1962 FWL QTR SESW SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
  
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
  
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
  
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
  
- Has the approved source of water for drilling changed?  Yes  No
  
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
  
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 2/6/2014

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY



# United States Department of the Interior



## BUREAU OF LAND MANAGEMENT

Green River District  
Vernal Field Office  
170 South 500 East  
Vernal, UT 84078

<http://www.blm.gov/ut/st/en/fo/vernal.html>

JAN 24 2014

IN REPLY REFER TO:  
3160 (UTG011)

Jan Nelson  
QEP Energy Company  
11002 E. 17500 S.  
Vernal, UT 84078

43 DA1 39036

Re: Notice of Expiration  
Well No. WV 14BML-12-8-21  
SESW, Sec. 12, T8S, R21E  
Uintah County, Utah  
Lease No. UTU-0806  
Wonsits Valley Unit

RECEIVED  
FEB 20 2014  
DIV. OF OIL, GAS & MINING

Dear Ms. Nelson:

The Application for Permit to Drill (APD) for the above-referenced well was approved on October 9, 2007. A two (2) year extension of the original APD was requested. The request was reviewed and the extension approved until October 9, 2011. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka  
Assistant Field Manager  
Lands & Mineral Resources

cc: UDOGM

bcc: Well File  
I&E Asst.



GARY R. HERBERT  
Governor

SPENCER J. COX  
Lieutenant Governor

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA  
Division Director

February 26, 2015

Valyn Davis  
QEP Energy Company  
11002 E 17500 S  
Vernal, UT 84087

43 047 39036  
WV 14BML-12-8-21  
12 85 21E

Re: APDs Rescinded QEP Energy Company, Uintah County


Dear Ms. Davis:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of February 26, 2015.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

  
Diana Mason  
Environmental Scientist

cc: Well File  
Bureau of Land Management, Vernal



4304739035- WV 7AML-12-8-21

→ 4304739036- WV 14BML-12-8-21

4304739037- WV 14B-13-8-21

4304739038- WV 4B-14-8-21

4304739042- WV 7CML-11-8-21