

Form
(August 2004)

FORM
Approved August 2004

**UTE INDIAN TRIBE
DEPARTMENT OF ENERGY AND MINERALS
APPLICATION FOR PERMIT TO DRILL OR REENTER**

5. Lease Serial No. or EDANo.
EDA Number UIT-EDA-001-000

6. Tribe Name
Ute

1a. Type of work: DRILL REENTER

7. If Unit or CA Agreement, Name and No.
N/A

1b. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone

8. Lease Name and Well No.
Ute Tribal 3-33-1319

2. Name of Operator
FIML Natural Resources, LLC

9. API Well No.
43-04739429

3a. Address **410 17th St., 9th Floor, Denver, CO 80202**

3b. Phone No. (include area code)
(303) 893-5073

10. Field and Pool, or Exploratory
~~Wildcat~~ **Undesignated**

4. Location of Well (Report location clearly and in accordance with any State requirements.)*
At surface **603176^{ft} NE/4 NW/4 648' FNL & 1,779' FWL Sec 33 T-13S R-19E**
At proposed prod. zone **Same 4389206^y 39.648315 -109.797473**

11. Sec., T. R. M. or Blk. and Survey or Area
Sec 33, T-13S R-19E

14. Distance in miles and direction from nearest town or post office*
43 miles south southwest of Ouray, Utah

12. County
Uintah

13. State
UT

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)
648'

16. No. of acres in lease
640

17. Spacing Unit dedicated to this well
40 Acres

18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.
3,031'

19. Proposed Depth
5,600'

20. State Bond #
8193-15-93

21. Elevations (Show whether DF, KDB, RT, GL, etc.)
7,007' GL


22. Approximate date work will start*
07/07/2007

23. Estimated duration
15 days

24. Attachments

The following shall be attached to this form:

1. Well plat certified by a registered surveyor.
2. A Drilling Plan.
3. A Surface Use Plan.
4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
5. Such other site specific information and/or plans as may be required by the Energy and Minerals Department.

25. Signature 	Name (Printed/Typed) Mark D. Bingham	Date 06/29/2007
--	--	---------------------------

Title
Senior Vice President

Approved by (Signature) 	Name (Printed/Typed) BRADLEY G. HILL	Date 07-26-07
--	--	-------------------------

Title
ENVIRONMENTAL MANAGER


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

RECEIVED

JUL 05 2007

DIV. OF OIL, GAS & MINING

T13S, R19E, S.L.B.&M.




UTE/FNR LLC.

Well location, UTE TRIBAL #3-33-1319, located as shown in the NE 1/4 NW 1/4 of Section 33, T13S, R19E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK (47 WF) LOCATED IN THE NW 1/4 OF SECTION 22, T12S, R19E, S.L.B.&M. TAKEN FROM THE DOG KNOLL QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6473 FEET.



CERTIFICATION

THIS IS TO CERTIFY THAT THE SURVEYING PLAT WAS MADE FROM FIELD NOTES OF ACTUAL SURVEYING MADE BY ME OR UNDER MY SUPERVISION AND THAT THE PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

(AUTONOMOUS NAD 83)
 LATITUDE = 39°38'54.01" (39.648336)
 LONGITUDE = 109°47'53.39" (109.798164)
 (AUTONOMOUS NAD 27)
 LATITUDE = 39°38'54.14" (39.648372)
 LONGITUDE = 109°47'50.89" (109.797469)

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 1-22-06	DATE DRAWN: 4-5-06
PARTY B.H. J.T. K.G.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE UTE/FNR LLC.	

FIML NATURAL RESOURCES, LLC

June 29, 2007

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801

Attn.: Ms. Diana Mason

RE: Exception Letter for the Ute Tribal #3-33-1319
Uintah County, Utah

Dear Ms. Mason:

FIML Natural Resources, LLC has no objection to the proposed Ute Tribal #3-33-1319 well being drilled 648' FNL and 1,779' FWL of Section 33 T-13S R-19E. The original "legal" drill site location was moved due to severe topographic conditions. Moreover, the Ute Tribal representatives would not allow the drill site to be placed at the legal location due to the severe topographic constraints.

FIML Natural Resources, LLC is the only owner within a 460 foot radius of the proposed well location.

The signature below is our written waiver of objection to UT Administrative Code R649-3-3.

Signature:



Name: Rick Parks

Title: Operations Manager

Date: June 29, 2007

FIML Natural Resources, LLC
410 17th Street, Suite 900
Denver, CO 80202

RECEIVED

JUL 05 2007

DIV. OF OIL, GAS & MINING

410 17th Street, Suite 900 * Denver, CO 80202 * (303)893-5073 * Facsimile (303) 573-0386

SELF CERTIFICATION STATEMENT

The following self-certification statement is provided per federal requirements dated June 15, 1988.

Please be advised that FIML Natural Resources, LLC is considered to be the operator of the following well.

Ute Tribal 3-33-1319
NE/4 NW/4 648' FNL 1,779' FWL Sec 33, T-13S, R-19E, S.L.B.&M.
EDA Number UIT-EDA-001-000
Uintah County, Utah

FIML Natural Resources, LLC is responsible under the terms of this lease for the operations conducted upon lease lands.



Rick Parks
Operations Manager
FIML Natural Resources, LLC
410 17th Street
9th Floor
Denver, Colorado 80202
(303) 893-5073

UTE/FNR LLC
Managed and Operated by FIML Natural Resources, LLC

Ute Tribal 3-33-1319
NE/4 NW/4 648' FNL 1,779' FWL Section 33 T-13S R-19E
Uintah County, Utah
EDA Number UIT-EDA-001-000

DRILLING PROGRAM

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

UTE/FNR LLC is responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" and the Standard Operating Procedures will be furnished to the field representative(s) to ensure compliance and will be on location during all construction and drilling operations.

Ute Tribe Energy and Minerals Department Notification Requirements:

Location Construction:	48 hours prior to construction of location and access roads.
Location Completion:	Prior to moving the drilling rig to the location.
Spud notice:	At least 24 hours prior to spudding the well.
Casing String & Cementing:	24 hours prior to running casing and cementing each casing string.
BOP & Related Equipment Tests:	At least 24 hours prior to initiating pressure tests.
First Production Notice:	Within 5 days after production from a new well begins or production resumes after an existing well has been off production for more than 90 days.

1. **Estimated Tops of Geological Markers:**

Formation	Depth
Green River	Surface
Wasatch	2,704'
Mesa Verde	5,158
Total Depth	5,600'

2. **Estimated Depths of Anticipated Water, Oil, Gas, or Other Minerals:**

Substance	Formation	Depth
Oil/Gas	Wasatch	2,704'
Oil/Gas	Mesa Verde	5,158'

All usable water, having less than 10,000 ppm total dissolved solids, and any prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine their commercial potential. This information will be reported to the Ute Tribe Energy and Minerals Department.

All water shows and water bearing zones will be reported to the Ute Tribe Energy and Minerals Department within one (1) business day after being encountered. Filing of the State of Utah form 7 Report of Water Encountered is optional.

3. **Pressure Control Equipment:** (Schematic Attached)

FIML Natural Resources, LLC's minimum specifications for pressure control equipment are as follows:

The BOP and related equipment will meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 3,000 psi system. All individual components shall be operable as designed. Chart recorders will be used for all pressure tests.

Test charts, with individual test results identified, will be maintained on location while drilling and shall be made available to a Ute Tribe Energy and Minerals Department upon request.

All required BOP tests and/or drills will be recorded in the IADC report.

The anticipated bottom hole pressure will be approximately 2,028 psi.

4. **Proposed Casing and Cementing Program:**

The proposed Casing Program will be as follows:

<u>Purpose</u>	<u>Depth</u>	<u>Hole Size</u>	<u>Casing Size</u>	<u>Type</u>	<u>Conn</u>	<u>Weight (lb/ft)</u>
Surface	1,500'	12-1/4"	8-5/8"	J-55	ST &C	24
Production	TD	7-7/8"	4-1/2"	I-80	LT &C	11.6

The proposed casing and cementing program will be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium other than cement will receive approval prior to use. The casing setting depth will be calculated to position the casing seat opposite a competent formation, which will contain the maximum pressure to which it will be exposed during drilling operations. Determination of casing setting depth will be based on all relevant factors, including: presence/absence of hydrocarbons, fracture gradients, usable water zones, formation pressures, lost circulation zones, other minerals, or other unusual characteristics.

All casing, except conductor casing, will be new.

The surface casing will be cemented back to the surface either during the primary cement job or by remedial cementing.

All waiting on cement times will be adequate to achieve a minimum of five hundred (500) psi compressive strength at the casing shoe prior to drilling out.

As a minimum, usable water zones below the surface casing will be isolated and/or protected by having a cement top for the production casing at least 200 feet above the base of the usable water. If Gilsonite is encountered while drilling, it will be isolated and/or protected via the cementing program.

Surface casing will have centralizers on the bottom three joints, with a minimum of one (1) centralizer per joint.

Top plugs will be used to reduce contamination of cement by the displacement fluid. A bottom plug or other acceptable technique, such as a pre-flush fluid, will be utilized to help isolate the cement from contamination by the mud being displaced ahead of the cement slurry.

All casing strings below the conductor will be pressure tested to 0.22 psi per foot of casing string length or to 1,500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield. If pressure declines more than 10% in 30 minutes, corrective action will be taken.

The cementing program will be as follows:

<u>Surface</u>	<u>Cement Fill</u>	<u>Type and Amounts</u>
1,500'-0'	1,500'	~180 sxs Light cement w/ 16% gel, 10.0 pps Gilsonite, 0.25 pps Flocele. Weight 11.0 ppg. Yield 3.82 ft ³ /sx. Tail: ~250 Premium cement w/ 2.0% CaCL ₂ & 0.25 pps Flocele. Weight 15.8 ppg. Yield 1.15 ft ³ /sx.

<u>Production</u>	<u>Cement Fill</u>	<u>Types and Amounts</u>
5,200'-0'	5,200'	~200 sxs Light cement w/ 10.0 #/sx Gilsonite & 0.25 #/sx Flocele. Weight 10.5 ppg. Yield 4.14 ft ³ /sx., followed by ~585 sxs Premium Pox-Mix cement w/ 0.2% gel, 0.6% Halad 322, 5.0% salt, 2.0% Microbond, 0.2% Super CBL and 0.25 #/sx Flocele. Weight 14.3 ppg. Yield 1.25 ft ³ /sx.

Anticipated cement tops will be reported as to depth, not the expected number of sacks of cement to be used. The Ute Tribe Energy and Minerals Department will be notified, with sufficient lead time, in order to have a Ute Tribe Energy and Minerals Department representative on location while running all casing strings and cementing.

After cementing the surface casing and prior to commencing any test, FIML Natural Resources, LLC will wait long enough for the cement to have at least a compressive strength of 500 psi at the shoe. WOC time will be recorded in the Driller's log.

The spud date will be shown on the first report that is submitted.

A Sundry Notice will be filed with the Ute Tribe Energy and Minerals Department within 30 days after the work is completed. It will contain the following information:

The setting of each string showing the size, grade, weight of casing set, setting depth, amounts and types of cement used, whether the cement was circulated to surface or the top of cement behind casing, the depth of cementing tools used, casing testing methods and results, and the date the work was done. The spud date will be shown on the first report that is submitted.

The following auxiliary well equipment will be used:

A 3" choke manifold and pit level indicator.

An upper Kelly Cock will be kept in the drilling string at all times.

A stabbing valve will be available on the rig floor and will fit all rotary connections.

5. **Drilling Fluids Program:**

<u>Interval</u>	<u>Weight</u>	<u>Viscosity</u>	<u>Fluid Loss</u>	<u>Description</u>
0'-1,500'	Air/Mist 8.4-8.8 ppg	Air/Mist 26-42	N/A	Drill with air/mist using polymer sweeps to clean the hole if portions of this section must be drilled with water.
1,500'-5,220'	8.4 – 9.4	38-62	< 15 cc	Mix 6.0 ppb DAP (diammonium phosphate) in active mud system. Use EZ-Mud on connections for minor sweeps. Raise viscosity as hole conditions dictate.

There will be sufficient mud inventory on location during drilling operations to control any adverse conditions which may arise.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system without prior approval of the Ute Tribe Energy and Minerals Department to ensure adequate protection of fresh water aquifers.

No chemicals subject to reporting under SARA Title III in any amount to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of the well. Furthermore, no hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of any wells.

6. **Evaluation Program:**

Logging Program:

Compensated Density/Neutron Log; Gamma Ray/Induction Log. Logs will be run from Total Depth to the base of the surface casing.

A cement bond log (CBL) will be run from plug back total depth within the casing to the top of cement and it will be utilized to determine the bond quality for the production casing. A field copy of the CBL will be submitted to the Ute Tribe Energy and Minerals Department.

Sampling:

Dry samples will be taken every ten (30) feet from the base of surface casing to Total Depth.

Deviation Surveys:

Surveys will be run at least every five-hundred (500) feet. Surveys will also be taken on every trip.

Mud Logger:

A one person mud-logging unit will be on location from the base of surface casing to Total Depth.

Drill Stem Tests;

All Drill Stem Tests (DST) will be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the Ute Tribe Energy and Minerals Department. DST's may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor proof for safe conditions). Packers can be released, but tripping will not begin before daylight unless prior approval is obtained from the Ute Tribe Energy and Minerals Department.

Cores:

When necessary.

Completion:

The "Well Completion and Re-completion Report and Log" will be submitted no later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164, whether the well is completed as a dry hole or a producer. One copy of all logs, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations will be filed with the form report.

Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Ute Tribe Energy and Minerals Department.

7. **Abnormal Conditions:**

No abnormal conditions are anticipated.

8. **Anticipated Starting Dates and Notification of Operations:**

Drilling Activity:

Drilling activity will begin after the site specific APD has been approved, the access road and location have been built, and a drilling rig has been placed under contract.

If possible, the surface hole will be drilled and surface casing set and cemented with a rathole rig. The drilling rig will move in after surface casing has been set and will drill the hole to Total Depth. Approximately fifteen (50) working days will be required to drill the hole including the surface hole operation.

Longstring cement will set for a minimum of 72 hours. Well completion operations should take approximately fifteen (15) working days.

Notification of Operations:

The Ute Tribe Energy and Minerals Department will be notified at least 24 hours prior to the commencement of spudding the well, to be followed with a Sundry Notice, of initiating pressure tests of the blowout preventer and related equipment, and running casing and cementing of all casing strings. Notification will be made during regular work hours (8:00 a.m. – 4:30 p.m., Monday – Thursday, except holidays).

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from the well to be placed in suspended status without prior approval from the Ute Tribe Energy and Minerals Department. Prior approval of the Ute Tribe Energy and Minerals Department will be obtained and notification given before resumption of operations, if operations are to be suspended.

A completion rig will be used for completion operations.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

UTE/FNR LLC will report production data to the Ute Tribe Energy and Minerals Department and to the State of Utah in accordance with state regulations. Production reporting will start with the month in which operations commence and continue each month until the well is physically plugged and abandoned.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever occurs first; and for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is measured through permanent metering facilities, whichever occurs first.

Should a well be successfully completed for production, the Ute Tribe Energy and Minerals Department will be notified when the well is placed in a producing status. Such notification will be sent by written communication no later than 5 days following the date when the well is placed on production.

In accordance with Onshore Order No. 7, with the approval of the Ute Tribe Energy and Minerals Department, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During this period, an application for approval of the permanent disposal method must be submitted to the Ute Tribe Energy and Minerals Department.

In accordance with NTL-4A, lessees or operators are authorized to vent/flare gas during the initial well evaluation tests, not to exceed 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the Ute Tribe Energy and Minerals Department and approval received for any venting/flaring of gas beyond the initial 30 days or authorized test period.

A schematic facilities diagram, as required under 43 CFR 3162.7-5(d.1-3), will be submitted to the Ute Tribe Energy and Minerals Department within 60 days of installation or first production, whichever occurs first. All site security regulations, as specified in Onshore Oil & Gas Order No. 3, will be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5(b.4).

Well abandonment operations will not be commenced without the prior approval of the Ute Tribe Energy and Minerals Department. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the Ute Tribe Energy and Minerals Department. A "Subsequent Report of Abandonment" will be filed with the UTE/FNR LLC within 30 days following completion of the well for abandonment. The report will indicate placement of the plugs and current status of the surface restoration. Final abandonment will not be approved until the surface reclamation work required by the APD or approved abandonment notice has been completed to the satisfaction of the Ute Tribe Energy and Minerals Department.

In accordance with Onshore Oil and Gas Order No. 1, UTE/FNR LLC will ensure that its exploration, development, production, and construction operations are conducted in a manner which conforms with applicable laws and regulations.

9. Other Information:

All loading lines will be placed inside the berm surrounding the tank battery.



All off-lease storage, off-lease measurement, or co-mingling on-lease or off-lease will have prior written approval from the Ute Tribe Energy and Minerals Department.

The gas meter will be calibrated and any production tank will be strapped in place prior to any deliveries of gas or oil. Tests for meter accuracy will be conducted following the initial installation or following any repair and at least quarterly thereafter. The Ute Tribe Energy and Minerals Department will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Ute Tribe Energy and Minerals Department. All measurement facilities will conform to API and AGA standards, Onshore Oil & Gas Order No. 4, and Onshore Oil & Gas Order No. 5 for natural gas and liquid hydrocarbon measurements.

Deviations from the proposed drilling and/or workover program will be approved by the Ute Tribe Energy and Minerals Department. Safe drilling and operating practices will be observed. All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.

A "Sundry Notice and Report in Wells" will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

2M SYSTEM
BLOWOUT PREVENTER FOR HIGH PRESSURE WELLS
900 SERIES MINIMUM
 2000# psi W.P.
 BOP 6" X 3000 PSI or 10" X 3000 PSI



UTE/FNR LLC
Managed and Operated by FIML Natural Resources, LLC

Ute Tribal 3-33-1319
NE/4 NW/4 648' FNL 1,779' FWL Section 33 T-13S R-19E
Uintah County, Utah
EDA Number UIT-EDA-001-000

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads

- A. Proceed in a westerly direction from Vernal, Utah along U.S. Highway 40 approximately 14.0 miles to the junction of State Highway 88. Turn left and proceed in a southerly direction approximately 17.0 miles to Ouray, Utah. Proceed south out of Ouray for 9.1 miles to the Seep Ridge Road. Turn right and follow Seep Ridge Road in a southerly direction approximately 4.0 miles. Turn left and Proceed in a southerly direction for approximately 27.7 miles. Take the right fork (the high road) and proceed in a southerly direction for approximately 1.9 miles. Turn left and go approximately 0.1 miles along the new proposed access road to the Ute Tribal 3-33-1319
- B. The proposed well site is located approximately 43 miles south southwest of Ouray, Utah – See attached Topographic Map “A”.
- C. Refer to attached Topographic Map “A”.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. Planned Access Roads

See Topographic Map “B” for the location of the proposed access road.

3. Location of existing wells within a one mile radius of proposed well location

See Topographic Map “C” for the location of existing wells within a one-mile radius.

4. Location of Existing and /or Proposed Facilities

Please refer to UTE/FNR LLC Standard Operating Practices (SOP Version: November 18, 2005).

5. Location and Type of Water Supply

- A. Water supply will be from the Ute Tribal 5-27-1319 water well. The State Water Right number is 43-10447 and the well is located in Section 6, T-12S, R-19E, Uintah County, Utah.
- B. Water will be hauled by JN Trucking, Inc.

6. Source of Construction Materials

Please refer to UTE/FNR LLC Standard Operating Practices (SOP Version: November 18, 2005).

7. Method of Handling Waste Materials

Please refer to UTE/FNR LLC Standard Operating Practices (SOP Version: November 18, 2005).

8. Ancillary Facilities

Please refer to UTE/FNR LLC Standard Operating Practices (SOP Version: November 18, 2005).

9. Well Site Layout

The attached Location Layout diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, pipe racks, trailer parking, spoil dirt stockpile(s) and top soil stockpile(s).

10. Plans for Restoration of the Surface

Please refer to UTE/FNR LLC Standard Operating Practices (SOP Version: November 18, 2005).

11. Surface Ownership

Access Road: Ute Indian Tribe
Location: Ute Indian Tribe

12. Other Information

Please refer to UTE/FNR LLC Standard Operating Practices (SOP Version: November 18, 2005).

13. Operator's Representative and Certification

Name: Rick Parks
Address: 410 17th Street
9th Floor
Denver, Colorado 80202
Phone No. 303-893-5081
Cellular No. 303-229-7689

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations and Onshore Oil and Gas Orders. FIML Natural Resources, LLC is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge and belief, true and correct; and that the work associated with operations proposed herein will be performed by FIML Natural Resources, LLC and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it was approved.

7/3/07
Date


Rick Parks
Operations Manager
FIML Natural Resources, LLC

EPA's LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide waste
- Radioactive tracer wastes
- Drums, insulation, and miscellaneous solids

UTE/FNR LLC.
UTE TRIBAL #3-33-1319
 LOCATED IN UINTAH COUNTY, UTAH
 SECTION 33, T13S, R19E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: EASTERLY



- Since 1964 -


UELS Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 435-789-1017 uels@uelsinc.com

LOCATION PHOTOS			01	31	06	PHOTO
			MONTH	DAY	YEAR	
TAKEN BY: B.H.	DRAWN BY: C.P.	REVISED: 00-00-00				

UTE/FNR LLC.

LOCATION LAYOUT FOR

UTE TRIBAL #3-33-1319
SECTION 33, T13S, R19E, S.L.B.&M.
648' FNL 1779' FWL



SCALE: 1" = 50'
DATE: 4-5-06
DRAWN BY: K.G.

NOTE:

Flare Pit is to be located a min. of 100' from the Well Head.

Approx. Top of Cut Slope

F-3.0'
El. 7002.8'

Sta. 3+30

F-0.4'
El. 7005.4'



Sta. 1+60

F-2.9'
El. 7002.9'

Sta. 0+00

C-13.6'
El. 7009.4'
(Btm. Pit)

C-2.4'
El. 7008.2'

C-1.4'
El. 7007.2'


F-1.2'
El. 7004.6'

Flare Pit C-1.1'
El. 7006.9'

C-12.0'
El. 7007.8'
(Btm. Pit)

C-0.9'
El. 7006.7'

C-1.7'
El. 7007.5'



Elev. Ungraded Ground at Location Stake = 7006.7'
Elev. Graded Ground at Location Stake = 7005.8'

UTE/FNR LLC.





TYPICAL CROSS SECTIONS FOR

UTE TRIBAL #3-33-1319
SECTION 33, T13S, R19E, S.L.B.&M.
648' FNL 1779' FWL



1" = 20'
X-Section
Scale
1" = 50'

DATE: 4-5-06
DRAWN BY: K.G.



NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.


* NOTE:

FILL QUANTITY INCLUDES 5% FOR COMPACTION

APPROXIMATE YARDAGES

CUT		
(12") Topsoil Stripping	=	2,870 Cu. Yds.
Remaining Location	=	4,840 Cu. Yds.
TOTAL CUT	=	7,710 CU.YDS.
FILL	=	3,040 CU.YDS.

EXCESS MATERIAL	=	4,670 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	=	4,670 Cu. Yds.
EXCESS UNBALANCE (After Interim Rehabilitation)	=	0 Cu. Yds.



**PROPOSED LOCATION:
UTE TRIBAL #3-33-1319**

**OURAY 42.5 MI. +/-
SEEP RIDGE ROAD 33.4 MI. +/-**

**T13S
T14S**

LEGEND: **UTE/FNR LLC.**


⊙ PROPOSED LOCATION



**UTE TRIBAL #3-33-1319
SECTION 33, T13S, R19E, S.L.B.&M.
648' FNL 1779' FWL**

U E I S
Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 01 31 06
MAP MONTH DAY YEAR
 SCALE: 1:100,000 DRAWN BY: C.P. REVISED: 00-00-00 **A TOPO**



**R
19
E**

**OURAY 42.5 MI. +/-
SEEP RIDGE ROAD 33.4 MI. +/-**

PROPOSED ACCESS 0.1 MI. +/-

**PROPOSED LOCATION:
UTE TRIBAL #3-33-1319**

**T13S
T14S**

LEGEND:

-  EXISTING ROAD
-  PROPOSED ACCESS ROAD




UTE/FNR LLC.

**UTE TRIBAL #3-33-1319
SECTION 33, T13S, R19E, S.L.B.&M.
648' FNL 1779' FWL**

UEIS Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP 01 31 06
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00

B
TOPO



LEGEND:

- | | |
|-------------------|-------------------------|
| ⊗ DISPOSAL WELLS | ⊗ WATER WELLS |
| ● PRODUCING WELLS | ⊕ ABANDONED WELLS |
| ⊖ SHUT IN WELLS | ⊖ TEMPORARILY ABANDONED |



UTE/FNR LLC.

UTE TRIBAL #3-33-1319
SECTION 33, T13S, R19E, S.L.B.&M.
648' FNL 1779' FWL




Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC 01 31 06
MAP MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: C.P. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 465' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- - - - - PROPOSED PIPELINE
- - - - - PROPOSED PIPELINE (SERVICING OTHER WELLS)



UTE/FNR LLC.

**UTE TRIBAL #3-33-1319
SECTION 33, T13S, R19E, S.L.B.&M.
648' FNL 1779' FWL**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP 01 31 06
MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: C.P. REVISED: 00-00-00



**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 07/05/2007

API NO. ASSIGNED: 43-047-39429

WELL NAME: UTE TRIBAL 3-33-1319
 OPERATOR: FIML NATURAL RESOURCES, (N2530)
 CONTACT: MARK BINGHAM

PHONE NUMBER: 303-893-5073

PROPOSED LOCATION:

NENW 33 130S 190E
 SURFACE: 0648 FNL 1779 FWL
 BOTTOM: 0648 FNL 1779 FWL
 COUNTY: UINTAH
 LATITUDE: 39.64832 LONGITUDE: -109.7975
 UTM SURF EASTINGS: 603176 NORTHINGS: 4389206
 FIELD NAME: UNDESIGNATED (2)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	DKD	7/25/07
Geology		
Surface		

LEASE TYPE: 2 - Indian
 LEASE NUMBER: EDA-001-000
 SURFACE OWNER: 2 - Indian

PROPOSED FORMATION: MVRD
 COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[] Ind[2] Sta[] Fee[]
(No. 8193-15-93)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 43-10447)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)
- Intent to Commingle (Y/N)

LOCATION AND SITING:


- ___ R649-2-3.
Unit: _____
- ___ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- ___ Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- ___ R649-3-11. Directional Drill

COMMENTS:

See separate file

STIPULATIONS:

1. STATEMENT OF BASIS
2. Spacing Strip
3. Surface Csg Cont strip



OPERATOR: FIML NAT RES LLC (N2530)

SEC: 33 T.13S R.19E

FIELD: UNDESIGNATED (002)

COUNTY: UINTAH

SPACING: R649-3-31 Exception Location

Wells Status


- GAS INJECTION
- GAS STORAGE
- LOCATION ABANDONED
- NEW LOCATION
- PLUGGED & ABANDONED
- PRODUCING GAS
- PRODUCING OIL
- SHUT-IN GAS
- SHUT-IN OIL
- TEMP. ABANDONED
- TEST WELL
- WATER INJECTION
- WATER SUPPLY
- WATER DISPOSAL
- DRILLING

Field Status

- ABANDONED
- ACTIVE
- COMBINED
- INACTIVE
- PROPOSED
- STORAGE
- TERMINATED

Unit Status

- EXPLORATORY
- GAS STORAGE
- NF PP OIL
- NF SECONDARY
- PENDING
- PI OIL
- PP GAS
- PP GEOTHERML
- PP OIL
- SECONDARY
- TERMINATED



Utah Oil Gas and Mining



PREPARED BY: DIANA MASON
DATE: 12-JULY-2007

Application for Permit to Drill

Statement of Basis

7/26/2007

Utah Division of Oil, Gas and Mining

Page 1

APD No	API WellNo	Status	Well Type	Surf Ownr	CBM
465	43-047-39429-00-00		GW	I	No
Operator	FIML NATURAL RESOURCES, LLC (FNR)		Surface Owner-APD		
Well Name	UTE TRIBAL 3-33-1319		Unit		
Field	UNDESIGNATED		Type of Work		
Location	NENW 33 13S 19E S 648 FNL 1779 FWL GPS Coord (UTM) 603176E 4389206N				

Geologic Statement of Basis

FIML proposes to set 1,500 feet of surface casing cemented to the surface. A search of Division of Water Rights records shows no water wells within a 10,000 foot radius of the proposed location. The base of the moderately saline water is estimated at 3,200 feet. The surface formation at the proposed location is the Green River Formation. The Green River Formation is made up of interbedded sandstones, limestones and shales. This location is in a recharge area for the aquifers of the upper Green River Formation and fresh water can be expected to be found in the upper Green River. The proposed casing and cementing program should cover the entire Green River section and adequately protect the Green River aquifer.

Brad Hill
APD Evaluator

7/26/2007
Date / Time

Surface Statement of Basis

The Ute Indian Tribe is the surface owner at this location. The operator is responsible for obtaining any needed permits or rights of way before causing any surface disturbance or drilling.

Brad Hill
Onsite Evaluator

7/26/2007
Date / Time

Conditions of Approval / Application for Permit to Drill

Category	Condition
	None.

Casing Schematic

Surface

BHP $0.052(5600)9.4 = 2737 \text{ psi}$
 anticipate 2028 psi

Gas $.12(5600) = 672$
 $2737 - 672 = 2065 \text{ psi, MASP}$

Wt $.22(5600) = 1232$
 $2737 - 1232 = 1505 \text{ psi}$

BOPE 2M ✓

8-5/8"
 MW 8.8
 Frac 19.3

Burst 2950
 70% 2065 psi

Max P @ surf. shoe
 $.22(4100) = 902$
 $2737 - 902 = 1835 \text{ psi}$

Propose test Surface Csg to 1500 psi ✓

✓ Adequate (KW) 7/25/07



4-1/2"
 MW 9.4

127
 187

Green River
 to surf w/13% w/o

TOC @ 171.

✓ * Surface Csg cont step ✓

to surf. w/7% w/o

TOC @ 632.

Surface
 1500. MD

-2704' Wasatch

-3250'± BMSW

-5158' Mesaverde

Production
 5600. MD

B SW ~ 3750 above E
 elev. 7007
 $+ 3257 \text{ BMSW}$

Well name:

2007-07 FIML Ute Tribal 3-33-1319

Operator: **FIML Natural Resources LLC**

String type: **Surface**

Project ID:

43-047-39429

Location: **Uintah County**

Design parameters:

Collapse

Mud weight: 8.800 ppg
Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 1,320 psi
Internal gradient: 0.120 psi/ft
Calculated BHP 1,500 psi

No backup mud specified.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on buoyed weight.
Neutral point: 1,302 ft

Environment:

H2S considered? No
Surface temperature: 65 °F
Bottom hole temperature: 86 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 250 ft

Cement top: 171 ft

Non-directional string.

Re subsequent strings:

Next setting depth: 5,600 ft
Next mud weight: 9.400 ppg
Next setting BHP: 2,735 psi
Fracture mud wt: 19.250 ppg
Fracture depth: 1,500 ft
Injection pressure: 1,500 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	1500	8.625	24.00	J-55	ST&C	1500	1500	7.972	536.3
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	686	1370	1.998 ✓	1500	2950	1.97 ✓	31	244	7.81 J ✓

Prepared by: Helen Sadik-Macdonald
Div of Oil, Gas & Minerals

Phone: 801-538-5357
FAX: 810-359-3940

Date: July 13, 2007
Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 1500 ft, a mud weight of 8.8 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Well name:	2007-07 FIML Ute Tribal 3-33-1319		
Operator:	FIML Natural Resources LLC		
String type:	Production	Project ID:	43-047-39429
Location:	Uintah County		

Design parameters:

Collapse
 Mud weight: 9.400 ppg
 Design is based on evacuated pipe.

Minimum design factors:

Collapse:
 Design factor 1.125

Environment:

H2S considered? No
 Surface temperature: 65 °F
 Bottom hole temperature: 143 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 1,500 ft

Burst

Max anticipated surface pressure: 1,503 psi
 Internal gradient: 0.220 psi/ft
 Calculated BHP 2,735 psi

Burst:

Design factor 1.00

Cement top: 632 ft

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Non-directional string.

Tension is based on buoyed weight.
 Neutral point: 4,813 ft

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	5600	4.5	11.60	I-80	LT&C	5600	5600	3.875	488.7
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	2735	6360	2.326 ✓	2735	7780	2.85 ✓	56	212	3.80 J ✓

Prepared by: Helen Sadik-Macdonald
 Div of Oil, Gas & Minerals

Phone: 801-538-5357
 FAX: 810-359-3940

Date: July 13, 2007
 Salt Lake City, Utah

Remarks:
 Collapse is based on a vertical depth of 5600 ft, a mud weight of 9.4 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State Utah
DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

July 26, 2007

FIML Natural Resources, LLC
410 17th St , 9th Floor
Denver, CO 80202

Re Ute Tribal 3-33-1319 Well, 648' FNL, 1779' FWL, NE NW, Sec 33, T 13 South,
R 19 East, Uintah County, Utah

Gentlemen

Pursuant to the provisions and requirements of Utah Code Ann § 40-6-1 *et seq* , Utah Administrative Code R649-3-1 *et seq* , and the attached Conditions of Approval, approval to drill the referenced well is granted

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-39429

Sincerely,

Gil Hunt
Associate Director

pab
Enclosures

cc Uintah County Assessor
Ute Tribe



Operator: FIML Natural Resources, LLC
Well Name & Number Ute Tribal 3-33-1319
API Number: 43-047-39429
Lease: EDA-001-000

Location: NE NW Sec. 33 T. 13 South R. 19 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281 (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. The lands subject to this application and the associated mineral rights have been transferred to the Ute Indian Tribe as fee lands, and not as part of the reservation lands pursuant to Public Law 106-398, the Floyd D Spence National Defense Authorization Act for Fiscal Year 2001. The Division on behalf of the State of Utah has been directed by Utah Code §§40-6-1 *et seq.* to exercise jurisdiction over all oil and gas exploration and development on all lands within the State of Utah, in order to promote the greatest economic recovery of oil and gas, and to protect the interests of the general public in the natural resources of the state. **The operator is responsible for obtaining the proper permits from both the State of Utah, Division of Oil Gas and Mining, and from the Ute Indian Tribe for all oil and gas related activities that may be permitted and under the regulations of the State of Utah or the Ute Indian Tribe.**

5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

Page 2

43-047-39429

July 26, 2007

6. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.
7. Surface casing shall be cemented to the surface.

FIML NATURAL RESOURCES, LLC

July 24, 2008

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801

Attn.: Diana Mason

RE: Ute Tribal #3-33-1319
NENW Sec 33 T-13S R-19E
Uintah County, Utah


Dear Ms. Daniels:

Enclosed is the following information concerning the referenced well.

Sundry Notice-Request for Permit Extension
Request for Permit Extension Validatoin

If any questions arise or additional information is required, please contact me at 303-893-5090.

Sincerely,



Cassandra Parks
Regulatory Specialist

/cp
Enclosures:

410 17th Street, Suite 900 * Denver, CO 80202 * (303)893-5073 * Facsimile (303) 573-0386

RECEIVED
JUL 28 2008
DIV. OF OIL, GAS & MINING

**UTE INDIAN TRIBE
DEPARTMENT OF ENERGY AND MINERALS
SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form APD for such proposals.

FORM
Approved August 2004

5. Lease Serial No. or EDA No.
EDA # UIT-EDA-001-000

6. Tribe Name
Ute Tribe

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Ute Tribal 3-33-1319

9. API Well No.
43-047-39429

10. Field and Pool, or Exploratory Area
Wildcat

11. County
Uintah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

CONFIDENTIAL

2. Name of Operator
FIML Natural Resources, LLC

3a. Address
410 17th Street, Suite 900 Denver, CO 80202

3b. Phone No. (include area code)
303-893-5073

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NENW 648' FNL, 1779' FWL Sec 33 T-13S R-19E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Request for Permit Extension
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with the State of Utah. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form Completion shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

FIML Natural Resources, LLC requests the permit to drill be extended. Further evaluation of the area is needed prior to drilling this well.

State of Utah, Division of Oil, Gas & Mining Surety Bond No. 8193-15-93

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 07-31-08
By: [Signature]

COPY SENT TO OPERATOR

Date: 8-4-2008
Initials: KS

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Cassandra Parks

Title **Regulatory Specialist**

Signature

[Signature]

Date

7/24/2008

THIS SPACE FOR UTE INDIAN TRIBE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

RECEIVED

JUL 28 2008

DIV. OF OIL, GAS & MINING

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-39429
Well Name: Ute Tribal #3-33-1319
Location: NENW 648' FNL, 1779' FWL, Sec 33, T13S R19E
Company Permit Issued to: FIML Natural Resources, LLC
Date Original Permit Issued: 7/26/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes No

Has the approved source of water for drilling changed? Yes No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

Is bonding still in place, which covers this proposed well? Yes No


Signature

7/24/2008
Date

Title: Regulatory Specialist

Representing: FIML Natural Resources, LLC

RECEIVED
JUL 28 2008
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: EDA # UIT-EDA-001-000
2. NAME OF OPERATOR: FIML Natural Resources, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Tribe
3. ADDRESS OF OPERATOR: 410 17th Street Ste. 900 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 648' FNL & 1779' FWL COUNTY: Uintah		8. WELL NAME and NUMBER: Ute Tribal 3-33-1319
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 33 13S 19E STATE: UTAH		9. API NUMBER: 4304739429
		10. FIELD AND POOL, OR WILDCAT: Wildcat

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Request for permit extension</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

FIML Natural Resources, LLC requests a permit extension for the Ute Tribal 3-33-1319. Further evaluation of the area is needed prior to drilling this well. The Request for Permit Extension Validation is attached.

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 07-29-09
By: [Signature]

COPY SENT TO OPERATOR

Date: 8.6.2009

Initials: KS

NAME (PLEASE PRINT) <u>Elaine Winick</u>	TITLE <u>Regulatory Specialist</u>
SIGNATURE <u>[Signature]</u>	DATE <u>7/27/2009</u>

(This space for State use only)

RECEIVED
JUL 29 2009

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-39429
Well Name: Ute Tribal #3-33-1319
Location: NENW 648' FNL, 1779' FWL, Sec 33, T13S R19E
Company Permit Issued to: FIML Natural Resources, LLC
Date Original Permit Issued: 7/26/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes No

Has the approved source of water for drilling changed? Yes No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

Is bonding still in place, which covers this proposed well? Yes No

Elaine Minick
Signature

7/27/2009

Date

Title: Regulatory Specialist

Representing: FIML Natural Resources, LLC

RECEIVED

JUL 29 2009

DIV. OF OIL, GAS & MINING

Earlene Russell - Drill Permits in the "Naval Reserve"

From: Earlene Russell
To: Elaine Winick; Mark Bingham
Date: 5/12/2010 10:28 AM
Subject: Drill Permits in the "Naval Reserve"
CC: Brad Hill; Diana Mason; Jean Sweet; Randy Thackeray
Attachments: Naval Reserve Bond.pdf

Dear Elaine and Mark,

Years ago the "Naval Reserve Area" was given to the Tribe by the United States Government as FEE SIMPLE property and it includes the minerals. A separate blanket bond was provided by FIML for these wells. DOGM monitors the permitting for this area to insure the wells are properly cased, etc.

The APDs FIML submits in this area (Uintah County, Townships 12S and 13S, Range 19E) should be submitted as Fee minerals, rather than Indian minerals. The bond number for the wells in the Naval Reserve is bond number 81918314 (copy attached) and bond type is State/Fee (5).

Based on the above information, DOGM's database has been changed to show fee minerals and the bond number 81918314. This includes the two new pending permits "Horn Frog".

If you have any questions, please call me at (801) 538-5336.

Earlene Russell
Division of Oil, Gas & Mining
PO Box 145801
Salt Lake City, UT 84114-5801
or
1594 W North Temple, Suite 1210
Salt Lake City, UT 84116
Phone (801) 538-5336
Fax (801) 359-3940
e-mail earlenerussell@utah.gov

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UIT-EDA-001-000
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: UTE TRIBAL 3-33-1319
2. NAME OF OPERATOR: FIML NATURAL RESOURCES, LLC (FNR)	9. API NUMBER: 43047394290000
3. ADDRESS OF OPERATOR: 410 17th Street Ste 900 , Denver, CO, 80202	PHONE NUMBER: 303 893-5077 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0648 FNL 1779 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 33 Township: 13.0S Range: 19.0E Meridian: S	9. FIELD and POOL or WILDCAT: UNDESIGNATED COUNTY: UINTAH STATE: UTAH


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 12/31/2010 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input checked="" type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

FIML Natural Resources, LLC requests a permit extension for the Ute Tribal 3-33-1319. Further evaluation of the area is needed prior to drilling this well. The Request for Permit Extension Validation is attached.

**Approved by the
Utah Division of
Oil, Gas and Mining**

Date: August 02, 2010
By: 

NAME (PLEASE PRINT) Karin Kuhn	PHONE NUMBER 303 899-5603	TITLE Sr. Drilling Technician
SIGNATURE N/A		DATE 7/30/2010



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394290000

API: 43047394290000

Well Name: UTE TRIBAL 3-33-1319

Location: 0648 FNL 1779 FWL QTR NENW SEC 33 TWNP 130S RNG 190E MER S

Company Permit Issued to: FIML NATURAL RESOURCES, LLC (FNR)

Date Original Permit Issued: 7/26/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?
• Has the approved source of water for drilling changed?
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?
• Is bonding still in place, which covers this proposed well?

Approved by the Utah Division of Oil, Gas and Mining

Signature: Karin Kuhn

Date: 7/30/2010

Title: Sr. Drilling Technician Representing: FIML NATURAL RESOURCES, LLC

Date: August 02, 2010

By:

Handwritten signature

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UIT-EDA-001-000			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE 7. UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: UTE TRIBAL 3-33-1319				
2. NAME OF OPERATOR: FIML NATURAL RESOURCES, LLC (FNR)	9. API NUMBER: 43047394290000				
3. ADDRESS OF OPERATOR: 410 17th Street Ste 900 , Denver, CO, 80202	PHONE NUMBER: 303 893-5077 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0648 FNL 1779 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 33 Township: 13.0S Range: 19.0E Meridian: S	COUNTY: UINTAH STATE: UTAH				
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 12/31/2011 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input checked="" type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/> </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input checked="" type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input checked="" type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. FIML Natural Resources, LLC requests a permit extension for the Ute Tribal 3-33-1319. Further evaluation of the area is needed prior to drilling this well. The Request for Permit Extension Validation is attached.					
		Approved by the Utah Division of Oil, Gas and Mining Date: <u>08/01/2011</u> By: <u></u>			
NAME (PLEASE PRINT) Karin Kuhn	PHONE NUMBER 303 899-5603	TITLE Sr. Drilling Technician			
SIGNATURE N/A	DATE 7/26/2011				



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394290000

API: 43047394290000

Well Name: UTE TRIBAL 3-33-1319

Location: 0648 FNL 1779 FWL QTR NENW SEC 33 TWNP 130S RNG 190E MER S

Company Permit Issued to: FIML NATURAL RESOURCES, LLC (FNR)

Date Original Permit Issued: 7/26/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
- Has the approved source of water for drilling changed? Yes No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
- Is bonding still in place, which covers this proposed well? Yes No

Signature: Karin Kuhn

Date: 7/26/2011

Title: Sr. Drilling Technician **Representing:** FIML NATURAL RESOURCES, LLC (FNR)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: UIT-EDA-001-000
1. TYPE OF WELL Gas Well	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
2. NAME OF OPERATOR: FIML NATURAL RESOURCES, LLC (FNR)	7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 410 17th Street Ste 900 , Denver, CO, 80202	8. WELL NAME and NUMBER: UTE TRIBAL 3-33-1319
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0648 FNL 1779 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 33 Township: 13.0S Range: 19.0E Meridian: S	9. API NUMBER: 43047394290000
5. ADDRESS OF OPERATOR: 410 17th Street Ste 900 , Denver, CO, 80202	9. FIELD and POOL or WILDCAT: UNDESIGNATED
6. PHONE NUMBER: 303 893-5077 Ext	COUNTY: Uintah
7. STATE: UTAH	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 12/31/2012	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

FIML Natural Resources, LLC requests a permit extension for the Ute Tribal 3-33-1319. Further evaluation of the area is needed prior to drilling this well. The Request for Permit Extension Validation is attached.

**Approved by the
Utah Division of
Oil, Gas and Mining**

Date: July 11, 2012
By:

NAME (PLEASE PRINT) Kristi Stover	PHONE NUMBER 303 893-5084	TITLE Sr Drilling Technicain
SIGNATURE N/A	DATE 7/11/2012	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394290000

API: 43047394290000

Well Name: UTE TRIBAL 3-33-1319

Location: 0648 FNL 1779 FWL QTR NENW SEC 33 TWNP 130S RNG 190E MER S

Company Permit Issued to: FIML NATURAL RESOURCES, LLC (FNR)

Date Original Permit Issued: 7/26/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
- Has the approved source of water for drilling changed? Yes No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
- Is bonding still in place, which covers this proposed well? Yes No

Signature: Kristi Stover

Date: 7/11/2012

Title: Sr Drilling Technicain Representing: FIML NATURAL RESOURCES, LLC (FNR)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: UIT-EDA-001-000
1. TYPE OF WELL Gas Well	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
2. NAME OF OPERATOR: FIML NATURAL RESOURCES, LLC (FNR)	7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 410 17th Street Ste 900 , Denver, CO, 80202	8. WELL NAME and NUMBER: UTE TRIBAL 3-33-1319
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0648 FNL 1779 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 33 Township: 13.0S Range: 19.0E Meridian: S	9. API NUMBER: 43047394290000
5. ADDRESS OF OPERATOR: 410 17th Street Ste 900 , Denver, CO, 80202	9. FIELD and POOL or WILDCAT: UNDESIGNATED
6. PHONE NUMBER: 303 893-5077 Ext	COUNTY: Uintah
7. STATE: UTAH	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 12/31/2013	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

FIML Natural Resources, LLC requests a permit extension for the Ute Tribal 3-33-1319. Further evaluation of the area is needed prior to drilling this well. The Request for Permit Extension Validation is attached.

Approved by the Utah Division of Oil, Gas and Mining

Date: July 29, 2013
By:

NAME (PLEASE PRINT) Kristi Stover	PHONE NUMBER 303 893-5084	TITLE Sr Drilling Technicain
SIGNATURE N/A	DATE 7/25/2013	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394290000

API: 43047394290000

Well Name: UTE TRIBAL 3-33-1319

Location: 0648 FNL 1779 FWL QTR NENW SEC 33 TWNP 130S RNG 190E MER S

Company Permit Issued to: FIML NATURAL RESOURCES, LLC (FNR)

Date Original Permit Issued: 7/26/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
- Has the approved source of water for drilling changed? Yes No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
- Is bonding still in place, which covers this proposed well? Yes No

Signature: Kristi Stover

Date: 7/25/2013

Title: Sr Drilling Technicain Representing: FIML NATURAL RESOURCES, LLC (FNR)



GARY R. HERBERT
Governor

SPENCER J. COX
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

August 13, 2014

Kristi Stover
FIML Natural Resources, LLC (FNR)
410 17th Street, Ste. 900
Denver, CO 80202

Re: APD Rescinded – Ute Tribal 3-33-1319, Sec. 33, T. 13S, R. 19E
Uintah County, Utah API No. 43-047-39429


Dear Ms. Stover:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining (Division) on July 26, 2007. On July 31, 2008, July 29, 2009, August 2, 2010, August 1, 2011, July 11, 2012 and July 29, 2013 the Division granted a one-year APD extension. On August 12, 2014, you requested that the division rescind the state approved APD. No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective August 12, 2014.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,


Diana Mason
Environmental Scientist

cc: Well File
Bureau of Land Management, Vernal

