

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**APPLICATION FOR PERMIT TO DRILL OR REENTER**

5a. Address <b>Route #3 Box 3630, Myton UT 84052</b>		3b. Phone No. (include area code) <b>(435) 646-3721</b>	5. Lease Serial No. <b>20G0005609</b>
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface <b>SW/NE 1703' FNL 1908' FEL 593443X 40.10859</b> At proposed prod. zone <b>4440175Y 109.90360</b>		6. If Indian, Allottee or Tribe Name <b>UTE</b>	
14. Distance in miles and direction from nearest town or post office* <b>Approximately 27.7 miles southeast of Myton, UT</b>		7. If Unit or CA Agreement, Name and No. <b>NA</b>	
15. Distance from proposed* location to nearest property or lease line, ft. Approx. NA' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)	16. No. of acres in lease <b>NA</b>	8. Lease Name and Well No. <b>Ute Tribal 7-29-4-1E</b>	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1226'	19. Proposed Depth <b>6,505'</b>	9. API Well No. <b>43-047-40499</b>	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) <b>4876' GL</b>	22. Approximate date work will start* <b>2nd Qtr. 2009</b>	10. Field and Pool, or Exploratory <b>Undesignated</b>	
24. Attachments		11. Sec., T. R. M. or Blk. and Survey or Area <b>Sec. 29, T4S R1E</b>	
1. Well plat certified by a registered surveyor.		12. County or Parish <b>Uintah</b>	
2. A Drilling Plan.		13. State <b>UT</b>	
3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).		17. Spacing Unit dedicated to this well <b>40 Acres</b>	
4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).		20. BLM/BIA Bond No. on file <b>WYB000493</b>	
5. Operator certification		23. Estimated duration <b>(7) days from SPUD to rig release</b>	
6. Such other site specific information and/or plans as may be required by the BLM.			

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the BLM.

25. Signature 	Name (Printed/Typed) <b>Mandie Crozier</b>	Date <b>1/20/09</b>
Title <b>Regulatory Specialist</b>		
Approved by Signature 	Name (Printed/Typed) <b>BRADLEY G. HILL</b>	Date <b>01-06-09</b>
Title <b>ENVIRONMENTAL MANAGER</b>		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

\*(Instructions on page 2)

**Federal Approval of this  
Action is Necessary**

**RECEIVED**



**JAN 26 2009**

**DIV. OF OIL, GAS & MINING**

# T4S, R1E, U.S.B.&M.


# NEWFIELD PRODUCTION COMPANY

WELL LOCATION, UTE TRIBAL 7-29-4-1E,  
 LOCATED AS SHOWN IN THE SW 1/4 NE  
 1/4 OF SECTION 29, T4S, R1E, U.S.B.&M.  
 UTAH COUNTY, UTAH.



**WELL LOCATION:**  
**UTE TRIBAL 7-29-4-1E**  
 ELEV. UNGRADED GROUND = 4876.2'

THIS IS TO CERTIFY THAT THE ABOVE PLAN WAS  
 PREPARED FROM FIELD AND OFFICE SURVEYS  
 MADE BY ME OR UNDER MY SUPERVISION AND THAT  
 THE SAME ARE TRUE AND CORRECT TO THE BEST OF  
 MY KNOWLEDGE AND BELIEF. No.189377



## TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078  
 (435) 781-2501

DATE SURVEYED: 06-25-08	SURVEYED BY: C.M.
DATE DRAWN: 06-27-08	DRAWN BY: F.T.M.
REVISED:	SCALE: 1" = 1000'

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV;  
 U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

NEWFIELD PRODUCTION COMPANY  
UTE TRIBAL 7-29-4-1E  
SW/NE SECTION 29, T4S, R1E  
UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' – 1830'
Green River	1830'
Wasatch	6505'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1830' – 6505' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP). See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

8. TESTING, LOGGING AND CORING PROGRAMS:

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated

bottomhole pressure will approximately equal total depth in feet multiplied by a 0.433 psi/foot gradient

10. **ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:**

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

**NEWFIELD PRODUCTION COMPANY  
UTE TRIBAL 7-29-4-1E  
SW/NE SECTION 29, T4S, R1E  
UINTAH COUNTY, UTAH**

**ONSHORE ORDER NO. 1**

**MULTI-POINT SURFACE USE & OPERATIONS PLAN**

**1. EXISTING ROADS**

See attached Topographic Map "A"

To reach Newfield Production Company well location site Ute Tribal 7-29-4-1E located in the SW 1/4 NE 1/4 Section 29, T4S, R1E, Uintah County, Utah:

Proceed in a southeasterly direction out of Myton, approximately 16.9 miles to the junction of this road and an existing road to the northeast; proceed northeasterly approximately 1.6 miles to it's junction with an existing road to the north; proceed northeasterly approximately 4.6 miles to it's junction with an existing road to the northwest; proceed northwesterly approximately 2.2 miles to it's junction with an existing road to the northwest; proceed northwesterly approximately 1.0 miles to it's junction with the beginning of proposed access road to the northwest; proceed northwesterly approximately 6,050'; turn and proceed in a northwesterly direction along the proposed access road approximately 1,450' to the propose well location.

**2. PLANNED ACCESS ROAD**

See Topographic Map "B" for the location of the proposed access road. Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP)

**3. LOCATION OF EXISTING WELLS**

Refer to Exhibit "B".

**4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES**

All permanent surface equipment will be painted Carlsbad Canyon. Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

**5. LOCATION AND TYPE OF WATER SUPPLY**

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District  
Water Right : 43-7478

Neil Moon Pond  
Water Right: 43-11787

Maurice Harvey Pond  
Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP). See Exhibit "A".

6. **SOURCE OF CONSTRUCTION MATERIALS**

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

7. **METHODS FOR HANDLING WASTE DISPOSAL**

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

8. **ANCILLARY FACILITIES**

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

9. **WELL SITE LAYOUT**

See attached Location Layout Diagram.

10. **PLANS FOR RESTORATION OF SURFACE**

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

11. **SURFACE OWNERSHIP** – Ute Tribe (Proposed location). Kendall Investments LLC (Proposed access road, South ½ Sec. 28, T4S R1E). See attached Easement ROW and Surface Use Agreement.

12. **OTHER ADDITIONAL INFORMATION**

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #07-282f, 8/7/08. Paleontological Resource Survey prepared by, SWCA, 8/11/08. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 7,500' of disturbed area be granted to allow for construction of the planned access road. **Refer to Topographic Map "B"**. A permanent width of 30' and a running surface of 18' is proposed for the planned access road. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 1,450' of disturbed area be granted to allow for construction of the proposed surface gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a 10" or smaller gas gathering line, and a 3" poly fuel gas line and 30' wide upon completion of the proposed gas lines. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

Newfield Production Company requests 1,450' of disturbed area be granted to allow for construction of the proposed water lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line and 30' wide upon completion of the proposed water lines. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP). In the event that the proposed well is converted to a water injection well, a separate injection permit will be applied for through the proper agencies.

#### **Water Disposal**

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), State of Utah approved surface disposal facilities, or Federally approved surface disposal facilities.

#### **Threatened, Endangered, And Other Sensitive Species**

None for the proposed Ute Tribal 7-29-4-1E.

#### **Reserve Pit Liner**

It was determined at the time of the on-site that a **Closed Loop Drilling System** will be required for this location. Refer to the Green River Development Program Standard Operating Practices (SOP).

#### **Location and Reserve Pit Reclamation**

Please refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Squirrell Tail	<i>Elymus Elymoides</i>	6 lbs/acre
Siberian Wheatgrass	<i>Agropyron Fragile</i>	2 lbs/acre
Gardner Saltbush	<i>Atriplex Gardneri</i>	1 lbs/acre
Shadscale	<i>Atriplex Confertifolia</i>	1 lbs/acre
Fourwing Saltbush	<i>Atriplex Canescens</i>	1 lbs/acre
Scarlet Globemallow	<i>Sphaeralcea Conccinea</i>	0.20 lbs/acre
Forage Kochia	<i>Kochia Prostrata</i>	0.20 lbs/acre

#### **Details of the On-Site Inspection**

The proposed Ute Tribal 7-29-4-1E was onsited on 7/31/08. The following were present; Kevan Stevens (Newfield Production), Audi Apawoo (Ute Tribe ), Bucky Sukacacu (Bureau of Indian Affairs), Anna Figeroa (Bureau of Land Management ), Cory Miller (Tri-State Land Surveying and Consulting), Brian O'hearn (S.W.C.A), Margaret Imhof (S.W.C.A), and Keith Montgomery (Montgomery Archaeological Consultants). Weather conditions were clear and ground cover was 100% open.

#### **LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION**

##### Representative

Name: Dave Allred  
Address: Route #3 Box 3630

Myton, UT 84052  
Telephone: (435) 646-3721


Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #7-29-4-1E at surface, SW/NE Section 29, Township 4S, Range 1E: Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by, Federal Bond #WYB000493.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

1/20/09

\_\_\_\_\_  
Date



\_\_\_\_\_  
Mandie Crozier  
Regulatory Specialist  
Newfield Production Company

MEMORANDUM  
of  
EASEMENT, RIGHT-OF-WAY  
and  
SURFACE USE AGREEMENT

This Easement, Right-of-Way and Surface Use Agreement ("Agreement") is entered into this 18<sup>th</sup> day of January 2008 by and between **Kendall Investments LLC, Mike Kendall, 1638 East Gorden Ave, Layton, Utah 84040** ("Surface Owner," whether one or more), and NEWFIELD PRODUCTION COMPANY, a Texas corporation ("NEWFIELD"), with offices at 1401 Seventeenth Street, Suite 1000, Denver, Colorado 80202, covering certain lands, (the "Lands") situated in Uintah County, Utah described as follows:

Township 4 South, Range 1 East  
Section 28: S/2  
Section 33: Lots 1,2,3,4  
Uintah County, Utah

being, 449 acres more or less,

and associated roads and pipeline routes beginning at each wellsite and traversing the lands as shall be agreed upon prior to the construction of same.

For and in consideration of the sum of ten dollars (\$10.00), and other valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the undersigned hereby agree to the terms and provisions set forth as follows:

1. Compensation for Well; Release of All Claims

NEWFIELD shall pay to Surface Owner the sum as set forth in and according to the terms of that certain Letter Agreement for Easement, Right-of Way and Surface Use by and between Surface Owner and NEWFIELD, dated January 18, 2008, as full payment and satisfaction for any and all detriment, depreciation, injury or damage of any nature to the Lands or growing crops thereon that may occur as a result of NEWFIELD's drilling or completion operations or its continuing activities for the production or transportation of oil, gas, or other hydrocarbons or products associated with the foregoing including, but not limited to, surface use, access, pipelines, gathering lines, pipeline interconnections, and any and all other reasonable or customary uses of land related to said operations or activities.

2. Grant of Right of Way and Easement

Surface Owner hereby grants, bargains, leases, assigns, and conveys to NEWFIELD an easement and right-of-way for the purpose of construction, using and maintaining access roads, locations for surface equipment and subsurface gathering lines for each well drilled upon the Lands, pipelines, and pipeline interconnections for two years from date of this agreement and so long thereafter as NEWFIELD's oil and gas leases remain in effect.

This Agreement shall be binding upon the respective heirs, executors, administrators, successors, and assigns of the undersigned.

These Parties hereto have executed this document effective as of the day first above written.

KENDALL INVESTMENTS LLC

By:   
Mike Kendall, President


NEWFIELD PRODUCTION COMPANY

By: \_\_\_\_\_  
Gary D. Packer, President

# NEWFIELD PRODUCTION COMPANY

UTE TRIBAL 7-29-4-1E

Section 29, T4S, R1E, U.S.B.&M.



Note:  
Flare pit is to be located a minimum of 80' from well head.





REFERENCE POINTS	
210' NORTHWEST	= 4875.9'
260' NORTHWEST	= 4876.2'
170' NORTHEAST	= 4875.2'
220' NORTHEAST	= 4874.5'

SURVEYED BY: C.M.	DATE SURVEYED: 06-25-08
DRAWN BY: F.T.M.	DATE DRAWN: 06-27-08
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
 Land Surveying, Inc.  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# NEWFIELD PRODUCTION COMPANY

## CROSS SECTIONS UTE TRIBAL 7-29-4-1E



NOTE:  
UNLESS OTHERWISE  
NOTED ALL CUT/FILL  
SLOPES ARE AT 1.5:1

### ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	570	570	Topsoil is not included in Pad Cut	0
PIT	640	0		640
TOTALS	1,210	570	930	640

SURVEYED BY: C.M.

DATE SURVEYED: 06-25-08

DRAWN BY: F.T.M.

DATE DRAWN: 06-27-08

SCALE: 1" = 50'

REVISED:

**Tri State** (435) 781-2501  
Land Surveying, Inc.  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078




# Nowfield Production Company Proposed Site Facility Diagram

Ute Tribal 7-29-4-1E

SW/NE Sec. 29, T4S, R1E

Uintah County, Utah

20G0005609



## Legend

Emulsion Line	.....
Load Rack	-----
Water Line	-----
Gas Sales	-----
Oil Line	_____

### Production Phase:

- 1) Valves 1, 3, and 4 sealed closed
- 2) Valves 2, 5, and 6 sealed open

### Sales Phase:


- 1) Valves 1, 2, 4, 5, and 6 sealed closed
- 2) Valve 3 open

### Draining Phase:

- 1) Valves 1 and 6 open

Diked Section





**NEWFIELD**  
Exploration Company

**Ute Tribal 7-29-4-1E**  
**SEC. 29, T4S, R1E, U.S.B.&M.**



**Tri-State**  
Land Surveying Inc.  
(435) 781-2501  
180 North Vernal Ave. Vernal, Utah 84078


SCALE: 1 = 100,000  
DRAWN BY: JAS  
DATE: 07-28-2008

**Legend**

- Existing Road
- Proposed Access

TOPOGRAPHIC MAP

**"A"**



 **NEWFIELD**  
Exploration Company

**Ute Tribal 7-29-4-1E**  
**SEC. 29, T4S, R1E, U.S.B.&M.**

 **Tri-State**  
*Land Surveying Inc.*  
(435) 781-2501  
180 North Vernal Ave., Vernal, Utah 84078


**SCALE: 1" = 2,000'**  
**DRAWN BY: JAS**  
**DATE: 07-28-2008**

**Legend**

 Existing Road

 Proposed Access

**"B"**



 **NEWFIELD**  
Exploration Company

**Ute Tribal 7-29-4-1E**  
**SEC. 29, T4S, R1E, U.S.B.&M.**




  
**Tri-State**  
Land Surveying Inc.  
(435) 781-2501  
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1" = 2,000'  
DRAWN BY: JAS  
DATE: 07-28-2008

**Legend**

-  Roads
-  Proposed Gas Line
-  Proposed Water Line

**"C"**




- Newfield Wells**
- Location
  - Surface Spud
  - Drilling
  - Waiting on Completion
  - Producing Oil Well
  - Producing Gas Well
  - Water Injection Well
  - Dry Hole
  - ↑ Temporarily Abandoned
  - ⊕ Plugged & Abandoned
  - ⊖ Shut In
  - ⊖ Water Source Well
  - ⊖ Water Disposal Well
  - ⊖ Injection Stations
- Unit Outlines**
- 

**NEWFIELD**  
 ROCKY MOUNTAINS

Exhibit A  
 DuSane & Utah Counties

1001 17th Street Suite 2000  
 Denver, Colorado 80202  
 Phone: (303) 883-0100

Armed & Staff




**NEWFIELD**  
Exploration Company

**Ute Tribal 7-29-4-1E**  
**SEC. 29, T4S, R1E, U.S.B.&M.**




**Tri-State**  
*Land Surveying Inc.*  
(435) 781-2501  
180 North Vernal Ave. Vernal, Utah 84078

**SCALE: 1" = 2,000'**  
**DRAWN BY: JAS**  
**DATE: 07-28-2008**

**Legend**

- Location
- One-Mile Radius

**Exhibit "B"**

# 2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

1 of 2

CLASS I REVIEW OF NEWFIELD EXPLORATION'S  
SEVEN PROPOSED WELL LOCATIONS: UTE TRIBAL  
#5-29-4-1E, #6-29-4-1E, #7-29-4-1E, #8-29-4-1E  
#7-30-4-1, #8-30-4-1, AND #6-35-4-1  
UINTAH COUNTY, UTAH

By:

Jacki A. Montgomery

Prepared For:

Ute Indian Tribe  
Uintah and Ouray Agency

Prepared Under Contract With:

Newfield Exploration Company  
Rt. 3 Box 3630  
Myton, Utah 84052

Prepared By:

Montgomery Archaeological Consultants, Inc.  
P.O. Box 219  
Moab, Utah 84532

MOAC Report No. 07-282f

August 7, 2008

United States Department of Interior (FLPMA)  
Permit No. 08-UT-60122

State of Utah Antiquities Project (Survey)  
Permit No. U-07-MQ-0401i Part 2 of 2

Ute Tribal Permit No. A08-363

252

**Paleontological Assessment Preliminary Report for Newfield Well 7-29-4S-1E and  
Associated Infrastructure**

Prepared for  
**Newfield Exploration Company**  
10530 South County Road #33  
Duchesne County, Utah 84052

and

**Ute Indian Tribe**  
**Energy and Minerals Department**  
P.O. Box 70  
988 S. 7500 E., Annex Building  
Fort Duchesne, UT 84026

Prepared by:

**Margaret Imhof, M.S. and Paul C. Murphey, Ph.D.**

SWCA Environmental Consultants  
2028 West 500 North  
Vernal, UT 84078-2645  
Phone: 435.789.9388  
Fax: 435.789.9385  
[www.swca.com](http://www.swca.com)

**August 11, 2008**

**WORKSHEET  
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 01/26/2009

API NO. ASSIGNED: 43-047-40499

WELL NAME: UTE TRIBAL 7-29-4-1E  
 OPERATOR: NEWFIELD PRODUCTION ( N2695 )  
 CONTACT: MANDIE CROZIER

PHONE NUMBER: 435-646-3721

PROPOSED LOCATION:

SWNE 29 040S 010E  
 SURFACE: 1703 FNL 1908 FEL  
 BOTTOM: 1703 FNL 1908 FEL  
 COUNTY: UINTAH  
 LATITUDE: 40.10859 LONGITUDE: -109.9036  
 UTM SURF EASTINGS: 593443 NORTHINGS: 4440175  
 FIELD NAME: UNDESIGNATED ( 2 )

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 2 - Indian  
 LEASE NUMBER: 20G0005609  
 SURFACE OWNER: 2 - Indian

PROPOSED FORMATION: GRRV  
 COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[] Ind[2] Sta[] Fee[]  
(No. WYB000493 )
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit  
(No. 43-7478 )
- RDCC Review (Y/N)  
(Date: \_\_\_\_\_ )
- Fee Surf Agreement (Y/N)
- Intent to Commingle (Y/N)

LOCATION AND SITING:

- R649-2-3.
- Unit: \_\_\_\_\_
- R649-3-2. General
- Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: \_\_\_\_\_
- Eff Date: \_\_\_\_\_
- Siting: \_\_\_\_\_
- R649-3-11. Directional Drill




COMMENTS: Sep Spent file

STIPULATIONS: 1- Fed Approval  
2- Spacing Strip

**API Number: 4304740499**  
**Well Name: UTE TRIBAL 7-29-4-1E**  
**Township 04.0 S Range 01.0 E Section 29**  
**Meridian: UBM**  
**Operator: NEWFIELD PRODUCTION COMPANY**

Map Prepared:  
 Map Produced by Diana Mason

<b>Units</b>	<b>Wells Query Events</b>
STATUS	✕ <all other values>
ACTIVE	GIS_STAT_TYPE
EXPLORATORY	<Null>
GAS STORAGE	◆ APD
NF PP OIL	⊙ DRL
NF SECONDARY	⊙ GI
PI OIL	⊙ GS
PP GAS	⊙ LA
PP GEOTHERML	⊕ NEW
PP OIL	⊙ OPS
SECONDARY	⊙ PA
TERMINATED	⊙ PGW
<b>Fields</b>	● POW
STATUS	⊙ RET
ACTIVE	⊙ SGW
COMBINED	⊙ SOW
Sections	⊙ TA
Township	⊙ TW
	⊙ WD
	⊙ WI
	⊙ WS





April 2, 2009

State of Utah, Division of Oil, Gas & Mining  
ATTN: Diana Mason  
PO Box 145801  
Salt Lake City, UT 84114-5801

RE: Exception Location  
**Ute Tribal 7-29-4-1E**  
T4S R1E, Section 29: SWNE  
1703' FNL 1908' FEL  
Uintah County, Utah

Dear Ms. Mason;

Pursuant to Rule 649-3-3 of the Oil & Gas Rules and Regulations of the State of Utah, Newfield Production Company ("NPC") hereby requests an exception location for the drilling of the captioned well. The proposed drillsite for this well is located 77' north of the drilling window required by Rule R649-3-2, which requires a well to be located in the center of a forty (40) acre quarter-quarter section, or a substantially equivalent lot or tract, with a tolerance of two hundred (200) feet in any direction from the center.

The attached plat depicts the proposed location and illustrates the deviation from the drilling window. The requested location has been chosen to avoid cactus habitat.

Please note the drillsite and all surrounding acreage within a four hundred sixty (460') foot radius is owned by NPC and The Ute Indian Tribe. You will find a copy of The Ute Indian Tribe's consent to this exception location attached to this letter.

If you have any questions or require further information, please do not hesitate to contact the undersigned at 303-382-4444 or by email at [reveland@newfield.com](mailto:reveland@newfield.com). Your consideration of this matter is greatly appreciated.

Sincerely,

A handwritten signature in cursive script that reads "Roxann Eveland".

Roxann Eveland  
Land Associate

Attachment

RECEIVED  
APR 06 2009  
DIV. OF OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER


FORM APPROVED  
OMB No. 1004-0137  
Expires July 31, 2010

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. 20G0005609
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name UTE
2. Name of Operator Newfield Production Company		7. If Unit or CA Agreement, Name and No. NA
3a. Address Route #3 Box 3630, Myton UT 84052	3b. Phone No. (include area code) (435) 646-3721	8. Lease Name and Well No. Ute Tribal 7-29-4-1E
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface SW/NE 1703' FNL 1908' FEL At proposed prod. zone		9. API Well No.
14. Distance in miles and direction from nearest town or post office* Approximately 27.7 miles southeast of Myton, UT		10. Field and Pool, or Exploratory Undesignated
15. Distance from proposed* location to nearest property or lease line, ft. Approx. NA' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)		11. Sec., T. R. M. or Blk. and Survey or Area Sec. 29, T4S R1E
16. No. of acres in lease NA	17. Spacing Unit dedicated to this well 40 Acres	12. County or Parish Uintah
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1226'	19. Proposed Depth 6,505'	13. State UT
20. BLM/BIA Bond No. on file WYB000493	21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4876' GL	22. Approximate date work will start* 2nd Oct. 2009
23. Estimated duration (7) days from SPUD to rig release		

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, must be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the BLM.

25. Signature 	Name (Printed/Typed) Mandie Crozier	Date 1/20/09
Title Regulatory Specialist		
Approved by (Signature)	Name (Printed/Typed)	Date
Title	Office	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

\*(Instructions on page 2)

RECEIVED

APR 06 2009



DIV. OF OIL, GAS & MINING

# T4S, R1E, U.S.B.&M.


# NEWFIELD PRODUCTION COMPANY

S89°56'W - 80.27 (G.L.O.)

WELL LOCATION, UTE TRIBAL 7-29-4-1E,  
LOCATED AS SHOWN IN THE SW 1/4 NE  
1/4 OF SECTION 29, T4S, R1E, U.S.B.&M.  
UINTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAN WAS  
PREPARED FROM FIELD AND OFFICE SURVEYS  
MADE BY ME OR UNDER MY SUPERVISION AND THAT  
THE SAME ARE TRUE AND CORRECT TO THE BEST OF  
MY KNOWLEDGE AND BELIEF No.189377



UTE TRIBAL 7-29-4-1E  
(Surface Location) NAD 83  
LATITUDE = 40° 06' 30.81"  
LONGITUDE = 109° 54' 14.68"

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV;  
U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

<b>TRI STATE LAND SURVEYING &amp; CONSULTING</b>	
180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501	
DATE SURVEYED: 06-25-08	SURVEYED BY: C.M.
DATE DRAWN: 06-27-08	DRAWN BY: F.T.M.
REVISED:	SCALE: 1" = 1000'



February 12, 2009

Bobby Bonnett  
Ute Indian Tribe  
Energy Minerals Dept.  
P.O. Box 70  
Fort Duchesne, UT 84026

Re: Exception Location  
Ute Tribal 7-29-4-1E  
Uintah County, Utah

Dear Mr. Bonnett:

In accordance with Section 3.1.D of the Exploration & Development Agreement dated December 22, 2006 among the Ute Indian Tribe, Newfield Production Company and the Ute Distribution Corporation, please be advised that Newfield is requesting approval from the Utah Division of Oil, Gas & Mining for the following well:

**Ute Tribal 7-29-4-1E**  
T4S R1E, Section 29: SWNE  
1703' FNL 1908' FEL  
Uintah County, Utah

The location of this well is outside the drilling window as required by State of Utah R649-3-2. It has been moved to avoid cactus habitat. Therefore, it is necessary to obtain your written concurrence with this exception location as an affected party.

Enclosed you will find a plat showing the location of the above referenced well. If you are in agreement to this location, please verify your consent by signing and dating where indicated on page 2 of this letter and return to my attention **as soon as possible**. You may mail your consent to the letterhead address, fax to 303-893-0103 or email to [reveland@newfield.com](mailto:reveland@newfield.com).

If you have any questions or need further information, please do not hesitate to contact me at 303-382-4444 or by email at [reveland@newfield.com](mailto:reveland@newfield.com). I appreciate your prompt attention to this matter.


Sincerely,

A handwritten signature in cursive script that reads "Roxann Eveland".

Roxann Eveland  
Land Associate

UTE INDIAN TRIBE  
ENERGY & MINERALS DEPT.

FEB 20 2009

RECEIVED BY   
FT. DUCHESNE, UTAH 84026

Return to: Newfield Production Company  
ATTN: Roxann Eveland  
1001 17<sup>th</sup> Street, Suite 2000  
Denver, CO 80202

303-893-0103 fax

reveland@newfield.com email

Re: Exception Location  
**Ute Tribal 7-29-4-1E**  
T4S R1E, Section 29: SWNE  
1703' FNL 1908' FEL  
Uintah County, Utah

Please be advised The Ute Indian Tribe does not have an objection to the proposed location of the  
aforementioned well.

By: \_\_\_\_\_

  
Energy & Minerals Director  
Print Name and Title

Date: \_\_\_\_\_

3/04/2009



JON M. HUNTSMAN, JR.  
Governor

GARY R. HERBERT  
Lieutenant Governor

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
Executive Director

### Division of Oil, Gas and Mining

JOHN R. BAZA  
Division Director

April 6, 2009

Newfield Production Company  
Rt. #3, Box 3630  
Myton, UT 84052

Re: Ute Tribal 7-29-4-1E Well, 1703' FNL, 1908' FEL, SW NE, Sec. 29, T. 4 South,  
R. 1 East, Uintah County, Utah


Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-40499.

Sincerely,

  
for Gil Hunt  
Associate Director

pab  
Enclosures

cc: Uintah County Assessor  
Bureau of Land Management, Vernal Office



**Operator:** Newfield Production Company  
**Well Name & Number** Ute Tribal 7-29-4-1E  
**API Number:** 43-047-40499  
**Lease:** 2OG0005609

**Location:** SW NE                      Sec. 29                      T. 4 South                      R. 1 East

### Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281    (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

RECEIVED

Form 3160-3  
(August 2007)

JAN 26 2009

FORM APPROVED  
OMB No. 1004-0137  
Expires July 31, 2010

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

BLM

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. 20G0005609
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name UTE
2. Name of Operator Newfield Production Company		7. If Unit or CA Agreement, Name and No. NA
3a. Address Route #3 Box 3630, Myton UT 84052		8. Lease Name and Well No. Ute Tribal 7-29-4-1E
3b. Phone No. (include area code) (435) 646-3721		9. API Well No. 43 047 40499
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface SW/NE 1703' FNL 1908' FEL At proposed prod. zone		10. Field and Pool, or Exploratory Undesignated
14. Distance in miles and direction from nearest town or post office* Approximately 27.7 miles southeast of Myton, UT		11. Sec., T. R. M. or Blk. and Survey or Area Sec. 29, T4S R1E
15. Distance from proposed* location to nearest property or lease line, ft. Approx. NA' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)	16. No. of acres in lease NA	17. Spacing Unit dedicated to this well 40 Acres
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1226'	19. Proposed Depth 6,505'	20. BLM/BIA Bond No. on file WYB000493
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4876' GL	22. Approximate date work will start* 2nd Oct. 2009	23. Estimated duration (7) days from SPUD to rig release

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- |  |   |
|--|---|
| 1. Well plat certified by a registered surveyor.   | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan.  | 5. Operator certification   |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM.             |

25. Signature <i>Mandie Crozier</i>	Name (Printed/Typed) Mandie Crozier	Date 1/20/09
--	--	-----------------

Approved by (Signature) <i>James H. Sparger</i>	Name (Printed/Typed) James H. Sparger	Date MAR 29 2010
Title ACTING Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached. **CONDITIONS OF APPROVAL ATTACHED**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

\*(Instructions on page 2)

NOTICE OF APPROVAL

UDOGM

RECEIVED

MAR 31 2010

DIV. OF OIL, GAS & MINING

NOS N/A  
AFMSS# 09RRH0005A



**UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
VERNAL FIELD OFFICE**

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



**CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL**

**Company:** Newfield Production Company  
**Well No:** Ute Tribal 7-29-4-1E  
**API No:** 43-047-40499

**Location:** SWNE, Sec. 29, T4S, R1E  
**Lease No:** 2OG0005609  
**Agreement:** N/A

**OFFICE NUMBER: (435) 781-4400**

**OFFICE FAX NUMBER: (435) 781-3420**

**RECEIVED**

**MAR 31 2010**

*DIV. OF OIL, GAS & MINING*

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR  
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

**NOTIFICATION REQUIREMENTS**

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	- Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to running casing and cementing all casing strings to: <a href="mailto:ut_vn_opreport@blm.gov">ut_vn_opreport@blm.gov</a> .
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	- Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

**SURFACE USE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

- The operator will strictly adhere to all Stipulations and Conditions of Approval associated with the Bureau of Indian Affairs Site-Specific Environmental Assessment of Ute Tribal 7-29-4-1E.
- The operator will refer to the Ute Tribe Green River Development Program Standard Operating Practices (SOP).
- The Ute Tribe Energy & Minerals Department is to be notified, in writing, 48 hours prior to construction.
- Construction Notice shall be given to the department on the Ute Tribe workdays, which are Monday through Thursday. The operator understands that they may be responsible for costs incurred by the Ute Tribe after hours.
- The operator shall assure the Ute Tribe "ALL CONTRACTORS, INCLUDING SUBCONTRACTORS, LEASING CONTRACTORS, AND ETC." have acquired a current and valid Ute Tribal Business License and have "Access Permits" prior to construction, and will have these permits in vehicles at all times.
- You are hereby notified that working under the "umbrella" of a company does not allow you to be in the field, and can be subject to those fines of the Ute Tribe Severance Tax Ordinance.
- Any deviation of submitted APD's and ROW applications the operator will notify the Ute Tribe and BIA in writing and will receive written authorization of any such change with appropriate authorization.
- The operator will implement "Safety and Emergency Plan." The operator's safety director will ensure its compliance.
- All operator employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APD's and ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- All personnel shall refrain from collecting artifacts, any paleontological fossils, and from disturbing any significant cultural resources in the area.
- The personnel from the Ute Tribe Energy & Minerals Department shall be notified should cultural remains from subsurface deposits be exposed or identified during construction. All construction will cease.

RECEIVED

MAR 31 2010

DIV. OF OIL, GAS & MINING

**DOWNHOLE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

**SITE SPECIFIC DOWNHOLE COAs:**

- Newfield Production Co. shall adhere to all referenced requirements in the SOP (version: Ute Tribal Green River Development Program) along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders.

**All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to.** The following items are emphasized:

**DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS**

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person

RECEIVED

MAR 31 2010

DIV. OF OIL, GAS & MINING

making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to [UT\\_VN\\_Welllogs@BLM.gov](mailto:UT_VN_Welllogs@BLM.gov). This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

RECEIVED

MAR 31 2010

DIV. OF OIL, GAS & MINING

### OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and/or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

RECEIVED

MAR 31 2010

DIV. OF OIL, GAS & MINING

RECEIVED

MAR 31 2010

Page 6 of 6  
Well: Ute Tribal 7-29-4-1E  
3/26/2010

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

**Rachel Medina - "UTE TRIBAL 7-29-4-1E" SPUD NOTICE (newfield)**

---

**From:** "Don Bastian" <dbastian@newfield.com>  
**To:** <ut\_vn\_opreport@blm.gov>, "Carol Daniels" <caroldaniels@utah.gov>, <rach...>  
**Date:** 4/22/2010 7:46 AM  
**Subject:** "UTE TRIBAL 7-29-4-1E" SPUD NOTICE (newfield)  
**CC:** "Ray Herrera" <rherrera@newfield.com>, "Ryan Crum" <rcrum@newfield.com>,...

---


**Operator:** Newfield Production Company  
**Well Name:** Ute Tribal 7-29-4-1E  
**Rig:** Ross Rig # 29  
**Legals:** SW/NE Sec 29 T4S R1E  
**Lease #:** 2OG0005609  
**API #:** 43- 047- 40499  
**Contact:** Don Bastian 435-823-6012

**Est. spud time:** 8:00 AM 4/24/10  
**Est. run 8-5/8" csg:** 2:00 PM 4/24/10  
**Est. cement surface csg:**

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	17592	4304740499	UTE TRIBAL 7-29-4-1E	SWNE	29	4S	1E	UINTAH	4/24/2010	4/28/10
WELL 1 COMMENTS: GRPV											
B	99999	17400 ✓	4301350209	GREATER MON BUTTE B-1-9-16	SWSE	36	8S	16E	DUCHESNE	4/23/2010	4/28/10
WELL 2 COMMENTS: GRPV BHL = T9S R16E Sec 1 NWNE											
A	99999	17593	4304740501	UTE TRIBAL 8-30-4-1E	SENE	30	4S	1E	UINTAH	4/15/2010	4/28/10
WELL 3 COMMENTS: GRPV											
A	99999	17594	4301350206	HANCOCK 6-21-4-1	SESE	21	4S	1W	DUCHESNE	4/19/2010	4/28/10
WELL 4 COMMENTS: GRPV SENW											
B	99999	17400 ✓	4301334172	FEDERAL 12-29-8-16	NWSW	29	8S	16E	DUCHESNE	4/22/2010	4/28/10
WELL 5 COMMENTS: GRPV											
B	99999	17400 ✓	4301350114	MON BUTTE EAST STATE R-36-8-16	SWSE	36	8S	16E	DUCHESNE	4/22/2010	4/28/10
WELL 6 COMMENTS: GRPV BHL = SE SW											

ACTION CODES (See instructions on back of form)  
 A - 1 new entity for new well (single well only)  
 B - well to existing entity (group or unit well)  
 C - from one existing entity to another existing entity  
 D - well from one existing entity to a new entity  
 E - ther (explain in comments section)

RECEIVED  
 APR 22 2010

  
 Signature: Jentri Park  
 Production Clerk  
 Date: 04/22/10

NOTE: Use COMMENT section to explain why each Action Code was selected.

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> 20G0005609
---	---

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE  <b>7. UNIT or CA AGREEMENT NAME:</b>
--	---

<b>1. TYPE OF WELL</b> Oil Well	<b>8. WELL NAME and NUMBER:</b> UTE TRIBAL 7-29-4-1E
------------------------------------	---

<b>2. NAME OF OPERATOR:</b> NEWFIELD PRODUCTION COMPANY	<b>9. API NUMBER:</b> 43047404990000
--	---

<b>3. ADDRESS OF OPERATOR:</b> Rt 3 Box 3630 , Myton, UT, 84052	<b>PHONE NUMBER:</b> 435 646-4825 Ext	<b>9. FIELD and POOL or WILDCAT:</b> UNDESIGNATED
--	--	--

<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1703 FNL 1908 FEL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SWNE Section: 29 Township: 04.0S Range: 01.0E Meridian: U	<b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH
---	---

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 4/5/2010  <input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:  <input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:  <input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input checked="" type="checkbox"/> APD EXTENSION OTHER:

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Newfield proposes to extend the permit to drill this well for one more year.

Approved by the  
 Utah Division of  
 Oil, Gas and Mining

Date: April 13, 2010  
 By: 

<b>NAME (PLEASE PRINT)</b> Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	<b>TITLE</b> Regulatory Tech
<b>SIGNATURE</b> N/A	<b>DATE</b> 4/5/2010	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices**

**Request for Permit Extension Validation Well Number 43047404990000**

**API:** 43047404990000

**Well Name:** UTE TRIBAL 7-29-4-1E

**Location:** 1703 FNL 1908 FEL QTR SWNE SEC 29 TWP 040S RNG 010E MER U

**Company Permit Issued to:** NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 4/6/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

**Approved by the  
Utah Division of  
Oil, Gas and Mining**

**Signature:** Mandie Crozier

**Date:** 4/5/2010

**Title:** Regulatory Tech **Representing:** NEWFIELD PRODUCTION COMPANY

**Date:** April 13, 2010

**By:**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1. Type of Well:  Oil Well  Gas Well  Dry  Other  
 b. Type of Completion:  New Well  Work Over  Deepen  Plug Back  Diff. Reserv.,  
 Other: \_\_\_\_\_

2. Name of Operator  
NEWFIELD EXPLORATION COMPANY

3. Address: 1401 17TH ST, SUITE 1000 DENVER, CO 80202  
 3a. Phone No. (include area code): (435)646-3721

4. Location of Well (Report location clearly and in accordance with Federal requirements)\*  
 At surface 1703' FNL & 1908' FEL (SW/NE) SEC. 29, T4S, R1E  
 At top prod. interval reported below  
 At total depth 6735'

5. Lease Serial No.  
EDA 20G0005609

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.  
UTE TRIBAL 7-29-4-1E

9. AFI Well No.  
43-047-40499

10. Field and Pool or Exploratory  
MONUMENT BUTTE

11. Sec., T., R., M., on Block and  
Survey or Area  
SEC. 29, T4S, R1E

12. County or Parish  
UINTAH

13. State  
UT

14. Date Spudded: 04/24/2010  
 15. Date T.D. Reached: 05/10/2010  
 16. Date Completed: 05/27/2010  
 D & A  Ready to Prod.

17. Elevations (DF, RKB, RT, GL)\*  
4876' GL 4888' KB

18. Total Depth: MD 6735' TVD  
 19. Plug Back T.D.: MD 6682' TVD  
 20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)  
DUAL IND GRD, SP, COMP. DENSITY, COMP. NEUTRON, GR, CALIPER, CMT BOND

22. Was well cored?  No  Yes (Submit analysis)  
 Was DST run?  No  Yes (Submit report)  
 Directional Survey?  No  Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8" J-55	24#	0	323'		160 CLASS G			
7-7/8"	5-1/2" J-55	15.5#	0	6729'		290 PRIMLITE		438'	
						425 50/50 POZ			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	EOT@ 6202'	TA @ 6074'						

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Green River			6033-6125' CP1 CP3	.36"	3	21
B) Green River			5693-5707' A.5	.36"	3	27
C) Green River			5463-5478' C	.36"	3	45
D) Green River			5213-5284' D1 D2	.36"	3	24

26. Perforation Record 5132

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
6033-6125'	Frac w/ 56130#'s 20/40 sand in 338 bbls of Lightning 17 fluid.
5693-5707'	Frac w/ 67792#'s 20/40 sand in 413 bbls of Lightning 17 fluid.
5463-5478'	Frac w/ 95621#'s 20/40 sand in 587 bbls of Lightning 17 fluid.
5213-5284'	Frac w/ 39357#'s 20/40 sand in 259 bbls of Lightning 17 fluid.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
5-29-10	6-10-10	24	→	134	64	12			2-1/2" x 1-3/4" x 26' RHAC Pump
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→					PRODUCING	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

RECEIVED

JUN 21 2010

DIV. OF OIL, GAS & MINING

\*(See instructions and spaces for additional data on page 2)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production ➔	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate ➔	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production ➔	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate ➔	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Solid, used for fuel, vented, etc.)

SOLD & USED FOR FUEL

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

GEOLOGICAL MARKERS

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				GARDEN GULCH MRK GARDEN GULCH 1	4206' 4382'
				GARDEN GULCH 2 POINT 3	4499' 4785'
				X MRKR Y MRKR	5002' 5038'
				DOUGALS CREEK MRK BI CARBONATE MRK	5177' 5508'
				B LIMESTON MRK CASTLE PEAK	5636' 5965'
				BASAL CARBONATE WASATCH	6350' 6471'

32. Additional remarks (include plugging procedure):

Stage 5: Green River Formation (DS3) 5132-5138', .36" 3/18 Frac w/ 29963#'s of 20/40 sand in 233 bbls of Lightning 17 fluid


33. Indicate which items have been attached by placing a check in the appropriate boxes:

- Electrical/Mechanical Logs (1 full set req'd.)     
  Geologic Report     
  DST Report     
  Directional Survey  
 Sundry Notice for plugging and cement verification     
  Core Analysis     
 Other: Drilling Daily Activity

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)\*

Name (please print) Lucy Chavez-Naupoto

Title Administrative Assistant

Signature 

Date 06/17/2010

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**Daily Activity Report**

Format For Sundry

**UTE TRIBAL 7-29-4-1E****2/1/2010 To 6/30/2010****UTE TRIBAL 7-29-4-1E****Waiting on Cement****Date:** 4/30/2010

Ross #29 at 320. Days Since Spud - casing (guide shoe, shoe jt, baffle plate, 6 jts) set @ 323.51' KB. On 4/29/10 BJ Services cemented - Returned 5 bbls to pit. - 8 5/8" casing w/ 160 sks Class "G" + 2% CaCl<sub>2</sub> + 0.25#/sk Cello Flake at 15.8 ppg w/ 1.17 yield. - On 4/24/10 Ross Rig #29 spud UT 7-29-4-1E, drilled 320' of 12 1/4" hole, and ran 7 jts 8 5/8"

**Daily Cost:** \$0**Cumulative Cost:** \$41,614**UTE TRIBAL 7-29-4-1E****Drill 7 7/8" hole with fresh water****Date:** 5/7/2010

Capstar #329 at 2425. 1 Days Since Spud - blind rams, choke line, choke valve, kill line and choke manifold. 2000 psi. Main flnge on well head - leaking. Choke line flange to BOP was leaking. Tightened up and re-tested. Tests ok. Then test - Annular Preventor and surface casing to 1500 psi. Tests ok. - Wait on Directional tool. - Pick up BHA as follows: Smith Mi616 7 7/8" PDC bit, Hunting 4.8 stage 1.5° mud motor, Monel 1X33', - Hang off sub 1x3'.5- x30' drill collars. Tag cement at 261' - Drill 7 7/8" hole w/fresh water from 261' to 2425' WOB/15,TRPM 155,GPM 420,AVG ROP 216.4 - Nipple up BOP - On 5/6/2010 MIRU set equipment w/Jones trucking (.5 Mile rig move) - on 5/6/2010 at 12:00 PM. - 24 hr notice sent to BLM and State via email on 5/5/2010 of rig move on 5/6/2010 at 6:30 am and test - Accept rig on 5/6/2010 @ 1300. R/U B&C Quicktest. Test Top drive, upper kelly valve, pipe rams,

**Daily Cost:** \$0**Cumulative Cost:** \$102,196**UTE TRIBAL 7-29-4-1E****Drill 7 7/8" hole with fresh water****Date:** 5/8/2010

Capstar #329 at 5326. 2 Days Since Spud - Drill 7 7/8" hole w/fresh water from 3878' to 5326' WOB/15,TRPM 155,GPM 420,AVG ROP 93.42 - Rig service. Function test BOP and crown-o-matic - Drill 7 7/8" hole w/fresh water from 2425' to 3878' WOB/15,TRPM 155,GPM 420,AVG ROP 181.63

**Daily Cost:** \$0**Cumulative Cost:** \$150,885**UTE TRIBAL 7-29-4-1E****Logging****Date:** 5/9/2010

Capstar #329 at 6735. 3 Days Since Spud - Rig Service Function test crown-o-matic and BOP - R/U Halliburton Wireline and run in hole. - Lay down DP and BHA - Circulate - Drill 7 7/8" hole w/fresh water from 5326' to 6279' WOB/15,TRPM 155,GPM 420,AVG ROP 112.11 - Drill 7 7/8" hole w/fresh water from 6279' to 6735' WOB/15,TRPM 155,GPM 420,AVG ROP 70.15 (TD)

**Daily Cost:** \$0**Cumulative Cost:** \$178,641**UTE TRIBAL 7-29-4-1E****Waiting on Cement****Date:** 5/10/2010

Capstar #329 at 6735. 4 Days Since Spud - Nipple down and set 5 1/2" casing slips w/ 125,000# tension - Mixed @ 14.4 ppg yeild @ 1.24 returned all spacers to pit Bump plug to 2100 psi. Est cement top 620' - yield @ 3.54 Then tail of 426 sk 50:50:2+3%KCL+0.5%EC-1+.25# SK CF+.05#SF+.3SMS+FP-6L - CMT w/BJ Pump 291 sks PL II +3% KCL +5#CSE+0.5#CF+2#KOL+.5SMS+FP+SF mixed @ 11ppg - R/U and run 154 jt 5 1/2" 15.50# J-55 casing set at 6728'/KB Float collar at 6682' - R/U and log well. Spectra Density/Gamma Ray/ Array Comp./Xrmi Suite/ TD to surface 15-30'/hr - Circulate and rig up BJ hard lines

**Daily Cost:** \$0

**Cumulative Cost:** \$304,643

---

**UTE TRIBAL 7-29-4-1E**

**Waiting on Cement**

**Date:** 5/11/2010

Capstar #329 at 6735. 5 Days Since Spud - Nipple down and set 5 1/2" casing slips w/125,000# tension - Clean mud tanks. Rig released at 12:00 pm 5/10/2010. - Finish cementing. Displace cement w/159bbbls of fresh water. **Finalized**

**Daily Cost:** \$0

**Cumulative Cost:** \$338,558

---

**Pertinent Files:** Go to File List