

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL						1. WELL NAME and NUMBER Three Rivers Federal 4-32-820					
2. TYPE OF WORK DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/>						3. FIELD OR WILDCAT WILDCAT					
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO						5. UNIT or COMMUNITIZATION AGREEMENT NAME					
6. NAME OF OPERATOR AXIA ENERGY LLC						7. OPERATOR PHONE 720 746-5200					
8. ADDRESS OF OPERATOR 1430 Larimer Ste 400, Denver, CO, 80202						9. OPERATOR E-MAIL rsatre@axiaenergy.com					
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) UTU-85994			11. MINERAL OWNERSHIP FEDERAL <input checked="" type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>			12. SURFACE OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>					
13. NAME OF SURFACE OWNER (if box 12 = 'fee') Kenneth Joe & Dianne C. Batty						14. SURFACE OWNER PHONE (if box 12 = 'fee') 435-789-3025					
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') 1600 North 1500 West, ,						16. SURFACE OWNER E-MAIL (if box 12 = 'fee')					
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS YES <input type="checkbox"/> (Submit Commingling Application) NO <input checked="" type="checkbox"/>			19. SLANT VERTICAL <input type="checkbox"/> DIRECTIONAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>					
20. LOCATION OF WELL		FOOTAGES		QTR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN			
LOCATION AT SURFACE		2464 FSL 1795 FEL		NWSE	4	8.0 S	20.0 E	S			
Top of Uppermost Producing Zone		1980 FNL 1980 FEL		SWNE	4	8.0 S	20.0 E	S			
At Total Depth		1980 FNL 1980 FEL		SWNE	4	8.0 S	20.0 E	S			
21. COUNTY UINTAH			22. DISTANCE TO NEAREST LEASE LINE (Feet) 800			23. NUMBER OF ACRES IN DRILLING UNIT 40					
			25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 16			26. PROPOSED DEPTH MD: 7247 TVD: 7046					
27. ELEVATION - GROUND LEVEL 4752			28. BOND NUMBER LPM9046683			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 49-2357					
Hole, Casing, and Cement Information											
String	Hole Size	Casing Size	Length	Weight	Grade & Thread	Max Mud Wt.	Cement	Sacks	Yield	Weight	
Surf	11	8.625	0 - 1000	32.0	J-55 LT&C	8.7	Premium Lite High Strength	100	2.97	11.5	
							Class G	115	1.16	15.8	
Prod	7.875	5.5	0 - 7247	17.0	J-55 LT&C	9.2	Premium Lite High Strength	430	2.31	12.0	
ATTACHMENTS											
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES											
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN					
<input checked="" type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)						<input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER					
<input checked="" type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)						<input checked="" type="checkbox"/> TOPOGRAPHICAL MAP					
NAME Don Hamilton				TITLE Permitting Agent (Buys & Associates, Inc)				PHONE 435 719-2018			
SIGNATURE				DATE 01/29/2013				EMAIL starpoint@etv.net			
API NUMBER ASSIGNED 43047535520000				APPROVAL  Permit Manager							

DRILLING PLAN

Axia Energy, LLC
Three Rivers Project
Three Rivers Federal #4-32-820
NWSE Sec 4 T8S R20E
Uintah County, Utah

1. ESTIMATED FORMATION TOPS

FORMATION	TOP (TVD)	COMMENTS
Uinta	Surface	Gas & Degraded Oil; Possible Brackish H ₂ O
Green River	2,896'	Oil & Associated Gas
Lower Green River*	4,849'	Oil & Associated Gas
Wasatch*	6,746'	Oil & Associated Gas
TD	7,247' (MD) 7,046' (TVD)	

NOTE: Datum, Ground Level (GL) Elevation: 4,752; Asterisks (*) denotes target pay intervals

A) The State of Utah, Division of Oil, Gas and Mining will be notified within 24 hours of spudding the well.

2. CASING PROGRAM

CASING	HOLE SIZE	DEPTH SET (MD)	CSG SIZE	WGHT	GRD	THRD	CAPACITY (bbl/ft)
CONDUCTOR		50-100	13 3/8				
SURFACE	11	1000 ±	8 5/8	32.0	J-55	LTC	0.0609
PRODUCTION	7 7/8	7,247'	5 1/2	17.0	J-55	LTC	0.0232

NOTE: All casing depth intervals are to surface unless otherwise noted.

Casing Specs

SIZE (in)	ID (in)	DRIFT DIA (in)	COLLAPSE RESISTANCE (psi)	INTERNAL YIELD (psi)	TENSILE YIELD (lbs)	JOINT STRENGTH (lbs)
8 5/8	7.921	7.796	2,530	3,930	503,000	417,000
5 1/2	4.892	4.767	4,910	5,320	272,000	273,000

*The State of Utah will be notified 24 hours prior to running casing, cementing, and BOPE testing

FLOAT EQUIPMENT

SURFACE (8 5/8): Float Shoe, 1 JNT Casing, Float Collar
Centralizers: 1st 4 Joints: every joint
Remainder: every third joint

PRODUCTION (5 1/2): Float Shoe, 1 JNT Casing, Float Collar
Centralizers: 1st 4 Joints: every joint
Remainder: every third joint 500' into surface casing

NOTE: 5 1/2" 17# J-55 or equivalent marker collar or casing joints will be placed at the top of the Green River and approximately 200' above the Wasatch.

3. CEMENT PROGRAM

CONDUCTOR (13 3/8): Ready Mix – Cement to surface

SURFACE (8 5/8): Cement Top: Surface
Lead: 100 sks, Premium Lightweight Cmt w/ additives, 11.50 ppg, 2.97 cf/sk, 50% excess
Tail: 115 sks Class G Cement w/ additives, 15.80 ppg, 1.16 cf/sk, 50% excess

NOTE: The above volumes are based on a gauge-hole + 50% excess.

PRODUCTION (5 1/2): Cement Top – 2,500'
430 sacks – Light Premium Cement w/ additives – 12.0 ppg, 2.31 ft³/sk – 20% excess

NOTE: The above volumes are based on gauge hole + 20% excess. Adjustments will be made and volumes will be caliper + 10%.

NOTE: The above volumes are based on a gauged-hole. Adjustments will be made based on caliper.

- A) For Surface casing, if cement falls or does not circulate to surface, cement will be topped off.
- B) Cement will not be placed down annulus with a 1" pipe unless BLM is contacted.
- C) The State of Utah will be notified 24 hours prior to running casing and cementing.

4. PRESSURE CONTROL EQUIPMENT

- A) The State of Utah, Division of Oil, Gas and Mining will be notified 24 hours prior to all BOPE pressure tests.
- B) The BOPE shall be closed whenever the well is unattended.
 - a) All BOPE connections subjected to well pressure will be flanged, welded, or clamped.
 - b) Choke Manifold:

- i) Tee blocks or targeted 'T's will be used and anchored to prevent slip and reduce vibration.
- ii) Two adjustable chokes will be used in the choke manifold.
- iii) All valves (except chokes) in kill line choke manifold and choke line will not restrict the flow.
- iv) Pressure gauges in the well control system will be designed for drilling fluid.

C) BOPE Testing:

- a) BOPE shall be pressure tested when initially installed, whenever any seal subject to pressure testing is broken, or after repairs.
- b) All BOP tests will be performed with a test plug in place.
- c) BOP will be tested to full stack working pressure and annular preventer to 50% stack working pressure.

INTERVAL	BOP EQUIPMENT
0 – 1000 ±	11" Diverter with Rotating Head
1000 ± – TD	3,000# Ram Double BOP & Annular with Diverter & Rotating Head

NOTE: Drilling spool to accommodate choke and kill lines.

5. **MUD PROGRAM**

- A)** Mud test will be performed at least every 24 hours and after mudding up to determine density, viscosity, gel strength, filtration, and pH.
- B)** Gas-detecting equipment will be installed and operated in the mud-return system from top of Green River Formation to TD.
 - a) Flare line discharge will be located no less than 100 feet from the wellhead using straight or targeted 'T's and anchors.

INTERVAL	MUD WGHT	VISC	FLUID LOSS	COMMENTS
SURF – 1000 ±	8.4 – 8.7 ppg	32	NC	Spud Mud
1000 ± – TD	8.6 – 9.2 ppg	40	NC	DAP/Gel

NOTE: Mud weight increases will be directed by hole conditions.

6. **ABNORMAL CONDITIONS**

- A)** No abnormal pressures or temperatures are anticipated.
 - a) Estimated bottom hole pressure at TD will be approximately 3,051 psi (normal pressure gradient: 0.433 psi/ft).
 - b) Estimated maximum surface pressure will be approximately 1,550 psi (estimated bottom hole minus pressure of partially evacuated hole (gradient: 0.220 psi/ft)).
- B)** No hydrogen sulfide is anticipated.

INTERVAL	CONDITION
SURF – 1000 ±	Lost Circulation Possible
1000 ± – TD	Lost Circulation Possible

7. **AUXILIARY EQUIPMENT**

- A)** Choke Manifold

- B) Upper and lower kelly cock with handle available
- C) Stabbing valve
- D) Safety valve and subs to fit all string connections in use

8. SURVEY & LOGGING PROGRAMS

- A) Cores: None anticipated.
- B) Testing: None anticipated.
- C) Directional Drilling: Directional tools will be used to locate the bottom hole per the attached directional plan +/-.
- D) Open Hole Logs: TD to surface casing: resistivity, neutron density, gamma ray and caliper.
- E) Mud Logs: Computerized 2-person logging unit will catch and describe 10 foot samples from top of Green River Formation to TD; record and monitor gas shows and record drill times (normal mud logging duties).

9. HAZARDOUS MATERIALS


In accordance with Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III, no chemicals subject to reporting in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well.

CONFIDENTIAL

T8S, R20E, S.L.B.&M.

AXIA ENERGY

Well location, THREE RIVERS FEDERAL #4-32-820, located as shown in the NW 1/4 SE 1/4 of Section 4, T8S, R20E, S.L.B.&M., Uintah County, Utah.




BASIS OF ELEVATION

BENCH MARK (38EAM) LOCATED IN THE SW 1/4 OF SECTION 9, T7S, R20E, S.L.B.&M. TAKEN FROM THE PELICAN LAKE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4942 FEET.


BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

REV: 01-28-13


UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

NAD 83 (TARGET BOTTOM HOLE)	NAD 83 (SURFACE LOCATION)
LATITUDE = 40°09'12.87" (40.153575)	LATITUDE = 40°09'04.20" (40.151167)
LONGITUDE = 109°40'16.62" (109.671283)	LONGITUDE = 109°40'14.11" (109.670586)
NAD 27 (TARGET BOTTOM HOLE)	NAD 27 (SURFACE LOCATION)
LATITUDE = 40°09'13.00" (40.153611)	LATITUDE = 40°09'04.34" (40.151206)
LONGITUDE = 109°40'14.12" (109.670589)	LONGITUDE = 109°40'11.61" (109.669892)

SCALE 1" = 1000'	DATE SURVEYED: 11-12-12	DATE DRAWN: 11-21-12
PARTY B.H. R.H. K.O.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE AXIA ENERGY	



LEGEND:

 **PROPOSED LOCATION**




AXIA ENERGY

**THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4**

U&L S Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

ACCESS ROAD MAP	11 MONTH	14 DAY	12 YEAR	A TOPO
SCALE: 1:100,000	DRAWN BY: C.I.		REV: 01-28-13 AT.	



**PROPOSED LOCATION:
THREE RIVERS FEDERAL #4-32-820
& THREE RIVERS #4-33-820**

LEGEND:

- EXISTING ROAD
- - - - - PROPOSED ACCESS ROAD
- * * * * * EXISTING FENCE
- 1 24" CMP REQUIRED
- 2 INSTALL CATTLE GUARD




AXIA ENERGY

**THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4**



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

ACCESS ROAD MAP	11	14	12	B TOPO
	MONTH	DAY	YEAR	
SCALE: 1" = 2000'	DRAWN BY: C.L		REV: 01-28-13 A.T.	



**PROPOSED LOCATION:
THREE RIVERS FEDERAL #4-32-820
& THREE RIVERS #4-33-820**

T7S

T8S

**R
20
E**

**R
3
E**
**R
20
E**

LEGEND:

- ⊙ DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED


AXIA ENERGY

**THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4**

U&L S Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC 04 13 12
MAP MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: A.T. REV: 01-28-13 A.T. **C**
TOPO



**PROPOSED LOCATION:
THREE RIVERS FEDERAL #4-32-820
& THREE RIVERS #4-33-820**

**KENNETH JOE &
DIANNE C. BATTY**

APPROXIMATE TOTAL PIPELINE DISTANCE = 1,751' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- - - - - PROPOSED PIPELINE
- - - - - PROPOSED PIPELINE (SERVICING OTHER WELLS)



AXIA ENERGY

THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP 11 14 12
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: C.L. REV: 01-28-13 A.T.

D
TOPO



**PROPOSED LOCATION:
THREE RIVERS FEDERAL #4-32-820
& THREE RIVERS #4-33-820**

**KENNETH JOE &
DIANNE C. BATTY**

APPROXIMATE TOTAL POWER LINE DISTANCE = 1,613' +/-

LEGEND:

-  PROPOSED ACCESS ROAD
-  PROPOSED POWER LINE
-  EXISTING POWER LINE

AXIA ENERGY

**THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4**

UES Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC MAP 11 14 12
MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: C.L. REV: 01-28-13 A.T. **E TOPO**

Axia Energy


Three Rivers 4-32-820
 Uintah County, Utah

Plane of Proposal
 346.31° Azimuth


Vertical Section
 1" = 1000'

Vertical
 898.52' Displacement from S/L
 @ 346.31° Azimuth from S/L
 North-872.97' East-212.71' of S/L
 TVD-4200' MD-4000'
 Y=7229889.6', X=2151526.5'
 1980' FNL, 1980' FEL
Garden Gulch
 TVD-4849' MD-5050'
Top Uteland Butte
 TVD-6596' MD-6797'
Top Wasatch
 TVD-6746' MD-6947'
TD
 TVD-7046' MD-7247'

Horizontal Plan
 1" = 500'



Surface Location
 Lat=40.151167
 Long=109.670586
 NAD83
 Y=7229016.63'
 X=2151739.18'
 NAD83
 2464' FSL, 1795' FEL



Denver, Colorado
 303-463-1919

12- 16- 2012

Bighorn Directional, Inc.

Axia Energy
Three Rivers 4-32-820
Uintah County, Utah



Minimum of Curvature
Slot Location: 7229016.63', 2151739.18'
Plane of Vertical Section: 346.31°

Measured Depth Feet	BORE Inc Degrees	HOLE Direction Degrees	True Vertical Depth Feet	RECTANGULAR COORDINATES		LAMBERT COORDINATES		Vertical Section Feet	CLOSURES		Dogleg Severity Deg/100'
				North(-South) Feet	East(-West) Feet	Y Feet	X Feet		Distance Feet	Direction Deg	
1400.00	0.00	0.00	1400.00	0.00	0.00	7229016.6	2151739.2	0.00	0.00	0.00	0.00
KOP/ Start Build											
1500.00	2.75	346.31	1499.96	2.33	-0.57	7229019.0	2151738.6	2.40	2.40	346.31	2.75
1600.00	5.50	346.31	1599.69	9.32	-2.27	7229026.0	2151736.9	9.59	9.59	346.31	2.75
1700.00	8.25	346.31	1698.96	20.95	-5.10	7229037.6	2151734.1	21.56	21.56	346.31	2.75
1800.00	11.00	346.31	1797.55	37.19	-9.06	7229053.8	2151730.1	38.28	38.28	346.31	2.75
1900.00	13.75	346.31	1895.21	58.01	-14.14	7229074.6	2151725.0	59.71	59.71	346.31	2.75
2000.00	16.50	346.31	1991.74	83.36	-20.31	7229100.0	2151718.9	85.80	85.80	346.31	2.75
2100.00	19.25	346.31	2086.90	113.18	-27.58	7229129.8	2151711.6	116.49	116.49	346.31	2.75
2200.00	22.00	346.31	2180.49	147.40	-35.92	7229164.0	2151703.3	151.71	151.71	346.31	2.75
2300.00	24.75	346.31	2272.27	185.94	-45.31	7229202.6	2151693.9	191.38	191.38	346.31	2.75
2400.00	27.50	346.31	2362.05	228.72	-55.73	7229245.4	2151683.5	235.41	235.41	346.31	2.75
2500.00	30.25	346.31	2449.60	275.63	-67.16	7229292.3	2151672.0	283.70	283.70	346.31	2.75
2600.00	33.00	346.31	2534.75	326.57	-79.57	7229343.2	2151659.6	336.13	336.13	346.31	2.75
2659.65	34.64	346.31	2584.30	358.83	-87.43	7229375.5	2151651.8	369.33	369.33	346.31	2.75
End Build											
2940.90	34.64	346.31	2815.70	514.15	-125.28	7229530.8	2151613.9	529.20	529.20	346.31	0.00
Start Drop											
3040.90	31.89	346.31	2899.31	567.44	-138.26	7229584.1	2151600.9	584.04	584.04	346.31	2.75
3140.90	29.14	346.31	2985.45	616.77	-150.28	7229633.4	2151588.9	634.81	634.81	346.31	2.75
3240.90	26.39	346.31	3073.93	662.02	-161.31	7229678.7	2151577.9	681.39	681.39	346.31	2.75
3340.90	23.64	346.31	3164.54	703.10	-171.32	7229719.7	2151567.9	723.68	723.68	346.31	2.75
3440.90	20.89	346.31	3257.07	739.91	-180.29	7229756.5	2151558.9	761.56	761.56	346.31	2.75
3540.90	18.14	346.31	3351.32	772.37	-188.20	7229789.0	2151551.0	794.96	794.96	346.31	2.75
3640.90	15.39	346.31	3447.06	800.39	-195.02	7229817.0	2151544.2	823.80	823.80	346.31	2.75
3740.90	12.64	346.31	3544.07	823.91	-200.76	7229840.5	2151538.4	848.02	848.02	346.31	2.75
3840.90	9.89	346.31	3642.14	842.89	-205.38	7229859.5	2151533.8	867.55	867.55	346.31	2.75
3940.90	7.14	346.31	3741.02	857.28	-208.89	7229873.9	2151530.3	882.36	882.36	346.31	2.75

Bighorn Directional, Inc.

Axia Energy
Three Rivers 4-32-820
Uintah County, Utah



Minimum of Curvature
Slot Location: 7229016.63', 2151739.18'
Plane of Vertical Section: 346.31°

Measured Depth Feet	BORE Inc Degrees	HOLE Direction Degrees	True Vertical Depth Feet	RECTANGULAR COORDINATES		LAMBERT COORDINATES		Vertical Section Feet	CLOSURES		Dogleg Severity Deg/100'
				North(-South) Feet	East(-West) Feet	Y Feet	X Feet		Distance Feet	Direction Deg	
4040.90	4.39	346.31	3840.51	867.03	-211.26	7229883.7	2151527.9	892.40	892.40	346.31	2.75
4140.90	1.64	346.31	3940.36	872.14	-212.51	7229888.8	2151526.7	897.66	897.66	346.31	2.75
4200.55	0.00	346.31	4000.00	872.97	-212.71	7229889.6	2151526.5	898.52	898.52	346.31	2.75
Vertical											
5049.55	0.00	346.31	4849.00	872.97	-212.71	7229889.6	2151526.5	898.52	898.52	346.31	0.00
Garden Gulch/ MGR Marker											
6796.55	0.00	346.31	6596.00	872.97	-212.71	7229889.6	2151526.5	898.52	898.52	346.31	0.00
Top Uteland Butte/ LGR Marker											
6946.55	0.00	346.31	6746.00	872.97	-212.71	7229889.6	2151526.5	898.52	898.52	346.31	0.00
Top Wasatch/ Base Uteland											
7246.55	0.00	346.31	7046.00	872.97	-212.71	7229889.6	2151526.5	898.52	898.52	346.31	0.00
TD											
Final Station Closure Distance: 898.52' Direction: 346.31°											

CONFIDENTIAL

MEMORANDUM OF SURFACE USE AGREEMENT

State: Utah

County: Uintah

Owner: Kenneth Joe Batty

Operator: Axia Energy, LLC, 1430 Larimer Street, Suite 400, Denver, Colorado 80202

Effective Date: December 15, 2012

As of the Effective Date stated above, Owner, named above, executed and delivered to Operator, named above, a Surface Use Agreement (the "SUA") in which Owner has granted Operator certain rights to access the lands described below ("The Lands") for the purpose of exploring for and producing oil and gas from its oil and gas leases underlying the Lands and to construct drill pads, to drill oil and gas wells, and to construct and maintain associated production facilities, including pipelines. The Lands, all of which are situated in Uintah County, Utah, are described as follows:

Township 8S, Range 20E

Section 4 – NESE & E/2NWSE

This SUA shall terminate upon the later of: (i) the expiration or termination of the underlying oil and gas leases held by Operator, its successor or assigns; or (ii) upon completion of final reclamation on the lands by Operator, its successors or assigns.

This Memorandum of Surface Use Agreement is executed by Owner and Operator and placed of record in the county in which the Lands are located for the purpose of placing all persons on notice of the existence of the Surface Use Agreement, which is not, at the request of both parties, being filed of record. This Memorandum is signed by Owner and Operator, as of the date of the acknowledgment of their signatures below, but is effective for all purposes as of the Effective Date stated above.

OWNER:

By: Kenneth Batty Kenneth Joe Batty
 Kenneth Joe Batty

OPERATOR:

AXIA ENERGY, LLC

By: Tab McGinley
 Tab McGinley, Vice President of Land

CONFIDENTIAL


Acknowledgement

STATE OF UTAH)
)
COUNTY OF Uintah)

The foregoing instrument was acknowledged before me this 2 day of Jan. 2013, ~~2012~~ _{STB} by Kenneth Joe Batty.

Witness my hand and official seal.

My commission expires: 9-12-15



STB
Notary Public

STATE OF COLORADO)
)
COUNTY OF DENVER)


The foregoing instrument was acknowledged before me this 7th day of January, 2013 by Tab McGinley, appearing herein in his capacity as Vice President of Land of Axia Energy, LLC

Witness my hand and official seal.

My commission expires: 8/7/16

Teressa H. Brandon
Notary Public

Address: 1430 Larimer Street
Suite 400
Denver, Colorado 80202



CONFIDENTIAL

BOP Equipment

3000psi WP

CONFIDENTIAL




EXHIBIT "F"



2580 Creekview Road
Moab, Utah 84532
435/719-2018

January 29, 2013

Mrs. Diana Mason
State of Utah
Division of Oil Gas and Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Request for Exception to Spacing – Axia Energy, LLC – **Three Rivers 4-32-820**
Surface Location: 2464' FSL & 1795' FEL, NW/4 SE/4, Section 4, T8S, R20E,
Target Location: 1980' FNL & 1980' FEL, SW/4 NE/4, Section 4, T8S, R20E,
SLB&M, Uintah County, Utah

Dear Diana:

Axia Energy, LLC respectfully submits this request for exception to spacing (R649-3-11) based on geology since the well is located less than 460 feet to the drilling unit boundary. Axia Energy, LLC is the only owner and operator within 460 feet of the surface and target location as well as all points along the intended well bore path and are not within 460 feet of any uncommitted tracts or a unit boundary.

Thank you very much for your timely consideration of this application. Please feel free to contact Jess A. Peonio of Axia Energy, LLC at 720-746-5212 or myself should you have any questions or need additional information.

Sincerely,

Don Hamilton
Agent for Axia Energy, LLC

cc: Jess A. Peonio, Axia Energy, LLC



RECEIVED: January 29, 2013

AXIA ENERGY


LOCATION LAYOUT FOR
 THREE RIVERS FEDERAL #4-32-820 &
 THREE RIVERS #4-33-820
 SECTION 4, T8S, R20E, S.L.B.&M.
 NW 1/4 SE 1/4

FIGURE #1

SCALE: 1" = 60'
 DATE: 11-21-12
 DRAWN BY: K.O.
 REV: 01-28-13



NOTE:
 Flare Pit is to be located a min. of 100' from the Well Head.



CONFIDENTIAL

Elev. Ungraded Ground At #4-32 Loc. Stake = 4752.1'
 FINISHED GRADE ELEV. AT #4-32 LOC. STAKE = 4751.4'

UINTAH ENGINEERING & LAND SURVEYING
 85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

RECEIVED: January 29, 2013






AXIA ENERGY

FIGURE #2

X-Section Scale
1" = 40'
1" = 100'

DATE: 11-21-12
DRAWN BY: K.O.
REV: 01-28-13

**TYPICAL CROSS SECTIONS FOR
THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4**



NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

APPROXIMATE ACREAGES

WELL SITE DISTURBANCE	= ± 3.696 ACRES
ACCESS ROAD DISTURBANCE	= ± 0.225 ACRES
PIPELINE DISTURBANCE	= ± 0.193 ACRES
TOTAL	= ± 4.114 ACRES

* NOTE:
FILL QUANTITY INCLUDES 5% FOR COMPACTION

APPROXIMATE YARDAGES

(12") Topsoil Stripping	= 4,130 Cu. Yds.
Remaining Location	= 8,650 Cu. Yds.
TOTAL CUT	= 12,780 CU. YDS.
FILL	= 3,590 CU. YDS.

EXCESS MATERIAL	= 9,190 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 6,980 Cu. Yds.
EXCESS UNBALANCE (After Interim Rehabilitation)	= 2,210 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

AXIA ENERGY



**TYPICAL RIG LAYOUT FOR
THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4**

FIGURE #3

SCALE: 1" = 60'
DATE: 11-21-12
DRAWN BY: K.O.
REV: 01-28-13



NOTE:
Flare Pit is to be located a min. of 100' from the Well Head.



CONFIDENTIAL



Total Pit Capacity
W/2' of Freeboard
= 20,750 Bbls.±
Total Pit Volume
= 5,690 Cu. Yds

AXIA ENERGY

PRODUCTION FACILITY LAYOUT FOR
THREE RIVERS FEDERAL #4-32-820 &
THREE RIVERS #4-33-820
SECTION 4, T8S, R20E, S.L.B.&M.
NW 1/4 SE 1/4

FIGURE #4

SCALE: 1" = 60'
DATE: 11-21-12
DRAWN BY: K.O.
REV: 01-28-13



RECLAIMED AREA

APPROXIMATE ACREAGES
UN-RECLAIMED = ± 0.786 ACRES

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

RECEIVED: January 29, 2013

ON-SITE PREDRILL EVALUATION

Utah Division of Oil, Gas and Mining

Operator AXIA ENERGY LLC
Well Name Three Rivers Federal 4-32-820
API Number 43047535520000 **APD No** 7544 **Field/Unit** WILDCAT
Location: 1/4,1/4 NWSE **Sec** 4 **Tw** 8.0S **Rng** 20.0E 2464 FSL 1795 FEL
GPS Coord (UTM) 613226 4445385 **Surface Owner** Kenneth Joe & Dianne C. Batty

Participants

Bart Hunting (surveyor), Jim Burns (permit contractor), Jerry Holder and John Busch (Axia), Joe Batty (surface owner)

Regional/Local Setting & Topography

This proposed well sits in a farming area and is surrounded by irrigated crop land. The site is a little over 2 miles south of Pelican Lake and a little over 2 miles west of the Green River. The well site is just under a mile west of highway 88. This site slopes moderately east.

Surface Use Plan

Current Surface Use

Agricultural

New Road

Miles

0.3

Well Pad

Width 260 Length 366

Src Const Material

Offsite

Surface Formation

Ancillary Facilities N

Waste Management Plan Adequate? Y

Environmental Parameters

Affected Floodplains and/or Wetlands N

Flora / Fauna

Agricultural crop land, fall and winter cattle pasture

Soil Type and Characteristics

Deep sandy loam crop land

Erosion Issues N

Sedimentation Issues N

Site Stability Issues N

Drainage Diversion Required? N

Berm Required? Y

Erosion Sedimentation Control Required? N

Paleo Survey Run? N Paleo Potential Observed? N Cultural Survey Run? N Cultural Resources? N

Reserve Pit**Site-Specific Factors****Site Ranking**

Distance to Groundwater (feet)	75 to 100	10
Distance to Surface Water (feet)	>1000	0
Dist. Nearest Municipal Well (ft)	>5280	0
Distance to Other Wells (feet)		20
Native Soil Type	High permeability	20
Fluid Type	Fresh Water	5
Drill Cuttings	Normal Rock	0
Annual Precipitation (inches)		0
Affected Populations		
Presence Nearby Utility Conduits	Not Present	0
Final Score		55

1 Sensitivity Level

Characteristics / Requirements

Reserve pit as proposed will be 195ft x 100ft x 10ft deep. Axia representative Jerry Holder agreed to use a 16 mil liner and felt sub liner. The pit will be placed in a cut stable location.

Closed Loop Mud Required? N Liner Required? Y Liner Thickness 16 Pit Underlayment Required? Y

Other Observations / Comments

Richard Powell
Evaluator

3/6/2013
Date / Time

Application for Permit to Drill Statement of Basis

Utah Division of Oil, Gas and Mining

APD No	API WellNo	Status	Well Type	Surf Owner	CBM
7544	43047535520000	LOCKED	OW	P	No
Operator	AXIA ENERGY LLC		Surface Owner-APD	Kenneth Joe & Dianne C. Batty	
Well Name	Three Rivers Federal 4-32-820		Unit		
Field	WILDCAT		Type of Work	DRILL	
Location	NWSE 4 8S 20E S 2464 FSL (UTM) 613238E 4445381N		1795 FEL GPS Coord		

Geologic Statement of Basis

The mineral rights for the proposed well are owned by the Federal Government. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill
APD Evaluator

3/14/2013
Date / Time

Surface Statement of Basis

This proposed site is on fee surface with federal minerals. It is proposed as a 2 well pad to be shared with the Three Rivers 4-33-820. Surface owner Joe Batty was present for this onsite inspection. Mr. Batty stated that he is not happy about the wells being placed on his land but has accepted the situation and feels that the well site has been placed in the best possible position in his field so as to be least intrusive to his farming activities. Mr. Batty was consulted about well placement prior to staking and the wells were placed so that Mr. Batty's irrigation pivot is not blocked.

The soil here is deep and permeable and for this reason a pit liner must be used. Mr. Holder of Axia agreed to use a 16 mil liner and felt subliner. This location should be bermed to keep fluid from leaving the pad. This appears to be an acceptable site for placement of this well.

Richard Powell
Onsite Evaluator

3/6/2013
Date / Time

Conditions of Approval / Application for Permit to Drill

Category	Condition
Pits	A synthetic liner with a minimum thickness of 16 mils with a felt subliner shall be properly installed and maintained in the reserve pit.
Surface	The well site shall be bermed to prevent fluids from leaving the pad.
Surface	The reserve pit shall be fenced upon completion of drilling operations.

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 1/29/2013

API NO. ASSIGNED: 43047535520000

WELL NAME: Three Rivers Federal 4-32-820

OPERATOR: AXIA ENERGY LLC (N3765)

PHONE NUMBER: 435 719-2018

CONTACT: Don Hamilton

PROPOSED LOCATION: NWSE 04 080S 200E

Permit Tech Review:

SURFACE: 2464 FSL 1795 FEL

Engineering Review:

BOTTOM: 1980 FNL 1980 FEL

Geology Review:

COUNTY: UINTAH

LATITUDE: 40.15116

LONGITUDE: -109.67048

UTM SURF EASTINGS: 613238.00

NORTHINGS: 4445381.00

FIELD NAME: WILDCAT

LEASE TYPE: 1 - Federal

LEASE NUMBER: UTU-85994

PROPOSED PRODUCING FORMATION(S): WASATCH

SURFACE OWNER: 4 - Fee

COALBED METHANE: NO

RECEIVED AND/OR REVIEWED:

- PLAT
- Bond: FEDERAL - LPM9046683
- Potash
- Oil Shale 190-5
- Oil Shale 190-3
- Oil Shale 190-13
- Water Permit: 49-2357
- RDCC Review: 2013-03-12 00:00:00.0
- Fee Surface Agreement
- Intent to Commingle

Commingle Approved

LOCATION AND SITING:

- R649-2-3.
- Unit:
- R649-3-2. General
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: R649-3-11
- Effective Date:
- Siting:
- R649-3-11. Directional Drill

Comments: Presite Completed

Stipulations: 1 - Exception Location - bhill
 4 - Federal Approval - dmason
 5 - Statement of Basis - bhill
 15 - Directional - dmason
 21 - RDCC - dmason
 23 - Spacing - dmason



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Three Rivers Federal 4-32-820
API Well Number: 43047535520000
Lease Number: UTU-85994
Surface Owner: FEE (PRIVATE)
Approval Date: 3/18/2013

Issued to:

AXIA ENERGY LLC, 1430 Larimer Ste 400, Denver, CO 80202

Authority:

Pursuant to Utah Code Ann. 40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-11. The expected producing formation or pool is the WASATCH Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

Exception Location:

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

The Application for Permit to Drill has been forwarded to the Resource Development Coordinating Committee for review of this action. The operator will be required to comply with any applicable recommendations resulting from this review. (See attached)

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- Within 24 hours following the spudding of the well - contact Carol Daniels at 801-538-5284

(please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website

at <http://oilgas.ogm.utah.gov>

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) - due within 5 days of spudding the well
- Monthly Status Report (Form 9) - due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) - due prior to implementation
- Written Notice of Emergency Changes (Form 9) - due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) - due prior to implementation
- Report of Water Encountered (Form 7) - due within 30 days after completion
- Well Completion Report (Form 8) - due within 30 days after completion or plugging

Approved By:



For John Rogers
Associate Director, Oil & Gas

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-85994
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: AXIA ENERGY LLC		8. WELL NAME and NUMBER: Three Rivers Federal 4-32-820
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400 , Denver, CO, 80202		9. API NUMBER: 43047535520000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2464 FSL 1795 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 04 Township: 08.0S Range: 20.0E Meridian: S		9. FIELD and POOL or WILDCAT: WILDCAT
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2464 FSL 1795 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 04 Township: 08.0S Range: 20.0E Meridian: S		COUNTY: UINTAH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2464 FSL 1795 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 04 Township: 08.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> ALTER CASING	
<input checked="" type="checkbox"/> SPUD REPORT Date of Spud: 9/5/2013	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> CHANGE WELL NAME	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> CONVERT WELL TYPE	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> PLUG BACK	
	<input type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. MIRU Pete Martin conductor rig. Set conductor casing and cement to surface. Release rig.		
		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 05, 2013
NAME (PLEASE PRINT) Cindy Turner	PHONE NUMBER 720 746-5209	TITLE Project Manager
SIGNATURE N/A	DATE 9/5/2013	

CONFIDENTIAL

Carol Daniels <caroldaniels@utah.gov>

*KWSE 504 TOBS R20E***Spud Notice**

1 message

Cordell Wold <cwold@axiaenergy.com>

Tue, Sep 3, 2013 at 10:28 AM

To: Cordell Wold <cwold@axiaenergy.com>, "caroldaniels@utah.gov" <caroldaniels@utah.gov>, "cctaylor@blm.gov" <cctaylor@blm.gov>, Dan Jarvis <danjarvis@utah.gov>, "richardpowell@utah.gov" <richardpowell@utah.gov>
Cc: Cindy Turner <cturner@axiaenergy.com>, Jess Peonio <jpeonio@axiaenergy.com>, Bryce Holder <bholder@axiaenergy.com>, klbascom <klbascom@ubtanet.com>, Ray Meeks <ray.meeks_bmg@hotmail.com>

Pete Martin is moving onto the Three Rivers Federal 4-32-820 (API #430475355200) on 09/04/2013 to drill and be setting conductor on 09/05/2013.

Any Questions;

Cordell Wold

701-570-5540

RECEIVED

SEP 03 2013

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

JAN 30 2013

FORM APPROVED
OMB No. 1004-0136
Expires July 31, 2010

APPLICATION FOR PERMIT TO DRILL OR REENTER

**BLM
CONFIDENTIAL**

5. Lease Serial No. UTU85994	
6. If Indian, Allottee or Tribe Name	
7. If Unit or CA Agreement, Name and No.	
8. Lease Name and Well No. THREE RIVERS FEDERAL 4-32-820	
9. API Well No. 43047 5355 2	
10. Field and Pool, or Exploratory UNDESIGNATED	
11. Sec., T., R., M., or Blk. and Survey or Area Sec 4 T8S R20E Mer SLB SME: FEE	
12. County or Parish UINTAH	13. State UT
17. Spacing Unit dedicated to this well 40.00	
20. BLM/BIA Bond No. on file UTB000464	
23. Estimated duration 60 DAYS	

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER	
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input checked="" type="checkbox"/> Multiple Zone	
2. Name of Operator AXIA ENERGY LLC Contact: DON S HAMILTON E-Mail: starpoint@etv.net	
3a. Address 1430 LARIMER STREET SUITE #400 DENVER, CO 80202	3b. Phone No. (include area code) Ph: 435-719-2018 Fx: 435-719-2019
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface NWSE 2464FSL 1795FEL 40.151167 N Lat, 109.670586 W Lon At proposed prod. zone NWSE 1980FNL 1980FEL 40.151167 N Lat, 109.670586 W Lon	
14. Distance in miles and direction from nearest town or post office* 26.4 MILES SOUTHWEST OF VERNAL, UTAH	
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 800	16. No. of Acres in Lease 1817.57
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 16	19. Proposed Depth 7247 MD 7046 TVD
21. Elevations (Show whether DF, KB, RT, GL, etc.) 4752 GL	22. Approximate date work will start 02/15/2013

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature (Electronic Submission)	Name (Printed/Typed) DON S HAMILTON Ph: 435-719-2018	Date 01/29/2013
Title PERMITTING AGENT		
Approved by (Signature) 	Name (Printed/Typed) Jerry Kenczka	Date AUG 26 2013
Title Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

AUG 30 2013

Additional Operator Remarks (see next page)

Electronic Submission #192135 verified by the BLM Well Information System
For AXIA ENERGY LLC, sent to the Vernal
Committed to AFMSS for processing by ROBIN R. HANSEN on 02/04/2013 (11:26 AM) DIV. OF OIL, GAS & MINING

UDOGM

NOTICE OF APPROVAL

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: AXIA ENERGY LLC
Well No: THREE RIVERS FED. 4-32-820
API No: 43-013-53552

Location: NWSE, Sec. 4, T8S, R20E
Lease No: UTU-85994
Agreement:

OFFICE NUMBER: (435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

***SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)***

- All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.
- Stationary internal combustion engines would comply with the following emission standards: 2 g/bhp-hr of NO_x for engines less than 300 HP and 1 g/bhp-hr of NO_x for engines over 300 HP.
- Either no or low bleed controllers would be installed on pneumatic pumps, actuators or other pneumatic devices.
- VOC venting controls or flaring would be utilized for oil or gas atmospheric storage tanks.
- VOC venting controls or flaring would be used for glycol dehydration and amine units.
- Where feasible, green completion would be used for well completion, re-completion, venting, or planned blowdown emissions. Alternatively, use controlled VOC emissions methods with 90% efficiency.
- Axia must use Target Trucking's water number 43-10988.
- The best method to avoid entrainment is to pump from an off-channel location – one that does not connect to the river during high spring flows. An infiltration gallery constructed in a BLM and Service approved location is best.
- If the pump head is located in the river channel where larval fish are known to occur, the following measures apply:
 - do not situate the pump in a low-flow or no-flow area as these habitats tend to concentrate larval fishes;
 - limit the amount of pumping, to the greatest extent possible, during that period of the year when larval fish may be present (April 1 to August 31); and
 - limit the amount of pumping, to the greatest extent possible, during the pre-dawn hours as larval drift studies indicate that this is a period of greatest daily activity.
- Screen all pump intakes with 3/32 inch mesh material.
- Approach velocities for intake structures will follow the National Marine Fisheries Service's document "Fish Screening Criteria for Anadromous Salmonids". For projects with an in-stream intake that operate in stream reaches where larval fish may be present, the approach velocity will not exceed 0.33 feet per second (ft/s).
- Report any fish impinged on the intake screen to the Service (801.975.3330) and the Utah Division of Wildlife Resources:
 - Northeastern Region
 - 318 North Vernal Ave, Vernal, UT 84078
 - Phone: (435) 781-9453

**DOWNHOLE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

SITE SPECIFIC DOWNHOLE COAs:

- Gamma Ray Log shall be run from Total Depth to Surface.
- CBL will be run from TD to TOC.
- Cement for the surface casing will be circulated to the surface.
- Cement for long-string shall be circulated 200' above surface casing shoe.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.

- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well by CD (compact disc). This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid,

and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-85994
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: Three Rivers Federal 4-32-820
2. NAME OF OPERATOR: AXIA ENERGY LLC	9. API NUMBER: 43047535520000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400 , Denver, CO, 80202	PHONE NUMBER: 720 746-5200 Ext
9. FIELD and POOL or WILDCAT: WILDCAT	4. LOCATION OF WELL FOOTAGES AT SURFACE: 2464 FSL 1795 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 04 Township: 08.0S Range: 20.0E Meridian: S
	COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 10/1/2013 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Axia Energy, LLC. respectfully requests your permission to change the following: Surface Casing - FROM: 8.625" 32.00# J-55 STC TO: 8.625" 24.00# J-55 STC. Cement requirements will be followed per the approved APD.

Accepted by the Utah Division of Oil, Gas and Mining

Date: September 23, 2013

By: *Derek Quist*

NAME (PLEASE PRINT) Cindy Turner	PHONE NUMBER 720 746-5209	TITLE Project Manager
SIGNATURE N/A	DATE 9/3/2013	



CONFIDENTIAL

NWSE S-04 TORS R 20E

43-047-53552

Capstar 321, Axia Energy, Three Rivers Fed 4-32-820, BOP Test & Spud notice

klbascom <klbascom@ubtanet.com>

Fri, Sep 13, 2013 at 2:08 PM

To: Carol Daniels <caroldaniels@utah.gov>, Dan Jarvis <danjarvis@utah.gov>, Richard Powell <richardpowell@utah.gov>, Cade Taylor <cctaylor@blm.gov>

Cc: ">" <cwold@axiaenergy.com>, cturmer@axiaenergy.com, bholder@axiaenergy.com, jpeonio@axiaenergy.com, Ray Meeks <ray.meeks_bmg@hotmail.com>

Capstar #321 is moving from Axia energys Three Rivers Fed 35-32-720 Saturday 9/14/13 to Three Rivers Fed 4-32-820, API# 43-047-53552, rig up & test BOP Saturday night and drill out. Any Questions, contact Kenny Bascom or Ray Meeks @ 435-828-5550.

RECEIVED

SEP 13 2013

DN. OF OIL, GAS & MINING



NWSE 504 T08S R20E 4304753332

Three Rivers Federal

CONFIDENTIAL

Ray Meeks <ray.meeks_bmg@hotmail.com>

Sat, Sep 21, 2013 at 6:50 AM

To: "cctaylor@blm.gov" <cctaylor@blm.gov>, "caroldaniels@utah.gov" <caroldaniels@utah.gov>, "richardpowell@utah.gov" <richardpowell@utah.gov>, "danjarvis@utah.gov" <danjarvis@utah.gov>

Cc: "cwold@axiaenergy.com" <cwold@axiaenergy.com>

We will be running production casing and cementing on Axia's Three Rivers Federal 4-32-820 @ 9/22/13, API# 43-047-53552. Any questions please call me Ray Meeks 435- 828-5550, Capstar rig321

RECEIVED

SEP 27 2013

DIV. OF OIL, GAS & MINERAL

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-85994
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: Three Rivers Federal 4-32-820
2. NAME OF OPERATOR: AXIA ENERGY LLC	9. API NUMBER: 43047535520000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400 , Denver, CO, 80202	PHONE NUMBER: 720 746-5200 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2464 FSL 1795 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 04 Township: 08.0S Range: 20.0E Meridian: S	9. FIELD and POOL or WILDCAT: WILDCAT COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 10/1/2013 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input type="text" value="Central Tank Facility"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

NEW CENTRAL TANK FACILITY: Three Rivers CTB Fed UTU-85994 See Attached for Proposal and Allocation Diagram

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Date: October 08, 2013

By: *Derek Quist*

NAME (PLEASE PRINT) Cindy Turner	PHONE NUMBER 720 746-5209	TITLE Project Manager
SIGNATURE N/A	DATE 9/11/2013	

AXIA THREE RIVERS CENTRAL TANK FACILITY

Axia Energy, LLC submits the following documentation as follow-up to verbal and email approval to commingle certain wells with common interests per attached diagram.

Allocation Proposal:

Each well that comes on will be set-up and plumbed individually with (2) 500 bbl oil tanks and (1) 500 bbl water tank for each producing well.

When production on a well basis exceeds current individual well storage, production would be gauged and an internal run ticket would be generated. The oil would then be shipped to the centralized tank facilities per attached allocation diagram.

Oil Sales from Centralized Storage Facility would be allocated back to the applicable well on a first in-first out basis and quantity would be based on the run ticket generated when the oil is sold to oil purchaser.


Proposed centralized storage facilities are set up by State or Federal lease number, or in the case of Fee wells, by common interest.

Reporting Requirements:

- When oil is transferred to the central tank battery from a well location, the volume will appear on Form 11 (Monthly Disposition Report) as transported volume for the applicable entity location.
- A Form 12 (Transfer of Oil) for the volume going to the CTB will be prepared with any applicable internal run tickets attached.

EFFECTIVE DATE: October 1, 2013

NAME: THREE RIVERS CTB FED UTU-85994
DESC: THREE RIVERS FED WELLS IN SEC 3, 4, 8 & 10 OF TWNSHP 8S-RNG 20E THAT CAN FLOW TO CENTRAL TANK BATTERY
LEASE: BASED ON COMMON INTEREST/LEASE NO
 FED UTU-85994



When well tanks get full and we are unable to sell, we would move the oil to the central facility for storage/sales using an internal run ticket. Sales from the Central Tank Battery would be allocated back to the wells on a first in - first out basis.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-85994
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: Three Rivers Federal 4-32-820
2. NAME OF OPERATOR: AXIA ENERGY LLC	9. API NUMBER: 43047535520000
3. ADDRESS OF OPERATOR: 1430 Larimer Ste 400 , Denver, CO, 80202	PHONE NUMBER: 720 746-5200 Ext
9. FIELD and POOL or WILDCAT: WILDCAT	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2464 FSL 1795 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 04 Township: 08.0S Range: 20.0E Meridian: S	COUNTY: UINTAH STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 10/18/2013 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

APD was approved on 03-18-13 as a Wasatch completion. However, there was a change in plans and we request your approval for a GREEN RIVER Completion. Bottom Perf = 6,810' Top of Wasatch = 6,831' Please update Entity Action Number 19168 to GRRV.

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Date: November 26, 2013

By: *Derek Quist*

NAME (PLEASE PRINT) Cindy Turner	PHONE NUMBER 720 746-5209	TITLE Project Manager
SIGNATURE N/A	DATE 10/22/2013	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	See Attached List
API number:	
Location:	Qtr-Qtr: Section: Township: Range:
Company that filed original application:	Don Hamilton - Star Point Enterprises for Axia Energy, LLC
Date original permit was issued:	
Company that permit was issued to:	Axia Energy, LLC

Check one	Desired Action:
	Transfer pending (unapproved) Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	Transfer approved Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If so, has the surface agreement been updated?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Has the approved source of water for drilling changed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Is bonding still in place, which covers this proposed well? Bond No. _____	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

RECEIVED
DEC 16 2013

Name (please print) Mary Sharon Balakas Title Attorney in Fact
 Signature *Mary Sharon Balakas* Date 12/11/13
 Representing (company name) Ultra Resources

DIV. OF OIL, GAS & MINING

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

10/1/2013

FROM: (Old Operator): N3765-Axia Energy, LLC 1430 Larimer Street, Suite 400 Denver, CO 80202 Phone: 1 (720) 746-5200	TO: (New Operator): N4045-Ultra Resources, Inc. 304 Inverness Way South, Suite 295 Englewood, CO 80112 Phone: 1 (303) 645-9810
---	---

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List									

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/16/2013
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/16/2013
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/14/2014
- Is the new operator registered in the State of Utah: _____ Business Number: 8861713-0143
- (R649-9-2) Waste Management Plan has been received on: N/A
- Inspections of LA PA state/fee well sites complete on: N/A
- Reports current for Production/Disposition & Sundries on: 1/14/2014
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 1/14/2014
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 1/14/2014
- Bond information entered in RBDMS on: 1/14/2014
- Fee/State wells attached to bond in RBDMS on: 1/14/2014
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: 1/14/2014
- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: Yes

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: 22046400
- Indian well(s) covered by Bond Number: 22046400
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 22046398
- The **FORMER** operator has requested a release of liability from their bond on: Not Yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 1/14/2014

COMMENTS:

Axia Energy, LLC (N3765) to Ultra Resources, Inc. (N4045) Effective 10/1/2013

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Well Type	Well Status
THREE RIVERS 2-41-820	2	080S	200E	4304752686		State	OW	APD
THREE RIVERS 2-25-820	2	080S	200E	4304752690		State	OW	APD
THREE RIVERS 36-21-720	36	070S	200E	4304752698		State	OW	APD
THREE RIVERS 36-13-720	36	070S	200E	4304752699		State	OW	APD
THREE RIVERS FEDERAL 3-54-820	3	080S	200E	4304752860		Federal	OW	APD
THREE RIVERS FEDERAL 3-33-820	3	080S	200E	4304752864		Federal	OW	APD
THREE RIVERS FED 35-34-720	35	070S	200E	4304753006		Federal	OW	APD
THREE RIVERS FED 35-42-720	35	070S	200E	4304753007		Federal	OW	APD
THREE RIVERS FED 35-44-720	35	070S	200E	4304753008		Federal	OW	APD
Three Rivers 2-32-820	2	080S	200E	4304753274		State	OW	APD
Three Rivers 18-21-821	18	080S	210E	4304753276		Fee	OW	APD
Three Rivers 18-31-821	18	080S	210E	4304753277		Fee	OW	APD
Three Rivers 27-34-720	34	070S	200E	4304753278		Fee	OW	APD
Three Rivers 34-31T-720	34	070S	200E	4304753281		Fee	OW	APD
Three Rivers Federal 35-14-720	35	070S	200E	4304753553		Federal	OW	APD
Three Rivers Federal 35-13-720	35	070S	200E	4304753554		Federal	OW	APD
Three Rivers 7-34-821	7	080S	210E	4304753558		Fee	OW	APD
Three Rivers 7-23-821	7	080S	210E	4304753559		Fee	OW	APD
Three Rivers 7-21-821	7	080S	210E	4304753560		Fee	OW	APD
Three Rivers 7-22-821	7	080S	210E	4304753561		Fee	OW	APD
Three Rivers 7-12-821	7	080S	210E	4304753562		Fee	OW	APD
Three Rivers 18-22-821	18	080S	210E	4304753620		Fee	OW	APD
Three Rivers 18-32-821	18	080S	210E	4304753621		Fee	OW	APD
Three Rivers D	16	080S	200E	4304753702		State	WD	APD
Three Rivers Federal 4-41-820	4	080S	200E	4304753911		Federal	OW	APD
Three Rivers Federal 4-42-820	4	080S	200E	4304753913		Federal	OW	APD
Three Rivers Federal 3-12-820	4	080S	200E	4304753914		Federal	OW	APD
Three Rivers Federal 34-42-720	35	070S	200E	4304753915		Federal	OW	APD
Three Rivers Federal 34-43-720	35	070S	200E	4304753916		Federal	OW	APD
Three Rivers Federal 35-12-720	35	070S	200E	4304753917		Federal	OW	APD
Three Rivers Federal 35-43-720	35	070S	200E	4304753918		Federal	OW	APD
Three Rivers Federal 35-442-720	35	070S	200E	4304753919		Federal	OW	APD
Three Rivers Federal 35-21-720	35	070S	200E	4304753943		Federal	OW	APD
Three Rivers Federal 35-11-720	35	070S	200E	4304753944		Federal	OW	APD
Three Rivers 2-24-820	2	080S	200E	4304753945		State	OW	APD
Three Rivers 2-223-820	2	080S	200E	4304753946		State	OW	APD
Three Rivers 2-21-820	2	080S	200E	4304753947		State	OW	APD
Three Rivers 2-22-820	2	080S	200E	4304753948		State	OW	APD
Three Rivers 32-42-720	32	070S	200E	4304753949		Fee	OW	APD
Three Rivers Federal 3-13-820	3	080S	200E	4304753951		Federal	OW	APD
Three Rivers Federal 3-14-820	3	080S	200E	4304753952		Federal	OW	APD
Three Rivers Federal 3-23-820	3	080S	200E	4304753953		Federal	OW	APD
Three Rivers Federal 3-24-820	3	080S	200E	4304753954		Federal	OW	APD
Three Rivers 4-13-820	5	080S	200E	4304753956		Federal	OW	APD
Three Rivers Federal 5-43-820	5	080S	200E	4304753957		Federal	OW	APD
Three Rivers Federal 5-42-820	5	080S	200E	4304753958		Federal	OW	APD
Three Rivers Federal 5-11-820	5	080S	200E	4304754204		Federal	OW	APD
Three Rivers Federal 5-21-820	5	080S	200E	4304754205		Federal	OW	APD
Three Rivers Federal 8-31-820	8	080S	200E	4304754211		Federal	OW	APD
Three Rivers Federal 8-41-820	8	080S	200E	4304754212		Federal	OW	APD
Three Rivers Federal 3-34-820	3	080S	200E	4304754213		Federal	OW	APD
Three Rivers Federal 3-44-820	3	080S	200E	4304754214		Federal	OW	APD
THREE RIVERS 32-34-720	32	070S	200E	4304752735	19249	Fee	OW	DRL
THREE RIVERS FEDERAL 8-52-820	8	080S	200E	4304752770	19156	Federal	OW	DRL
THREE RIVERS 4-14-820	5	080S	200E	4304752863	19183	Fee	OW	DRL
THREE RIVERS FED 10-42-820	10	080S	200E	4304752949	19310	Federal	OW	DRL
THREE RIVERS FED 3-11-820	34	070S	200E	4304752950	19184	Federal	OW	DRL
Three Rivers 16-21-820	16	080S	200E	4304753229	19024	State	OW	DRL
Three Rivers 16-22-820	16	080S	200E	4304753230	18961	State	OW	DRL

Axia Energy, LLC (N3765) to Ultra Resources, Inc. (N4045) Effective 10/1/2013

Three Rivers Federal 34-35-720	34	070S	200E	4304753282	19287	Federal	OW	DRL
Three Rivers Federal 34-25-720	34	070S	200E	4304753283	19288	Federal	OW	DRL
Three Rivers Federal 10-32-820	10	080S	200E	4304753415	19275	Federal	OW	DRL
Three Rivers Federal 10-31-820	10	080S	200E	4304753437	19276	Federal	OW	DRL
Three Rivers 16-34-820	16	080S	200E	4304753472	19278	State	OW	DRL
Three Rivers 16-44-820	16	080S	200E	4304753473	19268	State	OW	DRL
Three Rivers 16-11-820	16	080S	200E	4304753474	19262	State	OW	DRL
Three Rivers 16-12-820	16	080S	200E	4304753475	19263	State	OW	DRL
Three Rivers 16-32-820	16	080S	200E	4304753494	19185	State	OW	DRL
Three Rivers 16-31-820	16	080S	200E	4304753495	19269	State	OW	DRL
Three Rivers 16-33-820	16	080S	200E	4304753496	19161	State	OW	DRL
THREE RIVERS FED 10-30-820	10	080S	200E	4304753555	19169	Federal	OW	DRL
Three Rivers Federal 9-41-820	10	080S	200E	4304753556	19170	Federal	OW	DRL
Three Rivers Federal 33-13-720	33	070S	200E	4304753723	19222	Federal	OW	DRL
Three Rivers Federal 33-12-720	33	070S	200E	4304753724	19250	Federal	OW	DRL
Three Rivers 32-3333-720	32	070S	200E	4304753950	19251	Fee	OW	DRL
THREE RIVERS 36-11-720	36	070S	200E	4304751915	18355	State	OW	P
THREE RIVERS 2-11-820	2	080S	200E	4304751936	18354	State	OW	P
THREE RIVERS 34-31-720	34	070S	200E	4304752012	18326	Fee	OW	P
THREE RIVERS 16-42-820	16	080S	200E	4304752056	18682	State	OW	P
THREE RIVERS 16-43-820	16	080S	200E	4304752057	18683	State	OW	P
THREE RIVERS 16-41-820	16	080S	200E	4304752110	18356	State	OW	P
THREE RIVERS 2-51-820	2	080S	200E	4304752685	18941	State	OW	P
THREE RIVERS 2-13-820	2	080S	200E	4304752687	19014	State	OW	P
THREE RIVERS 2-23-820	2	080S	200E	4304752688	19015	State	OW	P
THREE RIVERS 2-15-820	2	080S	200E	4304752689	18770	State	OW	P
THREE RIVERS 36-31-720	36	070S	200E	4304752697	19086	State	OW	P
THREE RIVERS 32-25-720	32	070S	200E	4304752718	19033	Fee	OW	P
THREE RIVERS 36-23-720	36	070S	200E	4304752733	18769	State	OW	P
THREE RIVERS 32-33-720	32	070S	200E	4304752734	19016	Fee	OW	P
THREE RIVERS 32-15-720	32	070S	200E	4304752736	18767	Fee	OW	P
THREE RIVERS 32-35-720	32	070S	200E	4304752737	18766	Fee	OW	P
THREE RIVERS FEDERAL 8-53-820	8	080S	200E	4304752771	18992	Federal	OW	P
THREE RIVERS FEDERAL 3-53-820	3	080S	200E	4304752820	19104	Federal	OW	P
THREE RIVERS FEDERAL 3-32-820	3	080S	200E	4304752861	18942	Federal	OW	P
THREE RIVERS FEDERAL 5-56-820	5	080S	200E	4304752862	18993	Federal	OW	P
THREE RIVERS FED 4-31-820	4	080S	200E	4304752874	19023	Federal	OW	P
THREE RIVERS 4-21-820	4	080S	200E	4304752875	19048	Federal	OW	P
THREE RIVERS FED 34-23-720	34	070S	200E	4304752945	19049	Federal	OW	P
THREE RIVERS FED 34-33-720	34	070S	200E	4304752947	19050	Federal	OW	P
THREE RIVERS FED 10-41-820	10	080S	200E	4304752948	19137	Federal	OW	P
THREE RIVERS FED 34-15-720	34	070S	200E	4304752965	18960	Federal	OW	P
THREE RIVERS FED 35-32-720	35	070S	200E	4304753005	19138	Federal	OW	P
Three Rivers 16-23-820	16	080S	200E	4304753231	19037	State	OW	P
Three Rivers 16-24-820	16	080S	200E	4304753232	19038	State	OW	P
Three Rivers 2-33-820	2	080S	200E	4304753273	18943	State	OW	P
Three Rivers 4-33-820	4	080S	200E	4304753528	19167	Fee	OW	P
Three Rivers Federal 33-14-720	33	070S	200E	4304753551	19107	Federal	OW	P
Three Rivers Federal 4-32-820	4	080S	200E	4304753552	19168	Federal	OW	P
Three Rivers Federal 33-24-720	33	070S	200E	4304753557	19108	Federal	OW	P
Three Rivers 32-334-720	32	070S	200E	4304753710	19067	Fee	OW	P
Three Rivers 5-31-820	32	070S	200E	4304753711	19068	Fee	OW	P
Three Rivers Federal 33-11-720	32	070S	200E	4304753733	19109	Federal	OW	P
Three Rivers 32-32-720	32	070S	200E	4304753734	19087	Fee	OW	P
Three Rivers 32-333-720	32	070S	200E	4304753735	19088	Fee	OW	P



Ultra Resources, Inc.

December 13, 2013

RECEIVED
DEC 16 2013
DIV. OF OIL, GAS & MINING

Division of Oil, Gas, and Mining
1594 West North Temple
Salt Lake City, UT 84116
Attn: Rachel Medina

Re: Transfer of Operator
Three Rivers Project Area
Uintah County, Utah

Dear Ms. Medina:

Pursuant to Purchase and Sale Agreement dated effective October 1, 2013 Ultra Resources, Inc. ("Ultra") assumed the operations of Axia Energy, LLC ("Axia") in the Three Rivers Area, Uintah County, Utah.

Accordingly, Ultra is submitting the following documents for your review and approval:


- 1) Request to Transfer Application or Permit to Drill for New, APD Approved & Drilled Wells
- 2) Request to Transfer Application or Permit to Drill – APD Pending
- 3) Two Completed Sundry Notice and Reports on Wells Form 9 regarding Change of Operator executed by Ultra Resources, Inc. and Axia Energy, LLC
- 4) Statewide Surety Bond in the amount of \$120,000

As to all wells located on Fee Surface there are surface agreements in place. Ultra presently does not anticipate making any change in the drilling plans submitted by Axia.

Ultra has also submitted a Statewide Bond to the Bureau of Land Management. As soon as we receive the acknowledgement and approval by the BLM we will forward same to you for your files. A copy of our transfer letter and bond is attached for your reference.

Should you need any further information at this time, please call me direct at (303) 645-9865 or email msbalakas@ultrapetroleum.com.

Sincerely,


Mary Sharon Balakas, CPL
Director of Land

cc: Cindy Turner, Axia Energy, LLC

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Well List
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Ultra Resources, Inc. N4045		8. WELL NAME and NUMBER: See Attached Well List
3. ADDRESS OF OPERATOR: 304 Inverness Way South CITY Englewood STATE CO ZIP 80112		9. API NUMBER:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached		10. FIELD AND POOL, OR WILDCAT:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: Uintah
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>10/1/2013</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

EFFECTIVE DATE: October 1, 2013
FROM:
Axia Energy, LLC
1430 Larimer Street
Suite 400
Denver, CO 80202
Bond Number: Blanket Statewide UT State/Fee Bond LPM9046682
TO:
Ultra Resources, Inc.
304 Inverness Way South
Englewood, CO 80112
Bond Number: DOGm-022046398
BLM 022046400

Ultra Resources, Inc. will be responsible under the terms and conditions of the leases/wells for the operations conducted on the leased lands.

RECEIVED
DEC 16 2013
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Mary Sharon Balakas TITLE Attorney in Fact
SIGNATURE Mary Sharon Balakas DATE 12/11/13

APPROVED

JAN 16 2013

DIV. OIL GAS & MINING
BY: Rachel Medina

(This space for State use only)

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR
 AXIA ENERGY TO ULTRA RESOURCES EFFECTIVE 10-01-2013

State Well Name List downloaded 12-10-13	Axia Well Name (for database sort and consistency)	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	State Well Status	Actual Status @ 12/12/13	Submitted	Date Apprvd DOGM
THREE RIVERS 2-11-820	Three Rivers 02-11-820	2	080S	200E	4304751936	18354	State	State	OW	P	P		
THREE RIVERS 2-13-820	Three Rivers 02-13-820	2	080S	200E	4304752687	19014	State	State	OW	DRL	P		08/27/12
THREE RIVERS 2-15-820	Three Rivers 02-15-820	2	080S	200E	4304752689	18770	State	State	OW	P	P		
Three Rivers 2-21-820	Three Rivers 02-21-820	2	080S	200E	4304753947		State	State	OW	APD	APRVD		10/15/13
Three Rivers 2-223-820	Three Rivers 02-223-820	2	080S	200E	4304753946		State	State	OW	APD	APRVD		10/15/13
Three Rivers 2-22-820	Three Rivers 02-22-820	2	080S	200E	4304753948		State	State	OW	APD	APRVD		10/15/13
THREE RIVERS 2-23-820	Three Rivers 02-23-820	2	080S	200E	4304752688	19015	State	State	OW	DRL	P		08/27/12
Three Rivers 2-24-820	Three Rivers 02-24-820	2	080S	200E	4304753945		State	State	OW	APD	APRVD		10/15/13
THREE RIVERS 2-25-820	Three Rivers 02-25-820	2	080S	200E	4304752690		State	State	OW	APD	APRVD		08/27/12
Three Rivers 2-32-820	Three Rivers 02-32-820	2	080S	200E	4304753274		State	State	OW	APD	APRVD		12/11/12
Three Rivers 2-33-820	Three Rivers 02-33-820	2	080S	200E	4304753273	18943	State	State	OW	P	P		
THREE RIVERS 2-41-820	Three Rivers 02-41-820	2	080S	200E	4304752686		State	State	OW	APD	APRVD		08/27/12
THREE RIVERS 2-51-820	Three Rivers 02-51-820	2	080S	200E	4304752685	18941	State	State	OW	P	P		
Three Rivers 4-13-820	Three Rivers 04-13-820	5	080S	200E	4304753956		Fee	Federal	OW	APD	PERPEND	08/19/13	
THREE RIVERS 4-14-820	Three Rivers 04-14-820	5	080S	200E	4304752863	19183	Fee	Federal	OW	DRL	P		
Three Rivers 4-33-820	Three Rivers 04-33-820	4	080S	200E	4304753528	19167	Fee	Fee	OW	DRL	P		
Three Rivers 5-31-820	Three Rivers 05-31-820	32	070S	200E	4304753711	19068	Fee	Fee	OW	DRL	P		
Three Rivers 7-12-821	Three Rivers 07-12-821	7	080S	210E	4304753562		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 7-21-821	Three Rivers 07-21-821	7	080S	210E	4304753560		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 7-22-821	Three Rivers 07-22-821	7	080S	210E	4304753561		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 7-23-821	Three Rivers 07-23-821	7	080S	210E	4304753559		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 7-34-821	Three Rivers 07-34-821	7	080S	210E	4304753558		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 16-11-820	Three Rivers 16-11-820	16	080S	200E	4304753474	19262	State	State	OW	DRL	SCS		03/12/13
Three Rivers 16-12-820	Three Rivers 16-12-820	16	080S	200E	4304753475	19263	State	State	OW	DRL	SCS		03/12/13
Three Rivers 16-21-820	Three Rivers 16-21-820	16	080S	200E	4304753229	19024	State	State	OW	DRL	P		12/11/12
Three Rivers 16-22-820	Three Rivers 16-22-820	16	080S	200E	4304753230	18961	State	State	OW	DRL	P		12/11/12
Three Rivers 16-23-820	Three Rivers 16-23-820	16	080S	200E	4304753231	19037	State	State	OW	DRL	P		12/11/12
Three Rivers 16-24-820	Three Rivers 16-24-820	16	080S	200E	4304753232	19038	State	State	OW	P	P		
Three Rivers 16-31-820	Three Rivers 16-31-820	16	080S	200E	4304753495		State	State	OW	APD	CCS		03/12/13
Three Rivers 16-32-820	Three Rivers 16-32-820	16	080S	200E	4304753494	19185	State	State	OW	DRL	WOC		03/12/13
Three Rivers 16-33-820	Three Rivers 16-33-820	16	080S	200E	4304753496	19161	State	State	OW	DRL	WOC		03/12/13
Three Rivers 16-34-820	Three Rivers 16-34-820	16	080S	200E	4304753472		State	State	OW	APD	CCS		03/12/13
THREE RIVERS 16-41-820	Three Rivers 16-41-820	16	080S	200E	4304752110	18356	State	State	OW	P	P		
THREE RIVERS 16-42-820	Three Rivers 16-42-820	16	080S	200E	4304752056	18682	State	State	OW	P	P		
THREE RIVERS 16-43-820	Three Rivers 16-43-820	16	080S	200E	4304752057	18683	State	State	OW	P	P		
Three Rivers 16-44-820	Three Rivers 16-44-820	16	080S	200E	4304753473		State	State	OW	APD	CCS		03/12/13
Three Rivers 18-21-821	Three Rivers 18-21-821	18	080S	210E	4304753276		Fee	Fee	OW	APD	PERPEND	12/17/12	
Three Rivers 18-22-821	Three Rivers 18-22-821	18	080S	210E	4304753620		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 18-31-821	Three Rivers 18-31-821	18	080S	210E	4304753277		Fee	Fee	OW	APD	PERPEND	12/19/12	
Three Rivers 18-32-821	Three Rivers 18-32-821	18	080S	210E	4304753621		Fee	Fee	OW	APD	PERPEND	04/15/13	
Three Rivers 27-34-720	Three Rivers 27-34-720	34	070S	200E	4304753278		Fee	Fee	OW	APD	PERPEND	12/19/12	
THREE RIVERS 32-15-720	Three Rivers 32-15-720	32	070S	200E	4304752736	18767	Fee	Fee	OW	P	P		
THREE RIVERS 32-25-720	Three Rivers 32-25-720	32	070S	200E	4304752718	19033	Fee	Fee	OW	P	P		
Three Rivers 32-32-720	Three Rivers 32-32-720	32	070S	200E	4304753734	19087	Fee	Fee	OW	DRL	P		06/12/13
Three Rivers 32-3333-720	Three Rivers 32-3333-720	32	070S	200E	4304753950	19251	Fee	Fee	OW	DRL	SCS		10/15/13
Three Rivers 32-333-720	Three Rivers 32-333-720	32	070S	200E	4304753735	19088	Fee	Fee	OW	DRL	P		06/12/13
Three Rivers 32-334-720	Three Rivers 32-334-720	32	070S	200E	4304753710	19067	Fee	Fee	OW	DRL	P		05/22/13
THREE RIVERS 32-33-720	Three Rivers 32-33-720	32	070S	200E	4304752734	19016	Fee	Fee	OW	DRL	P		08/29/12
THREE RIVERS 32-34-720	Three Rivers 32-34-720	32	070S	200E	4304752735	19249	Fee	Fee	OW	DRL	DRLG		08/29/12
THREE RIVERS 32-35-720	Three Rivers 32-35-720	32	070S	200E	4304752737	18766	Fee	Fee	OW	P	P		
Three Rivers 32-42-720	Three Rivers 32-42-720	32	070S	200E	4304753949		Fee	Fee	OW	APD	APRVD		10/15/13
THREE RIVERS 34-31-720	Three Rivers 34-31-720	34	070S	200E	4304752012	18326	Fee	Fee	OW	P	P		
Three Rivers 34-31T-720	Three Rivers 34-31T-720	34	070S	200E	4304753281		Fee	Fee	OW	APD	APRVD		12/11/12
THREE RIVERS 36-11-720	Three Rivers 36-11-720	36	070S	200E	4304751915	18355	State	State	OW	P	P		
THREE RIVERS 36-13-720	Three Rivers 36-13-720	36	070S	200E	4304752699		State	State	OW	APD	APRVD		08/29/12
THREE RIVERS 36-21-720	Three Rivers 36-21-720	36	070S	200E	4304752698		State	State	OW	APD	APRVD		08/29/12
THREE RIVERS 36-23-720	Three Rivers 36-23-720	36	070S	200E	4304752733	18769	State	State	OW	P	P		
THREE RIVERS 36-31-720	Three Rivers 36-31-720	36	070S	200E	4304752697	19086	State	State	OW	DRL	P		08/29/12
Three Rivers D	Three Rivers D	16	080S	200E	4304753702		State	State	WD	APD	APRVD		07/15/13
THREE RIVERS FED 3-11-820	Three Rivers Fed 03-11-820	34	070S	200E	4304752950	19184	Federal	Fee	OW	DRL	WOC		02/22/13
Three Rivers Federal 3-12-820	Three Rivers Fed 03-12-820	4	080S	200E	4304753914		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 3-13-820	Three Rivers Fed 03-13-820	3	080S	200E	4304753951		Federal	Federal	OW	APD	PERPEND	08/12/13	
Three Rivers Federal 3-14-820	Three Rivers Fed 03-14-820	3	080S	200E	4304753952		Federal	Federal	OW	APD	PERPEND	08/12/13	
Three Rivers Federal 3-23-820	Three Rivers Fed 03-23-820	3	080S	200E	4304753953		Federal	Federal	OW	APD	PERPEND	08/12/13	
Three Rivers Federal 3-24-820	Three Rivers Fed 03-24-820	3	080S	200E	4304753954		Federal	Federal	OW	APD	PERPEND	08/12/13	
THREE RIVERS FEDERAL 3-32-820	Three Rivers Fed 03-32-820	3	080S	200E	4304752861	18942	Federal	Federal	OW	P	P		
THREE RIVERS FEDERAL 3-33-820	Three Rivers Fed 03-33-820	3	080S	200E	4304752864		Federal	Federal	OW	APD	APRVD		12/24/12
THREE RIVERS FEDERAL 3-53-820	Three Rivers Fed 03-53-820	3	080S	200E	4304752820	19104	Federal	Federal	OW	DRL	P		12/24/12
THREE RIVERS FEDERAL 3-54-820	Three Rivers Fed 03-54-820	3	080S	200E	4304752860		Federal	Federal	OW	APD	APRVD		12/24/12

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR
 AXIA ENERGY TO ULTRA RESOURCES EFFECTIVE 10-01-2013

State Well Name List downloaded 12-10-13	Axia Well Name (for database sort and consistency)	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	State Well Status	Actual Status @ 12/12/13	Submitted	Date Apprvd DOGM
THREE RIVERS 4-21-820	Three Rivers Fed 04-21-820	4	080S	200E	4304752875	19048	Federal	Fee	OW	DRL	P		02/22/13
THREE RIVERS FED 4-31-820	Three Rivers Fed 04-31-820	4	080S	200E	4304752874	19023	Federal	Fee	OW	DRL	P		02/22/13
Three Rivers Federal 4-32-820	Three Rivers Fed 04-32-820	4	080S	200E	4304753552	19168	Federal	Fee	OW	DRL	P		08/26/13
Three Rivers Federal 4-41-820	Three Rivers Fed 04-41-820	4	080S	200E	4304753911		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 4-42-820	Three Rivers Fed 04-42-820	4	080S	200E	4304753913		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 5-11-820	Three Rivers Fed 05-11-820	5	080S	200E	4304754204		Federal	Federal	OW	NEW	PERPEND	12/03/13	
Three Rivers Federal 5-21-820	Three Rivers Fed 05-21-820	5	080S	200E	4304754205		Federal	Federal	OW	NEW	PERPEND	12/03/13	
Three Rivers Federal 5-42-820	Three Rivers Fed 05-42-820	5	080S	200E	4304753958		Federal	Federal	OW	APD	PERPEND	08/19/13	
Three Rivers Federal 5-43-820	Three Rivers Fed 05-43-820	5	080S	200E	4304753957		Federal	Federal	OW	APD	PERPEND	08/19/13	
THREE RIVERS FEDERAL 5-56-820	Three Rivers Fed 05-56-820	5	080S	200E	4304752862	18993	Federal	Federal	OW	P	P		
THREE RIVERS FEDERAL 8-52-820	Three Rivers Fed 08-52-820	8	080S	200E	4304752770	19156	Federal	Federal	OW	DRL	P		02/22/13
THREE RIVERS FEDERAL 8-53-820	Three Rivers Fed 08-53-820	8	080S	200E	4304752771	18992	Federal	Federal	OW	P	P		
Three Rivers Federal 9-41-820	Three Rivers Fed 09-41-820	10	080S	200E	4304753556	19170	Federal	Federal	OW	DRL	P		08/20/13
THREE RIVERS FED 10-30-820	Three Rivers Fed 10-30-820	10	080S	200E	4304753555	19169	Federal	Federal	OW	DRL	P		08/20/13
Three Rivers Federal 10-31-820	Three Rivers Fed 10-31-820	10	080S	200E	4304753437		Federal	Federal	OW	APD	CCS		08/21/13
Three Rivers Federal 10-32-820	Three Rivers Fed 10-32-820	10	080S	200E	4304753415		Federal	Federal	OW	APD	CCS		08/21/13
THREE RIVERS FED 10-41-820	Three Rivers Fed 10-41-820	10	080S	200E	4304752948	19137	Federal	Federal	OW	DRL	P		02/22/13
THREE RIVERS FED 10-42-820	Three Rivers Fed 10-42-820	10	080S	200E	4304752949		Federal	Federal	OW	APD	APRVD		02/22/13
Three Rivers Federal 33-11-720	Three Rivers Fed 33-11-720	32	070S	200E	4304753733	19109	Federal	Fee	OW	DRL	P		07/17/13
Three Rivers Federal 33-12-720	Three Rivers Fed 33-12-720	33	070S	200E	4304753724	19250	Federal	Fee	OW	DRL	WOC		09/16/13
Three Rivers Federal 33-13-720	Three Rivers Fed 33-13-720	33	070S	200E	4304753723	19222	Federal	Fee	OW	DRL	WOC		09/16/13
Three Rivers Federal 33-14-720	Three Rivers Fed 33-14-720	33	070S	200E	4304753551	19107	Federal	Fee	OW	DRL	P		09/16/13
Three Rivers Federal 33-24-720	Three Rivers Fed 33-24-720	33	070S	200E	4304753557	19108	Federal	Fee	OW	DRL	P		07/09/13
THREE RIVERS FED 34-15-720	Three Rivers Fed 34-15-720	34	070S	200E	4304752965	18960	Federal	Fee	OW	P	P		
THREE RIVERS FED 34-23-720	Three Rivers Fed 34-23-720	34	070S	200E	4304752945	19049	Federal	Fee	OW	DRL	P		02/12/13
Three Rivers Federal 34-25-720	Three Rivers Fed 34-25-720	34	070S	200E	4304753283		Federal	Fee	OW	APD	APRVD		06/10/13
THREE RIVERS FED 34-33-720	Three Rivers Fed 34-33-720	34	070S	200E	4304752947	19050	Federal	Fee	OW	DRL	P		02/22/13
Three Rivers Federal 34-35-720	Three Rivers Fed 34-35-720	34	070S	200E	4304753282		Federal	Fee	OW	APD	APRVD		06/10/13
Three Rivers Federal 34-42-720	Three Rivers Fed 34-42-720	35	070S	200E	4304753915		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 34-43-720	Three Rivers Fed 34-43-720	35	070S	200E	4304753916		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 35-11-720	Three Rivers Fed 35-11-720	35	070S	200E	4304753944		Federal	Federal	OW	APD	PERPEND	07/25/13	
Three Rivers Federal 35-12-720	Three Rivers Fed 35-12-720	35	070S	200E	4304753917		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 35-13-720	Three Rivers Fed 35-13-720	35	070S	200E	4304753554		Federal	Federal	OW	APD	APRVD		08/20/13
Three Rivers Federal 35-14-720	Three Rivers Fed 35-14-720	35	070S	200E	4304753553		Federal	Federal	OW	APD	APRVD		08/22/13
Three Rivers Federal 35-21-720	Three Rivers Fed 35-21-720	35	070S	200E	4304753943		Federal	Federal	OW	APD	PERPEND	07/25/13	
THREE RIVERS FED 35-32-720	Three Rivers Fed 35-32-720	35	070S	200E	4304753005	19138	Federal	Federal	OW	DRL	APRVD		02/22/13
THREE RIVERS FED 35-34-720	Three Rivers Fed 35-34-720	35	070S	200E	4304753006		Federal	Federal	OW	APD	APRVD		02/22/13
THREE RIVERS FED 35-42-720	Three Rivers Fed 35-42-720	35	070S	200E	4304753007		Federal	Federal	OW	APD	APRVD		02/22/13
Three Rivers Federal 35-43-720	Three Rivers Fed 35-43-720	35	070S	200E	4304753918		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 35-44-720	Three Rivers Fed 35-44-720	35	070S	200E	4304753919		Federal	Federal	OW	APD	APRVD		08/01/13
THREE RIVERS FED 35-44-720	Three Rivers Fed 35-44-720	35	070S	200E	4304753008		Federal	Federal	OW	APD	APRVD		02/22/13
Three Rivers Fed 03-34-820	Three Rivers Fed 03-34-820	3	080S	200E			Federal		NA	SUB		12/10/13	
Three Rivers Fed 03-44-820	Three Rivers Fed 03-44-820	3	080S	200E			Federal		NA	SUB		12/10/13	
Three Rivers Fed 08-31-820	Three Rivers Fed 08-31-820	8	080S	200E			Federal		NA	SUB		12/07/13	
Three Rivers Fed 08-41-820	Three Rivers Fed 08-41-820	9	080S	200E			Federal		NA	SUB		12/07/13	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Well List
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		8. WELL NAME and NUMBER: See Attached Well List
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		9. API NUMBER:
2. NAME OF OPERATOR: Axia Energy, LLC N37165		10. FIELD AND POOL, OR WILDCAT:
3. ADDRESS OF OPERATOR: 1430 Larimer Street, Ste 400 CITY Denver STATE CO ZIP 80202		PHONE NUMBER: (720) 746-5200
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>10/1/2013</u> <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

EFFECTIVE DATE: October 1, 2013
 FROM:
 Axia Energy, LLC
 1430 Larimer Street
 Suite 400
 Denver, CO 80202
 Bond Number: Blanket Statewide UT State/Fee Bond LPM9046682
 TO:
 Ultra Resources, Inc.
 304 Inverness Way South
 Englewood, CO 80112
 Bond Number: DOGm 022046298
BLM 022046400

RECEIVED
 DEC 16 2013
 DIV. OF OIL, GAS & MINING

Ultra Resources, Inc. will be responsible under the terms and conditions of the leases/wells for the operations conducted on the leased lands.

NAME (PLEASE PRINT) <u>Daniel G. Blanchard</u>	TITLE <u>President</u>
SIGNATURE <u><i>D. G. Blanchard</i></u>	DATE <u>12/11/13</u>

(This space for State use only)

APPROVED

JAN 16 2013

DIV. OIL GAS & MINING
 BY: Daniel G. Blanchard

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR
 AXIA ENERGY TO ULTRA RESOURCES EFFECTIVE 10-01-2013

State Well Name List downloaded 12-10-13	Axia Well Name (for database sort and consistency)	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	State Well Status	Actual Status @ 12/12/13	Submitted	Date Apprvd DOGM
THREE RIVERS 2-11-820	Three Rivers 02-11-820	2	080S	200E	4304751936	18354	State	State	OW	P	P	1	
THREE RIVERS 2-13-820	Three Rivers 02-13-820	2	080S	200E	4304752687	19014	State	State	OW	DRL	P	2	08/27/12
THREE RIVERS 2-15-820	Three Rivers 02-15-820	2	080S	200E	4304752689	18770	State	State	OW	P	P	3	
Three Rivers 2-21-820	Three Rivers 02-21-820	2	080S	200E	4304753947		State	State	OW	APD	APRVD	4	10/15/13
Three Rivers 2-223-820	Three Rivers 02-223-820	2	080S	200E	4304753946		State	State	OW	APD	APRVD	5	10/15/13
Three Rivers 2-22-820	Three Rivers 02-22-820	2	080S	200E	4304753948		State	State	OW	APD	APRVD	6	10/15/13
THREE RIVERS 2-23-820	Three Rivers 02-23-820	2	080S	200E	4304752688	19015	State	State	OW	DRL	P	7	08/27/12
Three Rivers 2-24-820	Three Rivers 02-24-820	2	080S	200E	4304753945		State	State	OW	APD	APRVD	8	10/15/13
THREE RIVERS 2-25-820	Three Rivers 02-25-820	2	080S	200E	4304752690		State	State	OW	APD	APRVD	9	08/27/12
Three Rivers 2-32-820	Three Rivers 02-32-820	2	080S	200E	4304753274		State	State	OW	APD	APRVD	10	12/11/12
Three Rivers 2-33-820	Three Rivers 02-33-820	2	080S	200E	4304753273	18943	State	State	OW	P	P	1	
THREE RIVERS 2-41-820	Three Rivers 02-41-820	2	080S	200E	4304752686		State	State	OW	APD	APRVD	2	08/27/12
THREE RIVERS 2-51-820	Three Rivers 02-51-820	2	080S	200E	4304752685	18941	State	State	OW	P	P	3	
Three Rivers 4-13-820	Three Rivers 04-13-820	5	080S	200E	4304753956		Fee	Federal	OW	APD	PERPEND	08/19/13	
THREE RIVERS 4-14-820	Three Rivers 04-14-820	5	080S	200E	4304752863	19183	Fee	Federal	OW	DRL	P	5	
Three Rivers 4-33-820	Three Rivers 04-33-820	4	080S	200E	4304753528	19167	Fee	Fee	OW	DRL	P	6	
Three Rivers 5-31-820	Three Rivers 05-31-820	32	070S	200E	4304753711	19068	Fee	Fee	OW	DRL	P	7	
Three Rivers 7-12-821	Three Rivers 07-12-821	7	080S	210E	4304753562		Fee	Fee	OW	APD	PERPEND	04/15/13	8
Three Rivers 7-21-821	Three Rivers 07-21-821	7	080S	210E	4304753560		Fee	Fee	OW	APD	PERPEND	04/15/13	9
Three Rivers 7-22-821	Three Rivers 07-22-821	7	080S	210E	4304753561		Fee	Fee	OW	APD	PERPEND	04/15/13	20
Three Rivers 7-23-821	Three Rivers 07-23-821	7	080S	210E	4304753559		Fee	Fee	OW	APD	PERPEND	04/15/13	1
Three Rivers 7-34-821	Three Rivers 07-34-821	7	080S	210E	4304753558		Fee	Fee	OW	APD	PERPEND	04/15/13	2
Three Rivers 16-11-820	Three Rivers 16-11-820	16	080S	200E	4304753474	19262	State	State	OW	DRL	SCS	3	03/12/13
Three Rivers 16-12-820	Three Rivers 16-12-820	16	080S	200E	4304753475	19263	State	State	OW	DRL	SCS	4	03/12/13
Three Rivers 16-21-820	Three Rivers 16-21-820	16	080S	200E	4304753229	19024	State	State	OW	DRL	P	5	12/11/12
Three Rivers 16-22-820	Three Rivers 16-22-820	16	080S	200E	4304753230	18961	State	State	OW	DRL	P	6	12/11/12
Three Rivers 16-23-820	Three Rivers 16-23-820	16	080S	200E	4304753231	19037	State	State	OW	DRL	P	7	12/11/12
Three Rivers 16-24-820	Three Rivers 16-24-820	16	080S	200E	4304753232	19038	State	State	OW	P	P	8	
Three Rivers 16-31-820	Three Rivers 16-31-820	16	080S	200E	4304753495		State	State	OW	APD	CCS	9	03/12/13
Three Rivers 16-32-820	Three Rivers 16-32-820	16	080S	200E	4304753494	19185	State	State	OW	DRL	WOC	30	03/12/13
Three Rivers 16-33-820	Three Rivers 16-33-820	16	080S	200E	4304753496	19161	State	State	OW	DRL	WOC	1	03/12/13
Three Rivers 16-34-820	Three Rivers 16-34-820	16	080S	200E	4304753472		State	State	OW	APD	CCS	2	03/12/13
THREE RIVERS 16-41-820	Three Rivers 16-41-820	16	080S	200E	4304752110	18356	State	State	OW	P	P	3	
THREE RIVERS 16-42-820	Three Rivers 16-42-820	16	080S	200E	4304752056	18682	State	State	OW	P	P	4	
THREE RIVERS 16-43-820	Three Rivers 16-43-820	16	080S	200E	4304752057	18683	State	State	OW	P	P	5	
Three Rivers 16-44-820	Three Rivers 16-44-820	16	080S	200E	4304753473		State	State	OW	APD	CCS	6	03/12/13
Three Rivers 18-21-821	Three Rivers 18-21-821	18	080S	210E	4304753276		Fee	Fee	OW	APD	PERPEND	12/17/12	7
Three Rivers 18-22-821	Three Rivers 18-22-821	18	080S	210E	4304753260		Fee	Fee	OW	APD	PERPEND	04/15/13	8
Three Rivers 18-31-821	Three Rivers 18-31-821	18	080S	210E	4304753277		Fee	Fee	OW	APD	PERPEND	12/19/12	9
Three Rivers 18-32-821	Three Rivers 18-32-821	18	080S	210E	4304753261		Fee	Fee	OW	APD	PERPEND	04/15/13	40
Three Rivers 27-34-720	Three Rivers 27-34-720	34	070S	200E	4304753278		Fee	Fee	OW	APD	PERPEND	12/19/12	1
THREE RIVERS 32-15-720	Three Rivers 32-15-720	32	070S	200E	4304752736	18767	Fee	Fee	OW	P	P	2	
THREE RIVERS 32-25-720	Three Rivers 32-25-720	32	070S	200E	4304752718	19033	Fee	Fee	OW	P	P	3	
Three Rivers 32-32-720	Three Rivers 32-32-720	32	070S	200E	4304753734	19087	Fee	Fee	OW	DRL	P	4	06/12/13
Three Rivers 32-3333-720	Three Rivers 32-3333-720	32	070S	200E	4304753950	19251	Fee	Fee	OW	DRL	SCS	5	10/15/13
Three Rivers 32-333-720	Three Rivers 32-333-720	32	070S	200E	4304753735	19088	Fee	Fee	OW	DRL	P	6	06/12/13
Three Rivers 32-334-720	Three Rivers 32-334-720	32	070S	200E	4304753710	19067	Fee	Fee	OW	DRL	P	7	05/22/13
THREE RIVERS 32-33-720	Three Rivers 32-33-720	32	070S	200E	4304752734	19016	Fee	Fee	OW	DRL	P	8	08/29/12
THREE RIVERS 32-34-720	Three Rivers 32-34-720	32	070S	200E	4304752735	19249	Fee	Fee	OW	DRL	DRLG	9	08/29/12
THREE RIVERS 32-35-720	Three Rivers 32-35-720	32	070S	200E	4304752737	18766	Fee	Fee	OW	P	P	50	
Three Rivers 32-42-720	Three Rivers 32-42-720	32	070S	200E	4304753949		Fee	Fee	OW	APD	APRVD	1	10/15/13
THREE RIVERS 34-31-720	Three Rivers 34-31-720	34	070S	200E	4304752012	18326	Fee	Fee	OW	P	P	2	
Three Rivers 34-31T-720	Three Rivers 34-31T-720	34	070S	200E	4304753281		Fee	Fee	OW	APD	APRVD	3	12/11/12
THREE RIVERS 36-11-720	Three Rivers 36-11-720	36	070S	200E	4304751915	18355	State	State	OW	P	P	4	
THREE RIVERS 36-13-720	Three Rivers 36-13-720	36	070S	200E	4304752699		State	State	OW	APD	APRVD	5	08/29/12
THREE RIVERS 36-21-720	Three Rivers 36-21-720	36	070S	200E	4304752698		State	State	OW	APD	APRVD	6	08/29/12
THREE RIVERS 36-23-720	Three Rivers 36-23-720	36	070S	200E	4304752733	18769	State	State	OW	P	P	7	
THREE RIVERS 36-31-720	Three Rivers 36-31-720	36	070S	200E	4304752697	19086	State	State	OW	DRL	P	8	08/29/12
Three Rivers D	Three Rivers D	16	080S	200E	4304753702		State	State	WD	APD	APRVD	9	07/15/13
THREE RIVERS FED 3-11-820	Three Rivers Fed 03-11-820	34	070S	200E	4304752950	19184	Federal	Fee	OW	DRL	WOC	60	02/22/13
Three Rivers Federal 3-12-820	Three Rivers Fed 03-12-820	4	080S	200E	4304753914		Federal	Federal	OW	APD	APRVD	1	08/01/13
Three Rivers Federal 3-13-820	Three Rivers Fed 03-13-820	3	080S	200E	4304753951		Federal	Federal	OW	APD	PERPEND	08/12/13	2
Three Rivers Federal 3-14-820	Three Rivers Fed 03-14-820	3	080S	200E	4304753952		Federal	Federal	OW	APD	PERPEND	08/12/13	3
Three Rivers Federal 3-23-820	Three Rivers Fed 03-23-820	3	080S	200E	4304753953		Federal	Federal	OW	APD	PERPEND	08/12/13	4
Three Rivers Federal 3-24-820	Three Rivers Fed 03-24-820	3	080S	200E	4304753954		Federal	Federal	OW	APD	PERPEND	08/12/13	5
THREE RIVERS FEDERAL 3-32-820	Three Rivers Fed 03-32-820	3	080S	200E	4304752861	18942	Federal	Federal	OW	P	P	6	
THREE RIVERS FEDERAL 3-33-820	Three Rivers Fed 03-33-820	3	080S	200E	4304752864		Federal	Federal	OW	APD	APRVD	7	12/24/12
THREE RIVERS FEDERAL 3-53-820	Three Rivers Fed 03-53-820	3	080S	200E	4304752820	19104	Federal	Federal	OW	DRL	P	8	12/24/12
THREE RIVERS FEDERAL 3-54-820	Three Rivers Fed 03-54-820	3	080S	200E	4304752860		Federal	Federal	OW	APD	APRVD	9	12/24/12

ATTACHMENT TO FORM 9 CHANGE OF OPERATOR
 AXIA ENERGY TO ULTRA RESOURCES EFFECTIVE 10-01-2013

State Well Name List downloaded 12-10-13	Axia Well Name (for database sort and consistency)	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	State Well Status	Actual Status @ 12/12/13	Submitted	Date Apprvd DOGM
THREE RIVERS 4-21-820	Three Rivers Fed 04-21-820	4	080S	200E	4304752875	19048	Federal	Fee	OW	DRL	P	70	02/22/13
THREE RIVERS FED 4-31-820	Three Rivers Fed 04-31-820	4	080S	200E	4304752874	19023	Federal	Fee	OW	DRL	P	1	02/22/13
Three Rivers Federal 4-32-820	Three Rivers Fed 04-32-820	4	080S	200E	4304753552	19168	Federal	Fee	OW	DRL	P	2	08/26/13
Three Rivers Federal 4-41-820	Three Rivers Fed 04-41-820	4	080S	200E	4304753911		Federal	Federal	OW	APD	APRVD	3	08/01/13
Three Rivers Federal 4-42-820	Three Rivers Fed 04-42-820	4	080S	200E	4304753913		Federal	Federal	OW	APD	APRVD	4	08/01/13
Three Rivers Federal 5-11-820	Three Rivers Fed 05-11-820	5	080S	200E	4304754204		Federal	Federal	OW	NEW	PERPEND	12/03/13	5
Three Rivers Federal 5-21-820	Three Rivers Fed 05-21-820	5	080S	200E	4304754205		Federal	Federal	OW	NEW	PERPEND	12/03/13	6
Three Rivers Federal 5-42-820	Three Rivers Fed 05-42-820	5	080S	200E	4304753958		Federal	Federal	OW	APD	PERPEND	08/19/13	7
Three Rivers Federal 5-43-820	Three Rivers Fed 05-43-820	5	080S	200E	4304753957		Federal	Federal	OW	APD	PERPEND	08/19/13	8
THREE RIVERS FEDERAL 5-56-820	Three Rivers Fed 05-56-820	5	080S	200E	4304752862	18993	Federal	Federal	OW	P	P		
THREE RIVERS FEDERAL 8-52-820	Three Rivers Fed 08-52-820	8	080S	200E	4304754270	19156	Federal	Federal	OW	DRL	P	9	02/22/13
THREE RIVERS FEDERAL 8-53-820	Three Rivers Fed 08-53-820	8	080S	200E	4304752771	18992	Federal	Federal	OW	P	P		
Three Rivers Federal 9-41-820	Three Rivers Fed 09-41-820	10	080S	200E	4304753556	19170	Federal	Federal	OW	DRL	P		08/20/13
THREE RIVERS FED 10-30-820	Three Rivers Fed 10-30-820	10	080S	200E	4304753555	19169	Federal	Federal	OW	DRL	P		08/20/13
Three Rivers Federal 10-31-820	Three Rivers Fed 10-31-820	10	080S	200E	4304753437		Federal	Federal	OW	APD	CCS		08/21/13
Three Rivers Federal 10-32-820	Three Rivers Fed 10-32-820	10	080S	200E	4304753415		Federal	Federal	OW	APD	CCS		08/21/13
THREE RIVERS FED 10-41-820	Three Rivers Fed 10-41-820	10	080S	200E	4304752948	19137	Federal	Federal	OW	DRL	P		02/22/13
THREE RIVERS FED 10-42-820	Three Rivers Fed 10-42-820	10	080S	200E	4304752949		Federal	Federal	OW	APD	APRVD		02/22/13
Three Rivers Federal 33-11-720	Three Rivers Fed 33-11-720	32	070S	200E	4304753733	19109	Federal	Fee	OW	DRL	P		07/17/13
Three Rivers Federal 33-12-720	Three Rivers Fed 33-12-720	33	070S	200E	4304753724	19250	Federal	Fee	OW	DRL	WOC		09/16/13
Three Rivers Federal 33-13-720	Three Rivers Fed 33-13-720	33	070S	200E	4304753723	19222	Federal	Fee	OW	DRL	WOC		09/16/13
Three Rivers Federal 33-14-720	Three Rivers Fed 33-14-720	33	070S	200E	4304753551	19107	Federal	Fee	OW	DRL	P		09/16/13
Three Rivers Federal 33-24-720	Three Rivers Fed 33-24-720	33	070S	200E	4304753557	19108	Federal	Fee	OW	DRL	P		07/09/13
THREE RIVERS FED 34-15-720	Three Rivers Fed 34-15-720	34	070S	200E	4304752965	18960	Federal	Fee	OW	P	P		
THREE RIVERS FED 34-23-720	Three Rivers Fed 34-23-720	34	070S	200E	4304752945	19049	Federal	Fee	OW	DRL	P		02/12/13
Three Rivers Federal 34-25-720	Three Rivers Fed 34-25-720	34	070S	200E	4304753283		Federal	Fee	OW	APD	APRVD		06/10/13
THREE RIVERS FED 34-33-720	Three Rivers Fed 34-33-720	34	070S	200E	4304752947	19050	Federal	Fee	OW	DRL	P		02/22/13
Three Rivers Federal 34-35-720	Three Rivers Fed 34-35-720	34	070S	200E	4304753282		Federal	Fee	OW	APD	APRVD		06/10/13
Three Rivers Federal 34-42-720	Three Rivers Fed 34-42-720	35	070S	200E	4304753915		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 34-43-720	Three Rivers Fed 34-43-720	35	070S	200E	4304753916		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 35-11-720	Three Rivers Fed 35-11-720	35	070S	200E	4304753944		Federal	Federal	OW	APD	PERPEND	07/25/13	100
Three Rivers Federal 35-12-720	Three Rivers Fed 35-12-720	35	070S	200E	4304753917		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 35-13-720	Three Rivers Fed 35-13-720	35	070S	200E	4304753554		Federal	Federal	OW	APD	APRVD		08/20/13
Three Rivers Federal 35-14-720	Three Rivers Fed 35-14-720	35	070S	200E	4304753553		Federal	Federal	OW	APD	APRVD		08/22/13
Three Rivers Federal 35-21-720	Three Rivers Fed 35-21-720	35	070S	200E	4304753943		Federal	Federal	OW	APD	PERPEND	07/25/13	4
THREE RIVERS FED 35-32-720	Three Rivers Fed 35-32-720	35	070S	200E	4304753005	19138	Federal	Federal	OW	DRL	APRVD		02/22/13
THREE RIVERS FED 35-34-720	Three Rivers Fed 35-34-720	35	070S	200E	4304753006		Federal	Federal	OW	APD	APRVD		02/22/13
THREE RIVERS FED 35-42-720	Three Rivers Fed 35-42-720	35	070S	200E	4304753007		Federal	Federal	OW	APD	APRVD		02/22/13
Three Rivers Federal 35-43-720	Three Rivers Fed 35-43-720	35	070S	200E	4304753918		Federal	Federal	OW	APD	APRVD		08/01/13
Three Rivers Federal 35-44-720	Three Rivers Fed 35-44-720	35	070S	200E	4304753919		Federal	Federal	OW	APD	APRVD		08/01/13
THREE RIVERS FED 35-44-720	Three Rivers Fed 35-44-720	35	070S	200E	4304753008		Federal	Federal	OW	APD	APRVD		02/22/13
Three Rivers Fed 03-34-820	Three Rivers Fed 03-34-820	3	080S	200E			Federal		NA	SUB		12/10/13	1
Three Rivers Fed 03-44-820	Three Rivers Fed 03-44-820	3	080S	200E			Federal		NA	SUB		12/10/13	2
Three Rivers Fed 08-31-820	Three Rivers Fed 08-31-820	8	080S	200E			Federal		NA	SUB		12/07/13	3
Three Rivers Fed 08-41-820	Three Rivers Fed 08-41-820	9	080S	200E			Federal		NA	SUB		12/07/13	4

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER UTU85994
b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR Axia Energy, LLC.		7. UNIT or CA AGREEMENT NAME
3. ADDRESS OF OPERATOR: 1430 Larimer St, Ste 400 CITY Denver STATE CO ZIP 80202		8. WELL NAME and NUMBER Three Rivers Fed 4-32-820
PHONE NUMBER (720) 746-5200		9. API NUMBER: 4304753552
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: NWSE 2464' FSL & 1795' FEL		10. FIELD AND POOL, OR WILDCAT WILDCAT
AT TOP PRODUCING INTERVAL REPORTED BELOW: SWNE 1947' FNL & 2013' FEL		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN NWSE 4 8S 20E S
AT TOTAL DEPTH: SWNE 2006' FNL & 2006' FEL		12. COUNTY UINTAH
		13. STATE UTAH

14. DATE SPUDDED 9/4/2013	15. DATE T.D. REACHED 9/21/2013	16. DATE COMPLETED 11/1/2013	ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/>	17. ELEVATIONS (DF, RKB, RT, GL) 4752' GL / 4765' KB
18. TOTAL DEPTH MD 7,157 TVD 7,001	19. PLUG BACK T.D. MD 7,086 TVD 6,930	20. IF MULTIPLE COMPLETIONS, HOW MANY? *		21. DEPTH BRIDGE MD PLUG SET: TVD
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) SD-DSN-ACTR, Mud Log, CBL			23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> (Submit copy)	

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
26	16		0	120		G 450	92	0	
12-1/4	8-5/8 J-55	24	0	1,034		G 675	138	0 CIR	
7-3/4	5-1/2 J-55	17	0	7,132		G 480	233	1210 CBL	

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8	4,514							

26. PRODUCING INTERVALS					27. PERFORATION RECORD				
FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
(A) Green River	2,981	6,831	2,909	6,675	5,131 6,810	.35	237	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(B)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(C)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

WAS WELL HYDRAULICALLY FRACTURED? YES NO IF YES - DATE FRACTURED **10/21/2013**

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
5131' TO 6810'	Green River Hybrid Frac - 30.162 bbls slurry, 1,194,293 gal fluid, 971,960# 20/40 Premium White

29. ENCLOSED ATTACHMENTS:	30. WELL STATUS:
<input checked="" type="checkbox"/> ELECTRICAL/MECHANICAL LOGS <input type="checkbox"/> SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION <input type="checkbox"/> GEOLOGIC REPORT <input type="checkbox"/> CORE ANALYSIS <input type="checkbox"/> DST REPORT <input type="checkbox"/> OTHER: <u>Wellbore Diagram</u>	Prod

31. INITIAL PRODUCTION

INTERVAL A (As shown in item #26)

DATE FIRST PRODUCED: 11/1/2013		TEST DATE: 12/3/2013		HOURS TESTED: 24		TEST PRODUCTION RATES →		OIL - BBL: 202	GAS - MCF: 198	WATER - BBL: 122	PROD. METHOD: Pumping
CHOKE SIZE: 40	TBG PRESS: 38	CSG PRESS: 38	API GRAVITY: 32.00	BTU - GAS	GAS/OIL RATIO: 980	24 HR PRODUCTION RATES →	OIL - BBL: 202	GAS - MCF: 198	WATER - BBL: 122	INTERVAL STATUS: Open	

INTERVAL B (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG PRESS:	CSG PRESS:	API GRAVITY:	BTU - GAS	GAS/OIL RATIO:	24 HR PRODUCTION RATES →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL C (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG PRESS:	CSG PRESS:	API GRAVITY:	BTU - GAS	GAS/OIL RATIO:	24 HR PRODUCTION RATES →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL D (As shown in item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG PRESS:	CSG PRESS:	API GRAVITY:	BTU - GAS	GAS/OIL RATIO:	24 HR PRODUCTION RATES →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

Used/Flared

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				Green River	2,981
				Garden Gluch	4,954
				Uteland Butte	6,669
				Wasatch	6,831

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT)

Cindy Turner

TITLE

Project Manager

SIGNATURE

Cindy Turner

DATE

12/18/2013

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801


Phone: 801-538-5340

Fax: 801-359-3940

WELLBORE DIAGRAM (after completion)



Company: Axia Energy, LLC
Lease Name: Three Rivers Fed 04-32-820
Surface Location: NWSE Sec 04-T8S-R20E 2464' FSL & 1795' FEL
Bottom Hole Location: SWNE Sec 04-T8S-R20E 2006' FNL & 2006' FEL
County: Uintah, UT
Date: 12/18/2013



KB 4,765

GL 4,752

DRILLED 26" HOLE TO 120' - SET 16" CONDUCTOR
Cemented with 450 sxs to surface 9/4/2013

DRILLED 12-1/4" HOLE TO 1060'
1034 SURF CSG - 8-5/8" 24# J-55 ST&C (23 jts)
Cement: 675 sxs Class "G" to surface 9/7/2013

TOC: 1,210

7 STAGE GREEN RIVER HYBRID FRAC				
5131	6810	Green River	3 spf	237 Holes
30,162 bbls slurry, 1,194,293 gal fluid, 971,960 # 20/40 premium white				

DRILLED 7-3/4" HOLE TO 7157' TMD
7157 PROD CSG - 5 1/2" 17# J-55 LT&C (160 jts) Set @ 7157'
Cemented with 480 sxs Premium Lite 9/22/2013



Job Number: 9142013
Company: Axia Energy
Lease/Well: Three Rivers 4-32-820
Location: Vernal
Rig Name: CapStar 321
State/County: Utah/ Uintah
Country: USA
API Number:

Elevation: 4942.00 ft **RKB:** 0.00 ft
Projection System: US State Plane 1983
Projection Group: Utah Central Zone
Projection Datum: GRS80
Mag. Declination: 10.88°
Grid Convergence: 1.17172 E
Date: Saturday, September 21, 2013

Bighorn Directional Incorporated

Calculated by HawkEye Software
 Minimum Curvature Method
 Vertical Section Plane 346.37°
 Northing (US ft): 7229016.51 Easting (US ft): 2151739.19
 Latitude: 40°09'4.2000" N Longitude: -109°40'14.1095" W
 Well Location: 2461.19 FSL, 1839.24 FEL, Section 4, T8S, R20E, Meridian 26, Uintah County, UT
 Direction Reference: Grid North

Measured Depth (Ft)	INC Deg	AZM Deg	TVD (Ft)	NS (Ft)	EW (Ft)	VS (Ft)	DLS %/100Ft
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1117.00	0.50	199.90	1116.99	-4.58	-1.66	-4.06	0.04
1203.00	0.90	280.30	1202.98	-4.81	-2.45	-4.10	1.11
1288.00	2.10	318.60	1287.95	-3.53	-4.14	-2.45	1.77
1374.00	3.50	335.50	1373.85	0.04	-6.27	1.52	1.87
1459.00	5.40	337.70	1458.59	6.11	-8.86	8.02	2.24
1544.00	7.20	343.80	1543.07	14.92	-11.87	17.30	2.26
1630.00	8.50	344.40	1628.26	26.22	-15.08	29.04	1.51
1715.00	9.10	352.70	1712.27	38.94	-17.62	41.99	1.65
1801.00	9.70	353.40	1797.11	52.88	-19.32	55.94	0.71
1886.00	11.30	353.50	1880.69	68.27	-21.09	71.32	1.88
1972.00	12.90	352.50	1964.77	86.16	-23.29	89.22	1.88
2057.00	14.80	350.90	2047.30	106.29	-26.25	109.48	2.28
2143.00	16.20	351.00	2130.17	128.98	-29.86	132.39	1.63
2228.00	18.50	349.40	2211.30	153.95	-34.20	157.68	2.76
2313.00	20.00	350.90	2291.54	181.56	-38.98	185.64	1.86
2399.00	21.10	350.40	2372.07	211.35	-43.89	215.74	1.30
2484.00	22.20	348.00	2451.07	242.14	-49.78	247.05	1.66
2569.00	23.30	346.40	2529.46	274.19	-57.07	279.92	1.48
2655.00	22.70	345.50	2608.62	306.79	-65.22	313.52	0.81
2740.00	22.10	344.60	2687.21	338.08	-73.58	345.90	0.81
2826.00	22.00	343.60	2766.92	369.13	-82.42	378.16	0.45
2911.00	22.20	344.00	2845.67	399.84	-91.34	410.11	0.29
2996.00	23.30	344.30	2924.06	431.46	-100.32	442.95	1.30
3082.00	21.10	342.00	3003.68	462.56	-109.70	475.39	2.75
3167.00	21.40	341.20	3082.90	491.80	-119.43	506.09	0.49
3253.00	22.70	341.30	3162.61	522.37	-129.81	538.25	1.51
3338.00	24.20	344.00	3240.59	554.65	-139.87	571.99	2.17
3423.00	24.40	343.90	3318.06	588.27	-149.54	606.94	0.24
3509.00	25.30	345.80	3396.10	623.15	-158.97	643.06	1.40
3594.00	23.60	347.60	3473.47	657.38	-167.08	678.24	2.18
3678.00	22.90	347.40	3550.65	689.75	-174.26	711.39	0.84
3763.00	21.80	351.50	3629.27	721.50	-180.20	743.65	2.24
Rotation							
3849.00	19.20	351.30	3709.81	751.28	-184.70	773.65	3.02
Rotation							
3934.00	16.70	350.00	3790.67	777.13	-188.94	799.77	2.98
Rotation/Slide up 15'							
4020.00	13.50	348.50	3873.69	799.14	-193.08	822.13	3.75
Result/Slide UP 25'							
4105.00	11.20	340.70	3956.72	816.66	-197.79	840.27	3.34

Measured Depth (Ft)	INC Deg	AZM Deg	TVD (Ft)	NS (Ft)	EW (Ft)	VS (Ft)	DLS */100Ft
Result							
4191.00	10.00	339.20	4041.26	831.52	-203.20	855.99	1.43
4276.00	10.40	341.00	4124.91	845.67	-208.32	870.95	0.60
4361.00	9.40	344.90	4208.65	859.63	-212.63	885.53	1.42
4447.00	7.20	347.80	4293.74	871.68	-215.60	897.94	2.60
4532.00	6.50	346.30	4378.13	881.56	-217.86	908.07	0.85
4617.00	6.20	6.00	4462.62	890.80	-218.52	917.21	2.57
4703.00	4.80	23.80	4548.23	898.71	-216.58	924.44	2.55
4788.00	2.80	13.00	4633.04	903.99	-214.68	929.12	2.49
4874.00	1.30	322.40	4718.99	906.81	-214.80	931.89	2.58
4959.00	1.30	308.20	4803.97	908.17	-216.15	933.53	0.38
5045.00	1.10	276.30	4889.95	908.86	-217.74	934.58	0.80
5130.00	1.10	19.00	4974.94	909.72	-218.28	935.54	2.02
5216.00	0.50	348.60	5060.93	910.87	-218.09	936.61	0.83
5301.00	0.40	86.30	5145.93	911.26	-217.87	936.93	0.80
5386.00	0.40	193.40	5230.93	910.99	-217.64	936.62	0.76
5472.00	0.90	180.90	5316.92	910.02	-217.72	935.70	0.60
5557.00	1.10	192.30	5401.91	908.55	-217.90	934.32	0.33
5643.00	1.60	191.00	5487.89	906.57	-218.31	932.48	0.58
5728.00	1.70	183.00	5572.85	904.14	-218.60	930.20	0.30
5813.00	1.60	185.40	5657.82	901.70	-218.78	927.87	0.14
5899.00	1.80	184.60	5743.78	899.16	-219.00	925.45	0.23
5984.00	1.90	185.60	5828.73	896.43	-219.24	922.85	0.12
6070.00	1.90	174.30	5914.69	893.59	-219.24	920.09	0.43
6155.00	1.80	171.80	5999.64	890.87	-218.91	917.37	0.15
6240.00	2.30	177.00	6084.59	887.84	-218.63	914.36	0.63
6326.00	2.10	165.40	6170.52	884.60	-218.14	911.09	0.57
6411.00	2.30	167.60	6255.46	881.42	-217.38	907.83	0.26
6497.00	2.00	173.50	6341.40	878.25	-216.84	904.61	0.43
6582.00	2.30	173.80	6426.34	875.08	-216.49	901.45	0.35
6667.00	2.10	166.10	6511.28	871.87	-215.93	898.20	0.42
6753.00	2.50	159.80	6597.21	868.58	-214.91	894.76	0.55
6838.00	2.20	164.90	6682.14	865.26	-213.84	891.29	0.43
6923.00	2.60	175.80	6767.06	861.77	-213.28	887.76	0.71
7009.00	2.40	165.20	6852.98	858.08	-212.67	884.03	0.58
7094.00	2.70	169.60	6937.90	854.39	-211.86	880.25	0.42
Projection to Bit / TD							
7157.00	2.70	169.60	7000.83	851.47	-211.32	877.29	0.00