

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Printed *OBCC*

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed 6-1932

OW..... WW..... TA.....

GW..... OS..... PA

Location Inspected

Bond released
State of Fee Land

LOGS FILED

Driller's Log.....

Electric Logs (No.).....

E..... I..... E-I..... GR..... GR-N..... Micro.....

Lat..... Mi-L..... Sonic..... Others.....

9-14-92
for

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. Land Office

Serial Number

Lease

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS		RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF		NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT		SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 15th, 1931

Following is a ~~report of work done~~ ^{notice of intention to do work} on land under ~~lease~~ ^{lease} described as follows:

Utah Washington Virgin
(State or Territory) (County or Subdivision) (Field)
Well No. 10 S.W. 1/4 S.E. 1/4 Sec. 12 41 S. 12 W. Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 200 ft. ^N/_S of E line and 3760 ft. ^E/_W of E line of sec. 12

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings, indicate mudding jobs, cementing points, and all other important proposed work.)

With the Department's permission, this company proposes to drill a well at the above designated location. Four lengths of 6 1/2" casing will be set from the surface to approximately 80' and same will be cemented with not less than 4 sack of cement and in event that water is encountered between the bottom of this casing and the producing formation then a string of 4" casing will be run and cemented to protect the said formation for said water. In this well, production should be encountered near the 640 feet level.

Approved March 20, 1931
(Date)

[Signature]

Title District Engineer
Federal Bldg. GEOLOGICAL SURVEY
Address Salt Lake City, Utah


Company Utacal Oil Company

By *[Signature]*

Title Mgr.

Address Cedar City, Utah

NOTE: Reports on this form to be submitted in triplicate to the Supervisor for approval.



GEOLOGICAL SURVEY

RECEIVED

MAY 7 1931

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. LAND OFFICE **Salt Lake**

SERIAL NUMBER **098 712 A**

LEASE OR ~~CONTRACT~~

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Utacal Oil Company Address Cedar City, Utah.
 Lessor or Tract Rogers Lease Field Virgin State Utah
 Well No. 10 Sec. 12 T. 41 R. 12 Meridian Salt Lake County Washington
 Location 200 ft. N. of 8 Line and 4260 ft. W. of E Line of Sec. 12 Elevation 3705
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed R.M. Hoar

Date May 5th 1931

Title Manager

The summary on this page is for the condition of the well at above date.

Commenced drilling March 26th 1931 Finished drilling April 13th 1931

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 649 to 653 No. 4, from _____ to _____
 No. 2, from 672 to 675 G No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to None No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
<u>6 1/2</u>	<u>26</u>			<u>80.0</u>	<u>Baker</u>				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>6 1/2</u>	<u>80</u>	<u>4 Sack</u>	<u>Dump Bailor</u>		

PLUGS AND ADAPTERS

Heaving plug Material _____ Length _____ Depth set _____
 Adapters Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
------	------------	----------------	----------	------	------------	-------------------

FOLO MARK

6 3/4 80

4 Sax

Dump Bailor

FOOT MARK

PLUGS AND ADAPTERS

Heaving plug - Material Length Depth set

Adapters - Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet

Cable tools were used from Surface feet to 675 feet, and from feet to feet

DATES

Put to producing None 19

The production for the first 24 hours was barrels of fluid of which % was oil: % emulsion; % water; and % sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

Blueford Beames Driller Driller

Driller Driller

FORMATION RECORD

FROM	TO	TOTAL FEET	FORMATION
Surface	120	120	Red Shale
120	121	1	Lime
121	180	59	Red Shale
180	230	50	Shale and lime
230	245	15	Red shale
245	250	5	Grey lime
250	285	35	Shale with streaks of lime
285	290	5	Lime
290	300	10	Blue shale
300	320	20	Virgin lime
320	350	30	Blue shale
350	415	65	Red shale
415	420	5	Broken lime
420	634	214	Red shale
634	637	3	Lime
637	640	3	Blue shale
640	643	3	Dead sand
643	653	10	Lime with slight oil showing at 643
653	665	12	Blue shale
665	672	7	Light grey sand with a little gas
672	672	3	Broken lime

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Serial Number 055 712 A

Lease of XXXX

GEOLOGICAL SURVEY
RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 20th, 19 32

Following is a ~~notice of intention to do work~~ report of work done on land under ~~lease~~ described as follows:

Utah Washington Virgin
(State or Territory) (County or Subdivision) (Field)
Well No. 10 S.E. 1/4 of S.W. 1/4 41 S. 12 N. Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 300 ft. N of S. line and 3700 ft. E of W line of sec. 12

The elevation of the derrick floor above sea level is 3765 ft.

DETAILS OF PLAN OF WORK

(State names of all strata and depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

675 This hole was cleaned out to it's bottom which was 675 foot and ten six of cement was placed upon said bottom with a dump bailer. Four days later, said cement was tested and found to be hard so said hole was filled with a fluid mud from said cement plug to with in six foot of the surface where a regulation marker was erected.

Approved subject to maintenance in mechanical condition satisfactory to Supervisor's Office, U. S. Geological Survey, Casper, Wyoming.

Approved June 21, 1932 Utacal Oil Company
(Date) (Company)
[Signature] District Engineer. By [Signature]
318 Federal Bldg., Title Mgr.
Salt Lake City, Utah

Address _____ Address Cedar City, Utah.

NOTE: Reports on this form to be submitted in triplicate to the Supervisor for approval. Subscribed and sworn to before me this the 20th day of June 1932.

[Signature]

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Serial Number **035 712-A**

Lease **4577**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO PUMP	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO STOP PUMPING	RECORD OF PERFORATING CASING	
NOTICE OF INTENTION TO PROTECT WATER SUPPLY	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON THE CONDITION OF WELL SHUT OFF	NOTICE OF INTENTION TO ABANDON WELL	X
NOTICE OF INTENTION TO RERUN OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO STOP RERUN OR REPAIR WELL	SUPPLEMENTARY WELL HISTORY	

NOTE: TO CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA

June 1st, 1932

Notice of intention to do work on land under ~~lease~~ described as follows:

Utah Washington Virginia
(County or Subdivision) (Field)
Well No. 10 S.E. 1/4 of S.W. 1/4 41 S. 12 W. Salt Lake
(Sec. and Twp. No.) (Twp.) (Range) (Meridian)

The well is located 200 ft. N of S line and 3780 ft. W of E line of sec. 18
The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF PLAN OF WORK

(State names of all expected drilts to objective sands, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, cementing points, and all other important proposed work.)

This hole will be cleaned out to its bottom which is 675 foot and ten sax of cement placed in the bottom with a dump bailer and then operation will be suspended for a sufficient time to allow said cement to set. Then the balance of the hole will be filled with a heavy mud fluid and a regulation marker erected.

ORIGINAL COPY

Approved (SEE ATTACHED) June 6, 1932

[Signature]

Title District Engineer
GEOLOGICAL SURVEY

Address 518 Federal Bldg.
Salt Lake City, Utah.

Company Utah Oil Company

By *[Signature]*

Title Mgr.

Address Cedar City, Utah.