

FILE NOTATIONS

Entered in NID File \_\_\_\_\_  
Entered On S R Sheet \_\_\_\_\_  
Location Map Pinned \_\_\_\_\_  
Card Indexed \_\_\_\_\_  
IWR for State or Fee Land \_\_\_\_\_

Checked by Chief \_\_\_\_\_  
Copy NID to Field Office \_\_\_\_\_  
Approval Letter \_\_\_\_\_  
Disapproval Letter \_\_\_\_\_

COMPLETION DATA:

Date Well Completed 5-5-31  
OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_  
GW \_\_\_\_\_ OS \_\_\_\_\_ PA

Location Inspected \_\_\_\_\_  
Bond released \_\_\_\_\_  
State of Fee Land \_\_\_\_\_

LOGS FILED

Driller's Log \_\_\_\_\_  
Electric Logs (No. ) \_\_\_\_\_  
E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_  
Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

415 12w 12

43-053-11394

GEOLOGICAL SURVEY  
**RECEIVED**  
APR 15 1929  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
MINERAL LEASES

**REC'D**  
APR 15 1929  
S. L. G.  
Serial Number **033866**  
Permit

## SUNDRY NOTICES AND REPORTS ON WELLS

Noted  
W. H. S.

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT RECORD OF SHOOTING.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		RECORD OF PERFORATING CASING.....	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF.....		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING.....	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF.....		NOTICE OF INTENTION TO ABANDON WELL.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO SHOOT.....		SUPPLEMENTARY WELL HISTORY.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

.....Virgin, Utah, Oct. 8, 1928..... 192

Following is a notice of intention to do work on land under permit described as follows:  
~~report of work done~~  
~~lease~~

Utah  
(State or Territory)
Washington  
(County or Subdivision)
Virgin  
(Field)

Well No. 1 N. E. Sec. 12  
(1/4 Sec. and Sec. No.) 41 S.  
(Twp.) 12 W.  
(Range) S. L.  
(Mention)

The well is located 1560 ft. S of N line and 1119 ft. W of E line of sec. 12

The elevation of the derrick floor above sea level is 3650 ft.

### DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Estimated depth 750 feet.

No water expected.

8 inch casing will be used.

Drilling agreement has been made with Howard Smith who has drilling equipment arranged for. His equipment now at Virgin, Utah.

Approved \_\_\_\_\_  
\_\_\_\_\_  
GEOLOGICAL SURVEY


Company Emma J. D...  
By E. E. Olive  
Title Agent  
Address Virgin, Utah.

*E. P. Dixon*  
*Judge*  
*Albany*  
*City*

NOTE.—Reports on this form to be submitted in *triplicate* to the Supervisor for approval.

GEOLOGICAL SURVEY  
 U.S. DEPARTMENT OF THE INTERIOR

S. LAND OFFICE  
 SERIAL NUMBER 033600  
 LEASE OR PERMIT TO PROSPECT Permit



DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Utah Parks Petroleum Co. Address Virgin, Utah  
 Lessor or Tract \_\_\_\_\_ Field Virgin State Utah  
 Well No. 1 Sec. 12 T. 41S R. 12W Meridian S.L. County Washington  
 Location 1560 ft. {N.} of N Line and 1119 ft. {E.} of E Line of Sec. 12 Elevation 3700  
 {S.} of N Line and {W.} of E Line of Sec. 12 (Derrick floor relative level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Utah Parks Petroleum Co.  
 Date May 6th, 1931 By Agent

The summary on this page is for the condition of the well at above date.

Commenced drilling April 4th, 1929 19 \_\_\_\_\_ Finished drilling May 5th 19 31

OIL OR GAS SANDS OR ZONES  
 (Denote gas by G)

No. 1, from 739 to 749 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from 50 to 45 No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
<u>6 5/8</u>	<u>28</u>	<u>10</u>	<u>DEX</u>	<u>135</u>					<u>never shot off</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>6 5/8</u>	<u>135</u>	<u>6</u>	<u>Dump</u>		

PLUGS AND ADAPTERS

Heaving plug—Material none Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material none Size \_\_\_\_\_

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
	<u>none</u>	<u>40%</u>	<u>200</u>	<u>May 1</u>	<u>739-750</u>	<u>778</u>

FOLD MARK

**TOOLS USED**

Rotary tools were used from ..... feet to ..... feet, and from ..... feet to ..... feet

Cable tools were used from 0 feet to 778 feet, and from ..... feet to ..... feet

**DATES**

....., 19..... Put to producing ....., 19.....

The production for the first 24 hours was ..... barrels of fluid of which ..... % was oil; ..... % emulsion; ..... % water; and ..... % sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

W.A. Gahagan ..... Driller ..... Driller

L.R. White ..... Driller ..... Driller

**FORMATION RECORD**

FROM	TO	TOTAL FEET	FORMATION
0	45	45	Creek bed, clay and boulders
45	328	283	Red shale
328	332	4	Limestone
332	370	38	Gray shale } <i>Virgin zone</i>
370	414	44	Red shale
414	432	18	Limestone
432	<del>588</del> 730	<del>156</del> 298	Red shale
730	739	9	Chocolate shale
739	749	10	Flaky shale (oil showing)
749	769	20	Chocolate shale
769	774	5	Gray sandy shale
774	776	2	Fine sand (cuts oil) not commercial
776	777	1	Gray sandy shale
777	778	1	Line shale (Sulphur streak)

ROBERT J. ...

... COMPANY

(OVER)

HISTORY OF OIL OR GAS WELL

6-0745

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or balling.

Commenced drilling April 4th, 1928

Set and cemented 80' casing.

Drilling resumed March 30th, 1931

Notice of intention to abandon well, May 6th, 1931.

DETAILED WATER SAMPLES

20' 8" depth

20' 0" depth

20' 5" depth

20' 2" depth

20' 1" depth

20' 1" depth

OIL OR GAS SAMPLES OR ZONES

LOG OF OIL OR GAS WELL

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR

UNITED STATES GOVERNMENT  
WASHINGTON, D. C.

(COPY)

Utah Parks Petroleum Co., Well No. 1, Virgin Field, Washington County, Utah  
1560' from N. line and 1119' from E. line of sec. 12, (NW SE  $\frac{1}{4}$ ) T. 41 S.,  
R. 12 W., S.L.M. Elevation 3722'

Drilling commenced April 4, 1929 - Drilling ceased May 5, 1931  
Surface Moenkopi - Lowest tested Moenkopi - Total depth 778'

<u>From</u>	<u>To</u>	<u>Total Feet</u>	<u>Formation</u>
0	45	45	Creek bed, clay and boulders
45	328	283	Red shale
328	332	4	Limestone
332	370	38	Gray shale-Virgin lime
370	414	44	Red shale-Virgin lime
414	432	18	Limestone-Virgin lime
432	730	298	Red shale
730	739	9	Chocolate shale
739	749	10	Flaky shale (oil showing)
749	769	20	Chocolate shale
769	774	5	Gray sandy shale
774	776	2	Fine sand (outs oil) Not commercial
776	777	1	Gray sandy shale
777	778	1	Lime shale (sulphur streak)

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Serial Number 05800  
Lease or Permit Permit

SUNDRY NOTICES AND REPORTS ON WELLS

GEOLOGICAL SURVEY  
RECEIVED  
MAY 20 1931

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	<b>X</b>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 6, 1931

Following is a ~~notice of intention to do work~~ notice of intention to do work on land under ~~permit~~ permit described as follows:

Utah Washington Virgin  
(State or Territory) (County or Subdivision) (Field)

Well No. 1 SE. 1/4 NE. 1/4 sec. 12 41 S. 12 W. Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1560 ft. N of N line and 1119 ft. E of E line of sec. 12

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Drilled to total depth of 778' without finding oil or gas in commercial quantities. Shows of oil were encountered at 739 to 749 and 774 to 776. No water sands were drilled. Hole will be abandoned as follows: Dump 1 sack of cement on bottom of hole. Fill hole with mud fluid to 760, bridge hole, and dump 2 sacks of cement on top of bridge. Fill with mud fluid to 432', bridge hole and dump 3 sacks of cement on top of bridge. Fill hole to surface with mud fluid. Cement marker at top of well.

Approved (See Attached) May 11, 1931

Company UTAH PARKS PETROLEUM COMPANY

E. W. Henderson  
E. W. Henderson

[Signature]  
By \_\_\_\_\_

Title District Engineer

Title Agent

Address Salt Lake City, Utah

Address Virgin, Utah

OPY RETAINED SALT LAKE CITY  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

U. S. LAND OFFICE S. L. C.  
SERIAL NUMBER 033660  
LEASE OR PERMIT Permit

**GEOLOGICAL SURVEY**  
**RECEIVED**  
**JUN 1 1931**  
**SALT LAKE CITY, UTAH**  
**MINERAL LEASING DIV.**

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County Washington Field Virgin  
The following is a correct report of operations and production (including drilling and producing wells) for the month of May, 1931 by Emma F. Dunn, Permittee  
Agent's address Virgin, Utah Company Utah Parks Petroleum Co.  
Signed by E. F. Dunn  
Phone \_\_\_\_\_ Agent's title Agent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec. 12 SE 1/4	41S	12W	1							Drilled to 776 Log submitted also notice of abandonment.

NOTE.—There were \_\_\_\_\_ runs or sales of oil; \_\_\_\_\_ runs or sales of gas;

\_\_\_\_\_ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in triplicate with the supervisor by the 6th of the succeeding month unless otherwise directed by the supervisor.

CONTAINED SALT LAKE CITY  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

U.S. Land Office Salt Lake

Serial Number **038466**  
GEOLOGICAL SURVEY  
Lease or Permit **RECEIVED**

JUN 15 1931

SALT LAKE CITY, UTAH  
MINERAL LEASING DIV.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT RECORD OF SHOOTING.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	RECORD OF PERFORATING CASING.....	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF.....	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING.....	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF.....	NOTICE OF INTENTION TO ABANDON WELL.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO SHOOT.....	SUPPLEMENTARY WELL HISTORY.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 15, 1931

Following is a ~~notice of intention to do work~~ report of work done on land under ~~permit~~ lease described as follows:

Utah Washington Virgin  
(State or Territory) (County or Subdivision) (Field)  
Well No. 1 SE. 1/4 NE. 1/4 Sec. 12 41 South 10 West Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1560 ft. <sup>N</sup>/<sub>S</sub> of N line and 1119 ft. <sup>E</sup>/<sub>W</sub> of E line of sec. 12

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)


This well has been abandoned in the following manner:

Dumped 1 sack of cement on bottom of hole. Filled hole with mud fluid to 700 ft, bridged and dumped 2 sacks of cement on top of bridge. Filled with mud fluid to 432 ft, bridged and dumped 3 sacks of cement on top of bridge. Filled 65 ft of 6 5/8 casing, filled hole to 85 ft with mud fluid, bridged and dumped 2 sacks of cement on top of 6 5/8 casing. Filled to surface with mud fluid.

State of Utah )  
County of Washington ; SS.

On this 15th day of June A. D. 1931 personally appeared before me L. L. White the signer of the above instrument who duly acknowledged to me that he executed the same.

My Com. Expires  
May 19, 1935

  
Notary Public  
Harricane, Utah

**COPY RETAINED SALT DEPARTMENT**  
**DEPARTMENT OF THE INTERIOR**  
**GEOLOGICAL SURVEY**

U. S. Land Office S. L. O.

Serial Number 033866

Lease or Permit Permit

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 30, 1931, 192

Following is a ~~notice of intention to do work~~ report of work done on land under ~~lease~~ permit described as follows:

Utah (State or Territory) Washington (County or Subdivision) Virgin (Field)  
Well No. 1 SE 1/4 3-12 418 12W S. 1.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1560 ft. S of 1/4 line and 1119 ft. W of 1/2 line of sec. 12

The elevation of the derrick floor above sea level is 3750 ft.

**DETAILS OF PLAN OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Marker Set., 4" pipe; 6' in hole and cemented 5' above and top filled with cement.

**GEOLOGICAL SURVEY**

\*Note: Accepted as a supplemental report submitted to show compliance with a conditional subsequent report of abandonment.

Approved July 9, 1931 (See note\*)  
(Date)  
E. W. Henderson  
E. W. Henderson  
District Engineer  
318 Federal Building  
Salt Lake City, Utah

Company Utah Parks Petroleum Co.,  
By E. E. ...  
Title Agent  
Address \_\_\_\_\_

RETAINED SALT LAKE CITY  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

U. S. LAND OFFICE S. L. C.  
SERIAL NUMBER 033666  
LEASE OR PERMIT Permit

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County Washington Field Virgin

The following is a correct report of operations and production (including drilling and producing wells) for the month of June, 1931 Kenneth F. Dunn, Permittee

Agent's address Virgin, Utah Company Utah Parks Petroleum Co.,

Signed [Signature] by [Signature]

Phone \_\_\_\_\_ Agent's title Agent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If rods, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec. 12 SE 1/4	41S	12W	1							Abandoned marker set

RECEIVED  
JUL 7 1931  
SALT LAKE CITY, UTAH  
GEOLOGICAL SURVEY

NOTE.—There were \_\_\_\_\_ runs or sales of oil; \_\_\_\_\_ runs or sales of gas;

\_\_\_\_\_ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in triplicate with the supervisor by the 6th of the succeeding month unless otherwise directed by the supervisor.

Form 9-229  
Revised March 10, 1928

COPY RETAINED SALT LAKE CITY

U. S. LAND OFFICE S. L. C.  
SERIAL NUMBER 033866  
LEASE OR PERMIT Permit

GEOLOGICAL SURVEY  
RECEIVED

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

AUG 8 1931  
SALT LAKE CITY

MINERAL LEASING DIV.

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County Washington Field Virgin

The following is a correct report of operations and production (including drilling and producing wells) for the month of July, 1931 Emma F. Dunn, Permittee

Agent's address Virgin, Utah Company Utah Parks Petroleum Co.,

Signed E. F. Dunn

Phone \_\_\_\_\_ Agent's title Agent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec. 12 SE 1/4 NE 1/4		41S	12W 1							Abandoned

NOTE.—There were \_\_\_\_\_ runs or sales of oil; \_\_\_\_\_ runs or sales of gas;

\_\_\_\_\_ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in triplicate with the supervisor by the 6th of the succeeding month unless otherwise directed by the supervisor.

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

U. S. Land Office \_\_\_\_\_  
Salt Lake City \_\_\_\_\_  
Serial Number **053066** \_\_\_\_\_  
Lease or Permit **Permit** \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	
<b>Notice of Intention to Cement Casing, Date of Water Shut-off Test and Re-</b>		<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

sults

May 20, 1933, 19

Following is a {notice of intention to do work} on land under {permit} described as follows:  
{report of work done} ~~report~~

Utah Washington Virginia  
(State or Territory) (County or Subdivision) (Field)  
Well No. **1** **SE 1/4 NW 1/4 Sec. 12** **41 S. 12 W. 8. L. C.**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located **1560** ft. **S** of **N** line and **1119** ft. **W** of **E** line of sec. **12**

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

A conductor string of 8 1/4" casing was cemented at 80' with 2 sacks of cement using dump bailer method. This string was cemented in April, 1929 and operations suspended while waiting for approval to drill. When operations were resumed in March, 1931 it was found that a complete water shut-off had not been obtained with the 8 1/4" casing and that it would be necessary to run a second string of pipe. A 6-5/8" string was run to 135' and cemented with 6 sacks of cement using dump bailer method. After waiting approximately 10 days for cement to set, cement was drilled out and water shut-off test made. The test showed the hole to be dry and water shut-off complete.

ACCEPTED AS A MATTER OF

RECORD  
Approved **May 22, 1933**  
(Date)  
*E. W. Henderson*  
Title **E. W. Henderson, District Engineer.**  
GEOLOGICAL SURVEY  
Address **306 Federal Building Salt Lake City, Utah**

Company **Emma F. Dunn, Permittee.**  
By *Edward D. Swan* Agent  
Address **422 Judge Building Salt Lake City, Utah**

WASHINGTON  
Virgin

Emma F. Dunn, Well #1,  
NWSENE Sec.12-41S-12W

(S. L. 033866)

Emma F. Dunn, Well #1,  
NWSENE Sec.12-41S-12W (S. L. 033866)

MAY 1929

1560' S/N, 1119 W/E Sec.12.

An intention to drill this well was filed last fall, dated October 8, 1928, but could not be approved as no bond was submitted. The bond was submitted April 8, 1929, but as the last extension of time expired November 14, 1928, intention to drill was denied under the new orders. Lessee's reports have been submitted for February, March and April 1929. The well was technically spudded in about April 6 before denial of intention to drill, 10" conductor run to 20'. About 30' of hole made, which has practically caved in. The rig is now being blocked up. Will not report again until permit is extended and Intention to Drill approved.

Emma F. Dunn Well #1  
NWSENE Sec.12-41S-12W (S.L.033866)

(See May 1929 report) This well was spudded in April 1929, due to a misunderstanding, but was suspended and capped. Special permission to drill on the permit has now been obtained and the Intention to Drill approved March 12, 1930. Will not change status until advice is received that drilling has commenced.  
(Intention to Drill 3-11-30)

APP 1930 Emma F. Dunn Well #1  
NWSENE Sec.12-41S-12W (S.L.033866)

It is not decided whether drilling will be started on this well in the near future or not. Will not report again until operations commence.

Status: Drilling well shut down

Emma F. Dunn, Well #1  
NWSENE Sec.12-41S-12W. (S.L. 033866)

APR - 1930

This well was reported drilled April 8, 1929 to a depth of 80', but was shut down because of a misunderstanding as to drilling without an extension of time. The well was spudded after the permittee, who signed the intention to drill, had been replaced by the Utah Parks Petroleum Company. The well was spudded by the George Coffman Oil Company. The well is now being blocked up. The well is reported to be 432' deep. The well is reported to be the Virgin lime well near the station. The well is further north than any of the present wells. The finding of commercial production would mean considerable extension of the field. The well leaks 3 barrels of water in 24 hours, thru the four joints of 8 1/4" casing cemented. The operator has been told that this condition must be remedied if production is obtained or drilling suspended. (Visited 4-11-31)  
STATUS: Changed from DST to Drg.

REAR COPY