

Well Log not started & put in File
in Zaraham Fee # 2 well file.

2-17-77 - Operations suspended, unable to find
current operator, or obtain any
Well data.

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief *P.W.B.*
Approval Letter *11-2-73*
Disapproval Letter

COMPLETION DATA:

Date Well Completed

OW..... WW..... TA.....

GW..... OS..... PA.....

Location Inspected ...

Bond released

State or Fee Land ..

LOGS FILED

Driller's Log.....

Electric Logs (No.)

E..... I..... Dual I Lat..... GR-N..... Micro.....

BHC Sonic GR..... Lat..... Mi-L..... Sonic.....

CBLog..... CLog..... Others.....

FILE NOTATIONS

Entered in N I D File _____
 Entered On S R Sheet _____
 Location Map Pinned _____
 Card Indexed _____
 I W R for State or Fee Land _____

Checked by Chief _____
 Copy N I D to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 11-28-28
 QW _____ WW _____ TA _____
 GW _____ OS PA _____

Location Inspected _____
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log _____
 Electric Logs (No.) _____
 E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
 Lat _____ Mi-L _____ Sonic _____ Others _____

UTAH PARKS PETROLEUM COMPANY - WELL NO. VIRGIN STATE #1
 Sec. 13, T. 41 S, R. 12 W., Washington County

PL 43-053-11396

A

PW

WASHINGTON COUNTY
Virgin

Utah Parks Pet. Co., Well #1,
CNEW Sec. 13-41S-12W

(State Land)

OCT - - 1928

Utah Parks Pet. Co., Well #1,
CNEW Sec. 13-41S-12W (State Land)

Spudded in 10/7/28, with a new Fort Worth spudder, Model C, tractor drive.
10" conductor may be used, and 8" casing as far as necessary.
(Visited 10/7/28)

NOV

1928 Utah Parks Petroleum Co., well #1,
CNEW Sec. 13-41S-12W (State Land)

Produced at 500' in Mesquite red beds. Oil sand expected soon.

This plat from the Burnham Oil Fee #2 well file (43-053-30009) shows the error in our files regarding the locations for the Utah Parks Pet. Co. #1 & 2 (43-053-30010 and 43-053-30011). The APD location (see APD) gives co-ordinates for the two wells to be re-worked. He does not quote the origin of the co-ordinates however. The plat shows the co-ordinates on it and they are clearly departures from the center of NW/4 of sect. 13. Our clerks input the departures as if from the south and west lines of the section. Wrong!

They should be recalculated as I have done on the plat. So what is in 3274 for both wells is in error. In addition, someone wrote location departures for both wells at the bottom of the sundry. These are also wrong if the plat is correct. I have no idea where the 2nd set of departures came from. They would plot in the SE NW if they were correct. This would be out of the Utah Parks lease if so. I think they are in error and if so, then the card file is also and should be changed. (see copies)

CHRIS Kierst 6/8/93

WASHINGTON COUNTY
Virgin

Utah Parks Pet. Co., Well #1,
CNEW Sec. 13-41S-12W

(State Land)

OCT - - 1928

Utah Parks Pet. Co., Well #1,
CNEW Sec. 13-41S-12W (State Land)

Spudded in 10/7/28, with a new Fort Worth spudder, Model C, tractor drive.
10" conductor may be used, and 8 1/2" casing as far as necessary.
'Visited 10/7/28)

NOV

1928 Utah Parks Petroleum Co., well #1,
CNEW Sec. 13-41S-12W (State Land)

Drilling at 500' in Moenkopi red beds. Oil sand expected soon.
(C. E. Cline Let. 11-14-28)

DEC

1928 Utah Parks Petroleum Co., Well #1,
CNEW Sec. 13-41S-12W (State Land)

Drilled to 590', but production not yet tested. Oil sand is a sandy shale at
576'-580'. The oil rose 60' in the hole, and the well is expected to be commer-
cial. Will report further details next month.
The log is as follows:

0-25	Creek bed, gravel, clay, boulders	246-264	Brown shale
25-112	Red clay	264-278	Slaty shale
112-165	Red & Brown shale	278-280	Limestone
165-169	Limestone	280-565	Brown shale
169-185	Brown shale	565-576	Lime shale
185-226	Gray shale	576-580	Sandy shale (oil)
226-234	Limestone	580-590	Gray lime
234-246	Gray shale		

(C. E. Cline - Letter 12-15-28)

JAN

1929 Utah Parks Petroleum Co., Well #1,
CNEW Sec. 13-41S-12W (State Land)

Completed Nov. 28 at 590', with oil sand at 576'-80'. Should make 5 bbls. or better.
No casing report. (Log previously reported)
(C. E. Cline 12-26-28)

13-41S-12W Ref. Nos. 30 and 54, Utah Parks Pet. Co. (Patented)

Wells 1 and 9

MAR, 1933

STATUS: NOW to OSD (Visited 3-29-33) (VIRGIN - Washington County)

UTAH PARKS PETROLEUM COMPANY

WELL NO. 1

Sec. 13, T. 41 S., R. 12 W.
C NE NW

Elevation 3644
Washington County, Utah

FORMATION RECORD

FROM	TO	FORMATION
0	25	Creek bed - Gravel - Clay & Boulders
25	112	Red Clay
112	165	Red & Brown Shale
165	169	Limestone
169	185	Brown Shale
185	226	Gray Shale
226	234	Limestone
234	246	Gray Shale
246	264	Brown Shale
264	268	Slaty Shale
268	270	Limestone
270	555	Brown Shale
555	566	Lime Shale
566	570	Sandy Shale (OIL)
570	580	Gray Lime

UTAH OIL AND GAS CONSERVATION COMMISSION

WELL LOG _____ ELECTRIC LOGS _____ FILE X NO FILE 3
 REMARKS: Geological Formations: Surface - Moenkopi, Bottom - Moenkopi (Bul. 50)

11-1-73 Notice of Intent To Re-Enter & Re-Work

DATE FILED Prior OGCC *not started*
 LAND: FEE & PATENTED STATE LEASE NO. *** PUBLIC LEASE NO. INDIAN
 DRILLING APPROVED: Prior OGCC
 SPUN IN: 10-7-28
 COMPLETED: 11-28-28 OST *Orphaned Well*
 INITIAL PRODUCTION:
 GRAVITY A. P. I. -

GOR:
 PRODUCING ZONES: 566'-570' (Moenkopi) *576'-580'*
 TOTAL DEPTH: 580'
 WELL ELEVATION: 3644'
 DATE ABANDONED: 2-17-77 - *Operations suspended*
 FIELD OR DISTRICT: Virgin
 COUNTY: Washington
 WELL NO. ~~#~~ UTAH PARKS DET. FEE #1 *43-053-~~30010~~ 30010*
 LOCATION: *2220* FT. FROM (N) ~~LINE~~, *1520* FT. FROM (W) ~~LINE~~ *12W* 1/4-1/4 SEC. 13
0919 FNL 1596 SWL

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				41S	12W	13	ETON OIL COMPANY OF NY

30W

30W

THE STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION

[Handwritten initials]

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL *Re-work* DEEPEEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Zion Oil Co. of Nevada

3. ADDRESS OF OPERATOR
Hurricane, Utah

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface *#1 = 420' from S. line and 200' from W. line*
SWSE1/4
At proposed prod. zone *#2 = 550' from S. line and 270' from W. line*

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
3 Miles N. of Virgin, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. line, if any)

16. NO. OF ACRES IN LEASE
40

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
590' #1
570' #2

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

22. APPROX. DATE WORK WILL START*
Nov. 3, 73

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Utah Jacks

8. FARM OR LEASE NAME

9. WELL NO.
David 2

10. FIELD AND POOL, OR WILDCAT
Virgin

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
13 41S 12W S. 1, 2, C.

12. COUNTY OR PARISH 13. STATE
Washington Utah

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
	<i>6"</i>			

These 2 wells are open. We will remove Top plug and use Cemental to re-activate oil flow.

3.053-30010-#1 - 2270' FWL & 1520' FWL (6-11-73) (SWSE1/4) 0919 SWL
3.053-30011-#2 - 2090' FWL & 1590' FWL (NWSE1/4)

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *[Signature]* TITLE *Agent* DATE *Oct-31-73*

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

File in Duplicate

DIVISION OF OIL AND GAS CONSERVATION
OF THE STATE OF UTAH

DESIGNATION OF AGENT

The undersigned producer, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice and Procedure of the Division of Oil and Gas Conservation of the State of Utah, hereby appoint, Murel Goodell, whose address is P. O. Box 871, Hurricane, Utah 84737, (his, her or its) designated agent to accept and to be served with notices from said Board, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation March 31, 1974

Company Zion Oil Company (of Nevada) Address P. O. Box 871, Hurricane, Utah
84737

By Lillian Jaschke Title Vice President
Signature

MESSAGE

Zion Oil Company of Nevada
"ZINCON"

P.O. Box 871
Hurricane, Utah 84737

Phone (801) 635-4872

67332E

TO: Mr. Cleon Feight, State of Utah
Department of Natural Resources
Division of Oil & Gas Conservation
1588 West, North Temple St. Salt Lake City, Utah
84116

DATE: June 4, 1974

Dear Sirs:

Please be advised that the services of Howard Albrecht, as designated agent for Zion Oil Company (of Nevada) was terminated March 31, 1974.

Enclosed herewith is appointment of Murel Goodell (in duplicate) as agent for Zion Oil Company (of Nevada) as of March 31, 1974.

Respectfully,

Lillie Jaschke

Lillie Jaschke, Vice President

LJ/1
Encs.

REPLY TO
P. O. BOX 22213
HOUSTON, TEXAS 77027
AREA 713 621-3508

*copy to
sonja
send
2 copies
K & R
and all
forms*



CALVIN L. RAMPTON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

September 22, 1976

OIL, GAS, AND MINING BOARD

GUY N. CARDON
Chairman

CHARLES R. HENDERSON
ROBERT R. NORMAN
JAMES P. COWLEY
HYRUM L. LEE

Zion Oil Co. of Nevada
P. O. Box 370
Hurricane, Utah 84737

Re: Well No. Utah Parks Petroleum #1
Sec. 13, T. 41S, R. 12W
Washington County, Utah
January, 1976 - August, 1976
Well No. Burnham B-4X
Sec. 13, T. 41S, R. 12W
Washington County, Utah
January, 1976 - August, 1976

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the months indicated above on the subject well(s).

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b, (U.S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

KATHY OSTLER
RECORDS CLERK

K
SonJa V. 
McCormick

A-303 KEARNS BUILDING □ SALT LAKE CITY, UTAH 84101 □ (801) 322-4266

Oil, Gas and Minerals

October 4, 1976

Ms. Kathy Ostler, Records Clerk
State of Utah
Division of Oil, Gas and Mining
1588 West North Temple
Salt Lake City, Utah 84116

Re: Zion Crude Oil Company

Well No. Utah Parks Petroleum #1
Section 13, T. 41 S., R. 12 W.
Washington County, Utah

January, 1976 - August, 1976

Dear Kathy:

Pursuant to your letter dated September 22, 1976, directed to Zion Oil Company of Nevada, Hurricane, Utah, I have been advised by Mr. Murel Goodell, President of Zion Crude Oil Company, that the above well does exist, but there has never been any work done on the well since acquisition.

Please advise me as to the instruments required on the above due to the fact that the well has not been operated by Zion Crude Oil Company.

Thank you.

Best regards,



SonJa V. McCormick
Agent for Zion Crude Oil Company

cc: Mr. Murel Goodell





CALVIN L. RAMPTON
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH

GUY N. CARDON
Chairman

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING

CHARLES R. HENDERSON
ROBERT R. NORMAN
I. DANIEL STEWART
HYRUM L. LEE

CLEON B. FEIGHT
Director

1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

February 1, 1977

Howard Albrecht
Box 871
Hurricane, Utah 84737

Letter sent back

2-17-77 - Operations suspended. Unable to find current operator or obtain any well data.

Re: ZION OIL CO. OF NEVADA
Well No. Burnham B-4X
Sec. 13, T. 41S, R. 12W
Washington County, Utah
Well No. Utah Parks Petroleum 1
Sec. 13, T. 41S, R. 12W
Washington County, Utah
Well No. Burnham Oil Fee #2
Sec. 13, T. 41S, R. 12W
Washington County, Utah

Dear Mr. Albrecht:

According to our records the above mentioned wells (under Zion Oil Co. of Nevada) were dissolved a few years ago.

As your name is listed as the agent for Zion Oil, could you please forward to this office any available reports from these (3) wells. If you dont have any reports, could you please advise us as to where we could find any such records, or where we could obtain any information as to what happened to these wells.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

KATHY OSTLER
RECORDS CLERK

/ko
Enclosure



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Norman H. Bangertter
Governor

Dee C. Hansen
Executive Director

Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

December 6, 1991

To: R. J. Firth
D. T. Staley
J. L. Thompson
S. L. Schneider

From: Lisha Romero

Re: Wells listed under N0000/Unknown Operator on Fee and State leases.

All wells previously listed under N0000/Unknown Operator on Fee and State leases, have been changed back to the last known operator, based on information obtained from the well files. Wells that are currently in Shut-In, OPS, or TA status have been assigned Entity numbers. Bond availability has been reviewed for wells on Fee land. Operator's with unplugged wells will now show up on the monthly turnaround report under the last known operator, except for those wells with TA or OPS status. However, due to the fact that the majority of these operators no longer exist, and the fact that the wells have been in unknown operator status for several years, the operator's addresses have been X'd out to prevent mailing of the monthly report.

My intentions are to follow-up with St. Lands/Ed Bonner on lease cancellations, assignments & bonding for wells drilled on State leases.

The Tax Commission will be notified of these changes, and asked to continue to hold off on any action until DOGM advises otherwise.

I hope this change assists in determining future action regarding the unplugged wells within the state. I have attached information for your review. Please advise me of any additional steps to take.

FEE LEASES

Associated Energy Corp./P0061

Broadhead, M.D./N9745

Burnham Oil Co./P0531

Caltah Oil Company/P0397

Carbon Emery Producers/P0126

D & D Oil Co./P0794

Delta Petroleum & Energy/P0032

H.M. Byllesby & Co./P0215

Midway Oil & Refining Co.

Milagro Energy Resources/N2590

Rancho Energy Corp./N3970

Taylor & Taylor/P0561

Tomlinson, Sid/P0795 (Well Stat/TA - No Monthly Report)

Vanco Oil Co./P0411

Zepco Inc./P0791 (Well Stat/OPS - No Monthly Report)

Zion Oil Co. of Nevada/P0792

WASHINGTON CONT.

P0792/Zion Oil Co. of Nevada

43-053-30010/Sec. 13, T. 41S, R. 12W - Utah Parks Petroleum 1 - SOW
Prop. TD 590'/Last Insp. 4-25-89

(Surety #009889/\$5,000 Issued by Insurance Co. of North America -
Released 10-30-73/DOGM has an original)

MEMORANDUM

TO: FILE
 THRU: DON STALEY
 FROM: MIKE HEBERTSON
 DATE: 25-FEB-1997
 RE: WELL STATUS VIRGIN FIELD UTAH *JK PST*

In order to close the books on the Virgin Field project the following information needs to be noted in the database.

The wells listed below are either all plugged or should be considered as plugged, as they can no longer be located using any known method. The date of plugging for these wells is considered to be April 9, 1996.


<u>Operator</u>	<u>Well Name</u>	<u>API Number</u>
1. International	Scaritt #1	43-053-30037
2. Utah Parks	State #5	43-053-20402
3. Utah Parks	State #10	43-053-20392
4. Utah Parks	Fee #9	43-053-11395
5. Utah Parks	State #8	43-053-20394
6. Burnham Oil	Fee #0	43-053-20338
7. Burnham Oil	Fee #3	43-053-15099
8. Burnham Oil	Fee #6	43-053-20348
9. Utacal Oil	Fee #4	43-053-20424
10. Utacal Oil	McMullin #1	43-053-20412
11. Burnham Oil	Fee #4	43-053-20344
12. Utacal Oil	Miller #0	43-053-20488
13. Utah Parks	#11	43-053-11393
14. Utah Parks	#2	43-053-30011
15. Burnham Oil	#7	43-053-20346
16. Utacal Oil	#9	43-053-20408
17. Utah Parks	#6	43-053-20398

In addition to the above list of wells plugged by the State of Utah, the Federal Government has plugged the Following wells:

1. Taylor & Taylor	Fee #1	43-053-16007
2. *Utah Parks	#1	43-053-30010
3. Virgin Oil	Virgin Fed #9	43-053-16535
4. Midway Oil	Fee #3A	43-053-15575
5. Diamond Oil	Fee #1	43-053-20546
6. Diamond Oil	Fee #B-2	43-053-20544
7. Taylor Oil	Fee #2	43-053-11213
8. Stubbs & Glade	Virgin #1	43-053-11468

The purpose of this memo is to indicate that there are no known wells in Virgin Oil Field that are not plugged or cannot be found. The Scarritt #1 was ~~not plugged and should be sent to Water Rights to be converted to a water well assumed by~~

landowner for use as a water well. O&G records should reflect as a PA status.



1396
 200
 1596 FWL
 UPP #1
 1339
 -420
 919 FWL

1396
 570
 1666 FWL
 UPP #2
 1339
 -550
 789 FWL

1339.24
 205.00
 1544.24

Zion location - B.O.F. #2
 1518.19
 1544.24 FWL
 13

NW 1/4 OF SECTION 13
T41S, R12W, S1B4M

SKETCH OF WELL LOCATIONS
FOR HOWARD ALBRECHT



SCALE 1" = 300'