

FILE NOTATIONS

Entered in MID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief
Approval Letter
Disapproval Letter

CWB
11-26-73

COMPLETION DATA:

Date Well Completed
OW..... WW..... TA.....
GW..... OS..... PA.....

Location Inspected
Bond released
State or Fee Land

LOGS FILED

Driller's Log.....
Electric Logs (EL).....
E..... E..... East E Log..... CR-N..... Micro.....
NHC Sonic GR..... Log..... ML-L..... Sonic.....
CBLog..... CCLog..... Others.....

8-8-75 Approval To Drill Terminated

UTAH DIVISION OF OIL AND GAS CONSERVATION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____ FILE X WATER SANDS _____ LOCATION INSPECTED _____ SUB. REPORT/abd. _____

8-8-75 approval to drill terminated

DATE FILED 11-26-73

LAND: FEE & PATENTED _____ STATE LEASE NO. _____ PUBLIC LEASE NO. U-12310-A INDIAN _____

DRILLING APPROVED: 11-26-73

SPUDED IN: _____

COMPLETED: _____ PUT TO PRODUCING: _____

INITIAL PRODUCTION: _____

GRAVITY A.P.I. _____

GOR: _____

PRODUCING ZONES: _____

TOTAL DEPTH: _____

WELL ELEVATION: _____

DATE ABANDONED: ~~8-8-75~~ LA'd 4-13-76

FIELD: Virgin 3/86 Undesignated

UNIT: _____

COUNTY: Washington

WELL NO. VIRGIN FEDERAL #7 APT. NO. 43-053-30012

LOCATION 210' FT. FROM (N) ~~S~~ LINE, 2053'.69 FT. FROM ~~E~~ (W) LINE. NE NE NW ¼-¼ SEC. 7

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR:
------	------	------	----------	------	------	------	-----------

41 S	11 W	7	OSCAR BRAY-GLADE STUBBS				
------	------	---	-------------------------	--	--	--	--

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
BR. OF OIL & GAS OPERATIONS
NOV 23 1973
U.S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

Form approved.
Budget Bureau No. 42-R1425.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

5. LEASE DESIGNATION AND SERIAL NO. **U12310-A**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME **Bray #7 Virgin Federal**

9. WELL NO. **#7**

10. FIELD AND POOL, OR WILDCAT **Wildcat**

11. SEC., T., R., M., OR BLEK. AND SURVEY OR AREA **Sec. 7 T. 41 S. R. 11 W**

12. COUNTY OR PARISH **Washington** 13. STATE **Utah**

1a. TYPE OF WORK **DRILL** **DEEPEN**

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR **Oscar Bray-Glade Stubbs**

3. ADDRESS OF OPERATOR **P.O. Box 33 Virgin, Utah 84779**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface **210.48 ft from N. line & 2053.69 from W. line.**
At proposed prod. zone **Sec. 7 T. 41 S. R. 11W.**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* **5 miles from Virgin** **NENENW**

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) **1 mile**

16. NO. OF ACRES IN LEASE **2000**

17. NO. OF ACRES ASSIGNED TO THIS WELL **40**

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. **None**

19. PROPOSED DEPTH **1200 ft**

20. ROTARY OR CABLE TOOLS **Air rotary**

21. ELEVATIONS (Show whether DF, RT, GR, etc.) **4125**

22. APPROX. DATE WORK WILL START* **11/21/73**

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
8 in.	6 in. ID	20 lbs.	1080	To surface

Will drill to 1100 ft without blowout preventer. Will then install single blind ram preventer. BOP to be closed each time pipe is out of the hole.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Oscar Bray-Glade Stubbs* TITLE Operator DATE Nov. 14, 1973

(This space for Federal or State office use)


PERMIT NO. 43-053-300/2 APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

FOUND CORNER




6 S
7 S


WELL LOCATION MAP
 TOWNSHIP 41 SOUTH RANGE 11 WEST
 SECTION 7 NE 1/4, NW 1/4
 210.48 FT FROM NORTH LINE
 2053.69 FT FROM WEST LINE
 OTHER DATA SHOWN ON MAP
 NOTES TAKEN 10-13-73

TRON CORNER

← 2053.69' →



(NE 1/4, NW 1/4)



SURVEYED BY *H. Hoyt*

H HOYT
 State Road Surveyor
 Hurricane area
 Hurricane, Utah

SCALE 8" = 1 MILE
 DRILL SITE ELEVATION 4125 FT

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

DISTRICT LAND OFFICE:

SERIAL NO.:

and hereby designates

NAME: GLADE STUBBS
ADDRESS: P.O. BOX 33, VIRGIN, UTAH


as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 7 Township 41 South
Range 11 West - 40 Acres

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the supervisor of any change in the designated operator.



(Signature of lessee)

November 12, 1973


(Date)

P.O. Box 33, Virgin, Utah

(Address)

NO I

NORTH



DEVELOPMENT PLAN FOR
SURFACE USE
NO-1-EXISTING ROADS

LOCATABLE REFERENCE
POINT ON MAIN HI-WAY
VIRGIN, UTAH


COUNTY IMPROVED
ROAD TO TURN OFF
APPROX. 4³/₄ MILES

UNIMPROVED EXISTING
ROAD ³/₄ MILE

ADD. NOTES:

NO 2 AND NO 4

NORTH



DEVELOPMENT PLAN FOR SURFACE
USE. #2 PLANNED ACCESS ROAD

THERE IS AN EXISTING
ROAD OF $\frac{3}{4}$ OF A MILE THAT
TAKES OFF THE MAIN ROAD AT
MOUNTAIN DELL. IT DOES NOT SHOW
FROM NO. 1. IT CAN BE USED WITH
A MINIMUM OF REPAIR. NO ADDITIONAL
NEW ROAD WILL BE BUILT AT THIS TIME.

#4 LATERAL ROADS TO WELL
LOCATIONS. ALL ROADS ARE COVERED
IN NO. 1 AND NO. 2, see map.

No 3.



DEVELOPMENT WELL
FOR SURFACE USE
NO 3. LOCATION OF
EXISTING WELLS &
RELATION TO DRILL
SITE.

DRILL SITE SHOWN
IN PHOTO SECTION
7.

VIRGIN FEDERAL #1
SHOWN IN SECTION 1

DEVELOPMENT PLAN FOR SURFACE USE.

NO 6 WATER SUPPLY

WE WILL BE DRILLING WITH AIR FIRST, THEN IF NEEDED BE WITH CABLE TOOL. VERY LITTLE WATER WILL BE NEEDED. WE HAVE A 2000 SEMI-TRAILER TANK. WE WILL GET WATER FROM HURRICANE.

DEVELOPMENT PLAN FOR SURFACE USE

7. METHODS OF HANDLING WASTE DISPOSAL

THE WEBSITE WILL BE KEPT CLEAN OF ALL DEBRIS TRASH AND MATERIAL NOT IN USE. EXCESS MATERIALS WILL BE REMOVED FROM THE LOCATION AS SOON AS POSSIBLE AFTER DRILLING OPERATIONS HAVE CEASED.

* Tools and EQUIPMENT

DEVELOPMENT PLAN FOR SURFACE USE.

8. LOCATION OF CAMPS


THERE ARE NO CAMPS IN THE AREA OF THIS LOCATION AND NONE ARE PLANNED FOR FUTURE OPERATIONS.

DEVELOPMENT PLAN FOR SURFACE USE


9. LOCATION OF AIRSTRIPS

THERE ARE NONE IN THE AREA OF THE WELL LOCATION AND NONE ARE PLANNED FOR FUTURE OPERATIONS

VOID NORTH AREA PHOTO.



DEVELOPMENT PLAN FOR SURFACE USE
 10- LOCATION OF LAYOUT - SEE MAP
 POSITION OF RIG SEE DRAWING
 RESERVE PITS
 BURN PITS
 PIPE RACKS
 SCALE 1/4" = 500 FT SQUARE.



NORTH
 ROAD SHOWN IN RED
 DRILLING WITH
 AIR - NO MUD TANKS
 WE ARE ON A SMALL
 FLAT. OUR LOCATION
 SHOWN ON DRAWING
 IS 150 FT. FROM

A LEGE RISING 800 FT, THE
 FLAT IS COVERED WITH SAGEBRUSH
 A FEW JUNIPER ARE CLOSE BY.
 A WASH IS ON THE NORTH 250 FT FROM SITE
 SCALE ON DRAWING 2" = 500 FT

NO 11- DEVELOPMENT PLAN & SURFACE USE
PLANS & RESTORATION OF THE SURFACE
& OTHER PERTINENT DATA.

AFTER COMPLETION OF
DRILLING OPERATIONS, ALL EXCAVATIONS
NOT NEEDED WILL BE LEVELED
AND SITE EITHER RESTORED TO
ORIGINAL, IF DRY, OR WILL BE
LANDSCAPED TO FIT SURROUND-
INGS IF PRODUCING.

RE-VEGETATION WITH
GRASSES AS CLOSE AS POSSIBLE
TO NATIVE SPECIES WILL BE USED
FOR RE-SEEDING.

IF WELL IS PRODUCING
EQUIPMENT SUCH AS USED IN THIS
OPERATION, AS TANKS SHOWN IN
MS, PUMP JACKS ETC. WILL BE
BLENDED WITH LANDSCAPE.

NO 12- DEVELOPMENT PLAN & SURFACE USE
IMPACT ON ENVIRONMENT

WE ARE GOING TO DRILL ON A SMALL
FLAT AT THE BASE OF A 800 FT RISE OF LEDGES
TO A TABLE TOP OF THE SHINARUMP. THE
FLAT & SURROUNDING AREA IS COVERED WITH
SAGE BRUSH & SCATTERED TO THICK JUNIPER.

WE WILL SPUD IN ON THE MIDDLE MOEN-
KOPI FORMATION. THERE IS VERY LITTLE
FLAT LAND IN HERE, LOTS OF GULLIES, ONE
LARGE WASH & SEVERAL SMALL HILLS OR MOUNDS.

ON THE SOUTH SIDE OF THE DRILL
SITE FLAT THERE IS A SMALL MOUND
THAT WILL HAVE TO BE CUT 30' TO STATION
THE RIG. THE ROAD, THE DRILL SITE
AND THE CUT WE MAKE WILL NOT DAMAGE
THE TOPOGRAPHY & WILL DO NO DAMAGE TO
THE ENVIRONMENT. WE WILL TAKE
CARE OF THE SITE IT WILL BE IN
BETTER CONDITION AFTER WE EITHER PRODUCE
OR LEAVE THAN BEFORE WE STARTED.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

NOV 23 1973
U.S. GEOLOGICAL SURVEY
SALT PLUG BACK

Form approved.
Budget Bureau No. 42-R1425

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

5. LEASE DESIGNATION AND SERIAL NO.
U12310-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Bray #7 Virgin Federal

9. WELL NO.
#7

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC. T. R. M. OR BLM. AND SURVEY OR AREA
Sec. 7 T. 41 S. R. 11 W

12. COUNTY OR PARISH
Washington

13. STATE
Utah

1a. TYPE OF WORK
DRILL **DEEPEN**

b. TYPE OF WELL
OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Oscar Bray-Glade Stubbs

3. ADDRESS OF OPERATOR

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface
210.48 ft from N. line & 2053.69 from W. line.
At proposed prod. zone
Sec. 7 T. 41 S. R. 11W.

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Testing lower Moenkopi
5 miles from Virgin
NENENW

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)
1 mile

16. NO. OF ACRES IN LEASE
2000

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
None

19. PROPOSED DEPTH
1200 ft

20. ROTARY OR CABLE TOOLS
Air rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4125

22. APPROX. DATE WORK WILL START*
11/21/73

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
8 in.	6 in. ID	20 lbs.	1080	To surface

Will drill to 1100 ft without blowout preventer. Will then install single blind ram preventer. BOP to be closed each time pipe is out of the hole.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Oscar Bray-Glade Stubbs* TITLE Operator DATE Nov. 14, 1973

(This space for Federal or State office use)
PERMIT NO. 43-053-30012 APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



United States Department of the Interior

IN REPLY REFER TO

3101

BUREAU OF LAND MANAGEMENT

District Office
P. O. Box 729, Cedar City, Utah 84720

November 16, 1973

Gary Daniels, District Engineer
Geological Survey
8416 Federal Building
125 South State Street
Salt Lake City, Utah 84111

Dear Mr. Daniels:

We have reviewed Mr. Stubbs application to drill under Lease U-12310 as well as his proposed 12 point drilling plan and location survey. We have examined other sites which he was requested to clean up and they have been found satisfactory.

1. Please include a stipulation that the Dixie Resource Area Manager will be notified before dozer work is done on the well site and such work will be done under his approval, and all work will conform to the 12 point plan.
2. All garbage, debris, and trash caused during the drilling process will be removed from the site and hauled to the nearest sanitary landfill.
3. The well site should be reseeded in September or October with the following mixture of grasses and shrubs:

6 lbs. crested wheatgrass
2 lbs. yellow sweet clover
2 lbs. bitterbrush

The access road does not need to be reseeded.

If you have any questions, contact our office.

Sincerely,

S. Douglas Wood
Acting District Manager

November 26, 1973

Oscar Bray - Glade Stubbs
Box 33
Virgin, Utah

Re: Well No. Virgin Federal #7
Sec. 7, T. 41 S, R. 11 W,
Washington County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the topographic exception under Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure. However, said approval will be conditional upon a surveyor's plat of the proposed location being furnished this office.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer
HOME: 277-2890
OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

The API number assigned to this well is 43-053-30012.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sd
cc: U.S. Geological Survey

July 25, 1974

Mr. Gláde Stubbs
Box 33
Virgin, Utah

Re: Well No's:
Virgin #3,
Sec. 36, T. 42 S, R. 13 W,
Virgin #7
Sec. 7, T. 41 S, R. 11 W,
Washington County, Utah

Dear Mr. Stubbs:

Please advise this office as to the current status of the above referred to wells.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE WILCOX
EXECUTIVE SECRETARY

/sw

November 15, 1974

Mr. Glade Stubbs
Box 33
Virgin, Utah

Re: Well No. Virgin #7
Sec. 7, T. 41 S, R. 11 W,
Washington County, Utah

Gentlemen:

During a recent field inspection of the Virgin Area, it was noted that a rig was operating on the above location.

In view of this inspection, and our letter of July 25, 1974, you are hereby requested to submit a Monthly Report of Operations for the months of July thru' November, 1974, on the subject well.

If said reports have not been filed with this Division by December 1, 1974, this matter will be turned over to the Attorney General's office for the necessary legal action.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sw

August 8, 1975

Oscar Bray - Glade Stubbs
Box 33
Virgin, Utah

Re: Well No. Virgin Federal #7
Sec. 7, T. 41 S, R. 11 W,
Washington County, Utah

Gentlemen:'

Upon checking our records it is noted that there has been no attempt to spud the above well for a period of ten months. Therefore, the approval granted you on November 26, 1974, is hereby terminated.

If and when you decide to drill this well, it will be necessary for you to again obtain the approval of this Division.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT
DIRECTOR

CBF:sw

cc: U.S. Geological Survey



Conservation Division
8440 Federal Building
Salt Lake City, Utah 84138

April 13, 1976

Oscar Bray - Glade Stubbs
P. O. Box 33
Virgin, Utah 84779

Re: Well No. 7 - Virgin Federal
NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 7-41S-11W
Washington County, Utah
Federal Lease Utah 12310-B

Gentlemen:

Our records indicate that drilling has not commenced on the referenced well and, therefore, the Application for Permit to Drill which was approved November 14, 1973 is rescinded effective as of this date without prejudice.

Any surface disturbance associated with this approved application must be restored in accordance with the approved Surface Use Plan prior to release of bonding.

If you should again desire to drill at this location, please submit a new Application for Permit to Drill.

Sincerely yours,

(ORIG. SGD.) W. P. MARTENS

For E. W. Guynn
District Engineer

bc: Utah State O&G
BLM - Cedar City
O&GS, NRMA, Casper
USGS, Vernal
Well file

WPM:tw