

FILE NOTATIONS

Entered in NID File _____

Entered On S R Sheet _____

Location Map Pinned _____

Card Indexed _____

I W R for State or Fee Land _____

Checked by Chief _____

Copy NID to Field Office _____

Approval Letter _____

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed _____

Location Inspected _____

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA _____

State of Fee Land _____

LOGS FILED

Driller's Log _____

Electric Logs (No.)

No logs run

E _____ I _____ E-I _____ CR _____ CR N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

CIRCULATE TO:

DIRECTOR
PETROLEUM ENGINEER
MINE COORDINATOR
ADMINISTRATIVE ASSISTANT
ALL

RETURN TO Kathy
FOR FILING

K

~~CONFIDENTIAL~~

December 22, 1976

Memo to File:

Re: Wildcat Well Proposal
Sec. 32, T. 43 S, R. 14 W
Washington County, Utah

An oil and gas producer, who wishes at present to remain anonymous, has requested pre-filing information on a proposed well at the above location. This is approximately 14 miles south-east of St. George, Utah, and adjacent to the Arizona Border. It is contemplated that upon filing approval, a rotary rig from California will be moved in.

As this is on State owned land, the operator was notified that an Environmental Impact Assessment will have to be made by this Division prior to any final approval of a drilling plan.

PATRICK L. DRISCOLL
CHIEF PETROLEUM ENGINEER

PLD/tlb

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

33680
5. Lease Designation and Serial No.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL DEEPEN PLUG BACK

b. Type of Well

Oil Well Gas Well Other Single Zone Multiple Zone

2. Name of Operator

Dwayne B. Lovell

3. Address of Operator

45 E 200 S St George, Utah 84770

4. Location of Well (Report location clearly and in accordance with any State requirements)
At surface

Perposed Hole: Section 32, T. 43 S. R. 14 E

At proposed prod. zone 500 Ft. North and 500 Feet East from South

Same West Corner. 500' FSL & 500' STAKE

14. Distance in miles and direction from nearest town or post office*

12 Miles South East from St George.

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. line, if any)

500

16. No. of acres in lease

456

17. No. of acres assigned to this well

40

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

None

19. Proposed depth

3000

20. Rotary or cable tools

Core Rotary

21. Elevations (Show whether DF, RT, GR, etc.)

Elevation 2,920

22. Approx. date work will start*

Jan 18th, 1977

23. PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
6"	3"	5 1/2 lb.	150.ft.	3 yards.

This well may not become a productive well, But is for the purpous of exploring for depths, formations, and the type oil and the quality thereof.

Our setting of casing is discribed abovr, If we have not reached bedrock at 150 ft. we will set it to bedrock. We perpose to CORE DRILL a 2 3/4 Hole from bottom of pipe to perposed depths of 3000 ft. This well will be equiped with blow out, and other pertective equipment.

If no oil is found, hole will be plug in accordance to law.


IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Signed: Dwayne B. Lovell Title: Owner Date: Dec 30th 1976

(This space for Federal or State office use)

Permit No. 43-053-30027 Approval Date

Approved by _____ Title _____ Date _____
Conditions of approval, if any:



WASHINGTON CO
MOHAVE CO

27°30"

(HURRICANE CLIFFS 2 NW)


UTAH
ARIZONA

25'


WASHINGTON
MOHAVE CO

INTERIOR- GEOLOGICAL SURV.

SCALE 1:24000



OIL WELL LOCATIONS FOR
DWAYNE LOVELL AND
MILTON HUNT



BASIS OF BEARING: SOUTH LINE OF SEC. 32, T43S, R14W, SLB&M BEARS EAST. (ASSUMED)

NOTE: SECTION 32, T43S, R14W, SLB&M IS NOT A FULL SECTION DUE TO POSITION ON BORDER

SURVEYOR'S CERTIFICATE

I, E. Ross Syphus, DO HEREBY CERTIFY THAT I AM A REGISTERED LAND SURVEYOR AND THAT I HOLD CERTIFICATE NUMBER 2170, AS PRESCRIBED BY THE LAWS OF THE STATE OF UTAH, AND I HAVE CAUSED A SURVEY OF THE proposed oil well sites as shown above and described below:

Oil Well Site #1: Bears N 45° 21' 13" E 711.30 ft. from the SW Corner, Section 32, T43S, R14W, SLB&M

Oil Well Site #2: Bears N 73° 47' 21" E 1827.08 ft. from the SW Corner, Section 32, T43S, R14W, SLB&M

DATE 12-30-76

E. Ross Syphus
REGISTERED LAND SURVEYOR
UTAH LICENSE NO. 2170

PREPARED BY
ENGINEERING ASSOCIATES, INC.


P. O. Box 616

St. George, Utah 84770

1. SHAFER DOUBLE GATE W/ PIPE RAMS
AND BLIND RAMS

2. HYDRILL BAG 3000# test.

ALL GATES TO BE HYDRAULICALLY OPERATED. & HAVE NIT.
BOTTLES W/ 2500#^{PSI} STANDBY



STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

** FILE NOTATIONS **

Date: Jan. 5 -
Operator: Dwayne S. Lovell
Well No. Lovell St. #1
Location: Sec. 32 T. 43S R. 14W, County: Washington

File Prepared	<input checked="" type="checkbox"/>	Entered on N.I.D.	<input checked="" type="checkbox"/>
Card Indexed	<input checked="" type="checkbox"/>	Completion Sheet	<input checked="" type="checkbox"/>

Checked By:

Administrative Assistant: [Signature]

Remarks: Approved by ECA -

Petroleum Engineer: [Signature]

wait on E.I.S. Review Rec

Remarks:

Director: 7

Remarks:

Include Within Approval Letter:

Bond Required

Survey Plat Required

Order No. _____

Surface Casing Change
to _____

Rule C-3(c), Topographical exception/company owns or controls acreage within a 660' radius of proposed site

O.K. Rule C-3

O.K. In _____ Unit

Other:

Letter Written

ENVIRONMENTAL ASSESSMENT

for

Lovell State #1 & #2

Wildcat Oil Wells

on

State of Utah ML 33680

Section 32

Township 43 South, Range 14 West

Washington County, Utah

January 24, 1977

Prepared by:

Utah Division of Oil, Gas, and Mining

Patrick L. Driscoll, Chief Petroleum Engineer

I. DESCRIPTION OF THE PROPOSED ACTION:

D.B. Lovell, plans to drill on State oil and gas lease no. 33680, Section 32, Township 43 South, Range 14 West, SLBM, Washington County, Utah, to determine the liquid hydrocarbon potential of the Coconino Formation. Maximum depths of drilling will be approximately 3000'.

The proposed locations are shown on the proposed plat.

II. DESCRIPTION OF THE ENVIRONMENT POTENTIALLY AFFECTED:

To reach the area, go south of St. George on the Warner Valley-Fort Pierce Road, and continue south on the Fort Pierce Road until you reach the Arizona Border. Approximately two-tenths of a mile east of the county road is a sheep trail; this is proposed to be improved relative to the drilling operations.

The area is on a bench terrace overlooking the Fort Pierce wash. This is gently rolling ground with the Moenkopi Formation being exposed at the surface. The area is extremely arid and the general condition of the dry washes in the area shows very little erosion. The flora and fauna in the area coincides with the general known desert surroundings. The vegetative cover is estimated to be 10-15%. There are no water sources in the immediate area and the water necessary for drilling a well will have to be hauled in from the Virgin River.

The surface lease owner does minimal sheep grazing in the spring, and he has been contacted in regards to the two (2) proposed locations. There are no objections to this action on his part.

There is insufficient top soil in the immediate area; however, upon completion of the drilling activity, the area will be graded, leveled, and seeded relative to local growth. A series of pictures were taken of the general area, and if needed for additional information, they are on file in this office.

III. PROBABLE IMPACT OF THE PROPOSED ACTION ON THE ENVIRONMENT:

The ground disturbance will be minimal due to the small locations and the relatively short drilling time. Local wildlife will not be subjected to disturbances over and above that which the Fort Pierce Road is conducive to.

IV. MITIGATIVE MEASURES INCLUDED IN THE PROPOSED ACTION:

Stabilizing of the proposed drill pad is planned by the operator following completion of the two test wells. The area will be graded, leveled, and seeded as indicated.

V. ALTERNATIVE TO THE PROPOSED ACTION:

There is no alternative location within the area which would be less environmentally sensitive than the site under consideration. The only other viable alternative would be to disapprove the applications to drill. However, this could result in the operator losing his lease followed by prolonged and expensive litigation against the State. In addition, denial would eliminate possible development in the area.

VI. SUMMARY AND RECOMMENDATIONS:

It is felt that minimal disturbance surrounding the native regime will be incurred by granting permission to drill the two proposed wells. It is, therefore, the recommendation of the Division of Oil, Gas, and Mining, that the applicant be allowed to actively engage in the drilling of these two (2) wells, and the concurrent upgrading of the less than 1/2 mile of existing jeep trails.

File

M E M O R A N D U M

TO: PATRICK L. DRISCOLL, CHIEF PETROLEUM ENGINEER
FROM: RONALD W. DANIELS, COORDINATOR OF MINED LAND DEVELOPMENT
DATE: FEBRUARY 2, 1977
SUBJECT: LOVELL STATE #1 & #2 WILDCAT OIL WELLS, WASHINGTON COUNTY, UTAH

The Environmental Coordinating Committee (ECC) representative for State Archeology, Mr. Wilson Martin, called today and stated that no archeological sites were recorded in the route of the road or drilling pad for this project. Records show however, that the incidence of sites in this area are high.

Mr. Martin suggested that the operator be reminded that the owners are on him to report any archeological sites or artifacts if he encounters any in the course of operations of this project.

The ECC has until Monday, February 7, 1977, to forward any further comments to us before we approve the operation.

cc: ECC File

Scott M. Matheson
Governor



James Edwin Kee
State Planning Coordinator

STATE OF UTAH
Office of the
STATE PLANNING COORDINATOR
118 State Capitol
Salt Lake City, Utah 84114
(801) 533-5246

February 7, 1977

Ron Daniels
Division of Oil, Gas and Mining
1596 West North Temple
Salt Lake City, Utah 84116

Dear Ron:

The Environmental Coordinating Committee has reviewed the Environmental Assessment for Lovell State #1 & #2 Wildcat Oil Wells on State of Utah ML 33680 Section 32 Township 43 South, Range 14 West, Washington County, Utah and unanimously considers the document to be adequate.

Sincerely,

A handwritten signature in cursive script, appearing to read "Chauncey".

Chauncey G. Powis
Environmental Coordinator

CGP/jn

CIRCULATE TO:

DEPT. OF NATURAL RESOURCES

DEPT. OF AGRICULTURE

DEPT. OF COMMERCE

DEPT. OF EDUCATION

DEPT. OF HEALTH

DEPT. OF LABOR

DEPT. OF TRANSPORTATION

DEPT. OF WELFARE

DEPT. OF WORKERS COMPENSATION

Am/ Copy/ Cheri

February 14, 1977

Dwayne B. Lovell
45 East 200 South
St. George, Utah 84770

Re: Lovell State #1 and #2
Sec. 32, T. 43 S, R. 14 W,
Washington County, Utah

Dear Mr. Lovell:

Insofar as this office is concerned, approval to drill the above referred to wells is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure. Said approval, however, shall be contingent upon notifying Mr. Wilson Martin with the State Archeologist Office, should you encounter any archeological sites or artifacts.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer
HOME: 582-7247
OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-053-30026 #2, and 43-053-30027 #1.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT
Director

cc: Division of State Lands



CHARLES R. HANSEN
Director

THE STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF STATE LANDS
105 STATE CAPITOL BUILDING
SALT LAKE CITY, UTAH 84114

April 1, 1977

BOARD MEMBERS

Don Showalter, Chairman
Phillip V. Christensen
J. Whitney Floyd
Kenneth A. Middleton
Dr. Walter D. Talbot
C. Alfred Frost
Warren C. Haycock

Division of Oil, Gas and Mining
1588 West North Temple
Salt Lake City, UT
84116

ATTENTION Patrick Driscoll

Gentlemen:

On March 31, 1977, I visited the location of the Dwayne B. Lovell operation in Section 32, Township 43 South, Range 13 West, SLM., Washington County, Utah. At the time of my visit, the rig was shut down for repair; but the foreman was at the location, and I discussed the production of the well with him.

He indicated that they have encountered a considerable amount of water at approximately 1,350 feet in this well and that they had some difficulty in shutting this water off so that they could continue their drilling operations, but that they have now successfully controlled the water flow. The Division of State Lands, as owner of the property, is very interested in eventually developing this water in the future; and if this well is unsuccessful as an oil or gas test, we would request that your plugging program require that the water-bearing zones be sealed off from the rest of the formations and that the hole only be plugged at the surface rather than being completely filled with concrete so that if it becomes feasible to develop this water, it could be done without too much difficulty.

If you have any problems concerning this request, please let me know.

Yours very truly,

DONALD G. PRINCE
ASSISTANT DIRECTOR

DGP/vb1

Scott M. Matheson
~~CALVIN K. HAMPTON~~
Governor



OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

GUY N. CARDON
Chairman

CHARLES R. HENDERSON
ROBERT R. NORMAN
I. DANIEL STEWART
HYRUM L. LEE

CLEON B. FEIGHT
Director

April 6, 1977

Mr. Donald G. Prince
Assistant Director
Division of State Lands
105 State Capital Bldg.
Salt Lake City, Utah 84114

Dear Mr. Prince:

In response to your request concerning the Dwayne B. Lovell well in Section 32, Township 43 South, Range 13 West, SLBM, please be advised that if it becomes necessary to plug this well, it will be done in such a manner as to protect the water zones and yet allow the State to re-open the well with a minimum of effort.

Cordially yours,

DIVISION OF OIL, GAS, AND MINING

PATRICK L. DRISCOLL
CHIEF PETROLEUM ENGINEER

/tlb

CIRCULATE TO:

- DIRECTOR -----
- PETROLEUM ENGINEER -----
- MINE COORDINATOR -----
- ADMINISTRATIVE ASSISTANT -----
- ALL -----

RETURN TO Patrick L. Driscoll
FOR FILING

May 12, 1977

Memo To File:

Re: Dwayne Lovell
Lovell State #1
SW SW Sec. 32, T. 43 S., T. 14 W.
Washington County

~~CONFIDENTIAL~~

Verbal permission was given to Dwayne Lovell to plug and abandon this test on May 3rd, 1977. Operation had encountered strong, fresh water zones from 200' on down.

8 5/8" surface pipe was set at 1,360' and cemented. The operator continued to have hole problems and encountered a large fishing job when a total depth of 2,540' had been reached. It was necessary to leave four (4) drill collars and drill pipe in the hole. The top of the fish was reported to be 1,518'.

In order to plug and abandon this hole in a manner to ease completion into the water sands, the operator was informed to run a fifty (50) sack plug, twenty five (25) sacks in and twenty five (25) sacks out of the surface pipe shoe. Thin mud was placed on top of this and the operator will cap the well at the top of the surface pipe with ten (10) sacks. No dry hole marker will be erected.

PATRICK L. DRISCOLL
CHIEF PETROLEUM ENGINEER

CC: Division of State Lands
Arizona Oil and Gas Commission

PLD/ksw

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

ML33680

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., OR BLOCK AND SURVEY OR AREA

12. COUNTY OR PARISH

13. STATE

14. PERMIT NO. DATE ISSUED

15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 25. WAS DIRECTIONAL SURVEY MADE

26. TYPE ELECTRIC AND OTHER LOGS RUN 27. WAS WELL CORED

28. CASING RECORD (Report all strings set in well)

29. LINER RECORD 30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

33.* PRODUCTION

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 500 FT N. FROM SOUTH FENCE starting at 500 FT E. OF WEST FENCE (So. W. C. A. sect 32)
At top prod. interval reported below
At total depth 2540

14. PERMIT NO. 43-053-50027 DATE ISSUED

LOVELL, DWAYNE

Wildcat
S.32T43S. R14W
SALT LAKE M.

WASHINGTON

NOT May-1977 (P&A) 2920'

(2540) 100-350

YES

NONE

X

NONE

NO

NONE

NO

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
7 7/8	4.85	180	13"	Full Depth	NONE
6 5/8	2.35	1360	7 7/8	1100 to 1360	none

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
NONE							

31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
INTERVAL (MD)	SIZE	NUMBER	AMOUNT AND KIND OF MATERIAL USED		
NONE			NONE		

33.* PRODUCTION			WELL STATUS (Producing or shut-in)			
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS				
	NONE					

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Dwayne Lovell TITLE owner DATE _____

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases, to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING, DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES		38. GEOLOGIC MARKERS	
FORMATION	TOP	BOTTOM	NAME
	TOP	BOTTOM	MEAS. DEPTH
			TRUE VERT. DEPTH
see sheets			



SCOTT M. MATHESON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

August 19, 1977

OIL, GAS, AND MINING BOARD

I. DANIEL STEWART
Chairman

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

Dwayne B. Lovell
45 East 200 South
St. George, Utah 84770

Re: Well No. Lovell State #1
Sec. 32, T. 43S, R. 14W,
Washington County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above referred to well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Kathy Ostler
KATHY OSTLER
RECORDS CLERK

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

1588 West North Temple
Salt Lake City, Utah 84116



Dwayne B. Lovell
45 E. 200 S.
St. George, Utah 84770



- Postage Due _____
- No Such Number _____
- Address Unknown _____
- Moved Not Forwarded _____
- Forward Expired _____
- Out of Delivery _____



SCOTT M. MATHESON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771
November 15, 1977

OIL, GAS, AND MINING BOARD

I. DANIEL STEWART
Chairman

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

Dwayne B. Lovell
45 East 200 South
St. George, Utah 84770

Re: Well No's. Lovell State #1 and #2
Sec. 32, T. 43 S, R. 14 W,
Washington County, Utah

Gentlemen:

Upon checking our records, it is noted that there has been no attempt to commence spudding operations on the #2 well for a period of nine months. Therefore, the approval granted you on February 14, 1977, to initiate said operations is hereby terminated.

Further, this office still has not received the necessary "Well Completion or Recompletion Report and Log", for the #1 well as prescribed by Rule C-5, General Rules and Regulations and Rules of Practice and Procedure. Consequently, if said reports have not been filed with this Division prior to December 1, 1977, the Attorney General's office will be requested to take whatever legal action they deem necessary.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT
Director

cc: Division of State Lands

Jan 28

Dear Gentleman

Orly

As to date the Land has
been leveled back, and
the well plugged but
the marker has not been
set

This should be taken care
of in the next 45 days
and the fence repaired

Thank You.

Dwight Lovell



SCOTT M. MATHESON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

March 13, 1978

OIL, GAS, AND MINING BOARD

I. DANIEL STEWART
Chairman

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

Dwayne B. Lovell
45 East 200 South
St. George, Utah 84770

Re: Lovell State #1
Sec. 32, T. 43S, R. 14W,
Washington County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above referred to well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Kathy Avila

KATHY AVILA
RECORDS CLERK

June 19, 1978

Dwayne B. Lovell
45 East 200 South
St. George, Utah 84770

Re: Well No. State #1
Sec. 32, T. 43S, R. 14W,
Washington County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above referred to well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Kathy Avila

KATHY AVILA
RECORDS CLERK

Q



SCOTT M. MATHESON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON
Chairman

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE McINTYRE

December 28, 1979

Dwayne B. Lovell
45 E. 200 S.
St. George, Utah 84770

RE: Well No. State # 1
Sec. 32, T. 43 S, R. 14W,
Washington County, Utah
SECOND NOTICE

* There will be no more approvals of
applications until this information
is sent to this office.

Gentlemen:

This letter is to advise you that the Well Completion or
Recompletion Report and Log for the above referred to well is
due and has not been filed with this office as required by our
rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and
forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Debbie Beauregard
DEBBIE BEAUREGARD
CLERK-TYPIST

March 14, 1980

Dwayne Lovell
7533 Calle Durango
Anaheim, California 92807

Re: Well No. Lovell State #1
Sec. 32, T. 43S, R. 14W.
Washington County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING



JANICE TABISH
CLERK-TYPIST