

PARADOX PRODUCTION CORPORATION
Room 404
455 East 4th South
Salt Lake City, Utah

September 18, 1957

Oil and Gas Conservation Commission
State Capitol
Salt Lake City, Utah

Attention: Mr. Cleon B. Feight, Secretary

Gentlemen:

We enclose, in duplicate, a Notice of Intention to Drill Well Federal No. 2 located in the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 27, T-30-S, R-13-E, Wayne County, Utah. Our proposed location is presently being surveyed, and upon receipt of proper plats, we will promptly submit them to your office as required.


You may return correspondence incidental to this new location to Room 404, 455 East 4th South, Salt Lake City, Utah.

Very truly yours,

A. K. Child
A. K. Child

AKC:sh

Encl.



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State
Lease No.
Public Domain
Lease No. U-014667
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	<input type="checkbox"/>
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	<input type="checkbox"/>
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	<input type="checkbox"/>
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	<input type="checkbox"/>
Notice of Intention to Abandon Well.....	<input type="checkbox"/>		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 17, 1957

Well No. Federal #2 is located 1980 ft. from {S} line and 1980 ft. from {W} line of Sec. 27

NE 1/4 SW 1/4 - 27 30 South 13 East S.L.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Wayne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5400 feet.

A drilling and plugging bond has been filed with U.S. Dept. of the Interior - Bureau of Land Management.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

- (a) We will set a minimum of 150' 13 3/8" surface casing and use 150 sks. cement.
- (b) Casing will be type H-40 - 48#.
- (c) Objective sand will be at depth of 4010'.
- (d) Mudding as required.
- (e) Casing 5 1/2" - 4000' - H-40 - 14#
- (f) If we encounter cavings or water sands that cannot be controlled by mud, we will run intermediate string, as required.

Survey plat of drilling location will be submitted as soon as possible.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Paradox Production Corporation
Address 455 East 4th South
Salt Lake City, Utah
By *O. L. Carson*
O. L. Carson
Title President

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

FILE NOTATIONS

Entered in NID File	<input checked="" type="checkbox"/>	Checked by Chief	_____
Entered in S-R Sheet	<input checked="" type="checkbox"/>	Copy NID to Field Office	_____
Location Map Pinned	<input checked="" type="checkbox"/>	Approval Letter	<input checked="" type="checkbox"/>
Card Indexed	<input checked="" type="checkbox"/>	Disapproval Letter	_____
NW 1/4 in State or Fee Land	_____		

COMPLETION DATA:

Date Well Completed	<u>11-11-57</u>	Location Inspected	_____
OW _____	YW _____	Bond released	_____
TA <input checked="" type="checkbox"/>	PA _____	State of Fee Land	_____
GW _____	OS _____		

LOGS FILED

Driller's Log 12-11-57

Electric Logs (No.) _____

E _____	I _____	E-I _____	GR _____	GR-N _____	Micro _____
Lat _____	Mi-L _____	Sonic _____	Others _____		

September 19, 1957

Paradox Production Corporation
455 East 4th South
Salt Lake City, Utah

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Federal 2, which is to be located 1980 feet from the south line and 1980 feet from the west line of Section 27, Township 30 South, Range 13 East, S1E11, Wayne County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FRIGHT
SECRETARY

CBF:en

cc: Don Russell
USGS, Federal Bldg.
Salt Lake City, Utah

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Utah
LEASE NUMBER U 014667
UNIT _____

LESSEE'S MONTHLY REPORT OF OPERATIONS

Handwritten:
10-14
4

State Utah County Wayne Field Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of October, 19 57,

Agent's address 455 East 4th South Company Paradox Production Corp.
Salt Lake City 11, Utah Signed _____

Phone Empire 3-9295 Agent's title Chief Geologist


SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NE SW Sec. 27	30S	13E	2	None	None	-	None	None	None	Well temporarily abandoned at a depth of 4122'. No shows other than dead oil were encountered. Well was 610' into Hermosa Section when abandoned.

Vertical stamp:
NOV 15 1957

NOTE.—There were No runs or sales of oil; No M cu. ft. of gas sold; No runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Handwritten mark:
W



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U 014007
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 20, 1957

Federal
Well No. 92 is located 1000 ft. from SEE [S] line and 1000 ft. from SEE [W] line of sec. 27

NE SW Sec. 27 (¼ Sec. and Sec. No.) 30E (Twp.) 13E (Range) Salt Lake (Meridian)
Wildcat (Field) Wayne (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5400 ft.

Handwritten:
27
014
11-25-57

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to set the following plugs:

- 3500' - 3505'
- 2700' - 2825'
- 2450' - 2375'
- 1800' - 1525'
- 920' - 845'
- 600' - 525'
- 170' - 95'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Paradox Production Corporation

Address 404 Executive Bldg.


Salt Lake City 11, Utah

By *R. Q. Laidlaw*
R. Q. Laidlaw
Chief Geologist

Title _____

W/

U. S. LAND OFFICE Utah
SERIAL NUMBER 014667
LEASE OR PERMIT TO PROSPECT _____



76-58
1-7-58
X

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Paradox Production Corporation Address Salt Lake City,
Lessor or Tract Federal #2 Field Wildcat State Utah
Well No. 2 Sec. 27 T. 30S R. 13E Meridian S.L. County Wayne
Location 1980 ft. N. of S. Line and 1980 ft. E. of W. Line of _____ Elevation 5400'
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.
Signed _____

Date November 20, 1957 Title Chief Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling October 3, 1957 Finished drilling November 11, 1957

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 1880 to 2000' (Dead oil) No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>13-3/8</u>	<u>48#</u>		<u>H-90</u>	<u>152'</u>	<u>13-3/8</u>	<u>(Surface)</u>			

*of spots. If bits or pipes were run in to test for water (see kind of material used) and sample of formation or drilling
enclosed, or left in the well. If the size and location of the well has been determined, give date, size, location, and number
with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was
it is of the greatest importance to have a complete history of the well. Please state in detail the dates of recording together.*

HISTORY OF OIL OR GAS WELL

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
		<u>NONE</u>			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

FOLD MARK 1/2

			NONE		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		NONE				

TOOLS USED

Rotary tools were used from **152'** feet to **4122** feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing, 19.....

The production for the first 24 hours was **No** barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

..... **Walter Reed**, Driller **Richard Rupp**, Driller

..... **Leonard Reed**, Driller, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			<u>See attached sample log.</u>
			Log Tops as follows:
			Kayenta 596'
			Wingate 876'
			Chinle 1211'
			Sinarump 1566'
			Moenkopi 1605'
			Coconino 2060'
			Organ Rock 2506'
			Cedar Mesa 2655'
			Hermosa 3511'

FROM TO TOTAL FEET FORMATION

(OVER)

NOV 17 1957

Paradox Production Corporation

BEASON BUILDING
SALT LAKE CITY 11, UTAH
404 Executive Bldg.

November 21, 1957

State of Utah
Oil & Gas Conservation Commission
Room 140, State Capitol Building
Salt Lake City 14, Utah

Attention: Mr. Cleon B. Feight
Secretary

*Noted
C.B.F.
11-25*

Gentlemen:

In compliance with Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, enclosed are copies of Form 9-329 and Form 9-331-a which we are submitting in lieu of Form OGCC-4 on our No. 2 Federal Well located in Wayne County, Utah.

Yours very truly,

PARADOX PRODUCTION CORP.



R. Q. Laidlaw
Chief Geologist

hy
Enc.