


NO



(SUBMIT IN TRIPLICATE)
**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Land Office _____
Lease No. _____
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 1, 19 60

Well No. 3 is located 640 ft. from ^{XX}~~N~~_S line and 750 ft. from ^E~~W~~_W line of sec. 35

SE SE 35 30 S 13 E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Wayne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 3450 to test sand in Upper Hermosa
150' - 8-5/8" Casing w/50 sacks
Well to be drilled with air.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Paradox Production Corporation

Address 404 Executive Building

Salt Lake City 11, Utah

By

Title Chief Geologist

COMPANY **PARADISE PRODUCTIO CORPORATION**

Well Name & No. **FEDERAL #8**


Lease No.

Location **640' FROM THE SOUTH LINE & 750' FROM THE EAST LINE**

Being in **SE SE**

Sec. **35**, T **30 S**, R **13 E**, S.L.N., Wayne County, Utah

Ground Elevation **5100' ungraded ground**



Scale --- 4 inches equals 1 mile

Surveyed **21 May**

19 **60**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land Surveyor.
James P. Leese
Utah Reg. No. 1472

SAN JUAN ENGINEERING CO. FARMINGTON, NEW MEXICO



FILE NOTATIONS

Entered in NID
R Sheet _____
Location Map Pinned _____
Card Indexed
IWR for State or Fee Land _____

Checked by Chief RJ
Copy NID to Field Office
Approval Letter
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 10-4-60 Location Inspected
OW _____ WW _____ TA _____ Bond released _____
GW _____ OS _____ PA State of Fee Land _____

LOGS FILED

Driller's Log 3-22-61
Electric Logs (No.) none
E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
Lat _____ Mi-L _____ Sonic _____ Others _____

Sub Report of Well

September 14, 1960

Paradox Production Corp.
404 Executive Building
Salt Lake City 11, Utah

Attention: R. Q. Laidlaw, Chief Geologist

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Federal #5, which is to be located 640 feet from the south line and 750 feet from the east line of Section 35, Township 30 South, Range 13 East, S1M, Wayne County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,
EXECUTIVE SECRETARY

CBF:avg
cc: Don F. Russell, Dist. Eng.
U. S. Geological Survey
Salt Lake City, Utah

04
RJS

Form 9-331a
(Feb. 1961)

UTAH STATE OIL & GAS CONSERVATION COMMISSION
(SUBMIT IN TRIPLICATE) Office Utah

			0

Lease No. U-014665

~~UNITED STATES~~
~~DEPARTMENT OF THE INTERIOR~~
GEOLOGICAL SURVEY

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 23, 1960

Well No. 3 is located 640 ft. from ^{XXX} line and 750 ft. from ^[E] line of sec. 35

SE SE 35 30S 12E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Wayne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5100 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well to be plugged and abandoned because of fish in hole and unable to get it out.

ESTIMATED TOPS:

Kayenta	Surface	Shinarump	930'	Organ Rock	1870'
Wingate	250'	Moenkopi	980'	Cedar Mesa	2060'
Chinle	640'	Coconino	1500'	Hermosa	2855'
				Sand	3369'

Water encountered: 620' - 1450' - 2030'

Will cement off water w/35' plugs and cement 40' into surface pipe. Set marker w/description, etc., and paint silver at earliest date possible. It is impossible to plug and abandon Federal #3 at this time because the rig will be sitting over old hole. Both wells will be plugged and abandoned if necessary at the same time.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PARADOX PRODUCTION CORPORATION

Address 404 Executive Building

455 East Fourth South


Salt Lake City, Utah

By 
R. Q. Laidlaw
Title Chief Geologist

140

N O T E

Harvey gave us the information that Don F. Russell had checked the location for Well No. Paradox Federal #3, Sec. 35, T. 30 S., R. 13 E., Wayne County, and found the location to be cleaned properly and that a marker had been placed.



(SUBMIT IN TRIPLICATE)

Land Office _____

Lease No. _____

Unit _____

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

STATE OF UTAH - OIL & GAS CONSERVATION COMMISSION
Salt Lake City, Utah

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 28, 1961

Well No. 3 is located 660 ft. from ~~XXX~~ S line and 660 ft. from ~~XX~~ E line of sec. 35

C SE SE 35 30 S 13 E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Wayne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5110 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled open hole from 151' to TD of 2616' - with air.
Set 151' of 8-5/8 O.D. - 24# surface casing w/ 175 sks circulated. No other casing set.
Stuck drill pipe and were unable to get fish. Had to get over and start #3-X
Cement plugs were placed at the following depths and all plugs were placed with 25 sks of cement at 2200 ft., at 1600 ft., at 1100 ft., at 200 ft., 40 ft. set up into the casing and at the top of the casing 40 ft. down.

No Mechanical logs taken.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PARADOX PRODUCTION CORPORATION

Address 404 Executive Building


Salt Lake City, Utah

By R. Q. Laidlaw
R. Q. Laidlaw
Title Geologist

RLS
5

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company PARADOX PRODUCTION CORP Address 404 Executive Bldg., Salt Lake City, Utah
Lease or Tract _____ Field Wildcat State Utah
Well No. 3 Sec. 35 T. 30S R. 13E Meridian S1M2 County WAYNE
Location 660 ft. XX of N Line and 660 ft. E of W Line of Sec. 35 Elevation 5100 GL
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____ Title _____

Date March 8, 1961 Title _____

The summary on this page is for the condition of the well at above date.

Commenced drilling September 12, 1960. Finished drilling September 18, 1960

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from None to _____
No. 2, from None to _____ No. 5, from None to _____
No. 3, from None to _____ No. 6, from None to _____

IMPORTANT WATER SANDS

No. 1, from 1200 to 1210 No. 3, from 2020 to 2020
No. 2, from 2110 to 2130 No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
8-5/8	24#	7		151	Texas				Surface

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8	Surface	175 Portland	Circulated		

PLUGS AND ADAPTERS

DLD MARK

PLUGS AND ADAPTERS

Heaving plug—Material None Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		NONE				

TOOLS USED

Rotary tools were used from 0 feet to 2616 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

Date P & A _____, 19____ Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	300	300'	Kayente At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
300	650	350'	Wingate
650	1030	380'	Chinle
1030	1110	80'	Shinarump
1110	1500	390'	Moenkopi
1500	1980	480'	Coconino
1980	2110	130'	Organ Rock
2110	2616	506'	Cedarmesa

[OVER]

96

MAR 22 1961

--	--	--	--

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

State whether electric logs were run.

Lost two cones in hole Sept. 18. Washed over
fish and in attempt to recover it pulled drill pipe in two.
1000' of drill pipe, collars, etc. left in hole. Skidded
over 10' preparatory to start drilling of Federal #3-X
Lost hole.

PARADOX PRODUCTION CORPORATION

404 EXECUTIVE BUILDING
SALT LAKE CITY 11, UTAH


May 31, 1961

Miss Ann W. Glines
Record Clerk
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City, Utah

Dear Miss Glines:

The Federal #3 well our company drilled in Wayne County,
Utah, was plugged and abandoned October 4, 1960.

Yours truly,


R. Q. Laidlaw
by R. Nielsen