

FILE NOTATIONS

Entered in NID File ✓

Entered On S R Sheet ✓

Location Map Pinned ✓

Card Indexed ✓

IWR for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter ✓

Disapproval Letter

COMPLETION DATA:

Date Well Completed 10-10-59

Location Inspected

GW WW TA

Bond released

GW OS PA X

State of Fee Land

LOGS FILED

Driller's Log 6-25-58

Electric Logs (No.)

E I E-I GR GR-N Micro

Lat Mi-L Sonic Others

September 3, 1957

Shumway Uranium Mining Corporation
P. O. Box 2466
Salt Lake City, Utah

Gentlemen:

It has come to the attention of this office that you intend to drill Well No. Government 1, in the NE SE SE of Section 23, Township 27 South, Range 4 East, SLPM, Wayne County, Utah.

Please file a notice of intention to drill with this office and have the same approved before spudding in.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:en

*			
	23		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-010160
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 4, 1957

Well No. 1 is located 771 ft. from N line and 306 ft. from E line of sec. 23

NW 1/4 NW 1/4 27 South Range 4 East SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wayne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 9914 ft. (estimated)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Expected depth 3500 feet sinbad test. 150 feet of 13-3/8 conductor or base of lava cap if deeper to be cemented to surface. Rotary drilling after setting surface no other pipe to be set unless needed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SHUMWAY URANIUM MINING CORPORATION
Address P O Box 2466
65 East 4th South Suite 201
Salt Lake City, Utah
By [Signature]
Title President

OIL WELL LOCATION CERTIFICATE

COMPANY SHURWAY MINING CORPORATION


Well Name and No. _____ Lease No. _____

Location 771 feet from the North line & 306 feet from the West line

Being in the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$

Section 23, T. 27 S., R. 1 E., SLM Wayne County, Utah

Ground Elevation _____



Scale—4 inches equals 1 mile

Surveyed August 18, 19 57

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Paul T. Yman
Registered Professional
Engineer and Land Surveyor

SHUMWAY URANIUM MINING CORPORATION

P. O. BOX 2466
65 EAST 4TH SOUTH
SALT LAKE CITY, UTAH

FIELD OFFICE
BLANDING, UTAH

September 5, 1957

Utah Oil and Gas Conservation Commission
Room 140
State Capitol Building
Salt Lake City, Utah

Dear Sirs:

Enclosed you will find a notification of our intention to drill a well which does not conform exactly to the rules of the conservation commission. We hereby respectfully request that permission be given to drill this well inasmuch as topographical factors are involved and it would require the tearing out of considerable timber in order to locate this well in the center of a 40 acre tract. We do appreciate your consideration in this matter.

Sincerely yours,

SHUMWAY URANIUM MINING COMPANY



Trent J. Parker, President

TJP/jn

September 6, 1957

Shurway Uranium Mining Corporation
P. O. Box 2466
65 East 4th South
Salt Lake City, Utah

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. 1, which is to be located 771 feet from the north line and 306 feet from the west line of Section 23, Township 27 South, Range 4 East, S1EM, Wayne County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well on said unorthodox location is hereby granted under Rule G-3(c), General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT
SECRETARY

CBF:cn

cc: Don Russell
USGS, Federal Bldg.
Salt Lake City, Utah



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake

Lease No. U-010160

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<input checked="" type="checkbox"/>		

1. *of 11 of well*

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 12, 1957

Well No. #1 is located 771 ft. from N line and 330 ft. from W line of sec. 23

NW 1/4 (1/4 Sec. and Sec. No.) 27 So. (Twp.) R/E (Range) S1M (Meridian)

(Field) Wayne (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

total depth drilled 1917 feet set 10 sks plug at 1880 ft, 25 sks at 1650 ft, 25 sks at 447 ft, 10 sks at surface. Marker and proper designation of dry hole erected.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shawway Uranium Mining Corp.

Address 65 East 4th South

Salt Lake City, Utah

Grant Parker
By President

Title _____

X			
	23		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Salt Lake**
Lease No. **U-010160**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 10, 1957

Government
Well No. #1 is located 771 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 306 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 23
NW $\frac{1}{4}$ NW $\frac{1}{4}$ 27 So R 4 E S1M
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wayne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level 10,056 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plan to set 25 sks plug at 1650 ft 25 sks plug at 440 ft.
10 sks plug at surface casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Shumway Uranium Mining Corp.**
Address **65 East 4th South**
Salt Lake City, Utah
By *Wentley Parker*
Title **President**

W

May 16, 1958

Shumway Uranium Mining Corporation
P. O. Box 2466
Salt Lake City, Utah

Re: Well No. Federal 1, Sec. 23,
T. 27 S, R. 4 E, SEEM, Wayne
County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGGC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT
SECRETARY

GHF:em

Encls.

Note:

Well log should be forthcoming on 6-31-58

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from surface feet to 1917 ft. feet, and from feet to feet

Cable tools were used from ~~zero~~ feet to feet, and from feet to feet

DATES

....., 19..... Put to producing, 19.....

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

Hershl Pilcher, Driller Driller

Clarence Cushman, Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	170	170	Volcanic Conglomerate
170			top of Entrada (?)
170	250	80	red shale, limey
250	310	60	red silt
310	340	30	conglomerate
340			top of carmel (?)
340	400	60	slt. gy. gn occ. shy
400	450	50	shale bl. gy.
450	640	190	shale, silty, bl. gy. chert, white, and orange, anhy.
640	700	60	anhy. beds shale bl. gy
700	790	90	slt. st. gy gn occ carbonate
790	900	110	LS. candle H. br. slty.
900	985	85	slt st. gy gn chlortic shale silty gy
985	1050	65	ss lt gy very calc.
1050	1100	50	silty bl gy shale
1100	1110	10	ls tn let brown
1110			Top of Navajo
1110	1917	807	sand stone well rounded

[OVER]

JUN 25 1958

46

SHUMWAY URANIUM MINING CORPORATION

P. O. BOX 2466
65 EAST 4TH SOUTH
SALT LAKE CITY, UTAH

FIELD OFFICE
BLANDING, UTAH

June 23, 1958


Mr. Cleon B. Feight
Secretary
Oil & Gas Conservation Commission
State of Utah
Salt Lake City 14, Utah

Dear Mr. Feight:

We are very sorry that you did not receive the original Well Log and we do hope that this will be satisfactory. If you have any further questions about this well, please do not hesitate to call us.

Sincerely yours,

SHUMWAY URANIUM MINING CORP.


Trent Parker, President

TP:wa