

FILE NOTATIONS

Entered in NID File ✓

Entered On S R Sheet _____

Location Map Pinned ✓

Card Indexed ✓

IWR for State or Fee Land _____

Checked by Chief R.L.S.

Copy NID to Field Office ✓

Approval Letter 3-20-62

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 6-4-62

Location Inspected _____

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA X

State of Fee Land _____

LOGS FILED

Driller's Log 6-22-62

Electric Logs (No.) 6

E _____ I _____ E-I ✓ GR _____ GR-N ✓ Micro _____

Lat. ✓ Mi-L _____ Sonic ✓ Others CONTINUOUS

DIPmeter - 2 Run #1
 2 Run #2

THE SUPERIOR OIL COMPANY

P. O. DRAWER 6
CORTEZ, COLORADO

March 19, 1962

Mr. D. F. Russell
United States Geological Survey
231 East 4th South
420 Empire Building
Salt Lake City, Utah

RE: Hanksville Unit #31-30
Wayne County, Utah

Dear Mr. Russell:

Enclosed please find (4) copies of the Notice of Intention to Drill for the Hanksville Unit #31-30, along with (4) copies of the location plat.

Previously submitted to you were the Oil & Gas Lease Bond and the Designation of Operator.

Yours truly,

C.R. Waller
C. R. Waller

CRW/njh

cc: Utah Oil & Gas Commission
File

C
O
P
Y

		X	
	30		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Salt Lake**
Lease No. _____
Unit **Hanksville**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 19, 1962

Hanksville Unit
Well No. **#31-30** is located **660** ft. from **(N)** line and **1960** ft. from **(E)** line of sec. **30**
~~(SW)~~
~~(NW)~~

NW NE Section 30 **27S** **13E** **SLB&M**
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat **Wayne** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of ~~the casing head~~ above sea level is **5029** ft. **Grd.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill well to test the Mississippian formation to approx. depth of 6890'.

Will set 13-3/8" conductor to 80' with cement circ. to surface.

Will set 8-5/8" casing to approx. 500' with cement circ. to surface.

Will set 5 1/2" casing through any commercial production encountered.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE SUPERIOR OIL COMPANY**

Address **P. O. DRAWER 'G'**


CORTEZ, COLORADO

By **ORIGINAL SIGNED BY**

C. R. Waller

Title **Drilling Engineer**

CRW/njh



WELL LOCATION: The Superior Oil Company - Hanksville # 31-30

Located 660 feet South of the North line and 1980 feet West of the East line of Section 30,
 Township 27 South, Range 13 East, Salt Lake Base & Meridian.
 San Juan Co., Utah
 Existing ground elevation determined at 5029 feet based on U.S.G.S. datum.



I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark
 ELMER M. CLARK
 Registered Land Surveyor
 State of Utah # 2307

THE SUPERIOR OIL CO.	
WELL LOCATION PLAT	
NW 1/4 - NE 1/4 Sec.30, T27S, R13E	
San Juan Co., Utah	
<i>WAYNE</i>	
E.M. CLARK & ASSOC. Durango, Colorado	DATE: March 14, 1962 FILE NO: 62012

March 20, 1962

Superior Oil Company
Drawer 'G'
Cortez, Colorado

Attn: C. R. Waller, Drilling Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Hanksville Unit #31-30, which is to be located 660 feet from the north line and 1980 feet from the east line of Section 30, Township 27 South, Range 13 East, SLM, Wayne County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Under Rule A-3, the approval of this Commission is not necessary when an unexecuted copy of the unit agreement is on file with this office. In such a case, it is only necessary to file copies of all notices of intention and subsequent reports that are filed with the United States Geological Survey.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,
EXECUTIVE DIRECTOR

CBF:kpb

cc: Don F. Russell, Dist. Eng.
U. S. Geological Survey
Salt Lake City, Utah

H. L. Coonts - OGCC, Moab

THE SUPERIOR OIL COMPANY

P. O. DRAWER 6

CORTEZ, COLORADO

March 20, 1962

**C
O
P
Y**

United States Geological Survey
231 East 4th South
420 Empire Building
Salt Lake City, Utah

Attention: Mr. D. F. Russell

SUBJECT: Hanksville Unit #31-30
Wayne County, Utah

Dear Mr. Russell:

Attached are revised location plats for the subject well.
Please note that the only change is the correction of the
county from San Juan County, Utah to Wayne County, Utah.

Very truly yours,

Original Signed By
W. M. RAMSBURG


W. M. Ramsburg
Drilling Engineer

WMR/njh
Attach. (4)

cc: ~~Utah~~ Oil & Gas Commission (2)
File

(SUBMIT IN TRIPLICATE)

Land Office **Salt Lake**
Lease No. **Utah 09308**
Unit **Hanksville**



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 4, 1962

Hanksville Unit
Well No. **31-30** is located **660** ft. from **N** line and **1980** ft. from **E** line of sec. **30**
N }
E }

NW NE Section 30 **27S** **13E** **SLB&M**
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat **Wayne** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5028** ft. **Gr. Gd.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to plug and abandon well by equalizing the following plugs:

- #1: 30 sacks cement w/DP hung to 7650' (TD-7664')
- #2: 30 sacks cement w/DP hung to 7110'
- #3: 30 sacks cement w/DP hung to 6690'
- #4: 50 sacks cement w/DP hung to 5060'
- #5: 30 sacks cement w/DP hung to 3480'
- #6: 30 sacks cement w/DP hung to 2260'
- #7: 30 sacks cement w/DP hung to 1060'
- #8: 50 sacks cement w/DP hung to 375'

Present TD: 7664' in Cambrian
Mississippian @ 6390' per plugging approval.

Will place a 10 sack plug in top of surface casing & weld on steel plate.
Standard dry hole marker will be erected.

VERBAL APPROVAL BY D. F. RUSSELL TO PLUG THRU THE MISS. MAY 21, 1962.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The Superior Oil Company**

Address **P. O. Drawer 'G'**

Cortez, Colorado

By **C. R. Waller**
C. R. Waller
Title **Drilling Engineer**

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake
Lease No. U-09308
Unit Hanksville

		X
	30	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 19, 1962

Hanksville Unit
Well No. 31-30 is located 660 ft. from N line and 1980 ft. from E line of sec. 30
30
NW NE Section 30 **T27S** **R13E** **SLB&M**
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **Wayne** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation ~~5040~~ above sea level is 5040 ft. K. B.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SPUDDED: April 3, 1962

ABANDONED: June 4, 1962

TOTAL DEPTH: 7664' in Cambrian

CASING: 13-3/8" set at 102' with 100 sacks.
8-5/8" set at 385' with 150 sacks.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company THE SUPERIOR OIL COMPANY

Address P. O. DRAWER 'G'
CORTEZ, COLORADO

Original Signed By
W. M. RAMSBURG
By W. M. Ramsburg
Title Drilling Engineer

WMR/njh

U. S. LAND OFFICE Salt Lake
SERIAL NUMBER Utah Permit #09308
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Superior Oil Company Address P. O. Drawer 'G', Cortez, Colorado
Lessor or Tract Hanksville Unit Field Wildcat State Utah
Well No. 31-30 Sec. 30 T. 27S R. 13E Meridian SLB&M County Wayne
Location 660 ft. N of N Line and 1980 ft. E of E Line of Section 30 Elevation 5040 KB
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Original Signed By
Signed W. M. RAMSBURG
W. M. Ramsburg Title Drilling Engineer

Date June 19, 1962

The summary on this page is for the condition of the well at above date.

Commenced drilling April 3, 19 62 ~~Drilled~~ Abandoned June 4, 1962

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From--	To--	
13-3/8"	50.5	8	Spring	102'	None	None	None	None	Conductor
8-5/8"	385	8	Spring	150'	None	None	None	None	Surface
HISTORY OF OIL OR GAS WELL									

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8"	102'	100	Circ. to surface.		
8-5/8"	385'	150	Circ. to surface.		

PLUGS AND ADAPTERS

LD MARK

