

FILE NOTATIONS

Entered in NID File ✓

Entered On S R Sheet _____

Location Map Pinned ✓

Card Indexed ✓

I W R for State or Fee Land _____

Checked by Chief PLS

Copy NID to Field Office ✓

Approval Letter ✓

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 2-5-61

Location Inspected USGS

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA X

State of Fee Land _____

LOGS FILED

Driller's Logs 5-20-61

Electric Logs (No.) 2

E _____ I _____ E-I ✓ GR _____ GR-N _____ Micro ✓

Lat _____ Mi-L _____ Sonic ✓ Others _____

COMPANY **TEKESSEE GAS & OIL COMPANY**

Well Name & No. **U.S.A. - FINTO HILLS # 1**


Lease No.

Location **660' FROM THE SOUTH LINE & 1980' FROM THE WEST LINE**

Being in **center SE SW**

Sec. **5**, T **28 S**, R **11 E**, S.L.N., Wayne County, Utah

Ground Elevation **4618'** ungraded ground



Scale — 4 inches equals 1 mile

Surveyed **9 December**


19 **60**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

James P. Lecce

Registered Land Surveyor.
James P. Lecce
Utah Reg. No. 1472

SAN JUAN ENGINEERING CO. FARMINGTON NEW MEXICO



TENNESSEE GAS AND OIL COMPANY

DIVISION OF TENNESSEE GAS TRANSMISSION COMPANY

P. O. BOX 1714 • DURANGO, COLORADO



December 13, 1960

C
U. S. Geological Survey
457 Federal Building
Salt Lake City 11, Utah

Gentlemen:

Subject: Tennessee Gas Transmission Company
USA Pinto Hills #1
Section 5-T288-R11E
Wayne County, Utah

O
Attached are the original and two copies of Form 9-331-A
"Notice of Intention to Drill" pertaining to subject well.

Yours very truly,

TENNESSEE GAS TRANSMISSION COMPANY

P
Original Signed By
WAYNE E. COX

Wayne E. Cox
District Office Supervisor

Y
WEC/mlr

cc: Utah Oil & Gas Conservation Commission ✓
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

REC-3-1-1960

December 16, 1960

Tennessee Gas Transmission Co.
P. O. Box 1714
Durango, Colorado

Attention: L. E. Plumb, Dist. Prod. Supt.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. USA Pinto Hills #A, which is to be located 660 feet from the south line and 1980 feet from the west line of Section 5, Township 28 South, Range 11 East, SEM, Wayne County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,
EXECUTIVE SECRETARY

CBF:awg

cc: Don F. Russell, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OCCC, Moab



COMMISSIONERS

C. R. HENDERSON
CHAIRMAN

M. V. HATCH
C. S. THOMSON
E. W. CLYDE
W. G. MANN

EXECUTIVE SECRETARY
C. B. FEIGHT

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

310 NEWHOUSE BUILDING
10 EXCHANGE PLACE
SALT LAKE CITY 11

PETROLEUM ENGINEERS

H. G. HENDERSON
CHIEF ENGINEER
SALT LAKE CITY

H. L. COONTS
BOX 266
MOAB, UTAH

January 4, 1961

Memo for filing:

Re: Tennessee Gas Transmission Company
#1 Pinto Hills
Sec. 5, T. 28 S, R. 11 E. S1M
Wayne County

I visited the above drilling location this date. The operator was running a DST @ 3246-84. They recovered 5' slightly WCM. They set 183' of 9 5/8 surface pipe. The rig had no geronimo line and the tool pusher was notified.

BY
HARVEY L. COONTS,
PETROLEUM ENGINEER

HU

TENNESSEE GAS AND OIL COMPANY

DIVISION OF TENNESSEE GAS TRANSMISSION COMPANY

P. O. BOX 1714 · DURANGO, COLORADO



January 19, 1961

C

O

United States Department of the Interior
Geological Survey
457 Federal Building
Salt Lake City 14, Utah

Gentlemen:

P

Subject: Tennessee Gas Transmission Company
USA Pinto Hills No. 1
Section 5, T. 28 S., R. 11 E.
Wayne County, Utah

Attached are the original and two copies of form 9-331A, Notice of Intention to Change Plans, pertaining to subject well. We intend to drill this well approximately 1000 feet deeper than was originally anticipated.

Very truly yours,

TENNESSEE GAS AND OIL COMPANY

Original Signed By
L. B. Plumb

L. B. Plumb


WEC:bjc

Attachments

cc: Utah Oil and Gas Conservation Commission w/attach.

Y

U. S. LAND OFFICE Salt Lake City
SERIAL NUMBER U-010002
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Tenneco Corporation Address P. O. Box 1714, Durango, Colorado
Lessor or Tract USA Pinto Hills Field Wildcat State Utah
Well No. 1 Sec. 5 T. 28S R. 11E Meridian SLM County Wayne
Location 660 ft. ^[N.] of S Line and 1980 ft. ^[E.] of W Line of Section 5 Elevation 4618 GL
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed L. B. Plumb L. B. Plumb

Date April 12, 1961 Title District Production Supt.

The summary on this page is for the condition of the well at above date.

Commenced drilling December 27, 1960 Finished drilling February 5, 1961

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>9 5/8"</u>	<u>32.34</u>	<u>8 RD</u>	<u>141"</u>	<u>159'</u>	<u>guide</u>	<u>--</u>	<u>--</u>	<u>--</u>	<u>Surface</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>9 5/8"</u>	<u>184'</u>	<u>125</u>	<u>Two Plug</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing Abandoned February 5, 19.....
 April 12
 The production for the first 24 hours was barrels of fluid of which% was oil;%
 emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller Driller
, Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	14	14	KB to Ground Level
14	1260	1246	Sand, Silt, Shale
1260	2634	1374	Sand
2634	3530	896	Sand and Silt
3530	4780	1250	Sandstone
4780	7301	2521	Limestone, some shale
			<u>Electric Log Tops</u>
			Summerville Surface
			Najavo 1264
			Chinle 2634
			Coconino 3530
			Hermosa 5256
			Ismay 5953
			Desert Creek 6147
			Akah 6263
			Molas 6809
			Mississippi 7078
			TD 7301

(OVER)

TENNECO OIL COMPANY

April 13, 1961

U. S. Geological Survey
457 Federal Building
Salt Lake City 14, Utah

Gentlemen:

Subject: USA Pinto Hills No. 1
Section 5, T. 28 S., R. 11 E.
Wayne County, Utah

Enclosed are the original and two copies of Form 9-330, Log of Oil or Gas Well, which pertain to the subject well. Also, enclosed are two copies of Microlog, two copies of Induction-Electrical log and two copies of Sonic log which pertain to the subject well.

Very truly yours,

TENNECO OIL COMPANY



Wayne E. Cox
District Office Supervisor

WEC:bjo

Encl.

cc: Utah Oil and Gas Conservation Commission ✓
w/attach.